# August 2017 Volume 24 Number 2

#### **Editors:**

Kaye Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

# Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

#### Production

Typeset automatically from XML and T<sub>E</sub>X. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

## **Programmers**

Anrik Drenth & John Geering
email: texschedule@pharmac.govt.nz
©Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section A	General Rules	6
Section B	Alimentary Tract & Metabolism	20
	Blood & Blood Forming Organs	46
	Cardiovascular System	55
	Dermatologicals	67
	Genito Urinary System	78
	Hormone Preparations – Systemic	84
	Infections – Agents For Systemic Use	95
	Musculoskeletal System	118
	Nervous System	127
	Oncology Agents & Immunosuppressants	164
	Respiratory System & Allergies	204
	Sensory Organs	212
	Various	217
Section C	Extemporaneous Compounds (ECPs)	219
Section D	Special Foods	226
Section E	Practitioner's Supply Orders	245
	Rural Areas	249
Section F	Dispensing Period Exemptions	250
Section G	Safety Cap Medicines	252
Section I	National Immunisation Schedule	255
	Index	264

Introducing PHARMAC

# Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

#### PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

# **Purpose of the Pharmaceutical Schedule**

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply:
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

# **Explaining pharmaceutical entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

## Example



# Glossary

#### Units of Measure

gramkilograminternational unit	kg		mg	millimoleunit	
Abbreviations					
Ampoule	Amp	Gelatinous	Gel	Solution	Soln
Capsule	Cap	Granules	Gran	Suppository	Supp
Cream	Crm	Infusion	Inf	Tablet	Tab
Device	Dev	Injection	Inj	Tincture	Tinc
Dispersible	Disp	Liquid	Liq	Trans Dermal Delivery	
Effervescent	Eff	Long Acting	LA	System	TDDS
Emulsion	Emul	Ointment	Oint	•	
Enteric Coated	EC	Sachet	Sach		

**BSO** Bulk Supply Order. CBS Cost Brand Source.

**ECP** Extemporaneously Compounded Preparation.

ΩP Original Pack – subsidy is rounded up to a multiple at whole packs.

**PSO** Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

**XPharm** Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.

\* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once,

unless the medicine meets the Dispensing Frequency Rule criteria.

Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.

Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the

patient a manufacturer's surcharge.

S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.

HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy

Variation (for Clozapine Services).

# Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a 🗸 in the product's Schedule listing.

# Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

#### Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

#### Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

# Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

## INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to whole-salers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 August 2017 and is to be referred to as the Pharmaceutical Schedule Volume 24 Number 2, 2017. Distribution will be from 20 August 2017. This Schedule comes into force on 1 August 2017.

#### **PARTI**

## INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
  - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
  - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
  - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
    - a) have limited physical mobility;
    - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
    - c) are relocating to another area:
  - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
  - "Act", means the New Zealand Public Health and Disability Act 2000.
  - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
  - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
  - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
  - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
  - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
  - "Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

- "Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.
- "Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.
- "Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).
- "Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.
- "Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.
- "Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.
- "DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.
- "DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.
- "Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.
- "Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.
- "DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit. "DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:
  - a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
  - b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.
- "Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.
- "Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.
- "GST", means goods and services tax under the Goods and Services Tax Act 1985.
- "Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.
- "Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.
- "Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.
- "Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:
  - a) on a Prescription signed by a Specialist, or
  - b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
    - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
    - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
    - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an

Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month". means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

- "Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines
- "Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule
- "Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)
- "Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.
- "PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.
- "PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.
- "Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.
- "Pharmaceutical Benefits", means the right of:
  - a) a person; and
  - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.
- "Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.
- "Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.
- "Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, a Quitcard Provider, a Pharmacist Prescriber, or a Vaccinator as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984. "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.
- "Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.
- "Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

- "Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.
- "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
  - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
  - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
    - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
    - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol", or
    - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
  - ii) the consultation to relate to the Patient for whom the Prescription is written;
  - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - iv) except in emergencies consultation to precede annotation of the Prescription; and
  - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.
- "Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

- "Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.
- "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.
- "Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:
  - a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine;
  - b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
  - the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the
    purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of
    competency; or
  - d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.
- "Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with,

their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

"Vaccinator", means either:

- a) a pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health; or
- b) any other person who is authorised by the Director-General of Health or a Medical Officer of Health to administer vaccines in accordance with this Section 44A of the Medicines Regulations 1984.
- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

# PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

# PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.

- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
    - i) sufficient to provide treatment for a period not exceeding 10 days; and
    - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner or Registered Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity
    prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had
    been dispensed in a Monthly Lot;
  - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - b) both:
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
        - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that
    part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case: or
  - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
  - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
  - an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
  - any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eq: if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

## 3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
  - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

## 3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

#### 3.6 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum; and
- b) written on a Quitcard.

#### 3.7 Vaccinators' Prescriptions

Prescriptions written by Vaccinators will only be valid for subsidy in accordance with an agreement between the Contractor and the DHB, and only for direct administration of a vaccine to a patient.

# PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

#### "Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

#### 4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

## 4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
  - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
  - a person assessed as requiring long term residential care services and residing in an age related residential care facility:

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
  - i) 7 days' supply for a Class B Controlled Drug; or
  - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
  - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

## 4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

#### 4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
  - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
  - b) The prescribing Practitioner has:
    - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
    - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
  - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
  - Annotated the Prescription with the amended dispensing quantity and frequency.

## 4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
  - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time: and
  - b) the dispensing pharmacist has:
    - i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
    - ii) initialled the annotation in their own handwriting; and
    - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note -- no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

# PART V MISCELLANEOUS PROVISIONS

#### 5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.

- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
  - a) the RFPP provider name is written on the Practitioner's Supply Order; and
  - b) the total quantity ordered does not exceed a multiple of:
    - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral lig 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
    - iii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
  - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement

## 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

## 5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

## 5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

#### 5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
  - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - c) is being used and funded as part of a paediatric oncology service; or
  - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.2:
  - c) clauses 3.1 to 3.4; and
  - d) clause 5.4.
  - of Section A of the Schedule

- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

## 5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent): and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect
  to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

#### 5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may

only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

## 5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied;
   and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

## 5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

## SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	) Su Per	Fully bsidised	Brand or Generic Manufacturer
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID  Sodium alginate 225 mg and magnesium alginate 87.5 m sachet	• •	30	<b>√</b> G	aviscon Infant
SODIUM ALGINATE  * Tab 500 mg with sodium bicarbonate 267 mg and calciur carbonate 160 mg - peppermint flavour		60	G	aviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and cale carbonate 160 mg per 10 ml		500 ml	A	cidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE  * Tab 600 mg CALCIUM CARBONATE	12.56	100	<b>✓</b> A	lu-Tab
Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) - Subsidy by endorsement Only when prescribed for children under 12 years of endorsed accordingly.	39.00	500 ml nate bindi		<b>oxane</b> and the prescription is
Antidiarrhoeals				
Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE - Up to 30 cap available  * Tab 2 mg*  * Cap 2 mg	10.75	400 400		odia iamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE  Cap 3 mg — Special Authority see SA1155 below — Reta pharmacy	166.50	90 alid for 6		ntocort CIR or applications meeting

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
  - 2.1 Diabetes; or
  - 2.2 Cushingoid habitus; or
  - 2.3 Osteoporosis where there is significant risk of fracture; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
 \$	Per 🗸	

continued...

- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

#### HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✓ Pentasa
Tab 800 mg85.50	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✓ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg92.91	100	✓ Nalcrom
SULPHASALAZINE	.00	· Haiorom
* Tab 500 mg – For sulphasalazine oral liquid formulation refer,	100	/ Calamanumin
page 220	100	Salazopyrin
* Tab EC 500 mg13.50	100	✓ Salazopyrin EN

# Local preparations for Anal and Rectal Disorders

## **Antihaemorrhoidal Preparations**

## FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cinchocaine hydrochloride 5 mg per g	30 g OP	✓ Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg2.66	12	✓ Ultraproct
HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	✓ Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90		✓ Proctosedyl

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✓ Manufacturer

## Management of Anal Fissures

GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy

## ⇒SA1329 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

# **Antispasmodics and Other Agents Altering Gut Motility**

	/RRONII	

Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available on a
PSO.......17.14 10

HYOSCINE N-BUTYLBROMIDE

 ★ Tab 10 mg
 2.18
 20
 ✓ Gastrosoothe

 ★ Inj 20 mg, 1 ml – Up to 5 inj available on a PSO
 9.57
 5
 ✓ Buscopan

MEBEVERINE HYDROCHLORIDE

**★** Tab 135 mg .......18.00 90 **✓ Colofac** 

## **Antiulcerants**

# **Antisecretory and Cytoprotective**

MISOPROSTOL

# **Helicobacter Pylori Eradication**

#### CLARITHROMYCIN

- a) Maximum of 14 tab per prescription
- b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.
- c) Apo-Clarithromycin to be Sole Supply on 1 October 2017

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.

# **H2 Antagonists**

RANITIDINE - Only on a prescription

*	Tab 150 mg12.91	500	Ranitidine Relief
	Tab 300 mg18.21		Ranitidine Relief
	Oral liq 150 mg per 10 ml5.14		✓ Peptisoothe
	Ini 25 mg per ml 2 ml 8 75		✓ Zantac

## **Proton Pump Inhibitors**

LA	NSOPRAZOLE			
*	Cap 15 mg	5.08	100	✓ Lanzol Relief
*	Cap 30 mg	5.93	100	✓ Lanzol Relief

✓ Max Health

		Subsidy		Fully	Brand or
		(Manufacturer's Price)	_	Subsidised	
_		\$	Per		Manufacturer
ON	IEPRAZOLE				
	For omeprazole suspension refer Standard Formulae, page 2	223			
*	Cap 10 mg	2.23	90		Omezol Relief
*	Cap 20 mg	2.91	90	•	Omezol Relief
*	Cap 40 mg	4.42	90	•	Omezol Relief
*	Powder – Only in combination	42.50	5 g	•	Midwest
	Only in extemporaneously compounded omeprazole susp				
*	Inj 40 mg ampoule with diluent	33.98	5	•	Dr Reddy's
					<u>Omeprazole</u>
PΑ	NTOPRAZOLE				
*	Tab EC 20 mg	2.41	100	1	Panzop Relief
*	Tab EC 40 mg		100		Panzop Relief
	·				
S	ite Protective Agents				
00	LL OLD AL DICAMUTU CUDCITDATE				
CC	LLOIDAL BISMUTH SUBCITRATE				
	Tab 120 mg	14.51	50	•	Gastrodenol S29
SU	CRALFATE				
	Tab 1 g	35.50	120		
		(48.28)			Carafate
В	ile and Liver Therapy				
	• • • • • • • • • • • • • • • • • • • •				
RIF	FAXIMIN – Special Authority see SA1461 below – Retail pharm			_	
	Tab 550 mg	625.00	56	•	Xifaxan

Xifaxan to be Sole Supply on 1 October 2017

## ⇒SA1461 Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

## **Diabetes**

# Hyperglycaemic Agents

DIAZOXIDE - Special Authority see SA1320 below - Retail p	oharmacy		
Cap 25 mg	110.00	100	✓ Proglicem S29
Cap 100 mg	280.00	100	✓ Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	✓ Proglycem S29

## ⇒SA1320 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

## GLUCAGON HYDROCHLORIDE

Inj 1 mg syringe kit - Up to 5 kit available on a PSO......32.00 ✓ Glucagen Hypokit

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Subs	idised	Generic
	` \$	Per	✓	Manufacturer
In culting Character and Duran custing a				
Insulin - Short-acting Preparations				
INSULIN NEUTRAL			_	
▲ Inj human 100 u per ml	25.26	10 ml OP		ctrapid
▲ Inj human 100 u per ml, 3 ml	40.66	5		umulin R ctrapid Penfill
Inj numan 100 u per mi, 3 mi	42.00	5		umulin R
			V 11	umum n
Insulin - Intermediate-acting Preparations				
NSULIN ASPART WITH INSULIN ASPART PROTAMINE				
▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✓ N	ovoMix 30 FlexPen
NSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml OP	<b>✓</b> H	umulin NPH
		-		rotaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5		umulin NPH
,			<b>✓</b> P	rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL				
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	<b>✓</b> H	umulin 30/70
•			✓ M	ixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	<b>√</b> H	umulin 30/70
			✓ P	enMix 30
			✓ P	enMix 40
			✓ P	enMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml				
3 ml		5	<b>✓</b> H	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml				· ·
3 ml	42.66	5	<b>✓</b> H	umalog Mix 50
Institute I and action Dyanagations				
Insulin - Long-acting Preparations				
NSULIN GLARGINE	00.00			
▲ Inj 100 u per ml, 10 ml		1 5		antus antus
		5 5		antus antus SoloStar
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	J	V L	antus SoloStai
Insulin - Rapid Acting Preparations				
NSULIN ASPART				
▲ Inj 100 u per ml, 3 ml syringe	51.19	5	✓ N	ovoRapid FlexPen
▲ Inj 100 u per ml, 3 ml	51.19	5		ovoRapid Penfill
▲ Inj 100 u per ml, 10 ml	30.03	1	✓ N	ovoRapid
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	✓ A	pidra
▲ Inj 100 u per ml, 3 ml		5		pidra
▲ Inj 100 u per ml, 3 ml disposable pen		5		pidra SoloStar
NSULIN LISPRO				-
▲ Inj 100 u per ml, 10 ml	34.92	10 ml OP	<b>✓</b> H	umalog
▲ Inj 100 u per ml, 3 ml		5		umalog
,		-		- <b>J</b>

	Subsidy (Manufacturer's Price \$	) ( Per	Fully Subsidised	I Generic
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg		90		Glucobay
* Tab 100 mg	7.78	90	•	Glucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	/	Daonil
GLICLAZIDE				
* Tab 80 mg	10.29	500	/	Glizide
Glizide to be Sole Supply on 1 October 2017				
GLIPIZIDE				
* Tab 5 mg	2.85	100	/	<u>Minidiab</u>
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg		1,000		Metchek
* Tab immediate-release 850 mg	7.82	500		Apotex
			•	Metformin Mylan
PIOGLITAZONE			_	
* Tab 15 mg		90		<u>Vexazone</u>
* Tab 30 mg		90 90		Vexazone Vexazone
* Tab 45 mg	7.10	90		vexazone
Diabetes Management				
Ketone Testing				
BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter a	available on a PSO			
Meter funded for the purposes of blood ketone diagnostics on	nly. Patient has had			
at risk of future episodes or patient is on an insulin pump. Or		atient wi		
Meter	40.00	1	/	Freestyle Optium
				Neo
KETONE BLOOD BETA-KETONE ELECTRODES				
a) Maximum of 20 strip per prescription				
b) Up to 10 strip available on a PSO	4=			
Test strip - Not on a BSO	15.50 10	strip C	P 🗸	Freestyle Optium
				Ketone
SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescripti			ND 4	A Ol I-
* Test strip - Not on a BSO	6.00 50	) strip C	אר 🗸	Accu-Chek Ketur-Test
	14.14			Ketur-rest Ketostix
	14.14		•	NEIOSIIX

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

# **Blood Glucose Testing**

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
  - 1) is receiving insulin or sulphonylurea therapy; or
  - 2) is pregnant with diabetes; or
  - 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
  - has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome.

Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter.

The prescription must be endorsed accordingly.

Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the
  prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips – Note differing brand requirements			
below10	0.56	50 test OP	✓ CareSens
29	8.75		✓ CareSens N ✓ Accu-Chek
20	0.75		Performa
			✓ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 on the next page Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

## ⇒SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

**PHARMAC** 

PO Box 10 254 Facsimile: (04) 974 4788
Wellington Email: bgstrips@pharmac.govt.nz

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	lised	Generic
\$	Per	1	Manufacturer

## ⇒SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

**PHARMAC** 

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: <u>bgstrips@pharmac.govt.nz</u>

## BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

INCLU IN DEN NEEDLES Maximum of 100 day par procediation

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the
  prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

# **Insulin Syringes and Needles**

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

otion		
10.50	100	✓ B-D Micro-Fine
	100	✓ B-D Micro-Fine
	100	✓ ABM
	100	✓ B-D Micro-Fine
	100	✓ B-D Micro-Fine
DLE - Maximum of 1	00 dev per i	prescription
13.00	100	✓ B-D Ultra Fine
1.30	10	
(1.99)		B-D Ultra Fine
13.00 <sup>°</sup>	100	✓ B-D Ultra Fine II
1.30	10	
(1.99)		B-D Ultra Fine II
13.00 <sup>°</sup>	100	✓ B-D Ultra Fine
1.30	10	
(1.99)		B-D Ultra Fine
13.00 <sup>°</sup>	100	✓ B-D Ultra Fine II
1.30	10	
(1.99)		B-D Ultra Fine II
13.00	100	✓ B-D Ultra Fine
1.30	10	
(1.99)		B-D Ultra Fine
13.00 <sup>′</sup>	100	✓ B-D Ultra Fine II
1.30	10	
(1.99)		B-D Ultra Fine II

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

## **Insulin Pumps**

INSULIN PUMP - Special Authority see SA1603 below - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription
- c) Maximum of 1 insulin pump per patient each four year period.

<ul> <li>c) Maximum of 1 insulin pump per patient each four</li> </ul>	r year period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour		1	Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722

## ⇒SA1603 Special Authority for Subsidy

**Initial application** — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Fither:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsid	dised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol: and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and

Subsidy	Ful	ly Brand or	
(Manufacturer's Price)	Subsidise	ed Generic	
\$	Per •	<ul> <li>Manufacture</li> </ul>	r

continued...

- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Fither:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 8.2 The pump is due for replacement; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 4.2 The pump is due for replacement; and
- 5 Either:
  - 5.1 Applicant is a relevant specialist; or
  - 5.2 Applicant is a nurse practitioner working within their vocational scope.

# **Insulin Pump Consumables**

## ⇒SA1604 Special Authority for Subsidy

**Initial application** — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (permanent neonatal diabetes)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Fither
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (severe unexplained hypoglycaemia)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

appropriate health professional); and

- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1: and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Fither:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:
All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Fither:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (**Previous use before 1 September 2012**) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 30 - Retail pharmacy a) Maximum of 1 cap per prescription b) Only on a prescription c) Maximum of 1 prescription per 180 days. ✓ Animas Battery Cap INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 30 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 10 mm steel needle; 29 G; manual insertion; 60 cm tubing x 10 with 10 needles 130.00 1 OP ✓ Paradigm Sure-T MMT-884 10 mm steel needle; 29 G; manual insertion; 60 cm tubing × ✓ Sure-T MMT-883 1 OP 10 mm steel needle: 29 G: manual insertion: 80 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-886 10 mm steel needle: 29 G: manual insertion: 80 cm tubing x 1 OP ✓ Sure-T MMT-885 6 mm steel cannula; straight insertion; 60 cm grey line × 10 with ✓ Contact-D 1 OP 6 mm steel needle: 29 G: manual insertion: 60 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-864 6 mm steel needle; 29 G; manual insertion; 60 cm tubing x 1 OP ✓ Sure-T MMT-863 6 mm steel needle: 29 G: manual insertion: 80 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-866 6 mm steel needle; 29 G; manual insertion; 80 cm tubing × ✓ Sure-T MMT-865 1 OP 8 mm steel cannula: straight insertion: 110 cm grev line x 1 OP ✓ Contact-D 8 mm steel cannula; straight insertion; 60 cm grey line × 10 with 1 OP ✓ Contact-D 8 mm steel needle: 29 G: manual insertion: 60 cm tubing × 1 OP ✓ Paradigm Sure-T MMT-874 8 mm steel needle: 29 G: manual insertion: 60 cm tubing × ✓ Sure-T MMT-873 1 OP 8 mm steel needle: 29 G: manual insertion: 80 cm tubing x ✓ Paradigm Sure-T 1 OP MMT-876 8 mm steel needle: 29 G: manual insertion: 80 cm tubing x ✓ Sure-T MMT-875 1 OP

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	✓	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 30 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula; angle insertion; insertion device; 110 cm grey line × 10 with 10 needles......140.00 1 OP ✓ Inset 30 13 mm teflon cannula; angle insertion; insertion device: 60 cm
- blue line × 10 with 10 needles .......140.00 ✓ Inset 30 1 OP
- 13 mm teflon cannula; angle insertion; insertion device: 60 cm grey line × 10 with 10 needles......140.00 1 OP
- 13 mm teflon cannula; angle insertion; insertion device; 60 cm 1 OP ✓ Inset 30

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see \$A1604 on page 30 -Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula; angel insertion; 60 cm grev line × 5 with
- 13 mm teflon cannula: angle insertion: 120 cm line x 10 with 1 OP
- 13 mm teflon cannula; angle insertion; 45 cm line  $\times$  10 with 10 needles......130.00 1 OP
- 13 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles 130.00
- 13 mm teflon cannula; angle insertion; 80 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles......120.00 17 mm teflon cannula; angle insertion; 110 cm line  $\times$  10 with
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 10 needles; luer lock.......130.00 17 mm teflon cannula: angle insertion: 60 cm grev line × 5 with 17 mm teflon cannula; angle insertion; 60 cm line × 10 with

- 17 mm teflon cannula; angle insertion; 60 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 80 cm line × 10 with 10 needles 130.00

- - ✓ Inset 30

1 OP

- - ✓ Comfort Short
  - ✓ Paradigm Silhouette MMT-382
  - ✓ Paradigm Silhouette MMT-368
  - ✓ Paradigm Silhouette MMT-381
  - ✓ Paradigm Silhouette MMT-383
  - ✓ Paradigm Silhouette

✓ Comfort

✓ Comfort

- MMT-377 ✓ Silhouette MMT-371
- ✓ Paradigm Silhouette
- MMT-378
- ✓ Silhouette MMT-373
  - ✓ Paradigm Silhouette MMT-384

1 OP

1 OP

1 OP

1 OP

1 OP

1 OP

✓ Inset II

✓ Paradigm Mio MMT-975

Subsidy Fully Brand or Generic (Manufacturer's Price) Subsidised \$ Per Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 30 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year. 6 mm teflon cannula: straight insertion: insertion device:

110 cm grey line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 45 cm	1 01	- moot n
blue tubing × 10 with 10 needles	1 OP	✓ Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 cm pink tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 cm blue tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60 cm pink tubing x 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80 cm blue tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 cm pink tubing x 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60 cm blue line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 cm grey line × 10 with 10 needles140.00 6 mm teflon cannula; straight insertionl insertion device; 60 cm	1 OP	✓ Inset II

pink line x 10 with 10 needles .......140.00

grey line × 10 with 10 needles......140.00

pink line x 10 with 10 needles .......140.00

clear tubing × 10 with 10 needles......130.00

grey line × 10 with 10 needles......140.00

9 mm teflon cannula: straight insertion: insertion device: 60 cm

9 mm teflon cannula; straight insertion; insertion device; 60 cm

9 mm teflon cannula: straight insertion: insertion device: 60 cm

9 mm teflon cannula; straight insertion; insertion device; 80 cm

9 mm teflon cannula; straight insertionl insertion device; 110 cm

<sup>‡</sup> safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Pr	rice)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 30 -Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

of maximum or to imacion colo will be funded per year.			
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Quick-Set MMT-398
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Quick-Set
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles; luer lock	120.00	1 OP	MMT-399  ✓ Quick-Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing × 10 with 10 needles.		1 OP	✓ Quick-Set MM1-393  ✓ Paradigm Quick-Set
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 with	130.00	TOP	MMT-387
10 needles	130.00	1 OP	✓ Paradigm Quick-Set MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing x 10 with 10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing $\times$ 10 with 10 needles	130.00	1 OP	✓ Paradigm Quick-Set
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with	100.00	4 OD	MMT-397
10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-392
10 needles	130.00	1 OP	✓ Paradigm Quick-Set MMT-386
SULIN PUMP RESERVOIR - Special Authority see SA1604 on pa	age 30 – Reta	ail pharmacy	
<ul><li>a) Maximum of 3 sets per prescription</li><li>b) Only on a prescription</li></ul>			
<ul> <li>c) Maximum of 13 packs of reservoir sets will be funded per yea</li> <li>10 x luer lock conversion cartridges 1.8 ml for Paradigm pumps</li> </ul>		1 OP	✓ ADR Cartridge 1.8
Cartridge 200 U. luer lock × 10		1 OP	✓ Animas Cartridge

10 × luer lock conversion cartridges 1.8 ml for Paradigm pumps50.00	1 OP
Cartridge 200 U, luer lock × 1050.00	1 OP
Cartridge for 5 and 7 series pump; 1.8 ml × 1050.00	1 OP
Cartridge for 7 series pump; 3.0 ml × 1050.00	1 OP

Syringe and cartridge for 50X pump, 3.0 ml  $\times$  10......50.00

- Animas Cartridge ✓ Paradigm
- 1.8 Reservoir ✓ Paradigm
- 3.0 Reservoir

1 OP

100

Fully

Brand or

Ursosan

	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer	
Digestives Including Enzymes					
PANCREATIC ENZYME					
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase 10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	<b>√</b> <u>C</u>	reon 10000	
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase 1,250 U protease))	*	100	<b>√</b> P	anzytrat	
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase 25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	<b>√</b> <u>C</u>	reon 25000	
URSODEOXYCHOLIC ACID – Special Authority see SA1383 be Cap 250 mg – For ursodeoxycholic acid oral liquid formulation	•	у			

Subsidy

### ⇒SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

1 Patient has been diagnosed with Alagille syndrome; or

Ursosan to be Sole Supply on 1 October 2017

2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has chronic severe drug induced cholestatic liver injury; and

refer, page 220 .......37.95

- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

**Initial application** — (**Pregnancy**) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

	ALIMENTARY TRACT AND METABOLISM				
		Subsidy (Manufacturer's P \$	rice) Subs Per	Fully sidised	Brand or Generic Manufacturer
Re app Re who in to No ded ser end	ntinued  newal — (Pregnancy/Cirrhosis) from any relevant practition propriate and the patient is benefiting from treatment.  newal — (Total parenteral nutrition induced cholestasister the paediatric patient continues to require TPN and who bilirubin levels.  These patients should be referred to the propriate therapy for propriate compensated cirrhosis). These patients should be referred to the propriate therapy for propriate therapy for propriate cirrhosis.  These patients should be referred to the propriate therapy for propriate therapy for propriate cirrhosis. These patients should be referred to the propriate therapy for pro	) from any relevan is benefiting from atients requiring a to an appropriate tr	t practitioner. treatment, defin liver transplant ansplant centre development o	Approvened as a library (biliruble). Treast of varice	als valid for 6 months a sustained improvement oin > 100 micromol/l; atment failure doubling of es, ascites or
L	axatives				
В	ulk-forming Agents				
* MU	PAGHULA (PSYLLIUM) HUSK – Only on a prescription Powder for oral soln CILAGINOUS LAXATIVES WITH STIMULANTS		500 g OP	<b>√</b> K	Consyl-D
*	Dry	(17.32) 2.41 (8.72)	500 g OP 200 g OP		Iormacol Plus Iormacol Plus
F	aecal Softeners				
	CUSATE SODIUM – Only on a prescription Tab 50 mg Coloxyl to be Sole Supply on 1 October 2017	2.31	100	<b>√</b> (	Coloxyl
	Tab 120 mg		100 100 ml OP	_	Coloxyl
DO	CUSATE SODIUM WITH SENNOSIDES Tab 50 mg with sennosides 8 mg		200		axsol
	LOXAMER – Only on a prescription  Not funded for use in the ear.  Oral drops 10%  Coloxyl to be Sole Supply on 1 October 2017	3.78	30 ml OP	<b>√</b> 0	Coloxyl
0	smotic Laxatives				
	YCEROL Suppos 3.6 g - Only on a prescription	6.50	20	<b>✓</b> <u>P</u>	PSM .

* Suppos 3.6 g – Only on a prescription	20	✓ PSM
LACTULOSE - Only on a prescription		
* Oral liq 10 g per 15 ml	500 ml	✓ <u>Laevolac</u>

 ${\tt MACROGOL~3350~WITH~POTASSIUM~CHLORIDE,SODIUM~BICARBONATE~AND~SODIUM~CHLORIDE~-Special~Authority~see~SA1473~on~the~next~page~-Retail~pharmacy}$ 

Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chloride

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	✓	Manufacturer	

## ⇒SA1473 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated; and
- 2 The patient would otherwise require a per rectal preparation.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment

SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE — ( Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml, 5 ml	, ,	scription 50	✓ Micolette
Stimulant Lavatives			

Stimu	lant	Laxatives

BISACODYL - Only on a prescription			
* Tab 5 mg	5.99	200	✓ Lax-Tab
* Suppos 10 mg		10	✓ Lax-Suppositories
SENNA - Only on a prescription			
* Tab, standardised	2.17	100	
	(6.84)		Senokot
	0.43	20	
	(1.72)		Senokot

# Metabolic Disorder Agents

ALGLUCOSIDASE ALFA – Special Authority see SA1622 below – Retail pharmacy		
Inj 50 mg vial1,142.60	1	✓ Myozyme

#### ⇒SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease: and
- 2 Any of the following:
  - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
  - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
  - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
  - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

or might be reasonably expected to compromise a response to ERT; and

5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

**Renewal** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE - Special Authority see SA1593 below - Retail pharmacy

## ⇒SA1593 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
  - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
  - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE - Special Authority see SA1623 below - Retail pharmacy

#### ⇒SA1623 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
  - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
  - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with

	ubsidy cturer's Price) Su	Fully	Brand or Generic
<u> </u>	\$ Per	✓	Manufacturer

continued...

idursulfase would be bridging treatment to transplant; and

- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

SODIUM BENZOATE - Special Authority see SA1599 below - Retail pharmacy

Soln 100 mg per ml .......CBS 100 ml ✓ Amzoate S29

### ⇒SA1599 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.

**Renewal** only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE - Special Authority see SA1598 below - Retail pharmacy

## ⇒SA1598 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.

**Renewal** only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

## Gaucher's Disease

IMIGLUCERASE - Special Authority see SA0473 below - Retail pharmacy

 Inj 40 iu per ml, 200 iu vial.
 1,072.00
 1
 ✓ Cerezyme

 Inj 40 iu per ml, 400 iu vial.
 2,144.00
 1
 ✓ Cerezyme

### ⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990

PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

## Mouth and Throat

# Agents Used in Mouth Ulceration

### BENZYDAMINE HYDROCHLORIDE

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

(17.01) Difflam

3.60 200 ml

(8.50) Difflam

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's I		Fully	Generic
	\$	Per	<b>✓</b>	Manufacturer
CARMELLOSE SODIUM WITH GELATIN AND PECTIN				
Paste	17.20	56 g OP	1	Stomahesive
	4.55	15 g OP		
	(7.90)			Orabase
	1.52	5 g OP		
	(3.60)	•		Orabase
Powder	8.48	28 g OP		
	(10.95)	•		Stomahesive
CHLORHEXIDINE GLUCONATE	, ,			
Mouthwash 0.2%	2.57	200 ml OP	1	healthE
	2.31	200 IIII OF	•	<u>IIEaIIIIE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE				
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP		
	(6.00)			Bonjela
FRIAMCINOLONE ACETONIDE				
Paste 0.1%	5.33	5 g OP	1	Kenalog in Orabase
Kenalog in Orabase to be Sole Supply on 1 October 20		0 g 0.	-	arog iii orabaoo
Oropharyngeal Anti-infectives				
AMPHOTERICIN B				
Lozenges 10 mg	5.86	20	1	Fungilin
MICONAZOLE				
Oral gel 20 mg per g	4 79	40 g OP	1	Decozol
		10 9 01	-	<u> </u>
NYSTATIN	4.05	04 100	,	
Oral liq 100,000 u per ml		24 ml OP		Nilstat
	2.55			m-Nystatin
Other Oral Agents				
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer Sta	andard Formula	e, pa	ge 223
HYDROGEN PEROXIDE				-
* Soln 3% (10 vol) – Maximum of 200 ml per prescription	1 40	100 ml	1	Pharmacy Health
	1.40	100 1111	•	rnannacy nealth
THYMOL GLYCERIN				
* Compound, BPC	9.15	500 ml	1	PSM
•				
Vitamins				
•				
Vitamins				
Vitamins Vitamin A VITAMIN A WITH VITAMINS D AND C	per			
Vitamins Vitamin A  /ITAMIN A WITH VITAMINS D AND C  * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg p	•	10 ml OP	·	Vitadol C
Vitamins  Vitamin A  VITAMIN A WITH VITAMINS D AND C  Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg p 10 drops	•	10 ml OP	•	Vitadol C
Vitamins Vitamin A  /ITAMIN A WITH VITAMINS D AND C  * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg p	•	10 ml OP	•	Vitadol C
Vitamins  Vitamin A  VITAMIN A WITH VITAMINS D AND C  Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg p 10 drops	•	10 ml OP	•	Vitadol C

		Subsidy		Fully	Brand or
	(Ma	anufacturer's Price)		bsidised	Generic
_		\$	Per		Manufacturer
PΥ	RIDOXINE HYDROCHLORIDE				
	a) No more than 100 mg per dose				
	b) Only on a prescription				
*	Tab 25 mg - No patient co-payment payable	2.15	90		Vitamin B6 25
*	Tab 50 mg	13.63	500	/	Apo-Pyridoxine
ΤH	AMINE HYDROCHLORIDE - Only on a prescription				
*	Tab 50 mg	5.62	100	1	Apo-Thiamine
VIT	AMIN B COMPLEX				
	Tab, strong, BPC	7.15	500	/	Bplex
			-		<u>- p.v</u>
٧	itamin C				
AS	CORBIC ACID				
	a) No more than 100 mg per dose				
	b) Only on a prescription				
*	Tab 100 mg	8.10	500	1	Cvite
	•				
٧	itamin D				
ALI	FACALCIDOL				
*	Cap 0.25 mcg	26.32	100	✓	One-Alpha
	One-Alpha to be Sole Supply on 1 September 2017				
*		87.98	100	✓	One-Alpha
	One-Alpha to be Sole Supply on 1 September 2017				
*	Oral drops 2 mcg per ml	60.68 20	) ml OP	•	One-Alpha
	One-Alpha to be Sole Supply on 1 September 2017				
	LCITRIOL			_	
	Cap 0.25 mcg		100		Calcitriol-AFT
*	Cap 0.5 mcg	18.39	100	•	Calcitriol-AFT
	LECALCIFEROL				
*	Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescription.	2.50	12		Vit.D3
	Vit.D3 to be Sole Supply on 1 November 2017				
M	ultivitamin Preparations				
	univitariiii i leparatione				
	LTIVITAMIN RENAL - Special Authority see SA1546 below - Re				
	Сар	8.39	30	✓	Clinicians Renal Vit

## ⇒SA1546 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Either:

- 1 The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis; or
- 2 The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m² body surface area (BSA).</p>

MULTIVITAMINS – Special Authority see SA1036 below – Retail pharmacy

# **⇒SA1036** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
VITAMINS  * Tab (BPC cap strength)		1,000	✓ <u>M</u>	lvite
* Cap (fat soluble vitamins A, D, E, K) - Special Authority see SA1002 below - Retail pharmacy		60	<b>✓</b> V	itabdeck

# **⇒SA1002** Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals		
Calcium		
CALCIUM CARBONATE  * Tab eff 1.75 g (1 g elemental)	10 250	✓ Calsource ✓ Arrow-Calcium
* Inj 10%, 10 ml ampoule34.24	10	<ul><li>✓ HameIn S29</li><li>✓ Hospira</li></ul>
(Hameln 🖘 Inj 10%, 10 ml ampoule to be delisted 1 October 2017)		
Fluoride		
SODIUM FLUORIDE  * Tab 1.1 mg (0.5 mg elemental)	100	✓ PSM
lodine		
POTASSIUM IODATE  * Tab 253 mcg (150 mcg elemental iodine)	90	✓ NeuroTabs
Iron		
FERROUS FUMARATE  * Tab 200 mg (65 mg elemental)	100	✓ Ferro-tab
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg4.75	60	✓ Ferro-F-Tabs
### Tab long-acting 325 mg (105 mg elemental)	30 500 ml	<ul><li>✓ Ferrograd</li><li>✓ <u>Ferodan</u></li></ul>
* Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg	30	Ferrograd F
IRON POLYMALTOSE  * Inj 50 mg per ml, 2 ml ampoule15.22	5	✓ Ferrum H

100

✓ Zincaps

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, pag MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml ampoule		10	<b>✓</b> D	BL
Zinc				
ZINC SULPHATE				

\* Cap 137.4 mg (50 mg elemental)......11.00

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

\$ Per ✓ Manufacturer

# **Antianaemics**

# Hypoplastic and Haemolytic

## ⇒SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
  - 3.1 Both:
    - 3.1.1 Patient does not have diabetes mellitus: and
    - 3.1.2 Glomerular filtration rate ≤ 30ml/min: or
  - 3.2 Both:
    - 3.2.1 Patient has diabetes mellitus; and
    - 3.2.2 Glomerular filtration rate ≤ 45ml/min; or
  - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)\*: and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

	Subsidy (Manufacturer's Price) \$	F Subsidi Per	ully sed	Brand or Generic Manufacturer			
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority see SA1469 on the previous page - Retail pharmacy							
Wastage claimable – see rule 3.3.2 on page 13							
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	✓ E	prex			
Inj 2,000 iu in 0.5 ml, syringe	120.18	6	✓ E	prex			
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	✓ E	prex			
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	✓ E	prex			
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	✓ E	prex			
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	✓ E	prex			
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	✓ E	prex			
Inj 10,000 iu in 1 ml, syringe	395.18	6	✓ E	prex			
Inj 40,000 iu in 1 ml, syringe		1	✓ E	prex			

# Megaloblastic

-01	10	$\Lambda \cap$	חו
-01	_1し	AC	טו

*	Tab 0.8 mg	1,000	1	Apo-Folic Acid
*	Tab 5 mg	500	1	Apo-Folic Acid
	Oral lig 50 mcg per ml24.00	25 ml OP	1	Biomed

# Antifibrinolytics, Haemostatics and Local Sclerosants

ELTROMBOPAG – Special Authority see SA1418 below – Retail pharmacy Wastage claimable – see rule 3.3.2 on page 13

Tractage claimable coc rais cioiz on page 10			
Tab 25 mg	1,771.00	28	Revolade
Tab 50 mg	3.542.00	28	✓ Revolade

### ⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab);
- 3 Any of the following:
  - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
  - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
  - 3.3 Patient has a platelet count of  $\leq$  10,000 platelets per microlitre.

**Initial application** — (**idiopathic thrombocytopenic purpura - preparation for splenectomy**) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

### EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1	✓ NovoSeven RT
Inj 2 mg syringe2,356.60	1	✓ NovoSeven RT
Inj 5 mg syringe	1	✓ NovoSeven RT
Inj 8 mg syringe9,426.40	1	✓ NovoSeven RT

47

	Subsidy (Manufacture)		Fully	
	(Manufacturer's Price) \$	Per	Subsidised <	Generic Manufacturer
FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [	Xpharml			
For patients with haemophilia, whose funded treatmen		philia	Treaters	Group in conjunction with
the National Haemophilia Management Group.				. ,
Inj 500 U	1,450.00	1	✓	FEIBA NF
Inj 1,000 U	2,900.00	1		FEIBA NF
Inj 2,500 U	7,250.00	1	1	FEIBA NF
MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] -				
Preferred Brand of recombinant factor VIII for patients				
to funded treatment is managed by the Haemophilia Tr	eaters Group in conjunction	with	the Natior	nal Haemophilia
Management Group.				
Inj 250 iu prefilled syringe		1		Xyntha
Inj 500 iu prefilled syringe		1		Xyntha
Inj 1,000 iu prefilled syringe		1		Xyntha
Inj 2,000 iu prefilled syringe		1		Xyntha
Inj 3,000 iu prefilled syringe	•	1	•	Xyntha
NONACOG ALFA [RECOMBINANT FACTOR IX] – [Xphar				
For patients with haemophilia, whose funded treatmenthe National Haemophilia Management Group.	t is managed by the Haemo	philia	Treaters	Group in conjunction with
Inj 250 iu vial	310.00	1		BeneFIX
Inj 500 iu vial		1		BeneFIX
Inj 1,000 iu vial		1		BeneFIX
Inj 2,000 iu vial	,	1		BeneFIX
Inj 3,000 iu vial	*	1	•	BeneFIX
NONACOG GAMMA, [RECOMBINANT FACTOR IX] - [Xp				
For patients with haemophilia, whose funded treatment	t is managed by the Haemo	philia	Treaters	Group in conjunction with
the National Haemophilia Management Group.	007.50		,	DIVUDIO
Inj 250 iu vial		1		RIXUBIS RIXUBIS
Inj 500 iu vial Inj 1,000 iu vial		1		RIXUBIS
Inj 1,000 iu vial		1		RIXUBIS
Inj 3,000 iu vial		1		RIXUBIS
• •	*	'	•	Піловіо
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVAT Rare Clinical Circumstances Brand of recombinant factors			ilia fram 1	March 2016 until
28 February 2019. Access to funded treatment by app				
be obtained from PHARMAC's website http://www.pha		Heat	IIIEIIIS Fai	iei. Application details may
			0	
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption	2	
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@phar	mac.	govt.nz	
Inj 250 iu vial	287.50	1		Advate
Inj 500 iu vial		1		Advate
Inj 1,000 iu vial	,	1		Advate
Inj 1,500 iu vial		1		Advate
Inj 2,000 iu vial	,	1		Advate
Inj 3,000 iu vial	3,450.00	1	•	Advate

Fully

Brand or

Subsidy

	(Manufacturer's Price)	Sub Per	osidised	Generic Manufacturer	
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGE Second Brand of recombinant factor VIII for patients v funded treatment by application to the Haemophilia Trender Pharmac.govt.nz or:	vith haemophilia from 1 Mar				Access to
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 0	Option 2			
PHARMAC PO Box 10 254	Facsimile: (04) 974 488	1			
Wellington	Email: haemophilia@pha	armac.gov	rt.nz		
Inj 250 iu vial	237.50	1	✓ K	Cogenate FS	
Inj 500 iu vial	475.00	1		Cogenate FS	
Inj 1,000 iu vial		1		Cogenate FS	
Inj 2,000 iu vial	·	1		Cogenate FS	
Inj 3,000 iu vial	2,850.00	1	<b>✓</b> K	Kogenate FS	
SODIUM TETRADECYL SULPHATE		_			
* Inj 3% 2 ml		5	_		
	(73.00)		г	ibro-vein	
TRANEXAMIC ACID	00.07	100		N. del a lea muse m	
Tab 500 mg	20.67	100	• 0	Cyklokapron	
Vitamin K					
PHYTOMENADIONE Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO		5 5	-	Conakion MM Conakion MM	
Antithrombotic Agents					
Antiplatelet Agents					
ASPIRIN					
* Tab 100 mg	12.50	990	✓ E	thics Aspirin E	<u>C</u>
CLOPIDOGREL					
* Tab 75 mg - For clopidogrel oral liquid formulation re	· ·				
page 220	5.44	84	✓ ½	rrow - Clopid	
DIPYRIDAMOLE					
* Tab long-acting 150 mg	11.52	60	<b>✓</b> <u>P</u>	ytazen SR	
PRASUGREL - Special Authority see SA1201 below - Re					
Tab 5 mg		28		ffient	
Tab 10 mg	120.00	28	<b>✓</b> E	ffient	

⇒SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

**Initial application — (stent thromobosis)** from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where

	,	ully Brand or	
(Manufactu	ırer's Price) Subsidise	sed Generic  Manufacturer	
4	י ו ווי י	Wandadaca	

continued...

the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Note: \* Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

### **⇒SA1382** Special Authority for Subsidy

**Initial application — (acute coronary syndrome)** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

# **Heparin and Antagonist Preparations**

DALTEPARIN SODIUM – Special Authority see SA1270 below	ow – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	✓ Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe		10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe		10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe		10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe		10	✓ Fragmin

## ⇒SA1270 Special Authority for Subsidy

**Initial application — (Pregnancy or Malignancy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

	Subsidy	Fully	Brand or
(Manufa	acturer's Price)	Subsidised	Generic
	\$ Pe	er 🗸	Manufacturer

continued...

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1646 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	Clexane
Inj 40 mg in 0.4 ml syringe41.24 10	Clexane
	Clexane

## ⇒SA1646 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- y or the following.
- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	13.36	10	<ul><li>Hospira</li></ul>
	61.04	50	✓ Pfizer
	66.80		<ul><li>Hospira</li></ul>
Inj 1,000 iu per ml, 35 ml vial	17.76	1	✓ Hospira
Inj 5,000 iu per ml, 1 ml	14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml	236.60	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Hospira

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPARINISED SALINE Inj 10 ju per ml, 5 ml	39.00	50	<b>/</b>	Pfizer
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml	22.40	10		
	(149.33)			Artex
(Artex Inj 10 mg per ml, 5 ml to be delisted 1 December 2017)	, ,			

## **Oral Anticoagulants**

DABIGATRAN			
Cap 75 mg - No more than 2 cap per day	76.36	60	✓ Pradaxa
Cap 110 mg		60	✓ Pradaxa
Cap 150 mg	76.36	60	Pradaxa
RIVAROXABAN - Special Authority see SA1066 below - Ret	tail pharmacy		
Tab 10 mg	153.00	15	✓ Xarelto

### ⇒SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

**Renewal** from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	<ul><li>Coumadin</li></ul>
	<b>v</b>	6.86	100	✓ Marevan
*	Tab 2 mg	4.31	50	<ul><li>Coumadin</li></ul>
	Tab 3 mg		100	<ul><li>Marevan</li></ul>
	Tab 5 mg		50	<ul><li>Coumadin</li></ul>
	Ç	11.75	100	✓ Marevan

# **Blood Colony-stimulating Factors**

		below – Retail pharmacy	FILGRASTIM – Special Authority see SA1259 below
✓ Zarzio	5	270.00	Inj 300 mcg per 0.5 ml prefilled syringe
✓ Zarzio	5	432.00	Inj 480 mcg per 0.5 ml prefilled syringe

## ⇒SA1259 Special Authority for Subsidy

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk ≥ 20%\*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5 ×10<sup>9</sup>/L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5 ×10<sup>9</sup>/L).

Note: \*Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

	Subsidy (Manufacturer's Pric \$	e) Sub Per	Fully	Brand or Generic Manufacturer
SECTION OF A STATE OF	<u> </u>	FEI		Wallulacturei
PEGFILGRASTIM - Special Authority see SA1384 below - R Inj 6 mg per 0.6 ml syringe		1	✓ N	eulastim
⇒SA1384 Special Authority for Subsidy		•	• "	Culuotiiii
nitial application only from a relevant specialist, vocationally ecommendation of a relevant specialist. Approvals valid with eutropenia in patients undergoing high risk chemotherapy for lote: *Febrile neutropenia risk ≥ 20% after taking into account esearch and Treatment of Cancer (EORTC) guidelines.	out further renewal un cancer (febrile neutro	less notifie penia risk	d where ≥ 20%*).	used for prevention of
Fluids and Electrolytes				
Intravenous Administration				
GLUCOSE [DEXTROSE]				
Inj 50%, 10 ml ampoule - Up to 5 inj available on a PSO.		5	_	iomed
★ Inj 50%, 90 ml bottle - Up to 5 inj available on a PSO	14.50	1	<b>✓</b> B	iomed
OTASSIUM CHLORIDE				
k Inj 75 mg per ml, 10 ml	55.00	50	✓ A	straZeneca
SODIUM BICARBONATE				
Inj 8.4%, 50 ml	19.95	1	<b>✓</b> B	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination				
Inj 8.4%, 100 ml	20.50	1	<b>✓</b> B	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination				
SODIUM CHLORIDE				
Not funded for use as a nasal drop. Only funded for nebu	liser use when in conj	unction wit	h an anti	biotic intended for
nebuliser use. Inj 0.9%, bag – Up to 2000 ml available on a PSO	1.00	500 ml	./ D	axter
inj 0.9%, bag – op to 2000 mi avallable on a FSO	1.26	1,000 ml	_	axter
Only if prescribed on a prescription for renal dialysis,		,	_	
for emergency use. (500 ml and 1,000 ml packs)	materially or poor riala			o panom, or on a r o
Inj 23.4% (4 mmol/ml), 20 ml ampoule	33.00	5	<b>✓</b> B	iomed
For Sodium chloride oral liquid formulation refer Stand	dard Formulae, page 2	223	_	
Inj 0.9%, 5 ml ampoule - Up to 5 inj available on a PSO		50	_	nterPharma
Inj 0.9%, 10 ml ampoule - Up to 5 inj available on a PSO		50		fizer
			N	ludia la aus
Inj 0.9%, 20 ml ampoule	5.00 7.50	20 30		lultichem nterPharma

## WATER

- 1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or
- 2) On a bulk supply order; or
- 3) When used in the extemporaneous compounding of eye drops.

Inj 5 ml ampoule - Up to 5 inj available on a PSO7.0	50	✓ InterPharma
Inj 10 ml ampoule - Up to 5 inj available on a PSO6.6	3 50	✓ Pfizer
Inj 20 ml ampoule - Up to 5 inj available on a PSO5.0	0 20	<ul><li>Multichem</li></ul>
7.5	0 30	✓ InterPharma

	Subsidy (Manufacturer's F \$	Price) Subsi Per	Fully Brand or idised Generic  ✓ Manufacturer
Oral Administration			
CALCIUM POLYSTYRENE SULPHONATE Powder	169.85	300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES  Powder for oral soln — Up to 10 sach available on a PSO	2.30	10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP	✓ Pedialyte - Bubblegum
PHOSPHORUS Tab eff 500 mg (16 mmol)	82.50	100	✓ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (11.85)	60	Chlorvescent
* Tab long-acting 600 mg (8 mmol)	3.71 <sup>′</sup>	100	✓ Duro-K \$29 ✓ Slow-K \$29
	7.42	200	✓ Span-K
SODIUM BICARBONATE Cap 840 mg	8.52	100	✓ Sodibic ✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE Powder	84.65	454 g OP	✓ Resonium-A

	Subsidy		Fully	Brand or
	(Manufacturer's Price	۱۵	Subsidised	
	\$	Per	Jubalulaeu	Manufacturer
	Ψ	rei		Ivianulaciulei
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg	6.75	500	✓	Apo-Doxazosin
Apo-Doxazosin to be Sole Supply on 1 October 2017				·
* Tab 4 mg	9.09	500	1	Apo-Doxazosin
Apo-Doxazosin to be Sole Supply on 1 October 2017		000	•	Apo Doxuzoom
Apo-Doxazosiii to be Sole Supply off i October 2017				
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30	1	BNM S29
		00	-	2.1
PRAZOSIN			_	
* Tab 1 mg	5.53	100	✓	Apo-Prazosin
* Tab 2 mg	7.00	100	✓	Apo-Prazosin
* Tab 5 mg	11.70	100	/	Apo-Prazosin
· ·				Apo i razooni
TERAZOSIN			_	
* Tab 1 mg	0.59	28	•	<u>Actavis</u>
* Tab 2 mg	7.50	500	✓	Apo-Terazosin
* Tab 5 mg	10.90	500	/	Apo-Terazosin
				<del></del>
Agents Affecting the Renin-Angiotensin System	•			
Agents Affecting the hellin-Anglotensin System				
ACE Inhibitors				
CAPTOPRIL				
*#‡ Oral liq 5 mg per ml	94.99	95 ml C	OP 🗸	Capoten
Oral liquid restricted to children under 12 years of age.				•
CILAZAPRIL			_	
* Tab 0.5 mg	2.00	90		Zapril
* Tab 2.5 mg	7.20	200	✓	Apo-Cilazapril
* Tab 5 mg	12.00	200	✓	Apo-Cilazapril
-				
ENALAPRIL MALEATE			_	
* Tab 5 mg	0.96	100		Ethics Enalapril
* Tab 10 mg	1.24	100	✓	Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation re	fer.			
page 220		100	1	Ethics Enalapril
, 3	1.70	100	•	Littics Litalapiti
LISINOPRIL				
* Tab 5 mg	1.80	90	✓	Ethics Lisinopril
* Tab 10 mg		90		Ethics Lisinopril
* Tab 20 mg		90		Ethics Lisinopril
· ·		00	•	Etinos Elomopini
PERINDOPRIL				
* Tab 2 mg	3.75	30	1	Apo-Perindopril
Apo-Perindopril to be Sole Supply on 1 October 2017				-
* Tab 4 mg	4 80	30	1	Apo-Perindopril
Apo-Perindopril to be Sole Supply on 1 October 2017		00	-	
* * * * * * * * * * * * * * * * * * * *				
QUINAPRIL				
* Tab 5 mg	4.31	90	1	Arrow-Quinapril 5
* Tab 10 mg		90		Arrow-Quinapril 10
* Tab 20 mg		90		Arrow-Quinapril 20
7 140 20 mg		50	•	ATTOW Grantapril 20

ACE Inhibitors with Diuretics  ILAZAPRIL WITH HYDROCHLOROTHIAZIDE  Tab 5 mg with hydrochlorothiazide 12.5 mg	3.65 4.78	100 30 30	✓ <u>Apo-Cilazapril/</u> <u>Hydrochlorothiazide</u> ✓ <u>Accuretic 10</u> ✓ Accuretic 20
UINAPRIL WITH HYDROCHLOROTHIAZIDE Tab 10 mg with hydrochlorothiazide 12.5 mg Tab 20 mg with hydrochlorothiazide 12.5 mg  Angiotensin II Antagonists  ANDESARTAN CILEXETIL – Special Authority see SA1223 b	3.65 4.78	30	Hydrochlorothiazide  ✓ Accuretic 10
UINAPRIL WITH HYDROCHLOROTHIAZIDE  Tab 10 mg with hydrochlorothiazide 12.5 mg  Tab 20 mg with hydrochlorothiazide 12.5 mg  Angiotensin II Antagonists  ANDESARTAN CILEXETIL — Special Authority see SA1223 b  Tab 4 mg	3.65 4.78	30	Hydrochlorothiazide  ✓ Accuretic 10
Tab 10 mg with hydrochlorothiazide 12.5 mg      Tab 20 mg with hydrochlorothiazide 12.5 mg  Angiotensin II Antagonists  ANDESARTAN CILEXETIL — Special Authority see SA1223 b  Tab 4 mg	4.78		
Tab 20 mg with hydrochlorothiazide 12.5 mg  Angiotensin II Antagonists  ANDESARTAN CILEXETIL – Special Authority see SA1223 b  Tab 4 mg	4.78		
ANDESARTAN CILEXETIL - Special Authority see SA1223 b			
Tab 4 mg			
· ·		асу	
	2.50	90	✓ Candestar
F Tab 8 mg	3.68	90	✓ Candestar
Tab 16 mg		90	✓ Candestar
Tab 32 mg	10.66	90	✓ Candestar
2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibit rther renewal unless notified where patient is not adequately of DSARTAN POTASSIUM Tob 12.5 mg	ontrolled on maximul	m toler	rated dose of an ACE inhibitor.
: Tab 12.5 mg : Tab 25 mg		84 84	<ul><li>✓ Losartan Actavis</li><li>✓ Losartan Actavis</li></ul>
Tab 50 mg		84	✓ Losartan Actavis
: Tab 100 mg		84	✓ Losartan Actavis
Angiotensin II Antagonists with Diuretics			
OSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE			_
Tab 50 mg with hydrochlorothiazide 12.5 mg	2.18	30	✓ Arrow-Losartan & Hydrochlorothiazide
Antiarrhythmics			
or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anae	esthetics, Local, page	e 127	
MIODARONE HYDROCHLORIDE			
Tab 100 mg - Retail pharmacy-Specialist	4.66	30	✓ Cordarone-X
Tab 100 mg - netali phamacy-specialist		30	✓ Cordarone-X
	000	5	✓ Lodi
	P509.98	U	
Tab 200 mg - Retail pharmacy-Specialist	PSO9.98 11.98	6	✓ Cordarone-X
Tab 200 mg - Retail pharmacy-Specialist	11.98		
Tab 200 mg - Retail pharmacy-Specialist	11.98		
Tab 200 mg - Retail pharmacy-Specialist	11.98 <i>eptember 2017)</i> a		

	Subsidy	Fı	ılly Brand or
	(Manufacturer's Price)	Subsidis	
	\$	Per	✓ Manufacturer
DIGOXIN			
* Tab 62.5 mcg - Up to 30 tab available on a PSO	6.67	240	✓ Lanoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO		240	✓ <u>Lanoxin</u>
*+ Oral liq 50 mcg per ml	16.60	60 ml	✓ Lanoxin
DISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	15.00	100	
	(23.87)		Rythmodan
FLECAINIDE ACETATE - Retail pharmacy-Specialist			·
▲ Tab 50 mg	38.95	60	✓ Tambocor
▲ Cap long-acting 100 mg		30	✓ Tambocor CR
▲ Cap long-acting 200 mg		30	✓ Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	✓ Tambocor
MEXILETINE HYDROCHLORIDE			
▲ Cap 150 mg	162.00	100	✓ Mexiletine
— <del></del>			Hydrochloride
			USP S29
▲ Cap 250 mg	202.00	100	✓ Mexiletine
			Hydrochloride
			USP S29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specia	list		
▲ Tab 150 mg		50	✓ Rytmonorm
			,
Antihypotensives			
MIDODRINE – Special Authority see SA1474 below – Retail pha	•		
Tab 2.5 mg			✓ Gutron
Tab 5 mg	/9.00	100	✓ Gutron

# ⇒SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers
ATENOLOI

* Tab 50 mg	500 500 300 ml OP	<ul><li>Mylan Atenolol</li><li>Mylan Atenolol</li><li>Atenolol AFT</li></ul>
BISOPROLOL FUMARATE		
Tab 2.5 mg1.18	30	✓ Bosvate
Tab 5 mg1.72	30	✓ Bosvate
Tab 10 mg3.13	30	✓ Bosvate
CARVEDILOL		
* Tab 6.25 mg	60	✓ Dicarz
* Tab 12.5 mg	60	✓ Dicarz
* Tab 25 mg - For carvedilol oral liquid formulation refer, page 220 6.30	60	✓ Dicarz

<sup>‡</sup> safety cap

# **CARDIOVASCULAR SYSTEM**

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
ELIPROLOL				
- Tab 200 mg	21.40	180	✓ (	Celol
ABETALOL				
RBETALOE  ₹ Tab 50 mg	0.00	100	./ ۱	Hublas
•	0.99	100	• 1	Hybloc
Tab 100 mg – For labetalol oral liquid formulation refer,	11.00	100	./ 1	Unibles
page 220		100		Hybloc
Tab 200 mg		100	•	Hybloc
Inj 5 mg per ml, 20 ml ampoule		5	-	Trandata
	(88.60)			Trandate
ETOPROLOL SUCCINATE				
Tab long-acting 23.75 mg	0.80	30	<b>✓</b> I	Myloc CR
	1.03			Betaloc CR
	2.39	90	<b>√</b> I	Metoprolol - AFT CF
Tab long-acting 47.5 mg	2.59	30	<b>√</b> I	Myloc CR
	3.48	90	<b>√</b> I	Metoprolol - AFT CF
	7.50	30	✓ [	Betaloc CR
Tab long-acting 95 mg	1.91	30	<b>√</b> I	Myloc CR
	5.73	90	<b>√</b> I	Metoprolol - AFT CF
	7.50	30	✓ [	Betaloc CR
Tab long-acting 190 mg	3.85	30	<b>✓</b> [	Myloc CR
	11.54	90	<b>✓</b> [	Metoprolol - AFT CF
ETOPROLOL TARTRATE				
Tab 50 mg - For metoprolol tartrate oral liquid formulation				
refer, page 220	4.64	100	1	Apo-Metoprolol
Tab 100 mg		60		Apo-Metoprolol
Tab long-acting 200 mg		28		Slow-Lopresor
Inj 1 mg per ml, 5 ml vial		5	_	Lopresor
		·	-	-ор. осо.
ADOLOL Tab 40 mg	10.05	100		Ama Nadalal
		100	_	Apo-Nadolol
Tab 80 mg	24.70	100	• 1	Apo-Nadolol
NDOLOL				
Tab 5 mg	9.72	100		Apo-Pindolol
Tab 10 mg	15.62	100	✓ /	Apo-Pindolol
Tab 15 mg	23.46	100	✓ /	Apo-Pindolol
ROPRANOLOL				
Tab 10 mg	3.65	100	1	Аро-
<del></del>			•	Propranolol \$29
				i ropianolor
Tab 40 mg	4.65	100	1	Аро-
			•	Propranolol \$29
				. Topianolor
Cap long-acting 160 mg	18.17	100	✓ (	Cardinol LA
Oral liq 4 mg per ml – Special Authority see SA1327 below			`	- ·
Retail pharmacy		500 m	ո 🗸 ւ	Roxane S29
SA1227 Special Authority for Suboidy		JUU 11	• 1	IOAGIIC CO

⇒SA1327 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

Subsidy		ully	Brand or
(Manufacturer's Price)	Subsid	ised	Generic
\$	Per	✓	Manufacturer

#### continued...

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

#### SOTALOL

*	Tab 80 mg - For sotalol oral liquid formulation refer, page 220	39 53	500	✓ Mylan
	Tab 160 mg		100	✓ Mylan
	Inj 10 mg per ml, 4 ml ampoule		5	✓ Sotacor
TIN	MOLOL			
*	Tab 10 mg	10.55	100	✓ Apo-Timol

# **Calcium Channel Blockers**

# **Dihydropyridine Calcium Channel Blockers**

A B A1	ODIDINE	

ΑN	ILODIPINE		
*	Tab 2.5 mg	100	✓ Apo-Amlodipine
*	Tab 5 mg — For amlodipine oral liquid formulation refer, page 2203.33 Apo-Amlodipine to be Sole Supply on 1 October 2017	250	✓ Apo-Amlodipine
*	Tab 10 mg4.40 Apo-Amlodipine to be Sole Supply on 1 October 2017	250	✓ Apo-Amlodipine
FE	LODIPINE		
*	Tab long-acting 2.5 mg1.45	30	✓ Plendil ER
*	Tab long-acting 5 mg1.55	30	✓ Plendil ER
*	Tab long-acting 10 mg2.30	30	✓ Plendil ER
ISF	RADIPINE		
*	Cap long-acting 2.5 mg	30	✓ Dynacirc-SRO
*	Cap long-acting 5 mg7.85	30	✓ Dynacirc-SRO
NII	FEDIPINE		
*	Tab long-acting 10 mg	60	✓ Adalat 10
*	Tab long-acting 20 mg9.59	100	✓ Nyefax Retard
*	Tab long-acting 30 mg	30	✓ Adefin XL
*	Tab long-acting 60 mg	30	✓ Adefin XL

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Manufacturer's Frice)	Per	Jubsidised ✓	Manufacturer
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
★ Tab 30 mg	4.60	100	✓	Dilzem
Tab 60 mg – For diltiazem hydrochloride oral liquid formula	tion			
refer, page 220	8.50	100		Dilzem
Cap long-acting 120 mg	1.91	30		Cardizem CD
	31.83	500		Apo-Diltiazem CD
Cap long-acting 180 mg	7.56	30		Cardizem CD
	47.67	500		Apo-Diltiazem CD
Cap long-acting 240 mg		30		Cardizem CD
	63.58	500	/	Apo-Diltiazem CD
ERHEXILINE MALEATE				
← Tab 100 mg	62.90	100	1	Pexsig
ERAPAMIL HYDROCHLORIDE				
€ Tab 40 mg	7.01	100	1	Isoptin
₹ Tab 80 mg – For verapamil hydrochloride oral liquid				100р
formulation refer, page 220	11 74	100	1	Isoptin
₹ Tab long-acting 120 mg		250		Verpamil SR
Tab long-acting 240 mg		250		Verpamil SR
Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a		200	•	verpailii on
PSO		5		Isoptin
F30	23.00	5	•	isopiiii
Centrally-Acting Agents  LONIDINE				
Patch 2.5 mg, 100 mcg per day – Only on a prescription	7.40	4	✓	Mylan
	12.80		_	Catapres-TTS-1
Fatch 5 mg, 200 mcg per day - Only on a prescription	10.04	4	_	Mylan
	18.04		1	Catapres-TTS-2
Fatch 7.5 mg, 300 mcg per day − Only on a prescription		4		Mylan
	22.68		•	Catapres-TTS-3
LONIDINE HYDROCHLORIDE				
€ Tab 25 mcg	10.53	112	✓	Clonidine BNM
← Tab 150 mcg	34.32	100	✓	Catapres
Inj 150 mcg per ml, 1 ml ampoule		5	✓	Catapres
METHYLDOPA				•
₹ Tab 125 mg	14 25	100	1	Prodopa
₹ Tab 250 mg		100		Methyldopa Mylan
145 200 mg				Prodopa
Prodopa Tab 125 mg to be delisted 1 September 2017) Prodopa Tab 250 mg to be delisted 1 September 2017)				
Diuretics				
Loop Diuretics				
BUMETANIDE				
₭ Tab 1 mg	16.36	100	1	Burinex
k Inj 500 mcg per ml, 4 ml vial		5		Burinex
,		-		-

		0711121017	
	Subsidy (Manufacturer's Prio \$		sed Generic  Manufacturer
# Tab 40 mg - Up to 30 tab available on a PSO  # Tab 500 mg  #‡ Oral liq 10 mg per ml  # Inj 10 mg per ml, 25 ml ampoule	25.00 10.66 57.77	1,000 50 30 ml OP 6 5	✓ Diurin 40 ✓ Urex Forte ✓ Lasix ✓ Lasix ✓ Frusemide-Claris
Potassium Sparing Diuretics			
AMILORIDE HYDROCHLORIDE  * Tab 5 mg  † Oral liq 1 mg per ml  METOLAZONE – Special Authority see SA1349 below – Retail Tab 5 mg	30.00 pharmacy	100 25 ml OP	✓ Apo-Amiloride ✓ Biomed ✓ Metolazone S29
		50	✓ Zaroxolyn S29
■ SA1349 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid treatment of patients with refractory heart failure who are intolerated combination therapy.  SPIRONOLACTONE  * Tab 25 mg  Tab 100 mg  Toral liq 5 mg per ml	ant or have not resp 4.38 11.80		
Potassium Sparing Combination Diuretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE  * Tab 5 mg with furosemide 40 mg  AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZ  * Tab 5 mg with hydrochlorothiazide 50 mg	IDE	28 50	✓ Frumil ✓ Moduretic
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]  * Tab 2.5 mg - Up to 150 tab available on a PSO	5.48	500	✓ Arrow- Bendrofluazide
May be supplied on a PSO for reasons other than emer * Tab 5 mg	• ,	500	✓ Arrow- Bendrofluazide
CHLOROTHIAZIDE ‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓ Biomed
CHLORTALIDONE [CHLORTHALIDONE]  * Tab 25 mg	8.00	50	✓ Hygroton
INDAPAMIDE  * Tab 2.5 mg		90	✓ Dapa-Tabs
140 L.0 mg		00	- <u>Dupu Iubo</u>

	Subsidy (Manufacturer's Price) \$	Sub: Per	Fully sidised	Brand or Generic Manufacturer
Lipid-Modifying Agents				
Fibrates				
BEZAFIBRATE				
* Tab long acting 400 mg		90 30	_	<u>ezalip</u> ezalip Retard
* Tab long-acting 400 mg  GEMFIBROZIL	0.70	30	▼ <u>D</u>	ezalip netaru
* Tab 600 mg	19.56	60	<b>√</b> L	ipazil
-				· -
Other Lipid-Modifying Agents				
ACIPIMOX	40.75	00		llh a taur
* Cap 250 mg	18./5	30	• 0	lbetam
NICOTINIC ACID  * Tab 50 mg	4.12	100	✓ A	po-Nicotinic Acid
* Tab 500 mg		100		po-Nicotinic Acid
,				<b>F</b>
Resins				
CHOLESTYRAMINE				
Powder for oral liq 4 g		50	_	
	(52.68)		Q	uestran-Lite
COLESTIPOL HYDROCHLORIDE	00.00	30	./ 0	olestid
Grans for oral liq 5 g	22.00	30	• 0	olestia
HMG CoA Reductase Inhibitors (Statins)				
Prescribing Guidelines				
Treatment with HMG CoA Reductase Inhibitors (statins) is reco	mmended for patients v	with dyslip	oidaemia	and an absolute 5 year
cardiovascular risk of 15% or greater.				
ATORVASTATIN – See prescribing guideline above  * Tab 10 mg	0.20	500	<b>.</b> / I.	orstat
* Tab 20 mg		500	_	orstat
* Tab 40 mg		500	_	orstat
* Tab 80 mg	36.26	500	✓ L	orstat
PRAVASTATIN - See prescribing guideline above				
* Tab 20 mg	3.45	30	<b>✓</b> C	holvastin
* Tab 40 mg	6.36	30	<b>✓</b> C	holvastin
SIMVASTATIN - See prescribing guideline above				
* Tab 10 mg	0.95	90		rrow-Simva 10mg
* Tab 20 mg		90		rrow-Simva 20mg
* Tab 40 mg		90		rrow-Simva 40mg
* Tab 80 mg	/.91	90	<b>♥</b> A	rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE - Special Authority see SA1045 on the next page	- Retail pharmacy			
Tab 10 mg		30	<b>√</b> E	zemibe

## CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price)		Fully	Brand or Generic
 \$	Per	1	Manufacturer

## ⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
  - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 x normal) when treated with one statin; or
  - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
  - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atoryastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

ab 10 mg with simvastatin 10 mg	5.15	30	Zimybe
ab 10 mg with simvastatin 20 mg	6.15	30	✓ Zimybe
ab 10 mg with simvastatin 40 mg		30	✓ Zimybe
ab 10 mg with simvastatin 80 mg	8.15	30	✓ Zimybe

## ⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and

\*Three months or six months, as applicable, dispensed all-at-once

3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

63

## **CARDIOVASCULAR SYSTEM**

	Subsidy		Fully	Brand or
	(Manufacturer's		dised	Generic
	\$	Per		Manufacturer
Nitrates				
Miliales				
GLYCERYL TRINITRATE				
* Tab 600 mcg - Up to 100 tab available on a PSO	8.00	100 OP	1	Lycinate
* Oral pump spray, 400 mcg per dose - Up to 250 dose				•
available on a PSO	4.45	250 dose OP	1	Nitrolingual Pump
				Spray
* Oral spray, 400 mcg per dose - Up to 250 dose available o	na			
PSO	4.45	250 dose OP	1	Glytrin
* Patch 25 mg, 5 mg per day	15.73	30	1	Nitroderm TTS
* Patch 50 mg, 10 mg per day	18.62	30	1	Nitroderm TTS
ISOSORBIDE MONONITRATE				
* Tab 20 mg	18.80	100		Ismo 20
* Tab long-acting 40 mg		30	1	Ismo 40 Retard
* Tab long-acting 60 mg	8.29	90	1	Duride
Duride to be Sole Supply on 1 October 2017				
Sympathomimetics				
ADRENALINE				
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PS	O 400	5	1	Aspen Adrenaline
ilij 1 ili 1,000, 1 ilii allipoule – op to 5 ilij avaliable oli a FSV	5.25	5	_	Hospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a F		5	_	Hospira
ing 1 in 10,000, 10 mi ampoule Op to 3 ing available on a 1	49.00	10		Aspen Adrenaline
ICODDENIALINE	10.00		-	, topon , tal onalino
ISOPRENALINE	26.00	05		
* Inj 200 mcg per ml, 1 ml ampoule		25		louprol
	(164.20)			Isuprel
Vasodilators				
Vaccanators				
AMYL NITRITE				
* Liq 98% in 0.3 ml cap	62.92	12		
	(73.40)			Baxter
HYDRALAZINE HYDROCHLORIDE				
* Tab 25 mg - Special Authority see SA1321 below - Retail				
pharmacy	CBS	1	1	Hydralazine
•		56	1	Onelink S29
* Inj 20 mg ampoule	25.90	5	1	Apresoline
⇒SA1321 Special Authority for Subsidy				•
Initial application from any relevant practitioner. Approvals val	id without furthe	r renewal unless	notifi	ed for applications meeting
the following criteria:				
Either:				
1 For the treatment of refractory hypertension; or				
2 For the treatment of heart failure in combination with a nit	trate, in patients	who are intolera	nt or	have not responded to ACE
inhibitors and/or angiotensin receptor blockers.	•			·
MINOXIDIL - Special Authority see SA1271 below - Retail phar	rmacv			
▲ Tab 10 mg		100	1	Loniten
⇒SA1271 Special Authority for Subsidy				- 1221
Initial application only from a relevant specialist. Approvals val	lid without furthe	er renewal unless	notif	ied where natient has
severe refractory hypertension which has failed to respond to ex			· · · · · ·	ioa mioro pationi nao
The state of the s				

## CARDIOVASCULAR SYSTE

	Subsidy (Manufacturer's Price)	Manufacturer's Price)		Brand or Generic
	\$	Per		Manufacturer
NICORANDIL				
▲ Tab 10 mg	27.95	60	✓	Ikorel
▲ Tab 20 mg	33.28	60	✓	Ikorel
PAPAVERINE HYDROCHLORIDE				
* Inj 12 mg per ml, 10 ml ampoule	217.90	5	1	Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE]				-
Tab 400 mg	36.94	50		
· · · · · · · · · · · · · · · ·	(42.26)			Trental 400

# **Endothelin Receptor Antagonists**

### ⇒SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC. PO Box 10-254. WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN	- Special Authority see SA0967	above – Retail pharmacy
Tab 5 mg		4 505 00

1ab 5 mg	4,363.00	30	•	VUIIDI 13
Tab 10 mg	4,585.00	30	✓	Volibris

BOSENTAN - Special Authority see SA0967 above - Retail pharmacy

Tab 62.5 mg	375.00	56	✓ Mylan-Bosentan
Tab 125 mg	375.00	56	✓ Mylan-Bosentan

# Phosphodiesterase Type 5 Inhibitors

## ⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon\* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon\*; and
  - 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
  - 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
  - 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with \* are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 above - Retail pharmacy

Tab 25 mg0.75	4	✓ <u>Vedafil</u>
Tab 50 mg0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page 2202.75	4	✓ Vedafil

# **CARDIOVASCULAR SYSTEM**

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

# **Prostacyclin Analogues**

### ⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

30

✓ Ventavis

## DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

# **Antiacne Preparations**

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 95

#### ADAPAI FNF

a) Maximum of 30 g per prescription

b	) (	Only	on	а	prescr	iption

b) on a procenpuon			
Crm 0.1%	22.89	30 g OP	<ul><li>Differin</li></ul>
Gel 0.1%	22.89	30 g OP	<ul><li>Differin</li></ul>
ISOTRETINOIN - Special Authority see SA1475 below -	- Retail pharmacy		
Cap 10 mg	12.47	100	✓ Isotane 10
, ,	14.96	120	<ul><li>Oratane</li></ul>
Cap 20 mg	19.27	100	✓ Isotane 20
	23.12	120	Oratane

## ⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin: and
- 3 Fither:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

#### **TRETINOIN**

50 g OP ✓ ReTrieve



	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 95			
FUSIDIC ACID  Crm 2%	2.52	15 g O	₽ ✓	DP Fusidic Acid Cream
<ul><li>a) Maximum of 15 g per prescription</li><li>b) Only on a prescription</li><li>c) Not in combination</li></ul>				Oreani
Oint 2%	3.45	15 g O	P 🗸	Foban
* Crm 1%	8.56	15 g O	₽ 🗸	Crystaderm
Oint 2%	6.60 (9.26)	15 g O	P	Bactroban
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>				
SULFADIAZINE SILVER  Crm 1%  a) Up to 250 g available on a PSO	10.80	50 g O	₽ ✓	Flamazine
b) Not in combination c) Flamazine to be Sole Supply on 1 September 2017				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page AMOROLFINE  a) Only on a prescription	e 102			
b) Not in combination Nail soln 5%  MycoNail to be Sole Supply on 1 October 2017	15.95	5 ml Ol	₽ ✓	MycoNail
CICLOPIROX OLAMINE  a) Only on a prescription				
b) Not in combination Nail-soln 8%	6.50	7 ml Ol	₽ ✓	Apo-Ciclopirox
CLOTRIMAZOLE  * Crm 1%  a) Only on a prescription	0.52	20 g O	₽ 🗸	Clomazol
b) Not in combination  * Soln 1%	4.36 (7.55)	20 ml O	Р	Canesten
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>				

				AT OLOGIOALO
	Subsidy	. ,	Fully	Brand or
	(Manufacturer's Pr	ice) Subs Per	sidised •	Generic Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)		F	Pevaryl
a) Only on a prescription				
b) Not in combination Foaming soln 1%, 10 ml sachets	0.80	3		
Tourning sont 170, To the sacrots	(17.23)	0	F	Pevaryl
a) Only on a prescription	( -,			,
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.55	15 g OP	✓ N	/lultichem
a) Only on a prescription				
b) Not in combination  * Lotn 2%	4 26	30 ml OP		
本 LUII 2%	(10.03)	30 IIII OF	Г	Daktarin
a) Only on a prescription	(10.00)		-	- antaini
b) Not in combination				
* Tinct 2%		30 ml OP		
	(12.10)			Daktarin
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>				
•				
NYSTATIN  Crm 100,000 u per g	1 00	15 g OP		
O 100,000 a por g	(7.90)	10 9 01	N	Mycostatin
a) Only on a prescription	, ,			,
b) Not in combination				
Antipruritie Proparations				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination  Crm, aqueous, BP	1.40	100 a	./ [	harmanı Haalth
Lotn, BP		100 g 2.000 ml		Pharmacy Health PSM
CROTAMITON		2,000 1111	-	<u> </u>
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.37	20 g OP	<b>✓</b> <u>I</u>	tch-Soothe
MENTHOL - Only in combination				
1) Only in combination with a dermatological base or pro	prietary Topical Co	orticosteriod –	Plain,	refer dermatological base,
page 219				
2) With or without other dermatological galenicals.				
Crystals	6.50	25 g	<b>√</b> F	PSM
-, <sub>j</sub> - ( )	6.92	y	-	/lidWest
	29.60	100 g	✓ N	/lidWest

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

# **Corticosteroids Topical**

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 84

# **Corticosteroids - Plain**

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
Oint 0.05%		15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%	3.15	50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	2 20	30 g OP	✓ Dermol
* Oint 0.05%		30 g OP	✓ Dermol
CLOBETASONE BUTYRATE		00 g 0.	<u> </u>
	E 00	20 ~ OD	
Crm 0.05%		30 g OP	Eumovate
	(7.09)		Eumovale
DIFLUCORTOLONE VALERATE			
Crm 0.1%		50 g OP	
	(15.86)		Nerisone
Fatty oint 0.1%		50 g OP	
	(15.86)		Nerisone
HYDROCORTISONE			
* Crm 1% - Only on a prescription	1.11	30 g OP	✓ DermAssist
	16.25	500 g	✓ Pharmacy Health
* Powder – Only in combination	49.95	25 g	✓ ABM
<ul> <li>a) Up to 5% in a dermatological base (not proprietary Topic galenicals. Refer, page 219</li> <li>b) ABM to be Sole Supply on 1 October 2017</li> </ul>	cal Corticoste	eriod – Plain) wi	th or without other dermatological
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only on			
a prescription	10.57	250 ml	✓ DP Lotn HC
DP Lotn HC to be Sole Supply on 1 October 2017			
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2 30	30 g OP	✓ Locoid Lipocream
<u> </u>	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%		100 ml OP	✓ Locoid Crelo
METHYLPREDNISOLONE ACEPONATE	2.00		
Crm 0.1%	4.05	15 g OP	✓ Advantan
Oint 0.1%		15 g OP 15 g OP	✓ Advantan ✓ Advantan
OII IL U. 1 /0	4.90	15 y OP	• Auvanian

	Subsidy		Fully Brand or
	(Manufacturer's Pr	rice) Sub: Per	sidised Generic  ✓ Manufacturer
	Φ	rei	▼ Manuacturer
MOMETASONE FUROATE  Crm 0.1%	4.54	15 ~ OD	/ Floory Aloohol Fron
Crm 0.1%	2.90	15 g OP	✓ Elocon Alcohol Free
Oint 0.1%		50 g OP	✓ Elocon Alcohol Free ✓ Elocon
OIII 0.1%	2.90	15 g OP 50 g OP	✓ Elocon
Lotn 0.1%		30 ml OP	✓ Elocon
TRIAMCINOLONE ACETONIDE		00 1111 01	<u> </u>
Crm 0.02%	6.30	100 g OP	✓ Aristocort
Aristocort to be Sole Supply on 1 October 2017	0.30	100 g OF	Anstocon
Oint 0.02%	6.35	100 g OP	✓ Aristocort
Aristocort to be Sole Supply on 1 October 2017		100 g O1	Anotocon
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on	a prescription		
Crm 0.1% with clioquinol 3%		15 g OP	
·	(4.90)	ŭ	Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(10.45)	- 3 -	Fucicort
<ul><li>a) Maximum of 15 g per prescription</li><li>b) Only on a prescription</li></ul>	, ,		
HYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	otion		
* Crm 1% with miconazole nitrate 2%	2.00	15 g OP	✓ <u>Micreme H</u>
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - C	only on a prescript	tion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTAT	IN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg			
and gramicidin 250 mcg per g - Only on a prescription.	•	15 g OP	
and granifoldin 250 mag per g . Only on a prosonption.	(6.60)	10 9 01	Viaderm KC
	(5.55)		
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE - Subsidy by endorsement			
a) No more than 500 ml per month			
<ul> <li>b) Only if prescribed for a dialysis patient and the prescription</li> </ul>		0,	
* Handrub 1% with ethanol 70%		500 ml	✓ <u>healthE</u>
* Soln 4% wash	3.98	500 ml	✓ <u>healthE</u>
TRICLOSAN - Subsidy by endorsement			
a) Maximum of 500 ml per prescription     b)			
a) Only if prescribed for a patient identified with Methic	cillin-resistant Sta	phylococcus a	aureus (MRSA) prior to elective
surgery in hospital and the prescription is endorsed	0,7		
b) Only if prescribed for a patient with recurrent Staphy	ylococcus aureus	infection and	the prescription is endorsed
accordingly			
Soln 1%	5.90	500 ml OP	✓ healthE

(Manufacturer's Price) Subsidised G	Brand or Generic
\$ Per ✓ M	
	Annu fantuur
Barrier Creams and Emollients	Manufacturer
Barrier Creams and Emollients	
Barrier Creams	
DIMETHICONE	
* Crm 5% pump bottle4.59 500 ml OP ✓ healt	thE
	methicone 5%
★ Crm 10% pump bottle	thE
	methicone 10%
ZINC AND CASTOR OIL	
* Oint BP	tichem
- One Dr	
Emollients	
AQUEOUS CREAM	
	SLS-free
CETOMACROGOL	
* Cm BP2.74 500 g ✓ <u>healt</u>	ithF
CETOMACROGOL WITH GLYCEROL	<u>uit</u>
	rmacy Health
	orbolene with
	lycerin
	rmacy Health
	orbolene with
<del></del>	lycerin
<del></del>	<u>yceiiii</u>
EMULSIFYING OINTMENT	
* Oint BP3.59 500 g ✓ AFT	
OIL IN WATER EMULSION	
<u> </u>	Fatty Emulsion
Cre	<u>ream</u>
UREA	
<b>*</b> Crm 10%1.37 100 g OP ✓ <u>healt</u>	IthE Urea Cream
NOOL FAT WITH MINERAL OIL - Only on a prescription	
* Lotn hydrous 3% with mineral oil	
(11.95) DP L	Lotion
1.40 250 ml OP	
\/	Lotion
5.60 1,000 ml	
, ,	na-Keri Lotion
	_otion
1.40 250 ml OP	
(7.73) BK L	_otion
Other Dermatological Bases	
PARAFFIN	
White soft − Only in combination20.20 2,500 g ✓ IPW	
3.58 500 g	
(7.78) IPW	
(8.69) PSM	
Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Cortico	

Fully

	(Manufacturer's Price	e) Subsi Per	dised	Generic Manufacturer
Minor Skin Infections				
POVIDONE IODINE				
Oint 10%	3.27	25 g OP	<b>✓</b> Be	etadine
a) Maximum of 100 g per prescription		Ü		
b) Only on a prescription				
Antiseptic soln 10%	6.20	500 ml	<b>✓</b> Be	etadine
			✓ Ri	odine
	1.28	100 ml		
	(4.20)		Ri	odine
	(8.25)		Ве	etadine
	0.19	15 ml		
	(4.45)			etadine
Skin preparation, povidone iodine 10% with 30% alcohol		500 ml	✓ Be	etadine Skin Prep
	1.63	100 ml		
	(3.65)		Ве	etadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		500 ml	_	
	(18.63)		Or	ion
	1.63	100 ml	^	
	(6.04)		Or	ion
Parasiticidal Preparations				

Subeidy

healthE Dimethicone 4% Lotion to be Sole Supply on 1 October 2017

Lotn 4% 4.98

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg - Up to 100 tab available on a PSO.......17.20 ✓ Stromectol

- 1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- 3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

## ⇒SA1225 Special Authority for Subsidy

Initial application — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

## Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist: and
- 2 Either:

**DIMETHICONE** 

- 2.1 Both:
  - 2.1.1 The patient is in the community; and
  - 2.1.2 Any of the following:
    - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
    - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of

continued...

200 ml OP

✓ healthE

Dimethicone 4% Lotion



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

topical therapy: or

- 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
  - 2.2.1 The Patient is a resident in an institution; and
  - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
  - 2.2.3 Any of the following:
    - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
    - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
    - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:
      - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

**Renewal** — **(Other parasitic infections)** only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

#### **PERMETHRIN**

Crm 5%4.20	30 g OP	<ul><li>Lyderm</li></ul>
Lotn 5%	30 ml OP	<ul><li>A-Scabies</li></ul>

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer	
PHENOTHRIN Shampoo 0 5%	11.26 200	n ml ∩D	<b>√</b> D	)aracidoco	

# **Psoriasis and Eczema Preparations**

ACITRETIN - Special Authority see SA1476 below - Retail pharmac	у		
Cap 10 mg	17.86	60	✓ Novatretin
Novatretin to be Sole Supply on 1 October 2017			
Cap 25 mg	41.36	60	✓ Novatretin
Novatretin to be Sole Supply on 1 October 2017			

#### ⇒SA1476 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

**Renewal** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL		
Gel 500 mcg with calcipotriol 50 mcg per g26.12	30 g OP	✓ Daivobet
Oint 500 mcg with calcipotriol 50 mcg per g26.12	30 g OP	Daivobet
CALCIPOTRIOL		
Oint 50 mcg per g45.00	100 g OP	✓ Daivonex
COAL TAR		
Soln BP - Only in combination32.95	200 ml	✓ Midwest

- Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod Plain, refer dermatological base, page 219
- 2) With or without other dermatological galenicals.

#### COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)	•	Egopsoryl TA
	3.43	30 g OP	•
	(4.35)	•	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORESCE	IN - Only o	n a prescription	
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodium	3.86	500 ml	✓ Pinetarsol

<sup>‡</sup> safety cap

# **DERMATOLOGICALS**

	Subsidy (Manufacturer's l	Price) Subs	. ,	Brand or Generic
	(Mandiacturer S I	Per Per		Manufacturer
SALICYLIC ACID				
Powder - Only in combination	18.88	250 g	✓ PSI	И
<ol> <li>Only in combination with a dermatological barefer dermatological base, page 219</li> <li>With or without other dermatological galenical</li> </ol>		cal Corticostero	id – Plain	or collodion flexible,
SULPHUR				
Precipitated - Only in combination	6.35	100 g	✓ Mid	west
<ol> <li>Only in combination with a dermatological babase, page 219</li> <li>With or without other dermatological galenical</li> </ol>		cal Corticostero	id – Plain	, refer dermatologica
Scalp Preparations				
BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75	100 ml OP	✓ Bet	a Scalp
CLOBETASOL PROPIONATE  * Scalp app 0.05%	6.96	30 ml OP	✓ Der	mol
HYDROCORTISONE BUTYRATE				
Scalp lotn 0.1%	3.65	100 ml OP	✓ Loc	oid
KETOCONAZOLE Shampoo 2%	2.99	100 ml OP	✓ Set	izole
<ul> <li>a) Maximum of 100 ml per prescription</li> <li>b) Only on a prescription</li> <li>c) Sebizole to be Sole Supply on 1 October 2017</li> </ul>				
Sunscreens				
SUNSCREENS, PROPRIETARY - Subsidy by endorseme				
Only if prescribed for a patient with severe photosensit	tivity secondary to a de	efined clinical co	ondition a	nd the prescription is
endorsed accordingly. Crm	3 30	100 g OP		
OIII	(5.89)	100 g O1	Har	nilton Sunscreen
Lotn,		100 g OP		ine Blue Lotion
	5.10	200 g OP	✓ Mai	PF 50+ ine Blue Lotion PF 50+
Wart Preparations				
·				
for salicylic acid preparations refer to PSORIASIS AND Ed	CZEMA PREPARATIO	NS, page 75		
MIQUIMOD	17.00	10	./ ^	. Imiaurim a d
Crm 5%, 250 mg sachet	17.98	12		o-Imiquimod ream 5%
PODOPHYLLOTOXIN				
Soln 0.5%	33.60	3.5 ml OP	✓ Cor	ndyline
a) Maximum of 3.5 ml per prescription     Only on a prescription				

b) Only on a prescription

# **DERMATOLOGICALS**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

# Other Skin Preparations

# **Antineoplastics**

FLUOROURACIL SODIUM

Crm 5%......8.95 20 g OP **✓ Efudix** 

## **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	Brand or Generic Manufacturer	
--	---	----------	---------------------	-------------------------------------	--

# **Contraceptives - Non-hormonal**

#### Condoms

C						
٠,	. ,	IVI	1 )	u	IVI	

*	49 mm - Up to 144 dev available on a PSO13.36	144	✓ Shield 49
*	53 mm - Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
			✓ Shield Blue
	13.36	144	✓ Shield Blue
*	53 mm (chocolate) – Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
*	53 mm (strawberry) - Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
*	56 mm - Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Durex Extra Safe
			✓ Gold Knight
*	56 mm, shaped - Up to 144 dev available on a PSO1.11	12	✓ Durex Confidence
	13.36	144	Durex Confidence
*	60 mm - Up to 144 dev available on a PSO	144	✓ Shield XL

# **Contraceptive Devices**

## INTRA-UTERINE DEVICE

- a) Up to 40 dev available on a PSO
- b) Only on a PSO
- - ..31.60 1

- ✓ Choice TT380 Short
- ✓ Choice

  TT380 Standard
- TT380 Standard ✓ Choice Load 375

**Contraceptives - Hormonal** 

# **Combined Oral Contraceptives**

# **⇒SA0500** Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

		GENIT	O-URI	NARY SYSTEM
	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
continued				
The additional subsidy will fund Mercilon and Marvelon up to the	manufacturer's price	for each	of these	products as identified o
the Schedule at 1 November 1999. Special Authorities approved before 1 November 1999 remain val	lid until the evniry de	to and or	n ho ron	owed providing that
women are still either:	iid uritii trie expiry da	ile and ca	ui be ieii	lewed providing that
on a Social Welfare benefit; or				
<ul> <li>have an income no greater than the benefit.</li> </ul>				
The approval numbers of Special Authorities approved before 1 N	lovember 1999 are i	nterchan	geable fo	or products within the
combined oral contraceptives and progestogen-only contraceptive	es groups, except Lo	ette and	Microgyr	non 20 ED
ETHINYLOESTRADIOL WITH DESOGESTREL				
* Tab 20 mcg with desogestrel 150 mcg and 7 inert tab		84		4 " 00
a) Illiahan adhaidh af MAC CO a an CAllah aith Consial Add	(19.80)			Mercilon 28
<ul> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> </ul>	nority see SAU500 of	n the prev	vious pag	ge
* Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6 62	84		
. az ce meg min decegecisi tee meg ana i men azımının	(19.80)	•	M	Marvelon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Auth	nority see SA0500 or	n the prev	vious pag	ge
b) Up to 84 tab available on a PSO				
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
★ Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - U <sub>I</sub>			_	
to 84 tab available on a PSO		84	✓ A	lva 20 ED
* Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up		0.4		Name of the Control
to 84 tab available on a PSO*  * Tab 30 mcg with levonorgestrel 150 mcg		84 63	• 10	licrogynon 50 ED
Tab of mag with revoliding esticition mag	(16.50)	00	N	licrogynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special Auth	` ,	n the prev		0,
b) Up to 63 tab available on a PSO	,	•		
* Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up				
to 84 tab available on a PSO	2.30	84	<b>✓</b> A	va 30 ED
ETHINYLOESTRADIOL WITH NORETHISTERONE				
* Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available	ie			

# **Progestogen-only Contraceptives**

# ⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

1.1 Patient is on a Social Welfare benefit; or

\*Three months or six months, as applicable, dispensed all-at-once

to 84 tab available on a PSO.......6.62

Tab 35 mcg with norethisterone 1 mg and 7 inert tab - Up to

Tab 35 mcg with norethisterone 500 mcg and 7 inert tab - Up

\* Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab

continued...

✓ Brevinor 1/21

✓ Brevinor 1/28

✓ Brevinor 21

✓ Norimin

63

84

63

	Subsidy (Manufacturer's Price) \$	Per		Fully sidised	Brand or Generic Manufacturer
continued					
1.2 Patient has an income no greater than the benefit; a					
2 Has tried at least one of the fully funded options and has be Renewal from any medical practitioner. Approvals valid for 2 year			a tha	followi	na oritoria:
nenewar nom any medicar practitioner. Approvais valid for 2 year Either:	is ioi applications mi	eeun	y ine	IOIIOWI	ng chiena.
1 Patient is on a Social Welfare benefit; or					
2 Patient has an income no greater than the benefit.	ar 1 Navambar 1000	0.40	intor	honaa	abla batusan Marailan an
Notes: The approval numbers of Special Authorities approved afte Marvelon.	er i November 1999	are	interd	nange	able between Mercilon an
The additional subsidy will fund Mercilon and Marvelon up to the m	nanufacturer's price	for e	ach o	f these	products as identified on
the Schedule at 1 November 1999. Special Authorities approved before 1 November 1999 remain vali	d until the evelor det	o on	d oon	ho ror	sowed providing that
women are still either:	u unui ine expiry dat	e an	u Cai	i be iei	iewed providing that
<ul> <li>on a Social Welfare benefit; or</li> </ul>					
have an income no greater than the benefit.  The second seco		4 1			and the second s
The approval numbers of Special Authorities approved before 1 No combined oral contraceptives and progestogen-only contraceptive					
LEVONORGESTREL	o g.oupo, oxoopi zoi				
* Tab 30 mcg		84			
a) Higher subsidy of \$13.80 per 84 tab with Special Auth	(16.50)	tho	provi		Microlut
b) Up to 84 tab available on a PSO	only see SA0300 on	uie	pievi	ous pa	y <del>c</del>
★ Subdermal implant (2 × 75 mg rods) – Up to 3 pack available				_	
on a PSO	133.65	1		<b>✓</b> .	<u>Jadelle</u>
MEDROXYPROGESTERONE ACETATE  * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS	SO 7.25	1		<b>√</b> 1	Depo-Provera
NORETHISTERONE	507.20	•			<u> </u>
* Tab 350 mcg - Up to 84 tab available on a PSO	6.25	84		<b>✓</b> <u>I</u>	Noriday 28
<b>Emergency Contraceptives</b>					
LEVONORGESTREL					
* Tab 1.5 mg	4.95	1		<b>✓</b> [	Postinor-1
<ul><li>a) Maximum of 2 tab per prescription</li><li>b) Up to 5 tab available on a PSO</li></ul>					
Antiandrogen Oral Contraceptives					
· ·		£ 0 11 0			. The maried of example
Prescribers may code prescriptions "contraceptive" (code "O") whe and prescription charge will be as per other contraceptives, as follo		101 (	UHITE	ισεριίο	ii. The period of supply
<ul> <li>\$5.00 prescription charge (patient co-payment) will apply.</li> </ul>					
<ul> <li>prescription may be written for up to six months supply.</li> </ul>					
Prescriptions coded in any other way are subject to the non contra	ceptive prescription	char	aes	and the	e non-contraceptive perior
and the state of t	supply.		٠,		

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL \* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs - Up

Ginet to be Sole Supply on 1 October 2017

to 168 tab available on a PSO......4.67

✓ Ginet

	Subsidy		Fully	Brand or
	(Manufacturer's F	rice) Subsi	dised	Generic
	\$	Per	1	Manufacturer
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	ACID			
Jelly with glacial acetic acid 0.94%, hydroxyguinoline sulphate	е			
0.025%, glycerol 5% and ricinoleic acid 0.75% with applic	cator8.43	100 g OP		
707	(24.00)	Ü	Α	ci-Jel
CLOTRIMAZOLE	(=)			
	1.00	25 ~ OD	./ 0	lama-al
		35 g OP	_	lomazol
* Vaginal crm 2% with applicators	2.10	20 g OP	• <u>c</u>	lomazol
MICONAZOLE NITRATE				
* Vaginal crm 2% with applicator	3.88	40 g OP	✓ M	icreme
Micreme to be Sole Supply on 1 October 2017		-		
NYSTATIN				
Vaginal crm 100,000 u per 5 g with applicator(s)	4 45	75 g OP	✓ N	ilstat
Nilstat to be Sole Supply on 1 September 2017	4.40	73 g Oi	• 14	iistat
Mistat to be sole supply of 1 september 2017				
Myamatrial and Varinal Harmana Dranarations				
Myometrial and Vaginal Hormone Preparations				
ERGOMETRINE MALEATE				
Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a		-	./ D	DI Cumamatulua
PSO	94.70	5	<b>♥</b> D	BL Ergometrine
OESTRIOL				
* Crm 1 mg per g with applicator		15 g OP	<b>√</b> 0	vestin
* Pessaries 500 mcg	6.86	15	<b>√</b> 0	vestin
OXYTOCIN - Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml ampoule	4.03	5	<b>√</b> 0	xytocin BNM
Inj 10 iu per ml, 1 ml ampoule		5		xytocin BNM
		3	• <u>•</u>	Aytociii Ditiii
OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj avail		_		
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	11.13	5	✓ <u>S</u>	<u>yntometrine</u>
Programmy Toots hCC Uring				
Pregnancy Tests - hCG Urine				
PREGNANCY TESTS - HCG URINE				
a) Up to 200 test available on a PSO				
b) Only on a PSO				
Cassette	17.60	40 test OP	<b>√</b> ⊑	asyCheck
Casselle	17.00	40 lest OF	• -	asychieck
Urinary Agents				
Officery Agents				
For urinary tract Infections refer to INFECTIONS, Antibacterials, p	age 115			
5-Alpha Reductase Inhibitors				
FINASTERIDE – Special Authority see SA0928 below – Retail ph	narmaov			
	-	20	./ F	innra
* Tab 5 mg	∠.∪ŏ	30	<b>▼</b> F	inpro
<b>⇒SA0928</b> Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	d without further	renewal unless	notified	d for applications meeting

continued...

the following criteria:

# **GENITO-URINARY SYSTEM**

Subsidy		Fully	Brand or	
(Manufacturer's Price	)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

# Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

★ Cap 400 mcg .......13.51 100 

✓ Tamsulosin-Rex

# ⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

OVVDLITVNIN

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

# Other Urinary Agents

-	Tab 5 mg8.85	500	✓ Apo-Oxybutynin
	Oral liq 5 mg per 5 ml	473 ml	✓ Apo-Oxybutynin
РО	TASSIUM CITRATE		
	Oral liq 3 mmol per ml - Special Authority see SA1083 below -		
	Retail pharmacy30.00	200 ml OP	✓ Biomed

## ⇒SA1083 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

#### SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets	2.34	28	<ul><li>Ural</li></ul>
Ural to be Sole Supply on 1 October 2017			
SOLIFENACIN SUCCINATE - Special Authority see SA0998 below	– Retail pharr	nacy	
Tab 5 mg	37.50	30	✓ Vesicare
Tab 10 mg	37.50	30	✓ Vesicare

## ⇒SA0998 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

			DINE - Special Authority see SA1272 below - Retail pharmacy	TOLTERODINE - Sp
Arrow-Tolterodine	1	56	ng14.56	Tab 1 mg
Arrow-Tolterodine	✓	56	ng14.56	Tab 2 mg

#### ⇒SA1272 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

# **GENITO-URINARY SYSTEM**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

# **Detection of Substances in Urine**

OR	$r_{1}$	TO	חוו וי	
UH	I H( )	- 1 ( )	)     )	11/11

50 test OP

> (8.25)Hemastix

**TETRABROMOPHENOL** 

100 test OP

Albustix (13.92)

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Por 🗸	Manufacturer

# **Calcium Homeostasis**

CALCITONIN

CINACALCET - Special Authority see SA1618 below - Retail pharmacy

Tab 30 mg − Wastage claimable − see rule 3.3.2 on page 13......403.70 28 ✓ Sensipar

## ⇒SA1618 Special Authority for Subsidy

**Initial application** only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 All of the following:
  - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
  - 1.2 The patient has persistent hypercalcaemia (serum calcium ≥ 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
  - 1.3 The patient is symptomatic; or
- 2 All of the following:
  - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
  - 2.2 The patient has symptomatic (e.g., painful skin ulcers) hypercalcaemia (serum calcium ≥ 3 mmol/L); and
  - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate

**Renewal** only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L: and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

#### **ZOLEDRONIC ACID**

Inj 4 mg per 5 ml, vial – Special Authority see SA1512 below –
Retail pharmacy.......84.50

1

✓ Zoledronic acid
Mylan

550.00

✓ Zometa

## ⇒SA1512 Special Authority for Subsidy

**Initial application** only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
  - 2.1 Patient has bone metastases or involvement; and
  - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
  - 3.1 Patient has bone metastases or involvement; and
  - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

# Corticosteroids and Related Agents for Systemic Use

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE

\* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml.................19.20

96) Celestone Chronodose

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Subs	sidised	Generic
	\$	Per	1	Manufacturer
DEVANETUAÇONE				
DEXAMETHASONE	0.00			
* Tab 0.5 mg – Retail pharmacy-Specialist	0.88	30	<b>✓</b> D	exmethsone
Up to 60 tab available on a PSO				
* Tab 4 mg - Retail pharmacy-Specialist	1.84	30	✓ <u>D</u>	<u>exmethsone</u>
Up to 30 tab available on a PSO				
Oral liq 1 mg per ml - Retail pharmacy-Specialist	45.00	25 ml OP	<b>✓</b> B	iomed
Oral liq prescriptions:				
Must be written by a Paediatrician or Paediat	tric Cardiologist: or			
2) On the recommendation of a Paediatrician of		et .		
2) On the recommendation of a racdiamolar of	i i acaiailio caraiologic	λί.		
DEXAMETHASONE PHOSPHATE				
Dexamethasone phosphate injection will not be funded	I for oral use.			
* Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available o	n a PSO14.19	10	✓ M	lax Health
* Inj 4 mg per ml, 2 ml ampoule - Up to 5 inj available o		10	✓ M	lax Health
FLUDROCORTISONE ACETATE				
	44.00	400		
* Tab 100 mcg	14.32	100	<b>V</b> F	lorinef
HYDROCORTISONE				
* Tab 5 mg	8.10	100	✓ D	ouglas
* Tab 20 mg - For hydrocortisone oral liquid formulation	refer.		_	_ <del>_</del> _
page 220		100	✓ D	ouglas
* Inj 100 mg vial		1	_	olu-Cortef
, ,		•	• <u>5</u>	olu-oortei
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
METHYLPREDNISOLONE - Retail pharmacy-Specialist				
* Tab 4 mg	80.00	100	✓ M	ledrol
* Tab 100 mg	180.00	20	✓ M	ledrol
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) -		aliat	_	
		alist 1	./ c	alı. Madual
Inj 40 mg vial		1	_	olu-Medrol
Inj 125 mg vial			_	olu-Medrol
Inj 500 mg vial		1	_	olu-Medrol
Inj 1 g vial	16.00	1	✓ <u>S</u>	olu-Medrol
METHYLPREDNISOLONE ACETATE				
Inj 40 mg per ml, 1 ml vial	40.00	5	✓ D	epo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [			_	
				ana Madual wilds
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	9.25	1	<b>₽</b> <u>D</u>	epo-Medrol with
				<u>Lidocaine</u>
PREDNISOLONE				
* Oral liq 5 mg per ml - Up to 30 ml available on a PSO	7.50	30 ml OP	✓ R	edipred
Restricted to children under 12 years of age.				•
PREDNISONE				
	40.00	500		Donatelesson
* Tab 1 mg		500		po-Prednisone
* Tab 2.5 mg		500		po-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO		500	_	po-Prednisone
* Tab 20 mg	29.03	500	✓ <u>A</u>	po-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	<b>√</b> S	vnacthen
* Inj 1 mg per ml, 1 ml ampoule		1		ynacthen Depot
,		•	- 3	,

<sup>‡</sup> safety cap

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	20.80	5	✓	Kenacort-A 10
Kenacort-A 10 to be Sole Supply on 1 October 2017				
Inj 40 mg per ml, 1 ml ampoule	51.10	5	✓	Kenacort-A 40
Kenacort-A 40 to be Sole Supply on 1 October 2017				

# **Sex Hormones Non Contraceptive**

# **Androgen Agonists and Antagonists**

Androgen Agomsts and Antagomsts			
CYPROTERONE ACETATE - Retail pharmacy-Specialist			
Tab 50 mg	15.87	50	✓ Procur
Tab 100 mg	30.40	50	✓ Procur
TESTOSTERONE			
Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
Patch 5 mg per day	80.00	30	✓ Androderm
TESTOSTERONE CYPIONATE - Retail pharmacy-Specialist			
Inj 100 mg per ml, 10 ml vial	76.50	1	✓ Depo-Testosterone
Depo-Testosterone to be Sole Supply on 1 October 2017			
TESTOSTERONE ESTERS - Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml	12.98	1	<ul><li>Sustanon Ampoules</li></ul>
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist			
Cap 40 mg	16.80	60	Andriol Testocaps
Inj 250 mg per ml, 4 ml vial	86.00	1	Reandron 1000

# **Hormone Replacement Therapy - Systemic**

## **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

# **Oestrogens**

OE	STRADIOL - See prescribing guideline above			
*	Tab 1 mg	4.12	28 OP	
		(11.10)		Estrofem
*	Tab 2 mg	4.12	28 OP	
	•	(11.10)		Estrofem
*	Patch 25 mcg per day	6.12 <sup>´</sup>	8	✓ Estradot
	a) No more than 2 patch per week			<del></del>
	b) Only on a prescription			
*	Patch 50 mcg per day	7 04	8	✓ Estradot 50 mcg
•••	a) No more than 2 patch per week		Ü	<u> </u>
	b) Only on a prescription			
*	, , , ,	7.01	8	√ Estradat
*	Patch 75 mcg per day	7.91	0	✓ Estradot
	a) No more than 2 patch per week			
	b) Only on a prescription			
*	Patch 100 mcg per day	7.91	8	✓ Estradot
	<ul> <li>a) No more than 2 patch per week</li> </ul>			
	b) Only on a prescription			

	Subsidy (Manufacturer's Price \$	) S Per	Fully Subsidised	Brand or Generic Manufacturer
DESTRADIOL VALERATE - See prescribing guideline on th	e previous page			
₭ Tab 1 mg	12.36	84	<b>✓</b> <u>I</u>	Progynova
<b>├</b> Tab 2 mg	12.36	84	<b>✓</b> <u>I</u>	Progynova
DESTROGENS - See prescribing guideline on the previous	page			
Conjugated, equine tab 300 mcg		28		
, , , , ,	(11.48)		F	Premarin
★ Conjugated, equine tab 625 mcg	4.12 <sup>′</sup>	28		
	(11.48)		F	Premarin
Progestogens				
MEDROXYPROGESTERONE ACETATE - See prescribing	guideline on the previou	ıs page		
★ Tab 2.5 mg	3.75	30	<b>✓</b> [	Provera
★ Tab 5 mg	14.00	100	✓ [	Provera
₭ Tab 10 mg	7.15	30	✓ [	Provera
Progestogen and Oestrogen Combined Prepare	arations			
DESTRADIOL WITH NORETHISTERONE - See prescribing	guideline on the previo	us page	)	
Fab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP		
	(18.10)		ŀ	Kliovance
Fab 2 mg with 1 mg norethisterone acetate	5.40	28 OP		
	(18.10)		ŀ	Kliogest
★ Tab 2 mg with 1 mg norethisterone acetate (10), and 2 m	q			-
oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP		
· , · · · · · · · · · · · · · · · · · ·	(18.10)		7	Trisequens
DESTROGENS WITH MEDROXYPROGESTERONE - See	prescribing quideline or	the pre	evious pan	е
★ Tab 625 mcg conjugated equine with 2.5 mg	processing gardenine or	о р. о	mous pag	
medroxyprogesterone acetate tab (28)	5.40	28 OP		
modroxyprogesterone acetate tab (20)	(22.96)	20 01		Premia
	(22.00)		'	2.5 Continuous
₭ Tab 625 mcg conjugated equine with 5 mg				L.O OOMMINGOOD
medroxyprogesterone acetate tab (28)	5.40	28 OP		
modroxyprogesterone acetate tab (20)	(22.96)	20 01		Premia 5 Continuous
	(22.30)		'	Terrila 5 Continuous
Other Oestrogen Preparations				
THINYLOESTRADIOL				
★ Tab 10 mcg	17.60	100	<b>✓</b> <u>I</u>	NZ Medical and
				<u>Scientific</u>
DESTRIOL				
₭ Tab 2 mg	7.00	30	•	Ovestin
Other Progestogen Preparations				
EVONORGESTREL				
★ Intra-uterine system 20 mcg per day — Special Authority			_	
SA1608 on the next page – Retail pharmacy	269.50	1	<b>✓</b> <u>I</u>	<u> Virena</u>

Sub	osidy Fully	Brand or
(Manufactu	. '	Generic
	\$ Per ✓	Manufacturer

## ⇒SA1608 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria. Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Fither:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE		
* Tab 100 mg - Retail pharmacy-Specialist101.00	100	✓ Provera HD
NORETHISTERONE		
* Tab 5 mg - Up to 30 tab available on a PSO18.29	100	✓ Primolut N
PROGESTERONE		
Cap 100 mg - Special Authority see SA1609 below - Retail		
pharmacy16.50	30	✓ <u>Utrogestan</u>

## ⇒SA1609 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 For the prevention of pre-term labour\*; and
- 2 Either:
  - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour\*: and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
  - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

#### Thyroid and Antithyroid Agents CARRIMAZOI F 100 ✓ AFT Carbimazole \$29 ✓ Neo-Mercazole

	Subsidy		Fully	/ Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per		Manufacturer
LEVOTHYROXINE				
* Tab 25 mcg	3.89	90	✓	Synthroid
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			•
* Tab 50 mcg	1.71	28	✓	Mercury Pharma
•	4.05	90	✓	Synthroid
	64.28	1,000	) <b>/</b>	Eltroxin
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
* Tab 100 mcg	1.78	28	✓	Mercury Pharma
•	4.21	90	✓	Synthroid
	66.78	1,000	) <b>/</b>	Eltroxin
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
PROPYLTHIOURACIL - Special Authority see SA1199 below -	Retail pharmacy			
Propylthiouracil is not recommended for patients under the attreatments are contraindicated.		s the p	patient is p	pregnant and other
Tab 50 mg	35.00	100	✓	PTU S29
= CA1100 Chasial Authority for Cubaidy				

# **⇒SA1199** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

# **Trophic Hormones**

## **Growth Hormones**

SC	MATROPIN (OMNITROPE) - Special Authority see SA1629 below - Reta	il pharmacy	
*	Inj 5 mg cartridge	. i	<ul><li>Omnitrope</li></ul>
*	lnj 10 mg cartridge219.00	1	✓ Omnitrope
*	Inj 15 mg cartridge328.50	1	✓ Omnitrope

## ⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or</p>
- 2 All of the following:
  - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and</p>
  - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
  - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and</p>
  - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and

continued...

2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is  $\geq$  2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity ≥ 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is  $\geq$  2 cm per year, calculated over six months; and
- 3 A current bone age is ≤ 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay: and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is  $\geq$  2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is  $\leq$  to 14 years (female patients) or  $\leq$  to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Fither:
  - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
  - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is  $\geq$  2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred;
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 The patient is aged two years or older; and
    - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months; or
  - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per ✓	Manufacturer

continued...

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of  $\leq 3$  mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test. Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of  $\leq 0.4$  mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 The patient has been treated with somatropin for < 12 months; and
  - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
  - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
  - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
  - 2.1 The patient has been treated with somatropin for more than 12 months; and
  - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
  - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	1	Manufacturer	

continued...

2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

# **GnRH Analogues**

## **GOSERELIN**

Implant 3.6 mg, syringe	66.48	1	✓ Zoladex
Implant 10.8 mg, syringe	177.50	1	Zoladex

#### **LEUPRORELIN**

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly.

Inj 3.75 mg prefilled dual chamber syringe - Higher subsidy of			
\$221.60 per 1 inj with Endorsement	66.48	1	
	(221.60)		Lucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syringe - Higher subsidy			
of \$591.68 per 1 inj with Endorsement	177.50	1	

(591.68)

# **Vasopressin Agonists**

## **DESMOPRESSIN ACETATE**

Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy	25.00	30	✓ Minirin
Tab 200 mcg – Special Authority see SA1401 below – Retail pharmacy	39.03	30 2.5 ml OP 6 ml OP	✓ <u>Minirin</u> ✓ Minirin ✓ Desmopressin-PH&T
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below – Retail pharmacy	67.18	10	✓ Minirin

## ⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- DOUII.
  - 1 The patient has cranial diabetes insipidus; and
  - 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

**Initial application — (Desmopressin injection)** only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Lucrin Depot 3-month

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

# **Other Endocrine Agents**

## CABERGOLINE

## **⇒SA1370** Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly\*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with \* is an Unapproved indication.

Tab 50 mg	A1E 29.84	1 10	✓ Mylan
-			Clomiphen S29
			Serophene
DANAZOL			
Cap 100 mg	68.33	3 100	✓ Azol
Cap 200 mg	97.83	3 100	✓ Azol
METYRAPONE			
Cap 250 mg -	Retail pharmacy-Specialist520.00	50	✓ Metopirone

**INFECTIONS - AGENTS FOR SYSTEMIC USE** Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer **Anthelmintics** ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy 60 Fskazole S29 ⇒SA1318 Special Authority for Subsidy Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids. Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment. MEBENDAZOLE - Only on a prescription 24 ✓ De-Worm 15 ml (7.17)Vermox PRAZIQUANTFI Tab 600 mg .......68.00 Biltricide **Antibacterials** a) For topical antibacterials, refer to DERMATOLOGICALS, page 68 b) For anti-infective eve preparations, refer to SENSORY ORGANS, page 212 Cephalosporins and Cephamycins **CEFACLOR MONOHYDRATE** Ranbaxy-Cefaclor Cap 250 mg......24.70 100 Grans for oral lig 125 mg per 5 ml - Wastage claimable - see 100 ml ✓ Ranbaxy-Cefaclor **CEFALEXIN** 20 Cephalexin ABM 20 Cephalexin ABM Grans for oral lig 25 mg per ml - Wastage claimable - see rule 3.3.2 on page 13......8.00 100 ml ✓ Cefalexin Sandoz Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing. Grans for oral lig 50 mg per ml - Wastage claimable - see rule 3.3.2 on page 13......11.00 100 ml ✓ Cefalexin Sandoz Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing. CEFAZOLIN - Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed

accordingly.

Inj 500 mg vial	3.39	5	AFT
AFT to be Sole Supply on 1 October 2017			
Inj 1 g vial	3.29	5	✓ AFT
AFT to be Sole Supply on 1 October 2017			

CEFTRIAXONE - Subsidy by endorsement

- a) Up to 5 ini available on a PSO
- b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

Inj 500 mg vial	1.20	1	✓ DEVA
Inj 1 g vial	0.84	1	✓ DEVA

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer	
CEFUROXIME AXETIL — Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the pres Tab 250 mg	•	according 50		innat .	

## **Macrolides**

AZITHROMYCIN – Maximum of 5 days treatment per prescription; can be waived by Special Authority see SA1648 below A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised on Special Authority.

Tab 250 mg	9.00	30	✓ Apo-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO		2	✓ Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) - Wastage			
claimable – see rule 3.3.2 on page 13	12.50	15 ml	✓ Zithromax

## ⇒SA1648 Special Authority for Waiver of Rule

Initial application — (bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome\*; or
- 2 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms\*; or
- 3 Patient has an atypical Mycobacterium infection.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (non-cystic fibrosis bronchiectasis\*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis\*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
  - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
  - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (non-cystic fibrosis bronchiectasis\*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and
- 3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with \* are Unapproved Indications

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	•	Manufacturer

## ⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

**Renewal — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE			
Tab 400 mg	16.95	100	<ul><li>E-Mycin</li></ul>
a) Up to 20 tab available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP -	see rule 5.2.6 on pa	ge 17	
Grans for oral liq 200 mg per 5 ml		100 ml	✓ E-Mycin
a) Up to 300 ml available on a PSO			•
b) Up to 2 x the maximum PSO quantity for RFPP -	see rule 5.2.6 on pa	ge 17	
c) Wastage claimable – see rule 3.3.2 on page 13		9- 11	
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	✓ E-Mycin
a) Up to 200 ml available on a PSO			,
b) Wastage claimable – see rule 3.3.2 on page 13			
,			
ERYTHROMYCIN LACTOBIONATE	10.00	4	/ Emathera aire IV
lnj 1 g	16.00	1	<ul><li>Erythrocin IV</li></ul>
ERYTHROMYCIN STEARATE			
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100	
	(22.29)		ERA
Tab 500 mg	29.90	100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab disp 50 mg	7.19	10	✓ Rulide D
Restricted to children under 12 years of age.			
Tab 150 mg	7.48	50	✓ Arrow-
•			Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow-
			Roxithromycin

	Subsidy (Manufacturer's Price	.) (	Fully Subsidised	
	\$	Per	1	Manufacturer
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	1	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – se	ee rule 5.2.6 on page	e 17		
Cap 500 mg	16.75	500	/	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – se	ee rule 5.2.6 on page	e 17		
Grans for oral lig 125 mg per 5 ml	0.88	100 ml	1	Amoxicillin Actavis
•	2.00		1	Ospamox
a) Up to 200 ml available on a PSO				•
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	0.97	100 ml	/	Amoxicillin Actavis
	2.00		/	Ospamox
a) Up to 300 ml available on a PSO				•
b) Up to 10 x the maximum PSO quantity for RFPP – se	ee rule 5.2.6 on page	e 17		
c) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial	10.67	10	✓	Ibiamox
Ibiamox to be Sole Supply on 1 October 2017				
Inj 500 mg vial	12.41	10	✓	Ibiamox
Ibiamox to be Sole Supply on 1 October 2017				
Inj 1 g vial - Up to 5 inj available on a PSO	17.29	10	/	Ibiamox
Ibiamox to be Sole Supply on 1 October 2017				
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab				
available on a PSO	1.88	20	1	Augmentin
Augmentin to be Sole Supply on 1 November 2017				
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25	ma			
per ml	· ·	100 ml	/	Augmentin
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq amoxicillin 50 mg with clavulanic acid 12.5	ma			
per ml – Up to 200 ml available on a PSO		00 ml O	P 🗸	Curam
Curam to be Sole Supply on 1 November 2017				
Grans for oral liquid amoxicillin 50 mg with clavulanic acid				
12.5 mg per ml	2.20	100 ml		
	(4.97)			Augmentin
a) Up to 200 ml available on a PSO				•
b) Wastage claimable – see rule 3.3.2 on page 13				
(Augmentin Grans for oral liquid amoxicillin 50 mg with clavulania	c acid 12.5 mg per n	nl to be o	delisted 1	November 2017)
BENZATHINE BENZYLPENICILLIN				,
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj				
available on a PSO	315.00	10	1	Bicillin LA
		. 0	-	<u></u>
BENZYLPENICILLIN SODIUM [PENICILLIN G] Inj 600 mg (1 million units) vial – Up to 5 inj available on a P	SO 10.25	10		Sandoz
Sandoz to be Sole Supply on 1 October 2017	30 10.33	10	•	Jailuuz
Sandoz to be Sole Supply on 1 October 2017				

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	ce) Su Per	bsidised •	Generic Manufacturer
THE OVACILLIN	Ψ	101		Wallalactarci
FLUCLOXACILLIN  Cap 250 mg - Up to 30 cap available on a PSO	19.70	250	1	Staphlex
Cap 500 mg		500		Staphlex
Grans for oral lig 25 mg per ml		100 ml	_	AFT
	2.23	100 1111	•	<u> </u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13 Grans for oral lig 50 mg per ml	2.00	100 ml	./	AET
, ,,	3.00	100 1111	•	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	10	./	Fluelavia
Inj 250 mg vial	9.00	10	•	Flucloxin
Flucloxin to be Sole Supply on 1 October 2017	0.40	40		Fluelavia
Inj 500 mg vial	9.40	10	•	Flucloxin
Flucloxin to be Sole Supply on 1 October 2017	T 00	-		Flue!I
Inj 1 g vial – Up to 10 inj available on a PSO		5 10		Flucil
	11.60	10	•	Flucloxin
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg - Up to 30 cap available on a PSO		50		Cilicaine VK
Cap 500 mg	4.73	50	/	Cilicaine VK
<ul> <li>a) Up to 20 cap available on a PSO</li> </ul>				
<ul><li>b) Up to 2 x the maximum PSO quantity for RFPP – se</li></ul>	ee rule 5.2.6 on pag	e 17		
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	✓	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	✓	<u>AFT</u>
a) Up to 300 ml available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP - se	ee rule 5.2.6 on pag	e 17		
c) Wastage claimable – see rule 3.3.2 on page 13				
PROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO.	123.50	5	1	Cilicaine
Cilicaine to be Sole Supply on 1 October 2017	120.00	Ū		- Ciliculiio
Tetracyclines				
OOXYCYCLINE				
★ Tab 50 mg - Up to 30 tab available on a PSO	2.90	30		
<b>3</b> -	(6.00)			Doxy-50
★ Tab 100 mg - Up to 30 tab available on a PSO		250	1	Doxine
MINOCYCLINE HYDROCHLORIDE				
★ Tab 50 mg – Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy	5.70	60		
SA1333 Delow - netall priarriacy	(12.05)	60		Mino-tabs
<b>k</b> Cap 100 mg		100		WIII 10-tabs
K Cap 100 mg	(52.04)	100		Minomycin
CA4055 Chasial Authority 6 Manual - D.	(02.04)			wintonnyour
SA1355 Special Authority for Manufacturers Price	lial college and formula a			and coloring the constitution
nitial application from any relevant practitioner. Approvals va	iiu without turther re	newai unie	ss notif	ieu where the patient has
OSACEA.	D-/ " 1			
ETRACYCLINE - Special Authority see SA1332 on the next p		•	_	T. t !!
	46 OO	30	_	Tetracyclin
Cap 500 mg	40.00	30		Wolff S29

	Subsidy (Manufacturer's Price)		Fully bsidised	Brand or Generic
	\$	Per		Manufacturer
➤SA1332 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals v Both: <ul> <li>1 For the eradication of helicobacter pylori following unsu</li> </ul>				,
2 For use only in combination with bismuth as part of a q			iaic ilisi-i	ille tiletapy, allu
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 68	3			
CIPROFLOXACIN				
Recommended for patients with any of the following:				
<ul><li>i) microbiologically confirmed and clinically significant</li><li>ii) prostatitis; or</li></ul>	pseudomonas infection;	or		
iii) pyelonephritis; or				
iv) gonorrhoea.				
Tab 250 mg - Up to 5 tab available on a PSO	1.45	28	10	Cipflox
Cipflox to be Sole Supply on 1 October 2017	1.45	20	• (	лрпох
Tab 500 mg — Up to 5 tab available on a PSO	1.99	28	✓ (	Cipflox
Cipflox to be Sole Supply on 1 October 2017 Tab 750 mg	3 15	28	10	Cipflox
Cipflox to be Sole Supply on 1 October 2017			•	, phox
CLINDAMYCIN				
Cap hydrochloride 150 mg - Maximum of 4 cap per				
prescription; can be waived by endorsement - Retail	4.40	10		Nindamusia ADM
pharmacy - Specialist	4.10	16	• [	Clindamycin ABM
pharmacy-Specialist	65.00	10	<b>√</b> [	Dalacin C
COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist			-	
Only if prescribed for dialysis or cystic fibrosis patient and			ordingly.	
Inj 150 mg	65.00	1	✓ (	Colistin-Link
FUSIDIC ACID				
Tab 250 mg – Retail pharmacy-Specialist		12	_	Fucidin
Prescriptions must be written by, or on the recommen	dation of, an infectious of	lisease	pnysiciar	or a clinical microbiolog
GENTAMICIN SULPHATE				
Inj 10 mg per ml, 1 ml - Subsidy by endorsement	8.56	5	<b>√</b> ⊦	łospira
Only if prescribed for a dialysis or cystic fibrosis patie		tract in	fection a	nd the prescription is
endorsed accordingly.				
Inj 10 mg per ml, 2 ml - Subsidy by endorsement	175.10	25	<b>✓</b>	
				Pharmaceuticals S29
Only if prescribed for a dialysis or cystic fibrosis patie	nt or complicated urinary	tract in	fection a	nd the prescription is
endorsed accordingly.		40	, -	N
Inj 40 mg per ml, 2 ml ampoule — Subsidy by endorsemer Only if prescribed for a dialysis or cystic fibrosis patie		10 tract in		<u>Pfizer</u> nd the prescription is
andersed accordingly	ni or complicated unitally	u aut III	ioolion al	ia ine prescription is

MOXIFLOXACIN - Special Authority see SA1358 on the next page - Retail pharmacy

Tab 400 mg ......52.00

endorsed accordingly.

No patient co-payment payable

✓ Avelox

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	✓	Manufacturer	

## ⇒SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 Active tuberculosis\*; and
  - 1.2 Any of the following:
    - 1.2.1 Documented resistance to one or more first-line medications: or
    - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
    - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
    - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
    - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications;
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.\*. Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment

remains appropriate and the patient is benefiting from treatment. Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications

meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium\*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacy

✓ Humatin S29

## ⇒SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

✓ Daraprim S29 30 ✓ Daraprim S29

## ⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

SULFADIAZINE SODIUM - Special Authority see SA1331 on the next page - Retail pharmacy

✓ Wockhardt S29

INFECTIONS - AGENTS FOR SYSTEMIC US	SE .			
	Subsidy (Manufacturer's Price \$	) Sub Per	Fully sidised	Brand or Generic Manufacturer
■ SA1331 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val the following criteria: Any of the following:  1 For the treatment of toxoplasmosis in patients with HIV for 2 For pregnant patients for the term of the pregnancy; or 3 For infants with congenital toxoplasmosis until 12 months	or a period of 3 month		s notifie	d for applications meeting
TOBRAMYCIN	-			
Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient a		5 andorsad		obramycin Mylan
Solution for inhalation 60 mg per ml, 5 ml — Subsidy by endorsement		56 dose	accordiii ✓ T	
a) Wastage claimable – see rule 3.3.2 on page 13			.P L	
<ul> <li>b) Only if prescribed for a cystic fibrosis patient and the TRIMETHOPRIM</li> </ul>	e prescription is endo	rsed accor	aingiy.	
* Tab 300 mg - Up to 30 tab available on a PSO	15.00	50	<b>√</b> T	MP
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMO]	XAZOLE]			_
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – to 30 tab available on a PSO	22.90	500	<b>✓</b> T	risul
* Oral liq 8 mg sulphamethoxazole 40 mg per ml - Up to 200 available on a PSO		100 ml	<b>✓</b> D	eprim
VANCOMYCIN – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or for				•
difficile following metronidazole failure and the prescription is			101 11001	
Inj 500 mg vial	2.37	1	✓ N	lylan
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page b) For topical antifungals refer to GENITO URINARY, page 81	68			
FLUCONAZOLE				
Cap 50 mg - Retail pharmacy-Specialist		28 1		zole zole
a) Maximum of 1 cap per prescription; can be waived b     b) Patient has vaginal candida albicans and the practit     not recommended and the prescription is endorsed     Specialist.	by endorsement - Ret ioner considers that a	ail pharma topical im	.cy - Spe idazole	ecialist (used intra-vaginally) is

# Wastage claimable – see rule 3.3.2 on page 13 ■ SA1359 Special Authority for Subsidy

Cap 200 mg - Retail pharmacy-Specialist ......9.69

see SA1359 below – Retail pharmacy......34.56

Powder for oral suspension 10 mg per ml - Special Authority

**Initial application — (Systemic candidiasis)** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

continued...

28

35 ml

98.50

✓ Ozole

✓ Diflucan

✓ Diflucan S29 S29

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	<b>✓</b>	Manufacturer	

continued...

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

**Initial application — (Immunocompromised)** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

**Renewal — (Systemic candidiasis)** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

#### **ITRACONAZOLE**

Specialist must be an infectious disease physician, clinical microbiologist, clinical minumologist or dermatologis

Oral liq 10 mg per ml - Special Authority see SA1322 below -

Retail pharmacy.......141.80 150 ml OP ✓ Sporanox

## ⇒SA1322 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

#### KETOCONAZOLE

endorsementpharmacy-Specialist – Subsidy by	CBS	30	✓ Link Healthcare S29
			✓ Nizoral S29
Prescriptions must be written by, or on the recommendation	of an oncolo	ogist	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 on the next page	– Retail ph	armacy	
Tab modified-release 100 mg	869.86	24	✓ Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	/	Manufacturer	

## ⇒SA1285 Special Authority for Subsidy

**Initial application** only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy\*.

**Renewal** only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression\* and requires on going posaconazole treatment.

Note: \* Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

#### **TERBINAFINE**

* Tab 250 mg - For terbinafine oral liquid formulation refer,		
page 2201.50	14	<ul><li>Dr Reddy's Terbinafine</li></ul>
VORICONAZOLE - Special Authority see SA1273 below - Retail pharmacy		
Tab 50 mg130.00	56	✓ Vttack
Tab 200 mg500.00	56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wastage claimable		
- see rule 3.3.2 on page 13876.00	70 ml	✓ Vfend

## ⇒SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient has proven or probable invasive aspergillus infection; or
  - 3.2 Patient has possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

## All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
  - 3.2 Patient continues to require treatment for possible invasive asperallus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Subsidy (Manufacturer's Price)

Subsidised Per

Fully

Brand or Generic Manufacturer

# **Antimalarials**

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

Tab 7.5 mg ......117.00

✓ Primacin S29

# SA1326 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

#### Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

# **Antiparasitics**

# **Antiprotozoals**

**QUININE SULPHATE** 

\* Tab 300 mg ......61.91 500 ‡ Safety cap for extemporaneously compounded oral liquid preparations.

✓ Q 300

# Antitrichomonal Agents

#### METRONIDAZOI E

Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	✓ Trichozole
Tab 400 mg	18.15	100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	23.00	10	✓ Arrow-Ornidazole

# Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

## CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

✓ Lamprene \$29

# CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

100 ✓ King S29

## DAPSONE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

✓ Dapsone 100 100 ✓ Dapsone 

	Subsidy		Fully		
	(Manufacturer's Pr \$	ice) Sub Per	sidised •	Generic Manufacturer	
FHAMBUTOL HYDROCHLORIDE - Retail pharmacy	/-Specialist				
a) No patient co-payment payable					
b) Prescriptions must be written by, or on the reco	mmendation of, an infectiou	ıs disease pl	nysician,	clinical microbiologi	
respiratory physician					
Tab 100 mg		56		lyambutol \$29	
Tab 400 mg	49.34	56	✓ N	lyambutol 829	
ONIAZID - Retail pharmacy-Specialist					
a) No patient co-payment payable					
b) Prescriptions must be written by, or on the reco		medicine ph	ysician, <sub> </sub>	paediatrician, clinica	
microbiologist, dermatologist or public health ph	•	100			
Tab 100 mg		100	<b>✓</b> <u>P</u>		
Tab 100 mg with rifampicin 150 mg		100	_	<u>lifinah</u>	
Tab 150 mg with rifampicin 300 mg		100	V <u>F</u>	<u>lifinah</u>	
RA-AMINO SALICYLIC ACID - Retail pharmacy-Sp	pecialist				
a) No patient co-payment payable					
b) Specialist must be an infectious disease specia					
Grans for oral liq 4 g sachet	280.00	30	<b>✓</b> P	aser \$29	
OTIONAMIDE - Retail pharmacy-Specialist					
a) No patient co-payment payable					
b) Specialist must be an infectious disease specia	list, clinical microbiologist o	r respiratory	specialis	st.	
Tab 250 mg	305.00	100	<b>✓</b> P	eteha \$29	
RAZINAMIDE - Retail pharmacy-Specialist					
a) No patient co-payment payable					
				clinical microbiologi	
b) Prescriptions must be written by, or on the reco	mmendation of, an infectiou	ıs disease pl	nysician,	om noar miorobiologi	
<ul> <li>b) Prescriptions must be written by, or on the reco respiratory physician</li> </ul>	mmendation of, an infectiou	ıs disease pl	nysician,	omnour morobiologi	
respiratory physician Tab 500 mg - For pyrazinamide oral liquid formula	ation refer,	ıs disease pl			
respiratory physician	ation refer,	ıs disease pl	✓ A	FT-Pyrazinamide	
respiratory physician Tab 500 mg - For pyrazinamide oral liquid formula	ation refer,		✓ A	.FT-Pyrazinamide .FT-Pyrazinamide	
respiratory physician Tab 500 mg - For pyrazinamide oral liquid formula	ation refer,		✓ A	FT-Pyrazinamide	
respiratory physician Tab 500 mg - For pyrazinamide oral liquid formula page 220	ation refer,		✓ A	.FT-Pyrazinamide .FT-Pyrazinamide	
respiratory physician Tab 500 mg - For pyrazinamide oral liquid formula page 220	ation refer,		✓ A	.FT-Pyrazinamide .FT-Pyrazinamide	
respiratory physician  Tab 500 mg - For pyrazinamide oral liquid formula page 220	ation refer, 59.00	100	✓ A	FT-Pyrazinamide FT-Pyrazinamide S29 §29	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the recogastroenterologist	ation refer,59.00smmendation of, an infection	100	✓ A	FT-Pyrazinamide FT-Pyrazinamide S29 §29	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in the second control or	ation refer,59.00  mmendation of, an infectiou	100	✓ A ✓ A	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the recogastroenterologist	ation refer,59.00  mmendation of, an infectiou	100	✓ A ✓ A	FT-Pyrazinamide FT-Pyrazinamide S29 §29	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation is page 220	ation refer,59.00  mmendation of, an infectiou	100 us disease pl	✓ A ✓ A	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation is page 220	ation refer,59.00  mmendation of, an infectiou	100 us disease pl	✓ A ✓ A	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in page 220	ation refer,	100 us disease pl 30	✓ Annysician,	FT-Pyrazinamide FT-Pyrazinamide S29 \$29 respiratory physicia	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in page 220  FAMPICIN — Subsidy by endorsement  a) No patient co-payment payable  b) For confirmed recurrent Staphylococcus aureus antimicrobial based on susceptibilities and the page 220	ation refer,	100 us disease pl 30 th other efferordingly; car	y A y A y A y A y A y A y A y A y A y A	FT-Pyrazinamide FT-Pyrazinamide S29 \$29  respiratory physicia  lycobutin  -staphylococcal yed by endorsement	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in page 220  FAMPICIN — Subsidy by endorsement  a) No patient co-payment payable  b) For confirmed recurrent Staphylococcus aureus antimicrobial based on susceptibilities and the pretail pharmacy - Specialist. Specialist must be	ation refer,	100 us disease pl 30 th other efferordingly; car	y A y A y A y A y A y A y A y A y A y A	FT-Pyrazinamide FT-Pyrazinamide S29 \$29  respiratory physicia  lycobutin  -staphylococcal yed by endorsement	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in page 220	ation refer,	100 us disease pl 30 th other efferordingly; car ician, clinica	nysician,  N  ctive ant be wait	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia lycobutinstaphylococcal red by endorsement ologist, dermatologis	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in page 220	ation refer,	100 us disease pl 30 th other efferordingly; car	nysician,  N  ctive ant be wait	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia lycobutinstaphylococcal yed by endorsement	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist  a) No patient co-payment payable  b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in page 220  FAMPICIN — Subsidy by endorsement  a) No patient co-payment payable  b) For confirmed recurrent Staphylococcus aureus antimicrobial based on susceptibilities and the paediatrician, or public health physician.  Cap 150 mg	ation refer,	100  as disease pl  30  th other efferordingly; car ician, clinica  100	nysician,  Moreover ant a be wait a microbi	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia lycobutinstaphylococcal yed by endorsement ologist, dermatologis	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation page 220  FAMPICIN — Subsidy by endorsement a) No patient co-payment payable b) For confirmed recurrent Staphylococcus aureus antimicrobial based on susceptibilities and the paediatrician, or public health physician.  Cap 150 mg	ation refer,	100 us disease pl 30 th other efferordingly; car ician, clinica	nysician,  Moreover ant a be wait a microbi	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia lycobutin -staphylococcal red by endorsement ologist, dermatologis	
respiratory physician  Tab 500 mg — For pyrazinamide oral liquid formula page 220  FABUTIN — Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the reco gastroenterologist  Cap 150 mg — For rifabutin oral liquid formulation in page 220	ation refer,	100  as disease pl  30  th other efferordingly; car ician, clinica  100	onysician,  Months and the months and the wait  I microbi  F	FT-Pyrazinamide FT-Pyrazinamide S29 S29 respiratory physicia lycobutinstaphylococcal yed by endorsement ologist, dermatologis	

Subsidy Fully Bi (Manufacturer's Price) Subsidised G \$ Per M

Brand or Generic Manufacturer

# **Antivirals**

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 212

## **Hepatitis B Treatment**

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy

## ⇒SA0829 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 x ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic: and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic: and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

**Renewal** only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 x ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA1361 below - Retail pharmacy

# ⇒SA1361 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Por 🗸	Manufacturer

continued...

- 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 patient has ≥ 2.000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV. HIV or HDV: and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
  of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
  commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
  fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

# LAMIVUDINE - Special Authority see SA1650 below - Retail pharmacy

Tab 100 mg	6.00	28	Zeffix
Oral liq 5 mg per ml	270.00	240 ml OP	Zeffix

## ⇒SA1650 Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Hepatitis B virus (HBV) DNA positive cirrhosis prior to liver transplantation; or
- 2 Hepatitis B surface antigen (HBsAg)-positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 HBV-naïve patient who has received a liver transplant from a hepatitis B core antibody (anti-HBc)-positive donor; or
- 4 HbsAg-positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 HBsAg-positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Anti-HBc-positive patient who is receiving rituximab in combination with immunosuppressive chemotherapies for a malignancy.

**Renewal** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine: and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA < 100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - 2.2 Patient is cirrhotic: and

Documented resistance to lamivudine, defined as:

2.3 Patient has raised serum ALT (> 1 x ULN); and

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1 x ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

# **Herpesvirus Treatments**

ACICLOVIR			
* Tab dispersible 200 mg	1.60	25	✓ Lovir
* Tab dispersible 400 mg	5.38	56	✓ Lovir
* Tab dispersible 800 mg		35	✓ Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
Tab 1,000 mg	12.75	30	✓ Vaclovir
VALGANCICLOVIR - Special Authority see SA1404 below -	Retail pharmacy		
Tab 450 mg	1,050.00	60	✓ Valcyte

## ⇒SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months): and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

- 1 Patient has undergone a lung transplant; and
- 2 Fither:
  - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
  - 2.2 The recipient is cytomegalovirus positive.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

# **Hepatitis B/ HIV/AIDS Treatment**

TENOFOVIR DISOPROXIL FUMARATE — Subsidy by endorsement; can be waived by Special Authority see SA1362 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1651 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

Tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1651, page 112

Tab 300 mg .......531.00 30 ✓ Viread

## ⇒SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I. M204V or M250I/V mutation: or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score > 20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 1 Patient is HBsAg positive and pregnant; and
  - 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamiyudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

#### Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
  negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet quidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

# **Hepatitis C Treatment**

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 on the next page - [Xpharm]

No patient co-payment payable

Subsidy (Manufacturer's Price) Subsidised Per

Brand or Generic Manufacturer

Fully

⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

PARITAPREVIR. RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

a) No patient co-payment payable

b) Note - Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56).

with dasabuvir tab 250 mg (56) .......16,500.00 1 OP ✓ Viekira Pak

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

a) No patient co-payment payable

b) Note - Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

1 OP ✓ Viekira Pak-RBV

# **Antiretrovirals**

#### ⇒SA1651 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of

Subsidy	Full		
 (Manufacturer's Price) \$	Subsidise Per 🗸	d Generic Manufacturer	

continued...

a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

**Initial application — (Percutaneous exposure)** only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

# Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see SA1651 on the	e previous page – Retail phar	macy	
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE - Special Authority see SA1651 on th	e previous page – Retail pha	rmacy	
Tab 200 mg	770.00	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1651 on th	e previous page – Retail pha	ırmacy	
Tab 200 mg	65.00	60	✓ Nevirapine
			<u>Alphapharm</u>
Oral suspension 10 mg per ml	203.55	240 ml	✓ Viramune
			Suspension

	Subsidy (Manufacturer's Price) \$		Fully dised	Brand or Generic Manufacturer
Nucleosides Reverse Transcriptase Inhibitors				
ABACAVIR SULPHATE – Special Authority see SA1651 on pag Tab 300 mg Oral liq 20 mg per ml	229.00	acy 60 l0 ml OP		iagen iagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: abacavir with lamivudine (combination tablets) counts anti-retroviral Special Authority.	as two anti-retroviral	medication	s for th	ne purposes of the
Tab 600 mg with lamivudine 300 mg	427.29	30	✓ K	ivexa
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPE page 112 – Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil function purposes of the anti-retroviral Special Authority		'		,
Tab 600 mg with emtricitabine 200 mg and tenofovir disopro	xil			
fumarate 300 mg		30	✓ A	tripla
EMTRICITABINE – Special Authority see SA1651 on page 112 - Cap 200 mg	. ,	30	✓ E	mtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE		SOO SA165		
pharmacy Note: Emtricitabine with tenofovir disoproxil fumarate counts anti-retroviral Special Authority Tab 200 mg with tenofovir disoproxil fumarate 300 mg	s as two anti-retrovira		s for t	
LAMIVUDINE - Special Authority see SA1651 on page 112 - Re				
Tab 150 mg		60	<b>✓</b> L	amivudine Alphapharm
Oral liq 10 mg per ml	102.50 24	10 ml OP	<b>√</b> 3	тс
ZIDOVUDINE [AZT] - Special Authority see SA1651 on page 11				
Cap 100 mg		100	✓ R	etrovir
Oral liq 10 mg per ml	30.45 20	00 ml OP	✓ R	etrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE — Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets the anti-retroviral Special Authority.				
Tab 300 mg with lamivudine 150 mg Alphapharm to be Sole Supply on 1 October 2017	33.00	60	✓ A	Iphapharm
Protease Inhibitors				
ATAZANAVIR SULPHATE - Special Authority see SA1651 on p	age 112 – Retail pha	ırmacy		
Cap 150 mg	568.34	60 <sup>°</sup>	✓ R	eyataz
Cap 200 mg	757.79	60	✓ R	eyataz
DARUNAVIR - Special Authority see SA1651 on page 112 - Re	. ,			
Tab 400 mg		60		<u>rezista</u>
Tab 600 mg		60	¥ <u>P</u>	<u>rezista</u>
INDINAVIR – Special Authority see SA1651 on page 112 – Reta Cap 200 mg		360	<b>√</b> ∩	rixivan
Cap 400 mg		180	-	rixivan

	Subsidy (Manufacturer's Pr		Fully lised	Brand or Generic Manufacturer
	т.			
LOPINAVIR WITH RITONAVIR - Special Authority see SA1651	on page 112 - Re	etail nharmacy		
				Valatua
Tab 100 mg with ritonavir 25 mg		60	•	Kaletra
Tab 200 mg with ritonavir 50 mg	463.00	120	<b>✓</b>	Kaletra
Kaletra to be Sole Supply on 1 October 2017				
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓	Kaletra
RITONAVIR - Special Authority see SA1651 on page 112 - Re	tail pharmacy			
Tab 100 mg	43.31	30	<b>✓</b> I	Norvir
				Namela
Oral liq 80 mg per ml	103.98	90 ml OP	•	Norvir
Strand Transfer Inhibitors				
Straing Transfer Illinoitors				
DOLLITTODANID O LIA II II OLIOTI				
DOLUTEGRAVIR - Special Authority see SA1651 on page 112	<ul> <li>Retail pharmacy</li> </ul>	/		
Tab 50 mg		30	1	Tivicay
1 ab 00 mg	1,000.00	00		Tiviouy
RALTEGRAVIR POTASSIUM – Special Authority see SA1651 (	on page 112 - Ret	ail pharmacy		
Tab 400 mg		60	<b>/</b> I	Isentress
1 au 400 mg	1,030.00	00	• 1	1961111699

# **Immune Modulators**

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### **Criteria for Treatment**

- 1) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

#### **Exclusion Criteria**

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (< 2.0 × 10<sup>9</sup>) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

# Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### **Exit Criteria**

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
NTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist				
a) See prescribing guideline on the previous page				
b) Prescriptions must be written by, or on the recommendat		dicine	physician	or ophthalmologist
Inj 18 m iu, 1.2 ml multidose pen	206.71	1	✓	Intron-A
Inj 30 m iu, 1.2 ml multidose pen	344.52	1	✓	Intron-A
Inj 60 m iu, 1.2 ml multidose pen	689.04	1	✓	Intron-A
PEGYLATED INTERFERON ALFA-2A – Special Authority see S See prescribing guideline on the previous page	SA1400 below – Retai	l phar	macy	
Inj 180 mcg prefilled syringe	500.00	4	1	Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168		1 OP		Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe x 4 with ribavirin tab 200 mg x 112	1,159.84	1 OP	•	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe x 4 with ribavirin tab 200 mg x 168	1,290.00	1 OP	✓	Pegasys RBV Combination Pack

# **⇒SA1400** Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
  - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

#### Notes:

IN

Ρ

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and

Subsidy	e)	Fully	Brand or
(Manufacturer's Pric		Subsidised	Generic
\$	Per	1	Manufacturer

#### continued...

- 3 Any of the following:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received interferon treatment prior to 2004; and
  - 4 Patient is to be treated in combination with boceprevir; and
  - 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

#### Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

# **Urinary Tract Infections**

HEXAMINE HIPPURATE			
* Tab 1 g	18.40	100	
•	(40.01)		Hiprex
NITROFURANTOIN			
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer	r,		
page 220	22.20	100	✓ Nifuran
* Tab 100 mg	37.50	100	✓ Nifuran
NORFLOXACIN			
Tab 400 mg - Subsidy by endorsement	13.50	100	Arrow-Norfloxacin
Only if prescribed for a patient with an uncomplicated	urinary tract infection	on that is unre	esponsive to a first line agent or

with proven resistance to first line agents and the prescription is endorsed accordingly.

	Subsidy		Fully	Brand or
	(Manufacturer's Pric		Subsidised	Generic
	\$	Per		Manufacturer
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	✓ A	straZeneca
PYRIDOSTIGMINE BROMIDE				
▲ Tab 60 mg	42.79	100	✓ N	lestinon
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
* Tab EC 25 mg	1.30	50	<b>✓</b> D	iclofenac Sandoz
* Tab 50 mg dispersible		20	✓ V	oltaren D
* Tab EC 50 mg	1.00	50	✓ 🖸	iclofenac Sandoz
* Tab long-acting 75 mg	15.20	500	✓ A	po-Diclo SR
* Tab long-acting 100 mg	26.20	500	✓ A	po-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule - Up to 5 inj available on a P	SO 13.20	5	✓ V	oltaren
* Suppos 12.5 mg	2.04	10	✓ V	oltaren
* Suppos 25 mg	2.44	10	✓ V	oltaren
* Suppos 50 mg - Up to 10 supp available on a PSO	4.22	10	✓ V	oltaren
* Suppos 100 mg	7.00	10	✓ V	oltaren
BUPROFEN				
* Tab 200 mg	9.45	1,000	<b>✓</b>	ougesic
* Tab long-acting 800 mg		30	_	rufen SR
*‡ Oral lig 20 mg per ml		200 m		enpaed
KETOPROFEN				•
* Cap long-acting 200 mg	12.07	28	<b>/</b> C	ruvail SR
	12.07	20		navan on
MEFENAMIC ACID	4.05			
* Cap 250 mg	4	50	-	
	(9.16)	00	P	onstan
	0.50	20	-	
	(5.60)		P	onstan
NAPROXEN				
* Tab 250 mg		500	_	loflam 250
* Tab 500 mg	18.91	250	_	loflam 500
* Tab long-acting 750 mg	5.60	28		laprosyn SR 750
* Tab long-acting 1 g	6.53	28	✓ N	laprosyn SR 1000
SULINDAC				
* Tab 100 mg	8.55	50	✓ A	clin
* Tab 200 mg	15.10	50	✓ A	clin
TENOXICAM				
* Tab 20 mg	10.95	100	<b>√</b> T	ilcotil
* Inj 20 mg vial		1	✓ A	
NSAIDs Other		•	-	
CELECOXIB	0.00			antonomia Be
Cap 100 mg		60	_	elecoxib Pfizer
Cap 200 mg	2.30	30	<b>√</b> <u>C</u>	elecoxib Pfizer
MELOXICAM - Special Authority see SA1034 on the next page -	Retail pharmacy			
* Tab 7.5 mg	11.50	30	✓ A	rrow-Meloxicam

	Subsidy	1	Fully	Brand or
(Ma	nufacturer's Price)	Subsid	lised	Generic
	\$	Per	1	Manufacturer

## ⇒SA1034 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

# Topical Products for Joint and Muscular Pain

#### **CAPSAICIN**

Crm 0.025% - Special Authority see SA1289 below - Retail			
pharmacy6	3.95	25 g OP	✓ Zostrix
	9.95	45 a OP	✓ Zostrix

# **⇒SA1289** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

# **Antirheumatoid Agents**

AURANOFIN - Subsidy by endorse	rsement
--------------------------------	---------

Subsidised for patients who were taking auranofin tab prior to 1 April 2017 and the prescription is endorsed accordingly.

Pharmacists may annotate the prescription as endorsed where their			
Tab 3 mg1	14.98	100	✓ Ridaura s29 S29
Ridaura s29 S29 Tab 3 mg to be delisted 1 September 2017)			
HYDROXYCHLOROQUINE			
<b>★</b> Tab 200 mg	10.50	100	✓ Plaquenil
EFLUNOMIDE			
Tab 10 mg	2.90	30	✓ Apo-Leflunomide
	(55.00)		Arava
Apo-Leflunomide to be Sole Supply on 1 September 2017			
Tab 20 mg	2.90	30	✓ Apo-Leflunomide
	(76.00)		Arava
Apo-Leflunomide to be Sole Supply on 1 September 2017			
Arava Tab 10 mg to be delisted 1 September 2017)			
Arava Tab 20 mg to be delisted 1 September 2017)			
PENICILLAMINE			
Tab 125 mg	67.23	100	<ul><li>D-Penamine</li></ul>
Tab 250 mg1		100	<ul><li>D-Penamine</li></ul>
SODIUM AUROTHIOMALATE			
Inj 10 mg in 0.5 ml ampoule	76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule1	13.17	10	✓ Myocrisin
Ini 50 mg in 0.5 ml ampoule		10	✓ Myocrisin

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

# **Drugs Affecting Bone Metabolism**

## Alendronate for Osteoporosis

## ⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 vear for applications meeting the following criteria: Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents). Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically: or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	✓	Manufacturer

continued...

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
   Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

# Alendronate for Paget's Disease

## ⇒SA0949 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain: or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – Retail pharmacy

#### Other Treatments

ETIDRONATE DISODIUM - See prescribing guideline below

#### **Prescribing Guidelines**

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
PAMIDRONATE DISODIUM	<u> </u>			
Inj 3 mg per ml, 10 ml vial	5.98	1	✓	Pamisol
Pamisol to be Sole Supply on 1 October 2017				
Inj 6 mg per ml, 10 ml vial	15.02	1	•	Pamisol
Pamisol to be Sole Supply on 1 October 2017				
Inj 9 mg per ml, 10 ml vial	17.05	1	✓	Pamisol
Pamisol to be Sole Supply on 1 October 2017				
RALOXIFENE HYDROCHLORIDE - Special Authority see S	A1138 below – Retail ph	armac	V	
* Tab 60 mg		28		Evista
014400				

### ⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
   Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM			
Tab 35 mg	3.80	4	✓ Risedronate Sandoz
TERIPARATIDE - Special Authority see SA1139 below - Retail pha	armacy		
Inj 250 mcg per ml, 2.4 ml	490.00	1	✓ Forteo

### ⇒SA1139 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

#### Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

#### ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see

### ⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score ≤ -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1

Subsidy	F	ılly	Brand or	
(Manufacturer's Price)	Subsidis	sed	Generic	
\$	Per	✓	Manufacturer	

continued...

year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score ≤ -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
   Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

continued...

demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

# Hyperuricaemia and Antigout

ALLOPURINOL		
* Tab 100 mg15.11	1,000	✓ Allopurinol-Apotex
* Tab 300 mg - For allopurinol oral liquid formulation refer,		
page 22015.91	500	✓ Allopurinol-Apotex
BENZBROMARONE - Special Authority see SA1537 below - Retail pharmacy		
Tab 100 mg45.00	100	Benzbromaron AL
		<b>100</b> \$29

# **⇒SA1537** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.3 Both:
    - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
    - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
  - 2.4 All of the following:
    - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
    - 2.4.2 Allopurinol is contraindicated; and
    - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/home/resources-2/

#### COLCHICINE

* Tab 500 mcg	10.08	100	<ul><li>Colgout</li></ul>
FEBUXOSTAT - Special Authority see SA1538 below - Retail p	harmacy		•
Tab 80 mg	•	28	✓ Adenuric
Tab 120 mg	39.50	28	✓ Adenuric

## ⇒SA1538 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or
  - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

#### **PROBENECID**

#### Muscle Relaxants

#### **BACLOFFN**

*	Tab 10 mg - For baclofen oral liquid formulation refer, page 2203.85	100	✓ Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement11.55	1	✓ <u>Lioresal Intrathecal</u>
	Subsidised only for use in a programmable pump in patients where oral anti	ispastic aç	gents have been ineffective or have
	caused intolerable side effects and the prescription is endorsed accordingly		
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement209.29	1	<ul> <li>Lioresal Intrathecal</li> </ul>

Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

65.00

#### DANTROLENE Can 25 mg

0 ap =0g			✓ Dantrium S29 S29
Cap 50 mg	77.00	100	✓ Dantrium
(Dantrium S29 S29 Cap	25 mg to be delisted 1 October 2017)		
ORPHENADRINE CITRA	ΤΕ		
Tab 100 mg	18.54	100	✓ Norflex

100

✓ Dantrium

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

# **Agents for Parkinsonism and Related Disorders**

Dopamine Agonists and Related A	Agents
---------------------------------	--------

AMANTADINE HYDROCHLORIDE	00.04	00	/ O
▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE  Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Movapo
	119.00	J	• iviovapo
BROMOCRIPTINE MESYLATE  * Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
-	52.00	100	• Apo-bromocriptine
ENTACAPONE  ▲ Tab 200 mg	28.00	100	✓ Entapone
· ·	20.00	100	Linapone
LEVODOPA WITH BENSERAZIDE  ★ Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
★ Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
Cap 200 mg with benserazide 50 mg		100	✓ Madopar 250
EVODOPA WITH CARBIDOPA			
★ Tab 100 mg with carbidopa 25 mg - For levodopa with			
carbidopa oral liquid formulation refer, page 220	20.00	100	✓ Kinson
			✓ Sinemet
★ Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
▲ Tab 1 mg	24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	2.78	100	✓ Apo-Ropinirole
▲ Tab 1 mg		100	✓ Apo-Ropinirole
Tab 2 mg		100	✓ Apo-Ropinirole
Tab 5 mg	16.51	100	✓ Apo-Ropinirole
ELEGILINE HYDROCHLORIDE			
★ Tab 5 mg	22.00	100	Apo-Selegiline
			<b>S29</b> S29
TOLCAPONE			
▲ Tab 100 mg	132.50	100	✓ <u>Tasmar</u>
Anticholinergics			
BENZATROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
, •	190.00	10	✓ Omega
<ul><li>a) Up to 10 inj available on a PSO</li><li>b) Only on a PSO</li></ul>			
PROCYCLIDINE HYDROCHLORIDE			
Tab 5 mg	7.40	100	✓ Kemadrin

<sup>‡</sup> safety cap

\*Three months or six months, as applicable, dispensed all-at-once

<sup>▲</sup> Three months supply may be dispensed at one time



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

# Agents for Essential Tremor, Chorea and Related Disorders

RILUZOLE - Special Authority see SA1403 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

56 ✓ Rilutek

## ⇒SA1403 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
  - 5.1 The patient is ambulatory; or
  - 5.2 The patient is able to use upper limbs; or
  - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
  - 3.1 The patient is ambulatory; or
  - 3.2 The patient is able to use upper limbs; or
  - 3.3 The patient is able to swallow.

## **TETRABENAZINE**

Tab 25 mg .......91.10 112 ✓ Motetis

# **Anaesthetics**

#### Local

#### LIDOCAINE [LIGNOCAINE]

30 ml ✓ Xvlocaine 2% Jelly

- a) Up to 150 ml available on a PSO
- b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

✓ Pfizer Gel 2%. 10 ml urethral syringe – Subsidy by endorsement.................43.26 10 212.50 25 ✓ Cathejell

- a) Up to 5 each available on a PSO
- b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

	Subsidy		Fully	Brand or
	(Manufacturer's Price	e) S	Subsidised	Generic
	\$	Per	•	Manufacturer
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (gel) soln 2%	38.00	200 ml	<b>✓</b> I	Mucosoothe
	55.00		<b>✓</b> )	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	<b>✓</b> I	Lidocaine-Claris
	17.50	50		
	(35.00)		)	Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90 <sup>°</sup>	25	<b>✓</b> I	Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	<b>✓</b> [	Lidocaine-Claris
	12.00	5		
	(20.00)		)	Xylocaine
Inj 1%, 20 ml vial – Up to 5 inj available on a PSO	12.00 <sup>°</sup>	5	<b>✓</b> I	Lidocaine-Claris
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	<b>✓</b>	Lidocaine-Claris
Inj 2%, 20 ml vial – Up to 5 inj available on a PSO	12.00	5	<b>✓</b>	Lidocaine-Claris
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –				
Subsidy by endorsement	43.26	10	<b>✓</b> I	Pfizer
a) Up to 5 each available on a PSO		.0	٠.	I IIZOI
a) Up to 5 each available off a F50				

# **Topical Local Anaesthetics**

## ⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority see SA0906 above - Retail pharmacy

Crm 4%	5.40	5 g OP	✓ LIVIX4
	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
(LMX4 Crm 4% (5 g tubes) to be delisted 1 December 2017)			
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Author	ity see SA0906	above – Reta	il pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	EMLA

# **Analgesics**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 118

# **Non-opioid Analgesics**

For aspirin & chloroform application refer Standard Formulae, page 223

\* Tab dispersible 300 mg - Up to 30 tab available on a PSO.......3.90

**ASPIRIN** 

CAPSAICIN – Subsidy by endorsement				
Subsidised only if prescribed for post-herpetic neuralgia or diab	etic periphera	al neuropathy ar	nd the prescription is end	dorsed
accordingly.				
Crm 0.075%	12.50	45 a OP	✓ Zostrix HP	

NEFOPAM HYDROCHLORIDE

90 Acupan

100

✓ Ethics Aspirin

	Subsidy		Fully Brand or
	(Manufacturer's Price \$	e) Sub Per	osidised Generic  Manufacturer
PARACETAMOL	Ψ	1 01	- Warialactarei
★ Tab 500 mg - blister pack - Up to 30 tab available on a PSO	O7.12	1,000	✓ Pharmacare
Pharmacare to be Sole Supply on 1 November 2017  * Tab 500 mg - bottle pack	6.32	1,000	✓ Pharmacare
Pharmacare to be Sole Supply on 1 November 2017	4.45	1 000!	. Dawasawa
*‡ Oral liq 120 mg per 5 ml	4.15	1,000 ml	✓ Paracare
a) Up to 200 ml available on a PSO			
b) Not in combination	4.05	1 000 ml	✓ Davasava Davible
k‡ Oral liq 250 mg per 5 ml	4.35	1,000 ml	✓ Paracare Double Strength
a) Up to 100 ml available on a PSO			Suengui
b) Not in combination			
b) Not in combination  ★ Suppos 125 mg	3 60	10	✓ Gacet
K Suppos 250 mg		10	✓ Gacet
K Suppos 500 mg		50	✓ Gacel ✓ Paracare
s Suppos 500 mg	12.00	50	▼ <u>Paracare</u>
Opioid Analgesics			
CODEINE PHOSPHATE - Safety medicine; prescriber may det	ermine dispensing fi	requency	
Tab 15 mg	5.75	100	✓ PSM
Tab 30 mg	6.80	100	✓ PSM
Tab 60 mg	13.50	100	✓ PSM
DIHYDROCODEINE TARTRATE			
Tab long-acting 60 mg	9.55	60	✓ DHC Continus
FENTANYL			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing fr	requency		
Inj 50 mcg per ml, 2 ml ampoule	3.95	10	<ul> <li>Boucher and Muir</li> </ul>
Inj 50 mcg per ml, 10 ml ampoule	10.45	10	✓ Boucher and Muir
Patch 12.5 mcg per hour	2.95	5	✓ Fentanyl Sandoz
Patch 25 mcg per hour	3.66	5	✓ Fentanyl Sandoz
Patch 50 mcg per hour	6.65	5	✓ Fentanyl Sandoz
Patch 75 mcg per hour		5	✓ Fentanyl Sandoz
Patch 100 mcg per hour	11.40	5	✓ Fentanyl Sandoz
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing fr	requency		
d) Extemporaneously compounded methadone will only be		ate of the cl	heapest form available
(methadone powder, not methadone tablets).			
e) For methadone hydrochloride oral liquid refer Standard F	Formulae, page 223		
Tab 5 mg		10	✓ Methatabs
Oral liq 2 mg per ml		200 ml	✓ Biodone
Oral lig 5 mg per ml		200 ml	✓ Biodone Forte
Oral lig 10 mg per ml		200 ml	✓ Biodone Extra For

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	ce) Suh	sidised	Generic
	\$	Per	1	Manufacturer
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dis	pensing frequency			
Oral liq 1 mg per ml		200 ml	<b>√</b> R	A-Morph
‡ Oral lig 2 mg per ml		200 ml	_	A-Morph
‡ Oral lig 5 mg per ml		200 ml		A-Morph
‡ Oral lig 10 mg per ml		200 ml		A-Morph
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine disp	. ,	10	./ 0	aaalal
Tab immediate-release 10 mg		10	• 5	evredol
Sevredol to be Sole Supply on 1 October 2017		10		
Tab long-acting 10 mg		10		rrow-Morphine LA
Tab immediate-release 20 mg		10	• 5	evredol
Sevredol to be Sole Supply on 1 October 2017		10		
Tab long-acting 30 mg		10		rrow-Morphine LA
Tab long-acting 60 mg		10		rrow-Morphine LA
Tab long-acting 100 mg		10		rrow-Morphine LA -Eslon
Cap long-acting 10 mg		10 10		-Esion -Esion
Cap long-acting 30 mg		10		-Esion -Esion
Cap long-acting 60 mg		10		-Esion
Cap long-acting 100 mgInj 5 mg per ml, 1 ml ampoule – Up to 5 inj availat		5		BL Morphine
ing 5 mg per mi, 1 mi ampoule – op to 5 mj avallat	DIE OII a PSO0.21	5	• 0	Sulphate
DDI Marabina Culabata ta ba Cala Cuantu an	1 Ostobor 0017			Sulphate
DBL Morphine Sulphate to be Sole Supply on		5	./ D	DI Marabina
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj availa	able on a PSO4.47	Э	• 0	BL Morphine
DDI Marakira O dahata taha Oala Orasaha sa	4.0-4-10047			Sulphate
DBL Morphine Sulphate to be Sole Supply on		-		DI Massakis
Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj availa	able on a PSO4.76	5	<b>♥</b> D	BL Morphine
DD1.14 0.1.1.1.0.1.0.1				Sulphate
DBL Morphine Sulphate to be Sole Supply on		_		D. M
Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj availa	able on a PSO6.19	5	<b>✓</b> D	BL Morphine
				Sulphate
DBL Morphine Sulphate to be Sole Supply on	1 October 2017			
MORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dis	pensing frequency			
Inj 80 mg per ml, 1.5 ml ampoule	42.72	5	<b>✓</b> D	BL Morphine
•			_	Tartrate
Inj 80 mg per ml, 5 ml	107.67	5	<b>✓</b> H	ospira
(Hospira Inj 80 mg per ml, 5 ml to be delisted 1 Decem				•
, , , , , , , , , , , , , , , , , , , ,	,			

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	) Su Per	bsidised	Generic Manufacturer
XYCODONE HYDROCHLORIDE	Ψ	1 61		Maridiacturei
a) Only on a controlled drug form     No nations on payment payable				
<ul><li>b) No patient co-payment payable</li><li>c) Safety medicine; prescriber may determine dispensing fre</li></ul>	allonov			
Tab controlled-release 5 mg		20	1	BNM
Tab controlled-release 10 mg		20 20		BNM
Tab controlled-release 10 mg		20		BNM
Tab controlled-release 40 mg		20		BNM
Tab controlled-release 40 mg		20		BNM
Cap immediate-release 5 mg		20		OxyNorm
Cap immediate-release 10 mg		20		OxyNorm
Cap immediate-release 10 mg		20		OxyNorm
Oral liq 5 mg per 5 ml		250 ml		OxyNorm
, •		5		OxyNorm
Inj 10 mg per ml, 1 ml ampoule		5		OxyNorm
Inj 10 mg per ml, 2 ml ampoule		5		OxyNorm
Inj 50 mg per ml, 1 ml ampoule				
RACETAMOL WITH CODEINE - Safety medicine; prescriber				
Tab paracetamol 500 mg with codeine phosphate 8 mg	18.21	1,000		Paracetamol +
				Codeine (Relieve)
Paracetamol + Codeine (Relieve) to be Sole Supply on 1	October 2017			
THIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fre	guency			
Tab 50 mg		10	1	PSM
Tab 100 mg		10		PSM
Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on a P		5		DBL Pethidine
my com g por my com amposito op to conjuntament on a c				Hydrochloride
DBL Pethidine Hydrochloride to be Sole Supply on 1 Oct	oher 2017			,
Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a P		5	1	DBL Pethidine
ing oo mg por mi, 2 mi ampoulo op to o mj avallable on a r	000.12	J		Hydrochloride
DBL Pethidine Hydrochloride to be Sole Supply on 1 Oct	obor 2017			rryuroomonuc
	0061 2017			
AMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	1.55	20	•	Tramal SR 100
Tramal SR 100 to be Sole Supply on 1 October 2017				
Tab sustained-release 150 mg	2.10	20	•	Tramal SR 150
Tramal SR 150 to be Sole Supply on 1 October 2017			_	
Tab sustained-release 200 mg	2.75	20	•	Tramal SR 200
Tramal SR 200 to be Sole Supply on 1 October 2017				
Cap 50 mg - For tramadol hydrochloride oral liquid formulation	on			
refer, page 220	2.25	100	✓ ,	Arrow-Tramadol
Arrow-Tramadol to be Sole Supply on 1 October 2017				
ıntidepressants				
Cyclic and Related Agents				
MITRIPTYLINE - Safety medicine; prescriber may determine di	ispensing frequency	,		
Tab 10 mg		100	1	Arrow-Amitriptyline
Tab 25 mg		100		Arrow-Amitriptyline
			- ,	211 /
Tab 50 mg	2.82	100	1	Arrow-Amitriptyline

	Subsidy		Fully Brand or
	(Manufacturer's Price)	Per	Subsidised Generic  Manufacturer
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; pre	scriber may determine d	ispens	sing frequency
Tab 10 mg		100	✓ Apo-Clomipramine
Tab 25 mg		100	✓ Apo-Clomipramine
OSULEPIN [DOTHIEPIN] HYDROCHLORIDE - Safety med	licine; prescriber may de	termir	ne dispensing frequency
Tab 75 mg		100	✓ Dopress
Cap 25 mg	6.45	100	✓ Dopress
OXEPIN HYDROCHLORIDE - Safety medicine; prescriber	may determine dispensi	ng fred	quency
Cap 10 mg		100	✓ Anten
Cap 25 mg	6.86	100	✓ Anten
Cap 50 mg	8.55	100	✓ Anten
MIPRAMINE HYDROCHLORIDE - Safety medicine; prescrit	er may determine dispe	nsing	frequency
Tab 10 mg		50	✓ Tofranil
•	6.58	60	✓ Tofranil s29 S29
	10.96	100	✓ Tofranil
Tab 25 mg	8.80	50	✓ Tofranil
IAPROTILINE HYDROCHLORIDE - Safety medicine; presc	riber may determine disr	ensin	na frequency
Tab 25 mg	•	30	✓ Ludiomil
··g	12.53	50	✓ Ludiomil
	25.06	100	✓ Ludiomil
Tab 75 mg	14.01	20	✓ Ludiomil
· ·	21.01	30	✓ Ludiomil
ORTRIPTYLINE HYDROCHLORIDE - Safety medicine; pre	escriber may determine o	dispen	sing frequency
Tab 10 mg		100	✓ Norpress
Tab 25 mg		180	✓ Norpress
Monoamine-Oxidase Inhibitors (MAOIs) - Non	Solootivo		
Mondamme-Oxidase minibilors (MAOIS) - Noi	Selective		
HENELZINE SULPHATE			
€ Tab 15 mg	95.00	100	✓ Nardil
RANYLCYPROMINE SULPHATE			
₹ Tab 10 mg	22.94	50	✓ Parnate
Monoamine-Oxidase Type A Inhibitors			
MOCLOBEMIDE	05.10	E00	Ana Maalahamida
F Tab 150 mg		500 100	✓ Apo-Moclobemide
: Tab 300 mg	30./0	100	✓ Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors			
ITALOPRAM HYDROBROMIDE			
€ Tab 20 mg	1.79	84	✓ PSM Citalopram
SCITALOPRAM			
€ Tab 10 mg	1 40	28	✓ Air Flow Products
· 100 10 119		20	- All Flow Floudold

28

✓ Air Flow Products

Tab 20 mg ......2.40

# **NERVOUS SYSTEM**

	Subsidy (Manufacturer's Price) \$	Subsid Per	Fully dised	Brand or Generic Manufacturer
FLUOXETINE HYDROCHLORIDE  * Tab dispersible 20 mg, scored – Subsidy by endorsement	2.47	30	✓ <u>A</u>	Arrow-Fluoxetine
Subsidised by endorsement  1) When prescribed for a patient who cannot swallow accordingly; or  2) When prescribed in a daily dose that is not a multiple of the control of	·			•
endorsed. Note: Tablets should be combined with  * Cap 20 mg	·	incrementa		ng doses. Arrow-Fluoxetine
PAROXETINE - Brand switch fee payable (Pharmacode 25239:  * Tab 20 mg	,	details 90	<b>✓</b> <u>A</u>	Apo-Paroxetine
SERTRALINE Tab 50 mg Tab 100 mg		90 90	_	Arrow-Sertraline Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE Tab 30 mg Tab 45 mg		30 30	_	Apo-Mirtazapine Apo-Mirtazapine

	Subsidy (Manufacturer's Price)	_	Fully Subsidised	Generic
	\$	Per		Manufacturer
VENLAFAXINE				
Tab 37.5 mg	2.13	28		
	(5.06)			Arrow-Venlafaxine XR
Tab 75 mg	2.70	28		
	(6.44)			Arrow-Venlafaxine XR
Tab 150 mg	3.72	28		
	(8.86)			Arrow-Venlafaxine XR
Tab 225 mg	8.10	28		
	(14.34)			Arrow-Venlafaxine XR
Cap 37.5 mg	6.38	84	1	Enlafax XR
	2.13	28		
	(2.80)			Efexor XR
Enlafax XR to be Sole Supply on 1 September 2017	, ,			
Cap 75 mg	8.11	84	✓	Enlafax XR
	2.70	28		
	(5.59)			Efexor XR
Enlafax XR to be Sole Supply on 1 September 2017				
Cap 150 mg	11.16	84	1	Enlafax XR
	3.72	28		
	(6.59)			Efexor XR
Enlafax XR to be Sole Supply on 1 September 2017				
'Arrow-Venlafaxine XR Tab 37.5 mg to be delisted 1 September 2				
'Arrow-Venlafaxine XR Tab 75 mg to be delisted 1 September 201	,			
Arrow-Venlafaxine XR Tab 150 mg to be delisted 1 September 20				
(Arrow-Venlafaxine XR Tab 225 mg to be delisted 1 September 20	01 <i>7</i> )			
(Efexor XR Cap 37.5 mg to be delisted 1 September 2017)				
(Efexor XR Cap 75 mg to be delisted 1 September 2017)				

# **Antiepilepsy Drugs**

# **Agents for Control of Status Epilepticus**

(Efexor XR Cap 150 mg to be delisted 1 September 2017)

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequer Inj 1 mg per ml, 1 ml19.00	1cy 5	✓ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement11.83	5	✓ Hospira
a) Up to 5 inj available on a PSO		
<ul><li>b) Only on a PSO</li><li>c) PSO must be endorsed "not for anaesthetic procedures".</li></ul>		
Rectal tubes 5 mg - Up to 5 tube available on a PSO33.07	5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO40.87	5	✓ Stesolid
PARALDEHYDE		
* Inj 5 ml	5	✓ AFT S29

135

	Subsidy (Manufacturer's Price \$	e) Subsi Per	Fully dised	Brand or Generic Manufacturer
PHENYTOIN SODIUM  Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS  Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a	SO 88.63	5	<b>✓</b> <u>F</u>	łospira
PSO	133.92	5	<b>✓</b> <u>F</u>	lospira
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg		100		egretol
* Tab long-acting 200 mg		100		egretol CR
* Tab 400 mg		100		egretol
* Tab long-acting 400 mg		100		egretol CR
*‡ Oral liq 20 mg per ml		250 ml	<b>7</b>	egretol
CLOBAZAM - Safety medicine; prescriber may determine dispen	sing frequency			
Tab 10 mg		50	<b>✓</b> F	risium
‡ Safety cap for extemporaneously compounded oral liquid				
CLONAZEPAM – Safety medicine; prescriber may determine disp				
t Oral drops 2.5 mg per ml	7.38	10 ml OP	✓ F	Rivotril
ETHOSUXIMIDE				
Cap 250 mg	16.45	100	✓ Z	Zarontin
, -	32.90	200	<b>√</b> Z	Zarontin
‡ Oral liq 250 mg per 5 ml	13.60	200 ml	<b>√</b> Z	Zarontin
GABAPENTIN - Special Authority see SA1477 below - Retail pha	armacy			
▲ Cap 100 mg		100	✓ B	Arrow-Gabapentin
<b>2</b> Oup 100 mg		100		leurontin
			_	lupentin
▲ Cap 300 mg − For gabapentin oral liquid formulation refer,				- <b></b>
page 220	11 00	100	✓ D	Arrow-Gabapentin
F-9-		100		leurontin
			-	lupentin
▲ Cap 400 mg	13.75	100		Arrow-Gabapentin
<b>—</b> 04p .00g				leurontin
			_	lupentin

# **⇒SA1477** Special Authority for Subsidy

**Initial application** — **(Epilepsy)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

# Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Fither:

- 1 The patient has been diagnosed with neuropathic pain; or
- 2 Both:

## **NERVOUS SYSTEM**

Subsidy		Fully	Brand or
(Manufacturer's Price) \$	Per	Subsidised 🗸	Generic Manufacturer

continued...

- 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus\* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
- 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a quideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with \* are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LACOSAMIDE	- Special Authorit	y see SA1125 below	- Retail pharmacy
------------	--------------------	--------------------	-------------------

$\blacktriangle$	Tab 50 mg	25.04	14	✓ Vimpat
	Tab 100 mg		14	✓ Vimpat
	J	200.24	56	✓ Vimpat
$\blacktriangle$	Tab 150 mg	75.10	14	✓ Vimpat
	·	300.40	56	✓ Vimpat
$\blacktriangle$	Tab 200 mg	400.55	56	✓ Vimpat

# ⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	I Generic Manufacturer
AMOTRIGINE				
Tab dispersible 2 mg	6.74	30	/	Lamictal
Tab dispersible 5 mg		30		Lamictal
- · · · · · · · · · · · · · · · · · · ·	15.00	56		Arrow-Lamotrigine
Tab dispersible 25 mg		56		Motrig
	19.38	•		Logem
	20.40			Arrow-Lamotrigine
	29.09			Lamictal
Tab dispersible 50 mg		56		Motria
t tab dispersible of mg	32.97	00		Logem
	34.70			Arrow-Lamotrigine
	47.89			Lamictal
Tab dispersible 100 mg		56		Motrig
rab dispersible 100 mg	56.91	50		Logem
	59.90			Arrow-Lamotrigine
	79.16			Lamictal
	79.10		•	Lamiciai
EVETIRACETAM			_	
Tab 250 mg	24.03	60	/	Everet
Tab 500 mg - For levetiracetam oral liquid formulation refer,				
page 220	28.71	60	✓	Everet
Tab 750 mg	45.23	60	✓	Everet
Tab 1,000 mg	59.12	60	✓	Everet
HENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, pag	e 223			
Fab 15 mg		500	1	PSM
€ Tab 30 mg		500	_	PSM
		500	•	<u>i Oini</u>
HENYTOIN SODIUM				
€ Tab 50 mg		200		Dilantin Infatab
Can 30 ma	22.00	200		Dilantin
Cap 30 mg				
Cap 100 mg	19.79	200		Dilantin
, ,	19.79	200 500 m		Dilantin Dilantin
Cap 100 mg	19.79			
Cap 100 mg ¢‡ Oral liq 30 mg per 5 ml RIMIDONE	19.79 22.03		nl 🗸	Dilantin
Cap 100 mg \$\$‡ Oral liq 30 mg per 5 ml RIMIDONE \$\$\text{Tab 250 mg}\$	19.79 22.03	500 n	nl 🗸	
Cap 100 mg	19.79 22.03 17.25	500 m	nl 🗸	Dilantin  Apo-Primidone
Cap 100 mg	19.79 22.03 17.25	500 m 100 100	nl 🗸	Dilantin  Apo-Primidone  Epilim Crushable
Cap 100 mg	19.79 22.03 17.25 13.65 27.44	100 100 100 100		Dilantin  Apo-Primidone  Epilim Crushable  Epilim
Cap 100 mg	19.79 22.03 17.25 13.65 27.44 52.24	100 100 100 100 100		Dilantin  Apo-Primidone  Epilim Crushable Epilim Epilim
Cap 100 mg	19.79 22.03 17.25 13.65 27.44 52.24	100 100 100 100		Dilantin  Apo-Primidone  Epilim Crushable Epilim Epilim Epilim S/F Liquid
Cap 100 mg	19.79 22.03 17.25 13.65 27.44 52.24 20.48	100 100 100 100 100 300 n		Dilantin  Apo-Primidone  Epilim Crushable Epilim Epilim Epilim S/F Liquid Epilim Syrup
Cap 100 mg	19.79 22.03 17.25 13.65 27.44 52.24 20.48	100 100 100 100 100		Dilantin  Apo-Primidone  Epilim Crushable Epilim Epilim Epilim S/F Liquid
Cap 100 mg		100 100 100 100 100 300 n		Dilantin  Apo-Primidone  Epilim Crushable Epilim Epilim Epilim S/F Liquid Epilim Syrup
Cap 100 mg		100 100 100 100 100 300 n		Dilantin  Apo-Primidone  Epilim Crushable Epilim Epilim Epilim S/F Liquid Epilim Syrup

**⇒SA1330** Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

# **NERVOUS SYSTEM**

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE		
▲ Tab 25 mg11.07	60	Arrow-Topiramate
		✓ Topiramate Actavis
26.04		✓ Topamax
▲ Tab 50 mg18.81	60	Arrow-Topiramate
		✓ Topiramate Actavis
44.26		✓ Topamax
▲ Tab 100 mg31.99	60	Arrow-Topiramate
·		✓ Topiramate Actavis
75.25		✓ Topamax
▲ Tab 200 mg55.19	60	Arrow-Topiramate
v		✓ Topiramate Actavis
129.85		✓ Topamax
▲ Sprinkle cap 15 mg20.84	60	✓ Topamax
▲ Sprinkle cap 25 mg	60	✓ Topamax
VIGABATRIN - Special Authority see SA1072 below - Retail pharmacy		
▲ Tab 500 mg119.30	100	✓ Sabril

# ⇒SA1072 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient has infantile spasms; or
  - 1.2 Both:
    - 1.2.1 Patient has epilepsy; and
    - 1.2.2 Either:
      - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
      - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter): or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Fither:

(	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Generic
continued	·		
Patient is receiving regular automated visual field ter- of treatment with vigabatrin; or     2.2 It is impractical or impossible (due to comorbid cond Notes: As a guideline, clinical trials have referred to a notional 50° anticonvulsant therapy and have assessed quality of life from the p	itions) to monitor the % reduction in seizur patient's perspective.	patient's visua e frequency as	al fields. an indicator of success with
Antimigraine Preparations			
For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, pag	je 118		
Acute Migraine Treatment			
ERGOTAMINE TARTRATE WITH CAFFEINE  Tab 1 mg with caffeine 100 mg	31.00		Cafergot S29 S29
RIZATRIPTAN			
Tab orodispersible 10 mg Rizamelt to be Sole Supply on 1 October 2017	5.26	30	Rizamelt
SUMATRIPTAN	04.44	400	A O
Tab 50 mg	24.44	100	Apo-Sumatriptan

prescription......42.67

✓ Apo-Sumatriptan✓ Apo-Sumatriptan✓ Apo-Sumatriptan

Arrow-Sumatriptan

✓ Apo-Sumatriptan

2 OP

102

Clustran

✓ Sun Pharma S29

(Arrow-Sumatriptan Tab 50 mg to be delisted 1 September 2017) (Arrow-Sumatriptan Tab 100 mg to be delisted 1 September 2017)

Inj 12 mg per ml, 0.5 ml prefilled pen - Maximum of 10 inj per

# **Prophylaxis of Migraine**

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 57

PIZOTIFEN

**★** Tab 500 mcg......23.21 100 **✓ Sandomigran** 

# Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 22

APREPITANT - Special Authority see SA0987 on the next p	page - Retail pharmacy	1	
Cap 2 × 80 mg and 1 × 125 mg	100.00	3 OP	<ul><li>Emend Tri-Pack</li></ul>
Cap 40 mg	71.43	5 OP	✓ Emend

	Subsidy	F	ully	Brand or
(Ma	anufacturer's Price)	Subsidi	sed	Generic
	\$	Per	✓	Manufacturer

## ⇒SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

# Tab 16 mg2.89	84	✓ Vergo 16
Vergo 16 to be Sole Supply on 1 October 2017		3.3
CYCLIZINE HYDROCHLORIDE		
Tab 50 mg	9 20	✓ Nauzene
CYCLIZINE LACTATE		
Inj 50 mg per ml, 1 ml14.95	5 5	Nausicalm
DOMPERIDONE		
★ Tab 10 mg - For domperidone oral liquid formulation refer,		
page 220	100	✓ Prokinex
GRANISETRON		
* Tab 1 mg5.98	3 50	Granirex
(Granirex Tab 1 mg to be delisted 1 October 2017)		
HYOSCINE HYDROBROMIDE		
* Inj 400 mcg per ml, 1 ml ampoule	) 5	Hospira
93.00	) 10	✓ Martindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail		
pharmacy11.95	5 2	Scopoderm TTS
OA4007 On a stall A salts a star for Oasts a talls		

## ⇒SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

## METOCI OPRAMIDE HYDROCHI ORIDE

*	Tab 10 mg – For metoclopramide hydrochloride oral liquid		
	formulation refer, page 2201.82	100	✓ Metamide
*	Inj 5 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO4.50	10	✓ Pfizer
ΟN	DANSETRON		
*	Tab 4 mg	50	✓ Apo-Ondansetron
*	Tab disp 4 mg1.00	10	✓ Dr Reddy's
			Ondansetron
*	Tab 8 mg4.77	50	Apo-Ondansetron
*	Tab disp 8 mg1.50	10	✓ Ondansetron
	, <u>-</u>		ODT-DRLA
PR	OCHLORPERAZINE		
*	Tab 3 mg buccal	50	
	(15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	500	✓ Antinaus
	Ini 12.5 mg per ml. 1 ml – Up to 5 ini available on a PSO25.81	10	✓ Stemetil

## NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PROMETHAZINE THEOCLATE  * Tab 25 mg	1.20 (6.24)	10	,	Avomine	
	(0.24)		,	Avonine	

# **Antipsychotics**

#### General

AMISULPRIDE - Safety medicine; prescriber may determ	ine dispensing frequency	y	
Tab 100 mg	4.56	30	✓ Sulprix
Tab 200 mg	14.75	60	✓ Sulprix
Tab 400 mg	27.70	60	✓ Sulprix
Oral liq 100 mg per ml	65.53	60 ml	✓ Solian
ARIPIPRAZOLE – Special Authority see SA1539 below – Safety medicine; prescriber may determine dispensing	, ,		
Tab 5 mg - No more than 1 tab per day	123.54	30	<ul><li>Abilify</li></ul>
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	Abilify
Tab 20 mg	213.42	30	<ul><li>Abilify</li></ul>
Tab 30 mg	260.07	30	✓ Abilify

# ⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder\*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder\* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder\*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with \* are Unapproved Indications

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg - Up to 30 tab available on a PSO12.36	100	<ul><li>Largactil</li></ul>
Tab 25 mg - Up to 30 tab available on a PSO13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25.66	10	✓ Largactil

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic  Manufacturer
CLOZAPINE – Hospital pharmacy [HP4]	Ψ	1 01	- Manadataror
Safety medicine; prescriber may determine dispensing frequ	iency		
Tab 25 mg	•	50	✓ Clozaril
1 ab 25 mg	6.69	50	✓ Clopine
	11.36	100	✓ Clozaril
	13.37	100	✓ Clopine
Tab 50 mg		50	✓ Clopine
1 ab 50 mg	17.33	100	✓ Clopine
Tab 100 mg			✓ Clopine ✓ Clozaril
Tab 100 mg		50	
	17.33	400	✓ Clopine
	29.45	100	✓ Clozaril
	34.65		✓ Clopine
Tab 200 mg		50	✓ Clopine
	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 m	nl ✓ Clopine
HALOPERIDOL - Safety medicine; prescriber may determine d	ispensing frequency		
Tab 500 mcg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Oral lig 2 mg per ml — Up to 200 ml available on a PSO		100 m	
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a P		10	✓ Serenace
EVOMEPROMAZINE HYDROCHLORIDE - Safety medicine;			
Inj 25 mg per ml, 1 ml ampoule	47.89	10	✓ Wockhardt
.EVOMEPROMAZINE MALEATE - Safety medicine; prescriber	r may determine dispe	ensing	g frequency
Tab 25 mg	16.93	100	✓ Nozinan
Tab 100 mg	43.96	100	✓ Nozinan
ITHIUM CARBONATE - Safety medicine; prescriber may dete		ulanci	u.
Tab 250 mg		500	✓ Lithicarb FC
•			✓ Lithicarb FC
Tab 400 mg		100	✓ <u>Littiicarb FC</u> ✓ Priadel
Tab long-acting 400 mg		100	
Cap 250 mg		100	Douglas
DLANZAPINE - Safety medicine; prescriber may determine dis	pensing frequency		
Tab 2.5 mg	0.64	28	✓ Zypine
Zypine to be Sole Supply on 1 October 2017			
Tab 5 mg	1.15	28	✓ Zypine
Zypine to be Sole Supply on 1 October 2017			<b>,</b> ,
Tab orodispersible 5 mg	1.25	28	✓ Zypine ODT
Zypine ODT to be Sole Supply on 1 October 2017			-,, '
Tab 10 mg	1 65	28	✓ Zypine
Zypine to be Sole Supply on 1 October 2017		20	- <b>-</b> , pc
Tab orodispersible 10 mg	2.05	28	✓ Zypine ODT
,	2.00	20	- Lypine OD1
Zypine ODT to be Sole Supply on 1 October 2017			
PERICYAZINE – Safety medicine; prescriber may determine dis			_
Tab 2.5 mg	12.49	100	✓ Neulactil
Tab 10 mg	44 45	100	✓ Neulactil

	Subsidy (Manufacturer's Price)		Fully Subsidised	Generic
	\$	Per		Manufacturer
QUETIAPINE – Safety medicine; prescriber may determine disp		00		Overtownell
Tab 25 mg	1./9	90	•	Quetapel
Quetapel to be Sole Supply on 1 October 2017	0.45	00	./	Oustand
Tab 100 mg	3.45	90	•	Quetapel
Quetapel to be Sole Supply on 1 October 2017 Tab 200 mg	5.75	90	1	Quetapel
Quetapel to be Sole Supply on 1 October 2017		90	•	Quetapei
Tab 300 mg	0.60	90	1	Quetapel
Quetapel to be Sole Supply on 1 October 2017	9.00	30	•	Quetapei
RISPERIDONE – Safety medicine; prescriber may determine di	spensing frequency			
Tab 0.5 mg		60	1	Actavis
Tab 1 mg		60		Actavis
Tab 2 mg		60		Actavis
Tab 3 mg		60	_	Actavis
Tab 4 mg		60	1	Actavis
Oral lig 1 mg per ml		30 m	·	Risperon
Risperon to be Sole Supply on 1 October 2017				
TRIFLUOPERAZINE HYDROCHLORIDE - Subsidy by endorse	ement			
<ul> <li>a) Safety medicine; prescriber may determine dispensing fr</li> <li>b) Subsidised for patients who were taking trifluoperazine hendorsed accordingly. Pharmacists may annotate the predispensing of trifluoperazine hydrochloride.</li> </ul>	requency hydrochloride prior to 1 rescription as endorse	d wh	ere there e	exists a record of prior
Tab 1 mg	19.75	100	•	Apo- Trifluoperazine S29
Tab 5 mg	26.23	100	•	Apo- Trifluoperazine S29
(Apo-Trifluoperazine S29 Tab 1 mg to be delisted 1 December	2017)			
(Apo-Trifluoperazine \$29) Tab 5 mg to be delisted 1 December	,			
ZIPRASIDONE – Safety medicine; prescriber may determine dis	,			
Cap 20 mg		60	1	Zusdone
Cap 40 mg		60		Zusdone
Cap 60 mg		60		Zusdone
Cap 80 mg		60		Zusdone
r: -: -: -: -: -: -: -: -: -: -: -:				

# **Depot Injections**

FLUPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

✓ Fluanxol	5	Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO13.14
✓ Fluanxol	5	Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO20.90
✓ Fluanxol	5	Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO40.87

✓ Clopixol

Decanoas \$29

is

				7000 OTOTEM
(Ma	Subsidy anufacturer's Price)		Fully	Brand or Generic
	\$	Per		Manufacturer
FLUPHENAZINE DECANOATE - Subsidy by endorsement				
a) Safety medicine; prescriber may determine dispensing freque	ency			
b) Subsidised for patients who were taking fluphenazine decand	ate prior to 1 Dec	ember 2	016 and 1	the prescription or PSO
endorsed accordingly. Pharmacists may annotate the prescr	iption as endorsed	d where t	there exis	sts a record of prior
dispensing of fluphenazine decanoate.				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO	17.60	5	✓ M	odecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO	27.90	5	✓ M	odecate
			✓ M	odecate S29 S29
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	77.25	5	✓ M	odecate S29 S29
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50	5	✓ M	odecate
(Modecate Inj 12.5 mg per 0.5 ml, 0.5 ml to be delisted 1 March 2018	3)			
(Modecate Inj 25 mg per ml, 1 ml to be delisted 1 March 2018)				
(Modecate S29 S29 Inj 25 mg per ml, 1 ml to be delisted 1 March 2	018)			
(Modecate S29 S29 Inj 25 mg per ml, 2 ml to be delisted 1 March 2	018)			
(Modecate Inj 100 mg per ml, 1 ml to be delisted 1 March 2018)	,			
HALOPERIDOL DECANOATE - Safety medicine; prescriber may de	starmina dienaneir	na freauc	ncv	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	•	aldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		aldol Concentrate
, Sp to o injuralization at oo illining		ū		aldol

### OLANZAPINE - Special Authority see SA1428 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 210 mg vial	280.00	1	✓ Zyprexa Relprevv
Inj 300 mg vial	460.00	1	✓ Zyprexa Relprevv
Inj 405 mg vial	560.00	1	✓ Zyprexa Relprevv

### ⇒SA1428 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia; and
  - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 on the next page - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg syringe	1	✓ Invega Sustenna
Inj 50 mg syringe271.95	1	✓ Invega Sustenna
Inj 75 mg syringe	1	✓ Invega Sustenna
Inj 100 mg syringe435.12	1	✓ Invega Sustenna
Inj 150 mg syringe435.12	1	✓ Invega Sustenna

145



Subsidy		Fully	Brand or
(Manufacturer's Pric	,	Subsidised	Generic
\$	Per		Manutacturer

### **⇒SA1429** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	✓ Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32	10	✓ Piportil
RISPERIDONE – Special Authority see SA1427 below – Ret	, ,		
Safety medicine; prescriber may determine dispensing from	equency		
Inj 25 mg vial	135.98	1	Risperdal Consta
Inj 37.5 mg vial	178.71	1	✓ Risperdal Consta
Inj 50 mg vial	217.56	1	Risperdal Consta

### SA1427 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injection before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml − Up to 5 inj available on a PSO ......19.80 5 **Clopixol** 

Xanax

✓ Arrow-Diazepam

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	/	Manufacturer

### **Anxiolytics**

ALPRAZOLAM	- Subsidy by	endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking alprazolam prior to 1 December 2016 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of alprazolam.

Tab 250 mcg	2.50	50	
	(4.84)		Xanax
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.		

50

Xanax ‡ Safety cap for extemporaneously compounded oral liquid preparations.

50

‡ Safety cap for extemporaneously compounded oral liquid preparations.

(Xanax Tab 250 mcg to be delisted 1 September 2017)

(Xanax Tab 500 mcg to be delisted 1 September 2017)

(Xanax Tab 1 mg to be delisted 1 September 2017)

BU.	SPIR	ONE	HYDF	ROCHL	ORIDE.	
	T - 1-	F				

*	1ab 5 mg23.60	100	V Onon
*	Tab 10 mg14.96	100	✓ Orion
CL	ONAZEPAM – Safety medicine; prescriber may determine dispensing frequency		

100 ✓ Paxam 100 ✓ Paxam 

DIAZEPAM - Safety medicine: prescriber may determine dispensing frequency 500

✓ Arrow-Diazepam ‡ Safety cap for extemporaneously compounded oral liquid preparations.

00 00

Tab 5 mg ......13.71 ‡ Safety cap for extemporaneously compounded oral liquid preparations.

LORAZEPAM - Safety medicine; prescriber may determine dispensing frequency

250 Ativan ‡ Safety cap for extemporaneously compounded oral liquid preparations.

100 Ativan ‡ Safety cap for extemporaneously compounded oral liquid preparations.

OXAZEPAM - Safety medicine; prescriber may determine dispensing frequency 100 ✓ Ox-Pam Tab 10 mg .......6.17

a) \$\pm\$ Safety cap for extemporaneously compounded oral liquid preparations.

b) Ox-Pam to be Sole Supply on 1 October 2017

✓ Ox-Pam Tab 15 mg .......8.53 100

a) \$\pm\$ Safety cap for extemporaneously compounded oral liquid preparations. b) Ox-Pam to be Sole Supply on 1 October 2017

### Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SA1559 on the next page - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

Tecfidera Cap 240 mg......2,000.00 56 ✓ Tecfidera

500



Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

### **⇒SA1559** Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
      past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

#### Stopping Criteria

#### Any of the following:

Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
of the following EDDSS points:

Subsidy (Manufacturer's Price) \$

Subsidised Per

Fully

Brand or Generic Manufacturer

#### continued...

- a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

Cap 0.5 mg......2,650.00 28 **✓ Gilenya** 

### ⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: <a href="mailto:mstaccoordinator@pharmac.govt.nz">mstaccoordinator@pharmac.govt.nz</a>

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
      past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and



Subsidy	Full	y Brand or
(Manufacturer's Price)	Subsidise	d Generic
\$	Per •	Manufacturer

continued...

- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

### Stopping Criteria

### Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5: or
  - d) 2.0 to 4.0: or
  - e) 2.5 to 4.5: or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

✓ Tvsabri

### ⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Subsidy (Manufacturer's Price) \$

Subsidised Per

Fully

Brand or Generic Manufacturer

continued...

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
      past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- 9) a) Patient is JC virus negative, or
  - Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

### **Stopping Criteria**

#### Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

b) 1.0 to 3.0; or

c) 1.5 to 3.5; or

d) 2.0 to 4.0; or

e) 2.5 to 4.5; or

f) 3.0 to 4.5; or

g) 3.5 to 4.5; or

h) 4.0 to 4.5.

- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

### **⇒SA1560** Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
      past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or

Subsidy		Fully	Drand or	_
Subsidy		. ,	Brand or	
(Manufacturer's Price)	Subsi	dised	Generic	
\$	Per	✓	Manufacturer	

continued...

- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

### Stopping Criteria

### Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5: or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5: or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide: or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

### Other Multiple Sclerosis Treatments

### ⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

#### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
      past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
  - a) intolerance to both natalizumab and fingolimod; or
  - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

### Stopping Criteria

### Any of the following:

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0: or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5: or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's finterferon beta-1-beta or interferon beta-1-alphal to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564	on page 153 – [Xpharn	n]	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	A1564 on page 153 – [X	pharm]	
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	✓ Avonex
(Avonex Inj 6 million iu per vial to be delisted 1 September	2017)		
INTERFERON BETA-1-BETA - Special Authority see SA1	564 on page 153 - [Xpl	harm]	
Inj 8 million iu per 1 ml	1,322.89	15	<ul><li>Betaferon</li></ul>

### Sedatives and Hypnotics

LORMETAZEPAM – Safety medicine; prescriber may determ	iine dispensing frequent	у	
Tab 1 mg	3.11	30	
· ·	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral I	iquid preparations.		
MELATONIN - Special Authority see SA1666 on the next page	ge – Retail pharmacy		
Tab modified-release 2 mg - No more than 5 tab per day	<i>.</i> 28.22	30	<ul><li>Circadin</li></ul>



Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	1	Manufacturer	

### **⇒SA1666** Special Authority for Subsidy

**Initial application** only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)\*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged 18 years or under\*.

**Renewal** only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

### All of the following:

- 1 Patient is aged 18 years or under\*; and
- 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
- 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
- 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with \* are Unapproved Indications. MIDAZOLAM - Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 5 ml ampoule ......4.30 10 ✓ Midazolam-Claris Inj 1 mg per ml, 5 ml plastic ampoule - Up to 10 inj available 10 ✓ Pfizer On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only. Inj 5 mg per ml, 3 ml ampoule ......2.50 ✓ Midazolam-Claris Ini 5 mg per ml. 3 ml plastic ampoule - Up to 5 ini available on ✓ Pfizer a PSO......11.90 On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only. NITRAZEPAM - Safety medicine: prescriber may determine dispensing frequency ✓ Nitrados 100 ‡ Safety cap for extemporaneously compounded oral liquid preparations. PHENOBARBITONE SODIUM - Special Authority see SA1386 below - Retail pharmacy Inj 200 mg per ml, 1 ml ampoule .......46.20 ✓ Martindale S29

### ⇒SA1386 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg .......1.27

a)‡ Safety cap for extemporaneously compounded oral liquid preparations.

b) Normison to be Sole Supply on 1 October 2017

25

✓ Normison

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	<b>✓</b>	Manufacturer
TRIAZOLAM - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 125 mcg	5.10	100		
	(9.85)			Hypam
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
Tab 250 mcg	4.10	100		
	(11.20)			Hypam
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
ZOPICLONE - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 7.5 mg	8.99	500	✓	Zopiclone Actavis
Stimulants/ADHD Treatments				

ATOMOXETINE - Special Authority see SA1416 below -	- Retail pharmacy		
Cap 10 mg	107.03	28	✓ Strattera
Cap 18 mg	107.03	28	✓ Strattera
Cap 25 mg	107.03	28	✓ Strattera
Cap 40 mg	107.03	28	✓ Strattera
Cap 60 mg		28	✓ Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg	139.11	28	✓ Strattera
. •			

### ⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk: or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
  - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine: prescriber may determine dispensing frequency

Tab 5 mg .......17.00 100 PSM

### ⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
  - 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
  - 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

**Renewal — (ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

<ul> <li>b) Safety medicine; prescriber may determine dispens</li> </ul>	ing irequency		
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	✓ Ritalin
Ÿ			Rubifen
Tab immediate-release 20 mg	7.85	30	✓ Rubifen
Tab sustained-release 20 mg		30	Rubifen SR
·	50.00	100	Ritalin SR

### ⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	1	Manufacturer	

continued...

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg	65.44	30	<ul><li>Concerta</li></ul>
Tab extended-release 36 mg	71.93	30	<ul><li>Concerta</li></ul>
Tab extended-release 54 mg	86.24	30	<ul><li>Concerta</li></ul>
Cap modified-release 10 mg	15.60	30	Ritalin LA
Cap modified-release 20 mg	20.40	30	Ritalin LA
Cap modified-release 30 mg		30	Ritalin LA
Cap modified-release 40 mg	30.60	30	Ritalin LA

### ⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Subsidy		ully Brand or	
(Manufacturer's \$	Price) Subsidis Per	sed Generic  Manufacturer	

continued...

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 below - Retail pharmacy

Tab 100 mg .......72.50 30 **✓ Modavigil** 

### ⇒SA1126 Special Authority for Subsidy

**Initial application** only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either
  - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
  - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
  - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
  - 3.2 Methylphenidate and dexamfetamine are contraindicated.

**Renewal** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

## Treatments for Dementia

DO	NEPEZIL HYDROCHLORIDE			
*	Tab 5 mg	4.34	90	✓ Donepezil-Rex
	Donepezil-Rex to be Sole Supply on 1 October 2017			
*	Tab 10 mg	6.64	90	Donepezil-Rex
	Donepezil-Rex to be Sole Supply on 1 October 2017			
RIV	ASTIGMINE - Special Authority see SA1488 below - Retail ph	narmacy		
	Patch 4.6 mg per 24 hour	90.00	30	✓ Exelon
	Patch 9.5 mg per 24 hour	90.00	30	✓ Exelon

### ⇒SA1488 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

**Renewal** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✓ Manufacturer

### Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

**Initial application — (Maintenance treatment)** from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

**Renewal — (Maintenance treatment)** from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone);
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

#### BUPROPION HYDROCHLORIDE

Tab modified-release 150 mg	11.00	30	✓ Zyban
DISULFIRAM			
Tab 200 mg	44.30	100	Antabuse



	Subsidy (Manufacturer's Price)	Subs	Fully sidised	Brand or Generic	
	\$	Per	1	Manufacturer	
NALTREXONE HYDROCHLORIDE - Special Authority see SA1	408 below – Retail ph	narmacy			
Tab 50 mg	112.55	30	✓ N	altraccord	
Naltraccord to be Sole Supply on 1 October 2017					

### ⇒SA1408 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

**Renewal** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

#### NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Nicotine will not be funded under the Dispensing Frequency	nule III allibulità le	35 man 4 w	eeks of fleatifierit
Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	<ul><li>Habitrol</li></ul>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	<ul><li>Habitrol</li></ul>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	<ul><li>Habitrol</li></ul>
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	<ul><li>Habitrol</li></ul>
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	<ul><li>Habitrol</li></ul>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	<ul><li>Habitrol</li></ul>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	<ul><li>Habitrol</li></ul>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	<ul><li>Habitrol</li></ul>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

✓ Champix	28	Tab 1 mg67.74
✓ Champix	56	135.48
✓ Champix	25 OP	Tab 0.5 mg × 11 and 1 mg × 1460.48

### ⇒SA1575 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

163

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✓ Manufacturer

### **Chemotherapeutic Agents**

### **Alkylating Agents**

BENDAMUSTINE HYDROCHLORIDE - PCT only - Specialist - Special Authority see SA1667 below

Inj 25 mg vial	 	271.35	1	✓ Ribomustin
Inj 100 mg vial	 	1,085.38	1	✓ Ribomustin
Inj 1 mg for ECP	 	11.40	1 mg	✓ Baxter

### ⇒SA1667 Special Authority for Subsidy

Initial application — (treatment naive CLL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Binet stage B or C, or progressive stage A chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is chemotherapy treatment naive; and
- 3 The patient is unable to tolerate toxicity of full-dose FCR; and
- 4 Patient has ECOG performance status 0-2; and
- 5 Patient has a Cumulative Illness Rating Scale (CIRS) score of < 6; and
- 6 Bendamustine is to be administered at a maximum dose of 100 mg/m² on days 1 and 2 every 4 weeks for a maximum of 6 cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL). Chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has indolent low grade NHL requiring treatment; and
- 2 Patient has a WHO performance status of 0-2; and
- 3 Either:
  - 3.1 Both:
    - 3.1.1 Patient is treatment naive; and
    - 3.1.2 Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+); or
  - 3.2 All of the following:
    - 3.2.1 Patient has relapsed refractory disease following prior chemotherapy; and
    - 3.2.2 The patient has not received prior bendamustine therapy; and
    - 3.2.3 Fither:
      - 3.2.3.1 Both:
        - 3.2.3.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
        - 3.2.3.1.2 Patient has had a rituximab treatment-free interval of 12 months or more: or
      - 3.2.3.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Both:

- 1 Patients have not received a bendamustine regimen within the last 12 months; and
- 2 Either:
  - 2.1 Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	/	Manufacturer

- 2.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
- 2.1.2 Patient has had a rituximab treatment-free interval of 12 months or more; or
- 2.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients. Note: 'indolent, low-grade lymphomas' includes follicular, mantle cell, marginal zone and lymphoplasmacytic/ Waldenstrom's macroglobulinaemia.

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			•
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	DBL Carboplatin
•	19.50		✓ Carbaccord
	22.50		✓ Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	<ul> <li>DBL Carboplatin</li> </ul>
	48.50		<ul> <li>Carbaccord</li> </ul>
	50.00		<ul> <li>Carboplatin Ebewe</li> </ul>
Inj 1 mg for ECP	80.0	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP		100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist		20	- Louitorum i C
Inj 1 mg per ml, 50 ml vial	10.00	1	✓ DBL Cisplatin
inj i mg per mi, 50 mi viai	15.00	1	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
inj i mg permi, 100 mi viai	22.46		✓ DBL Cisplatin
Inj 1 mg for ECP		1 mg	✓ Baxter
		ing	Dunio
CYCLOPHOSPHAMIDE			
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	✓ Endoxan S29
	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13			4
Inj 1 g vial - PCT - Retail pharmacy-Specialist		1	✓ Endoxan
Lio il DOT L O ili	127.80	6	✓ Cytoxan
Inj 2 g vial – PCT only – Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.04	1 mg	✓ Baxter
IFOSFAMIDE – PCT only – Specialist			<b></b>
Inj 1 g		1	✓ Holoxan
Inj 2 g		. 1	Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE - PCT - Retail pharmacy-Specialist			
Cap 10 mg		20	✓ CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist	40.70	25	✓ Alkeran
Inj 50 mg - PCT only - Specialist		1	✓ Alkeran

<sup>‡</sup> safety cap

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	
OXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	1	Oxaliccord
Inj 50 mg vial	15.32	1	✓	Oxaliplatin Actavis 50
	55.00		1	Oxaliplatin Ebewe
Inj 100 mg vial	25.01	1		Oxaliplatin Actavis 100
	110.00		1	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial	16.00	1	1	Oxaliccord
Inj 1 mg for ECP	0.18	1 mg	/	Baxter
THIOTEPA - PCT only - Specialist		Ū		
Inj 15 mg vial	CBS	1	1	Bedford \$29
,		•		THIO-TEPA S29
			_	Tepadina S29
Inj 100 mg vial	CBS	1	_	Tepadina S29

### **Antimetabolites**

AZACITIDINE - PCT only - Specialist - Special Authority see SA1467 below	V	
Inj 100 mg vial605.00	) 1	✓ Vidaza
Inj 1 mg for ECP6.66	6 1 mg	<ul><li>Baxter</li></ul>

### ⇒SA1467 Special Authority for Subsidy

**Initial application** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

#### All of the following:

- 1 Any of the following:
  - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
  - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
  - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy		Fully Brand or
(	Manufacturer's Pric \$	e) Su Per	ıbsidised Generic  ✓ Manufacturer
ALCIUM FOLINATE	Ψ	1 01	- Mandideturer
ALCIUM FOLINATE	104.06	10	✓ DBL Leucovorin
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.20	10	Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	✓ Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist	18.25	5	✓ Calcium Folinate Ebewe
Inj 100 mg - PCT only - Specialist	7.33	1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	✓ Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ Baxter
APECITABINE – Retail pharmacy-Specialist	0.00	inig	- DUALCI
Tab 150 mg	11.15	60	✓ Brinov
Tab 500 mg	62.28	120	✓ Brinov
LADRIBINE - PCT only - Specialist			
Inj 1 mg per ml, 10 ml	5,249.72	7	✓ Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ Baxter
/TARABINE		•	
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialist	55.00	5	✓ Pfizer
.,	80.00		✓ Hospira
Inj 500 mg - PCT - Retail pharmacy-Specialist	18.15	1	✓ Pfizer
	95.36	5	✓ Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specia	list8.83	1	✓ Pfizer
•	42.65		✓ Hospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail			
pharmacy-Specialist	17.65	1	✓ Pfizer
	34.47		✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist	0.11	10 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialist fizer Inj 500 mg to be delisted 1 September 2017)	t 11.00 1	100 mg OF	P ✓ Baxter
UDARABINE PHOSPHATE			
Tab 10 mg - PCT - Retail pharmacy-Specialist		20	✓ Fludara Oral
Inj 50 mg vial - PCT only - Specialist		5	✓ Fludarabine Ebewe
Inj 50 mg for ECP - PCT only - Specialist	105.00	50 mg OP	✓ Baxter
UOROURACIL			
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist		1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial - PCT only - Specialist		1	✓ Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.66	100 mg	✓ Baxter
EMCITABINE HYDROCHLORIDE - PCT only - Specialist			
Inj 1 g, 26.3 ml vial	62.50	1	DBL Gemcitabine
lnj 1 g	15.89	1	✓ Gemcitabine Ebewe
	349.20		✓ Gemzar
Inj 200 mg	8.36	1	✓ Gemcitabine Ebewe
	78.00		✓ Gemzar
Inj 1 mg for ECP	0.02	1 mg	✓ Baxter

(N	Subsidy fanufacturer's Price) \$	Per	Fully Subsidised	
RINOTECAN HYDROCHLORIDE - PCT only - Specialist	· · ·			
Inj 20 mg per ml, 2 ml vial	11.50	1	•	Irinotecan Actavis
	41.00			Camptosar Irinotecan-Rex
lnj 20 mg per ml, 5 ml vial	17.80	1		Irinotecan Actavis
	100.00			Camptosar Irinotecan-Rex
Inj 1 mg for ECP	0.19	1 mg		Baxter
MERCAPTOPURINE - PCT - Retail pharmacy-Specialist Tab 50 mg	49.41	25	•	Puri-nethol
METHOTREXATE	0.40	00		Turnete
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist		30		Trexate
* Tab 10 mg - PCT - Retail pharmacy-Specialist		50		Trexate
* Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist		5		Hospira
* Inj 7.5 mg prefilled syringe	14.61	1	•	Methotrexate Sandoz
* Inj 10 mg prefilled syringe	14.66	1	•	Methotrexate Sandoz
* Inj 15 mg prefilled syringe	14.77	1	•	Methotrexate Sandoz
* Inj 20 mg prefilled syringe	14.88	1	•	Methotrexate Sandoz
* Inj 25 mg prefilled syringe	14.99	1	•	Methotrexate Sandoz
* Inj 30 mg prefilled syringe	15.09	1	1	Methotrexate Sandoz
* Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist.	30.00	5	•	DBL Methotrexate Onco-Vial
* Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-Specialis	t45.00	1	•	DBL Methotrexate Onco-Vial
<ul> <li>Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist</li> <li>Inj 100 mg per ml, 50 ml vial - PCT - Retail</li> </ul>	25.00	1	✓	Methotrexate Ebewe
pharmacy-Specialist	79.99	1	•	Methotrexate Ebewe
Inj 1 mg for ECP – PCT only – Specialist		1 mg	/	Baxter
Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist FHIOGUANINE – PCT – Retail pharmacy-Specialist	4.73 5	mg O	Ρ 🗸	Baxter
Tab 40 mg	126.31	25	•	Lanvis
Other Cytotoxic Agents				
AMSACRINE - PCT only - Specialist				
Inj 50 mg per ml, 1.5 ml ampoule	.1,500.00	6	1	Amsidine S29
Inj 75 mg		5	1	AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmacy-Speci				•
Cap 0.5 mg		100		Agrylin S29 Teva S29

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully ubsidised	Brand or Generic Manufacturer
ARSENIC TRIOXIDE - PCT only - Specialist				
Inj 10 mg	4,817.00	10	<b>✓</b> A	<b>FT</b> \$29
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu, vial	150.48	1	✓ 0	BL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	<b>✓</b> E	Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority see SA	A1576 below			
Inj 3.5 mg vial	1,892.50	1	✓ V	/elcade
Inj 1 mg for ECP	594.77	1 mg	<b>✓</b> B	Baxter

**⇒SA1576** Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
  - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

### All of the following:

- 1 Either:
  - 1.1 The patient has relapsed or refractory multiple myeloma; or
  - 1.2 The patient has relapsed or refractory systemic AL amyloidosis \*; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

# COLASPASE [L-ASPARAGINASE] – PCT only – Specialist Inj 10,000 iu......

Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter
DACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	58.06	1	<ul> <li>DBL Dacarbazine</li> </ul>
Inj 200 mg for ECP		200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial	145.00	1	✓ Cosmegen
Inj 0.5 mg for ECP	145.00	0.5 mg OP	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Subs	idised	Generic
	\$	Per	1	Manufacturer
DAUNORUBICIN - PCT only - Specialist				
	110.70	4		Pfizer
Inj 2 mg per ml, 10 ml		1		
Inj 20 mg for ECP	118.72	20 mg OP	•	Baxter
DOCETAXEL - PCT only - Specialist				
Inj 10 mg per ml, 2 ml vial	12.40	1	1	DBL Docetaxel
Inj 20 mg		1		Docetaxel Sandoz
Inj 10 mg per ml, 8 ml vial		1		DBL Docetaxel
, , ,		1		Docetaxel Sandoz
Inj 80 mg		•		Baxter
Inj 1 mg for ECP	0.55	1 mg	V	Baxter
DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	10.00	1	✓	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial	11.50	1	1	Doxorubicin Ebewe
, , ,	17.00		1	Arrow-Doxorubicin
Inj 50 mg vial	40.00	1	1	DBL Doxorubicin
11) 00 11g 10a		•		DBL Doxorubicin
			٠	S29 S29
		_		<b></b>
Inj 2 mg per ml, 50 ml vial		1		Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial	46.00	1		Doxorubicin Ebewe
	65.00		1	Arrow-Doxorubicin
	150.00		1	Adriamycin
Inj 1 mg for ECP	0.25	1 mg	1	Baxter
EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist		3		
	05.00	4		Fuluuhiain Fhans
Inj 2 mg per ml, 5 ml vial		1		Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Epirubicin Ebewe
	39.38		/	DBL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 50 ml vial	32.50	1	1	Epirubicin Ebewe
, , ,	58.20		1	DBL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1	1	Epirubicin Ebewe
iiij 2 iiig pei iiii, 100 iiii viai	94.50	ı		DBL Epirubicin
	94.50		•	•
			_	Hydrochloride
Inj 1 mg for ECP	0.36	1 mg	/	Baxter
ETOPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	1	Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10		Vepesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specia	liet 7.00	1		Rex Medical
Inj 1 mg for ECP – PCT only – Specialist		· ·		Baxter
, ,	0.09	1 mg	•	Daxiei
ETOPOSIDE PHOSPHATE - PCT only - Specialist				
Inj 100 mg (of etoposide base)	40.00	1	1	Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	1	Baxter
HYDROXYUREA - PCT - Retail pharmacy-Specialist		•		
	21.76	100	./	Lludroo
Cap 500 mg	31./0	100	v	Hydrea
IDARUBICIN HYDROCHLORIDE				
Inj 5 mg vial - PCT only - Specialist	125.00	1	1	Zavedos
Inj 10 mg vial - PCT only - Specialist	250.00	1	1	Zavedos
Inj 1 mg for ECP - PCT only - Specialist		1 mg	1	Baxter
,		٠ع		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
LENALIDOMIDE – Retail pharmacy-Specialist – Special Author Wastage claimable – see rule 3.3.2 on page 13	ority see SA1468 below			
Cap 10 mg	6,207.00	21	✓ Re	evlimid
Cap 15 mg	7,239.18	21	✓ Re	evlimid
Cap 25 mg	7,627.00	21	✓ Re	evlimid

### ⇒SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Fither
  - 2.1 Lenalidomide to be used as third line\* treatment for multiple myeloma; or
  - 2.2 Both:
    - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
    - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and

273.00

50

✓ Hromitovan

3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

Tah 400 mg - PCT - Retail pharmacy-Specialist

2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with \* is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

### MESNA

50	• Oronniekan
50	<ul><li>Uromitexan</li></ul>
15	✓ Uromitexan
15	✓ Uromitexan
100 mg	✓ Baxter
1	✓ Arrow
1 mg	✓ Baxter
1	Mitozantrone Ebewe
1 mg	✓ Baxter
5	Paclitaxel Ebewe
1	✓ Paclitaxel Ebewe
	✓ Paclitaxel Actavis
1	✓ Paclitaxel Ebewe
	✓ Anzatax
	✓ Paclitaxel Actavis
1	✓ Paclitaxel Ebewe
	✓ Anzatax
	✓ Paclitaxel Actavis
1	✓ Paclitaxel Ebewe
1 mg	✓ Baxter
	50 15 15 100 mg 1 1 mg 1 mg 5 1

<sup>‡</sup> safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PEGASPARGASE – PCT only – Special Authority see SA1325 b	pelow				
Inj 3,750 IU per 5 ml	3,005.00	1	<b>√</b> 0	Oncaspar S29	

**⇒SA1325** Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Special Inj 10 mg	CBS	1	✓ Nipent §29
PROCARBAZINE HYDROCHLORIDE – PCT – Retail pharmac Cap 50 mg		50	✓ Natulan S29
TEMOZOLOMIDE - Special Authority see SA1616 below - Re Cap 5 mg		5	✓ Orion
Cap 20 mg		5	Temozolomide  ✓ Orion
		-	Temozolomide  ✓ Temaccord
Cap 100 mg	40.20	5	✓ <u>Orion</u> Temozolomide
Cap 250 mg	96.80	5	✓ <u>Orion</u>
			Temozolomide

(Temaccord Cap 20 mg to be delisted 1 February 2018)

### **⇒SA1616** Special Authority for Subsidy

**Initial application — (high grade gliomas)** only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

**Initial application — (neuroendocrine tumours)** only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour\*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

of 200 mg/m<sup>2</sup> per day; and

4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 Patient has glioblastoma multiforme; and
  - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
  - 2.1 Patient has anaplastic astrocytoma\*: and
  - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
  - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

ALIDOMIDE – Retail pharmacy-Specialist – Spe	ecial Authority see SA1124 below		
Cap 50 mg	378.00	28	Thalomid
Cap 100 mg	756.00	28	Thalomid

### ⇒SA1124 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis\*.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with \* is an Unapproved Indication.

#### TRFTINOIN

Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specialist37.29	1	✓ Hospira
186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml vial - PCT - Retail pharmacy-Specialist74.52	5	<ul><li>DBL Vincristine Sulfate</li></ul>
Inj 1 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist85.61	5	<ul><li>DBL Vincristine Sulfate</li></ul>
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		bsidised	Generic
	\$	Per		Manufacturer
VINORELBINE - PCT only - Specialist				
Inj 10 mg per ml, 1 ml vial	8.00	1	1	Navelbine
, , ,	42.00			Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial	40.00	1	1	Navelbine
	210.00		1	Vinorelbine Ebewe
Inj 1 mg for ECP	0.90	1 mg	✓	Baxter
Protein-tyrosine Kinase Inhibitors				
DASATINIB – Special Authority see SA0976 below – [Xpharm]				
Tab 20 mg	3,774.06	60	1	Sprycel
Tab 50 mg		60	1	Sprycel
Tab 70 mg		60	1	Sprycel
Tab 100 mg		30	1	Sprycel
SA0076 Special Authority for Subsidy				

#### SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</li>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Generic	
ERLOTINIB - Retail pharmacy-Specialist - Special Authority se	e SA1653 below				
Tab 100 mg	764.00	30	✓	Tarceva	
Tab 150 mg	1,146.00	30	✓	Tarceva	

#### SA1653 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

### All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Either:
  - 3.1 Patient is treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient has discontinued defitinib due to intolerance; and
    - 3.2.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1654 below

Tab 250 mg ......1,700.00 ✓ Iressa

### ⇒SA1654 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- - 2.1 Patient is treatment naive; or
  - 2.2 Both:
    - 2.2.1 The patient has discontinued erlotinib due to intolerance; and
    - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

#### IMATINIB MESII ATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]2,40	0.00	60	✓ Glivec
*	Cap 100 mg9	8.00	60	✓ Imatinib-AFT
	Imatinib-AFT to be Sole Supply on 1 November 2017			
*	Cap 400 mg	7.50	30	✓ Imatinib-AFT
	Imatinib-AFT to be Sole Supply on 1 November 2017			

### ⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

The CML/GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

#### Special Authority criteria for GIST – access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

✓ Tykerb

### ⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
  - 1.3 Lapatinib not to be given in combination with trastuzumab; and
  - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on trastuzumab; and
  - 2.4 Lapatinib not to be given in combination with trastuzumab; and
  - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 on the next page - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 150 mg.......4,680.00 120 ✓ Tasigna 120 ✓ Tasigna

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

### ⇒SA1489 Special Authority for Subsidy

**Initial application** only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Either:
  - 2.1 Patient has documented CML treatment failure\* with imatinib; or
  - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: \*treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
  - 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
  - 3 Maximum nilotinib dose of 800 mg/day; and
  - 4 Subsidised for use as monotherapy only.

### PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

### ⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive: or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 Both:
    - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
    - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of ≤ 70; or
  - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic Manufacturer			
SUNITINIB – Special Authority see SA1266 below – Retail pharmacy							
Cap 12.5 mg	2,315.38	28	<b>√</b> S	Sutent			
Cap 25 mg	4,630.77	28	<b>√</b> S	Sutent			
Cap 50 mg	9,261.54	28	<b>√</b> S	Sutent			

### ⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
  - 2.4 Both:
    - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
    - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of ≤ 70; or
  - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
  - 2.1 The patient's disease has progressed following treatment with imatinib; or
  - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

**Renewal — (RCC)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 6 months for applications meeting the following criteria: Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	•	Manufacturer	

continued...

- 1 Any of the following:
  - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
  - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
  - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of ≥ 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

### **Endocrine Therapy**

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 89

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable - see rule 3.3.2 on page 13

Tab 250 mg ......4,276.19 120 ✓ Zvtiga

### ⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases: and
- 3 Patient's disease is castration resistant; and
- 4 Fither:
  - 4.1 All of the following:
    - 4.1.1 Patient is symptomatic: and
    - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
    - 4.1.3 Patient has ECOG performance score of 0-1; and
    - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
  - 4.2 All of the following:
    - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
    - 4.2.2 Patient has ECOG performance score of 0-2; and
    - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline: and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

### **BICALLITAMIDE**

Tab 50 mg	4.90	28	✓ Bicalaccord
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	16.50	30	✓ Flutamide
	55.00	100	Mylan S29   ✓ Flutamin

179

	Subsidy (Manufacturer's Price)	5	Fully Subsidised	Brand or Generic		
	\$	Per	1	Manufacturer		
MEGESTROL ACETATE - Retail pharmacy-Specialist						
Tab 160 mg	54.30	30	1	Apo-Megestrol		
OCTREOTIDE						
Inj 50 mcg per ml, 1 ml vial	13.50	5	✓	DBL		
Inj 100 mcg per ml, 1 ml vial	22.40	5	1	DBL		
Inj 500 mcg per ml, 1 ml vial		5	1	DBL		
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special Authority see SA1016 below - Retail pharmacy						
Inj LAR 10 mg prefilled syringe	1,772.50	1	1	Sandostatin LAR		
Inj LAR 20 mg prefilled syringe		1	1	Sandostatin LAR		
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓	Sandostatin LAR		

### ⇒SA1016 Special Authority for Subsidy

**Initial application — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

**Renewal — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal — (Acromegaly)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
  - 2.1 Gastrinoma; and
  - 2.2 Fither:
    - 2.2.1 Patient has failed surgery: or

Subsidy (Manufacturer's Price)	9	Fully Subsidised	Brand or Generic
 \$	Per	Jubsidised ✓	Manufacturer

continued...

- 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
- 3.1 Insulinomas; and
  - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
  - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

**Renewal — (Other Indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### TAMOXIFEN CITRATE

*	Tab 10 mg	17.50	100	<ul><li>Genox</li></ul>
	Tab 20 mg		30	<ul><li>Genox</li></ul>
	v	8.75	100	✓ Genox

#### **Aromatase Inhibitors**

ANAS	TROZ	OLE
------	------	-----

* Tab 1 mg	26.55	30	<ul><li>✓ Aremed</li><li>✓ Arimidex</li><li>✓ DP-Anastrozole</li></ul>
** Tab 25 mg  Pfizer Exemestane to be Sole Supply on 1 October 2		30	✓ Pfizer Exemestane
LETROZOLE  * Tab 25 mg	2 05	30	✓ Latrole

#### **Immunosuppressants**

# Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist			
* Tab 25 mg	5.80	60	✓ Azamun
	9.66	100	✓ Imuran
Imuran to be Sole Supply on 1 October 2017			
* Tab 50 mg - For azathioprine oral liquid formulation refer,			
page 220	10.58	100	✓ Azamun
F-13			✓ Imuran
Imuran to be Sole Supply on 1 October 2017			
* Inj 50 mg vial	60.00	1	✓ Imuran
(Azamun Tab 25 mg to be delisted 1 October 2017)		•	- maran
(Azamun Tab 50 mg to be delisted 1 October 2017)			
,			
MYCOPHENOLATE MOFETIL			
Tab 500 mg		50	✓ Cellcept
Cap 250 mg	25.00	100	✓ Cellcept
Powder for oral liq 1 g per 5 ml - Subsidy by endorsement	187.25	165 ml OP	✓ Cellcept
Mycophenolate powder for oral liquid is subsidised only for	r patients unal	ole to swallow ta	ablets and capsules, and when

<sup>‡</sup> safety cap

the prescription is endorsed accordingly.

<sup>▲</sup> Three months supply may be dispensed at one time

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

#### **Fusion Proteins**

ETANERCEPT – Special Authority see SA1620 below – Retail pharmacy		
Inj 25 mg799.96	4	Enbrel
Inj 50 mg autoinjector	4	Enbrel
Inj 50 mg prefilled syringe1,599.96	4	<ul><li>Enbrel</li></ul>

#### ⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

#### -111101.

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA: or

#### 2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
  - 2.5.1 Either:
    - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
    - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 2.5.2 Physician's global assessment indicating severe disease.

**Initial application — (rheumatoid arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per ✓ Manufacturer

continued...

- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold: or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
  - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
  - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
  - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plague psoriasis; or
- 2 All of the following:
  - 2.1 Fither:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum\*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

**Initial application** — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Either:
    - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
    - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
    - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992:19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy (Manufacturer's Price)	Fu Subsidis	ılly	Brand or Generic	
\$	Per	✓	Manufacturer	

continued...

- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal** — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

## **Immune Modulators**

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist		
Inj 50 mg per ml, 5 ml2,351.25	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only - Specialist		
Subsidised only for bladder cancer.		
Inj 2-8 × 100 million CFU149.37	1	✓ OncoTICE

<del>-</del>			
	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	· • • · · ·	Day /	Manufacturer

#### Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA1621 below - Retail pharmacy

Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	<ul><li>Humira</li></ul>
Inj 40 mg per 0.8 ml prefilled pen		2	✓ HumiraPen
Ini 40 mg per 0.8 ml prefilled syringe		2	✓ Humira

## ⇒SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

#### 2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroguine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

#### 2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

#### 2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
- 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
- 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application** — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
  - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
  - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

#### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or

#### 2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
  - 2.2 Patient diagnosed with JIA; and
  - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
  - 2.5 Both:
    - 2.5.1 Either:
      - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
      - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
  - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease.

**Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum\*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with \* are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 Both:
  - 1.1 Either:
    - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD): or
    - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
    - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Fither:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal — (Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Either:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
    - 2.1.2 CDAI score is 150 or less; or
  - 2.2 Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
- 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:

Subsidy	F	ılly	Brand or	
(Manufacturer's Price)	Subsidis	sed	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
  - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

**Renewal — (adult-onset Still's disease)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OBINUTUZUMAB - PCT only - Specialist - Special Authority	see SA1627 on the	next page	
Inj 25 mg per ml, 40 ml vial	5,910.00	1	✓ Gazyva
Inj 1 mg for ECP	6.21	1 mg	✓ Baxter

Subsidy (Manufacturer's Price) \$ Per

Subsidised er

Fully

Brand or Generic Manufacturer

#### ⇒SA1627 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and</p>
- 4 Patient has adequate neutrophil and platelet counts\* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

\* Neutrophil  $\geq 1.5 \times 10^9 / L$  and platelets  $\geq 75 \times 10^9 / L$ .

OMALIZUMAB – Special Authority see SA1490 below – Retail pharmacy

Inj 150 mg vial ......500.00

✓ Xolair

## ⇒SA1490 Special Authority for Subsidy

**Initial application** only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated: and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month .

**Renewal** only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

PERTUZUMAB - PCT only - Specialist - Special Authority see SA1606 on the next page

Inj 30 mg per ml, 14 ml v	/ial3,927.00	1	✓ Perjeta
Ini 1 mg for ECP	9.82	1 mg	✓ Baxter

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

## **⇒SA1606** Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
  - 2.1 Patient is chemotherapy treatment naïve; or
  - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

#### RITUXIMAB - PCT only - Specialist - Special Authority see SA1655 below

<ul><li>Mabthera</li></ul>	2	Inj 100 mg per 10 ml vial1,075.50	
<ul><li>Mabthera</li></ul>	1	Inj 500 mg per 50 ml vial2,688.30	
✓ Baxter	1 mg	Inj 1 mg for ECP5.64	

#### **⇒SA1655** Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL or hairy cell leukaemia\* with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia\* requiring first-line systemic chemotherapy;
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. \*Hairy cell leukaemia includes hairy cell leukaemia variant \*Unapproved indication.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
  - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
  - 1.3 To be used for a maximum of 8 treatment cycles: or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
  - 3.1 The patient is chemotherapy treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
    - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient does not have chromosome 17p deletion CLL; and
- 6 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles; and
- 7 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia\* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. \*Hairy cell leukaemia includes hairy cell leukaemia variant \*Unapproved indication.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had a rituximab treatment-free interval of 36 months or more; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial	770.57	1	✓ Sylvant
Ini 400 mg vial	3.082.33	1	✓ Svlvant

## ⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TDACTUZUMAAD	DOT	::	Connected Audio		A 4 COO   b = l =
TRASTUZUMAB	- PGT 0011V - 3	Decialist –	Special Autri	only see 5	A rosz below

Inj 150 mg vial	•	1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

#### ⇒SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
  - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
  - 2.2 Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
- 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
  - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
  - 3.2 All of the following:
    - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
    - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer: and
    - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

**Renewal — (metastatic breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
  - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

**Renewal — (early breast cancer\*)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
  - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
  - 3.2 Both:
    - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress whilst on lapatinib; or
  - 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 4 Either:
  - 4.1 Trastuzumab will not be given in combination with pertuzumab; or

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic
 \$	Per	✓	Manufacturer

continued...

- 4.2 All of the following:
  - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
  - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer: and
  - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: \* For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

## Programmed Cell Death-1 (PD-1) Inhibitors

		OLUMAB - PCT only - Specialist - Special Authority see SA1656 below	NI
Opdivo	1	Inj 10 mg per ml, 4 ml vial	
✓ Opdivo	1	Inj 10 mg per ml, 10 ml vial	
✓ Baxter	1 mg	Inj 1 mg for ECP27.62	

#### ⇒SA1656 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Fither:
  - 4.1 Patient has not received funded pembrolizumab; or
  - 4.2 Both:
    - 4.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
    - 4.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 5 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to < 10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB - PCT only - Specialist - Special A	uthority see SA1657 below		
Inj 50 mg vial	2,340.00	1	✓ Keytruda
Inj 1 mg for ECP	49.14	1 mg	✓ Baxter

#### ⇒SA1657 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
  - 4.1 Patient has not received funded nivolumab; or
  - 4.2 Both:
    - 4.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
    - 4.2.2 The cancer did not progress while the patient was on nivolumab; and
- 5 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

  Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version

  1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:
  - Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to < 10 mm.</li>
  - Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
  - Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
  - Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

## Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg	44.63	50	Neoral
Cap 50 mg	88.91	50	Neoral
Cap 100 mg	177.81	50	Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	Neoral
EVEROLIMUS - Special Authority see SA1491 below - Reta	ail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 5 mg	4,555.76	30	Afinitor
Tab 10 mg	6,512.29	30	✓ Afinitor

## ⇒SA1491 Special Authority for Subsidy

**Initial application** only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis; and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

**Renewal** only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Authority see SA0866 on the next page - Retail pharmacy

Tab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	✓ Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	✓ Rapamune

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✓ Manufacturer

## ⇒SA0866 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min: or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- · Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority se	e SA1540 below – Retail pharmacy
-----------------------------------	----------------------------------

Cap 0.5 mg	85.60	100	✓ Tacrolimus Sandoz
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer,			
page 220	428.00	50	✓ Tacrolimus Sandoz

## ⇒SA1540 Special Authority for Subsidy

**Initial application — (organ transplant)** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome\*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

## Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome\* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
  - 2.1 The patient is an adult with SRNS; and
  - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
  - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with \* are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

\*Three months or six months, as applicable, dispensed all-at-once

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

# **Antiallergy Preparations**

## Allergic Emergencies

ICATIBANT - Special Authority see SA1558 below - Retail pharmacy

Inj 10 mg per ml, 3 ml prefilled syringe.......2,668.00 1 ✓ Firazyr

#### ⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

## Allergy Desensitisation

#### **⇒SA1367** Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Maintenance kit - 6 vials 120 mcg freeze dried venom, with

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy

diluent	285.00	1 OP	✓ Venomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see SA	1367 above – R	etail pharma	су
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil \$29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil §29

## **Antihistamines**

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	✓ Zista
*‡ Oral liq 1 mg per ml		200 ml	✓ Histaclear
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	<ul><li>Histafen</li></ul>

	Subsidy		ully Brand or
	(Manufacturer's Pri	ice) Subsidis Per	ed Generic  Manufacturer
	<b>.</b>	Per	Manulacturer
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2.02	40	
	(8.40)		Polaramine
	1.01	20	
	(5.99)		Polaramine
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
FEXOFENADINE HYDROCHLORIDE			
* Tab 60 mg	434	20	
7 Tab 00 Hig	(11.53)	20	Telfast
* Tab 120 mg		30	Tellast
* Tab 120 Hig		30	Telfast
	(29.81)	10	Tellast
	4.74	10	Tolfoot
	(11.53)		Telfast
LORATADINE			
* Tab 10 mg	1.28	100	✓ Lorafix
* Oral liq 1 mg per ml	2.15	120 ml	✓ Lorfast
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg	1.78	50	✓ Allersoothe
* Tab 25 mg			✓ Allersoothe
*‡ Oral liq 1 mg per 1 ml			✓ Allersoothe
* Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a			✓ Hospira
	1 00 10.04	3	позрни
TRIMEPRAZINE TARTRATE			
Oral liq 30 mg per 5 ml		100 ml OP	
	(8.06)		Vallergan Forte
Inhalad Cartinastaraida			
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 50 mcg per dose	9.30	200 dose OP	✓ Qvar
Aerosol inhaler, 50 mcg per dose CFC-free			✓ Beclazone 50
Aerosol inhaler, 30 mcg per dose Or O-free	15.50		✓ Qvar
Aerosol inhaler, 100 mcg per dose CFC-free			✓ Beclazone 100
Aerosol inhaler, 100 mcg per dose CFC-free			✓ Beclazone 250
	22.01	200 dose OF	Beclazone 250
BUDESONIDE			_
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓ Pulmicort
			Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ Pulmicort
			Turbuhaler
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	✓ Pulmicort
, , <b></b>			Turbuhaler
ELLITICASONE			· · · · · · ·
FLUTICASONE Agreed inheler 50 mag par door	750	100 door OD	✓ Floair
Aerosol inhaler, 50 mcg per dose			
Aerosol inhaler, 50 mcg per dose CFC-free			✓ Flixotide
Powder for inhalation, 50 mcg per dose			✓ Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose	7.50		✓ Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose			✓ Floair
Aerosol inhaler, 125 mcg per dose CFC-free			✓ Flixotide
Aerosol inhaler, 250 mcg per dose			✓ Floair
Aerosol inhaler, 250 mcg per dose CFC-free			✓ Flixotide
Powder for inhalation, 250 mcg per dose	13.60	60 dose OP	✓ Flixotide Accuhaler

<sup>‡</sup> safety cap

<sup>▲</sup> Three months supply may be dispensed at one time once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy		Fully Brand or
	(Manufacturer's I	Price) Subsi	
	\$	Per	✓ Manufacturer
		-	
Inhaled Long-acting Beta-adrenoceptor Agonist	S		
EFORMOTEROL FUMARATE			
Powder for inhalation, 6 mcg per dose, breath activated	10.22	60 dose OP	
rowder for initialiation, officy per dose, breath activated		ou dose or	Oxis Turbuhaler
Decide for the letter 40 means and a condense decided	(16.90)	00 -1	Oxis Turbunaler
Powder for inhalation, 12 mcg per dose, and monodose device		60 dose	
	(35.80)		Foradil
INDACATEROL			
Powder for inhalation 150 mcg	61.00	30 dose OP	✓ Onbrez Breezhaler
Powder for inhalation 300 mcg		30 dose OP	✓ Onbrez Breezhaler
ŭ	01.00	00 d03C O1	• Olibicz Biecznaici
SALMETEROL			
Aerosol inhaler CFC-free, 25 mcg per dose	25.00	120 dose OP	✓ Serevent
Aerosol inhaler 25 mcg per dose	26.46	120 dose OP	✓ Meterol
Powder for inhalation, 50 mcg per dose, breath activated		60 dose OP	<ul> <li>Serevent Accuhaler</li> </ul>
Inhaled Corticosteroids with Long-Acting Beta-A	Adrenocept	or Agonists	
BUDESONIDE WITH EFORMOTEROL			
	10.00	100 dans OD	✓ Vannair
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg		120 dose OP	
Powder for inhalation 100 mcg with eformoterol fumarate 6 m	icg33.74	120 dose OP	✓ Symbicort
			Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 dose OP	✓ Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 m	cg44.08	120 dose OP	✓ Symbicort
· ·	Ü		Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate			
12 mcg – No more than 2 dose per day	44.00	60 dose OP	✓ Symbicort
12 mg - No more than 2 dose per day	44.00	ou dose or	Turbuhaler 400/12
			Turbunaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL			
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✓ Breo Ellipta
FLUTICASONE WITH SALMETEROL			•
	00.74	100 dans OD	/ Carratida
Aerosol inhaler 50 mcg with salmeterol 25 mcg		120 dose OP	✓ Seretide
	37.48		✓ RexAir
Aerosol inhaler 125 mcg with salmeterol 25 mcg		120 dose OP	✓ Seretide
	49.69		✓ RexAir
Powder for inhalation 100 mcg with salmeterol 50 mcg - No			
more than 2 dose per day	33.74	60 dose OP	✓ Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg - No			
more than 2 dose per day	44.00	60 dose OP	✓ Seretide Accuhaler
more than 2 dose per day	44.00	ou dose OF	• Seretide Accumater
Beta-Adrenoceptor Agonists			
Bota Adionocoptor Agomsto			
SALBUTAMOL			
‡ Oral liq 400 mcg per ml	2.06	150 ml	✓ Ventolin
Infusion 1 mg per ml, 5 ml	118 38	10	
indoton i mg pormi, o mi	(130.21)	10	Ventolin
Ini E00 mag nor ml. 1 ml Un to E ini available on a DCO	` ,	5	✓ Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	Э	• ventoim

	Subsidy (Manufacturer's P	Price) S Per	Fully Subsidised	Brand or Generic Manufacturer
Inhaled Beta-Adrenoceptor Agonists				
SALBUTAMOL Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO	3.80	200 dose (	✓	Respigen SalAir Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule - Up to 30 neb available on a PSO	3.19	20	1	<u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule - Up to 30 neb available on a PSO	3.29	20	✓	Asthalin
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose (	OP 🗸	Bricanyl Turbuhaler
Anticholinergic Agents				
IPRATROPIUM BROMIDE  Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dose available on a PSO  Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 nel available on a PSO  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 nel available on a PSO		200 dose 0 20 20	✓	Atrovent <u>Univent</u> Univent
Inhaled Beta-Adrenoceptor Agonists with Antich	nolinergic A	gents		
SALBUTAMOL WITH IPRATROPIUM BROMIDE  Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg podose CFC-free  Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSO.	12.19	200 dose (		Duolin HFA <u>Duolin</u>
Long-Acting Muscarinic Antagonists				
GLYCOPYRRONIUM – Subsidy by endorsement  a) Inhaled glycopyrronium treatment will not be subsidised if umeclidinium.  b) Glycopyrronium powder for inhalation 50 mcg per dose is having COPD using spirometry, and the prescription is en Powder for inhalation 50 mcg per dose	subsidised only dorsed accordin	for patients	who hav	
TIOTROPIUM BROMIDE — Special Authority see SA1568 below Tiotropium treatment will not be subsidised if patient is also re umeclidinium. Powder for inhalation, 18 mcg per dose	eceiving treatme		<b>✓</b>	haled glycopyrronium or Spiriva Spiriva Respimat

**⇒SA1568** Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

ubsidy cturer's Price) Subs	Fully	Brand or Generic
 \$ Per	•	Manufacturer

continued...

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV, (litres); and
- 4.2 Predicted FEV, (litres); and
- 4.3 Actual FEV, as a % of predicted (must be below 60%); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

**Renewal** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

## UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

# Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

#### ⇒SA1584 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL — Special Authority see SA1584 above — Retail pharmacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg.....81.00 30 dose OP ✓ Ultibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL — Special Authority see SA1584 above — Retail pharmacy

Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg ......81.00 60 dose OP Spiolto Respimat

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

#### **Antifibrotics**

PIRFENIDONE - Retail pharmacy-Specialist - Special Authority see SA1628 below

Cap 267 mg - Wastage claimable - see rule 3.3.2 on

#### ⇒SA1628 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis as confirmed by histology, CT or biopsy; and
- 2 Forced vital capacity is between 50% and 80% predicted; and
- 3 Pirfenidone is to be discontinued at disease progression (See Notes).

**Renewal — (idiopathic pulmonary fibrosis)** only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Pirfenidone is to be discontinued at disease progression (See Notes).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

# **Leukotriene Receptor Antagonists**

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg5.25	28	✓ Apo-Montelukast
Tab 5 mg5.50	28	✓ Apo-Montelukast
Tab 10 mg	28	✓ Apo-Montelukast

## ⇒SA1421 Special Authority for Subsidy

**Initial application** — (**Pre-school wheeze**) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

**Renewal** — (**Pre-school wheeze**) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

**Initial application** — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Subsidy		Fully	Brand or	
(Manufacturer's P	Price) Subsidised		Generic	
\$	Per	1	Manufacturer	

continued...

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

## **Mast Cell Stabilisers**

N	F	ח	0	C	R	O	M	Ш
I۷	ᆫ	$\boldsymbol{L}$	v	v	ıι	v	IVI	╙

Aerosol inhaler, 2 mg per dose CFC-free......28.07 112 dose OP ✓ Tilade

## SODIUM CROMOGLYCATE

Powder for inhalation, 20 mg per dose......26.35 ✓ Intal Spincaps 50 dose ✓ Intal Forte CFC Free 112 dose OP (Intal Spincaps Powder for inhalation, 20 mg per dose to be delisted 1 January 2018)

## Methylxanthines

#### **AMINOPHYLLINE**

* Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj available on a		
PSO118.25	5	DBL Aminophylline
THEOPHYLLINE		

*	Tab long-acting 250 mg	21.51	100	Nuelin-SR
*+	Oral lig 80 mg per 15 ml	15 50	500 ml	✓ Nuelin

## Mucolytics

DORNASE ALFA - Special Authority see SA0611 below - Retail pharmacy

Nebuliser soln, 2.5 mg per 2.5 ml ampoule......250.00 ✓ Pulmozyme

#### ⇒SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

#### SODIUM CHLORIDE

Not funded for use as a nasal drop.

90 ml OP Biomed

# **Nasal Preparations**

# Allergy Prophylactics

	Subsidy (Manufacturer's \$	Price) Subs	Fully Brand or idised Generic  Manufacturer
BUDESONIDE	<u> </u>		
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
1 7/ 01	(5.26)		<b>Butacort Aqueous</b>
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	
	(6.00)		Butacort Aqueous
FLUTICASONE PROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	✓ Flixonase Hayfever  & Allergy
PRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	4.61	15 ml OP	✓ Univent
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			
Small	2.20	1	✓ e-chamber Mask
PEAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range	9.54	1	✓ Mini-Wright AFS
			Low Range
Normal range	9.54	1	✓ Mini-Wright
			<u>Standard</u>
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO	0.05		A seal and sea Tour
220 ml (single patient)		1	<ul> <li>✓ e-chamber Turbo</li> <li>✓ e-chamber La</li> </ul>
510 ml (single patient)	5.12	ı	✓ e-cnamper La Grande
800 ml	6.50	1	✓ Volumatic

**CAFFEINE CITRATE** Oral liq 20 mg per ml (10 mg base per ml)......14.85 ✓ Biomed 25 ml OP

	Subsidy		Fully Brand or	
	(Manufacturer's F	Price) Subs	idised Generic	
	\$	Per	✓ Manufacturer	
Ear Preparations				
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BI				
		000		
For Vosol ear drops with hydrocortisone powder refer Stand	ard Formulae, pa	age 223		
Ear drops 2% with 1, 2-Propanediol diacetate 3% and				
benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol	
FLUMETASONE PIVALATE				
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locacorten-Viaf	
Ear drops 0.02 % with choquinor 1%	4.40	7.5 IIII OF		OHH
			ED's	
			<ul><li>Locorten-Viofor</li></ul>	m
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTA	TIN		
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate				
	5.40	7.5	/ W	
2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	<ul><li>Kenacomb</li></ul>	
Ear/Eye Preparations				
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN				
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and				
gramicidin 50 mcg per ml	4.50	8 ml OP		
g. a	(9.27)	o o .	Sofradex	
	(0.27)		Oonaaox	
FRAMYCETIN SULPHATE				
Ear/Eye drops 0.5%	4.13	8 ml OP		
	(8.65)		Soframycin	
Eye Preparations				
_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Eye preparations are only funded for use in the eye, unless expl	icitly stated other	wise.		
	only oration only			
Anti-Infective Preparations				
·				
ACICLOVIR				
* Eye oint 3%	14.92	4.5 g OP	✓ ViruPOS	
CHLORAMPHENICOL		- 3 -		
	0.40	4 00	/ Oblamata	
Eye oint 1%		4 g OP	✓ Chlorsig	
Eye drops 0.5%	0.98	10 ml OP	Chlorafast	
Funded for use in the ear*.				
Indications marked with * are Unapproved Indications.				
CIPROFLOXACIN				
Eye Drops 0.3%	10.42	5 ml OP	✓ Ciloxan	
For treatment of bacterial keratitis or severe bacterial co	nijuricuvitis resisi	iani io chioramp	nieriicoi.	
FUSIDIC ACID				
Eye drops 1%	4.50	5 g OP	✓ Fucithalmic	
,		3 -		
GENTAMICIN SULPHATE	44.40	E! OD	. Comercial	
Eye drops 0.3%	11.40	5 ml OP	Genoptic	
PROPAMIDINE ISETHIONATE				
* Eye drops 0.1%	2.97	10 ml OP		
,	(7.99)		Brolene	
T077.111/011	(1.00)		DIOIGIIG	
TOBRAMYCIN				
Eye oint 0.3%		3.5 g OP	✓ Tobrex	
Eye drops 0.3%	11.48	5 ml OP	✓ Tobrex	

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsid	ised	Generic
· · · · · ·	Dor	./	Manufacturor

Corticosteroids and Other Anti-Inflammatory Prep	parations		
DEXAMETHASONE			
* Eye oint 0.1%		3.5 g OP	✓ Maxidex
* Eye drops 0.1%	4.50	5 ml OP	✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMY	XIN B SULPH	IATE	
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin b			
sulphate 6,000 u per g	5.39	3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin			
b sulphate 6,000 u per ml	4.50	5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM			
* Eye drops 0.1%	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	3.09	5 ml OP	✓ FML
LEVOCABASTINE			<del></del>
Eye drops 0.5 mg per ml	8.71	4 ml OP	
7	(10.34)		Livostin
LODOXAMIDE	, ,		
Eye drops 0.1%	8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE			
Eye drops 1%	3 93	10 ml OP	✓ Prednisolone-AFT
PREDNISOLONE SODIUM PHOSPHATE – Special Authority see		– Hetall pharr 20 dose	nacy ✓ Minims
Eye drops 0.5%, single dose (preservative free)	30.50	20 00Se	Prednisolone
			FIEUIIISOIOIIE

## **⇒SA1547** Special Authority for Subsidy

SODIUM CROMOGLYCATE

**Initial application** only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Eye drops 2%0.85	5 ml OP	✓ Rexacrom
Glaucoma Preparations - Beta Blockers		
BETAXOLOL		
<b>*</b> Eye drops 0.25%	5 ml OP	✓ Betoptic S
<b>*</b> Eye drops 0.5%	5 ml OP	✓ Betoptic
LEVOBUNOLOL		
<b>*</b> Eye drops 0.5%	5 ml OP	✓ Betagan
TIMOLOL		•
* Eye drops 0.25%	5 ml OP	✓ Arrow-Timolol
Arrow-Timolol to be Sole Supply on 1 October 2017		
* Eye drops 0.25%, gel forming	2.5 ml OP	✓ Timoptol XE
<b>*</b> Eye drops 0.5%	5 ml OP	✓ Arrow-Timolol
Arrow-Timolol to be Sole Supply on 1 October 2017		
<b>*</b> Eye drops 0.5%, gel forming	2.5 ml OP	✓ Timoptol XE

	Subsidy (Manufacturer's F \$	Price) Subsi Per	Fully idised	Brand or Generic Manufacturer		
Glaucoma Preparations - Carbonic Anhydrase Inhibitors						
ACETAZOLAMIDE  * Tab 250 mg – For acetazolamide oral liquid formulation refepage 220  Diamox to be Sole Supply on 1 October 2017		100	<b>✓</b> Di	amox		
BRINZOLAMIDE  * Eye drops 1%	9.77	5 ml OP	✓ A:	opt		
DORZOLAMIDE HYDROCHLORIDE  * Eye drops 2%	9.77 (17.44)	5 ml OP	Tr	usopt		
DORZOLAMIDE WITH TIMOLOL  * Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ <u>A</u>	row-Dortim		
Glaucoma Preparations - Prostaglandin Analog	jues					
BIMATOPROST  * Eye drops 0.03%		3 ml OP	<b>√</b> <u>Bi</u>	matoprost Actavis		
* Eye drops 0.005%		2.5 ml OP 2.5 ml OP	✓ <u>H</u> y	<u>/site</u> avatan		
Glaucoma Preparations - Other						
BRIMONIDINE TARTRATE  * Eye drops 0.2%BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE	4.32	5 ml OP	✓ Ai	row-Brimonidine		
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ C	ombigan		
<ul> <li>* Eye drops 1%</li> <li>* Eye drops 2%</li> <li>* Eye drops 4%</li> <li>Subsidised for oral use pursuant to the Standard Formu</li> </ul>	5.35 7.99	15 ml OP 15 ml OP 15 ml OP	🗸 Is	opto Carpine opto Carpine opto Carpine		
* Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy	31.95	20 dose	<b>✓</b> M	nims Pilocarpine		
➤SA0895 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val Either: <ul> <li>1 Patient has to use an unpreserved solution due to an alle</li> </ul>			eting th	e following criteria:		
2 Patient wears soft contact lenses. Note: Minims for a general practice are considered to be "tools Renewal from any relevant practitioner. Approvals valid for 2 years benefiting from treatment.						
Mydriatics and Cycloplegics						
ATROPINE SULPHATE  * Eye drops 1%  Atropt to be Sole Supply on 1 October 2017	17.36	15 ml OP	✓ Ai	ropt		

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Subsi	idised	Generic
	\$	Per	1	Manufacturer
CYCLOPENTOLATE HYDROCHLORIDE				
* Eye drops 1%	8.76	15 ml OP	<b>√</b> C	cyclogyl
•			·	,
TROPICAMIDE	7.45	45 OD		L.d.J d
* Eye drops 0.5%		15 ml OP		lydriacyl
* Eye drops 1%	8.66	15 ml OP	<b>✓</b> N	lydriacyl
Preparations for Tear Deficiency				
For acetylcysteine eye drops refer Standard Formulae, page 223	3			
HYPROMELLOSE	2.22	45 100		
* Eye drops 0.5%		15 ml OP		
	(3.92)		N	lethopt
HYPROMELLOSE WITH DEXTRAN				
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	<b>√</b> P	oly-Tears
POLYVINYL ALCOHOL				•
	2.62	15 ml OP	<b>√</b> ∨	ictil
* Eye drops 1.4%			_	
* Eye drops 3%	ა.ზ	15 ml OP	<b>▼</b> <u>V</u>	istil Forte

## **Preservative Free Ocular Lubricants**

## ⇒SA1388 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
  - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
  - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

**Renewal** from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

CARBOMER - Special Authority see SA1388 above - Retail ph	armacy				
Ophthalmic gel 0.3%, 0.5 g	8.25	30	✓ Poly-Gel		
MACROGOL 400 AND PROPYLENE GLYCOL - Special Authority see SA1388 above - Retail pharmacy					
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	4.30	24	Systane Unit Dose		
SODIUM HYALURONATE [HYALURONIC ACID] - Special Authority see SA1388 above - Retail pharmacy					
Eye drops 1 mg per ml	22.00	10 ml OP	✓ Hylo-Fresh		
Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per					
month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.					

# **Other Eye Preparations**

NAPHAZOLINE HYDROCHLORIDE  * Eye drops 0.1%	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%13.60	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin3.63	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT  * Eye oint 3% with wool fat 3%	3.5 g OP	✓ Poly-Visc

# SENSORY ORGANS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

### **Various**

#### PHARMACY SERVICES

May only be claimed once per patient.

The Pharmacode for BSF Apo-Paroxetine is 2523930 - see also page 134

(BSF Apo-Paroxetine Brand switch fee to be delisted 1 October 2017)

### **Agents Used in the Treatment of Poisonings**

### Antidotes

ACETYLCYSTEINE - Retail pharmacy-Specialist		
Inj 200 mg per ml, 10 ml ampoule78.34	10	✓ DBL Acetylcysteine
NALOVONE UVDDOOUL ODDE		

#### NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO
- b) Only on a PSO

### Removal and Elimination

#### CHARCOAL

*	Oral lig 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X
---	--------------------------	-------	-----------	---------------

- a) Up to 250 ml available on a PSO
- b) Only on a PSO

#### DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

rab 125 mg dispersible	2/6.00	28	✓ Exjade
Tab 250 mg dispersible	552.00	28	Exjade
Tab 500 mg dispersible	1,105.00	28	✓ Exjade

#### ⇒SA1492 Special Authority for Subsidy

**Initial application** only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
  - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2\*; or

070 00

/ Fullada

- 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
- 3.3 Treatment with deferiprone has resulted in arthritis; or
- 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 1.0 cells per μL).</p>

**Renewal** only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels.

### **VARIOUS**

	Subsidy (Manufacturer's Pric \$	e) Subs Per	Fully idised	Brand or Generic Manufacturer	
DEFERIPRONE - Special Authority see SA1480 below - Retail	pharmacy				
Tab 500 mg	533.17	100	<b>√</b> F	erriprox	
Oral liq 100 mg per 1 ml	266.59	250 ml OP	<b>✓</b> F	erriprox	

### ⇒SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESILATE	
--------------------------	--

* Inj 500 mg vial	51.52	10	✓ Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium Versenate

### INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- · Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

### Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- · Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- . Emulsifying ointment BP
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- · Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- · Sulphur precipitated powder

**Standard formulae:** Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

### EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS



### **Explanatory notes**

### **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored. The Emixt website <a href="www.pharminfotech.co.nz">www.pharminfotech.co.nz</a> has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

#### Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml
Allopurinol 20 mg/ml
Amlodipine 1 mg/ml
Azathioprine 50 mg/ml
Baclofen 10 mg/ml
Baclofen 10 mg/ml

Flecainide 20 mg/ml
Gabapentin 100 mg/ml
Hydrocortisone 1 mg/ml
Labetolol 10 mg/ml
Levetiracetam 100 mg/ml

Carvedilol 1 mg/ml Levodopa with carbidopa (5 mg levodopa Clopidogrel 5 mg/ml + 1.25 mg carbidopa)/ml

Diltiazem hydrochloride 12 mg/ml
Dipyridamole 10 mg/ml
Domperidone 1 mg/ml
Metoprolol tartrate 10 mg/ml
Nitrofurantoin 10 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

Rifabutin 20 mg/ml Sildenafil 2 mg/ml Sotalol 5 mg/ml

Sulphasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml

Tramadol 10 mg/ml Ursodeoxycholic acid 50 mg/ml Valganciclovir 60 mg/ml\*

Verapamil hydrochloride 50 mg/ml

#### \*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl
  hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is
  added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

### EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.


Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 219) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products). One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid. The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised. The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

## Dermatological ECPs

Is it subsidised?



Omeprazole capules or powder

Sodium bicarbonate powder BP

Water

Standard Formulae			
ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs	PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg Chloroform	12 tabs to 100 ml	PHENOBARBITONE SODIUM PAEDIATRIC ORAL mg per ml)	LIQUID (10
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Codeine phosphate Glycerol Preservative Water	60 mg 40 ml qs to 100 ml	Phenobarbitone Sodium Glycerol BP Water  PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops	400 mg 4 ml to 40 ml
CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Codeine phosphate Glycerol Preservative Water	300 mg 40 ml qs to 100 ml	Preservative Water (Preservative should be used if quantity supplied is than 5 days.) SALIVA SUBSTITUTE FORMULA	qs to 500 ml for more
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water	1 tab qs to 500 ml	Methylcellulose Preservative Water (Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	5 g qs to 500 ml for more
(Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.) MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% Methyl hydroxybenzoate Water	275 g	SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml Water (Only funded if prescribed for treatment of hyponatra ) VANCOMYCIN ORAL SOLUTION (50 mg per ml) Vancomycin 500 mg injection	qs qs aemia) 10 vials
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml	Glycerol BP Water (Only funded if prescribed for treatment of Clostridiu following metronidazole failure)	40 ml to 100 ml
METHYL HYDROXYBENZOATE 10% SOLUTION Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of oral liqu	10 g to 100 ml id mixture)	VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml
OMEPRAZOLE SUSPENSION			

qs 8.4 g to 100 ml

### **EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS**

	0.1.1.1.1.		E. Il.	Dunad au
	Subsidy	۰. ۰.	Fully	Brand or
	(Manufacturer's Price \$	Per	sidised	Generic Manufacturer
	Ψ	1 01		Warranacturer
<b>Extemporaneously Compounded Preparations</b>	and Galenicals			
BENZOIN	04.40	500 ····l		
Tincture compound BP		500 ml		Dhawaran I laalib
	(39.90)	FO I		Pharmacy Health
	2.44	50 ml		Dhawaran I laalib
	(5.10)			Pharmacy Health
CHLOROFORM – Only in combination				
Only in aspirin and chloroform application.				
Chloroform BP	25.50	500 ml	•	PSM
CODEINE PHOSPHATE - Safety medicine; prescriber may dete	ermine dispensing fr	equency		
Powder – Only in combination	63.09	25 g		
	(90.09)			Douglas
<ul> <li>a) Only in extemporaneously compounded codeine line</li> </ul>	tus diabetic or code	ine linctus p	oaediat	ric.
b)‡ Safety cap for extemporaneously compounded oral	liquid preparations.			
COLLODION FLEXIBLE				
Collodion flexible	19.30	100 ml	1	PSM
COMPOUND HYDROXYBENZOATE - Only in combination				
,				
Only in extemporaneously compounded oral mixtures.  Soln	30.00	100 ml	1	Midwest
3011	34.18	100 1111		David Craig
			•	David Craig
GLYCERIN WITH SODIUM SACCHARIN - Only in combination	l			
Only in combination with Ora-Plus.				
Suspension	32.50	473 ml	•	Ora-Sweet SF
GLYCERIN WITH SUCROSE - Only in combination				
Only in combination with Ora-Plus.				
Suspension	32.50	473 ml		Ora-Sweet
GLYCEROL				
* Liquid – Only in combination	3.28	500 ml	1	healthE Glycerol BP
a) Only in extemporaneously compounded oral liquid p				•
b) healthE Glycerol BP to be Sole Supply on 1 October	2017			
MAGNESIUM HYDROXIDE				
Paste 29%	22.61	500 g	1	PSM
METHADONE HYDROCHLORIDE		ooo g		. •
a) Only on a controlled drug form     b) No neticet on payment payable				
<ul><li>b) No patient co-payment payable</li><li>c) Safety medicine; prescriber may determine dispensing fr</li></ul>	oguonov			
d) Extemporaneously compounded methadone will only be		ata of the ch	naanac	t form available
(methadone powder, not methadone tablets).	reinibursed at the ra	ile oi ilie ci	icapes	t lottii avallable
Powder	7.84	1 g	1	AFT
‡ Safety cap for extemporaneously compounded oral liqu		ı y	•	AI I
	ia preparations.			
METHYL HYDROXYBENZOATE	0.00	05	,	DOM
Powder		25 g		PSM Midweet
	8.98		•	Midwest
METHYLCELLULOSE			_	
Powder		100 g		MidWest
Suspension – Only in combination	32.50	473 ml		Ora-Plus

### EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully Brand or
	(Manufacturer's Pri		sidised Generic
	\$	Per	✓ Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	ARIN - Only in co	ombination	
Suspension	32.50	473 ml	✓ Ora-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	y in combination		
Suspension	32.50	473 ml	✓ Ora-Blend
PHENOBARBITONE SODIUM			
Powder - Only in combination	52.50	10 g	✓ MidWest
,	325.00	100 g	✓ MidWest
a) Only in children up to 12 years		-	
b)‡ Safety cap for extemporaneously compounded oral li	quid preparations	<b>5.</b>	
PROPYLENE GLYCOL			
Only in extemporaneously compounded methyl hydroxybenzo	nate 10% solution	1.	
Liq		 500 ml	✓ Midwest
SODIUM BICARBONATE			
Powder BP — Only in combination	8 95	500 g	✓ Midwest
Towaci Bi Only in combination	9.80	300 g	• Midwest
	(29.50)		David Craig
Only in extemporaneously compounded omeprazole and		spension.	zana orang
SYRUP (PHARMACEUTICAL GRADE) – Only in combination	•	•	
Only in extemporaneously compounded oral liquid preparatio	ns		
Liq		2.000 ml	✓ Midwest
WATER		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	0.00	1 ml	✓ Tan water
Tap - Only in combination	0.00	1 1111	✓ Tap water

### **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, quidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the Conditions and Guidelines for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Only from a dietitian, relevant specialist or a vocationally registered general Reapplications:

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or vocationally registered

general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### Definitions

Failure to thrive An inability to gain or maintain weight resulting in physiological impairment. Growth deficiency

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

### **Nutrient Modules**

### Carbohydrate

### ⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Fither:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism: or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### **Carbohydrate And Fat**

### **⇒SA1376** Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or
  - 2.2 faltering growth; or
  - 2.3 bronchopulmonary dysplasia; or
  - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

#### Fat

#### **⇒SA1523** Special Authority for Subsidy

**Initial application — (Inborn errors of metabolism)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

**Initial application — (Indications other than inborn errors of metabolism)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome: or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or

- 10 ascites: or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml	4 OP	✓ Liquigen

### **Protein**

#### ⇒SA1524 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT	- Special Authority see SA1524 above	e – Hospital pharmacy [HP3]

Powder	 7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
			Beneprotein

Subsidy (Manufacturer's Price) Fully Subsidised Brand or Generic Manufacturer

Sustagen Diabetic

### Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

### **Respiratory Products**

### ⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### Diabetic Products

### ⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3] 1.000 ml OP ✓ Diason RTH ✓ Glucerna Select **RTH** DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3] ✓ Diasip 200 ml OP Liquid (strawberry).......1.50 200 ml OP ✓ Diasip 250 ml OP ✓ Glucerna Select 1 88 237 ml OP 1.78 (2.10)Resource Diabetic

(2.10)



Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

### Fat Modified Products

### ⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism: or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 above - Hospital pharmacy [HP3]

400 a OP Monogen

### Paediatric Products For Children Awaiting Liver Transplant

### ⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

400 a OP ✓ Heparon Junior

### Paediatric Products For Children With Chronic Renal Failure

### ⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

\$	Per	/	Manufacturer
(Manufacturer's Price)		Subsidised	Generic
Subsidy		Fully	Brand or

ENTERAL/ORAL FEED 1KCAL/ML − Special Authority see SA1099 on the previous page − Hospital pharmacy [HP3] Liquid.......54.00 400 q OP ✓ Kindergen

### **Paediatric Products**

#### ⇒SA1379 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
  - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
  - 2.2 any condition causing malabsorption; or
  - 2.3 faltering growth in an infant/child; or
  - 2.4 increased nutritional requirements; or
  - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1379 above - Hospital pharmacy [HP3] Liquid	TH
PAEDIATRIC ENTERAL FEED 1KCAL/ML − Special Authority see SA1379 above − Hospital pharmacy [HP3] Liquid	
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML − Special Authority see SA1379 above − Hospital pharmacy Liquid	
PAEDIATRIC ORAL FEED − Special Authority see SA1379 above − Hospital pharmacy [HP3] Powder (vanilla)28.00 850 g OP  ✓ Pediasure	
PAEDIATRIC ORAL FEED 1.5KCAL/ML − Special Authority see SA1379 above − Hospital pharmacy [HP3] Liquid (strawberry)	
PAEDIATRIC ORAL FEED 1KCAL/ML − Special Authority see SA1379 above − Hospital pharmacy [HP3] Liquid (chocolate)	
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1379 above – Hospital pharmacy [HP Liquid (chocolate)	e e

400 a OP

Peptamen Junior

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidis	sed	Generic
\$	Per	✓	Manufacturer

### **Renal Products**

### ⇒SA1101 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML - Special Authority se Liquid		Hospital pharm 500 ml OP	
RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA Liquid		pital pharmacy 220 ml OP	[HP3]  ✓ Nepro HP  (strawberry)  ✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA1	101 above – Hospi	tal pharmacy [H	HP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	✓ Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✓ Renilon 7.5

### **Specialised And Elemental Products**

### SA1377 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's P \$		Fully Brand or dised Generic Manufacturer
ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Aut [HP3] Powder	,	7 on the previou 76 g OP	us page – Hospital pharmacy  Alitraq
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Spepharmacy [HP3] Liquid	-	e SA1377 on the	e previous page – Hospital  Vital
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	orevious page – 18 OP 18 OP 18 OP	Hospital pharmacy [HP3]  ✓ Elemental 028 Extra  ✓ Elemental 028 Extra  ✓ Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see S Powder (unflavoured)	4.50	80 g OP	✓ Vivonex TEN
[HP3] Liquid	12.04	1,000 ml OP	✓ Peptisorb

### Paediatric Products For Children With Low Energy Requirements

### **⇒SA1196** Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### Standard Supplements

### ⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:

Subsidy (Manufacturer's Price)	9	Fully Subsidised	Brand or Generic	
(Manuacture 31 noe)	Per	√ v	Manufacturer	

- 2.1 The patient has a condition causing malabsorption; or
- 2.2 The patient has failure to thrive; or
- 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

**Initial application** — **(Adults)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m<sup>2</sup>; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
  - 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
  - 2 Any of the following:



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m<sup>2</sup>; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m<sup>2</sup> and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant: and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

**Initial application** — (**Long-term medical condition**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	✓	Manufacturer	

- 3 Liver disease: or
  - 4 Chronic Renal failure; or
  - 5 Inflammatory bowel disease; or
  - 6 Chronic obstructive pulmonary disease with hypercapnia; or
  - 7 Short bowel syndrome; or
  - 8 Bowel fistula; or
  - 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm3); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions

9 Severe chronic neurological conditions.			
ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on pa	•	Hospital pharmac 1,000 ml OP	,
ENTERAL FEED 1KCAL/ML - Special Authority see SA1554 on page	e <mark>234</mark> – Ho	spital pharmacy	[HP3]
Liquid	1.24	250 ml OP	Isosource Standard
	5.29	1,000 ml OP	✓ Isosource Standard RTH
			<ul><li>Nutrison Standard RTH</li></ul>
			✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML - Special Authority see Liquid		on page 234 – Ho 1,000 ml OP	ospital pharmacy [HP3]  Nutrison 800 Complete Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA	A1554 on <sub>I</sub>	page 234 – Hosp	ital pharmacy [HP3]
Liquid	5.29	1,000 ml OP	<ul><li>Jevity RTH</li><li>Nutrison Multi Fibre</li></ul>
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see \$	SA1554 on	page 234 – Hos	pital pharmacy [HP3]
Liquid	1.75	250 ml OP	✓ Ensure Plus HN
	7.00	1,000 ml OP	<ul><li>Ensure Plus RTH</li></ul>
			Jevity HiCal RTH
			✓ Nutrison Energy Multi Fibre

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	/	Manufacturer

Formula

Formula

ORAL FEED (POWDER) - Special Authority see SA1554 on page 234 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 234 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml	(1120)		. отпогр
with Endorsement	0.72	200 ml OP	
With Endoisement		200 IIII OF	Ensure Plus
	(1.26)		Ensure Plus
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml with			
Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
	(1.20)		i ortioip

Subsidy		Fully	Brand or	
(Manufacturer's Price)	5	Subsidised	Generic	
\$	Per	✓	Manufacturer	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 234 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with

English and the second of the	0.70	000   00	
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

### **High Calorie Products**

### ⇒SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 faltering growth in an infant/child; or
  - 1.3 increased nutritional requirements; or
  - 1.4 fluid restricted: and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

**Renewal — (Cystic fibrosis)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	pharmacy [HP3]	ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 above - Hospita
✓ Nutrison	500 ml OP	Liquid5.50
Concentrated		
✓ Two Cal HN RTH	1,000 ml OP	11.00

### **SPECIAL FOODS**

Su	ubsidy	Fully	Brand or
(Manufac	cturer's Price) Subs	idised	Generic
	\$ Per	1	Manufacturer

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

(1.90) Two Cal HN

### **Food Thickeners**

### ⇒SA1106 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

GLUTEN EREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3]

2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

#### ⇒SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

	2.81 1	.000 g OP
r Owder	(5.15)	Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Spe	cial Authority see SA1107 above - Hospital pha	rmacy [HP3]
Powder	3.93 1	,000 g OP
	(7.32)	NZB Low Gluten Bread Mix
	3.51	
	(10.87)	Horleys Bread Mix
GLUTEN FREE FLOUR - Special A	Authority see SA1107 above – Hospital pharmac	y [HP3]
Powder	5.62 2	,000 g OP
	(18.10)	Horleys Flour

	Subsidy (Manufacturer's Pr		Fully	Brand or Generic
	\$	Per	✓	Manufacturer
GLUTEN FREE PASTA - Special Authority see SA1107 on the	previous page - H	lospital pharm	nacy [HF	P3]
Buckwheat Spirals	2.00	250 g OP	• •	•
	(3.11)	_	0	)rgran
Corn and Vegetable Shells	2.00	250 g OP		
	(2.92)		0	)rgran
Corn and Vegetable Spirals	2.00	250 g OP		
	(2.92)		0	)rgran
Rice and Corn Lasagne Sheets	1.60	200 g OP		
	(3.82)		0	rgran)
Rice and Corn Macaroni	2.00	250 g OP		
	(2.92)		0	)rgran
Rice and Corn Penne	2.00	250 g OP		
	(2.92)		0	)rgran
Rice and Maize Pasta Spirals	2.00	250 g OP		
	(2.92)		0	)rgran
Rice and Millet Spirals	2.00	250 g OP		
	(3.11)		0	)rgran
Rice and corn spaghetti noodles	2.00	375 g OP		
	(2.92)		0	)rgran
Vegetable and Rice Spirals	2.00	250 g OP		
	(2.92)		0	)rgran
Italian long style spaghetti	2.00	220 g OP		
	(3.11)		0	)rgran

## ⇒SA1108 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or

Foods And Supplements For Inborn Errors Of Metabolism

- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

### **Supplements For Homocystinuria**

### **Supplements For MSUD**

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital pharmacy [HP3]

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

### **Supplements For PKU**

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Tabs	99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 36 g sachets	393.00	30	✓ PKU Anamix Junior
Infant formula	174.72	400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
, •,	320.00	-	✓ XP Maxamum
Powder (unflavoured)	221.00	500 g OP	✓ XP Maxamaid
	320.00	-	✓ XP Maxamum
Liquid (berry)	13.10	125 ml OP	✓ PKU Anamix Junior
			LQ
Liquid (orange)	13.10	125 ml OP	✓ PKU Anamix Junior
			LQ
Liquid (unflavoured)	13.10	125 ml OP	✓ PKU Anamix Junior
,			LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	✓ Easiphen Liquid
Liquid (juicy berries) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml	936.00	30 OP	✓ PKU Lophlex LQ 20
			•

### **Foods**

LOW PROTEIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

711 1 110 1 = 1111 7 10 171	openial right of or three on the provided page	i loopital priam	iaoy [i ii o]
Animal shapes	11.91	500 g OP	✓ Loprofin
Lasagne	5.95	250 g OP	✓ Loprofin
Low protein rice pasta	a11.91	500 g OP	✓ Loprofin
	5.95	250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11.91	500 g OP	✓ Loprofin

### Infant Formulae

#### For Premature Infants

### ⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:



Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither
  - 2.1 The infant has faltering growth (downward crossing of percentiles); or
  - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

### For Williams Syndrome

### ⇒SA1110 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA - Special Authority see SA1110 above - Hospital pharmacy [HP3]

Powder .......44.40 400 g OP ✓ Locasol

### **Gastrointestinal and Other Malabsorptive Problems**

AMINO ACID FORMULA - Special Authority see SA1219 below -	Hospital phar	macy [HP3]	
Powder	43.60	400 g OP	<ul> <li>Alfamino Junior</li> </ul>
	53.00		✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
		_	✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
,		· ·	✓ Neocate Advance

#### ⇒SA1219 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.



	(Manufacturer's Price	) Subs	sidised	Generic
	\$	Per	•	Manufacturer
EXTENSIVELY HYDROLYSED FORMULA - Special Authority	/ see SA1557 below -	Hospital p	harmacy	/ [HP3]
Powder	15.21 4	50 g OP	✓ A	ptamil Gold+ Pepti
				Junior

Subsidy

Fully

Brand or

### **⇒SA1557** Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Either:
    - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
    - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome: or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia: or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
  - 11.1 For step down from Amino Acid Formula; and
  - 11.2 The infant is currently receiving funded amino acid formula; and
  - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
  - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

### **Ketogenic Diet**

### **⇒SA1197** Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

**Renewal** only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

#### Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order CHLORPROMAZINE HYDROCHLORIDE **ADRENALINE** ✓ Inj 1 in 1,000, 1 ml ampoule......5 ✓ Tab 10 mg......30 ✓ Tab 25 mg......30 ✓ Inj 1 in 10,000, 10 ml ampoule......5 ✓ Tab 100 mg......30 **AMINOPHYLLINE** ✓ Inj 25 mg per ml, 10 ml ampoule.....5 **CIPROFLOXACIN** AMIODARONE HYDROCHLORIDE ✓ Inj 50 mg per ml, 3 ml ampoule.....5 ✓ Tab 250 mg – See note on page 100...... **AMOXICILLIN** ✓ Tab 500 mg – See note on page 100......5 ✓ Cap 250 mg......30 COMPOUND FLECTROLYTES ✓ Cap 500 mg......30 CONDOMS AMÓXICILLIN WITH CLAVULANIC ACID ✓ Tab 500 mg with clavulanic acid 125 mg......30 ✓ Grans for oral lig amoxicillin 25 mg with clavulanic ✓ Grans for oral lig amoxicillin 50 mg with clavulanic CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL Grans for oral liquid amoxicillin 50 mg with ✓ Tab 2 mg with ethinyloestradiol 35 mcg and clavulanic acid 12.5 mg per ml ......200 ml DEXAMETHASONE ✓ Tab dispersible 300 mg......30 ✓ Tab 0.5 mg – Retail pharmacy-Specialist ......60 ATROPINE SULPHATE ✓ Tab 4 mg – Retail pharmacy-Specialist ......30 ✓ Inj 600 mcg per ml, 1 ml ampoule.....5 DEXAMETHASONE PHOSPHATE **AZITHROMYCIN** ✓ Ini 4 mg per ml. 1 ml ampoule – See note on page 85 ...... 5 ✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 85 ......5 BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] ✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by BENZATHINE BENZYLPENICILLIN endorsement - See note on page 135 ......5 ✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe...... BENZATROPINE MESYLATE ✓ Rectal tubes 10 mg......5 ✓ Inj 1 mg per ml, 2 ml.......10 DICLOFENAC SODIUM BENZYLPENICILLIN SODIUM [PENICILLIN G] ✓ Inj 25 mg per ml, 3 ml ampoule......5 ✓ Suppos 50 mg......10 **BLOOD GLUCOSE DIAGNOSTIC TEST METER** DIGOXIN ✓ Meter with 50 lancets, a lancing device and ✓ Tab 62.5 mcg ......30 10 diagnostic test strips - Subsidy by ✓ Tab 250 mcg......30 endorsement - See note on page 26 ......1 DOXYCYCLINE BLOOD GLUCOSE DIAGNOSTIC TEST STRIP Tab 50 mg......30 ✓ Blood alucose test strips – See note on ✓ Tab 100 mg......30 **ERGOMETRINE MALEATE** BLOOD KETONE DIAGNOSTIC TEST METER ✓ Inj 500 mcg per ml, 1 ml ampoule.....5 ✓ Meter – See note on page 25......1 FRYTHROMYCIN FTHYL SUCCINATE **CEFTRIAXONE** ✓ Ini 500 mg vial – Subsidy by endorsement – See ✓ Tab 400 mg......20 ✓ Grans for oral liq 200 mg per 5 ml.......300 ml note on page 95......5 ✓ Inj 1 g vial – Subsidy by endorsement – See note FRYTHROMYCIN STEARATE on page 95......5 Tab 250 mg......30 CHARCOAL continued...

### PRACTITIONER'S SUPPLY ORDERS

(continued)	
ETHINYLOESTRADIOL WITH DESOGESTREL	HALOPERIDOL
Tab 20 mcg with desogestrel 150 mcg and 7 inert tab 84	✓ Tab 500 mcg30
Tab 30 mcg with desogestrel 150 mcg and 7 inert tab 84	✓ Tab 1.5 mg30
ETHINYLOESTRADIOL WITH LEVONORGESTREL	✓ Tab 5 mg30
✓ Tab 20 mcg with levonorgestrel 100 mcg and	✓ Oral liq 2 mg per ml200 ml
7 inert tab84	✓ Inj 5 mg per ml, 1 ml ampoule
✓ Tab 50 mcg with levonorgestrel 125 mcg and	HALOPERIDOL DECANOATE
7 inert tab84	Inj 50 mg per ml, 1 ml
Tab 30 mcg with levonorgestrel 150 mcg63	✓ Inj 100 mg per ml, 1 ml5
✓ Tab 30 mcg with levonorgestrel 150 mcg and	HYDROCORTISONE  ✓ Inj 100 mg vial5
7 inert tab84	HYDROXOCOBALAMIN
ETHINYLOESTRADIOL WITH NORETHISTERONE	✓ Inj 1 mg per ml, 1 ml ampoule6
✓ Tab 35 mcg with norethisterone 1 mg63	HYOSCINE N-BUTYLBROMIDE
✓ Tab 35 mcg with norethisterone 1 mg and 7 inert tab84	✓ Inj 20 mg, 1 ml5
✓ Tab 35 mcg with norethisterone 500 mcg63	INTRA-UTERINE DEVICE
✓ Tab 35 mcg with norethisterone 500 mcg and	✓ IUD 29.1 mm length × 23.2 mm width40
7 inert tab84	✓ IUD 33.6 mm length × 29.9 mm width40
FLUCLOXACILLIN	✓ IUD 35.5 mm length × 19.6 mm width40
✓ Cap 250 mg30	IPRATROPIUM BROMIDE
Grans for oral liq 25 mg per ml	✓ Aerosol inhaler, 20 mcg per dose CFC-free 400 dose
✓ Grans for oral liq 50 mg per ml200 ml	✓ Nebuliser soln, 250 mcg per ml, 1 ml ampoule40
✓ Inj 1 g vial10	✓ Nebuliser soln, 250 mcg per ml, 2 ml ampoule40
FLUPENTHIXOL DECANOATE	IVERMECTIN
✓ Inj 20 mg per ml, 1 ml5	✓ Tab 3 mg – See note on page 73100
✓ Inj 20 mg per ml, 2 ml	KETONE BLOOD BETA-KETONE ELECTRODES
✓ Inj 100 mg per ml, 1 ml5	✓ Test strip
FLUPHENAZINE DECANOATE	LEVONORGESTREL 24
✓ Inj 12.5 mg per 0.5 ml, 0.5 ml – Subsidy by	Tab 30 mcg
endorsement – See note on page 1455	✓ Tab 1.5 mg
✓ Inj 25 mg per ml, 1 ml – Subsidy by endorsement	LIDOCAINE [LIGNOCAINE]
- See note on page 1455	✓ Gel 2%, tube – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 2 ml – Subsidy by endorsement	note on page 128150 ml
- See note on page 145	✓ Gel 2%, 10 ml urethral syringe – Subsidy by
✓ Inj 100 mg per ml, 1 ml – Subsidy by endorsement – See note on page 1455	endorsement – See note on page 1285
	LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE
FUROSEMIDE [FRUSEMIDE]	✓ Inj 1%, 5 ml ampoule25
✓ Tab 40 mg	✓ Inj 2%, 5 ml ampoule5
, , , , , , , , , , , , , , , , , , , ,	✓ Inj 1%, 20 ml ampoule5
GLUCAGON HYDROCHLORIDE  ✓ Inj 1 mg syringe kit5	✓ Inj 1%, 20 ml vial5
	✓ Inj 2%, 20 ml ampoule5
GLUCOSE [DEXTROSE]	✓ Inj 2%, 20 ml vial5
✓ Inj 50%, 10 ml ampoule	LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE
✓ Inj 50%, 90 ml bottle	✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral
GLYCERYL TRINITRATE	syringes – Subsidy by endorsement – See
✓ Tab 600 mcg	note on page 1295 LOPERAMIDE HYDROCHLORIDE
✓ Oral spray, 400 mcg per dose	
	✓ Tab 2 mg
GLYCOPYRRONIUM BROMIDE  Ini 200 mgg per ml 1 ml ampoule	continued
✓ Inj 200 mcg per ml, 1 ml ampoule10	continued

MASK FOR SPACER DEVICE	(continued)			
MEDROXYPROGESTERONE ACETATE			PETHIDINE HYDROCHLORIDE	
✓ Inj 150 mg per ml, 1 ml syringe.         ✓ Inj 50 mg per ml, 2 ml ampoule — 0.5 ml controlled drug form.         ✓ Inj 50 mg per ml, 2 ml ampoule — 5.5 ml controlled drug form.         ✓ Inj 50 mg per ml, 2 ml ampoule — 5.5 ml controlled drug form.         ✓ Inj 50 mg per ml, 2 ml ampoule — 5.5 ml controlled drug form.         ✓ Cap 250 mg.         ✓ Cap 350 mg.         ✓ C	✓ Small – See note on page 211	20		
METOCLOPRAMIDE HYDROCHLORIDE  ✓ Inj 5 mg per mi, 2 ml ampoule  ✓ Tab 200 mg				5
✓ Inj 5 mg per ml, 2 ml ampoule         5           ✓ Inj 5 mg per ml, 2 ml ampoule         5           ✓ Tab 200 mg         30           ✓ Tab 200 mg         30           ✓ Inj 1 mg per ml, 5 ml plastic ampoule – See note on page 156.         10           ✓ Inj 1 mg per ml, 3 ml plastic ampoule – See note on page 156.         10           ✓ Inj 5 mg per ml, 3 ml plastic ampoule – See note on page 156.         5           MORPHINE SULPHATE         ✓ Inj 5 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ Inj 13 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           NALOXONE HYDROCHLORIDE         7         19	✓ Inj 150 mg per ml, 1 ml syringe	5		_
METRONIDAZOLE				5
METRONIDAZOLE         ✓ Cap 250 mg.         30           ✓ Tab 200 mg.         30           MIDAZOLAM         ✓ Grans for oral liq 250 mg per 5 ml.         200 ml           ✓ In j 1 mg per ml, 5 ml plastic ampoule – See note on page 156.         10           ✓ In j 5 mg per ml, 3 ml plastic ampoule – See note on page 156.         5           MORPHINE SULPHATE         5           ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 15 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 400 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 5 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 5 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ Patch 1 mg – See note on page 162.         28 <td>✓ Inj 5 mg per ml, 2 ml ampoule</td> <td>5</td> <td>,</td> <td></td>	✓ Inj 5 mg per ml, 2 ml ampoule	5	,	
Variety Country   Variety   Variety Country   Variety Country   Variety Country   Variety   Variety Country   Variety Country   Variety Country   Variety	METRONIDAZOLE			
MIDAZOLAM	✓ Tab 200 mg	30		
✓ In j 1 mg per ml, 5 ml plastic ampoule – See note on page 156.         10           ✓ In j 5 mg per ml, 3 ml plastic ampoule – See note on page 156.         10           ✓ In j 5 mg per ml, 3 ml plastic ampoule – See note on page 156.         5           MORPHINE SULPHATE         ✓ In j 5 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 15 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 40 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 50 mg per ml, 2 ml ampoule – Only on a controlled drug form.         5           ✓ In j 50 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 50 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 50 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 50 mg per ml, 1 ml m				
on page 156.	✓ Ini 1 mg per ml. 5 ml plastic ampoule – See note		, ,,	Ш
✓ Inj 5 mg per ml, 3 ml plastic ampoule — See note on page 156		10		_
on page 156.  MORPHINE SULPHATE  ✓ Inj 5 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 10 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule − Only on a controlled drug form.  ✓ Inj 400 mcg per ml, 1 ml ampoule.  ✓ Inj 400 mcg per ml, 1 ml ampoule.  ✓ Patch 7 mg − See note on page 162.  ✓ Patch 1 mg − See note on page 162.  ✓ Patch 2 mg − See note on page 162.  ✓ Patch 2 mg − See note on page 162.  ✓ Patch 2 mg − See note on page 162.  ✓ Patch 2 mg − See note on page 162.  ✓ Patch 2 mg − See note on page 162.  ✓ Patch 3 mg − See note on page 162.  ✓ Patch 3 mg − See note on page 162.  ✓ Patch 3 mg − See note on page 162.  ✓ Patch 3 mg − See note on page 162.  ✓ Patch 5 mg − See note on page 162.  ✓ Rum 4 mg (Fruit) − See note on page 162.  ✓ Rum 4 mg (Mint) − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Rum 4 mg (Mint) − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on page 162.  ✓ Tab 5 mg − See note on				
MORPHINE SULPHATE		5		5
✓ Inj 5 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.  ✓ Inj 30 mg per ml, 2 ml – Subsidy by endorsement – See note on page 146.  ✓ Oral lig 5 mg per ml – See note on page 85.  ✓ Oral lig 15 mg per ml – See note on page 85.  ✓ Oral lig 15 mg per ml – See note on page 85.  ✓ Oral lig 15 mg per ml – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 146.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 146.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 146.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 146.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 146.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 182.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 182.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement – See note on page 85.  ✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement –				5
✓ Inj 10 mg per ml, 1 ml ampoule — Only on a controlled drug form.         ✓ Inj 15 mg per ml, 1 ml ampoule — Only on a controlled drug form.         ✓ Inj 50 mg per ml, 1 ml — Subsidy by endorsement         ✓ Inj 50 mg per ml, 1 ml — Subsidy by endorsement         ✓ Inj 50 mg per ml, 1 ml — Subsidy by endorsement         ✓ Inj 50 mg per ml, 1 ml — Subsidy by endorsement         ✓ Inj 50 mg per ml, 1 ml — Subsidy by endorsement         ✓ See note on page 146         ✓ Oral liq 5 mg per ml — See note on page 85           30 ml PREDNISONE         ✓ Tab 5 mg         ✓ Oral liq 5 mg per ml — See note on page 85           30 ml PREDNISONE         ✓ Tab 5 mg         ✓ Tab 5 mg         ✓ Oral liq 5 mg per ml — See note on page 85           30 ml PREDNISONE         ✓ Tab 5 mg         ✓ Tab 5 mg         ✓ Oral liq 5 mg per ml — See note on page 85           30 ml PREDNISONE         ✓ Tab 5 mg         ✓ Inj 11, 15 in 3.4 ml syringe         ✓ Tab 5 mg         ✓ Tab 5 mg         ✓ Tab 5 mg         ✓ See note on page 162				
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form	, , , ,	5		0
oontrolled drug form				
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form		5		5
Controlled drug form				
✓ Inj 30 mg per ml, 1 ml ampoule — Only on a controlled drug form.         PREDNISOLONE           ✓ Inj 400 mcg per ml, 1 ml ampoule.         5           ✓ Inj 400 mcg per ml, 1 ml ampoule.         5           ✓ Patch 7 mg — See note on page 162.         28           ✓ Patch 14 mg — See note on page 162.         28           ✓ Patch 21 mg — See note on page 162.         28           ✓ Patch 21 mg — See note on page 162.         28           ✓ Lozenge 1 mg — See note on page 162.         216           ✓ Lozenge 2 mg — See note on page 162.         216           ✓ Gum 2 mg (Fruit) — See note on page 162.         384           ✓ Gum 2 mg (Fruit) — See note on page 162.         384           ✓ Gum 4 mg (Fruit) — See note on page 162.         384           ✓ Gum 4 mg (Fruit) — See note on page 162.         384           ✓ Gum 4 mg (Fruit) — See note on page 162.         384           ✓ Gum 4 mg (Fruit) — See note on page 162.         384           ✓ Gum 4 mg (Fruit) — See note on page 162.         384           ✓ Tab 350 mcg.         4           ✓ Tab 5 mg.         30           OXYTOCIN         4           ✓ Inj 5 in in per ml, 1 ml ampoule.         5           ✓ Inj 5 in per ml, 1 ml ampoule.         5           ✓ Inj 5 in with ergometrine maleate 500 mcg per ml, 1 ml. </td <td></td> <td>5</td> <td></td> <td>5</td>		5		5
NALOXONE HYDROCHLORIDE   PREDNISONE				
NALOXONE HYDROCHLORIDE         ✓ Tab 5 mg         30           NICOTINE         ✓ Tab 5 mg         30           ✓ Patch 7 mg – See note on page 162.         28         ✓ Cassette         200 test           ✓ Patch 14 mg – See note on page 162.         28         ✓ Record 14 mg – See note on page 162.         28           ✓ Patch 21 mg – See note on page 162.         28         ✓ Inj 1.5 g in 3.4 ml syringe         5           ✓ Lozenge 1 mg – See note on page 162.         216         ✓ PROCHLORPERAZINE         ✓ Tab 5 mg         30           ✓ Lozenge 2 mg – See note on page 162.         384         ✓ Tab 5 mg         30           ✓ Gum 2 mg (Fruit) – See note on page 162.         384         ✓ Inj 12.5 mg per ml, 1 ml.         5           ✓ Gum 4 mg (Fruit) – See note on page 162.         384         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Gum 4 mg (Mint) – See note on page 162.         384         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30         SALBUTAMOL         ✓ Inj 500 mcg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30         Nebuliser soln, 1 mg per ml, 2.5 ml ampoule         30           ✓ Tab 5 mg         30         Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         2.5 ml ampoule	controlled drug form	5	✓ Oral lig 5 mg per ml – See note on page 8530	ml
NICOTINE         Patch 7 mg - See note on page 162	NALOXONE HYDROCHLORIDE		PREDNISONE	
NICOTINE       ✓ Patch 7 mg – See note on page 162.       28         ✓ Patch 14 mg – See note on page 162.       28         ✓ Patch 21 mg – See note on page 162.       28         ✓ Patch 21 mg – See note on page 162.       28         ✓ Lozenge 1 mg – See note on page 162.       216         ✓ Lozenge 2 mg – See note on page 162.       216         ✓ Gum 2 mg (Fruit) – See note on page 162.       384         ✓ Gum 2 mg (Mint) – See note on page 162.       384         ✓ Gum 4 mg (Fruit) – See note on page 162.       384         ✓ Gum 4 mg (Mint) – See note on page 162.       384         ✓ Gum 4 mg (Mint) – See note on page 162.       384         ✓ Tab 350 mcg.       384         ✓ Tab 350 mcg.       384         ✓ Tab 5 mg.       30         OXYTOCIN       4 Aerosol inhaler, 100 mcg per ml, 2.5 ml ampoule.       30         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule.       30         OXYTOCIN WITH ERGOMETRINE MALEATE       Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule.       30         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml.       5       19 in 8.4%, 50 ml.       5         OY Tal liq 120 mg per 5 ml.       200 ml       5         ✓ Oral liq 120 mg per 5 ml.       200 ml       10 ml	✓ Inj 400 mcg per ml, 1 ml ampoule	5	✓ Tab 5 mg	.30
✓ Patch 7 mg — See note on page 162.         28         ✓ Cassette.         200 test           ✓ Patch 14 mg — See note on page 162.         28         ✓ Patch 21 mg — See note on page 162.         28           ✓ Lozenge 1 mg — See note on page 162.         216         ✓ Lozenge 2 mg — See note on page 162.         216           ✓ Lozenge 2 mg — See note on page 162.         216         ✓ Tab 5 mg.         30           ✓ Gum 2 mg (Fruit) — See note on page 162.         384         ✓ Inj 12.5 mg per ml, 1 ml.         5           ✓ Gum 4 mg (Fruit) — See note on page 162.         384         ✓ Inj 25 mg per ml, 2 ml ampoule.         5           ✓ Gum 4 mg (Mint) — See note on page 162.         384         ✓ Inj 50 mcg per ml, 2 ml ampoule.         5           ✓ Tab 5 mg.         30         ✓ Aerosol inhaler, 100 mcg per dose CFC         free.         1000 dose           ✓ Tab 5 mg.         30         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           ✓ Inj 5 iu per ml, 1 ml ampoule.         5         Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule.         30           ✓ Nebuliser soln, 2.5 mg per vial, 2.5 ml ampoule.         30         ✓ Oral liq 120 mg per 5 ml.         5           ✓ Tab 500 mg - blister pack.         30         ✓ Inj 8.4%, 50 ml.         5           ✓ Oral liq 1250 mg per				
✓ Patch 14 mg – See note on page 162         28         ✓ Patch 21 mg – See note on page 162         28         ✓ Inj 1.5 g in 3.4 ml syringe         5           ✓ Lozenge 1 mg – See note on page 162         216         ✓ Tab 5 mg         30           ✓ Gum 2 mg (Fruit) – See note on page 162         384         ✓ Inj 12.5 mg per ml, 1 ml         5           ✓ Gum 4 mg (Fruit) – See note on page 162         384         ✓ ROMETHAZINE HYDROCHLORIDE         ✓ Inj 25 mg per ml, 2 ml ampoule         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30         ✓ Aerosol inhaler, 100 mcg per dose CFC         ✓ Aerosol inhaler, 100 mcg per dose CFC         ✓ Aerosol inhaler, 100 mcg per ml, 2.5 ml ampoule         30           ✓ NYTOCIN         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         20           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         30           ✓ Tab 500 mg - blister pack         30         ✓ Inj 8.4%, 50 ml         5           ✓ Tab 500 mg per 5 ml         200 ml         ✓ Inj 9		28		est
✓ Patch 21 mg − See note on page 162.         28           ✓ Lozenge 1 mg − See note on page 162.         216           ✓ Lozenge 2 mg − See note on page 162.         216           ✓ Gum 2 mg (Fruit) − See note on page 162.         384           ✓ Gum 4 mg (Fruit) − See note on page 162.         384           ✓ Gum 4 mg (Fruit) − See note on page 162.         384           ✓ Roun 4 mg (Mint) − See note on page 162.         384           ✓ Roun 4 mg (Mint) − See note on page 162.         384           ✓ Roun 4 mg (Mint) − See note on page 162.         384           ✓ Roun 4 mg (Mint) − See note on page 162.         384           ✓ Roun 4 mg (Mint) − See note on page 162.         384           ✓ NORETHISTERONE         ✓ Inj 500 mcg per ml, 2 ml ampoule.         5           ✓ Tab 5 mg.         30           OXYTOCIN         ✓ Aerosol inhaler, 100 mcg per dose CFC         free.         1000 dose           ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule.         30           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule.         20           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml.         5         Inj 8.4%, 50 ml.         5           ✓ Tab 500 mg - blister pack.         30         Inj 8.4%, 50 ml.         5           ✓ Tab 500 mg per 5 ml.	, ,			
✓ Lozenge 1 mg - See note on page 162         216         ✓ Lozenge 2 mg - See note on page 162         216         ✓ Tab 5 mg         30           ✓ Gum 2 mg (Fruit) - See note on page 162         384         ✓ Inj 12.5 mg per ml, 1 ml         5           ✓ Gum 4 mg (Fruit) - See note on page 162         384         ✓ Inj 12.5 mg per ml, 1 ml         5           ✓ Gum 4 mg (Fruit) - See note on page 162         384         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Gum 4 mg (Mint) - See note on page 162         384         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Gum 4 mg (Mint) - See note on page 162         384         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Gum 4 mg (Mint) - See note on page 162         384         ✓ Inj 350 mcg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30         ✓ Aerosol inhaler, 100 mcg per dose CFC         free         1000 dose           ✓ Tab 5 mg         30         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 1 ml         30         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         0.5 mg per vial, 2.5 ml ampoule         ✓ Inj 8.4%, 50 ml         5				5
✓ Gum 2 mg (Fruit) — See note on page 162         384           ✓ Gum 2 mg (Mint) — See note on page 162         384           ✓ Gum 4 mg (Fruit) — See note on page 162         384           ✓ Gum 4 mg (Mint) — See note on page 162         384           ✓ Gum 4 mg (Mint) — See note on page 162         384           ✓ Roum 4 mg (Mint) — See note on page 162         384           ✓ NORETHISTERONE         ✓ Inj 500 mcg per ml, 2 ml ampoule         5           ✓ Tab 350 mcg         84           ✓ Tab 5 mg         30           OXYTOCIN         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule         30           ✓ Inj 5 iu per ml, 1 ml ampoule         5           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml         5           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         20           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         5           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         5           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         5           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         5           ✓ Oral liq 120 mg per 5 ml         200 ml         5 <td></td> <td></td> <td></td> <td></td>				
✓ Gum 2 mg (Mint) – See note on page 162.         384           ✓ Gum 4 mg (Fruit) – See note on page 162.         384           ✓ Gum 4 mg (Mint) – See note on page 162.         384           ✓ Roum 4 mg (Mint) – See note on page 162.         384           ✓ NORETHISTERONE         ✓ Inj 500 mcg per ml, 2 ml ampoule.         5           ✓ Tab 350 mcg.         84           ✓ Tab 5 mg.         30           OXYTOCIN         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule.         30           ✓ Inj 5 iu per ml, 1 ml ampoule.         5           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml.         5           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule.         20           ✓ Doral liq 120 mg per 5 ml.         30         Inj 8.4%, 50 ml.         5           ✓ Oral liq 250 mg per 5 ml.         100 ml         Inj 8.4%, 100 ml         5           ✓ Inj 0.9%, bag – See note on page 53         5	✓ Lozenge 2 mg – See note on page 162	216		
✓ Gum 4 mg (Fruit) – See note on page 162         384           ✓ Gum 4 mg (Mint) – See note on page 162         384           ✓ Roum 4 mg (Mint) – See note on page 162         384           ✓ NORETHISTERONE         ✓ Inj 500 mcg per ml, 1 ml           ✓ Tab 350 mcg         84           ✓ Tab 5 mg         30           OXYTOCIN         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule         30           ✓ Inj 5 iu per ml, 1 ml ampoule         5           ✓ Inj 10 iu per ml, 1 ml ampoule         5           OXYTOCIN WITH ERGOMETRINE MALEATE         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide           OLYTOCIN WITH ERGOMETRINE MALEATE         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide           OLYTOCIN WITH ERGOMETRINE MALEATE         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide           OLYTOCIN WITH ERGOMETRINE MALEATE         ✓ Inj 8.4%, 50 ml           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml         5           ✓ Oral liq 120 mg per 5 ml         200 ml           ✓ Oral liq 120 mg per 5 ml         200 ml           ✓ Oral liq 250 mg per 5 ml         100 ml           ✓ Inj 0.9%, 5 ml ampoule – See note on page 53         5           ✓ Inj 0.9%, 5 ml ampoule – See note on page 53         5           ✓ Inj 0.9%, 5 ml ampoule – See note on page 53         5				5
✓ Gum 4 mg (Mint) – See note on page 162.       384       SALBUTAMOL         NORETHISTERONE       ✓ Inj 500 mcg per ml, 1 ml.       5         ✓ Tab 350 mcg       84       ✓ Aerosol inhaler, 100 mcg per dose CFC       free       1000 dose         ✓ Tab 5 mg       30       ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule       30         ✓ Inj 5 iu per ml, 1 ml ampoule       5       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30         ✓ Inj 10 iu per ml, 1 ml ampoule       5       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml.       5       SODIUM BICARBONATE         ✓ Inj 8.4%, 50 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       Inj 0.9%, bag – See note on page 53       2000 ml         ✓ Inj 0.9%, 5 ml ampoule – See note on page 53       5         ✓ Inj 0.9%, 5 ml ampoule – See note on page 53       5				_
NORETHISTERONE         ✓ Inj 500 mcg per ml, 1 ml.         5           ✓ Tab 350 mcg         84         ✓ Aerosol inhaler, 100 mcg per dose CFC           ✓ Tab 5 mg         30         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule         30           ✓ Inj 5 iu per ml, 1 ml ampoule         5         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Inj 10 iu per ml, 1 ml ampoule         5         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ OXYTOCIN WITH ERGOMETRINE MALEATE         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         20           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml.         5         SODIUM BICARBONATE         ✓ Inj 8.4%, 50 ml         5           ✓ Tab 500 mg - blister pack         30         ✓ Inj 8.4%, 50 ml         5           ✓ Oral liq 120 mg per 5 ml         200 ml         ✓ Inj 0.9%, bag - See note on page 53         2000 ml           ✓ Oral liq 250 mg per 5 ml         100 ml         ✓ Inj 0.9%, 5 ml ampoule - See note on page 53         5           ✓ Low range         10         ✓ Inj 0.9%, 10 ml ampoule - See note on page 53         5				5
✓ Tab 350 mcg       84         ✓ Tab 5 mg       30         OXYTOCIN       √ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule       30         ✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5       5         ✓ Tab 500 mg - blister pack       30       ✓ Inj 8.4%, 50 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag - See note on page 53       2000 ml         ✓ Inj 0.9%, 5 ml ampoule - See note on page 53       5         ✓ Inj 0.9%, 10 ml ampoule - See note on page 53       5	✓ Gum 4 mg (Mint) – See note on page 162	384		_
✓ Tab 5 mg       30         OXYTOCIN       ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule       30         ✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5       5         ✓ ARACETAMOL       ✓ Inj 8.4%, 50 ml       5         ✓ Tab 500 mg - blister pack       30       ✓ Inj 8.4%, 50 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag - See note on page 53       2000 ml         ✓ Inj 0.9%, 5 ml ampoule - See note on page 53       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule - See note on page 53       5				5
✓ Nato 3 fing       30         OXYTOCIN       ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule       30         ✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       20         MEDIUM BICARBONATE       ✓ Inj 8.4%, 50 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 53       2000 ml         ✓ Inj 0.9%, 5 ml ampoule – See note on page 53       5         ✓ Low range       10       Inj 0.9%, 10 ml ampoule – See note on page 53       5				
OXYTOCIN       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule	✓ Tab 5 mg	30		
✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soin, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule       0.5 mg per vial, 2.5 ml ampoule         SODIUM BICARBONATE       ✓ Inj 8.4%, 50 ml         ✓ Tab 500 mg - blister pack       30         ✓ Oral liq 120 mg per 5 ml       200 ml         ✓ Oral liq 250 mg per 5 ml       100 ml         PEAK FLOW METER       Inj 0.9%, bag - See note on page 53       2000 ml         ✓ Inj 0.9%, 10 ml ampoule - See note on page 53       5         ✓ Inj 0.9%, 10 ml ampoule - See note on page 53       5	OXYTOCIN			
✓ Inj 10 iu per ml, 1 ml ampoule	✓ Inj 5 iu per ml, 1 ml ampoule	5		00
OXYTOCIN WITH ERGOMETRINE MALEATE       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5         PARACETAMOL       ✓ Inj 8.4%, 50 ml       5         ✓ Tab 500 mg - blister pack       30       ✓ Inj 8.4%, 100 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 53       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 53       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule – See note on page 53       5	✓ Inj 10 iu per ml, 1 ml ampoule	5		
✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml5       SODIUM BICARBONATE         ✓ PARACETAMOL       ✓ Inj 8.4%, 50 ml	OXYTOCIN WITH ERGOMETRINE MALEATE			20
PARACETAMOL       ✓ Inj 8.4%, 50 ml       5         ✓ Tab 500 mg - blister pack       30       ✓ Inj 8.4%, 100 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 53       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 53       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule – See note on page 53       5	✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 m	ıl5	• • • • • • • • • • • • • • • • • • • •	.20
✓ Tab 500 mg - blister pack.       30       ✓ Inj 8.4%, 100 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 53       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 53       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule – See note on page 53       5	PARACETAMOL			5
✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       Inj 0.9%, bag – See note on page 53       2000 ml         ✓ Low range       100 ml       Inj 0.9%, 5 ml ampoule – See note on page 53       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 53       5		30		
✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 53       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 53       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule – See note on page 53       5				
PEAK FLOW METER  ✓ Inj 0.9%, 5 ml ampoule – See note on page 53				ml
✓ Low range 10 ✓ Inj 0.9%, 10 ml ampoule – See note on page 53				
		10		

### PRACTITIONER'S SUPPLY ORDERS

(continued)	
SPACER DEVICE	
✓ 220 ml (single patient)20	
✓ 510 ml (single patient)20	
✓ 800 ml20	
SULFADIAZINE SILVER	
✓ Crm 1%250 g	
TRIMETHOPRIM	
✓ Tab 300 mg30	
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE	
[CO-TRIMOXAZOLE]	
✓ Tab trimethoprim 80 mg and sulphamethoxazole	
400 mg30	
✓ Oral liq 8 mg sulphamethoxazole 40 mg per	
ml 200 ml	

VERAPAMIL HYDROCHLORIDE  ✓ Inj 2.5 mg per ml, 2 ml ampoule	
WATER  ✓ Inj 5 ml ampoule – See note on page 53	Į.
✓ Inj 10 ml ampoule – See note on page 53	
✓ Inj 20 ml ampoule – See note on page 53	
ZUCLOPENTHIXOL DECANOATE	ı

### **Rural Areas for Practitioner's Supply Orders**

#### NORTH ISLAND

Northland DHB
Dargaville
Hikurangi
Kaeo
Kaikohe
Kaitaia
Kawakawa
Kerikeri

Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell

Tutukaka

Waipu

Whangaroa

Waitemata DHB

Helensville

Huapai

Kumeu

Snells Beach

Waimauku Warkworth Wellsford Auckland DHB

Great Barrier Island

Oneroa Ostend

**Counties Manukau DHB** 

Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga

Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan
Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi
Whangamata
Whitianga

Bay of Plenty DHB
Edgecumbe
Katikati
Kawerau
Murupara
Opotiki
Taneatua
Te Kaha
Waihi Beach
Whakatane
Lakes DHB
Mangakino

Turangi

Tairawhiti DHB
Ruatoria
Te Araroa
Te Karaka
Te Puia Springs
Tikitiki
Tokomaru Bay
Tolaga Bay

Taranaki DHB
Eltham
Inglewood
Manaia
Oakura
Okato
Opunake
Patea
Stratford
Waverley

Hawkes Bay DHB Waipawa Waipukurau Wairoa Whanganui DHB Bulls Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB
Dannevirke
Foxton
Levin
Otaki
Pahiatua
Shannon
Woodville

Wairarapa DHB Carteron Featherston Greytown Martinborough

**SOUTH ISLAND** 

Nelson/Marlborough DHB Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB
Dobson
Greymouth
Hokitika
Karamea
Reefton
South Westland
Westport
Whataroa

Canterbury DHB Akaroa Amberley Amuri

Chatham Islands Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

South Canterbury DHB Fairlie

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

Southern DHB Alexandra Ralclutha Cromwell Gore Kurow Lawrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah

Tapanui

Te Anau

Tokonui

Wanaka

Winton

Tuatapere

### SECTION F: COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

### **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is under the Dispensing Frequency Rule.

# SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \*within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility:
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport:
  - iii) are relocating to another area:
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

## SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply.
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a \* please refer to Section F: Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

### COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

#### ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

### **CARDIOVASCULAR SYSTEM**

AMIODARONE HYDROCHLORIDE
Tab 100 mg Cordarone-X
Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor Cap long-acting Tambocor CR

100 mg

Cap long-acting Tambocor CR

200 mg

MEXILETINE HYDROCHLORIDE

MINOXIDII

**NICORANDIL** 

PROPAFENONE HYDROCHLORIDE

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg

Desmopressin-PH&T

per dose

### MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

**NERVOUS SYSTEM** 

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

**ENTACAPONE** 

**GABAPENTIN** 

LACOSAMIDE

**LAMOTRIGINE** 

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

**TOLCAPONE** 

**TOPIRAMATE** 

VIGABATRIN

### **SECTION G: SAFETY CAP MEDICINES**

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the
  particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

### Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

Clic-Loc, United Closures & Plastics PLC, England
Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
Clic-Loc, United Closures & Plastics PLC, England
Clic-Loc, ACI Closures under license to Owens-Illinois
Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
Clic-Loc, United Closures & Plastics PLC, England
Clic-Loc, ACI Closures under license to Owens-Illinois
Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
PDL Squeezlok
PDL FG

**Tegretol** 

Rivotril

ALIMENTARY TRACT AND METABOLISM

**FERROUS SULPHATE** 

Oral liq 30 mg (6 mg

Ferodan

elemental) per 1 ml

CI OBAZAM

CLONAZEPAM

CARBAMAZEPINE

Oral liq 20 mg per ml

Oral drops 2.5 mg per ml

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CARDIOVASCUL AR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

**CAPTOPRIL** 

Oral lig 5 mg per ml Capoten

DIAZEPAM Tab 2 mg

Arrow-Diazepam Arrow-Diazepam Tab 5 mg

CHI OROTHIAZIDE

Oral lig 50 mg per ml Biomed

**FTHOSUXIMIDE** 

Oral liq 250 mg per 5 ml Zarontin

(Extemporaneously compounded oral liquid preparations)

DIGOXIN

Oral lig 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral lig 10 mg per ml Lasix I ORAZEPAM

Tab 1 mg Ativan Ativan Tab 2.5 mg

(Extemporaneously compounded oral liquid preparations)

**SPIRONOLACTONE** 

Oral liq 5 mg per ml Biomed LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

I FVOTHYROXINE

Tab 25 mcg Synthroid Tab 50 mcg Eltroxin

Mercury Pharma

Synthroid

Tab 100 mcg **Fltroxin** 

INFECTIONS - AGENTS FOR SYSTEMIC USE

Mercury Pharma

Synthroid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

MORPHINE HYDROCHLORIDE

Oral liq 2 mg per ml **Biodone** Oral lig 5 mg per ml Biodone Forte

Oral lig 10 mg per ml Biodone Extra Forte

Oral liq 1 mg per ml

RA-Morph Oral lig 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph Oral lig 10 mg per ml RA-Morph

**NITRAZEPAM** 

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

Tab 300 mg 0.300(Extemporaneously compounded oral liquid preparations)

**OXAZEPAM** 

Tab 10 mg Ox-Pam Ox-Pam Tab 15 mg

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

**QUININE SULPHATE** 

**IBUPROFEN** 

Oral liq 20 mg per ml Fenpaed OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

**NERVOUS SYSTEM** 

**ALPRAZOLAM** 

Tab 250 mcg Xanax Tab 500 mcg Xanax Tab 1 ma Xanax

(Extemporaneously compounded oral liquid preparations)

PARACETAMOL

Oral liq 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double

Strength

## **SAFETY CAP MEDICINES**

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VAI PROATE

Oral lig 200 mg per 5 ml

Epilim S/F Liquid

Epilim Syrup

**TEMAZEPAM** 

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

**TRIAZOLAM** 

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

**RESPIRATORY SYSTEM AND ALLERGIES** 

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHI ORIDE

Oral liq 1 mg per 1 ml Allersoothe

SAI BUTAMOI

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

### SECTION I: NATIONAL IMMUNISATION SCHEDULE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

# **Vaccinations**

#### ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml..............0.00 **ADT Booster** Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients; or
- 3) For revaccination following immunosuppression: or
- 4) For boosting of patients with tetanus-prone wounds; or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

#### BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or egual to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

Danish strain 1331, live attenuated, vial with diluent...............................0.00 10 ✓ BCG Vaccine

#### DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between destational weeks 28 and 38; or
- 2) A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg

pertussis toxoid, 8 mcg pertussis filamentous

10 Boostrix

Boostrix to be Sole Supply on 1 September 2017

255

**Boostrix** 

	Subsidy (Manufacturer's Price) \$	F Subsidis Per	ully Brand or sed Generic  Manufactur	er
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE - Funded for any of the following:	- [Xpharm]			
1) A single dose for children up to the age of 7 who have of 2) A course of four vaccines is funded for catch up prograt primary immunisation; or 3) An additional four doses (as appropriate) are funded for pre- or post splenectomy; pre- or post solid organ trans	mmes for children (to r (re-)immunisation for	the age of 1	0 years) to comp st HSCT, or che	motherapy;
regimens; or 4) Five doses will be funded for children requiring solid organization.	gan transplantation.			
Note: Please refer to the Immunisation Handbook for approp Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe		., -	ammes. ✓ Infanrix IPV	
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B A Xpham]	ND HAEMOPHILUS I	NFLUENZA	E TYPE B VACC	INE -
Funded for patients meeting any of the following criteria:  1) Up to four doses for children up to and under the age of 2) An additional four doses (as appropriate) are funded for 10 who are patients post haematopoietic stem cell transpost solid organ transplant, renal dialysis and other sev 3) Up to five doses for children up to and under the age of	r (re-)immunisation for splantation, or chemot erely immunosuppres	r children up therapy; pre sive regime	or post splenectors; or	
Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the Improgrammes.  Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen in 0.5ml syringe	munisation Handbook			e for catch up
AEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following:  1) For primary vaccination in children; or 2) An additional dose (as appropriate) is funded for (re-)im transplantation, or chemotherapy; functional asplenic; p or post cochlear implants, renal dialysis and other seve 3) For use in testing for primary immunodeficiency disease paediatrician.	ore or post splenector rely immunosuppress	ny; pre- or po ive regimens	ost solid organ tra s; or	ansplant, pre-
Haemophilus Influenzae type B polysaccharide 10 mcg conjugated to tetanus toxoid as carrier protein 20-40 mcg prefilled syringe plus vial 0.5 ml Hiberix to be Sole Supply on 1 September 2017 Inj 10 mcg vial with diluent syringe	0.00	1	✓ Hiberix ✓ Act-HIB	

	NATIONAL	IIVIIV	IUNISATI	ON SCHEDULE
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPATITIS A VACCINE – [Xpharm] Funded for patients meeting any of the following criter  1) Two vaccinations for use in transplant patients; (2) Two vaccinations for use in children with chronic 3) One dose of vaccine for close contacts of known	or c liver disease; or			
Inj 1440 ELISA units in 1 ml syringe	0.00	1	<b>✓</b> H	avrix
Havrix to be Sole Supply on 1 September 2017 Inj 720 ELISA units in 0.5 ml syringe Havrix Junior to be Sole Supply on 1 September 2		1	<b>✓</b> H	lavrix Junior
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial Funded for patients meeting any of the following of		1	<b>✓</b> <u>H</u>	<u>IBvaxPRO</u>
1) for household or sexual contacts of known a 2) for children born to mothers who are hepatit 3) for children up to and under the age of 18 yes serology and require additional vaccination of 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexua 7) for patients following immunosuppression; of 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant 10) following needle stick injury.  Inj 10 mcg per 1 ml vial	is B surface antigen (HBsAgears inclusive who are consi or require a primary course of all intercourse; or or	g) pos derec	itive; or d not to have ecination; or	
Funded for patients meeting any of the following on the following on the following on the following of the following on the following of the f	criteria: acute hepatitis B patients or is B surface antigen (HBsAg ears inclusive who are consi or require a primary course al intercourse; or	hepat g) pos derec	titis B carrier sitive; or I not to have	s; or
Inj 40 mcg per 1 ml vial  Funded for any of the following criteria:  1) for dialysis patients; or 2) for liver or kidney transplant patient.	0.00	1	<b>√</b> <u>H</u>	<u>BvaxPRO</u>

257

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPN Funded for patient meeting either of the following criteria:  1) Maximum of 3 doses for people aged 9 to 26 years inc 2) Maximum of four doses for people aged 9 to 26 years	clusive; or	therapy.		
Inj 120 mcg in 0.5 ml syringe	0.00	10 1	-	Gardasil Gardasil
(Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October (Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October	,			
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 9 Any of the following:	58) VACCINE [HPV] -	- [Xpharr	n]	
<ol> <li>Maximum of two doses for children aged 14 years and</li> <li>Maximum of three doses for patients meeting any of the</li> </ol>				
<ol> <li>People aged 15 to 26 years inclusive; or</li> <li>Either:</li> </ol>				
People aged 9 to 26 years inclusive  1) Confirmed HIV infection; or				
<ul><li>2) Transplant (including stem cell) patients: o</li><li>3) Maximum of four doses for people aged 9 to 26 years</li></ul>		herapy		
Inj 270 mcg in 0.5 ml syringe	0.00	10	<b>√</b> <u>(</u>	Gardasil 9

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

#### INFLUENZA VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
  - a) all people 65 years of age and over; or
  - b) people under 65 years of age who:
    - i) have any of the following cardiovascular diseases:
      - a) ischaemic heart disease, or
      - b) congestive heart failure, or
      - c) rheumatic heart disease, or
      - d) congenital heart disease, or
    - e) cerebo-vascular disease; or
    - ii) have either of the following chronic respiratory diseases:
      - a) asthma, if on a regular preventative therapy, or
      - b) other chronic respiratory disease with impaired lung function; or
    - iii) have diabetes: or
    - iv) have chronic renal disease: or
    - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
    - vi) have any of the following other conditions:
      - a) autoimmune disease, or
      - b) immune suppression or immune deficiency, or
      - c) HIV. or
      - d) transplant recipients, or
      - e) neuromuscular and CNS diseases/disorders, or
      - f) haemoglobinopathies, or
      - g) are children on long term aspirin, or
      - h) have a cochlear implant, or
      - i) errors of metabolism at risk of major metabolic decompensation, or
      - i) pre and post splenectomy, or
      - k) down syndrome, or
    - vii) are pregnant; or
  - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
  - d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);
  - e) People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region:

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

Inj 45 mcg in 0.5 ml syringe......90.00 10 ✓ <u>Influvac</u>

(Manufacturer's Price) Subsidised Per Subsidised Manufacturer   Subsidised Manufacturer  MEASLES, MUMPS AND RUBELLA VACCINE − [Xpharm]	
MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]	
A maximum of two doses for any patient meeting the following criteria:	
1) For primary vaccination in children; or	
For revaccination following immunosuppression; or	
<ol><li>For any individual susceptible to measles, mumps or rubella; or</li></ol>	
4) A maximum of three doses for children who have had their first dose prior to 12 months.	
Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.	
Inj 1000 TCID50 measles, 12500 TCID50 mumps and	
1000 TCID50 rubella vial with diluent 0.5 ml vial	
Injection, measles virus 1,000 CCID50, mumps virus	
5,012 CCID50, Rubella virus 1,000 CCID50; prefilled	
syringe/ampoule of diluent 0.5 ml	
Priorix to be Sole Supply on 1 September 2017	
(M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial to be delisted.	d 1
October 2017)	
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE – [Xpharm]  Any of the following:	
1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with function	nal
or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or	
One dose for close contacts of meningococcal cases; or	
3) A maximum of two doses for bone marrow transplant patients; or	
4) A maximum of two doses for patients following immunosuppression*.	
Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary	
series and then five yearly.	
*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.	
Inj 4 mcg of each meningococcal polysaccharide conjugated to	
a total of approximately 48 mcg of diphtheria toxoid carrier	
per 0.5 ml vial	
MENINGOCOCCAL C CONJUGATE VACCINE - [Xpharm]	
Any of the following:	
1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with function	nal
or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or	
One dose for close contacts of meningococcal cases; or	
A maximum of two doses for bone marrow transplant patients; or	
4) A maximum of two doses for patients following immunosuppression*.	
Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.	
*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.	
Inj 10 mcg in 0.5 ml syringe	

Subsidy

Fully

Brand or

Subsidy (Manufacturer's Price)	Sul	Fully bsidised	Brand or Generic	
\$	Per	1	Manufacturer	

### PNEUMOCOCCAL (PCV10) CONJUGATE VACCINE - [Xpharm]

Either:

- 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or
- 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV13.

Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes

Inj 1 mcg of pneumococcal polysaccharide serotypes 1, 5, 6B,

7F. 9V. 14 and 23F: 3 mcg of pneumococcal polysaccharide serotypes 4, 18C and 19F in 0.5 ml

10 ✓ Synflorix

Synflorix to be Sole Supply on 1 September 2017

#### PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE - [Xpharm]

Any of the following:

- 1) One dose is funded for high risk children (over the age of 17 months and under 18 years) who have previously received four doses of PCV10: or
- 2) Up to an additional four doses (as appropriate) are funded for high risk children aged under 5 years for (re-)immunisation of patients with any of the following:
  - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
  - b) with primary immune deficiencies; or
  - c) with HIV infection; or
  - d) with renal failure, or nephrotic syndrome; or
  - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
  - f) with cochlear implants or intracranial shunts: or
  - g) with cerebrospinal fluid leaks; or
  - h) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
  - i) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
  - i) pre term infants, born before 28 weeks gestation; or
  - k) with cardiac disease, with cvanosis or failure: or
  - with diabetes: or
  - m) with Down syndrome; or
  - n) who are pre-or post-splenectomy, or with functional asplenia; or
- 3) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients 5 years and over with HIV. for patients pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- 4) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Inj 30.8 mcg of pneumococcal polysaccharide serotypes 1, 3, 4,

5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml 10 ✓ Prevenar 13 ✓ Prevenar 13

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PNEUMOCOCCAL (PP	V23) POLYSACCHARIDE VACCINE -	[Xpharm]			
Up to three do chemotherapy complement c     All of the follor	=	ional asplenia, pre- or particular ar implants, or primary	ost-	solid organ t	ransplant, renal dialysis,
	s a child under 18 years for (re-)immuni: nt is for a maximum of two doses; and ne following:	sation; and			
im. ii) wit iii) wit iv) wit v) wh or vi) wit viii) rec pre 20 ix) wit x) pre xi) wit x) pre xi) wit	immunosuppressive therapy or radiation mune response; or h primary immune deficiencies; or h HIV infection; or h renal failure, or nephrotic syndrome; of o are immune-suppressed following org h cochlear implants or intracranial shumh cerebrospinal fluid leaks; or teiving corticosteroid therapy for more the disconding of 2 mg/kg per day or greater, mg or greater; or h chronic pulmonary disease (including term infants, born before 28 weeks gest h cardiac disease, with cyanosis or failu	or an transplantation (incl ts; or nan two weeks, and who or children who weigh r asthma treated with hig station; or	udino o are more	g haematopo e on an equive than 10 kg	pietic stem cell transplant); valent daily dosage of on a total daily dosage of
xiii) wit	h diabetes; or h Down syndrome; or o are pre-or post-splenectomy, or with f	unctional asplenia.			
23 pneumococ POLIOMYELITIS VACO Up to three doses for 1) For partially vo	nl prefilled syringe (25 mcg of each cal serotype)	g:	1	<b>✓</b> <u>F</u>	neumovax 23
Inj 80D antigen unit ROTAVIRUS LIVE REA Maximum of three of 1) first dose to be	to the Immunisation Handbook for approsion 0.5 ml syringe	m] weeks of age; and	tch-u 1	p programm <b>✓</b> <u>II</u>	

Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units per

(RotaTeq Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units per 2 ml, tube to be delisted 1 October 2017)

10

✓ RotaTeq

	MATIONAL		ioa iii	ON CONEDCEE
	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
ROTAVIRUS ORAL VACCINE – [Xpharm]  Maximum of two doses for patients meeting the following:  1) first dose to be administered in infants aged under 14 v 2) no vaccination being administered to children aged 24	<b>o</b> ,			
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, prefilled oral applicator Rotarix to be Sole Supply on 1 September 2017	0.00	10	<b>✓</b> R	otarix
VARICELLA VACCINE [CHICKENPOX VACCINE] – [Xpharm] Either:				
<ol> <li>Maximum of one dose for primary vaccination for either</li> <li>a) Any infant born on or after 1 April 2016; or</li> <li>b) For previously unvaccinated children turning 11 y varicella injection (chickenpox), or</li> </ol>		July 2017	, who ha	ave not previously had a
Maximum of two doses for any of the following:     a) Any of the following for non-immune patients:				
<ul> <li>i) with chronic liver disease who may in future</li> <li>ii) with deteriorating renal function before trans</li> <li>iii) prior to solid organ transplant; or</li> <li>iv) prior to any elective immunosuppression*, or</li> </ul>	splantation; or r		on; or	
<ul> <li>v) for post exposure prophylaxis who are immu</li> </ul>	une competent inpatie	nts.; or		

\* immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than

b) For patients at least 2 years after bone marrow transplantation, on advice of their specialist, or c) For patients at least 6 months after completion of chemotherapy, on advice of their specialist, or

immune compromise where the household contact has no clinical history of varicella, or g) For household contacts of adult patients who have no clinical history of varicella and who are severely

d) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist, or e) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of

f) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to

immunocompromised, or undergoing a procedure leading to immune compromise where the household contact

✓ Varilrix ✓ Varilrix

Varilrix to be Sole Supply on 1 September 2017

has no clinical history of varicella.

# **Diagnostic Agents**

varicella, or

TUBERCULIN PPD [MANTOUX] TEST - [Xpharm] ✓ Tubersol

- Symbols -	AFT-Pyrazinamide S29106	Anastrozole18
3TC114	Agents Affecting the	Andriol Testocaps8
50X 3.0 Reservoir36	Renin-Angiotensin System 55	Androderm8
- A -	Agents for Parkinsonism and Related	Animas Battery Cap3
A-Scabies74	Disorders 127	Animas Cartridge3
Abacavir sulphate114	Agents Used in the Treatment of	Animas Vibe2
Abacavir sulphate with	Poisonings217	Anoro Ellipta20
lamivudinė114	Agrylin168	Antabuse
Abilify142	Alanase210	Antacids and Antiflatulants2
Abiraterone acetate179	Albendazole95	Anten13
Acarbose25	Albey204	Anthelmintics9
Accu-Chek Ketur-Test25	Albustix83	Antiacne Preparations6
Accu-Chek Performa26	Alendronate sodium121	Antiallergy Preparations20
Accuretic 1056	Alendronate sodium with	Antianaemics4
Accuretic 2056	colecalciferol121	Antiandrogen Oral
Acetazolamide214	Alfacalcidol43	Contraceptives8
Acetic acid with 1, 2- propanediol	Alfamino Junior243	Antiarrhythmics5
diacetate and	Alginic acid20	Antibacterials9
benzethonium212	Alglucosidase alfa39	Antibacterials Topical6
Acetic acid with hydroxyguinoline and	Alitraq234	Anticholinergic Agents20
ricinoleic acid81	Alkeran	Anticholinesterases11
Acetylcysteine217	Allersoothe205	Antidepressants13
Aci-Jel81	Allopurinol125	Antidiarrhoeals2
Aciclovir	Allopurinol-Apotex125	Antiepilepsy Drugs13
Infection 109	Alpha Adrenoceptor Blockers55	Antifibrinolytics, Haemostatics and
Sensory212	Alpha-Keri Lotion72	Local Sclerosants4
Acidex20	Alprazolam147	Antifibrotics20
Acipimox62	Alu-Tab20	Antifungals10
Acitretin75	Aluminium hydroxide20	Antifungals Topical6
Aclasta	Amantadine hydrochloride127	Antihistamines20
Aclin	Ambrisentan65	Antihypotensives5
Act-HIB256	Amiloride hydrochloride61	Antimalarials10
Actinomycin D	Amiloride hydrochloride with	Antimigraine Preparations14
Actrapid24	furosemide61	Antinaus14
Actrapid Penfill24	Amiloride hydrochloride with	Antinausea and Vertigo Agents 14
Acupan	hydrochlorothiazide61	Antiparasitics10
Adalat 1059	Aminophylline210	Antipruritic Preparations6
Adalimumab188	Amiodarone hydrochloride56	Antipsychotics14
Adapalene67	Amisulpride142	Antiretrovirals11
Adefin XL59	Amitriptyline132	Antirheumatoid Agents11
Adefovir dipivoxil107	Amlodipine59	Antispasmodics and Other Agents
Adenuric	Amorolfine68	Altering Gut Motility2
ADR Cartridge 1.836	Amoxicillin98	Antithrombotic Agents4
Adrenaline64	Amoxicillin Actavis98	Antithymocyte globulin
Adriamycin170	Amoxicillin with clavulanic acid98	(equine) 18
ADT Booster255	Amphotericin B42	Antitrichomonal Agents10
Adult diphtheria and tetanus	Amsacrine	Antituberculotics and
vaccine	AmsaLyo168	Antileprotics10
Advantan70	Amsidine	Antiulcerants2
Advate48	Amyl nitrite64	Antivirals10
Afinitor202	Amzoate41	Anxiolytics14
AFT Carbimazole88	Anaesthetics128	Anzatax17
AFT SLS-free72	Anagrelide hydrochloride168	Apidra2
AFT-Pyrazinamide106	Analgesics	Apidra SoloStar2

Apo-Amiloride	61	Arrow-Brimonidine	214	Ava 30 ED	7
Apo-Amlodipine	59	Arrow-Calcium	44	Avelox	100
Apo-Amoxi	98	Arrow-Diazepam	147	Avomine	14
Apo-Azithromycin	96	Arrow-Dortim	214	Avonex	15
Apo-Bromocriptine		Arrow-Doxorubicin	170	Avonex Pen	15
Apo-Ciclopirox		Arrow-Etidronate	121	Azacitidine	160
Apo-Cilazapril		Arrow-Fluoxetine		Azamun	
Apo-Cilazapril/		Arrow-Gabapentin		Azathioprine	
Hydrochlorothiazide	56	Arrow-Lamotrigine		Azithromycin	
Apo-Clarithromycin		Arrow-Losartan &		Azol	
Alimentary	22	Hydrochlorothiazide	56	Azopt	
Infection		Arrow-Meloxicam		AZT	
Apo-Clomipramine		Arrow-Morphine LA		-B-	11.
					0.
Apo-Diclo SR		Arrow-Norfloxacin		B-D Micro-Fine	
Apo-Diltiazem CD	60	Arrow-Ornidazole		B-D Ultra Fine	
Apo-Doxazosin		Arrow-Quinapril 10		B-D Ultra Fine II	2
Apo-Folic Acid		Arrow-Quinapril 20		Bacillus Calmette-Guerin (BCG)	
Apo-Imiquimod Cream 5%	76	Arrow-Quinapril 5		vaccine	18
Apo-Leflunomide		Arrow-Roxithromycin		Bacillus Calmette-Guerin	
Apo-Megestrol		Arrow-Sertraline	134	vaccine	
Apo-Metoprolol	58	Arrow-Simva 10mg	62	Baclofen	
Apo-Mirtazapine	134	Arrow-Simva 20mg	<mark>62</mark>	Bactroban	6
Apo-Moclobemide	133	Arrow-Simva 40mg	62	Baraclude	10
Apo-Montelukast	209	Arrow-Simva 80mg	62	Barrier Creams and Emollients	7
Apo-Nadolol	58	Arrow-Sumatriptan	140	BCG Vaccine	25
Apo-Nicotinic Acid		Arrow-Timolol		Beclazone 100	20
Apo-Ondansetron		Arrow-Tolterodine		Beclazone 250	20
Apo-Oxybutynin		Arrow-Topiramate		Beclazone 50	
Apo-Paroxetine		Arrow-Tramadol		Beclomethasone	
Apo-Perindopril		Arrow-Venlafaxine XR		dipropionate2	05 210
Apo-Pindolol		Arsenic trioxide		Bee venom allergy treatment	
Apo-Prazosin		Asacol		Bendamustine hydrochloride	
Apo-Prednisone		Asamax		Bendrofluazide	
Apo-Primidone				Bendroflumethiazide	0
		Ascorbic acid			6
Apo-Propranolol		Aspen Adrenaline	04	[Bendrofluazide]	
Apo-Pyridoxine	43	Aspirin	40	BeneFIX	
Apo-Ropinirole		Blood		Benzathine benzylpenicillin	
Apo-Selegiline S29		Nervous		Benzatropine mesylate	
Apo-Sumatriptan		Asthalin		Benzbromaron AL 100	
Apo-Terazosin		Atazanavir sulphate		Benzbromarone	
Apo-Thiamine		Atenolol		Benzoin	
Apo-Timol		Atenolol AFT		Benztrop	
Apo-Trifluoperazine	144	ATGAM	187	Benzydamine hydrochloride	4
Apomorphine hydrochloride	127	Ativan	147	Benzylpenicillin sodium [Penicillin	n
Aprepitant	140	Atomoxetine	157	G]	
Apresoline	64	Atorvastatin	62	Beta Adrenoceptor Blockers	5
Aptamil Gold+ Pepti Junior	244	Atripla	114	Beta Cream	
Aqueous cream		Atropine sulphate		Beta Ointment	70
Arava		Cardiovascular		Beta Scalp	
Aremed		Sensory		Beta-Adrenoceptor Agonists	
Arimidex		Atropt		Betadine	
Aripiprazole		Atrovent		Betadine Skin Prep	
Aristocort		Aubagio		Betaferon	
Arrow - Clopid				Betagan	
		Augmentin	98		
Arrow-Amitriptyline		Auranofin		Betahistine dihydrochloride	
Arrow-Bendrofluazide	61	Ava 20 ED	/9	Betaloc CR	5

Betamethasone dipropionate70	Brimonidine tartrate with timolol	Carbomer21
Betamethasone dipropionate with	maleate214	Carboplatin169
calcipotriol75	Brinov167	Carboplatin Ebewe169
Betamethasone sodium phosphate	Brinzolamide214	Carbosorb-X217
with betamethasone acetate 84	Brolene212	Cardinol LA58
Betamethasone valerate70, 76	Bromocriptine mesylate127	Cardizem CD60
Betamethasone valerate with	Brufen SR118	CareSens20
clioquinol71	BSF Apo-Paroxetine217	CareSens II26
Betamethasone valerate with fusidic	Buccastem141	CareSens N26
acid71	Budesonide	CareSens N POP26
Betaxolol213	Alimentary20	Carmellose sodium with gelatin and
Betnovate70	Respiratory205, 211	pectin42
Betnovate-C71	Budesonide with eformoterol206	Carmustine169
Betoptic213	Bumetanide60	Carvedilol5
Betoptic S213	Buprenorphine with naloxone161	Catapres60
Bezafibrate62	Bupropion hydrochloride161	Catapres-TTS-160
Bezalip62	Burinex60	Catapres-TTS-260
Bezalip Retard62	Buscopan22	Catapres-TTS-360
Bicalaccord	Buspirone hydrochloride147	Cathejell128
Bicalutamide179	Busulfan165	CeeNU169
Bicillin LA98	Butacort Aqueous211	Cefaclor monohydrate95
BiCNU165	- C -	Cefalexin99
Bile and Liver Therapy23	Cabergoline94	Cefalexin Sandoz99
Biltricide95	Cafergot140	Cefazolin9
Bimatoprost214	Cafergot S29140	Ceftriaxone99
Bimatoprost Actavis214	Caffeine citrate211	Cefuroxime axetil96
Biodone130	Calamine69	Celecoxib118
Biodone Extra Forte130	Calcipotriol75	Celecoxib Pfizer118
Biodone Forte130	Calcitonin84	Celestone Chronodose84
Bisacodyl39	Calcitriol43	Celiprolol58
Bisoprolol fumarate57	Calcitriol-AFT43	Cellcept18
BK Lotion72	Calcium carbonate20, 44	Celol58
Bleomycin sulphate169	Calcium Channel Blockers59	Centrally-Acting Agents60
Blood Colony-stimulating	Calcium Disodium Versenate218	Cephalexin ABM95
Factors52	Calcium folinate167	Cerezyme4
Blood glucose diagnostic test	Calcium Folinate Ebewe167	Cetirizine hydrochloride204
meter 26	Calcium gluconate44	Cetomacrogol72
Blood glucose diagnostic test	Calcium Homeostasis84	Cetomacrogol with glycerol72
strip26	Calcium polystyrene sulphonate54	Champix162
Blood glucose test strips (visually	Calcium Resonium54	Charcoal21
impaired)27	Calogen229	Chemotherapeutic Agents164
Blood ketone diagnostic test	Calsource44	Chickenpox vaccine263
meter 25	Camptosar168	Chlorafast212
Bonjela42	Candesartan cilexetil56	Chlorambucil165
Boostrix255	Candestar56	Chloramphenicol212
Bortezomib	Canesten68	Chlorhexidine gluconate
Bosentan65	Capecitabine167	Alimentary42
Bosvate57	Capoten55	Dermatological7
Bplex43	Capsaicin	Chloroform224
Breo Ellipta206	Musculoskeletal119	Chlorothiazide6
Brevinor 1/2179	Nervous129	Chlorpheniramine maleate204
Brevinor 1/2879	Captopril55	Chlorpromazine hydrochloride142
Brevinor 2179	Carafate23	Chlorsig212
Bricanyl Turbuhaler207	Carbaccord165	Chlortalidone [Chlorthalidone]6
Brilinta50		Chlorthalidone6
Brimonidine tartrate214	Carbimazole88	Chlorvescent54

Choice Load 37578	Coal tar with allantoin, menthol,	ethinyloestradiol	80
Choice TT380 Short78	phenol and sulphur75	Cytarabine	167
Choice TT380 Standard78	Coal tar with salicylic acid and	Cytotec	
Cholestyramine62	sulphur	Cytoxan	165
Choline salicylate with cetalkonium	Coco-Scalp	- D -	
chloride	Codeine phosphate	D-Penamine	119
Cholvastin62	Extemporaneous224	Dabigatran	52
Ciclopirox olamine68	Nervous130	Dacarbazine	169
Ciclosporin202	Cogentin 127	Dactinomycin [Actinomycin D]	169
Cilazapril55	Colaspase [L-asparaginase]169	Daivobet	
Cilazapril with	Colchicine126	Daivonex	75
hydrochlorothiazide56	Colecalciferol43	Daktarin	69
Cilicaine	Colestid62	Dalacin C	100
Cilicaine VK99	Colestipol hydrochloride62	Dalteparin sodium	50
Ciloxan212	Colgout	Danazol	94
Cinacalcet84	Colifoam21	Dantrium	
Cipflox100	Colistin sulphomethate100	Dantrium S29	126
Ciprofloxacin	Colistin-Link100	Dantrolene	126
Infection100	Collodion flexible224	Daonil	
Sensory212	Colloidal bismuth subcitrate23	Dapa-Tabs	61
Circadin	Colofac22	Dapsone	
Cisplatin165	Coloxyl38	Daraprim	
Cisplatin Ebewe165	Combigan214	Darunavir	
Citalopram hydrobromide133	Comfort34	Dasatinib	
Cladribine	Comfort Short34	Daunorubicin	
Clarithromycin	Compound electrolytes54	DBL Acetylcysteine	
Alimentary22	Compound hydroxybenzoate224	DBL Aminophylline	
Infection96	Concerta	DBL Bleomycin Sulfate	
Clexane51	Condoms	DBL Carboplatin	165
Clindamycin100	Condyline76	DBL Cisplatin	
Clindamycin ABM100	Contact-D33	DBL Dacarbazine	
Clinicians Renal Vit43	Contraceptives - Hormonal78	DBL Docetaxel	
Clobazam	Contraceptives - Non-hormonal78	DBL Doxorubicin	170
Clobetasol propionate70, 76	Copaxone	DBL Doxorubicin S29	
Clobetasone butyrate70	Cordarone-X56	DBL Epirubicin Hydrochloride	
Clofazimine105	Corticosteroids and Related Agents	DBL Ergometrine	
Clomazol	for Systemic Use84	DBL Gemcitabine	
Dermatological68	Corticosteroids Topical70	DBL Leucovorin Calcium	
Genito-Urinary81	Cosmegen 169	DBL Methotrexate Onco-Vial	
Clomifene citrate94	Coumadin52	DBL Morphine Sulphate	
Clomipramine hydrochloride133	Creon 1000037	DBL Morphine Tartrate	
Clonazepam 135–136, 147	Creon 2500037	DBL Pethidine Hydrochloride	
Clonidine60	Crixivan114	DBL Vincristine Sulfate	
Clonidine BNM60	Crotamiton69	De-Worm	
Clonidine hydrochloride60	Crystaderm68	Decozol	
Clopidogrel49	Curam98	Deferasirox	
Clopine	Cvite43	Deferiprone	218
Clopixol144, 146	Cyclizine hydrochloride141	Deoxycoformycin	
Clotrimazole	Cyclizine lactate141	Depo-Medrol	85
Dermatological68	Cyclogyl215	Depo-Medrol with Lidocaine	
Genito-Urinary81	Cyclopentolate hydrochloride215	Depo-Provera	
Clozapine143	Cyclophosphamide165	Depo-Testosterone	
Clozaril	Cycloserine105	Deprim	102
Clustran	Cyklokapron49	DermAssist	
Co-trimoxazole	Cyproterone acetate86	Dermol	
Coal tar	Cyproterone acetate with	Desferal	- ,

Desferrioxamine mesilate218	hepatitis B and haemophilus	E-Mycin9
Desmopressin acetate93	influenzae type B vaccine	Ear Preparations21
Desmopressin-PH&T93	Diprosone70	Ear/Eye Preparations21
Detection of Substances in	Diprosone OV70	Easiphen Liquid24
Urine83	Dipyridamole49	EasyCheck8
Dexamethasone	Disinfecting and Cleansing	Econazole nitrate6
Hormone85	Agents71	Efavirenz11
Sensory213	Disopyramide phosphate57	Efavirenz with emtricitabine and
Dexamethasone phosphate85	Disulfiram161	tenofovir disoproxil
Dexamethasone with framycetin and	Diuretics	fumarate11
gramicidin212	Diurin 4061	Efexor XR13
Dexamethasone with neomycin	Docetaxel170	Effient4
sulphate and polymyxin B	Docetaxel Sandoz170	Eformoterol fumarate20
sulphate213	Docusate sodium38	Efudix7
Dexamfetamine sulfate157	Docusate sodium with	Egopsoryl TA7
Dexmethsone85	sennosides38	Elaprase4
Dextrochlorpheniramine	Dolutegravir115	Elecare24
maleate205	Domperidone141	Elecare LCP24
Dextrose53	Donepezil hydrochloride160	Elemental 028 Extra23
Dextrose with electrolytes54	Donepezil-Rex160	Elocon7
DHC Continus	Dopress	Elocon Alcohol Free7
Diabetes23	Dornase alfa210	Eltrombopag4
Diabetes Management25	Dorzolamide hydrochloride214	Eltroxin8
Diacomit	Dorzolamide with timolol214	Emend14
Diagnostic Agents263	Dostinex94	Emend Tri-Pack14
Diamide Relief20	Dosulepin [Dothiepin]	EMLA12
Diamox214	hydrochloride	Emtricitabine11
Diasip	Dothiepin	Emtricitabine with tenofovir disoproxil
Diason RTH230	Doxazosin55	fumarate11
Diazepam135, 147	Doxepin hydrochloride133	Emtriva11
Diazoxide23	Doxine99	Emulsifying ointment7
Dicarz57	Doxorubicin Ebewe	Enalapril maleate5
Diclofenac Sandoz118	Doxorubicin hydrochloride170	Enbrel
Diclofenac sodium	Doxy-5099	Endocrine Therapy17
Musculoskeletal118	Doxycycline99	Endoxan16
Sensory213	DP Fusidic Acid Cream68	Enerlyte5
Differin	DP Lotion	Enlafax XR13
Difflam41	DP Lotn HC70	Enoxaparin sodium5
Diflucan	DP-Anastrozole	Ensure23
Diflucan S29	Dr Reddy's Omeprazole23	Ensure Plus23
Diflucortolone valerate70	Dr Reddy's Ondansetron141	Ensure Plus HN23
Digestives Including Enzymes37	Dr Reddy's Terbinafine104	Ensure Plus RTH23
Digoxin	Drugs Affecting Bone	Entacapone12
Dihydrocodeine tartrate	Metabolism 120	Entapone12
Dilantin	Duocal Super Soluble Powder228	Entecavir10
Dilantin Infatab	Duolin	Entocort CIR2
Diltiazem hydrochloride60	Duolin HFA	Epilim13
Dilzem60	Durex Confidence78	Epilim Crushable13
Dimethicone	Durex Extra Safe78	Epilim IV13
Dimethyl fumarate	Duride	Epilim S/F Liquid13
Dipentum21	Duro-K	Epilim Syrup13
Diphtheria, tetanus and pertussis	Dynacirc-SRO59	Epirubicin Ebewe17
vaccine255	- E -	Epirubicin Ebewe
Diphtheria, tetanus, pertussis and	e-chamber La Grande211	Epoetin alfa [Erythropoietin alfa]4
polio vaccine	e-chamber Mask211	Eprex4
Diphtheria, tetanus, pertussis, polio,	e-chamber Turbo211	Eptacog alfa [Recombinant factor
Dipininena, retanus, penussis, punu,	C GHAITIDEL LAIDOZII	-placog ana procombinant iaciól

VIIa]	47	FEIBA NF	48	Flutamin	179
ERA	97	Felodipine	59	Fluticasone	205
Ergometrine maleate	81	Fenpaed	118	Fluticasone furoate with	
Ergotamine tartrate with		Fentanyl		vilanterol	206
caffeine	140	Fentanyl Sandoz		Fluticasone propionate	211
Erlotinib	175	Ferodan		Fluticasone with salmeterol	
Erythrocin IV	97	Ferriprox	218	FML	213
Erythromycin ethyl succinate	97	Ferro-F-Tabs	44	Foban	68
Erythromycin lactobionate		Ferro-tab		Folic acid	47
Erythromycin stearate	97	Ferrograd	44	Food Thickeners	240
Erythropoietin alfa	47	Ferrograd F		Foods And Supplements For In	born
Esbriet	209	Ferrous fumarate	44	Errors Of Metabolism	241
Escitalopram	133	Ferrous fumarate with folic acid	44	Foradil	206
Eskazole	95	Ferrous sulphate	44	Forteo	122
Estradot	86	Ferrous sulphate with folic acid	44	Fortini	232
Estradot 50 mcg	86	Ferrum H	44	Fortini Multi Fibre	232
Estrofem	86	Fexofenadine hydrochloride	205	Fortisip	238
Etanercept	182	Fibro-vein	49	Fortisip Multi Fibre	239
Ethambutol hydrochloride	106	Filgrastim	52	Fosamax	121
Ethics Aspirin	129	Finasteride		Fosamax Plus	121
Ethics Aspirin EC		Fingolimod		Fragmin	50
Ethics Enalapril		Finpro	81	Framycetin sulphate	
Ethics Lisinopril		Firazyr	204	Freestyle Optium	26
Ethinyloestradiol	87	Flagyl	105	Freestyle Optium Ketone	
Ethinyloestradiol with		Flagyl-S		Freestyle Optium Neo	25
desogestrel	79	Flamazine	68	Frisium	
Ethinyloestradiol with		Flecainide acetate	57	Frumil	
levonorgestrel	79	Fleet Phosphate Enema	39	Frusemide	61
Ethinyloestradiol with		Flixonase Hayfever & Allergy		Frusemide-Claris	
norethisterone	79	Flixotide	205	Fucicort	71
Ethosuximide	136	Flixotide Accuhaler	205	Fucidin	100
Etidronate disodium	121	Floair	205	Fucithalmic	212
Etopophos	170	Florinef	85	Fungilin	42
Etoposide		Fluanxol	144	Furosemide [Frusemide]	
Etoposide phosphate		Flucil	99	Fusidic acid	
Etravirine	113	Flucloxacillin	99	Dermatological	68
Eumovate	70	Flucloxin	99	Infection	
Everet	138	Fluconazole	102	Sensory	212
Everolimus	202	Fludara Oral	167	- G -	
Evista	122	Fludarabine Ebewe	167	Gabapentin	136
Exelon	160	Fludarabine phosphate	167	Gacet	
Exemestane	181	Fludrocortisone acetate	85	Galsulfase	40
Exjade	217	Fluids and Electrolytes	53	Gardasil	258
Extemporaneously Compound	ed	Flumetasone pivalate	212	Gardasil 9	258
Preparations and		Fluocortolone caproate with		Gastrodenol	23
Galenicals	224	fluocortolone pivalate and		Gastrosoothe	22
Eye Preparations		cinchocaine	21	Gaviscon Double Strength	20
Ezemibe		Fluorometholone	213	Gaviscon Infant	
Ezetimibe	62	Fluorouracil	167	Gazyva	194
Ezetimibe with simvastatin	63	Fluorouracil Ebewe	167	Gefitinib	
-F-		Fluorouracil sodium	<mark>77</mark>	Gemcitabine Ebewe	167
Factor eight inhibitor bypassing	g	Fluoxetine hydrochloride	134	Gemcitabine hydrochloride	167
fraction		Flupenthixol decanoate		Gemfibrozil	62
Febuxostat	126	Fluphenazine decanoate		Gemzar	
Feed Thickener Karicare		Flutamide	179	Genoptic	
Aptamil	240	Flutamide Mvlan	179	Genox	

Gentamicin sulphate	Healtheries Simple Baking Mix240	Hydroxyurea170
Infection 100	Hemastix83	Hygroton61
Sensory212	Heparin sodium51	Hylo-Fresh215
Gilenya149	Heparinised saline52	Hyoscine hydrobromide141
Ginet80	Heparon Junior231	Hyoscine N-butylbromide22
Glatiramer acetate	Hepatitis A vaccine257	Hypam157
Glibenclamide25	Hepatitis B recombinant	Hyperuricaemia and Antigout 125
Gliclazide25	vaccine257	Hypromellose215
Glipizide25	Hepsera107	Hypromellose with dextran215
Glivec175	Herceptin198	Hysite214
Glizide25	Hexamine hippurate117	-1-
Glucagen Hypokit23	Hiberix256	Ibiamox98
Glucagon hydrochloride23	Hiprex117	lbugesic118
Glucerna Select230	Histaclear204	lbuprofen118
Glucerna Select RTH230	Histafen204	Icatibant204
Glucobay25	Holoxan	Idarubicin hydrochloride170
Glucose [Dextrose]53	Horleys Bread Mix240	Idursulfase40
Gluten Free Foods240	Horleys Flour240	Ifosfamide165
Glycerin with sodium saccharin224	Hormone Replacement Therapy -	Ikorel 65
Glycerin with sucrose224	Systemic86	lloprost
Glycerol	HPV258	Imatinib mesilate175
Alimentary38	Humalog24	Imatinib-AFT175
Extemporaneous	Humalog Mix 2524	Imiglucerase41
Glyceryl trinitrate	Humalog Mix 5024	Imipramine hydrochloride133
Alimentary22	Human papillomavirus (6, 11, 16, 18,	Imiquimod
Cardiovascular 64	31, 33, 45, 52 and 58) vaccine	Immune Modulators115
Glycopyrronium207	[HPV]258	Immunosuppressants
Glycopyrronium bromide22	Human papillomavirus (6, 11, 16 and	Imuran181
Glycopyrronium with	18) vaccine [HPV]258	Incruse Ellipta208
indacaterol208	Humatin101	Indacaterol206
Glytrin	Humira	Indapamide
Gold Knight78	HumiraPen188	Indinavir114
Goserelin93	Humulin 30/7024	Infanrix IPV256
Granirex141		Infanrix-hexa256
Granisetron141	Humulin NPH24	Infant Formulae242
	Humulin R24	Influenza vaccine
Gutron	Hyaluronic acid         215           Hybloc         58	Influvac
Gynaecological Anti-infectives81 - H -		Inhaled Corticosteroids205
	Hydralazine64 Hydralazine hydrochloride64	Inhaled Conticosterolds208
Habitrol162 Haemophilus influenzae type B	Hydrea170	Beta-adrenoceptor Agonists 206
vaccine256	Hydrocortisone	Inset 3034
Haldol	Dermatological70	Inset II
Haldol Concentrate 145	Hormone85	Insulin aspart24
Haldol Decanoas145	Hydrocortisone acetate21	Insulin aspart with insulin aspart
Haloperidol	Hydrocortisone and paraffin liquid and lanolin	protamine
Haloperidol decanoate		Insulin glargine24
Hamilton Sunscreen	Hydrocortisone butyrate	Insulin glulisine
Harvoni111	Hydrocortisone with cinchocaine21	Insulin isophane24
Havrix	Hydrocortisone with miconazole71	Insulin isophane with insulin
Havrix Junior257	Hydrocortisone with natamycin and	neutral24
HBvaxPRO257	neomycin71	Insulin lispro24
healthE Dimethicone 10%	Hydrogen peroxide	Insulin lispro with insulin lispro
healthE Dimethicone 4% Lotion73	Alimentary42	protamine24
healthE Dimethicone 5%	Dermatological	Insulin neutral24
healthE Glycerol BP224	Hydroxocobalamin42	Insulin pen needles27
healthE Urea Cream72	Hydroxychloroquine119	Insulin pump28

Insulin pump accessories33	Jevity HiCal RTH	237	Ledipasvir with sofosbuvir	
Insulin pump infusion set (steel	Jevity RTH	237	Leflunomide	119
cannula)33	- K -		Lenalidomide	17
Insulin pump infusion set (teflon	Kaletra	115	Letrole	18
cannula, angle insertion with	Kemadrin	127	Letrozole	18
insertion device)34	Kenacomb	212	Leukeran FC	16
Insulin pump infusion set (teflon	Kenacort-A 10	86	Leukotriene Receptor	
cannula, angle insertion)34	Kenacort-A 40	86	Antagonists	20
Insulin pump infusion set (teflon	Kenalog in Orabase	42	Leunase	
cannula, straight insertion with	Ketocal 3:1		Leuprorelin	9
insertion device)35	KetoCal 4:1	244	Leustatin	
Insulin pump infusion set (teflon	Ketoconazole		Levetiracetam	138
cannula, straight insertion) 36	Dermatological	76	Levobunolol	213
Insulin pump reservoir36	Infection		Levocabastine	213
Insulin syringes, disposable with	Ketogenic Diet	244	Levodopa with benserazide	12
attached needle27	Ketone blood beta-ketone		Levodopa with carbidopa	12
Intal Forte CFC Free210	electrodes	25	Levomepromazine	
Intal Spincaps210	Ketoprofen	118	hydrochloride	14
Intelence	Ketostix		Levomepromazine maleate	14
Interferon alfa-2a	Keytruda	201	Levonorgestrel	
Interferon alfa-2b116	Kindergen		Genito-Urinary	8
Interferon beta-1-alpha155	Kinson		Hormone	
Interferon beta-1-beta155	Kivexa		Levothyroxine	
Intra-uterine device78	Klacid	96	Lidocaine [Lignocaine]1	
Intron-A116	Kliogest	87	Lidocaine [Lignocaine]	
Invega Sustenna145	Kliovance	87	hydrochloride	129
IPOL262	Kogenate FS		Lidocaine [Lignocaine] with	
Ipratropium bromide207, 211	Konakion MM		chlorhexidine	12
Iressa	Konsyl-D	38	Lidocaine [Lignocaine] with	
Irinotecan Actavis 100168	-L-		prilocaine	129
Irinotecan Actavis 40168	L-asparaginase	169	Lidocaine-Claris	
Irinotecan hydrochloride 168	Labetalol		Lignocaine	
Irinotecan-Rex168	Lacosamide	137	Hormone	8
Iron polymaltose44	Lactulose		Nervous1	
Isentress115	Laevolac		Lioresal Intrathecal	
Ismo 2064	Lamictal	138	Lipazil	6
Ismo 40 Retard64	Lamivudine	108, 114	Lipid-Modifying Agents	
Isoniazid106	Lamivudine Alphapharm		Liquigen	22
Isoprenaline64	Lamotrigine		Lisinopril	5
Isoptin60	Lamprene		Lithicarb FC	
Isopto Carpine214	Lanoxin		Lithium carbonate	
Isosorbide mononitrate64	Lanoxin PG		Livostin	
Isosource Standard237	Lansoprazole		LMX4	
Isosource Standard RTH237	Lantus		Locacorten-Viaform ED's	
Isotane 1067	Lantus SoloStar		Local preparations for Anal and	
Isotane 2067	Lanvis	168	Rectal Disorders	2
Isotretinoin67	Lanzol Relief		Locasol	
Ispaghula (psyllium) husk38	Lapatinib ditosylate	176	Locoid	
Isradipine59	Largactil		Locoid Crelo	
Isuprel64	Lasix		Locoid Lipocream	
Itch-Soothe	Latanoprost		Locorten-Vioform	
Itraconazole	Lax-Sachets		Lodi	
Itrazole	Lax-Suppositories		Lodoxamide	
Ivermectin	Lax-Tab		Logem	
- J -	Laxatives		Lomide	21:
Jadelle80	Laxsol		Lomustine	16

Loniten	64	Hormone	.87–88	Metronidazole	10
Loperamide hydrochloride	20	Mefenamic acid	118	Metyrapone	
Lopinavir with ritonavir	115	Megestrol acetate	180	Mexiletine hydrochloride	5
Lopresor		Melatonin	155	Mexiletine Hydrochloride USP	
Loprofin	242	Meloxicam	118	Miacalcic	84
Loprofin Mix	242	Melphalan	165	Micolette	39
Lorafix	205	Menactra	260	Miconazole	42
Loratadine	205	Meningococcal (groups A, C, Y ar		Miconazole nitrate	
Lorazepam	147	W-135) conjugate vaccine		Dermatological	69
Lorfast	205	Meningococcal C conjugate		Genito-Urinary	
Lormetazepam	155	vaccine	260	Micreme	8
Lorstat		Menthol	69	Micreme H	7
Losartan Actavis	56	Mercaptopurine	168	Microgynon 30	79
Losartan potassium	56	Mercilon 28		Microgynon 50 ED	
Losartan potassium with		Mesalazine	21	Microlut	80
hydrochlorothiazide	56	Mesna		Midazolam	
Lovir		Mestinon	118	Midazolam-Claris	156
Lucrin Depot 1-month		Metabolic Disorder Agents	39	Midodrine	5
Lucrin Depot 3-month		Metamide		Minerals	
Ludiomil		Metchek	25	Mini-Wright AFS Low Range	
Lycinate		Meterol		Mini-Wright Standard	
Lyderm		Metformin hydrochloride	25	Minidiab	
- M -		Metformin Mylan		Minims Pilocarpine	
m-Eslon	131	Methadone hydrochloride		Minims Prednisolone	
M-M-R II	260	Extemporaneous	224	Minirin	9
m-Nystatin		Nervous		Mino-tabs	
Mabthera		Methatabs		Minocycline hydrochloride	
Macrogol 3350 with potassium		Methopt		Minomycin	9
chloride, sodium bicarbonate	and	Methotrexate		Minor Śkin Infections	
sodium chloride		Methotrexate Ebewe	168	Minoxidil	64
Macrogol 400 and propylene		Methotrexate Sandoz	168	Mirena	8
glycol	215	Methyl hydroxybenzoate		Mirtazapine	
Madopar 125		Methylcellulose		Misoprostol	2
Madopar 250		Methylcellulose with glycerin and		Mitomycin C	
Madopar 62.5		sodium saccharin	225	Mitozantrone	
Madopar HBS		Methylcellulose with glycerin and		Mitozantrone Ebewe	
Madopar Rapid		sucrose	225	Mixtard 30	24
Magnesium hydroxide	224	Methyldopa		Moclobemide	
Magnesium sulphate		Methyldopa Mylan		Modafinil	160
Mantoux		Methylphenidate hydrochloride		Modavigil	
Maprotiline hydrochloride		Methylphenidate hydrochloride		Modecate	
Marevan		extended-release	159	Modecate S29	14
Marine Blue Lotion SPF 50+	76	Methylprednisolone	85	Moduretic	
Marvelon 28	79	Methylprednisolone (as sodium		Mometasone furoate	7
Mask for spacer device		succinate)	85	Monogen	23
Mast Cell Stabilisers	210	Methylprednisolone aceponate		Montelukast	
Maxidex	213	Methylprednisolone acetate		Moroctocog alfa [Recombinant fa	
Maxitrol	213	Methylprednisolone acetate with		VIII]	
MCT oil (Nutricia)		lidocaine [Lignocaine]	85	Morphine hydrochloride	
Measles, mumps and rubella		Methylxanthines		Morphine sulphate	
vaccine	260	Metoclopramide hydrochloride		Morphine tartrate	
Mebendazole		Metolazone		Motetis	
Mebeverine hydrochloride		Metopirone		Motrig	
Medrol		Metoprolol - AFT CR		Mouth and Throat	
Medroxyprogesterone acetate		Metoprolol succinate		Movapo	
Genito-Urinary	80	Metoprolol tartrate		Moxifloxacin	
,		•			

MSUD Maxamum	241	Nepro HP (vanilla)	233	NovoSeven RT	47
Mucilaginous laxatives with		Nepro HP RTH	233	Noxafil	103
stimulants	38	Nerisone	70	Nozinan	143
Mucolytics		Neulactil	143	Nuelin	210
Mucosoothe		Neulastim		Nuelin-SR	
Multiple Sclerosis Treatments	147	Neurontin	136	Nupentin	136
Multivitamin renal	43	NeuroTabs	44	Nutilis	240
Multivitamins	43	Nevirapine	113	Nutrient Modules	227
Mupirocin	68	Nevirapine Alphapharm	113	Nutrini Energy Multi Fibre	232
Muscle Relaxants		Nicorandil		Nutrini Energy RTH	232
Mvite	44	Nicotine	162	Nutrini Low Energy Multi Fibre	234
Myambutol	106	Nicotinic acid	62	Nutrini RTH	232
Mycobutin	106	Nifedipine	59	Nutrison 800 Complete Multi	
MycoNail		Nifuran		Fibre	237
Mycophenolate mofetil	181	Nilotinib	176	Nutrison Concentrated	
Mycostatin		Nilstat		Nutrison Energy	237
Mydriacyl	215	Alimentary	42	Nutrison Energy Multi Fibre	
Mylan Atenolol		Genito-Urinary	81	Nutrison Multi Fibre	
Mylan Clomiphen		Infection		Nutrison Standard RTH	237
Mylan-Bosentan		Nipent	172	Nyefax Retard	59
Myleran		Nitrados		Nystatin	
Myloc CR	58	Nitrates	64	Alimentary	42
Myocrisin		Nitrazepam		Dermatological	69
Myometrial and Vaginal Hormor		Nitroderm TTS		Genito-Urinary	
Preparations		Nitrofurantoin	117	Infection	
Myozyme		Nitrolingual Pump Spray		NZB Low Gluten Bread Mix	240
- N -		Nivolumab		-0-	
Nadolol	58	Nizoral		O/W Fatty Emulsion Cream	72
Naglazyme	40	Noctamid	155	Obinutuzumab	
Nalcrom		Nodia	20	Octocog alfa [Recombinant factor	
Naloxone hydrochloride		Noflam 250		VIII] (Advate)	48
Naltraccord		Noflam 500	118	Octocog alfa [Recombinant factor	
Naltrexone hydrochloride	162	Non-Steroidal Anti-Inflammatory		VIII] (Kogenate FS)	49
Naphazoline hydrochloride		Drugs	118	Octreotide	
Naphcon Forte		Nonacog alfa [Recombinant factor		Octreotide LAR (somatostatin	
Naprosyn SR 1000		IX]		analogue)	180
Naprosyn SR 750		Nonacog gamma, [Recombinant		Oestradiol	
Naproxen		Factor IX]	48	Oestradiol valerate	
Nardil		Norethisterone		Oestradiol with norethisterone	
Nasal Preparations		Genito-Urinary	80	Oestriol	
Natalizumab		Hormone		Genito-Urinary	81
Natulan		Norflex		Hormone	87
Nausicalm	141	Norfloxacin		Oestrogens	
Nauzene	141	Noriday 28		Oestrogens with	
Navelbine		Norimin		medroxyprogesterone	87
Nedocromil		Normacol Plus		Oil in water emulsion	
Nefopam hydrochloride		Normison		Olanzapine14	
Neisvac-C		Norpress	133	Olbetam	
Neo-B12		Nortriptyline hydrochloride		Olopatadine	
Neo-Mercazole		Norvir		Olsalazine	21
Neocate Advance		NovaSource Renal		Omalizumab	
Neocate Gold		Novatretin		Omeprazole	
Neocate LCP		NovoMix 30 FlexPen		Omezol Relief	29
Neoral		NovoRapid		Omnitrope	
Neostigmine metilsulfate		NovoRapid FlexPen		Onbrez Breezhaler	
Nepro HP (strawberry)		NovoRapid Penfill		Oncaspar	

OncoTICE187	Pamisol122	Paromomycin10
Ondansetron141	Pancreatic enzyme37	Paroxetine13
Ondansetron ODT-DRLA141	Pantoprazole23	Paser10
One-Alpha43	Panzop Relief23	Patanol21
Opdivo200	Panzytrat37	Paxam14
Ora-Blend225	Papaverine hydrochloride65	Pazopanib17
Ora-Blend SF225	Para-amino salicylic acid106	Peak flow meter21
Ora-Plus224	Paracare130	Pedialyte - Bubblegum5
Ora-Sweet224	Paracare Double Strength130	Pediasure23
Ora-Sweet SF224	Paracetamol130	Pediasure RTH23
Orabase42	Paracetamol + Codeine	Pegaspargase17
Oral Supplements/Complete Diet	(Relieve) 132	Pegasys11
(Nasogastric/Gastrostomy Tube	Paracetamol with codeine132	Pegasys RBV Combination
Feed) 230	Paradigm 1.8 Reservoir36	Pack11
Oratane67	Paradigm 3.0 Reservoir36	Pegfilgrastim5
Orgran241	Paradigm 52228	Pegylated interferon alfa-2a11
Orion Temozolomide172	Paradigm 72228	Pembrolizumab20
Ornidazole 105	Paradigm Mio MMT-92135	Penicillamine11
Orphenadrine citrate126	Paradigm Mio MMT-92335	Penicillin G9
Ortho-tolidine83	Paradigm Mio MMT-92535	PenMix 302
Oruvail SR118	Paradigm Mio MMT-94135	PenMix 402
Osmolite RTH237	Paradigm Mio MMT-94335	PenMix 502
Ospamox98	Paradigm Mio MMT-94535	Pentasa2
Other Endocrine Agents94	Paradigm Mio MMT-96535	Pentostatin [Deoxycoformycin]17
Other Oestrogen Preparations87	Paradigm Mio MMT-97535	Pentoxifylline [Oxpentifylline]6
Other Progestogen	Paradigm Quick-Set MMT-38636	Peptamen Junior23
Preparations 87	Paradigm Quick-Set MMT-38736	Peptisoothe2
Other Skin Preparations77	Paradigm Quick-Set MMT-39636	Peptisorb23
Ovestin	Paradigm Quick-Set MMT-39736	Perhexiline maleate6
Genito-Urinary81	Paradigm Quick-Set MMT-39836	Pericyazine14
Hormone87	Paradigm Quick-Set MMT-39936	Perindopril5
Ox-Pam147	Paradigm Silhouette MMT-36834	Perjeta19
Oxaliccord166	Paradigm Silhouette MMT-37734	Permethrin7
Oxaliplatin166	Paradigm Silhouette MMT-37834	Pertuzumab19
Oxaliplatin Actavis 100166	Paradigm Silhouette MMT-38134	Peteha 10
Oxaliplatin Actavis 50166	Paradigm Silhouette MMT-38234	Pethidine hydrochloride13
Oxaliplatin Ebewe166	Paradigm Silhouette MMT-38334	Pevaryl6
Oxazepam 147	Paradigm Silhouette MMT-38434	Pexsig6
Oxis Turbuhaler206	Paradigm Sure-T MMT-86433	Pfizer Exemestane18
Oxpentifylline65	Paradigm Sure-T MMT-86633	Pharmacare 13
Oxybutynin82	Paradigm Sure-T MMT-87433	Pharmacy Health Sorbolene with
Oxycodone hydrochloride132	Paradigm Sure-T MMT-87633	Glycerin7
OxyNorm132	Paradigm Sure-T MMT-88433	Pharmacy Services21
Oxytocin81	Paradigm Sure-T MMT-88633	Pheburane4
Oxytocin BNM81	Paraffin72	Phenelzine sulphate13
Oxytocin with ergometrine	Paraffin liquid with soft white	Phenobarbitone13
maleate81	paraffin215	Phenobarbitone sodium
Ozole102	Paraffin liquid with wool fat215	Extemporaneous22
-P-	Paraldehyde135	Nervous15
Pacifen126	Parasidose75	Phenothrin7
Paclitaxel 171	Parasiticidal Preparations73	Phenoxybenzamine
Paclitaxel Actavis171	Paritaprevir, ritonavir and ombitasvir	hydrochloride5
Paclitaxel Ebewe171	with dasabuvir112	Phenoxymethylpenicillin (Penicillin
Paediatric Seravit43	Paritaprevir, ritonavir and ombitasvir	V)9
Paliperidone145	with dasabuvir and ribavirin 112	Phenytoin sodium136, 13
Pamidronate disodium122	Parnate133	Phlexy 1024

Phosphate-Sandoz	54	Pregnancy Tests - hCG Urine	81	Questran-Lite	6
Phosphorus	54	Premarin		Quetapel	14
Phytomenadione	49	Premia 2.5 Continuous	87	Quetiapine	14
Pilocarpine hydrochloride	214	Premia 5 Continuous	87	Quick-Set MMT-390	30
Pimafucort		Prevenar 13	261	Quick-Set MMT-391	30
Pindolol	<u>58</u>	Prezista	114	Quick-Set MMT-392	30
Pine tar with trolamine laurils	ulfate	Priadel	143	Quick-Set MMT-393	
and fluorescein	75	Primacin	105	Quinapril	
Pinetarsol	75	Primaquine phosphate	105	Quinapril with	
Pioglitazone	25	Primidone		hydrochlorothiazide	50
Piportil		Primolut N		Quinine sulphate	
Pipothiazine palmitate		Priorix	260	Qvar	20
Pirfenidone		Probenecid	126	- R -	
Pizotifen		Probenecid-AFT		RA-Morph	13
PKU Anamix Infant	242	Procaine penicillin	99	Raloxifene hydrochloride	
PKU Anamix Junior	242	Procarbazine hydrochloride		Raltegravir potassium	
PKU Anamix Junior LQ	242	Prochlorperazine		Ramipex	
PKU Lophlex LQ 10		Proctosedyl		Ranbaxy-Cefaclor	
PKU Lophlex LQ 20		Procur		Ranitidine	
Plaquenil		Procyclidine hydrochloride		Ranitidine Relief	
Plendil ER		Procytox		Rapamune	
Pneumococcal (PCV10) con		Prodopa		Reandron 1000	
vaccine		Progesterone		Recombinant factor IX	4
Pneumococcal (PCV13) con		Proglicem		Recombinant factor VIIa	
vaccine		Proglycem		Recombinant factor VIII	
Pneumococcal (PPV23)		Progynova		Rectogesic	
polysaccharide vaccine	262	Prokinex		Redipred	
Pneumovax 23		Promethazine hydrochloride		Refresh Night Time	
Podophyllotoxin		Promethazine theoclate		Renilon 7.5	
Polaramine		Propafenone hydrochloride		Resonium-A	
Poliomyelitis vaccine		Propamidine isethionate		Resource Beneprotein	
Poloxamer		Propranolol		Resource Diabetic	230
Poly-Gel		Propylene glycol		Respigen	
Poly-Tears		Propylthiouracil		Respiratory Devices	
Poly-Visc		Protamine sulphate		Respiratory Stimulants	
Polycal		Protaphane		Retinol palmitate	21
Polyvinyl alcohol		Protaphane Penfill		ReTrieve	
Ponstan	118	Protifar	229	Retrovir	
Posaconazole		Protionamide		Revlimid	
Postinor-1		Provera		Revolade	
Potassium chloride		Provera HD		Rexacrom	
Potassium citrate		PSM Citalopram		RexAir	
Potassium iodate		Psoriasis and Eczema		Reyataz	
Povidone iodine		Preparations	75	Ribomustin	
Pradaxa		PTU		Ridaura s29	
Pramipexole hydrochloride		Pulmicort Turbuhaler	205	Rifabutin	
Prasugrel		Pulmocare		Rifadin	
Pravastatin		Pulmozyme		Rifampicin	
Praziquantel		Puri-nethol		Rifaximin	
Prazosin		Pyrazinamide		Rifinah	
Prednisolone		Pyridostigmine bromide		Rilutek	
Prednisolone acetate		Pyridoxine hydrochloride		Riluzole	
Prednisolone sodium		Pyrimethamine		Riodine	
phosphate	213	Pytazen SR		Risedronate Sandoz	
Prednisolone-AFT	213	- Q -		Risedronate sodium	
Prednisone		Q 300	105	Risperdal Consta	
		~ ~~~			

Risperidone	144, 146	Serevent Accuhaler	206	Span-K	54
Risperon	144	Serophene	94	Spiolto Respimat	
Ritalin	158	Sertraline	134	Spiractin	
Ritalin LA	159	Sevredol		Spiriva	
Ritalin SR		Sex Hormones Non		Spiriva Respimat	
Ritonavir		Contraceptive	86	Spironolactone	
Rituximab		Shield 49		Sporanox	
Rivaroxaban		Shield Blue		Sprycel	
Rivastigmine		Shield XL		Staphlex	q
Rivotril	135–136	Sildenafil		Stemetil	14
RIXUBIS		Silhouette MMT-371		Stesolid	
Rizamelt		Silhouette MMT-373		Stimulants/ADHD Treatments	
Rizatriptan		Siltuximab		Stiripentol	
Roferon-A		Simvastatin		Stocrin	
		Sinemet			
Ropinirole hydrochloride				Stomahesive	
Rotarix		Sinemet CR		Strattera	
RotaTeq		Sirolimus		Stromectol	
Rotavirus live reassortant ora		Slow-K		Suboxone	
vaccine		Slow-Lopresor		Sucralfate	
Rotavirus oral vaccine	263	Sodibic		Sulfadiazine Silver	
Roxane		Sodium acid phosphate		Sulfadiazine sodium	
Alimentary		Sodium alginate		Sulindac	
Cardiovascular	58	Sodium aurothiomalate	119	Sulphasalazine	
Roxithromycin		Sodium benzoate	41	Sulphur	
Rubifen	158	Sodium bicarbonate		Sulprix	142
Rubifen SR	158	Blood	53-54	Sumatriptan	140
Rulide D	97	Extemporaneous		Sunitinib	
Rythmodan	57	Sodium calcium edetate	218	Sunscreens	70
Rytmonorm		Sodium chloride		Sunscreens, proprietary	70
· - S -		Blood	53	Sure-T MMT-863	
S-26 Gold Premgro	242	Respiratory		Sure-T MMT-865	3
Sabril		Sodium citrate with sodium lau		Sure-T MMT-873	
SalAir		sulphoacetate		Sure-T MMT-875	
Salazopyrin		Sodium citro-tartrate		Sure-T MMT-883	
Salazopyrin EN		Sodium cromoglycate		Sure-T MMT-885	
Salbutamol		Alimentary	21	Sustagen Diabetic	
Salbutamol with ipratropium	200 201	Respiratory	210	Sustagen Hospital Formula	
bromide	207	Sensory	213	Sustanon Ampoules	
Salicylic acid		Sodium fluoride		Sutent	
		Sodium hyaluronate [Hyaluroni		Sylvant	
Salmeterol				Symbicort Turbuhaler 100/6	
Sandomigran Sandostatin LAR		acid]			
		Sodium nitroprusside		Symbicort Turbuhaler 200/6	
Scalp Preparations		Sodium phenylbutyrate		Symbicort Turbuhaler 400/12	
Scopoderm TTS		Sodium polystyrene sulphonate		Symmetrel	12
Sebizole		Sodium tetradecyl sulphate		Sympathomimetics	64
Sedatives and Hypnotics		Sodium valproate		Synacthen	8
Seebri Breezhaler		Sofradex		Synacthen Depot	8
Selegiline hydrochloride	127	Soframycin	212	Synflorix	26
Senna		Solian		Synthroid	89
Senokot		Solifenacin succinate		Syntometrine	
Sensipar		Solu-Cortef		Syrup (pharmaceutical grade)	22
SensoCard	27	Solu-Medrol		Systane Unit Dose	21
Serenace	143	Somatropin (Omnitrope)	89	-T-	
Seretide	206	Sotacor		Tacrolimus	203
Seretide Accuhaler	206	Sotalol	59	Tacrolimus Sandoz	
Serevent	206	Spacer device	211	Tambocor	5

Tambocor CR	57	Tobramycin		Trusopt	214
Tamoxifen citrate	181	Infection	102	Truvada	
Tamsulosin hydrochloride	82	Sensory	212	Tuberculin PPD [Mantoux] test	263
Tamsulosin-Rex	82	Tobramycin Mylan	102	Tubersol	
Tap water	225	Tobrex	212	Two Cal HN	240
Tarceva		Tofranil		Two Cal HN RTH	239
Tasigna	176	Tofranil s29	133	Tykerb	
Tasmar		Tolcapone	127	Tysabri	
Tecfidera		Tolterodine		. U -	
Tegretol	136	Topamax	139	Ultibro Breezhaler	208
Tegretol CR		Topical Products for Joint and		Ultraproct	21
Telfast		Muscular Pain	119	Umeclidinium	
Temaccord	172	Topiramate	139	Umeclidinium with vilanterol	209
Temazepam	156	Topiramate Actavis	139	Univent	207, 211
Temozolomide	172	Total parenteral nutrition (TPN).	53	Ural	82
Tenofovir disoproxil fumarate	110	TPN	53	Urea	72
Tenoxicam	118	Tramadol hydrochloride	132	Urex Forte	61
Tepadina	166	Tramal SR 100	132	Urinary Agents	81
Terazosin		Tramal SR 150	132	Urinary Tract Infections	
Terbinafine	104	Tramal SR 200		Uromitexan	
Terbutaline sulphate	207	Trandate	58	Ursodeoxycholic acid	
Teriflunomide	152	Tranexamic acid	49	Ursosan	
Teriparatide		Tranylcypromine sulphate	133	Utrogestan	
Testosterone		Trastuzumab		- V -	
Testosterone cypionate	86	Travatan		Vaccinations	255
Testosterone esters		Travoprost	214	Vaclovir	109
Testosterone undecanoate	86	Treatments for Dementia	160	Valaciclovir	109
Tetrabenazine	128	Treatments for Substance		Valcyte	109
Tetrabromophenol	83	Dependence	161	Valganciclovir	
Tetracosactrin		Trental 400	65	Vallergan Forte	205
Tetracyclin Wolff		Tretinoin		Vancomycin	
Tetracycline		Dermatological	67	Vannair	
Teva		Oncology		Varenicline tartrate	
Thalidomide	173	Trexate		Varicella vaccine [Chickenpox	
Thalomid	173	Triamcinolone acetonide		vaccine]	263
Theophylline		Alimentary	42	Varilrix	
Thiamine hydrochloride		Dermatological		Various	217
THIO-TEPÁ		Hormone		Vasodilators	64
Thioguanine	168	Triamcinolone acetonide with		Vasopressin Agonists	
Thiotepa		gramicidin, neomycin and nys	statin	Vedafil	
Thymol glycerin		Dermatological		Velcade	169
Thyroid and Antithyroid Agents		Sensory		Venlafaxine	135
Ticagrelor		Triazolam		Venomil	204
Tilade	210	Trichozole	105	Ventavis	66
Tilcotil	118	Triclosan	71	Ventolin	206-207
Timolol		Trifluoperazine hydrochloride	144	Vepesid	
Cardiovascular	59	Trimeprazine tartrate		Verapamil hydrochloride	
Sensory	213	Trimethoprim		Vergo 16	
Timoptol XE		Trimethoprim with		Vermox	
Tiotropium bromide		sulphamethoxazole		Verpamil SR	
Tiotropium bromide with		[Co-trimoxazole]	102	Vesanoid	173
olodaterol	208	Trisequens		Vesicare	
Tivicay		Trisul		Vexazone	
TMP		Trophic Hormones		Vfend	
TOBI		Tropicamide		Viaderm KC	
		r		Vidaza	

Viekira Pak112
Viekira Pak-RBV112
Vigabatrin
Vimpat
Vinipat
Vincristine sulphate173
Vinorelbine174
Vinorelbine Ebewe174
Viramune Suspension113
Viread110
ViruPOS212
Vistil215
Vistil Forte215
Vit.D343
VitA-POS216
Vitabdeck44
Vitadol C
Vital
Vitamin A with vitamins D and C42
Vitamin B complex         43           Vitamin B6 25         43
Vitamins
Volibris
Voltaren
Voltaren D
Voltaren Ophtha213
Volumatic211
Voriconazole104
Vosol212
Votrient
Vttack104
- W -
Warfarin sodium52
Wart Preparations76
Wasp venom allergy treatment204
Water
Blood53
Extemporaneous225
Wool fat with mineral oil72
- X -
Xanax147
Xarelto52
Xifaxan23
XMET Maxamum241
Xolair
XP Maxamaid242
XP Maxamum
Xylocaine 129
Xylocaine 2% Jelly
Xylocaine Viscous
Xyntha48
- Z -
Zantac22
Zapril55 Zarontin136

Zaroxolyn61
Zarzio52
Zavedos170
Zeffix108
Ziagen114
Zidovudine [AZT]114
Zidovudine [AZT] with
lamivudine114
Zimybe63
Zinc and castor oil72
Zinc sulphate45
Zincaps45
Zinnat96
Ziprasidone144
Zista204
Zithromax96
Zoladex93
Zoledronic acid
Hormone84
Musculoskeletal123
Zoledronic acid Mylan84
Zometa84
Zopiclone
Zopiclone Actavis157
Zostrix119
Zostrix HP129
Zuclopenthixol decanoate146
Zuclopenthixol hydrochloride144
Zusdone144
Zyban161
Zypine143
Zypine ODT143
Zyprexa Relprevv145
Zytiga179