Nervous System

Sensory Organs

Various

6

20

46

55

66

77

83

95

128

162

202

210

215

Octob	er	20	17	
Volume 2	4 N	umb	er :	2

#### Editors:

Kaye Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

#### **Freephone Information Line** 0800 66 00 50 (9am - 5pm weekdays)

#### Circulation

Published each April. August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

### Production

Typeset automatically from XML and T<sub>F</sub>X. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

### Programmers

Anrik Drenth & John Geering

email: texschedule@pharmac.govt.nz

©Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 4.0 International licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/bv/4.0/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section A General Rules Section B Alimentary Tract & Metabolism Blood & Blood Forming Organs Cardiovascular System Dermatologicals Genito Urinary System Hormone Preparations – Systemic Infections – Agents For Systemic Use 118 Musculoskeletal System

Oncology Agents & Immunosuppressants

Respiratory System & Allergies

Section C	Extemporaneous Compounds (ECPs)	217
Section D	Special Foods	224
Section E	Practitioner's Supply Orders	243
	Rural Areas	247
Section F	Dispensing Period Exemptions	248
Section G	Safety Cap Medicines	250
Section I	National Immunisation Schedule	253

Index 262

# Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

#### PHARMAC's role:

# "Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

# Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

# **Explaining pharmaceutical entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

#### Example



# Glossary

#### Units of Measure

•	g	microgram mcg	millimole mmol
	kg	milligram mg	unit u
international unit	iu	millilitreml	
Abbreviations			
Ampoule	Amp	GelatinousGel	SolutionSoln
Capsule	Сар	Granules Gran	SuppositorySupp
Cream	Crm	Infusion Inf	TabletTab
Device	Dev	Injection Inj	Tincture Tinc
Dispersible	Disp	LiquidLiq	Trans Dermal Delivery
	Ēff	Long ActingLA	SystemTDDS
Emulsion	Emul	OintmentOint	
Enteric Coated	EC	Sachet Sach	
BSO	Dulle Quante Order		
CBS	Bulk Supply Order. Cost Brand Source.		
ECP		Compounded Dreneration	
OP		Compounded Preparation.	
PSO	U U	idy is rounded up to a multiple at whole pack	.5.
Sole Subsidised	Practitioner's Supply	Oldel.	
	Only brand of this m	adiaina aubaidiaad	
<u>Supplier</u> XPharm	Only brand of this m	claim subsidy because PHARMAC has made	altornative distribution arrangements
		may be dispensed at one time if the exempter	
	by the practitioner or	, , , ,	u medicine is endorsed certilied exemption
*		nsed all-at-once or, in the case of oral contract	contives, six menths dispensed all at ence
*		meets the Dispensing Frequency Rule criteri	
+			
‡ ✓		for oral liquid formulations, including extemport nd of a given medicine. Brands without the tion	
•		5	ik are not rully subsidised and may cost the
S29	patient a manufactur		on 20 of the Medicines Act 1081
HP3		unapproved medication supplied under Section	
		pensed from a pharmacy that has a contract	
HP4		spensed from a pharmacy that has a contraction	ci to dispense from the Monitored Therapy
	Variation (for Clozap	ine Services).	

# **Community Pharmaceutical costs met by the Government**

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

# Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

#### Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

#### Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

# Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to whole-salers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 October 2017 and is to be referred to as the Pharmaceutical Schedule Volume 24 Number 2, 2017. Distribution will be from 20 October 2017. This Schedule comes into force on 1 October 2017.

### PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act", means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.

"Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit. "DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the Prescriber. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the Prescriber writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Prescriber.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Prescriber which is either:
  - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Prescriber, or
  - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
  - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an

Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified. "Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

"Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Prescriber or any of the following: Quitcard Provider, a Pharmacist, or a Vaccinator as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Prescriber on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Prescriber, which the Prescriber requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescriber", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Prescriber.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984. "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

a)

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

- "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
  - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
  - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
    - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Prescriber, or
    - iii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol", or
    - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
  - ii) the consultation to relate to the Patient for whom the Prescription is written;
  - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - iv) except in emergencies consultation to precede annotation of the Prescription; and
  - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule. "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim. "Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Prescribers of pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

"Vaccinator", means either:

- a) a pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health; or
- b) any other person who is authorised by the Director-General of Health or a Medical Officer of Health to administer vaccines in accordance with this Section 44A of the Medicines Regulations 1984.
- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

# PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

### PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Prescribers Prescriptions and provision of pharmaceuticals by other Practitioners (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Prescriber and provision of pharmaceuticals by other Practitioners unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
    - i) sufficient to provide treatment for a period not exceeding 10 days; and
    - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Prescriber and 3.1.7 for an Optometrist, where a Prescriber has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - b) both:
        - the Prescriber endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Prescriber's own handwriting, or signed or initialled by the Prescriber; and
        - 2) every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Prescriber has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
  - c) is under the Dispensing Frequency Rule,
  - The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Prescriber for an oral contraceptive:

3.2.1 The Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Prescriber prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
  - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
  - b) an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
  - c) any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Prescriber in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Prescriber in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed or ordered by the Prescriber is less than 10% (eg; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed or ordered by the Prescriber.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

#### 3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
  - b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

#### 3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

#### 3.6 Non-prescribing Practitioners

- 3.6.1 Dispensing on the authority of a Quitcard will only be subsidised where it is:
  - a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum; and
  - b) written on a Quitcard.
- 3.6.2 Provision of vaccines by Vaccinators

Vaccines will only be valid for subsidy in accordance with an agreement between the Contractor and the DHB, and only for direct administration of a vaccine to a patient.

3.6.3 Provision of a Community Pharmaceutical by a Pharmacist Except where pursuant to a prescription, Quitcard or supply order, provision of a community pharmaceutical by a pharmacist will only be subsidised where specifically indicated in Section B of the Pharmaceutical Schedule.

### PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.
- 4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients
  - If a Pharmacist considers Frequent Dispensing is required, then:
  - 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;

4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

#### 4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
  - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
  - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
  - i) 7 days' supply for a Class B Controlled Drug; or
  - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
  - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the Prescriber or dispensing Pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

#### 4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the Prescriber has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.
- Patients who reside in Penal Institutions are not eligible for Trial Periods.

#### 4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
  - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
  - b) The prescribing Practitioner has:
    - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
    - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
  - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
  - Annotated the Prescription with the amended dispensing quantity and frequency.

#### 4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
  - PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
  - b) the dispensing pharmacist has:

- i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
- ii) initialled the annotation in their own handwriting; and
- iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note -- no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

### PART V MISCELLANEOUS PROVISIONS

#### 5.1 Bulk Supply Orders

- The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:
- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Prescriber may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Prescriber may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Prescriber's care if:
  - a) the Prescriber's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Prescriber is a locum for a Prescriber whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Prescriber may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:

- i) is personally signed and dated by the Prescriber; and
- ii) sets out the Prescriber's address; and
- iii) sets out the Community Pharmaceuticals and quantities, and;
- b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Prescriber specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Prescriber working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
  - a) the RFPP provider name is written on the Practitioner's Supply Order; and
  - b) the total quantity ordered does not exceed a multiple of:
    - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
    - two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
  - c) the Prescriber must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

#### 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

#### 5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 5.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

#### 5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
  - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - c) is being used and funded as part of a paediatric oncology service; or
  - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.2;

- c) clauses 3.1 to 3.4; and
- d) clause 5.4,

of Section A of the Schedule

- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Prescribers of Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

#### 5.5 Prescribers of unapproved Pharmaceuticals

Prescribers should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Prescribers are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Prescribers should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Prescribers should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 5.6 Substitution

Where a Prescriber has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

#### 5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

#### 5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- c) a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

#### 5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

# SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Ful Subsidise Per	,
Antacids and Antiflatulants	Ŷ		Mandaotaroi
Antacids and Reflux Barrier Agents			
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg pe sachet		30 🗸	Gaviscon Infant
SODIUM ALGINATE * Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE * Tab 600 mg CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement Only when prescribed for children under 12 years of age		500 ml 🗸	Alu-Tab Roxane ent and the prescription is
Antidiarrhoeals Agents Which Reduce Motility			
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a * Tab 2 mg * Cap 2 mg	10.75		Nodia Diamide Relief
Rectal and Colonic Anti-inflammatories			
BUDESONIDE Cap 3 mg − Special Authority see SA1155 below − Retail pharmacy			Entocort CIR ns for applications meeting
Both: 1 Mild to moderate ileal, ileocaecal or proximal Crohn's dise 2 Any of the following: 2.1 Diabetes; or 2.2 Cushingoid habitus; or 2.3 Osteoporosis where there is significant risk of fract			
			continued.

20

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	~	Manufacturer

continued...

2.4 Severe acne following treatment with conventional corticosteroid therapy; or

2.5 History of severe psychiatric problems associated with corticosteroid treatment; or

2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or

2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

**Initial application — (gut Graft versus Host disease)** from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	26.55	21.1 g OP	✓ Colifoam
MESALAZINE			
Tab 400 mg	49.50	100	Asacol
Tab EC 500 mg	49.50	100	Asamax
Tab long-acting 500 mg	59.05	100	<ul> <li>Pentasa</li> </ul>
Tab 800 mg	85.50	90	Asacol
Modified release granules, 1 g		120 OP	<ul> <li>Pentasa</li> </ul>
Enema 1 g per 100 ml	41.30	7	Pentasa
Suppos 500 mg	22.80	20	Asacol
Suppos 1 g	54.60	30	Pentasa
OLSALAZINE			
Tab 500 mg	93.37	100	<ul> <li>Dipentum</li> </ul>
Cap 250 mg		100	<ul> <li>Dipentum</li> </ul>
SODIUM CROMOGLYCATE			•
Cap 100 mg	92.91	100	<ul> <li>Nalcrom</li> </ul>
SULPHASALAZINE			
* Tab 500 mg – For sulphasalazine oral liquid formulation refer,			
page 218	14.00	100	<ul> <li>Salazopyrin</li> </ul>
* Tab EC 500 mg		100	✓ Salazopyrin EN

### Local preparations for Anal and Rectal Disorders

#### **Antihaemorrhoidal Preparations**

#### FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and		
cinchocaine hydrochloride 5 mg per g6.35	30 g OP	<ul> <li>Ultraproct</li> </ul>
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and		
cinchocaine hydrochloride 1 mg2.66	12	<ul> <li>Ultraproct</li> </ul>
HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	<ul> <li>Proctosedyl</li> </ul>
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g	12	<ul> <li>Proctosedyl</li> </ul>

‡ safety cap

	Subsidy (Manufacturer's Price \$		Fully Brand or dised Generic ✓ Manufacturer
Management of Anal Fissures			
GLYCERYL TRINITRATE – Special Authority see SA1329 below * Oint 0.2%	22.00 d without further ren	30 g OP	<ul> <li>Rectogesic</li> <li>notified where the patient has a</li> </ul>
chronic anal fissure that has persisted for longer than three weeks Antispasmodics and Other Agents Altering Gut			
GLYCOPYRRONIUM BROMIDE Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available on PSO	a	10	✓ Max Health
HYOSCINE BUTYLBROMIDE	0.40		
* Tab 10 mg	2.18 8.75	20 100	<ul> <li>Gastrosoothe</li> <li>Buscopan</li> </ul>
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO		5	✓ Buscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg		90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL			
* Tab 200 mcg	41.50	120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription b) Subsidised only if prescribed for helicobacter pylori en Note: the prescription is considered endorsed if clarithro and either amoxicillin or metronidazole.	radication and pres		
H2 Antagonists			
RANITIDINE – Only on a prescription * Tab 150 mg Ranitidine Relief to be Sole Supply on 1 November 2017		500	✓ Ranitidine Relief
<ul> <li>Tab 300 mg</li> <li>Ranitidine Relief to be Sole Supply on 1 November 2017</li> </ul>		500	✓ Ranitidine Relief
* Oral liq 150 mg per 10 ml		300 ml	✓ Peptisoothe
Peptisoothe to be Sole Supply on 1 November 2017 * Inj 25 mg per ml, 2 ml	8.75	5	<ul> <li>Zantac</li> </ul>
Proton Pump Inhibitors			
LANSOPRAZOLE			
<ul> <li>* Cap 15 mg</li> <li>* Cap 30 mg</li> </ul>		100 100	<ul> <li>✓ Lanzol Relief</li> <li>✓ Lanzol Relief</li> </ul>

fully subsidised
 [HP4] refer page 4

22

(\$29) Unapproved medicine supplied under Section 29 Sole Subsidised Supply

		Subsidy		Fully	
		(Manufacturer's Price) \$	Per	Subsidised	I Generic Manufacturer
MEPF	RAZOLE				
	r omeprazole suspension refer Standard Formulae, pag				
	p 10 mg		90		Omezol Relief
	p 20 mg		90		Omezol Relief
	p 40 mg		90		Omezol Relief
7 P0	wder – Only in combination Only in extemporaneously compounded omeprazole		5 g	•	Midwest
€ Ini 4	40 mg ampoule with diluent		5	1	Dr Reddy's
. ng			0	-	Omeprazole
ANTO	PRAZOLE				
-	b EC 20 mg	2.41	100	1	Panzop Relief
+ Tab	b EC 40 mg	3.35	100		Panzop Relief
Site	Protective Agents				
	-				
	DIDAL BISMUTH SUBCITRATE	1/ 51	50		Gastrodenol S29
	b 120 mg	14.01	50	•	Gastrodenorsza
	ALFATE b 1 g	0F F0	120		
Tal	b i g	(48.28)	120		Carafate
		(40.20)			Odraidic
Bile a	and Liver Therapy				
	MIN – Special Authority see SA1461 below – Retail pl	harmaov			
					V16
	b 550 ma		56	✓	Xitaxan
Tab	b 550 mg	625.00	56	~	<u>Xifaxan</u>
Tab SA14+	461 Special Authority for Subsidy				
Tab SA14 iitial a		t or Practitioner on the re	ecom	nendatior	of a gastroenterologist
Tab SA14 hitial a epatole	<b>461</b> Special Authority for Subsidy application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient ad doses of lactulose.	t or Practitioner on the re has hepatic encephalopa	ecom athy d	mendatior espite an	of a gastroenterologist adequate trial of maximu
Tab SA14 itial a epatole lerate enewa	<ul> <li>461 Special Authority for Subsidy</li> <li>application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient of doses of lactulose.</li> <li>al only from a gastroenterologist, hepatologist or Pract</li> </ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen	ecominathy d	mendatior espite an n of a gas	of a gastroenterologist adequate trial of maximu troenterologist or
Tab SA14 itial a epatole lerate enewa epatole	<ul> <li>461 Special Authority for Subsidy</li> <li>application only from a gastroenterologist, hepatologis</li> <li>logist. Approvals valid for 6 months where the patient led doses of lactulose.</li> <li>val only from a gastroenterologist, hepatologist or Pract</li> <li>logist. Approvals valid without further renewal unless r</li> </ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen	ecominathy d	mendatior espite an n of a gas	of a gastroenterologist adequate trial of maximu troenterologist or
Tab SA14 itial a epatole lerate enewa epatole	<ul> <li>461 Special Authority for Subsidy</li> <li>application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient of doses of lactulose.</li> <li>al only from a gastroenterologist, hepatologist or Pract</li> </ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen	ecominathy d	mendatior espite an n of a gas	of a gastroenterologist adequate trial of maximu troenterologist or
Tab SA14 itial a epatole lerate enewa epatole enefitin	<b>461</b> Special Authority for Subsidy application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient ad doses of lactulose. al only from a gastroenterologist, hepatologist or Pract logist. Approvals valid without further renewal unless r ing from treatment.	t or Practitioner on the re has hepatic encephalopa itioner on the recommen	ecominathy d	mendatior espite an n of a gas	of a gastroenterologist adequate trial of maximu troenterologist or
Tab <b>SA14</b> <b>itial a</b> epatole lerate <b>enewa</b> epatole enefitin <b>Diab</b>	<ul> <li>461 Special Authority for Subsidy</li> <li>application only from a gastroenterologist, hepatologis</li> <li>logist. Approvals valid for 6 months where the patient lod doses of lactulose.</li> <li>ral only from a gastroenterologist, hepatologist or Pract logist. Approvals valid without further renewal unless ring from treatment.</li> </ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen	ecominathy d	mendatior espite an n of a gas	of a gastroenterologist of a gastroenterologist of adequate trial of maximu troenterologist or
Tab <b>SA14</b> <b>itial a</b> epatole enewa epatole enefitin <b>Diab</b> Hype	<ul> <li>461 Special Authority for Subsidy</li> <li>application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient ad doses of lactulose.</li> <li>ral only from a gastroenterologist, hepatologist or Pract logist. Approvals valid without further renewal unless ring from treatment.</li> <li>tetes</li> <li>erglycaemic Agents</li> </ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen notified where the treatm	ecominathy d	mendatior espite an n of a gas	of a gastroenterologist of a gastroenterologist of adequate trial of maximu troenterologist or
Tab SA14 itial a epatole lerate enewa epatole enefitin Diabo Hype IAZO>	<ul> <li>461 Special Authority for Subsidy</li> <li>application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient led doses of lactulose.</li> <li>ral only from a gastroenterologist, hepatologist or Pract logist. Approvals valid without further renewal unless ring from treatment.</li> <li>retes</li> <li>erglycaemic Agents</li> <li>XIDE – Special Authority see SA1320 below – Retail provide the set of the set</li></ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen notified where the treatm pharmacy	ecominathy d	mendatior espite an n of a gas mains ap	of a gastroenterologist adequate trial of maximu proenterologist or propriate and the patient
Tab SA14 itial a epatolo lerater enewa epatolo enefitin Diabo Hype IAZO> Cap	<ul> <li>461 Special Authority for Subsidy</li> <li>application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient led doses of lactulose.</li> <li>ral only from a gastroenterologist, hepatologist or Pract logist. Approvals valid without further renewal unless ring from treatment.</li> <li>tetes</li> <li>erglycaemic Agents</li> <li>XIDE – Special Authority see SA1320 below – Retail p. p.25 mg.</li> </ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecomi athy d idation ent re	mendatior espite an n of a gas mains ap	of a gastroenterologist adequate trial of maximu troenterologist or propriate and the patient <b>Proglicem</b> \$29
Tab SA14 itial a epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo conefitin Diab Cap Cap Cap Cap	461       Special Authority for Subsidy         application       only from a gastroenterologist, hepatologis         logist.       Approvals valid for 6 months where the patient is         ad only from a gastroenterologist, hepatologist or Practication       Indication on the second	t or Practitioner on the re has hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecommathy d dation ent re 100 100	mendatior espite an n of a gas mains app v	of a gastroenterologist adequate trial of maximu troenterologist or propriate and the patient Proglicem \$29 Proglicem \$29
Tab SA14 SA14 itial a epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo labo Hype Cap Cap Cap Ora	<ul> <li>461 Special Authority for Subsidy application only from a gastroenterologist, hepatologis logist. Approvals valid for 6 months where the patient led doses of lactulose.</li> <li>ral only from a gastroenterologist, hepatologist or Pract logist. Approvals valid without further renewal unless r ing from treatment.</li> <li>retes</li> <li>erglycaemic Agents</li> <li>XIDE – Special Authority see SA1320 below – Retail p p 25 mg</li></ul>	t or Practitioner on the re has hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecomi athy d idation ent re	mendatior espite an n of a gas mains app v	of a gastroenterologist of adequate trial of maximu adequate trial of maximu proenterologist or propriate and the patient Proglicem \$299
Tab SA14 SA14 itial a epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa epatolo lerate enewa cap Cap Ora SA12 SA14 S SA14 S SA14 S SA14 S SA14 S SA14 S SA14 S SA14 S SA14 S SA14 S S S S S S S S S S S S S S S S S S S	461       Special Authority for Subsidy         application       only from a gastroenterologist, hepatologis         logist.       Approvals valid for 6 months where the patient is         ad only from a gastroenterologist, hepatologist or Practilogist.       Approvals valid without further renewal unless reing from treatment.         logist.       Approvals valid without further renewal unless reing from treatment.         logist.       Approvals valid without further renewal unless reing from treatment.         logist.       Special Authority see SA1320 below – Retail p.         p 100 mg	t or Practitioner on the re has hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecommathy d dation ent re 100 100 0 ml C	mendatior espite an n of a gas mains app mains app PP	of a gastroenterologist of adequate trial of maximu aroenterologist or propriate and the patient proglicem \$29 Proglicem \$29 Proglycem \$29
Tabb SA14 SA14 itital a epatololerate epatololerate epatololerate epatololerate epatolol lerate epatolol lerate epatolol Cap Cap Cap Ora SA12 SA14 SA15 SA14 SA	461       Special Authority for Subsidy         application       only from a gastroenterologist, hepatologis         logist.       Approvals valid for 6 months where the patient is         ad only from a gastroenterologist, hepatologist or Practilogist.       Approvals valid without further renewal unless r         ing from treatment.       Interference         ptctes       Interference         erglycaemic Agents       Interference         XIDE       – Special Authority see SA1320 below – Retail p         p 100 mg	t or Practitioner on the re has hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecommathy d dation ent re 100 100 0 ml C	mendatior espite an n of a gas mains app mains app PP	of a gastroenterologist of adequate trial of maximu aroenterologist or propriate and the patient proglicem \$29 Proglicem \$29 Proglycem \$29
Tab SA14 itial a epatololerate- enewa ep	461       Special Authority for Subsidy         application       only from a gastroenterologist, hepatologis         logist.       Approvals valid for 6 months where the patient led         ad only from a gastroenterologist, hepatologist or Pract         logist.       Approvals valid without further renewal unless r         ing from treatment.         retes         erglycaemic Agents         XIDE       – Special Authority see SA1320 below – Retail p         p 100 mg	t or Practitioner on the rehas hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecomi athy d dation ent re 100 100 0 ml C e use	mendatior espite an n of a gasi mains app DP 0P	of a gastroenterologist of adequate trial of maximu adequate trial of maximu troenterologist or propriate and the patient propriate and the patient <b>Proglicem</b> 529 <b>Proglicem</b> 529 <b>Proglycem</b> 529 reatment of confirmed
Tab SA14 itial a epatololerate enewa epatololerate enewa epatololerate enewa epatololerate enewa epatololerate enewa Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA12 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Orabo SA13 Cap Cap Orabo SA13 Cap Cap Orabo SA13 Cap Cap Cap Cap Cap Cap Cap Cap	461       Special Authority for Subsidy         application       only from a gastroenterologist, hepatologis         logist.       Approvals valid for 6 months where the patient led         ad only from a gastroenterologist, hepatologist or Pract         logist.       Approvals valid without further renewal unless r         ing from treatment.         retes         erglycaemic Agents         XIDE       – Special Authority see SA1320 below – Retail p         p 100 mg	t or Practitioner on the rehas hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecomi athy d dation ent re 100 100 0 ml C e use	mendatior espite an n of a gasi mains app DP 0P	of a gastroenterologist of adequate trial of maximu adequate trial of maximu troenterologist or propriate and the patient propriate and the patient <b>Proglicem</b> 529 <b>Proglicem</b> 529 <b>Proglycem</b> 529 reatment of confirmed
Tab SA14 itial a epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- (apatological) (apatologic	461       Special Authority for Subsidy         application       only from a gastroenterologist, hepatologis         logist.       Approvals valid for 6 months where the patient is         ad only from a gastroenterologist, hepatologist or Practilogist.       Approvals valid without further renewal unless ring from treatment.         logist.       Approvals valid without further renewal unless ring from treatment.         logist.       Approvals valid without further renewal unless ring from treatment.         logist.       Approvals valid without further renewal unless ring from treatment.         logist.       Approvals valid without further renewal unless ring from treatment.         logist.       Approvals valid without further renewal unless ring from treatment.         logist.       Special Authority see SA1320 below – Retail p.         p 100 mg	t or Practitioner on the rehas hepatic encephalopa itioner on the recommen notified where the treatm pharmacy 	ecomi athy d dation ent re 100 100 0 ml C e use	mendatior espite an n of a gasi mains app DP 0P	of a gastroenterologist of adequate trial of maximu adequate trial of maximu troenterologist or propriate and the patient propriate and the patient <b>Proglicem</b> 529 <b>Proglicem</b> 529 <b>Proglycem</b> 529 reatment of confirmed
Tab SA14 itial a epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- epatololerate- (approprime approprime) epatololerate- (approprime) epatololerate- (approprime) epatololerate- (approprime) epatololerate- (approprime) epatololerate- (approprime) epatololerate- (approprime)	461       Special Authority for Subsidy         application       only from a gastroenterologist, hepatologis         logist.       Approvals valid for 6 months where the patient led         ad only from a gastroenterologist, hepatologist or Pract         logist.       Approvals valid without further renewal unless r         ing from treatment.         retes         erglycaemic Agents         XIDE       – Special Authority see SA1320 below – Retail p         p 100 mg	t or Practitioner on the rehas hepatic encephalopa itioner on the recommen notified where the treatm oharmacy 	ecomi athy d dation ent re 100 100 0 ml C e use	mendatior espite an n of a gasi mains app op d for the t fied where	of a gastroenterologist of adequate trial of maximu adequate trial of maximu troenterologist or propriate and the patient propriate and the patient <b>Proglicem</b> 529 <b>Proglicem</b> 529 <b>Proglycem</b> 529 reatment of confirmed

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully sidised	Brand or Generic Manufacturer
Insulin - Short-acting Preparations				
NSULIN NEUTRAL ▲ Inj human 100 u per ml	25.26	10 ml OP		Actrapid
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ ,	Humulin R Actrapid Penfill Humulin R
Insulin - Intermediate-acting Preparations				
NSULIN ASPART WITH INSULIN ASPART PROTAMINE	52.15	5	~	NovoMix 30 FlexPen
NSULIN ISOPHANE ▲ Inj human 100 u per ml	17.68	10 ml OP		Humulin NPH
▲ Inj human 100 u per ml, 3 ml	29.86	5	✓	Protaphane Humulin NPH Protaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		Humulin 30/70 Mixtard 30
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	\ \ \	Humulin 30/70 PenMix 30 PenMix 40 PenMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			•	rennix 50
3 ml Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,		5		Humalog Mix 25
3 ml		5	•	Humalog Mix 50
Insulin - Long-acting Preparations				
NSULIN GLARGINE Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml	63.00 94.50	1 5		Lantus Lantus
Inj 100 u per ml, 3 ml disposable pen		5	✓	Lantus SoloStar
Insulin - Rapid Acting Preparations				
NSULIN ASPART Inj 100 u per ml, 3 ml syringe Inj 100 u per ml, 3 ml Inj 100 u per ml, 10 ml	51.19	5 5 1	✓	NovoRapid FlexPen NovoRapid Penfill NovoRapid
NSULIN GLULISINE           Inj 100 u per ml, 10 ml           Inj 100 u per ml, 3 ml           Inj 100 u per ml, 3 ml disposable pen	46.07	1 5 5	✓ .	Apidra Apidra Apidra SoloStar
NSULIN LISPRO ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml		10 ml OP 5		Humalog Humalog

24

	Subsidy		Fully Brand or
	(Manufacturer's Price \$	e) Sub Per	sidised Generic Manufacturer
	*		
Alpha Glucosidase Inhibitors			
ACARBOSE	4.00		
* Tab 50 mg * Tab 100 mg		90 90	<ul> <li>✓ <u>Glucobay</u></li> <li>✓ Glucobay</li> </ul>
Oral Hypoglycaemic Agents			
GLIBENCLAMIDE	5.00	100	
* Tab 5 mg GLICLAZIDE	5.00	100	<ul> <li>Daonil</li> </ul>
* Tab 80 mg		500	✓ Glizide
GLIPIZIDE			
* Tab 5 mg	2.85	100	<ul> <li>Minidiab</li> </ul>
METFORMIN HYDROCHLORIDE * Tab immediate-release 500 mg	0.50	1,000	✓ Metchek
<ul> <li>* Tab immediate-release 500 mg</li> <li>* Tab immediate-release 850 mg</li> </ul>		500	✓ <u>Metchek</u> ✓ Apotex
· · · · · · · · · · · · · · · · · · ·			<ul> <li>Metformin Mylan</li> </ul>
(Apotex Tab immediate-release 850 mg to be delisted 1 Februar	y 2018)		
PIOGLITAZONE * Tab 15 mg		90	✓ Vexazone
* Tab 30 mg		90	✓ Vexazone
* Tab 45 mg	7.10	90	<ul> <li>Vexazone</li> </ul>
Diabetes Management			
Ketone Testing			
•			
BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter Meter funded for the purposes of blood ketone diagnostics of			ore episodes of ketoacidosis and is
at risk of future episodes or patient is on an insulin pump. C	Only one meter per p	atient will b	e subsidised every 5 years.
Meter	40.00	1	<ul> <li>Freestyle Optium Neo</li> </ul>
KETONE BLOOD BETA-KETONE ELECTRODES			NCO
a) Maximum of 20 strip per prescription			
b) Up to 10 strip available on a PSO	15 50 4	0 atric OD	Creestule Onthing
Test strip – Not on a BSO	15.50 1	0 strip OP	<ul> <li>Freestyle Optium Ketone</li> </ul>
SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescrip			
* Test strip – Not on a BSO		60 strip OP	✓ Accu-Chek
	12.00		Ketur-Test ✓ Ketostix
(Accu-Chek Ketur-Test Test strip to be delisted 1 March 2018)	12.00		
. , , , , , , , , , , , , , , , , , , ,			

‡ safety cap

\$	Per		Manufacturer
ptions will be subsidised	d for pa ed me	atients who a ter, other tha	already have a CareSer an CareSens, are eligibl
test 20.00	1 OP	<b>√</b> 0	careSens II careSens N careSens N POP
d of prior dispensing of i	insulin	n or sulphony	lurea; or
	r a patient who: erglycaemia; or homeostasis excluding ptions will be subsidised viously received a fund where there exists a rec test 	r a patient who: erglycaemia; or homeostasis excluding type ptions will be subsidised for pr viously received a funded me where there exists a record of test 	r a patient who: erglycaemia; or homeostasis excluding type 1 or type 2 d ptions will be subsidised for patients who a viously received a funded meter, other tha where there exists a record of prior dispension test 

 Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

#### ► SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

 PO Box 10 254
 Facsimile: (04) 974 4788

 Wellington
 Email: bgstrips@pharmac.govt.nz

26

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sul	osidised	Generic	
\$	Per	1	Manufacturer	

#### ⇒SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

 Wellington
 Email: bgstrips@pharmac.govt.nz

#### BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips	50 test OP	<ul> <li>SensoCard</li> </ul>
---------------------------	------------	-------------------------------

### Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INS	ULIN PEN NEEDLES - Maximum of 100 dev per prescription			
*	29 g × 12.7 mm	10.50	100	B-D Micro-Fine
*	31 g × 5 mm	11.75	100	B-D Micro-Fine
*	31 g × 6 mm	10.50	100	🗸 ABM
*	31 g × 8 mm	10.50	100	B-D Micro-Fine
*	32 g × 4 mm	10.50	100	B-D Micro-Fine
	ULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE		0 dev per pro	escription
*	Syringe 0.3 ml with 29 g × 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00	100	<ul> <li>B-D Ultra Fine</li> </ul>
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100	B-D Ultra Fine
	, , , ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
		, ,		

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Insulin Pumps				
<ul> <li>INSULIN PUMP - Special Authority see SA1603 below - Retail</li> <li>a) Maximum of 1 dev per prescription</li> <li>b) Only on a prescription</li> <li>c) Maximum of 1 insulin pump per patient each four year per</li> </ul>				
Min basal rate 0.025 U/h; black colour		1	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour		1		Animas Vibe
Min basal rate 0.025 U/h; green colour		1	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour		1	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour		1	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour		1		Paradigm 522
		•		Paradigm 722
Min basal rate 0.05 U/h; clear colour	4 400 00	1		Paradigm 522
				Paradigm 722
Min basal rate 0.05 U/h; pink colour	4 400 00	1		Paradigm 522
				Paradigm 722
Min basal rate 0.05 U/h; purple colour	4 400 00	1		Paradigm 522
		'		Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4 400 00	1		Paradigm 522
		1		Paradigm 722
			•	raiauiyiii 122

### ⇒SA1603 Special Authority for Subsidy

**Initial application** — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (permanent neonatal diabetes)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

28

1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and

continued...

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	✓	Manufacturer

continued...

- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or

\*Three months or six months, as applicable, dispensed all-at-once

9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and

continued...

‡ safety cap

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	✓	Manufacturer

#### continued...

- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 8.2 The pump is due for replacement; and

9 Either:

- 9.1 Applicant is a relevant specialist; or
- 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 4.2 The pump is due for replacement; and
- 5 Either:
  - 5.1 Applicant is a relevant specialist; or
  - 5.2 Applicant is a nurse practitioner working within their vocational scope.

### Insulin Pump Consumables

#### ⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

30

continued...

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
(Manulacturer s r fice)	Per		Manufacturer	

continued...

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (permanent neonatal diabetes)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or

3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or

\*Three months or six months, as applicable, dispensed all-at-once

3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an

continued...

\$ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	lised	Generic
\$	Per	✓	Manufacturer

continued...

appropriate health professional); and

- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:

32

- 4.1 Applicant is a relevant specialist; or
- 4.2 Applicant is a nurse practitioner working within their vocational scope.

	Subsidy			Brand or
	(Manufacturer's Price) \$	S Per		Generic Manufacturer
INSULIN PUMP ACCESSORIES – Special Authority see SA1604	*			Wandlacturer
a) Maximum of 1 cap per prescription	4 on page 30 – Rela	ii pharm	acy	
b) Only on a prescription				
c) Maximum of 1 prescription per 180 days.				
Battery cap		1	🖌 Ani	mas Battery Cap
INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special A		1 on nad		• •
a) Maximum of 3 sets per prescription		r on pag		il pharmady
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×				
10 with 10 needles	130.00	1 OP	🗸 Par	adigm Sure-T
				IMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$				
10 with 10 needles; luer lock	130.00	1 OP	🗸 Sur	e-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×				
10 with 10 needles	130.00	1 OP	🗸 Par	adigm Sure-T
			N	IMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$				
10 with 10 needles; luer lock		1 OP	🗸 Sur	e-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line $\times$ 10 w				
10 needles	130.00	1 OP	V Coi	ntact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			<i>.</i> -	
10 with 10 needles	130.00	1 OP		adigm Sure-T
			IV	IMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock	100.00	1 OP		e-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		IUF	• Sui	e-1 WWW1-003
10 with 10 needles	130.00	1 OP	🖌 Dar	adigm Sure-T
To with to fleedies		TOF		IMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$				
10 with 10 needles; luer lock	130.00	1 OP	🗸 Sur	e-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line ×			•••	••••••
10 with 10 needles	130.00	1 OP	🗸 Cor	ntact-D
8 mm steel cannula; straight insertion; 60 cm grey line $ imes$ 10 w				
10 needles		1 OP	🗸 Coi	ntact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×				
10 with 10 needles	130.00	1 OP	🗸 Par	adigm Sure-T
			Ν	IMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$				
10 with 10 needles; luer lock	130.00	1 OP	🗸 Sur	e-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$				
10 with 10 needles	130.00	1 OP		adigm Sure-T
			N	IMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles; luer lock	120.00	1 OP		e-T MMT-875
TO WITH TO HEEDIES, ILEF TOCK	130.00	I UP	▼ Sur	e-1 WIWI1-0/0

‡ safety cap

	Subsidy		Fully	Brand or
	(Manufacturer's Pr	ice) Subs	sidised	Generic
	\$	Per	1	Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	SERTION WITH	INSERTION	DEVICE	E) – Special Authority see
SA1604 on page 30 – Retail pharmacy				,,,,
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
<li>c) Maximum of 13 infusion sets will be funded per year.</li>				
13 mm teflon cannula; angle insertion; insertion device; 110 c				
grey line × 10 with 10 needles		1 OP	🖌 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn			_	
blue line × 10 with 10 needles		1 OP	🗸 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn				
grey line × 10 with 10 needles		1 OP	🗸 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn		4.00		
pink line × 10 with 10 needles		1 OP		set 30
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	ISERTION) – Sp	pecial Authorit	ty see <mark>S/</mark>	A1604 on page 30 –
Retail pharmacy				
a) Maximum of 3 sets per prescription				
<ul><li>b) Only on a prescription</li><li>c) Maximum of 13 infusion sets will be funded per year.</li></ul>				
13 mm teflon cannula; angel insertion; 60 cm grey line × 5 wil	h			
10 needles		1 OP	✓ C	omfort Short
13 mm teflon cannula; angle insertion; 120 cm line × 10 with	120.00			
10 needles		1 OP	🗸 Pa	aradigm Silhouette
				MMT-382
13 mm teflon cannula; angle insertion; 45 cm line $ imes$ 10 with				
10 needles	130.00	1 OP	🖌 Pa	aradigm Silhouette
				MMT-368
13 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with				
10 needles	130.00	1 OP		aradigm Silhouette
				MMT-381
13 mm teflon cannula; angle insertion; 80 cm line × 10 with	100.00	4.00	<b>( D</b>	0.00
10 needles		1 OP		aradigm Silhouette MMT-383
17 mm toflen connulo; angle incertion; 110 cm grou line v				IVIIVI I -303
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	<b>1</b> C	omfort
17 mm teflon cannula; angle insertion; 110 cm line $\times$ 10 with	120.00	101		onnon
10 needles	130.00	1 OP	🖌 Pa	aradigm Silhouette
				MMT-377
17 mm teflon cannula; angle insertion; 110 cm line $\times$ 10 with				
10 needles; luer lock	130.00	1 OP	🖌 Si	Ihouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line × 5 wit	th			
10 needles	120.00	1 OP	🗸 C	omfort
17 mm teflon cannula; angle insertion; 60 cm line × 10 with				
10 needles	130.00	1 OP		aradigm Silhouette
				MMT-378
17 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with				
10 needles; luer lock	130.00	1 OP	✓ Si	Ihouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line $\times$ 10 with	400.00	4.00	<i>.</i> -	
10 needles		1 OP		aradigm Silhouette
				MMT-384

34

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per	1	Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	IT INSERTION WITH	LINSE		EVICE) - Special Authority
see SA1604 on page 30 – Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; insertion device;				
110 cm grey line × 10 with 10 needles	140.00	1 OP	1	Inset II
6 mm teflon cannula; straight insertion; insertion device; 45 c				
blue tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
		. 0.	-	MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 c	m			
pink tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
		101	•	MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 c	m			
blue tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
		101	•	MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60 c	m			WWW I - O + O
pink tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
pink lubing x to with to needles		TOF	•	MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80 c	~			WIWI 1-925
blue tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
		TOF	•	MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 c	~			WIWI 1-945
clear tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
clear tubing × 10 with 10 needles		101	•	MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 c	m			WIWI - 303
pink tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
		101	•	MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60 c	m			MMT 020
blue line x 10 with 10 needles		1 OP	1	Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 c		101	•	moorn
grey line × 10 with 10 needles	140.00	1 OP	1	Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 c		101	•	inset in
pink line × 10 with 10 needles		1 OP	1	Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 c		TOF	•	inset ii
blue line × 10 with 10 needles		1 OP		Inset II
		I UF	•	liiselii
9 mm teflon cannula; straight insertion; insertion device; 60 c grey line × 10 with 10 needles		1 OP		Inset II
		I UF	•	liiselii
9 mm teflon cannula; straight insertion; insertion device; 60 c		1 00		In a at II
pink line × 10 with 10 needles		1 OP	•	Inset II
9 mm teflon cannula; straight insertion; insertion device; 80 c				Devedian Mie
clear tubing × 10 with 10 needles	130.00	1 OP	•	Paradigm Mio MMT-975
O must be find a second of a standard time attend to section of the state of the				G / 6- I IVIIVI
9 mm teflon cannula; straight insertionl insertion device; 110		1 OP		Inset II
grey line × 10 with 10 needles	140.00	100	•	inset il

\$ safety cap
\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pr \$	ice) Sub Per	Fully Brand or sidised Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	IT INSERTION)	<ul> <li>Special Aut</li> </ul>	hority see SA1604 on page 30 -
Retail pharmacy a) Maximum of 3 sets per prescription			
b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w	ith		
10 needles		1 OP	<ul> <li>Paradigm Quick-Set MMT-398</li> </ul>
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w	ith		
10 needles; luer lock	130.00	1 OP	<ul> <li>Quick-Set MMT-391</li> </ul>
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit	h		
10 needles	130.00	1 OP	Paradigm Quick-Set
			MMT-399
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit			
10 needles; luer lock		1 OP	<ul> <li>Quick-Set MMT-393</li> </ul>
6 mm teflon cannula; straight insertion; 80 cm tubing × 10 wit		4.05	
10 needles		1 OP	<ul> <li>Paradigm Quick-Set MMT-387</li> </ul>
0 mm tellen connules etwaight insertions 100 cm tubing s 10 w	ith		WIWI 1-367
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 w 10 needles		1 OP	Paradigm Quick-Set
		101	MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing $ imes$ 10 w	ith		MM 1-000
10 needles: luer lock		1 OP	✓ Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing $\times$ 10 wit		1.01	
10 needles		1 OP	Paradigm Quick-Set
			MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit	h		
10 needles; luer lock		1 OP	<ul> <li>Quick-Set MMT-392</li> </ul>
9 mm teflon cannula; straight insertion; 80 cm tubing × 10 wit			
10 needles	130.00	1 OP	<ul> <li>Paradigm Quick-Set</li> </ul>
			MMT-386
INSULIN PUMP RESERVOIR - Special Authority see SA1604 or	n page 30 – Reta	il pharmacy	
a) Maximum of 3 sets per prescription			
b) Only on a prescription			
c) Maximum of 13 packs of reservoir sets will be funded per			_
$10 \times \text{luer lock conversion cartridges 1.8 ml for Paradigm pum}$		1 OP	<ul> <li>ADR Cartridge 1.8</li> </ul>
Cartridge 200 U, luer lock × 10		1 OP	<ul> <li>Animas Cartridge</li> </ul>
Cartridge for 5 and 7 series pump; 1.8 ml × 10		1 OP	Paradigm 1.8 December 1.9
Opticidae for 7 period numero 0.0 ml v 10	50.00	1.00	1.8 Reservoir
Cartridge for 7 series pump; 3.0 ml × 10		1 OP	<ul> <li>Paradigm 3.0 Reservoir</li> </ul>
Suringo and contridge for EOV nume 2.0 ml + 10	E0.00	1 OP	3.0 Reservoir ✓ 50X 3.0 Reservoir
Syringe and cartridge for 50X pump, 3.0 ml × 10		IUF	

	Subsidy (Manufacturer's Price)	Der	Fully Subsidised	Brand or Generic Monufacturer
	\$	Per	<b>v</b>	Manufacturer
Digestives Including Enzymes				
PANCREATIC ENZYME				
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase				
10,000 Ph Eur U, total protease 600 Ph Eur U)		100	✓ (	Creon 10000
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase,				
1,250 U protease))	94.40	100	✓ F	Panzytrat
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase				
25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✓ (	Creon 25000
URSODEOXYCHOLIC ACID - Special Authority see SA1383 belo	<mark>ow</mark> – Retail pharmad	;y		
Cap 250 mg – For ursodeoxycholic acid oral liquid formulatior	า			
refer, page 218		100	✓ <u>I</u>	Jrsosan

#### ⇒SA1383 Special Authority for Subsidy

**Initial application** — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

**Initial application** — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

**Initial application** — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

\*Three months or six months, as applicable, dispensed all-at-once

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure -- doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

### Laxatives

### **Bulk-forming Agents**

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln Konsyl-D to be Sole Supply on 1 November 2017	5.51 6.05	500 g OP	<ul><li>✓ Bonvit</li><li>✓ Konsyl-D</li></ul>
MUCILAGINOUS LAXATIVES WITH STIMULANTS * Dry	6.02 (17.32) 2.41 (8.72)	500 g OP 200 g OP	Normacol Plus Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription * Tab 50 mg * Tab 120 mg * Enema conc 18% DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with sennosides 8 mg POLOXAMER – Only on a prescription Not funded for use in the ear. * Oral drops 10%.	3.13 5.40 4.40	100 100 100 ml OP 200 30 ml OP	<ul> <li><u>Coloxyl</u></li> <li><u>Coloxyl</u></li> <li>Coloxyl</li> <li>Laxsol</li> <li><u>Coloxyl</u></li> </ul>
Osmotic Laxatives			
GLYCEROL * Suppos 3.6 g – Only on a prescription LACTULOSE – Only on a prescription	6.50	20	✓ <u>PSM</u>
Oral liq 10 g per 15 ml MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM I see SA1473 on the next page – Retail pharmacy Powder for oral soln 13.125 g with potassium chloride 46.6 sodium bicarbonate 178.5 mg and sodium chloride	BICARBONATE AN	500 ml ID SODIUM C	✓ Laevolac HLORIDE – Special Authority
350.7 mg – Maximum of 90 sach per prescription	7.65	30	<ul> <li>Lax-Sachets</li> </ul>

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Subs Per	idised	Generic Manufacturer
	φ	Fei		Manulaciulei
- CA1470 Oregist Authority for Orthoidy				
SA1473 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali	d for 6 months for an	lications n	nootino	the following criteria:
Both:	a for o months for app		neeung	rite tollowing citteria.
<ol> <li>The patient has problematic constipation despite an adeq</li> </ol>	uate trial of other oral	pharmaco	therap	ies including lactulose
where lactulose is not contraindicated; and		priamace	anorap	
2 The patient would otherwise require a per rectal preparati	on.			
Renewal from any relevant practitioner. Approvals valid for 12 n	nonths where the pati	ent is com	pliant a	nd is continuing to gain
benefit from treatment.				
SODIUM ACID PHOSPHATE – Only on a prescription	0.50			
Enema 16% with sodium phosphate 8%	2.50	1	. ►	leet Phosphate Enema
	- 0.1			Ellellia
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	, , ,	DTION		
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml. 5 ml		50	<b>/</b> N	licolette
0 111		00	- 11	
Stimulant Laxatives				
BISACODYL – Only on a prescription				
* Tab 5 mg	5.99	200	✓ L	ax-Tab
* Suppos 10 mg		10		ax-Suppositories
SENNA – Only on a prescription				
* Tab, standardised	2.17	100		
	(6.84)		S	enokot
	0.43	20		
	(1.72)		S	enokot
Matabolic Disorder Agents				
Metabolic Disorder Agents				
Metabolic Disorder Agents ALGLUCOSIDASE ALFA – Special Authority see SA1622 below Inj 50 mg vial		1		lvozyme

### ■ SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease: and
- 2 Any of the following:
  - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
  - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
  - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
  - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT): and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	dised	Generic
\$	Per	✓	Manufacturer

continued...

or might be reasonably expected to compromise a response to ERT; and

5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

**Renewal** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE – Special Authority see SA1593 below – Retail pharmacy

### ⇒SA1593 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
  - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
  - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

**Renewal** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE – Special Authority see SA1623 below – Retail pharmacy

Inj 2 mg per ml, 3 ml vial...... 4,608.30 1 🖌 Elaprase

### ► SA1623 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and

2 Either:

- 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
- 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with

continued...

	Subsidy (Manufacturer's Price \$	Fully ) Subsidised Per ✔	Brand or Generic Manufacturer
continued idursulfase would be bridging treatment to t 4 Patient has not required long-term invasive (ERT); and		ior to starting Enz	yme Replacement Therapy
5 Idursulfase to be administered for a total of greater than 0.5 mg/kg every week.	24 weeks (equivalent to 12 weeks	pre- and 12 week	s post-HSCT) at doses no
SODIUM BENZOATE – Special Authority see SA Soln 100 mg per ml		100 ml 🗸	Amzoate S29
SA1599 Special Authority for Subsidy nitial application only from a metabolic physician cycle disorder. Renewal only from a metabolic physician. Approv			0
batient is benefiting from treatment. SODIUM PHENYLBUTYRATE – Special Authority Grans 483 mg per g			Pheburane
SA1598 Special Authority for Subsidy     nitial application only from a metabolic physician     cycle disorder involving a deficiency of carbamylph     synthetase.     Renewal only from a metabolic physician. Approv     patient is benefiting from treatment.	<ol> <li>Approvals valid for 12 months w nosphate synthetase, ornithine tran</li> </ol>	here the patient has scarbamylase or a	argininosuccinate
Gaucher's Disease			
MIGLUCERASE – Special Authority see SA0473 Inj 40 iu per ml, 200 iu vial Inj 40 iu per ml, 400 iu vial ⇒SA0473 Special Authority for Subsidy Special Authority approved by the Gaucher's Treat Notes: Subject to a budgetary cap. Applications v Application details may be obtained from PHARMA		1 🗸 (	Cerezyme Cerezyme vailability.
The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254 Wellington	Phone: (04) 460 4990 Facsimile: (04) 916 7571 Email: gaucherpanel@pharmac		
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE			
Soln 0.15% – Higher subsidy of up to \$17.01 Endorsement	•	500 ml	Difflam
	3.60 (8.50)	200 ml	Difflam
Additional subsidy by endorsement for a p prescription is endorsed accordingly.	patient who has oral mucositis as a	result of treatmen	t for cancer, and the

	0.1.11		
	Subsidy (Manufacturer's F	Prico) Subo	Fully Brand or sidised Generic
	(IVIAIIUIACIUIEIS F	Per Subs	Manufacturer
	•		
CARMELLOSE SODIUM WITH GELATIN AND PECTIN	17.00		Chamakasiwa
Paste		56 g OP	<ul> <li>Stomahesive</li> </ul>
	4.55	15 g OP	
	(7.90)		Orabase
	1.52	5 g OP	
	(3.60)		Orabase
Powder		28 g OP	
	(10.95)		Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	<ul> <li>healthE</li> </ul>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
	0.00	15 - 00	
₭ Adhesive gel 8.7% with cetalkonium chloride 0.01%		15 g OP	B : I
	(6.00)		Bonjela
RIAMCINOLONE ACETONIDE			
Paste 0.1%	5.33	5 g OP	<ul> <li>Kenalog in Orabase</li> </ul>
		-	
Oropharyngeal Anti-infectives			
MPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
		20	• Tungiini
/ICONAZOLE			_
Oral gel 20 mg per g	4.79	40 g OP	<ul> <li>Decozol</li> </ul>
IYSTATIN			
Oral liq 100,000 u per ml	1 95	24 ml OP	✓ Nilstat
	(2.55)		m-Nystatin
Nilstat to be Sole Supply on 1 January 2018	(2.00)		mitystaan
m-Nystatin Oral lig 100,000 u per ml to be delisted 1 January 20	18)		
m-nystatin Oraniq 100,000 u per mi to be delisted 1 sandary 20	(10)		
Other Oral Agents			
or folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer Sta	ndard Formula	e nage 221
			0, pugo 221
IYDROGEN PEROXIDE			
Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	Pharmacy Health
THYMOL GLYCERIN			
Compound, BPC	9.15	500 ml	🗸 PSM
Vitamins			
Vitamin A			
/ITAMIN A WITH VITAMINS D AND C			
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg p	er		
10 drops		10 ml OP	<ul> <li>Vitadol C</li> </ul>
Vitemin D			
Vitamin B			
IYDROXOCOBALAMIN			
Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a P	SO2.31	3	Neo-B12

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	
PYRIDOXINE HYDROCHLORIDE				
a) No more than 100 mg per dose b) Only on a prescription ★ Tab 25 mg – No patient co-payment payable ★ Tab 50 mg Apo-Pyridoxine to be Sole Supply on 1 November 2017		90 500	-	Vitamin B6 25 Apo-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription ₭ Tab 50 mg	5.62	100	1	Apo-Thiamine
/ITAMIN B COMPLEX ₭ Tab, strong, BPC	7.15	500	1	<u>Bplex</u>
Vitamin C				
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription <b>柴</b> Tab 100 mg	8.10	500	1	<u>Cvite</u>
Vitamin D				
ALFACALCIDOL * Cap 0.25 mcg * Cap 1 mcg * Oral drops 2 mcg per ml CALCITRIOL * Cap 0.25 mcg * Cap 0.5 mcg COLECALCIFEROL * Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescriptio Vit.D3 to be Sole Supply on 1 November 2017	87.98 60.68 20 9.95 18.39	100 100 0 ml C 100 100 12	)P ✓ ✓	<u>One-Alpha</u> <u>One-Alpha</u> <u>One-Alpha</u> <u>Calcitriol-AFT</u> <u>Calcitriol-AFT</u> Vit.D3
Multivitamin Preparations				
MULTIVITAMIN RENAL – Special Authority see SA1546 below – ★ Cap	6.49	30 ewal u		Clinicians Renal Vit ied for applications meeting
<ol> <li>The patient has chronic kidney disease and is receiving eith</li> <li>The patient has chronic kidney disease grade 5, defined as 15 ml/min/1.73 m<sup>2</sup> body surface area (BSA).</li> </ol>				
MULTIVITAMINS – Special Authority see SA1036 below – Retail   ★ Powder → SA1036 Special Authority for Subsidy		00 g C	)P 🗸	Paediatric Seravit
nitial application from any relevant practitioner. Approvals valid nborn errors of metabolism. Renewal from any relevant practitioner. Approvals valid without fu approval for multivitamins.				

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
VIT	AMINS				
	Tab (BPC cap strength)		1,000	) <ul> <li><u>M</u></li> </ul>	lvite
*	Cap (fat soluble vitamins A, D, E, K) – Special Authority see		~~		
	SA1002 below – Retail pharmacy		60	✓ V	itabdeck

### ⇒SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

### Minerals

### Calcium

CALCIUM CARBONATE	10 250 10	<ul> <li>Calsource</li> <li>Arrow-Calcium</li> <li>Hospira</li> </ul>
· ·	10	
Fluoride		
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)5.00	100	✓ PSM
lodine		
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	90	✓ NeuroTabs
Iron		
FERRIC CARBOXYMALTOSE – Special Authority see SA1675 below – Retail pharma Inj 50 mg per ml, 10 ml	acy 1	✓ Ferinject

#### ► SA1675 Special Authority for Subsidy

Initial application — (serum ferritin less than or equal to 20 mcg/L) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient has been diagnosed with iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and

2 Any of the following:

- 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
- 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
- 2.3 Rapid correction of anaemia is required.

Renewal — (serum ferritin less than or equal to 20 mcg/L) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

44

1 Patient continues to have iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and

continued...

Subsidy	Fu	ly Brand	or
(Manufacturer's Price)	Subsidise	d Gener	ric
\$	Per	<ul> <li>Manuf</li> </ul>	facturer

continued...

2 A re-trial with oral iron is clinically inappropriate.

**Initial application** — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia; and
- 2 Any of the following:
  - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
  - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
  - 2.3 Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective; or
  - 2.4 Rapid correction of anaemia is required.

Renewal — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient continues to have iron-deficiency anaemia; and
- 2 A re-trial with oral iron is clinically inappropriate.

#### FERROUS FUMARATE

* Tab 200 mg (65 mg elemental)		100	✓ Ferro-tab	
FERROUS FUMARATE WITH FOLIC AC * Tab 310 mg (100 mg elemental) with		60	✓ Ferro-F-Tabs	
FERROUS SULPHATE * Tab long-acting 325 mg (105 mg elen *‡ Oral liq 30 mg (6 mg elemental) per 1 FERROUS SULPHATE WITH FOLIC ACI	ml	30 500 ml	<ul> <li>✓ Ferrograd</li> <li>✓ Ferodan</li> </ul>	
* Tab long-acting 325 mg (105 mg elen		30	Ferrograd F	
IRON POLYMALTOSE * Inj 50 mg per ml, 2 ml ampoule		5	✓ Ferrum H	
Magnesium				
For magnesium hydroxide mixture refer S MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml ampoule		10	✓ <u>DBL</u>	
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)		100	✓ Zincaps	

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

## Antianaemics

### Hypoplastic and Haemolytic

#### ► SA1469 Special Authority for Subsidy

**Initial application** — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure; and
- 2 Haemoglobin is less than or equal to 100g/L; and
- 3 Any of the following:
  - 3.1 Both:
    - 3.1.1 Patient does not have diabetes mellitus; and
    - 3.1.2 Glomerular filtration rate is less than or equal to 30ml/min; or
  - 3.2 Both:
    - 3.2.1 Patient has diabetes mellitus; and
    - 3.2.2 Glomerular filtration rate is less than or equal to 45ml/min; or
  - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)\*; and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

	Subsidy		Fully Brand or	
	(Manufacturer's Pric	e) Sub	sidised Generic	
	\$	Per	<ul> <li>Manufactur</li> </ul>	er
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Author	ity see SA1469 on the	e previous p	age – Retail pharma	acy
Wastage claimable - see rule 3.3.2 on page 13	,	· · ·		,
Inj 1,000 iu in 0.5 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 2,000 iu in 0.5 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 3,000 iu in 0.3 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 4,000 iu in 0.4 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 5,000 iu in 0.5 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 6,000 iu in 0.6 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 8,000 iu in 0.8 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 10,000 iu in 1 ml, syringe		6	<ul> <li>Eprex</li> </ul>	
Inj 40,000 iu in 1 ml, syringe		1	<ul> <li>Eprex</li> </ul>	
Megaloblastic				
FOLIC ACID				
* Tab 0.8 mg	20.60	1,000	Apo-Folic Ac	bid
* Tab 5 mg	10.92	500	Apo-Folic Ac	bid
Oral liq 50 mcg per ml	24.00	25 ml OP	<ul> <li>Biomed</li> </ul>	
Antifibrinolytics, Haemostatics and Local Scl	erosants			
ELTROMBOPAG - Special Authority see SA1418 below - Re	tail pharmacy			
Wastage claimable – see rule 3.3.2 on page 13	tan phannaoy			
Tab 25 mg	1 771 00	28	Revolade	
Tab 50 mg		28	✓ Revolade	
■ SA1418 Special Authority for Subsidy				
Initial application — (idiopathic thrombocytopenic purputa	nant onlongetory	and from	a haamatalagiat A	annovala valid
for 6 weeks for applications meeting the following criteria:	a - post-spienectom	y) only non	i a naematologist. P	Approvais valio
All of the following:				
0				
1 Patient has had a splenectomy; and				f
2 Two immunosuppressive therapies have been trialled a	nd falled after therap	y of 3 montr	is each (or 1 month	for rituximab);
and				
3 Any of the following:				
3.1 Patient has a platelet count of 20,000 to 30,000	platelets per microlitr	e and has e	vidence of significan	it
mucocutaneous bleeding; or				<b>•</b> •
3.2 Patient has a platelet count of less than or equa	I to 20,000 platelets p	er microlitre	and has evidence of	of active
bleeding; or				
3.3 Patient has a platelet count of less than or equa				
Initial application — (idiopathic thrombocytopenic purpura				atologist.
Approvals valid for 6 weeks where the patient requires eltromb				
Renewal — (idiopathic thrombocytopenic purpura - post-s				
months where the patient has obtained a response (see Note)	from treatment during	g the initial a	pproval or subseque	ent renewal
periods and further treatment is required.				
Note: Response to treatment is defined as a platelet count of		r microlitre.		
EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm				
For patients with haemophilia, whose funded treatment is	managed by the Hae	mophilia Tre	aters Group in conju	unction with
the National Haemophilia Management Group.			_	
Inj 1 mg syringe	,	1	<ul> <li>NovoSeven</li> </ul>	
Inj 2 mg syringe	,	1	<ul> <li>NovoSeven</li> </ul>	
Inj 5 mg syringe		1	<ul> <li>NovoSeven</li> </ul>	
Ini 9 ma ovringo	0 426 40	1	NovoSovon I	рт

‡ safety cap	ŧ	safety	сар
--------------	---	--------	-----

\*Three months or six months, as applicable, dispensed all-at-once

1

✓ NovoSeven RT

	Subsidy (Manufacturer's Price)		Fully ubsidised	Brand or Generic
	\$	Per	~	Manufacturer
FACTOR EIGHT INHIBITOR BYPASSING FRACTION -				
For patients with haemophilia, whose funded treatment	nt is managed by the Haemo	philia I	reaters (	Group in conjunction with
the National Haemophilia Management Group. Inj 500 U	1 450 00	1	1	FEIBA NF
Inj 1,000 U	,	1		FEIBA NF
Inj 2,500 U		1		FEIBA NF
MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] -			•	
Preferred Brand of recombinant factor VIII for patients		rch 20	16 until 2	8 February 2010 Access
to funded treatment is managed by the Haemophilia 1	Freaters Group in conjunction	with th	he Nation	al Haemonhilia
Management Group.		, where a	io nation	arriaomophila
Inj 250 iu prefilled syringe		1	1	Xyntha
Inj 500 iu prefilled syringe		1		Xyntha
Inj 1,000 iu prefilled syringe		1		Xyntha
Inj 2,000 iu prefilled syringe		1	1	Xyntha
Inj 3,000 iu prefilled syringe	2,520.00	1	✓	Xyntha
NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpha	arml			
For patients with haemophilia, whose funded treatment		philia 1	Freaters C	Group in conjunction with
the National Haemophilia Management Group.				· · · · · · · · ·
Inj 250 iu vial		1	1	BeneFIX
Inj 500 iu vial	620.00	1	1	BeneFIX
Inj 1,000 iu vial	1,240.00	1	✓	BeneFIX
Inj 2,000 iu vial	2,480.00	1	✓	BeneFIX
Inj 3,000 iu vial		1	✓	BeneFIX
NONACOG GAMMA, [RECOMBINANT FACTOR IX] - [X	(pharm]			
For patients with haemophilia, whose funded treatment		philia 1	Freaters C	Group in conjunction with
the National Haemophilia Management Group.				
Inj 250 iu vial		1		RIXUBIS
Inj 500 iu vial		1		RIXUBIS
Inj 1,000 iu vial	'	1		RIXUBIS
Inj 2,000 iu vial	'	1		RIXUBIS
Inj 3,000 iu vial	,	1	~	RIXUBIS
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVA				
Rare Clinical Circumstances Brand of recombinant fa				
28 February 2019. Access to funded treatment by ap		Treatm	nents Par	nel. Application details may
be obtained from PHARMAC's website http://www.pha	<u>armac.govt.nz</u> or:			
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption 2		
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@phar	mac.q	ovt.nz	
Inj 250 iu vial	007 E0	1		Advate
Inj 500 iu vial		1		Advate
Inj 500 iu vial		1		Advate
Inj 1,500 iu vial	'	1		Advate
Inj 2,000 iu vial	'	1		Advate
Inj 3,000 iu vial	,	1		Advate
<b>,</b> , , , , , , , , , , , , , , , , , ,	-,			

	Subsidy		Fully	Brand or	
	(Manufacturer's Pr \$	ice) Sul Per	bsidised	Generic Manufacturer	
	Ŧ	1 61	•	Manulacturer	
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGE Second Brand of recombinant factor VIII for patients v		larah 0016 .			Access to
funded treatment by application to the Haemophilia T					ACCESS I
PHARMAC's website http://www.pharmac.govt.nz or:	realments ranet. Applica		may be		
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 58	8 Option 2			
PHARMAC PO Box 10 254	Facsimile: (04) 974 4	•			
Wellington	Email: haemophilia@		/t.nz		
Tomington		inamao.go			
Inj 250 iu vial		1	<b>1</b>	Kogenate FS	
Inj 500 iu vial		1		Kogenate FS	
Inj 1,000 iu vial	950.00	1	✓ I	Kogenate FS	
Inj 2,000 iu vial	1,900.00	1		Kogenate FS	
Inj 3,000 iu vial	2,850.00	1	✓ I	Kogenate FS	
SODIUM TETRADECYL SULPHATE					
* Inj 3% 2 ml		5			
	(73.00)		F	ibro-vein	
TRANEXAMIC ACID					
Tab 500 mg	20.67	100	✓ (	Cyklokapron	
Vitamin K					
PHYTOMENADIONE					
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO	8.00	5	I	Konakion MM	
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PS	09.21	5		Konakion MM	
Antiburgen hette Amerika					
Antithrombotic Agents					
Antiplatelet Agents					
ASPIRIN					
* Tab 100 mg	12.50	990	✓ I	Ethics Aspirin	EC
CLOPIDOGREL					
* Tab 75 mg - For clopidogrel oral liquid formulation re					
page 218	5.44	84	✓ <u> </u>	Arrow - Clopid	
DIPYRIDAMOLE					
* Tab long-acting 150 mg	11.52	60	✓ [	Pytazen SR	
PRASUGREL – Special Authority see SA1201 below – R	etail pharmacy				
Tab 5 mg		28		Effient	
Tab 10 mg		28	✓ E	Effient	
► SA1201 Special Authority for Subsidy					

SA1201 Special Authority for Subsidy

\*Three months or six months, as applicable, dispensed all-at-once

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal --- (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where

continued...

Subsidy (Manufacturer's Price)	Ful Subsidise	,	
 (Manulacturer s r nee) \$	Per •	Manufacturer	

continued...

the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Note: \* Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

### ► SA1382 Special Authority for Subsidy

**Initial application** — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

### Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 below - Retail pharmacy

Inj 2,500 iu per 0.2 ml prefilled syringe1	9.97 1	0 🗸	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe		0 🖌	Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe60	0.03 1	0 🖌	Fragmin
Inj 10,000 iu per 1 ml graduated syringe7		0 🖌	Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	9.96 1	0 🖌	Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe120		0 🖌	Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe158	8.47 1	0 🗸	Fragmin

#### ⇒SA1270 Special Authority for Subsidy

**Initial application** — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

50

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

continued...

Subsidy	Full	y Brand or
(Manufacturer's Price)	Subsidise	d Generic
 \$	Per 🖌	Manufacturer

#### continued...

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1646 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	 10	<ul> <li>Clexane</li> </ul>
Inj 40 mg in 0.4 ml syringe	 10	<ul> <li>Clexane</li> </ul>
Inj 60 mg in 0.6 ml syringe	10	<ul> <li>Clexane</li> </ul>
Inj 80 mg in 0.8 ml syringe	10	<ul> <li>Clexane</li> </ul>
Inj 100 mg in 1 ml syringe	 10	<ul> <li>Clexane</li> </ul>
Inj 120 mg in 0.8 ml syringe	10	<ul> <li>Clexane</li> </ul>
Inj 150 mg in 1 ml syringe	 10	<ul> <li>Clexane</li> </ul>

#### ⇒SA1646 Special Authority for Subsidy

**Initial application** — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
  - 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
  - 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml13.3	6 10	🗸 Hospira
61.0	4 50	<ul> <li>Pfizer</li> </ul>
66.8	0	🗸 Hospira
Inj 1,000 iu per ml, 35 ml vial17.7	6 1	<ul> <li>Hospira</li> </ul>
Inj 5,000 iu per ml, 1 ml14.2	0 5	<ul> <li>Hospira</li> </ul>
Inj 5,000 iu per ml, 5 ml236.6	0 50	<ul> <li>Pfizer</li> </ul>
Inj 25,000 iu per ml, 0.2 ml9.5		🗸 Hospira

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml		50	1	Pfizer
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml	22.40	10		
	(149.33)			Artex
(Artex Inj 10 mg per ml, 5 ml to be delisted 1 December 2017)				
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg – No more than 2 cap per day		60	✓	Pradaxa
Cap 110 mg	76.36	60	✓	Pradaxa
Cap 150 mg		60	1	Pradaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail	pharmacy			
Tab 10 mg		15	1	Xarelto

### ⇒SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	50	Coumadin
	6.86	100	🗸 Marevan
*	Tab 2 mg4.31	50	<ul> <li>Coumadin</li> </ul>
*	Tab 3 mg	100	<ul> <li>Marevan</li> </ul>
	Tab 5 mg	50	<ul> <li>Coumadin</li> </ul>
	11.75	100	<ul> <li>Marevan</li> </ul>

## **Blood Colony-stimulating Factors**

FILGRASTIM - Special Authority see SA1259 below - Retail pha	rmacy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	<ul> <li>Zarzio</li> </ul>
Inj 480 mcg per 0.5 ml prefilled syringe	432.00	5	<ul> <li>Zarzio</li> </ul>

⇒SA1259 Special Authority for Subsidy

fully subsidised

[HP4] refer page 4

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%\*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or

continued...

1

Neulastim

|--|

continued...

- 4 Treatment of severe chronic neutropenia (ANC <  $0.5 \times 10^9/L$ ); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5 ×10<sup>9</sup>/L).

Note: \*Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

Inj 6 mg per 0.6 ml syringe ......1,080.00

#### ⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

## **Fluids and Electrolytes**

### **Intravenous Administration**

GLUCOSE [DEXTROSE]		_
Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO29.50 Biomed to be Sole Supply on 1 November 2017	5	<ul> <li>Biomed</li> </ul>
<ul> <li>Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO</li></ul>	1	✓ Biomed
POTASSIUM CHLORIDE		
* Inj 75 mg per ml, 10 ml55.00	50	<ul> <li>AstraZeneca</li> </ul>
SODIUM BICARBONATE		
lnj 8.4%, 50 ml19.95	1	<ul> <li>Biomed</li> </ul>
<ul> <li>a) Up to 5 inj available on a PSO</li> </ul>		
b) Not in combination		
Inj 8.4%, 100 ml20.50	1	<ul> <li>Biomed</li> </ul>
a) Up to 5 inj available on a PSO		
b) Not in combination		
SODIUM CHLORIDE		
Not funded for use as a nasal drop. Only funded for nebuliser use when in co	onjunction with	an antibiotic intended for
nebuliser use.	500 ml	Revter
Inj 0.9%, bag – Up to 2000 ml available on a PSO1.23	1.000 ml	✓ <u>Baxter</u> ✓ Baxter
Only if prescribed on a prescription for renal dialysis, maternity or post-na	,	
for emergency use. (500 ml and 1,000 ml packs)		
Inj 23.4% (4 mmol/ml), 20 ml ampoule	5	<ul> <li>Biomed</li> </ul>
For Sodium chloride oral liquid formulation refer Standard Formulae, pag	e 221	
Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO7.00	50	<ul> <li>InterPharma</li> </ul>
		<ul> <li>Multichem</li> </ul>
Inj 0.9%, 10 ml ampoule – Up to 5 inj available on a PSO6.63	50	✓ <u>Pfizer</u>
Inj 0.9%, 20 ml ampoule5.00	20	✓ Multichem
7.50	30	<ul> <li>InterPharma</li> </ul>
TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Specialist		•
InfusionCBS	1 OP	✓ TPN

	Outsid		E. Ile	Decad co
	Subsidy (Manufacturer's Pr		Fully	Brand or Generic
	\$	Per	✓	Manufacturer
WATER				
<ol> <li>On a prescription or Practitioner's Supply Order only wh Schedule requiring a solvent or diluent; or</li> <li>On a bulk supply order; or</li> <li>When used in the extemporaneous compounding of eye</li> </ol>		form as an inje	ction I	isted in the Pharmaceutical
Inj 5 ml ampoule – Up to 5 inj available on a PSO		50	_	nterPharma
Inj 10 ml ampoule – Up to 5 inj available on a PSO		50	_	Pfizer
Inj 20 ml ampoule – Up to 5 inj available on a PSO	5.00 7.50	20 30		Aultichem nterPharma
	7.50	30	• 1	merenarma
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	✓ (	Calcium Resonium
COMPOUND ELECTROLYTES				
Powder for oral soln – Up to 10 sach available on a PSO	2.30	10	✓ <u>E</u>	Enerlyte
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP	✓ F	Pedialyte - Bubblegum
PHOSPHORUS				
Tab eff 500 mg (16 mmol)		100	🗸 F	Phosphate-Sandoz
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60		
	(11.85)			Chlorvescent
* Tab long-acting 600 mg (8 mmol)	3.71	100		Duro-K S29
	- /-			Slow-K S29
	7.42	200	<b>v</b> s	Span-K
(Duro-K S29) Tab long-acting 600 mg (8 mmol) to be delisted 1 N	,			
(Slow-K S29) Tab long-acting 600 mg (8 mmol) to be delisted 1 N	lovember 2017)			
SODIUM BICARBONATE	0.50	400		
Cap 840 mg	8.52	100	-	Sodibic Sodibic
			• 3	
SODIUM POLYSTYRENE SULPHONATE	94 65	454 a OB		Pacanium A
Powder	84.05	454 g OP	• •	Resonium-A

	Subsidy (Manufacturer's Price	e) Per	Fully Subsidised	Brand or Generic Manufacturer
	\$	Fei	•	Manulaciulei
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg		500		Apo-Doxazosin
* Tab 4 mg PHENOXYBENZAMINE HYDROCHLORIDE	9.09	500	v	<u>Apo-Doxazosin</u>
* Cap 10 mg	65.00	30	1	BNM S29
PRAZOSIN		00	•	
* Tab 1 mg	5.53	100	1	Apo-Prazosin
* Tab 2 mg		100	-	Apo-Prazosin
* Tab 5 mg	11.70	100	/	Apo-Prazosin
TERAZOSIN W. Tab 1 ma	0.50	00		Actoria
* Tab 1 mg * Tab 2 mg		28 500		<u>Actavis</u> Apo-Terazosin
* Tab 5 mg		500		Apo-Terazosin
Agente Affecting the Denin Angietensin Sustan				
Agents Affecting the Renin-Angiotensin System				
ACE Inhibitors				
CAPTOPRIL				
*‡ Oral liq 5 mg per ml		95 ml C	DP 🗸	Capoten
Oral liquid restricted to children under 12 years of age.				
CILAZAPRIL * Tab 0.5 mg	2 00	90	1	Zapril
* Tab 2.5 mg		200		Apo-Cilazapril
* Tab 5 mg		200	~	Apo-Cilazapril
ENALAPRIL MALEATE				
* Tab 5 mg		100	-	Ethics Enalapril
<ul> <li>* Tab 10 mg</li> <li>* Tab 20 mg – For enalapril maleate oral liquid formulation ref</li> </ul>		100	v	Ethics Enalapril
page 218		100	1	Ethics Enalapril
LISINOPRIL				ŧ
* Tab 5 mg	1.80	90		Ethics Lisinopril
* Tab 10 mg		90		Ethics Lisinopril
* Tab 20 mg	2.76	90	•	Ethics Lisinopril
PERINDOPRIL * Tab 2 mg	3 75	30	1	Apo-Perindopril
* Tab 2 mg		30	-	Apo-Perindopril
QUINAPRIL				
* Tab 5 mg		90		Arrow-Quinapril 5
* Tab 10 mg		90		Arrow-Quinapril 10
* Tab 20 mg	5.97	90	~	Arrow-Quinapril 20
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE	10.10	100		Aug. 011
<ul> <li>Tab 5 mg with hydrochlorothiazide 12.5 mg</li> </ul>	10.18	100	~	Apo-Cilazapril/ Hydrochlorothiazide
				<u>ing a comor cumazide</u>

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
QUINAPRIL WITH HYDROCHLOROTHIAZIDE Tab 10 mg with hydrochlorothiazide 12.5 mg Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30		Accuretic 10 Accuretic 20
Angiotensin II Antagonists				
CANDESARTAN CILEXETIL – Special Authority see SA1223 be * Tab 4 mg		90 90 90 90 90	✓ ✓ als valid wi	
2 Patient has a history of angioedema. Initial application — (Unsatisfactory response to ACE inhibit further renewal unless notified where patient is not adequately co LOSARTAN POTASSIUM				
* Tab 12.5 mg		84	✓	Losartan Actavis
Losartan Actavis to be Sole Supply on 1 December 201 * Tab 25 mg Losartan Actavis to be Sole Supply on 1 December 201	1.63	84	1	Losartan Actavis
* Tab 50 mg	2.00	84	1	Losartan Actavis
Losartan Actavis to be Sole Supply on 1 December 201 * Tab 100 mg Losartan Actavis to be Sole Supply on 1 December 201	2.31	84	~	Losartan Actavis
Angiotensin II Antagonists with Diuretics				
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	2.18	30	1	Arrow-Losartan & Hydrochlorothiazide
Antiarrhythmics				

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anar	esthetics, Local, pa	age 128	
AMIODARONE HYDROCHLORIDE			
▲ Tab 100 mg – Retail pharmacy-Specialist	4.66	30	Cordarone-X
▲ Tab 200 mg – Retail pharmacy-Specialist	7.63	30	✓ Cordarone-X
Inj 50 mg per ml, 3 ml ampoule - Up to 5 inj available on a	PSO9.98	5	✓ Lodi
ATROPINE SULPHATE			
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on	а		
PSO	71.00	50	AstraZeneca
DIGOXIN			
* Tab 62.5 mcg – Up to 30 tab available on a PSO	6.67	240	Lanoxin PG
* Tab 250 mcg – Up to 30 tab available on a PSO	14.52	240	<ul> <li>Lanoxin</li> </ul>
*‡ Oral liq 50 mcg per ml		60 ml	<ul> <li>Lanoxin</li> </ul>
			Lanoxin S29 S29

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	φ	rei	•	Wallulaciulei
	45.00	400		
▲ Cap 100 mg		100		Duthan a dam
	(23.87)			Rythmodan
FLECAINIDE ACETATE – Retail pharmacy-Specialist				
▲ Tab 50 mg		60		Tambocor
Cap long-acting 100 mg		30		Tambocor CR
Cap long-acting 200 mg		30		Tambocor CR
Inj 10 mg per ml, 15 ml ampoule		5	~	Tambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	162.00	100	•	Mexiletine Hydrochloride USP 529
Cap 250 mg	202.00	100	~	Mexiletine Hydrochloride USP §23
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialis	st			
▲ Tab 150 mg		50	1	Rytmonorm
Antihumatanaturaa				-
Antihypotensives				
MIDODRINE – Special Authority see SA1474 below – Retail phare	macy			
Tab 2.5 mg		100	1	Gutron
Tab 5 mg		100		Gutron
- CA1474 Createl Authority for Cubaidy				

#### ■SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Beta Adrenoceptor Blockers**

ATENOLOL		
* Tab 50 mg	4.61 500	Mylan Atenolol
* Tab 100 mg	7.67 500	<ul> <li>Mylan Atenolol</li> </ul>
* Oral liq 25 mg per 5 ml2		✓ Atenolol AFT
Restricted to children under 12 years of age.		
BISOPROLOL FUMARATE		
Tab 2.5 mg	1.18 30	<ul> <li>Bosvate</li> </ul>
•	3.53 90	<ul> <li>Bosvate</li> </ul>
Tab 5 mg	1.72 30	<ul> <li>Bosvate</li> </ul>
	5.15 90	<ul> <li>Bosvate</li> </ul>
Tab 10 mg	3.13 30	<ul> <li>Bosvate</li> </ul>
	9.40 90	<ul> <li>Bosvate</li> </ul>
CARVEDILOL		
* Tab 6.25 mg	2.24 60	Carvedilol Sandoz
	3.90	<ul> <li>Dicarz</li> </ul>
* Tab 12.5 mg	2.30 60	<ul> <li>Carvedilol Sandoz</li> </ul>
•	5.10	<ul> <li>Dicarz</li> </ul>
* Tab 25 mg - For carvedilol oral liquid formulation refer, page 218	2.95 60	<ul> <li>Carvedilol Sandoz</li> </ul>
5 1 5	6.30	<ul> <li>Dicarz</li> </ul>

‡ safety cap

▲ Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Manulactuler's Flice)	Per		Manufacturer
CELIPROLOL				
* Tab 200 mg	21 40	180	1	Celol
··		100	-	
	0.00	400		11.4.1.
* Tab 50 mg	8.99	100	•	Hybloc
* Tab 100 mg – For labetalol oral liquid formulation refer,	44.00			
page 218		100		Hybloc
* Tab 200 mg		100	~	Hybloc
Inj 5 mg per ml, 20 ml ampoule		5		<b>-</b>
	(88.60)			Trandate
METOPROLOL SUCCINATE				
* Tab long-acting 23.75 mg	0.80	30	1	Myloc CR
	1.03		1	Betaloc CR
	2.39	90	✓	Metoprolol - AFT CR
* Tab long-acting 47.5 mg	1.25	30	1	Betaloc CR
	2.59		✓	Myloc CR
	3.48	90	1	Metoprolol - AFT CR
* Tab long-acting 95 mg	1.91	30	1	Myloc CR
	1.99		1	Betaloc CR
	5.73	90	✓	Metoprolol - AFT CR
* Tab long-acting 190 mg	3.00	30	✓	Betaloc CR
	3.85		✓	Myloc CR
	11.54	90	✓	Metoprolol - AFT CR
Myloc CR Tab long-acting 23.75 mg to be delisted 1 March 2018	3)			
(Metoprolol - AFT CR Tab long-acting 23.75 mg to be delisted 1 I	,			
(Myloc CR Tab long-acting 47.5 mg to be delisted 1 March 2018)				
(Metoprolol - AFT CR Tab long-acting 47.5 mg to be delisted 1 M	larch 2018)			
(Myloc CR Tab long-acting 95 mg to be delisted 1 March 2018)				
Metoprolol - AFT CR Tab long-acting 95 mg to be delisted 1 Mar	rch 2018)			
(Myloc CR Tab long-acting 190 mg to be delisted 1 March 2018)				
Metoprolol - AFT CR Tab long-acting 190 mg to be delisted 1 Ma	arch 2018)			
METOPROLOL TARTRATE				
* Tab 50 mg – For metoprolol tartrate oral liquid formulation				
refer, page 218	4.64	100	1	Apo-Metoprolol
* Tab 100 mg		60		Apo-Metoprolol
* Tab long-acting 200 mg		28		Slow-Lopresor
* Inj 1 mg per ml, 5 ml vial		5	-	Lopresor
VADOLOL				
₩ Tab 40 mg	16.05	100	1	Apo-Nadolol
		100		Apo-Nadolol
₭ Tab 80 mg	24./0	100		
PINDOLOL				
* Tab 5 mg		100		Apo-Pindolol
* Tab 10 mg		100	<ul> <li>✓</li> </ul>	Apo-Pindolol
* Tab 15 mg		100	-	Apo-Pindolol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
PROPRANOLOL				
* Tab 10 mg	3.65	100		Apo-Propranolol Apo-Propranolol S29 S29
* Tab 40 mg	4.65	100		Apo-Propranolol Apo-Propranolol S29 S29
Cap long-acting 160 mg * Oral liq 4 mg per ml – Special Authority see SA1327 below –		100	1	Cardinol LA
Retail pharmacy		500 m	nl 🗸	Roxane S29

### ➡SA1327 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.
- **Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:
  - 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
  - 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

#### SOTALOL

* Tab 80 mg - For sotalol oral liquid formulation refer, page 218	339.53	500	🖌 Mylan
* Tab 160 mg		100	<ul> <li>Mylan</li> </ul>
* Inj 10 mg per ml, 4 ml ampoule	65.39	5	<ul> <li>Sotacor</li> </ul>
TIMOLOL			
* Tab 10 mg	10.55	100	🖌 Apo-Timol

## **Calcium Channel Blockers**

## **Dihydropyridine Calcium Channel Blockers**

### AMLODIPINE

** Tab 2.5 mg         1.72           ** Tab 5 mg – For amlodipine oral liquid formulation refer, page 2183.33         3.33           ** Tab 10 mg         4.40	100 250 250	<ul> <li>✓ <u>Apo-Amlodipine</u></li> <li>✓ <u>Apo-Amlodipine</u></li> <li>✓ <u>Apo-Amlodipine</u></li> </ul>
FELODIPINE		
* Tab long-acting 2.5 mg1.45	30	<ul> <li>Plendil ER</li> </ul>
* Tab long-acting 5 mg1.55	30	<ul> <li>Plendil ER</li> </ul>
* Tab long-acting 10 mg2.30	30	Plendil ER
ISRADIPINE		
* Cap long-acting 2.5 mg7.50	30	Dynacirc-SRO
* Cap long-acting 5 mg7.85	30	Dynacirc-SRO
NIFEDIPINE		
* Tab long-acting 10 mg10.63	60	<ul> <li>Adalat 10</li> </ul>
* Tab long-acting 20 mg9.59	100	<ul> <li>Nyefax Retard</li> </ul>
* Tab long-acting 30 mg	30	<ul> <li>Adalat Oros</li> </ul>
3.75		<ul> <li>Adefin XL</li> </ul>
* Tab long-acting 60 mg5.67	30	<ul> <li>Adalat Oros</li> </ul>
5.75		<ul> <li>Adefin XL</li> </ul>

‡ safety cap

A Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
Other Calcium Channel Blockers				
	4.00	100		Dilasa
Tab 30 mg		100	•	Dilzem
Tab 60 mg – For diltiazem hydrochloride oral liquid forr refer, page 218		100	1	Dilzem
Cap long-acting 120 mg		30		Cardizem CD
•••• ••••• ••• ••• ••• •••	31.83	500		Apo-Diltiazem CD
Cap long-acting 180 mg	7.56	30		Cardizem CD
	47.67	500	✓	Apo-Diltiazem CD
Cap long-acting 240 mg		30	✓	Cardizem CD
	63.58	500	✓	Apo-Diltiazem CD
ERHEXILINE MALEATE				
Tab 100 mg	62.90	100	✓	Pexsig
Tab 40 mg	7.01	100	✓	Isoptin
Tab 80 mg – For verapamil hydrochloride oral liquid				•
formulation refer, page 218	11.74	100	✓	Isoptin
Tab long-acting 120 mg		250	✓	Verpamil SR
Tab long-acting 240 mg	25.00	250	✓	Verpamil SR
Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available	on a			
PSO	25.00	5	✓	Isoptin
Centrally-Acting Agents				
ONIDINE				
<ul> <li>Patch 2.5 mg, 100 mcg per day – Only on a prescriptio</li> </ul>	n 7.40	4	1	Catapres-TTS-1
r aten 2.5 mg, 100 meg per day Only on a preserptio	······	-	-	Mylan
Mylan to be Sole Supply on 1 December 2017			-	ingian
Patch 5 mg, 200 mcg per day – Only on a prescription.		4	1	Catapres-TTS-2
			-	Mylan
Mylan to be Sole Supply on 1 December 2017				
Patch 7.5 mg, 300 mcg per day - Only on a prescriptio	n12.34	4	✓	Catapres-TTS-3
			✓	Mylan
Mylan to be Sole Supply on 1 December 2017				
atapres-TTS-1 Patch 2.5 mg, 100 mcg per day to be delis	sted 1 December 2017)			
Catapres-TTS-2 Patch 5 mg, 200 mcg per day to be deliste	ed 1 December 2017)			
Catapres-TTS-3 Patch 7.5 mg, 300 mcg per day to be delis	sted 1 December 2017)			
ONIDINE HYDROCHLORIDE				
Tab 25 mcg		112	✓	Clonidine BNM
Tab 150 mcg		100	✓	Catapres
Inj 150 mcg per ml, 1 ml ampoule	16.07	5	✓	Catapres
ETHYLDOPA				
• Tab 250 mg	15.10	100	1	Methyldopa Mylan
Ũ				- · ·
Diuretics				
Loop Diuretics				
JMETANIDE				
🗧 Tab 1 mg		100	~	Burinex
Inj 500 mcg per ml, 4 ml vial	7.95	5	1	Burinex
✓ fully subsidised	S20 Upopprovo	modi	icino supplio	d under Section 20
0 [HD4] rofor page 4	Solo Subsidised			d under Section 29

(\$29) Unapproved medicine supplied under Section 29 Sole Subsidised Supply

( FUROSEMIDE [FRUSEMIDE] * Tab 40 mg – Up to 30 tab available on a PSO * Tab 500 mg *‡ Oral liq 10 mg per ml * Inj 10 mg per ml, 25 ml ampoule * Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS	25.00	Per 1,000 50	Fully Brand or idised Generic Manufacturer <u>Diurin 40</u> Urex Forte
FUROSEMIDE [FRUSEMIDE] * Tab 40 mg – Up to 30 tab available on a PSO * Tab 500 mg *‡ Oral liq 10 mg per ml * Inj 10 mg per ml, 25 ml ampoule	\$ 	Per 1,000 50	Manufacturer     Diurin 40
<ul> <li>★ Tab 40 mg – Up to 30 tab available on a PSO</li></ul>		1,000 50	✓ Diurin 40
<ul> <li>★ Tab 40 mg – Up to 30 tab available on a PSO</li></ul>	25.00	50	
<ul> <li>★ Tab 500 mg</li> <li>★‡ Oral liq 10 mg per ml</li> <li>★ Inj 10 mg per ml, 25 ml ampoule</li> </ul>	25.00	50	
★‡ Oral liq 10 mg per ml			
Inj 10 mg per ml, 25 ml ampoule		30 ml OP	
	E7 77		✓ Lasix
$\mathbf{r}$ inj to my per mi, 2 mi ampoule – Op to 5 mj available on a PS		6 5	✓ Lasix ✓ Frusemide-Claris
	50 1.20	Э	Fruseinide-Claris
Potassium Sparing Diuretics			
MILORIDE HYDROCHLORIDE			
🖌 Tab 5 mg		100	Apo-Amiloride
Oral lig 1 mg per ml		25 ml OP	<ul> <li>Biomed</li> </ul>
IETOLAZONE – Special Authority see SA1349 below – Retail ph	armacy		
Tab 5 mg	-	1	✓ Metolazone S29
rab 5 mg		50	
		50	Zaroxolyn S29
SA1349 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid			
reatment of patients with refractory heart failure who are intolerant combination therapy. SPIRONOLACTONE ★ Tab 25 mg	4.38	100	✓ <u>Spiractin</u>
🖌 Tab 100 mg	11.80	100	<ul> <li>Spiractin</li> </ul>
Oral liq 5 mg per ml		25 ml OP	<ul> <li>Biomed</li> </ul>
Potassium Sparing Combination Diuretics			
MILORIDE HYDROCHLORIDE WITH FUROSEMIDE			
K Tab 5 mg with furosemide 40 mg	8.63	28	🗸 Frumil
MILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZID	)F		
<ul> <li>Tab 5 mg with hydrochlorothiazide 50 mg</li> </ul>		50	<ul> <li>Moduretic</li> </ul>
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]			
* Tab 2.5 mg – Up to 150 tab available on a PSO	5.48	500	<ul> <li>Arrow-</li> </ul>
			Bendrofluazide
May be sumplied as a DOO for state the state			
May be supplied on a PSO for reasons other than emerge		500	✓ Arrow-
k Tab 5 mg	0.90	500	<ul> <li>Arrow- Bendrofluazide</li> </ul>
			Denuronuazide
CHLOROTHIAZIDE			
	26.00	25 ml OP	<ul> <li>Biomed</li> </ul>
		20111 01	- Diomed
HLORTALIDONE [CHLORTHALIDONE]	0.00	50	
CHLORTALIDONE [CHLORTHALIDONE]	8.00	50	<ul> <li>Hygroton</li> </ul>
F Oral liq 50 mg per ml CHLORTALIDONE [CHLORTHALIDONE] ★ Tab 25 mg NDAPAMIDE ★ Tab 2.5 mg		50 90	<ul><li>✓ Hygroton</li><li>✓ Dapa-Tabs</li></ul>

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
Lipid-Modifying Agents				
Fibrates				
BEZAFIBRATE * Tab 200 mg * Tab long-acting 400 mg GEMFIBROZIL * Tab 600 mg	6.78	90 30 60	✓ <u>B</u>	ezalip ezalip Retard pazil
Other Lipid-Modifying Agents				
ACIPIMOX * Cap 250 mg NICOTINIC ACID		30	<b>√</b> 0	lbetam
* Tab 50 mg		100	🗸 A	po-Nicotinic Acid
Apo-Nicotinic Acid to be Sole Supply on 1 November 20 * Tab 500 mg Apo-Nicotinic Acid to be Sole Supply on 1 November 20	17.89	100	✓ A	po-Nicotinic Acid
Resins				
CHOLESTYRAMINE Powder for oral liq 4 g		50	Q	uestran-Lite
COLESTIPOL HYDROCHLORIDE Grans for oral liq 5 g		30	✓ C	olestid
HMC CoA Reductore Inhibitore (Stating)				

### HMG CoA Reductase Inhibitors (Statins)

### **Prescribing Guidelines**

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

ATORVASTATIN - See prescribing guideline above         * Tab 10 mg       9.29         * Tab 20 mg       13.32         * Tab 40 mg       21.23         * Tab 80 mg       36.26         PRAVASTATIN - See prescribing guideline above	500 500 500 500	✓ Lorstat ✓ Lorstat ✓ Lorstat ✓ Lorstat
* Tab 20 mg	30 30	<ul> <li>✓ Cholvastin</li> <li>✓ Cholvastin</li> </ul>
SIMVASTATIN         – See prescribing guideline above           *         Tab 10 mg         0.95           *         Tab 20 mg         1.61           *         Tab 40 mg         2.83           *         Tab 80 mg         7.91	90 90 90 90	<ul> <li>✓ Arrow-Simva 10mg</li> <li>✓ Arrow-Simva 20mg</li> <li>✓ Arrow-Simva 40mg</li> <li>✓ Arrow-Simva 80mg</li> </ul>
Selective Cholesterol Absorption Inhibitors		
EZETIMIBE – Special Authority see SA1045 on the next page – Retail pharmacy Tab 10 mg	30	✓ Ezemibe

# fully subsidised [HP4] refer page 4

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsid	dised	Generic	
\$	Per	1	Manufacturer	

### ⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
  - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
  - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
  - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg5.15	30	<ul> <li>Zimybe</li> </ul>
Tab 10 mg with simvastatin 20 mg6.15	30	<ul> <li>Zimybe</li> </ul>
Tab 10 mg with simvastatin 40 mg7.15	30	<ul> <li>Zimybe</li> </ul>
Tab 10 mg with simvastatin 80 mg8.15	30	<ul> <li>Zimybe</li> </ul>

#### ⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to less than or equal to 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than

2.0 mmol/litre. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Nitrates

#### GLYCERYL TRINITRATE

GL			
*	Tab 600 mcg – Up to 100 tab available on a PSO	100 OP	<ul> <li>Lvcinate</li> </ul>
	Oral pump spray, 400 mcg per dose – Up to 250 dose		,
	available on a PSO4.45	250 dose OP	<ul> <li>Nitrolingual Pump</li> </ul>
			Spray
*	Oral spray, 400 mcg per dose – Up to 250 dose available on a		
	PSO	250 dose OP	✓ Glytrin
*	Patch 25 mg, 5 mg per day15.73	30	<ul> <li>Nitroderm TTS</li> </ul>
	Patch 50 mg, 10 mg per day	30	<ul> <li>Nitroderm TTS</li> </ul>

‡ safety cap

Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	I Generic
	\$	Per	-	Manufacturer
ISOSORBIDE MONONITRATE				
* Tab 20 mg	18 80	100	1	Ismo 20
Ismo 20 to be Sole Supply on 1 November 2017		100	•	
* Tab long-acting 40 mg	7 50	30	1	Ismo 40 Retard
* Tab long-acting 60 mg		90	•	Duride
Sympothemimetice				
Sympathomimetics				
ADRENALINE				
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PS	0 4.09	5	1	Aspen Adrenaline
ing Till 1,000, Thil ampoule – Op to 5 ing available on a PS		5		
laid in 10.000, 10 ml amagula	5.25	~		Hospira
Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a l		5		Hospira
	49.00	10	<b>v</b>	Aspen Adrenaline
ISOPRENALINE				
* Inj 200 mcg per ml, 1 ml ampoule		25		
J	(164.20)			Isuprel
	(			· · b
Vasodilators				
Vasoanators				
AMYL NITRITE				
* Liq 98% in 0.3 ml cap	62 92	12		
	(73.40)			Baxter
	(70.40)			Daxiel
HYDRALAZINE HYDROCHLORIDE				
* Tab 25 mg – Special Authority see SA1321 below – Retail				
pharmacy	CBS	1	✓	Hydralazine
		56	1	Onelink S29
		84	1	AMDIPHARM S29
* Ini 00 mg amnaula	25.00	5		
* Inj 20 mg ampoule	20.90	5	•	Apresoline
SA1321 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va the following criteria: Either:	id without further rene	wal u	inless notif	fied for applications meeting
<ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a ni inhibitors and/or angiotensin receptor blockers.</li> </ol>		are in	itolerant or	have not responded to ACI
MINOXIDIL – Special Authority see SA1271 below – Retail pha				
▲ Tab 10 mg	70.00	100	✓	Loniten
SA1271 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals va severe refractory hypertension which has failed to respond to expert the severe refractory hypertension which has failed to respond to expert the severe refractory hypertension which has failed to respond to expert the severe refractory hypertension which has failed to respond to expert the severe refractory hypertension which has failed to respond to expert the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment the severe refractory hypertension which has failed to respond to experiment to experiment the severe refractory hypertension which has failed to respond to experiment to experi			unless noti	fied where patient has
NICORANDIL				
▲ Tab 10 mg		60	1	lkorel
▲ Tab 20 mg		60		lkorel
<b>v</b>		00	-	
PAPAVERINE HYDROCHLORIDE		_		
<ul> <li>Inj 12 mg per ml, 10 ml ampoule</li> </ul>		5	/	Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE]				
Tab 400 mg		50		
· · · · · · · · · · · · · · · · · ·	(42.26)			Trental 400
	(12.20)			

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully osidised	Brand or Generic Manufacturer
Endothelin Receptor Antagonists				
<ul> <li>▶SA0967 Special Authority for Subsidy</li> <li>Special Authority approved by the Pulmonary Arterial Hypertensi Notes: Application details may be obtained from PHARMAC's w The Coordinator, PAH Panel</li> <li>PHARMAC, PO Box 10-254, WELLINGTON</li> <li>Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmar</li> <li>AMBRISENTAN – Special Authority see SA0967 above – Retail Tab 5 mg</li></ul>	vebsite <u>http://www.pha</u> c.govt.nz I pharmacy 4,585.00 4,585.00 armacy 375.00	30 30 30 56 56	✓ V ✓ V ✓ <u>M</u>	olibris olibris Iylan-Bosentan Iylan-Bosentan

## Phosphodiesterase Type 5 Inhibitors

#### ⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon\* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon\*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form <u>SA1293-PAH</u>).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with \* are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 above - Retail pharmacy

Tab 25 mg0.75	4	Vedafil
Tab 50 mg0.75	4	🗸 Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page 2182.75	4	✓ Vedafil

### **Prostacyclin Analogues**

<mark>≫S</mark>	A	)9	6	Э	Special	Authority for Subsidy		

\*Three months or six months, as applicable, dispensed all-at-once

Special Authority approved by the Pulmonary Arterial Hypertension Panel			
Notes: Application details may be obtained from PHARMAC's website http://www.p	harmac.gov	<u>/t.nz</u> or:	
The Coordinator, PAH Panel			
PHARMAC, PO Box 10-254, WELLINGTON			
Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz			
ILOPROST – Special Authority see SA0969 above – Retail pharmacy			
Nebuliser soln 10 mcg per ml, 2 ml1,185.00	30	<ul> <li>Ventavis</li> </ul>	

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials, ADAPALENE a) Maximum of 30 g per prescription b) Only on a prescription Crm 0.1%		30 g OP 30 g OP		ifferin ifferin
ISOTRETINOIN – Special Authority see SA1475 below – Retail p Cap 10 mg Cap 20 mg		100 120 100 120	✓ 0 ✓ Is	sotane 10 Iratane sotane 20 Iratane

### ➡SA1475 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

**Renewal** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

#### TRETINOIN

Crm 0.5 mg per g - Maximum of 50 g per prescri	ption 13.90 50 g OP 🖌 🖌 ReTriev
--	---------------------------------

### DERMATOLOGICALS

	Subsidy	<u>)</u>	Fully	Brand or
	(Manufacturer's Price \$	e) Sut Per	osidised ✓	Generic Manufacturer
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 95			
FUSIDIC ACID				
Crm 2%	2.52	15 g OP	✓ D	P Fusidic Acid
<ul><li>a) Maximum of 15 g per prescription</li><li>b) Only on a prescription</li><li>c) Not in combination</li></ul>				Cream
Oint 2%	3.45	15 g OP	✓ F	oban
a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination				
HYDROGEN PEROXIDE * Crm 1%	8.56	15 g OP	✓ 0	Crystaderm
MUPIROCIN			-	,,,
Oint 2%		15 g OP	_	
	(9.26)		B	Bactroban
<ul> <li>a) Only on a prescription</li> <li>b) Not in combination</li> </ul>				
SULFADIAZINE SILVER				
Crm 1% a) Up to 250 g available on a PSO	10.80	50 g OP	✓ <u>F</u>	lamazine
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page	e 102			
AMOROLFINE				
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>				
Nail soln 5%		5 ml OP	🗸 N	lycoNail
CICLOPIROX OLAMINE				
a) Only on a prescription				
b) Not in combination Nail-soln 8%	6 50	7 ml OP	<b>~</b> ^	po-Ciclopirox
CLOTRIMAZOLE	0.00	7 111 01	• -	
* Crm 1%	0.52	20 g OP	✓ 0	Clomazol
a) Only on a prescription				
<ul> <li>b) Not in combination</li> <li>* Soln 1%</li> </ul>	1 36	20 ml OP		
· • • • • • • • • • • • • • • • • • • •	(7.55)		C	Canesten
a) Only on a prescription	. ,			
b) Not in combination				

‡ safety cap

stThree months or six months, as applicable, dispensed all-at-once

## DERMATOLOGICALS

	Subsidy	Fully Brand or	
	(Manufacturer's F \$	Price) Subs Per	sidised Generic Manufacturer
	Ψ		• Manufacturer
CONAZOLE NITRATE Crm 1%	1.00	20 g OP	
011111/8	(7.48)	20 y OF	Pevaryl
a) Only on a prescription	(7.40)		revaryi
b) Not in combination			
Foaming soln 1%, 10 ml sachets		3	
	(17.23)		Pevaryl
<ul> <li>a) Only on a prescription</li> </ul>			
b) Not in combination			
ICONAZOLE NITRATE			
Crm 2%	0.55	15 g OP	<ul> <li>Multichem</li> </ul>
<ul> <li>a) Only on a prescription</li> </ul>			
b) Not in combination			
Eloth 2%		30 ml OP	Delsterin
	(10.03)		Daktarin
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>			
Tinct 2%	4 36	30 ml OP	
	(12.10)	00 111 01	Daktarin
a) Only on a prescription	(-=)		
b) Not in combination			
YSTATIN			
Crm 100,000 u per g	1.00	15 g OP	
	(7.90)	0	Mycostatin
a) Only on a prescription			
b) Not in combination			
Antipruritic Preparations			
Antipidinte Preparations			
ALAMINE			
a) Only on a prescription			
b) Not in combination Crm, aqueous, BP	1 40	100 -	
Crm, aqueous, BP		100 g 2,000 ml	<ul> <li>✓ <u>Pharmacy Health</u></li> <li>✓ PSM</li> </ul>
ROTAMITON	12.34	2,000 111	• <u>F 5 M</u>
a) Only on a prescription			
b) Not in combination			
Crm 10%		20 g OP	✓ Itch-Soothe
ENTHOL – Only in combination		5	
<ol> <li>Only in combination with a dermatological base or pr</li> </ol>	onrietany Tonical C	orticostariad	Plain refer dermatological bag
page 217	oprietary Topical C		i iaiii, ieiei ueittiatoioyical bas
<ol> <li>With or without other dermatological galenicals.</li> </ol>			
,			
Crystals	6.50	25 g	✓ PSM
	6.92		<ul> <li>MidWest</li> </ul>
	29.60	100 g	<ul> <li>MidWest</li> </ul>

	Subsidy (Manufacturer's Prie \$	ce) Sub Per	Fully osidised	Brand or Generic Manufacturer
Corticosteroids Topical				
or systemic corticosteroids, refer to CORTICOSTEROIDS AND F	RELATED AGEN	TS, page 84		
Corticosteroids - Plain				
ETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96	15 g OP	✓ [	Diprosone
	8.97	50 g OP	🗸 D	Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	<ul> <li>I</li> </ul>	iprosone OV
Oint 0.05%	2.96	15 g OP	✓ □	)iprosone
	8.97	50 g OP	✓ □	)iprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ [	iprosone OV
ETAMETHASONE VALERATE				
Crm 0.1%	3.15	50 g OP	✓ E	Beta Cream
Oint 0.1%		50 g OP		Beta Ointment
Lotn 0.1%		50 ml OP		Betnovate
OBETASOL PROPIONATE				
Crm 0.05%	2 20	30 g OP	<b>у</b> г	Dermol
Oint 0.05%		30 g OP	_	Dermol
		00 y 01		
OBETASONE BUTYRATE	5 00	00 00		
Crm 0.05%		30 g OP	_	
	(7.09)		E	umovate
FLUCORTOLONE VALERATE				
Crm 0.1%	8.97	50 g OP		
	(15.86)		Ν	lerisone
Fatty oint 0.1%	8.97	50 g OP		
	(15.86)		Ν	lerisone
YDROCORTISONE				
Crm 1% – Only on a prescription	1.11	30 g OP	✓ [	DermAssist
	16.25	500 g	🗸 🗸	harmacy Health
Powder – Only in combination		25 g	A A     A	BM
Up to 5% in a dermatological base (not proprietary Topica galenicals. Refer, page 217	al Corticosteriod -	- Plain) with	or witho	ut other dermatologica
YDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN				
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only o	n			
a prescription		250 ml	<b>√</b> [	P Lotn HC
YDROCORTISONE BUTYRATE			-	
Lipocream 0.1%	2 20	30 a OP	<b>.</b> / 1	ocoid Lincoroam
Lipolicalii V. I /0	2.30 6.85	30 g OP 100 g OP		ocoid Lipocream .ocoid Lipocream
Oint 0.1%		100 g OP 100 g OP		ocoid Lipocream
Milky emul 0.1%		100 g OP 100 ml OP	-	.ocoid Crelo
	0.00		• 1	
ETHYLPREDNISOLONE ACEPONATE				
Crm 0.1%		15 g OP	-	dvantan
Oint 0.1%	4.95	15 g OP	✓ A	dvantan

‡ safety cap

DERMATOLOGICALS

	Subsidy		Fully Brand or
	(Manufacturer's P \$	rice) Subs Per	sidised Generic Manufacturer
IOMETASONE FUROATE			
Crm 0.1%	1.51	15 g OP	Elocon Alcohol Free
	2.90	50 g OP	<ul> <li>Elocon Alcohol Free</li> </ul>
Oint 0.1%	1.51	15 g OP	<ul> <li>Elocon</li> </ul>
	2.90	50 g OP	<ul> <li>Elocon</li> </ul>
Lotn 0.1%	7.35	30 ml OP	<ul> <li>Elocon</li> </ul>
RIAMCINOLONE ACETONIDE			
Crm 0.02%	6.30	100 g OP	<ul> <li>Aristocort</li> </ul>
Oint 0.02%		100 g OP	✓ Aristocort
Corticosteroids - Combination		5	
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only of			
Crm 0.1% with clioquinol 3%		15 g OP	<b>D</b> ( ) ( )
	(4.90)		Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(10.45)		Fucicort
<ul> <li>a) Maximum of 15 g per prescription</li> </ul>			
<li>b) Only on a prescription</li>			
YDROCORTISONE WITH MICONAZOLE - Only on a presc	ription		
₭ Crm 1% with miconazole nitrate 2%		15 g OP	<ul> <li>Micreme H</li> </ul>
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN -		•	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%.		15 g OP	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%.		15 g OP	<ul> <li>Pimatucort</li> <li>Pimatucort</li> </ul>
		U U	
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMY		IN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5	•		
and gramicidin 250 mcg per g – Only on a prescription		15 g OP	
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescrip	tion is endorsed ac	cordingly.	
K Handrub 1% with ethanol 70%	4.29	500 ml	<ul> <li>healthE</li> </ul>
K Soln 4% wash	3.98	500 ml	✓ healthE
RICLOSAN – Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
b)			
<ul> <li>a) Only if prescribed for a patient identified with Meth</li> </ul>	nicillin-resistant Sta	phylococcus a	aureus (MRSA) prior to elective
surgery in hospital and the prescription is endorse		.p. 1710000000 0	
b) Only if prescribed for a patient with recurrent Stap		infection and	the prescription is endorsed
accordingly	,		r r r r r r r r r r r r r r r r r r r
Soln 1%	5.90	500 ml OP	✓ healthE

## DERMATOLOGICALS

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Subsi Per	idised Generic Manufacturer
	Ψ	1 61	
Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE			
* Crm 5% pump bottle	4.59	500 ml OP	✓ healthE
			Dimethicone 5%
* Crm 10% pump bottle	4.90	500 ml OP	✓ healthE
			Dimethicone 10%
ZINC AND CASTOR OIL			
* Oint BP	5 95	500 g	✓ Multichem
		500 g	• manuelleni
Emollients			
AQUEOUS CREAM			
* Crm	1 99	500 g	✓ AFT SLS-free
	1.00	500 g	
CETOMACROGOL	0.74		
* Crm BP	2.74	500 g	<ul> <li>healthE</li> </ul>
CETOMACROGOL WITH GLYCEROL			
Crm 90% with glycerol 10%	2.82	500 ml OP	<ul> <li>Pharmacy Health</li> </ul>
			Sorbolene with
			Glycerin
	3.87	1,000 ml OP	<ul> <li>Pharmacy Health</li> </ul>
			Sorbolene with
			Glycerin
EMULSIFYING OINTMENT			
* Oint BP	3.59	500 g	🖌 AFT
AFT to be Sole Supply on 1 November 2017		0	
OIL IN WATER EMULSION			
* Crm	2 25	500 g	✓ O/W Fatty Emulsion
		000 g	Cream
			<u></u>
UREA * Crm 10%	1 07	100 a OD	✓ healthE Urea Cream
	1.37	100 g OP	• nearing orea cream
WOOL FAT WITH MINERAL OIL – Only on a prescription		4.000	
* Lotn hydrous 3% with mineral oil		1,000 ml	
	(11.95)		DP Lotion
	1.40	250 ml OP	DD Lation
	(4.53)	1.000	DP Lotion
	5.60	1,000 ml	Alaba Kari Latian
	(20.53)		Alpha-Keri Lotion
	(23.91)	050	BK Lotion
	1.40	250 ml OP	DI/ Lation
	(7.73)		BK Lotion

\$ safety cap
\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	ice) Subs Per	idised Generic Manufacturer
Other Dermatological Bases			
ARAFFIN			
White soft – Only in combination	20.20	2,500 g	✓ IPW
	3.58	500 g	
	(7.78)		IPW
Only in combination with a dermatalagical galaxical or	(8.69)	ropriotory Topi	PSM Continenteroid Blain
Only in combination with a dermatological galenical or a	as a diluent for a p	roprietary Topi	cal Conicosterolo – Plain.
linor Skin Infections			
OVIDONE IODINE			
Oint 10%	3.27	25 g OP	<ul> <li>Betadine</li> </ul>
<ul> <li>a) Maximum of 100 g per prescription</li> <li>b) Only on a prescription</li> </ul>			
Antiseptic soln 10%	6.20	500 ml	<ul> <li>Betadine</li> </ul>
			<ul> <li>Riodine</li> </ul>
	1.28	100 ml	
	(4.20)		Riodine
	(8.25)	45	Betadine
	0.19	15 ml	Detedine
Skin preparation, povidone iodine 10% with 30% alcohol	(4.45)	500 ml	Betadine <ul> <li>Betadine Skin Prep</li> </ul>
	1.63	100 ml	
	(3.65)	100 111	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		500 ml	Detadine Okin Prop
	(18.63)	000 111	Orion
	1.63	100 ml	Chin
	(6.04)		Orion
	( <i>)</i>		
Parasiticidal Preparations			
METHICONE			
Lotn 4%	4.98	200 ml OP	✓ <u>healthE</u> <u>Dimethicone 4%</u> Lotion
ERMECTIN – Special Authority see SA1225 below – Retail p	harmacy		
Tab 3 mg – Up to 100 tab available on a PSO		4	<ul> <li>Stromectol</li> </ul>
<ol> <li>PSO for institutional use only. Must be endorsed a valid Special Authority for patient of that instituti</li> </ol>	with the name of t	he institution fo	or which the PSO is required a
<ol> <li>Ivermectin available on BSO provided the BSO in</li> <li>For the purposes of subsidy of ivermectin, instituti</li> </ol>	cludes a valid Spe		

SA1225 Special Authority for Subsidy Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:
      - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.
- Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

- Any of the following:
  - 1 Filaricides; or
  - 2 Cutaneous larva migrans (creeping eruption); or
  - 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:

\*Three months or six months, as applicable, dispensed all-at-once

- 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
- 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
- 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

continued...

‡ safety cap

	Subsidy (Manufacturer's Pric					
	(Manulacturer 3 The	Per	√	Manufacturer		
ontinued						
lote: Ivermectin is no more effective than topical therapy for tre				tat an dama state stat		
Renewal — (Other parasitic infections) only from an infection opprovals valid for 1 month for applications meeting the followin		i, clinical mic	goloidor	list or dermatologist.		
ny of the following:	y ciliena.					
1 Filaricides; or						
2 Cutaneous larva migrans (creeping eruption); or						
3 Strongyloidiasis.						
PERMETHRIN						
Crm 5%	4.95	30 g OP	🗸 Ly	yderm		
Lyderm to be Sole Supply on 1 January 2018						
Lotn 5%	3.69	30 ml OP	🗸 A	-Scabies		
A-Scabies to be Sole Supply on 1 November 2017						
PHENOTHRIN	44.00		<b>( D</b>			
Shampoo 0.5%	11.36	200 ml OP	✓ P	arasidose		
Psoriasis and Eczema Preparations						
ACITRETIN – Special Authority see SA1476 below – Retail pha		60	- N	ovatretin		
Cap 10 mg Cap 25 mg		60 60	_	ovatretin		
■SA1476 Special Authority for Subsidy		00	• <u>n</u>	ovancun		
<b>itial application</b> from any relevant practitioner. Approvals val	id for 1 year for ann	lications may	atina the	following criteria:		
All of the following:	id for i year for app		sung un	nonowing cinena.		
1 Applicant is a vocationally registered dermatologist, voca	tionally registered g	eneral practi	tioner. d	or nurse practitioner		
working in a relevant scope of practice; and		p	,			
2 Applicant has an up to date knowledge of the safety issue	es around acitretin a	and is compe	tent to	prescribe acitretin; and		
3 Either:						
3.1 Patient is female and has been counselled and ur						
pregnancy and the applicant has ensured that the						
commencement of the treatment and that the pati			t becom	ie pregnant during		
treatment and for a period of two years after the c 3.2 Patient is male.	ompletion of the tre	alment; or				
Renewal from any relevant practitioner. Approvals valid for 1 ye	ar for applications	maating tha f	ollowing	n criteria:		
Either:		needing the i	onowing	g ontona.		
1 Patient is female and has been counselled and understa	nds the risk of terato	paenicity if ad	citretin is	s used during pregnanc		
and the applicant has ensured that the possibility of preg						
treatment and that the patient is informed that she must r						
years after the completion of the treatment; or						
2 Patient is male.						
BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL						
Gel 500 mcg with calcipotriol 50 mcg per g		30 g OP	_	aivobet		
Oint 500 mcg with calcingtrial 50 mcg per g	26 12	30 a OP	- 🗸 D	aivohet		

Oint 500 mcg with calcipotriol 50 mcg per g	26.12	30 g OP	<ul> <li>Daivobet</li> </ul>
CALCIPOTRIOL			
Oint 50 mcg per g	45.00	100 g OP	<ul> <li>Daivonex</li> </ul>

	Subsidy (Manufacturer's Pri	ce) Sub	Fully	Brand or Generic
	(Manulacturer 5 i iii \$	Per	siuiseu V	Manufacturer
COAL TAR				
Soln BP – Only in combination		200 ml	✓ N	lidwest
<ol> <li>Up to 10% only in combination with a dermatolog dermatological base, page 217</li> <li>With or without other dermatological galenicals.</li> </ol>	jical base or proprie	tary Topical	Corticos	teriod – Plain, refer
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SU	LPHUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% a	and			
allantoin crm 2.5%		75 g OP		
	(8.00)	00 0 D	E	gopsoryl TA
	3.43 (4.35)	30 g OP	F	gopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR	(1.00)		-	.gopoolji ini
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ (	oco-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUOR		a prescriptic	n	
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodiu Pinetarsol to be Sole Supply on 1 November 2017		500 ml		linetarsol
SALICYLIC ACID				
Powder – Only in combination		250 g	🗸 F	SM
<ol> <li>Only in combination with a dermatological base of refer dermatological base, page 217</li> <li>With or without other dermatological galenicals.</li> </ol>	or proprietary Topica	I Corticoster	oid – Pla	ain or collodion flexible,
SULPHUR				
Precipitated – Only in combination	6.35	100 g	🗸 N	lidwest
<ol> <li>Only in combination with a dermatological base of base, page 217</li> <li>With or without other dermatological galenicals.</li> </ol>	or proprietary Topica	I Corticoster	oid – Pla	ain, refer dermatological

DERMATOLOGICALS

# Scalp Preparations

BETAMETHASONE VALERATE * Scalp app 0.1%	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE * Scalp app 0.05%	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE Scalp lotn 0.1%	100 ml OP	Locoid
KETOCONAZOLE Shampoo 2%	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescription		

b) Only on a prescription

‡ safety cap

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

 $\ensuremath{\textbf{\#}}$  Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully idised	Brand or Generic Manufacturer
Sunscreens				
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity endorsed accordingly.	secondary to a def	ined clinical co	ondition	and the prescription is
Crm	3.30	100 g OP		
-	(5.89)		Ha	amilton Sunscreen
Lotn,		100 g OP		arine Blue Lotion SPF 50+
	5.10	200 g OP		arine Blue Lotion SPF 50+
Wart Preparations or salicylic acid preparations refer to PSORIASIS AND ECZEN	IA PREPARATION	IS, page 74		
MIQUIMOD				
Crm 5%, 250 mg sachet	17.98	12		oo-Imiquimod Cream 5%
PODOPHYLLOTOXIN				
Soln 0.5% a) Maximum of 3.5 ml per prescription b) Only on a prescription	33.60	3.5 ml OP	✓ Co	ondyline
Other Skin Preparations				
Antineoplastics				
ELUOROURACIL SODIUM Crm 5%	8.95	20 g OP	✓ <u>Ef</u>	udix

Subsite         (Manufacture §         Contraceptives - Non-hormonal         Condoms         CONDOMS         * 49 mm - Up to 144 dev available on a PSO         * 53 mm - Up to 144 dev available on a PSO         13.36         * 53 mm (chocolate) - Up to 144 dev available on a PSO		Fully Subsidised r 🖌	
Condoms           CONDOMS           * 49 mm - Up to 144 dev available on a PSO           * 53 mm - Up to 144 dev available on a PSO           111           13.36			
CONDOMS * 49 mm – Up to 144 dev available on a PSO			
<ul> <li>* 49 mm - Up to 144 dev available on a PSO</li></ul>			
<ul> <li># 49 mm - Up to 144 dev available on a PSO</li></ul>			
<ul> <li>* 53 mm - Up to 144 dev available on a PSO 1.11</li> <li>13.36</li> </ul>	144	. 🗸	Shield 49
			Gold Knight Shield Blue
$\star$ 52 mm (abagalata) Up to 144 day available on a BCO 111	144		Shield Blue
* 53 mm (chocolate) – Up to 144 dev available on a PSO1.11	12	✓	Gold Knight
13.36		. 🗸	Gold Knight
* 53 mm (strawberry) – Up to 144 dev available on a PSO1.11			Gold Knight
13.36			Gold Knight
* 56 mm – Up to 144 dev available on a PSO1.11			Gold Knight
13.36	144		Durex Extra Safe
			Gold Knight
* 56 mm, shaped – Up to 144 dev available on a PSO1.11			Durex Confidence
13.36			Durex Confidence
* 60 mm – Up to 144 dev available on a PSO	144	. 🗸	Shield XL
Contraceptive Devices			
INTRA-UTERINE DEVICE			
a) Up to 40 dev available on a PSO			
b) Only on a PSO			
* IUD 29.1 mm length × 23.2 mm width	1	1	Choice TT380 Short
* IUD 33.6 mm length × 29.9 mm width			Choice
· · · - · · · · · · · · · · · · · · · ·			TT380 Standard
* IUD 35.5 mm length × 19.6 mm width	1	1	Choice Load 375
Contraceptives - Hormonal			

GENITO-URINARY SYSTEM

# **Combined Oral Contraceptives**

#### ⇒SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

\*Three months or six months, as applicable, dispensed all-at-once

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
continued The additional subsidy will fund Mercilon and Marvelon up to the he Schedule at 1 November 1999.	manufacturer's price	for each of	f these	products as identified on
Special Authorities approved before 1 November 1999 remain va vomen are still either:	lid until the expiry dat	e and can	be ren	ewed providing that
<ul> <li>on a Social Welfare benefit; or</li> <li>have an income no greater than the benefit.</li> </ul>				
The approval numbers of Special Authorities approved before 1 Normalized oral contraceptives and progestogen-only contraceptives				
ETHINYLOESTRADIOL WITH DESOGESTREL				
* Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84		
	(19.80)			lercilon 28
<ul><li>a) Higher subsidy of \$13.80 per 84 tab with Special Aut</li><li>b) Up to 84 tab available on a PSO</li></ul>		1	ous pag	e
* Tab 30 mcg with desogestrel 150 mcg and 7 inert tab		84		
	(19.80)			larvelon 28
<ul><li>a) Higher subsidy of \$13.80 per 84 tab with Special Aut</li><li>b) Up to 84 tab available on a PSO</li></ul>	hority see SA0500 on	the previo	ous pag	e
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab – U to 84 tab available on a PSO		84	🗸 A	va 20 ED
✤ Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab – U	p			
to 84 tab available on a PSO	9.45	84	🗸 M	licrogynon 50 ED
* Tab 30 mcg with levonorgestrel 150 mcg		63		
	(16.50)			licrogynon 30
<ul><li>a) Higher subsidy of \$15.00 per 63 tab with Special Aut</li><li>b) Up to 63 tab available on a PSO</li></ul>		the previo	ous pag	le
Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – U to 84 tab available on a PSO		84	🗸 A	va 30 ED
ETHINYLOESTRADIOL WITH NORETHISTERONE				
Tab 35 mcg with norethisterone 1 mg – Up to 63 tab availab on a PSO		63	✔ В	revinor 1/21
Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO		84	✔ В	revinor 1/28
Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab available on a PSO		63	✔ В	revinor 21
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – U to 84 tab available on a PSO	lp	84	🗸 N	orimin

**Progestogen-only Contraceptives** 

#### ► SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

#### 1 Either:

78

1.1 Patient is on a Social Welfare benefit; or

continued...

<b>GENITO-URINARY</b>	SYSTEM
-----------------------	--------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
continued				
1.2 Patient has an income no greater than the benefit;	and			
2 Has tried at least one of the fully funded options and has b	een unable to tolerat	te it.		
Renewal from any medical practitioner. Approvals valid for 2 yea Either:	rs for applications me	eeting	g the followir	ng criteria:
1 Patient is on a Social Welfare benefit; or				
2 Patient has an income no greater than the benefit.				
Notes: The approval numbers of Special Authorities approved aft Marvelon.	ter 1 November 1999	) are i	interchangea	able between Mercilon and
The additional subsidy will fund Mercilon and Marvelon up to the r	nanufacturer's price t	for ea	ach of these	products as identified on
the Schedule at 1 November 1999.				
Special Authorities approved before 1 November 1999 remain val women are still either:	id until the expiry dat	te and	d can be ren	ewed providing that
<ul> <li>on a Social Welfare benefit; or</li> </ul>				
<ul> <li>have an income no greater than the benefit.</li> </ul>				
The approval numbers of Special Authorities approved before 1 N combined oral contraceptives and progestogen-only contraceptive				
combined oral contraceptives and progestogen-only contraceptive LEVONORGESTREL	es groups, except Loe	ette a		
combined oral contraceptives and progestogen-only contraceptive	es groups, except Loe 6.62		Ind Microgyr	ion 20 ED
combined oral contraceptives and progestogen-only contraceptive LEVONORGESTREL * Tab 30 mcg	es groups, except Los 6.62 (16.50)	ette a 84	nd Microgyr	icrolut
combined oral contraceptives and progestogen-only contraceptive LEVONORGESTREL	es groups, except Loe 	ette a 84	nd Microgyr	icrolut
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available</li> </ul>	es groups, except Loc 	ette a 84 n the p	Ind Microgyr M previous pag	ion 20 ED licrolut le
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available</li> <li>on a PSO</li> </ul>	es groups, except Loc 	ette a 84	Ind Microgyr M previous pag	icrolut
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available</li> <li>on a PSO</li> <li>MEDROXYPROGESTERONE ACETATE</li> </ul>	es groups, except Loe 	ette a 84 n the p 1	nd Microgyr N previous pag	ion 20 ED licrolut le <u>adelle</u>
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO</li> <li>MEDROXYPROGESTERONE ACETATE</li> <li>* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a P</li> </ul>	es groups, except Loe 	ette a 84 n the p	nd Microgyr N previous pag	ion 20 ED licrolut le
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO</li> <li>MEDROXYPROGESTERONE ACETATE</li> <li>* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a P</li> <li>NORETHISTERONE</li> </ul>	es groups, except Loc (16.50) nority see SA0500 on e 	ette a 84 1 the p 1 1	IND Microgyr N previous pag V J V D	ion 20 ED licrolut le <u>adelle</u> <u>epo-Provera</u>
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO</li> <li>MEDROXYPROGESTERONE ACETATE</li> <li>* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a P</li> </ul>	es groups, except Loc (16.50) nority see SA0500 on e 	ette a 84 n the p 1	IND Microgyr N previous pag V J V D	ion 20 ED licrolut le <u>adelle</u>
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO</li> <li>MEDROXYPROGESTERONE ACETATE</li> <li>* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a P</li> <li>NORETHISTERONE</li> </ul>	es groups, except Loc (16.50) nority see SA0500 on e 	ette a 84 1 the p 1 1	IND Microgyr N previous pag V J V D	ion 20 ED licrolut le <u>adelle</u> <u>epo-Provera</u>
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Autr</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO</li> <li>MEDROXYPROGESTERONE ACETATE</li> <li>* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a P</li> <li>NORETHISTERONE</li> <li>* Tab 350 mcg – Up to 84 tab available on a PSO</li> <li>Emergency Contraceptives</li> <li>LEVONORGESTREL</li> </ul>	es groups, except Loe (16.50) nority see SA0500 on e 	ette a 84 1 the p 1 1 84	IND Microgyr M previous paç	ion 20 ED licrolut le <u>adelle</u> <u>epo-Provera</u> <u>oriday 28</u>
<ul> <li>combined oral contraceptives and progestogen-only contraceptives</li> <li>LEVONORGESTREL</li> <li>* Tab 30 mcg</li> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Autr</li> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO</li> <li>MEDROXYPROGESTERONE ACETATE</li> <li>* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO.NORETHISTERONE</li> <li>* Tab 350 mcg – Up to 84 tab available on a PSO</li> </ul>	es groups, except Loe (16.50) nority see SA0500 on e 	ette a 84 1 the p 1 1	IND Microgyr M previous paç	ion 20 ED licrolut le <u>adelle</u> <u>epo-Provera</u>

b) Up to 5 tab available on a PSO

### Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

### CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

*	Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up		
	to 168 tab available on a PSO4.67	168	✓ Ginet

\*Three months or six months, as applicable, dispensed all-at-once if er

	Subsidy (Manufacturer's P \$	'rice) Subs Per	Fully Brand or idised Generic Manufacturer
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate		100 × 0D	
0.025%, glycerol 5% and ricinoleic acid 0.75% with applic	(24.00) (24.00)	100 g OP	Aci-Jel
CLOTRIMAZOLE	(24.00)		
* Vaginal crm 1% with applicators	1.60	35 g OP	<ul> <li>Clomazol</li> </ul>
* Vaginal crm 2% with applicators	2.10	20 g OP	✓ Clomazol
MICONAZOLE NITRATE			
* Vaginal crm 2% with applicator	3.88	40 g OP	✓ Micreme
NYSTATIN			
Vaginal crm 100,000 u per 5 g with applicator(s)	4.45	75 g OP	✓ <u>Nilstat</u>
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a			
PSO		5	<ul> <li>DBL Ergometrine</li> </ul>
DBL Ergometrine to be Sole Supply on 1 December 2017	7		
OESTRIOL			_
* Crm 1 mg per g with applicator	6.62	15 g OP	<ul> <li>Ovestin</li> </ul>
Ovestin to be Sole Supply on 1 November 2017 * Pessaries 500 mcg	6 96	15	<ul> <li>Ovestin</li> </ul>
Ovestin to be Sole Supply on 1 November 2017	0.00	10	• Ovesuit
OXYTOCIN – Up to 5 inj available on a PSO			
Inj 5 iu per ml, 1 ml ampoule	4.03	5	<ul> <li>Oxytocin BNM</li> </ul>
Inj 10 iu per ml, 1 ml ampoule		5	✓ Oxytocin BNM
OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj avail	able on a PSO		
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml		5	<ul> <li>Syntometrine</li> </ul>
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
<ul> <li>a) Up to 200 test available on a PSO</li> <li>b) Only on a PSO</li> </ul>			
Cassette	17.60	40 test OP	<ul> <li>EasyCheck</li> </ul>
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antibacterials, p	age 115		
5-Alpha Reductase Inhibitors			
FINASTERIDE - Special Authority see SA0928 on the next page	- Retail pharma	асу	
* Tab 5 mg		30	<ul> <li>Finpro</li> </ul>
	4.81	100	<ul> <li>Ricit</li> </ul>

GENITO-URINARY SYSTEM
-----------------------

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meetine following criteria:         1       Patient has symptomatic benign prostatic hyperplasia; and         2       Either:         2.1       The patient is intolerant of non-selective alpha blockers or these are contraindicated; or         2.2       Symptoms are not adequately controlled with non-selective alpha blockers.         ote:       Patient has symptomatic benign prostate are the appropriate candidates for therapy with finasteride.         Alpha-1A Adrenoreceptor Blockers         AMSULOSIN HYDROCHLORIDE – Special Authority see SA1032 below – Retail pharmacy          Cap 400 mog.         *SA1032       Special Authority for Subsidy         Ittill application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meetine to following criteria:         oth:       1       Patient has symptomatic benign prostatic hyperplasia; and       2         1       Patient has symptomatic benign prostatic hyperplasia; and       2       The patient is intolerant of non-selective alpha blockers or these are contraindicated.         Other Urinary Agents       XYBUTYININ       * Tab 5 mg       .8.85 500       / Apo-Oxybutynin         Oral liq 5 mg per 5 ml       .6.40       473 ml       / Apo-Oxybutynin         OTAI liq 5 mg per 5 ml       .6.40		Subsidy (Manufacturer's Pric \$	e) Sub Per	Fully sidised	Brand or Generic Manufacturer
1       Patient has symptomatic benign prostatic hyperplasia; and         2       Either:         2.1       The patient is intolerant of non-selective alpha blockers or these are contraindicated; or         2.2       Symptoms are not adequately controlled with non-selective alpha blockers.         ote:       Patient swith enlarged prostates are the appropriate candidates for therapy with finasteride.         Alpha-1A Adrenoreceptor Blockers         AMSULOSIN HYDROCHLORIDE – Special Authority see SA1032 below – Retail pharmacy         * Cap 400 mcg	ne following criteria:	alid without further re	newal unles	s notifie	d for applications meeting
2.2 Symptoms are not adequately controlled with non-selective alpha blockers. de: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride. Alpha-1A Adrenoreceptor Blockers AMSULOSIN HYDROCHLORIDE – Special Authority see SA1032 below – Retail pharmacy < Cap 400 mcg	1 Patient has symptomatic benign prostatic hyperplasia;	and			
AMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy Cap 400 mcg	2.2 Symptoms are not adequately controlled with no	on-selective alpha blo	ckers.		
E Cap 400 mcg	Alpha-1A Adrenoreceptor Blockers				
te following criteria: oth: 1 Patient has symptomatic benign prostatic hyperplasia; and 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated. Other Urinary Agents XYBUTYNIN € Tab 5 mg	Cap 400 mcg ⇒SA1032 Special Authority for Subsidy	13.51	100		
2 The patient is intolerant of non-selective alpha blockers or these are contraindicated. Other Urinary Agents XYBUTYNIN    Tab 5 mg	nual application from any relevant practitioner. Approvals v ne following criteria: loth:	and without further rei	newai unies	s notifie	a for applications meeting
XYBUTYNIN <ul> <li>Tab 5 mg</li> <li>Tab 5 mg</li> <li>Oral liq 5 mg per 5 ml</li> <li>Oral liq 5 mg per 5 ml</li> <li>60.40</li> <li>473 ml</li> <li>Apo-Oxybutynin</li> </ul> OTASSIUM CITRATE <ul> <li>Oral liq 3 mmol per ml</li> <li>Special Authority see SA1083 below – Retail pharmacy</li> <li>30.00</li> <li>200 ml OP</li> <li>Biomed</li> </ul> >SA1083       Special Authority for Subsidy         iitial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: oth: <ul> <li>The patient has recurrent calcium oxalate urolithiasis; and</li> <li>The patient has had more than two renal calculi in the two years prior to the application.</li> <li>enerewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is energifting from the treatment.</li> </ul> ODIUM CITRO-TARTRATE <ul> <li>Grans eff 4 g sachets</li> <li>2.34</li> <li>2.34</li> <li>4.10 mg</li> <li>37.50</li> <li>30</li> <li>Vesicare</li> <li> </li> <li> <ul> <li>Special Authority for Subsidy</li> <li>iitial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has the patient has the patient is energified.</li> <li></li></ul></li></ul>			dicated.		
<ul> <li>Tab 5 mg</li></ul>	Other Urinary Agents				
<ul> <li>Gral liq 5 mg per 5 ml</li></ul>	XYBUTYNIN				
OTASSIUM CITRATE         Oral liq 3 mmol per ml - Special Authority see SA1083 below -         Retail pharmacy					
Oral liq 3 mmol per ml - Special Authority see SA1083 below - Retail pharmacy					po oxysurynni
Retail pharmacy		elow –			
itial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:         oth:         1 The patient has recurrent calcium oxalate urolithiasis; and         2 The patient has had more than two renal calculi in the two years prior to the application.         enewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is enefitting from the treatment.         ODIUM CITRO-TARTRATE         ← Grans eff 4 g sachets         ← Grans eff 4 g sachets         2.34       28         ✓ Ural         OLIFENACIN SUCCINATE – Special Authority see SA0998 below – Retail pharmacy         Tab 5 mg       37.50       30         ✓ Vesicare         ▼A0998       Special Authority for Subsidy         virtial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has veractive bladder and a documented intolerance of, or is non-responsive to oxybutynin.         OLTERODINE – Special Authority see SA1272 on the next page – Retail pharmacy         Tab 1 mg       14.56       56			200 ml OP	🗸 В	liomed
oth: 1 The patient has recurrent calcium oxalate urolithiasis; and 2 The patient has had more than two renal calculi in the two years prior to the application. enewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is enefitting from the treatment. ODIUM CITRO-TARTRATE ← Grans eff 4 g sachets	SA1083 Special Authority for Subsidy				
1 The patient has recurrent calcium oxalate urolithiasis; and         2 The patient has had more than two renal calculi in the two years prior to the application.         enewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is enefitting from the treatment.         ODIUM CITRO-TARTRATE         ← Grans eff 4 g sachets         ← Second S		alid for 12 months for	application	s meetin	ig the following criteria:
2 The patient has had more than two renal calculi in the two years prior to the application. enewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is enefitting from the treatment. ODIUM CITRO-TARTRATE ← Grans eff 4 g sachets		und			
enefitting from the treatment. ODIUM CITRO-TARTRATE Grans eff 4 g sachets			application.		
ODIUM CITRO-TARTRATE            Grans eff 4 g sachets		years where the treat	ment remair	ns appro	priate and the patient is
<ul> <li>Grans eff 4 g sachets</li></ul>	5				
OLIFENACIN SUCCINATE – Special Authority see SA0998 below – Retail pharmacy         Tab 5 mg       30       ✓ Vesicare         Tab 10 mg       37.50       30       ✓ Vesicare         >SA0998       Special Authority for Subsidy       37.50       30       ✓ Vesicare         >statial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has veractive bladder and a documented intolerance of, or is non-responsive to oxybutynin.       OLIFERODINE – Special Authority see SA1272 on the next page – Retail pharmacy         Tab 1 mg       14.56       56       ✓ Arrow-Tolterodine		2.34	28	<b>~</b> 11	Iral
Tab 5 mg       37.50       30       ✓ Vesicare         Tab 10 mg       37.50       30       ✓ Vesicare         > SA0998       Special Authority for Subsidy       37.50       30       ✓ Vesicare         > Sa0998       Special Authority for Subsidy	-			÷ <u>u</u>	<u>''u'</u>
Tab 10 mg				🗸 V	esicare
itial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has veractive bladder and a documented intolerance of, or is non-responsive to oxybutynin.         OLTERODINE – Special Authority see SA1272 on the next page – Retail pharmacy Tab 1 mg       4.56       56       ✓ Arrow-Tolterodine	5				
veractive bladder and a documented intolerance of, or is non-responsive to oxybutynin. OLTERODINE – Special Authority see SA1272 on the next page – Retail pharmacy Tab 1 mg	SA0998 Special Authority for Subsidy				
Tab 1 mg 14.56 56 🖌 Arrow-Tolterodine				s notifie	d where the patient has
		<b>U</b>	,	-	
Tab 2 mg14.56 56 <b>✓ Arrow-Tolterodine</b>					

\*Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fu	lly	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	✓	Manufacturer

► SA1272 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

Detection of Substances in Urine		
ORTHO-TOLIDINE		
* Compound diagnostic sticks	50 test OP	
(8.25)		Hemastix
TETRABROMOPHENOL		
* Blue diagnostic strips7.02	100 test OP	
(13.92)		Albustix

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Calcium Homeostasis				
CALCITONIN  * Inj 100 iu per ml, 1 ml ampoule		5	✓ N	liacalcic
CINACALCET - Special Authority see SA1618 below - Retail	pharmacy	00	10	anainar
Tab 30 mg – Wastage claimable – see rule 3.3.2 on page SA1618 Special Authority for Subsidy	13403.70	28	• 5	ensipar
<b>Initial application</b> only from a nephrologist or endocrinologist. following criteria: Either:	Approvals valid for 6 m	nonthe	for applica	tions meeting the
1 All of the following:				
<ul> <li>1.1 The patient has been diagnosed with a parathyro</li> <li>1.2 The patient has persistent hypercalcaemia (seru first-line treatments including sodium thiosulfate</li> <li>1.3 The patient is symptomatic; or</li> <li>2 All of the following:</li> </ul>	m calcium greater than	or eq	ual to 3 mm	
<ul><li>2.1 The patient has been diagnosed with calciphylax</li><li>2.2 The patient has symptomatic (e.g. painful skin u mmol/L); and</li></ul>	lcers) hypercalcaemia (	(serun	n calcium g	
<ol> <li>2.3 The patient's condition has not responded to pre thiosulfate.</li> </ol>	vious first-line treatmen	ts incl	uding bisph	osphonates and sodium
Renewal only from a nephrologist or endocrinologist. Approva meeting the following criteria: Both:	ls valid without further r	enewa	al unless no	tified for applications
1 The patient's serum calcium level has fallen to < 3mmol 2 The patient has experienced clinically significant sympto				
Note: This does not include parathyroid adenomas unless thes	e have become malign	ant.		
ZOLEDRONIC ACID				
Inj 4 mg per 5 ml, vial – Special Authority see SA1512 belo Retail pharmacy		1	✓ Z	oledronic acid
	550.00		✓ Z	Mylan ometa
SA1512 Special Authority for Subsidy Initial application only from an oncologist, haematologist or pa unless notified for applications meeting the following criteria: Any of the following:	alliative care specialist.	Appro	ovals valid v	without further renewal
1 Patient has hypercalcaemia of malignancy; or 2 Both:				
2.1 Patient has bone metastases or involvement; an	d			
<ul><li>2.2 Patient has severe bone pain resistant to standa</li><li>3 Both:</li></ul>	rd first-line treatments;	or		

- 3.1 Patient has bone metastases or involvement; and
- 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

‡ safety cap

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Subs	idised	Generic
	\$	Per	✓	Manufacturer
Corticosteroids and Related Agents for System	nic Use			
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETH	ASONE ACETAT	E		
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5		
, , , , , , , , , , , , , , , , , , ,	(36.96)		C	elestone
	(00.00)			Chronodose
				Chionodose
DEXAMETHASONE				
* Tab 0.5 mg – Retail pharmacy-Specialist	0.88	30	🗸 D	exmethsone
Up to 60 tab available on a PSO				
<ul> <li>Tab 4 mg – Retail pharmacy-Specialist</li> </ul>	1.8/	30	<b>/</b> D	exmethsone
Up to 30 tab available on a PSO		50	• 0	CAIIICUISOIIC
	15.00	05 I 05		
Oral liq 1 mg per ml – Retail pharmacy-Specialist		25 ml OP	▲ B	iomed
Oral liq prescriptions:				
<ol> <li>Must be written by a Paediatrician or Paediatric Ca</li> </ol>	ardiologist; or			
2) On the recommendation of a Paediatrician or Pae	•	st		
	diatrio Garaiologio			
DEXAMETHASONE PHOSPHATE				
Dexamethasone phosphate injection will not be funded for o	oral use.			
* Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available on a P	'SO 14.19	10	🗸 W	ax Health
* Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a P		10		ax Health
	0020.10	10	• 141	
FLUDROCORTISONE ACETATE				
* Tab 100 mcg	14.32	100	🖌 Fl	orinef
HYDROCORTISONE				
	0 10	100	. / D	
·		100	• 0	ouglas
* Tab 20 mg – For hydrocortisone oral liquid formulation refe				
page 218	20.32	100	✓ <u>D</u>	ouglas
* Inj 100 mg vial	5.30	1	✓ Second Sec	olu-Cortef
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
METHYLPREDNISOLONE – Retail pharmacy-Specialist				
* Tab 4 mg		100	✓ <u>M</u>	<u>edrol</u>
* Tab 100 mg		20	🗸 W	edrol
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retai		aliat	_	
· · · · · · · · · · · · · · · · · · ·				
Inj 40 mg vial		1	_	olu-Medrol
Inj 125 mg vial		1		olu-Medrol
Inj 500 mg vial	9.00	1	✓ <u>S</u>	olu-Medrol
Inj 1 g vial		1	✓ Second Sec	olu-Medrol
METHYLPREDNISOLONE ACETATE				
	40.00	-		ana Madual
Inj 40 mg per ml, 1 ml vial		5	• 0	epo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGN	OCAINE]			
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial		1	✓ D	epo-Medrol with
,		-		Lidocaine
PREDNISOLONE				
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO	7.50	30 ml OP	🗸 R	edipred
Restricted to children under 12 years of age.				
, 0				

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PREDNISONE				
* Tab 1 mg		500	✓	Apo-Prednisone
* Tab 2.5 mg		500		Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO		500		Apo-Prednisone
* Tab 20 mg		500	<b>v</b>	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule		1	<ul> <li>Image: A second s</li></ul>	Synacthen
* Inj 1 mg per ml, 1 ml ampoule		1	✓ :	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule		5	✓	Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule		5	1	Kenacort-A 40
Androgen Agonists and Antagonists CYPROTERONE ACETATE – Retail pharmacy-Specialist	15.97	50		Droque
Tab 50 mg Tab 100 mg		50 50		<u>Procur</u> Procur
C C		50	•	FICCUL
TESTOSTERONE	00.00	~~		A
Transdermal patch, 2.5 mg per day		60 30		Androderm Androderm
Patch 5 mg per day (Androderm Transdermal patch, 2.5 mg per day to be delisted 1		30	•	Androderm
	viaicii 2010j			
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist	70.50			D T
Inj 100 mg per ml, 10 ml vial		1	•	Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist			_	
Inj 250 mg per ml, 1 ml	12.98	1		Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Speciali	st			
Cap 40 mg	16.80	60		Andriol Testocaps
Inj 250 mg per ml, 4 ml vial		1	✓	Reandron 1000

# Hormone Replacement Therapy - Systemic

\*Three months or six months, as applicable, dispensed all-at-once

#### Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

		Subsidy		Fully	Brand or
_		(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
0	estrogens				
OE	STRADIOL - See prescribing guideline on the previous page				
*	Tab 1 mg		28 OF		
*	Tab 2 mg	(11.10)	28 OF		Estrofem
т	Tab 2 mg	(11.10)	20 01		Estrofem
*	Patch 25 mcg per day		8	1	Estradot
	a) No more than 2 patch per week				
	b) Only on a prescription				
*	Patch 50 mcg per day	7.04	8		Estradot 50 mcg
	<ul><li>a) No more than 2 patch per week</li><li>b) Only on a prescription</li></ul>				
*	Patch 75 mcg per day	7 91	8	1	Estradot
	a) No more than 2 patch per week		Ŭ	-	
	b) Only on a prescription				
*	Patch 100 mcg per day	7.91	8	✓	Estradot
	a) No more than 2 patch per week				
	b) Only on a prescription				
	STRADIOL VALERATE - See prescribing guideline on the prescribing guideline				_
	Tab 1 mg		84		Progynova Drogynova
	Tab 2 mg		84	•	Progynova
	STROGENS – See prescribing guideline on the previous page Conjugated, equine tab 300 mcg		28		
*	Conjugated, equine tab 500 mcg	(11.48)	20		Premarin
*	Conjugated, equine tab 625 mcg	· · · ·	28		romann
		(11.48)			Premarin
Ρ	rogestogens				
ME	DROXYPROGESTERONE ACETATE - See prescribing guid	eline on the previou	s page	)	
	Tab 2.5 mg		30		Provera
	Tab 5 mg		100		Provera
*	Tab 10 mg	7.15	30	<b>v</b>	Provera
Ρ	rogestogen and Oestrogen Combined Prepara	tions			
OE	STRADIOL WITH NORETHISTERONE – See prescribing gui	deline on the previou	us paq	е	
	Tab 1 mg with 0.5 mg norethisterone acetate		28 OF	)	
	T L A M L M L M L M L M L M L M L M L M L	(18.10)	~~ ~ ~		Kliovance
*	Tab 2 mg with 1 mg norethisterone acetate		28 OF		Klipapet
*	Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	(18.10)			Kliogest
T.	oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OF	)	
		(18.10)			Trisequens
		. ,			

	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ice) Sub Per	osidised Generic Manufacturer
ESTROGENS WITH MEDROXYPROGESTERONE - See			
<ul> <li>Tab 625 mcg conjugated equine with 2.5 mg</li> </ul>	processing galacinie	on page co	
medroxyprogesterone acetate tab (28)		28 OP	
	(22.96)		Premia
Tab 625 mcg conjugated equine with 5 mg			2.5 Continuous
medroxyprogesterone acetate tab (28)	5.40	28 OP	
	(22.96)		Premia 5 Continuous
Other Oestrogen Preparations			
THINYLOESTRADIOL	17.60	100	<ul> <li>NZ Medical and</li> </ul>
		100	Scientific
ESTRIOL			
F Tab 2 mg	7.00	30	<ul> <li>Ovestin</li> </ul>
Other Progestogen Preparations			
EVONORGESTREL			
<ul> <li>Intra-uterine system 20 mcg per day – Special Authority SA1608 below – Retail pharmacy</li> </ul>		1	✓ Mirena
SA1608 Special Authority for Subsidy			
itial application — (No previous use) only from a relevar	nt specialist or genera	I practitioner	. Approvals valid for 6 months f
pplications meeting the following criteria:			
<ol> <li>I of the following:</li> <li>The patient has a clinical diagnosis of heavy menstruation</li> </ol>	al blooding: and		
2 The patient has failed to respond to or is unable to tole	•	e pharmacel	utical therapies as per the Heavy
Menstrual Bleeding Guidelines; and	· · · · · · · · · · · · · · · · · · ·	- F	
3 Either:			
<ul> <li>3.1 serum ferritin level &lt; 16 mcg/l (within the last</li> <li>3.2 haemoglobin level &lt; 120 g/l.</li> </ul>	12 months); or		
ote: Applications are not to be made for use in patients as	contraception except	where they n	neet the above criteria.
enewal only from a relevant specialist or general practitione	er. Approvals valid for	r 6 months fo	or applications meeting the
llowing criteria: oth:			
1 Either:			
1.1 Patient demonstrated clinical improvement of h	neavy menstrual bleed	ding; or	
1.2 Previous insertion was removed or expelled wi	thin 3 months of inser	rtion; and	
2 Applicant to state date of the previous insertion.			
EDROXYPROGESTERONE ACETATE	101.00	100	
Tab 100 mg – Retail pharmacy-Specialist		100	Provera HD
	18.20	100	Primolut N
Tab 5 mg - Up to 30 tab available on a PSO		100	<ul> <li>Primolut N</li> </ul>
ORETHISTERONE		100	✓ <u>Primolut N</u>

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

#### ⇒SA1609 Special Authority for Subsidy

**Initial application** only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour\*; and
- 2 Either:
  - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour\*; and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
  - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

# Thyroid and Antithyroid Agents

CARBIMAZOLE ₭ Tab 5 mg		100	🖌 AFT
			Carbimazole S29
			Neo-Mercazole
EVOTHYROXINE			
₭ Tab 25 mcg		90	<ul> <li>Synthroid</li> </ul>
‡ Safety cap for extemporaneously compounded ora			•
₭ Tab 50 mcg	1.71	28	<ul> <li>Mercury Pharma</li> </ul>
ů.	4.05	90	<ul> <li>Synthroid</li> </ul>
	64.28	1,000	<ul> <li>Eltroxin</li> </ul>
‡ Safety cap for extemporaneously compounded ora	I liquid preparations.		
₭ Tab 100 mcg	1.78	28	<ul> <li>Mercury Pharma</li> </ul>
-	4.21	90	<ul> <li>Synthroid</li> </ul>
	66.78	1,000	<ul> <li>Eltroxin</li> </ul>
‡ Safety cap for extemporaneously compounded ora	I liquid preparations.		
PROPYLTHIOURACIL – Special Authority see SA1199 be	ow – Retail pharmacy		
Propylthiouracil is not recommended for patients under treatments are contraindicated.		less the patie	ent is pregnant and other
Tab 50 mg		100	PTU \$29

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 The patient has hyperthyroidism; and

2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer **Trophic Hormones** Growth Hormones SOMATROPIN (OMNITROPE) - Special Authority see SA1629 below - Retail pharmacy Omnitrope 1 \* 1 Omnitrope Omnitrope

#### ➡SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:

\*

2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and

1

- 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
- 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
- 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal - (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
  - 1 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
  - 2 Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
  - 3 Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months; and
  - 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
  - 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

\*Three months or six months, as applicable, dispensed all-at-once

Renewal ---- (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is greater than or equal to 2 cm per year, calculated over six months; and

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 3 A current bone age is 14 years or under ; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years or under (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

**Renewal** — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
  - 6.1 The patient has a GFR less than or equal to 30 ml/min/1.73m<sup>2</sup> as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m<sup>2</sup> in a child who may or may not be receiving dialysis; or
  - 6.2 The patient has received a renal transplant and has received < 5mg/ m<sup>2</sup>/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

90

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Pr		Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

**Initial application — (Prader-Willi syndrome)** only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 The patient is aged two years or older; and
    - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months; or
  - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and

\*Three months or six months, as applicable, dispensed all-at-once

- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	1	Manufacturer	

continued...

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 The patient has been treated with somatropin for < 12 months; and
  - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
  - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
- 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or 2 All of the following:
  - 2.1 The patient has been treated with somatropin for more than 12 months; and
  - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
  - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
  - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

#### **GnRH Analogues**

#### GOSERELIN

Implant 3.6 mg, syringe		1	Zoladex
Implant 10.8 mg, syringe	177.50	1	✓ Zoladex

LEUPRORELIN

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly.

Inj 3.75 mg prefilled dual chamber syringe - Higher subsidy	of		
\$221.60 per 1 inj with Endorsement		1	
	(221.60)		Lucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syringe - Higher subsid	/		
of \$591.68 per 1 inj with Endorsement		1	
	(591.68)		Lucrin Depot 3-month

	Subsidy (Manufacturer's Price \$	) Sub Per	Fully sidised	Brand or Generic Manufacturer
Vasopressin Agonists				
<ul> <li>DESMOPRESSIN ACETATE         <ul> <li>Tab 100 mcg – Special Authority see SA1401 below – Retail pharmacy.</li> <li>Tab 200 mcg – Special Authority see SA1401 below – Retail pharmacy.</li> </ul> </li> <li>Nasal drops 100 mcg per ml – Retail pharmacy-Specialist</li> <li>Nasal spray 10 mcg per dose – Retail pharmacy-Specialist</li> </ul>		30 30 2.5 ml OP 6 ml OP	✓ <u>N</u> ✓ N	<u>linirin</u> <u>linirin</u> Desmopressin- PH&T
Desmopressin-PH&T to be Sole Supply on 1 November 2 Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below Retail pharmacy	-	10	✓ N	linirin

#### SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

**Initial application** — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Other Endocrine Agents**

#### CABERGOLINE

		Tab 0.5 mg – Maximum of 2 tab per prescription; can be
<ul> <li>Dostinex</li> </ul>	2	waived by Special Authority see SA1370 below
Dostinex	8	19.00

#### ⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly\*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment. Note: Indication marked with \* is an Unapproved indication.

‡ safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
CLOMIFENE CITRATE				
Tab 50 mg		10	✓	Mylan
				Clomiphen S29
			<ul> <li>Image: A second s</li></ul>	Serophene
DANAZOL				
Cap 100 mg		100	✓ .	Azol
Cap 200 mg	97.83	100	✓ .	Azol
METYRAPONE				
Cap 250 mg – Retail pharmacy-Specialist	520.00	50	✓	Metopirone

	Quile a late		Ealler	Durand an
	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Manulacturer's Frice)	Per		Manufacturer
	Ŷ			manalaolaron
Anthelmintics				
ALBENDAZOLE - Special Authority see SA1318 below - Retai	l pharmacy			
Tab 400 mg		60	1	Eskazole S29
SA1318 Special Authority for Subsidy				
Initial application only from an infectious disease specialist or o	clinical microbiologist.	Appro	ovals valio	I for 6 months where the
patient has hydatids. Renewal only from an infectious disease specialist or clinical mi	arabialagiat Approva	lo voli	d for 6 mo	nthe where the treatment
remains appropriate and the patient is benefitting from the treatm	nent.	lis vali		
MEBENDAZOLE – Only on a prescription				
Tab 100 mg	24.19	24	1	De-Worm
Oral liq 100 mg per 5 ml		15 ml		
	(7.17)			Vermox
PRAZIQUANTEL				
Tab 600 mg		8	1	Biltricide
, ,				
Antibacterials				
a) For tanical antibactorials refer to DEDMATOLOGICALS, par	re 67			
<ul> <li>a) For topical antibacterials, refer to DERMATOLOGICALS, page</li> <li>b) For anti-infective eve preparations, refer to SENSORY ORG/</li> </ul>				
	110, page 210			
Cephalosporins and Cephamycins				
CEFACLOR MONOHYDRATE				
Cap 250 mg	24.70	100	~	Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml – Wastage claimable – s				
rule 3.3.2 on page 13	3.53	100 m		Ranbaxy-Cefaclor
CEFALEXIN				
Cap 250 mg		20		Cephalexin ABM
Cap 500 mg		20	~	Cephalexin ABM
Grans for oral liq 25 mg per ml – Wastage claimable – see				
3.3.2 on page 13		100 m		Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in a		days	treatment	per dispensing.
Grans for oral liq 50 mg per ml – Wastage claimable – see 3.3.2 on page 13		100 m	· .	Cefalexin Sandoz
Note: Cefalexin grans for oral lig will not be funded in a				
CEFAZOLIN – Subsidy by endorsement		uuyo	lioutinoint	per disperiolity.
Only if prescribed for dialysis or cellulitis in accordance with	a DHB approved prot		nd the pre	ecription is endorsed
accordingly.	a Drib approved pro	10001 a		
Inj 500 mg vial		5	1	AFT
lnj 1 g vial		5		AFT
CEFTRIAXONE – Subsidy by endorsement				
a) Up to 5 inj available on a PSO				
<ul> <li>b) Subsidised only if prescribed for a dialysis or cystic fibros</li> </ul>	sis patient, or the trea	tment	of aonorrh	noea, or the treatment of
pelvic inflammatory disease, or the treatment of suspector				
and the prescription or PSO is endorsed accordingly.				
Inj 500 mg vial		1		DEVA
Inj 1 g vial	0.84	1	✓	DEVA

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$  Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Subsid	Fully ised ✔	Brand or Generic Manufacturer
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the pres Tab 250 mg		accoi 50	rdingly	-	Zinnat
Macrolides					
AZITHROMYCIN – Maximum of 5 days treatment per prescriptio A maximum of 24 months of azithromycin treatment for non-or Authority.					
Tab 250 mg	9.00	30		1	Apo-Azithromycin
Tab 500 mg – Up to 8 tab available on a PSO		2		1	Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) - Wastage	9				
claimable - see rule 3.3.2 on page 13		15 m	l	1	Zithromax
► SA1648 Special Authority for Waiver of Rule Initial application — (bronchiolitis obliterans syndrome, cyst a relevant specialist. Approvals valid without further renewal unle Any of the following:			•		, ,

- 1 Patient has received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome\*; or
- 2 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms\*; or
- 3 Patient has an atypical Mycobacterium infection.
- Note: Indications marked with \* are Unapproved Indications.

Initial application — (non-cystic fibrosis bronchiectasis\*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis\*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
  - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
  - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (non-cystic fibrosis bronchiectasis\*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and
- 3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with \* are Unapproved Indications

CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 on the next page

Tab 250 mg	14	Apo-Clarithromycin
Grans for oral lig 250 mg per 5 ml - Wastage claimable - see		
rule 3.3.2 on page 1323.12	50 ml	<ul> <li>Klacid</li> </ul>

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

#### ⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 Atypical mycobacterial infection; or

2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents. **Renewal — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician.

Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### ERYTHROMYCIN ETHYL SUCCINATE

Tab 400 mg	16.95	100	<ul> <li>E-Mycin</li> </ul>
a) Up to 20 tab available on a PSO		100	
b) Up to 2 x the maximum PSO guantity for RFPP		no 17	
Grans for oral lig 200 mg per 5 ml		100 ml	<ul> <li>E-Mycin</li> </ul>
		100 111	
a) Up to 300 ml available on a PSO		-	
b) Up to 2 x the maximum PSO quantity for RFPP	- see rule 5.2.6 on page	ge 17	
c) Wastage claimable – see rule 3.3.2 on page 13	o ==	100 1	/ - · ·
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	<ul> <li>E-Mycin</li> </ul>
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13			
ERYTHROMYCIN LACTOBIONATE			
lnj 1 g		1	<ul> <li>Erythrocin IV</li> </ul>
ERYTHROMYCIN STEARATE			-
Tab 250 mg – Up to 30 tab available on a PSO		100	
	(22.29)		ERA
Tab 500 mg		100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab disp 50 mg		10	Rulide D
Restricted to children under 12 years of age.			
Tab 150 mg	7.48	50	Arrow-
5			Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow-
			Roxithromycin

	Subsidy		Fully	Brand or
	(Manufacturer's Price	e)	Subsidised	
	\$	Per	1	Manufacturer
Penicillins				
MOXICILLIN				
Cap 250 mg	14.97	500	1	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - see	e rule 5.2.6 on pag	e 17		
Cap 500 mg		500	1	Apo-Amoxi
a) Up to 30 cap available on a PSO				_
b) Up to 10 x the maximum PSO quantity for RFPP – see	e rule 5.2.6 on pag	e 17		
Grans for oral lig 125 mg per 5 ml		100 m	l 🗸	Amoxicillin Actavis
	2.00		1	Ospamox
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral lig 250 mg per 5 ml	0.97	100 m	l 🗸	Amoxicillin Actavis
	1.31		1	Alphamox 250
	2.00		1	Ospamox
a) Up to 300 ml available on a PSO				•
b) Up to 10 x the maximum PSO guantity for RFPP – see	e rule 5.2.6 on pag	e 17		
c) Wastage claimable - see rule 3.3.2 on page 13	1.0			
Inj 250 mg vial	10.67	10	1	Ibiamox
Inj 500 mg vial		10	1	Ibiamox
Inj 1 g vial – Up to 5 inj available on a PSO		10	1	Ibiamox
MOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab				
available on a PSO	1.88	20	1	Augmentin
Augmentin to be Sole Supply on 1 November 2017		20	•	Auginentin
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25 m	a			
per ml		100 m	u 🖌	Augmentin
a) Up to 200 ml available on a PSO		100 11	. •	Augmentan
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral lig amoxicillin 50 mg with clavulanic acid 12.5 m	a			
per ml – Up to 200 ml available on a PSO		00 ml (		Curam
Curam to be Sole Supply on 1 November 2017		00 111 0	JI •	ourain
Grans for oral liquid amoxicillin 50 mg with clavulanic acid				
12.5 mg per ml	2 20	100 m	l.	
	(4.97)	100 11		Augmentin
a) Up to 200 ml available on a PSO	(1.07)			raginonan
b) Wastage claimable – see rule 3.3.2 on page 13				
Augmentin Grans for oral liquid amoxicillin 50 mg with clavulanic a	acid 12.5 ma ner n	nl to he	delisted 1	November 2017)
	20.3 12.0 mg por m		20110100 1	
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj	015.00	40		Disillin I A
available on a PSO	315.00	10	•	Bicillin LA
BENZYLPENICILLIN SODIUM [PENICILLIN G]	_			
Inj 600 mg (1 million units) vial – Up to 5 inj available on a PS	O 10.35	10	1	Sandoz

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Sub	sidised	Generic
	\$	Per	1	Manufacturer
FLUCLOXACILLIN				
Cap 250 mg – Up to 30 cap available on a PSO		250	1	Staphlex
Cap 500 mg		500	✓	Staphlex
Grans for oral liq 25 mg per ml	2.29	100 ml	✓	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	1	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial	9.00	10	✓	Flucloxin
Inj 500 mg vial	9.40	10	✓ ]	Flucloxin
Inj 1 g vial – Up to 5 inj available on a PSO	5.22	5	<ul> <li>I</li> </ul>	Flucil
	10.44	10	✓	Flucloxin
Flucil to be Sole Supply on 1 December 2017				
(Flucloxin Inj 1 g vial to be delisted 1 December 2017)				
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg – Up to 30 cap available on a PSO	2.88	50	1	Cilicaine VK
Cap 500 mg		50	1	Cilicaine VK
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO guantity for RFPP – se	e rule 5.2.6 on pa	ae 17		
Grans for oral lig 125 mg per 5 ml		100 ml	1	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	1	AFT
a) Up to 300 ml available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP – se	e rule 5.2.6 on pa	ge 17		
c) Wastage claimable – see rule 3.3.2 on page 13		-		
PROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO.	123.50	5	1	Cilicaine
		U		
Tetracyclines				
DOXYCYCLINE				
* Tab 50 mg – Up to 30 tab available on a PSO	2.90	30		
	(6.00)			Doxy-50
* Tab 100 mg – Up to 30 tab available on a PSO	6.75	250	✓	Doxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy	5.79	60		
	(12.05)		I	Vino-tabs
* Cap 100 mg		100		
	(52.04)			Vinomycin
➡SA1355 Special Authority for Manufacturers Price				
Initial application from any relevant practitioner. Approvals val	lid without further	renewal unles	s notifie	ed where the patient has
rosacea.				
TETRACYCLINE – Special Authority see SA1332 on the next p	age – Retail phar	macy		
Cap 500 mg	•	30		Tetracyclin
				Wolff S29

‡ safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SA1332 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals val Both:	id for 3 months for ap	olicatio	ns meeting	the following criteria:
<ol> <li>For the eradication of helicobacter pylori following unsuce</li> <li>For use only in combination with bismuth as part of a quartering</li> </ol>			oriate first-l	ine therapy; and
Other Antibiotics				
or topical antibiotics, refer to DERMATOLOGICALS, page 67				
CIPROFLOXACIN				
Recommended for patients with any of the following:				
i) microbiologically confirmed and clinically significant ps	eudomonas infection;	or		
ii) prostatitis; or iii) pyelonephritis; or				
iv) gonorrhoea.				
, g				
Tab 250 mg – Up to 5 tab available on a PSO		28	_	Cipflox
Tab 500 mg – Up to 5 tab available on a PSO		28		Cipflox
Tab 750 mg	3.15	28	✓ <u>c</u>	Cipflox
CLINDAMYCIN				
Cap hydrochloride 150 mg – Maximum of 4 cap per				
prescription; can be waived by endorsement - Retail	4.40	40		
pharmacy - Specialist	4.10	16	<ul> <li>✓ <u>(</u></li> </ul>	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule – Retail pharmacy-Specialist	65.00	10	<b>.</b> Г	Dalacin C
			• •	
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Only if prescribed for dialysis or cystic fibrosis patient and th			cordinaly	
Inj 150 mg		1		Colistin-Link
Tab 250 mg – Retail pharmacy-Specialist		12	🗸 F	ucidin
Prescriptions must be written by, or on the recommendation				
			. ,	Ŭ
GENTAMICIN SULPHATE				
Inj 10 mg per ml, 1 ml – Subsidy by endorsement		5		lospira
Only if prescribed for a dialysis or cystic fibrosis patient	or complicated urinary	/ tract i	nfection ar	nd the prescription is
endorsed accordingly.	175 10	25	A A     A	
Inj 10 mg per ml, 2 ml – Subsidy by endorsement		25	• •	Pharmaceuticals (\$29)
				Fildimaceuticais oza
Only if prescribed for a dialysis or cystic fibrosis patient endorsed accordingly.	or complicated urinary	/ tract i	nfection ar	nd the prescription is
Inj 40 mg per ml, 2 ml ampoule - Subsidy by endorsement.		10	-	fizer
Only if prescribed for a dialysis or cystic fibrosis patient endorsed accordingly.	or complicated urinary	/ tract i	nfection ar	nd the prescription is
IOXIFLOXACIN – Special Authority see SA1358 on the next p No patient co-payment payable	<mark>age –</mark> Retail pharmacy	/		

Subsidy (Manufacturer's Price)	Su	Fully Ibsidised	Brand or Generic	
\$	Per	1	Manufacturer	

#### ➡SA1358 Special Authority for Subsidy

**Initial application — (Tuberculosis)** only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria: Fither

1 Both:

- 1.1 Active tuberculosis\*; and
- 1.2 Any of the following:
  - 1.2.1 Documented resistance to one or more first-line medications; or
  - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
  - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
  - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
  - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.\*.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

**Renewal** only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium\*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

**Initial application** — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN – Special Authority see SA1324 below – Retail pharmacy

Cap 250 mg		16	<ul> <li>Humatin S29</li> </ul>
------------	--	----	---------------------------------

#### ⇒SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

		ecial Authority see SA1328 below – Retail pharmacy	PYRIMETHAMINE – Specia
<ul> <li>Daraprim S29</li> </ul>	30		Tab 25 mg
<ul> <li>Daraprim S29</li> </ul>	50	36.95	

#### ⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or

\*Three months or six months, as applicable, dispensed all-at-once

3 For infants with congenital toxoplasmosis until 12 months of age.

SULFADIAZINE SODIUM - Special Authority see SA13	31 on the next page – Retai	l pharmacy	
Tab 500 mg		56	<ul> <li>Wockhardt S29</li> </ul>

	Subsidy	)	Fully	Brand or
	(Manufacturer's Pric \$	e) Sub Per	sidised ✓	Generic Manufacturer
SA1331 Special Authority for Subsidy				
itial application from any relevant practitioner. Approvals val	id without further rei	newal unles	s notified	I for applications meeting
e following criteria: ny of the following:				
<ol> <li>For the treatment of toxoplasmosis in patients with HIV for</li> </ol>	or a period of 3 mon	ths: or		
2 For pregnant patients for the term of the pregnancy; or		,		
3 For infants with congenital toxoplasmosis until 12 months	s of age.			
OBRAMYCIN				
Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement		5		obramycin Mylan
Only if prescribed for dialysis or cystic fibrosis patient a	nd the prescription is	s endorsed	accordin	gly.
Solution for inhalation 60 mg per ml, 5 ml – Subsidy by	0.000.00			
endorsement	2,200.00	56 dose	✓ T	JBI
<ul> <li>a) Wastage claimable – see rule 3.3.2 on page 13</li> <li>b) Only if prescribed for a cystic fibrosis patient and the</li> </ul>	e prescription is end	orsed accor	dinaly	
RIMETHOPRIM			angy.	
<ul> <li>Tab 300 mg – Up to 30 tab available on a PSO</li> </ul>		50	🗸 T	MP
RIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMO)			_	
<ul> <li>Tab trimethoprim 80 mg and sulphamethoxazole 400 mg –</li> </ul>	•			
to 30 tab available on a PSO	•	500	🗸 Ti	risul
<ul> <li>Oral liq 8 mg sulphamethoxazole 40 mg per ml – Up to 200</li> </ul>	ml			
available on a PSO	2.97	100 ml	✓ D	eprim
Deprim to be Sole Supply on 1 November 2017				
ANCOMYCIN – Subsidy by endorsement			f i	mant of Olectricitium
Only if prescribed for a dialysis or cystic fibrosis patient or for difficile following metronidazole failure and the prescription i			for treat	ment of Clostrialum
Inj 500 mg vial		יפיא. 1	🗸 М	vlan
Antifungals				
For topical antifungals refer to DERMATOLOGICALS, page	67			
For topical antifungals refer to GENITO URINARY, page 80				
LUCONAZOLE				
Cap 50 mg – Retail pharmacy-Specialist	3.49	28	<b>√</b> 0	zole
Cap 150 mg - Subsidy by endorsement	0.71	1	<b>√</b> 0	zole
a) Maximum of 1 cap per prescription; can be waived b				
<ul> <li>b) Patient has vaginal candida albicans and the practition is and the practition is and the preserved.</li> </ul>				
not recommended and the prescription is endorsed Specialist.	accordingly; can be	walved by e	endorsen	nent - Retail pharmacy
Cap 200 mg – Retail pharmacy-Specialist	9.69	28	<b>√</b> 0	zole
Powder for oral suspension 10 mg per ml – Special Authori			•	
see SA1359 below - Retail pharmacy		35 ml	🗸 D	iflucan S29 S29
	98.50		✓ D	iflucan
Wastage claimable – see rule 3.3.2 on page 13				
SA1359 Special Authority for Subsidy				

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

continued...

Su	ibsidy F	ully Bran	id or
(Manufact	turer's Price) Subsidi	sed Gen	eric
	\$ Per	<ul> <li>Man</li> </ul>	ufacturer

continued...

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

**Initial application** — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

#### ITRACONAZOLE

Cap 100 mg - Subsidy by endorsement	2.79	15	<ul> <li>Itrazole</li> </ul>
Eurodad for tipos vasicalar whore topical treatment	has not been successful a	onneih he	sis has been confirmer

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology, or for tinea unguium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement - Retail pharmacy - Specialist

Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 below -

Retail pharmacy...... 141.80 150 ml OP ✓ Sporanox

#### ⇒SA1322 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

**KETOCONAZOLE** 

Tab 200 mg – PCT – Retail pharmacy-Specialist – Subsidy by endorsement	CBS	30	<ul> <li>Link Healthcare S29</li> <li>Nizoral S29</li> </ul>
Prescriptions must be written by, or on the recommendation	of an oncolo	gist	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 on the next page	– Retail pha	armacy	
Tab modified-release 100 mg	869.86	24	Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	<ul> <li>Noxafil</li> </ul>

‡ safety cap

if endorsed "certified exemption" by the prescriber or pharmacist.

\*Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	✓	Manufacturer

#### ⇒SA1285 Special Authority for Subsidy

**Initial application** only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy\*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression\* and requires on going posaconazole treatment.

Note: \* Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

#### TERBINAFINE

* Tab 250 mg – For terbinafine oral liquid formulation refer, page 218	) 14	✓ Dr Reddy's Terbinafine
VORICONAZOLE - Special Authority see SA1273 below - Retail pharmacy		
Tab 50 mg130.00	) 56	<ul> <li><u>Vttack</u></li> </ul>
Tab 200 mg500.00	) 56	<ul> <li>Vttack</li> </ul>
Powder for oral suspension 40 mg per ml – Wastage claimable		
- see rule 3.3.2 on page 13	) 70 ml	<ul> <li>Vfend</li> </ul>

#### ⇒SA1273 Special Authority for Subsidy

**Initial application** — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient has proven or probable invasive aspergillus infection; or
  - 3.2 Patient has possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
  - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Subsi Per	,	Generic
	\$	Fei	-	Manufacturer
Antimalarials				
PRIMAQUINE PHOSPHATE - Special Authority see SA1326 b	elow – Retail pharma	су		
Tab 7.5 mg		56	🗸 Pi	rimacin S29
➡SA1326 Special Authority for Subsidy				
Initial application only from an infectious disease specialist or of	clinical microbiologist.	Approvals	valid fo	or 1 month for applications
meeting the following criteria: Both:				
1 The patient has vivax or ovale malaria; and				
2 Primaquine is to be given for a maximum of 21 days.				
Antiparasitics				
Antiprotozoals				
QUININE SULPHATE				
* Tab 300 mg		500	🗸 Q	300
‡ Safety cap for extemporaneously compounded oral liquest	uid preparations.			
Antitrichomonal Agents				
METRONIDAZOLE				
Tab 200 mg – Up to 30 tab available on a PSO		100	🗸 TI	richozole
Tab 400 mg		100	🗸 Ti	richozole
Oral liq benzoate 200 mg per 5 ml		100 ml		agyl-S
Suppos 500 mg	24.48	10	🗸 Fl	agyl
ORNIDAZOLE Tab 500 mg	00.00	10		
1 ab 500 mg	23.00	10	✓ <u>A</u>	rrow-Ornidazole
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals lis	ted in the Antitubercu	lotics and A	ntilepro	otics group regardless of
immigration status.				
CLOFAZIMINE – Retail pharmacy-Specialist				
a) No patient co-payment payable				aliaiaal uuisuskialaaistaa
<li>b) Prescriptions must be written by, or on the recommenda dermatologist.</li>	tion of, an infectious of	lisease priy	sician,	clinical microbiologist or
* Cap 50 mg		100	🗸 La	amprene S29
CYCLOSERINE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommenda	tion of, an infectious of	disease phy	sician,	clinical microbiologist or
respiratory physician.	1 204 50	100	<b>.</b> v	ing S29
Cap 250 mg	1,294.00	100	ΨK	iiig 🚥
DAPSONE – Retail pharmacy-Specialist a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommenda	tion of. an infectious of	disease phy	sician.	clinical microbiologist or
dermatologist				
Tab 25 mg	95.00	100	🗸 D	apsone
Tab 100 mg		100	-	apsone

\*Three months or six months, as applicable, dispensed all-at-once

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ETH	AMBUTOL HYDROCHLORIDE – Retail pharmacy-Specialis	st			
	<ul><li>a) No patient co-payment payable</li><li>b) Prescriptions must be written by, or on the recommendati respiratory physician</li></ul>	on of, an infectious d	iseas	e physicia	n, clinical microbiologist o
	Tab 100 mg		56	1	Myambutol S29
	Tab 400 mg		56	1	Myambutol S29
50	NIAZID – Retail pharmacy-Specialist				
	<ul> <li>a) No patient co-payment payable</li> <li>b) Prescriptions must be written by, or on the recommendati microbiologist, dermatologist or public health physician</li> </ul>	on of, an internal me	dicine	e physician	, paediatrician, clinical
	Tab 100 mg		100		PSM
	Tab 100 mg with rifampicin 150 mg		100		Rifinah
	Tab 150 mg with rifampicin 300 mg	170.60	100	~	<u>Rifinah</u>
AF	RA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist				
	<ul> <li>a) No patient co-payment payable</li> <li>b) Specialist must be an infectious disease specialist, clinica Grans for oral liq 4 g sachet</li> </ul>	•	spirat 30		list. <b>Paser</b> <sup>S29</sup>
R	<ul> <li>DTIONAMIDE – Retail pharmacy-Specialist</li> <li>a) No patient co-payment payable</li> <li>b) Specialist must be an infectious disease specialist, clinica Tab 250 mg</li> </ul>	-	spirat 100		list. Peteha S29
YF	RAZINAMIDE – Retail pharmacy-Specialist				
¥	<ul> <li>a) No patient co-payment payable</li> <li>b) Prescriptions must be written by, or on the recommendati respiratory physician</li> <li>Tab 500 mg - For pyrazinamide oral liquid formulation refer, page 218.</li> </ul>		iseas 100		n, clinical microbiologist c AFT-Pyrazinamide AFT-Pyrazinamide S29 529
IF	ABUTIN – Retail pharmacy-Specialist				
-	<ul> <li>a) No patient co-payment payable</li> <li>b) Prescriptions must be written by, or on the recommendati gastroenterologist</li> <li>Cap 150 mg - For rifabutin oral liquid formulation refer,</li> </ul>	ion of, an infectious d	iseas	e physicia	n, respiratory physician o
	page 218		30	1	Mycobutin
IF	AMPICIN – Subsidy by endorsement				
	<ul> <li>a) No patient co-payment payable</li> <li>b) For confirmed recurrent Staphylococcus aureus infection antimicrobial based on susceptibilities and the prescriptio Retail pharmacy - Specialist. Specialist must be an interr paediatrician, or public health physician.</li> </ul>	n is endorsed accord	ingly;	can be wa	aived by endorsement -
÷			100		<u>Rifadin</u>
4	Cap 300 mg		100		<u>Rifadin</u> Rifadin
	Oral lig 100 mg per 5 ml		60 m		

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🗸	Brand or Generic Manufacturer
Antivirals			
For eye preparations refer to Eye Preparations, Anti-Infective Pre	eparations, page 210		
Hepatitis B Treatment			
ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Tab 10 mg		rovals valid for <sup>.</sup>	
5.2.2 adefovir dipivoxil to be used as monotherap <b>Renewal</b> only from a gastroenterologist or infectious disease spe- treating physician, treatment remains appropriate and patient is I Notes: Lamivudine should be added to adefovir dipivoxil if a pati- defined as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral lo	ecialist. Approvals val penefiting from treatment ent develops docume	ent. nted resistance	
<ul> <li>iii) Detection of N236T or A181T/V mutation.</li> <li>Adefovir dipivoxil should be stopped 6 months following HBeAg scommencing adefovir dipivoxil.</li> <li>The recommended dose of adefovir dipivoxil is no more than 10r In patients with renal insufficiency adefovir dipivoxil dose should Adefovir dipivoxil should be avoided in pregnant women and chil ENTECAVIR – Special Authority see SA1361 below – Retail phate</li> </ul>	ng daily. be reduced in accorda dren. armacy	ance with the da	tasheet guidelines.
Tab 0.5 mg SA1361 Special Authority for Subsidy Initial application only from a gastroenterologist or infectious dia notified for applications meeting the following criteria: All of the following:			Baraclude out further renewal unless
<ol> <li>Patient has confirmed Hepatitis B infection (HBsAg positi</li> <li>Patient is Hepatitis B nucleoside analogue treatment-naiv</li> <li>Entecavir dose 0.5 mg/day; and</li> <li>Either:</li> </ol>		nths); and	
4.1 ALT greater than upper limit of normal; or			
			continued

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy	F	ully	Brand or
Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	✓	Manufacturer

#### continued...

4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and

#### 5 Either:

- 5.1 HBeAg positive; or
- 5.2 patient has a minimum of 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1650 below - Retail pharmacy

Tab 100 mg6.00	) 28	<ul> <li>Zeffix</li> </ul>
Oral liq 5 mg per ml270.00	240 ml OP	<ul> <li>Zeffix</li> </ul>

#### ⇒SA1650 Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Hepatitis B virus (HBV) DNA positive cirrhosis prior to liver transplantation; or
- 2 Hepatitis B surface antigen (HBsAg)-positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 HBV-naïve patient who has received a liver transplant from a hepatitis B core antibody (anti-HBc)-positive donor; or
- 4 HbsAg-positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 HBsAg-positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Anti-HBc-positive patient who is receiving rituximab in combination with immunosuppressive chemotherapies for a malignancy.

**Renewal** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA < 100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine 2 All of the following:

- 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
- 2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

continued...

Subsidy	6	Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

continued...

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and 2.5 Detection of M204I or M204V mutation; or
- Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil
- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1 × ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

### **Herpesvirus Treatments**

#### ACICLOVIR

* Tab dispersible 200 mg	1.60	25	✓ Lovir
* Tab dispersible 400 mg	5.38	56	✓ Lovir
* Tab dispersible 800 mg		35	<ul> <li>Lovir</li> </ul>
VALACICLOVIR			
Tab 500 mg	6.42	30	Vaclovir
Tab 1,000 mg		30	<ul> <li>Vaclovir</li> </ul>
VALGANCICLOVIR - Special Authority see SA1404 below -	- Retail pharmacy		
Tab 450 mg		60	<ul> <li>Valcyte</li> </ul>

#### ⇒SA1404 Special Authority for Subsidy

**Initial application** — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Patient has undergone a lung transplant; and

\*Three months or six months, as applicable, dispensed all-at-once

- 2 Either:
  - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or

continued...

‡ safety cap

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsid	ised	Generic
\$	Per	✓	Manufacturer

continued...

2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

## Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1651 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1651, page 112

### ⇒SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased 10 fold or higher over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score > 20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

continued...

Sub	sidy	Fully	Brand or
(Manufactu	irer's Price) Subsi	dised	Generic
\$	B Per	1	Manufacturer

continued...

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased 10 fold or higher over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
  negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

## Hepatitis C Treatment

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see S	A1605 on the next page	– [Xpharm]	
No patient co-payment payable			
Tab 90 mg with sofosbuvir 400 mg		28	<ul> <li>Harvoni</li> </ul>

‡ safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
<ul> <li>SA1605 Special Authority for Subsidy</li> <li>Special Authority approved by the Hepatitis C Treatment Panel (HepCT Applications will be considered by HepCTP and approved subject Application details may be obtained from PHARMAC's website htt The Coordinator, Hepatitis C Treatment Panel</li> <li>PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990, Email: hepcpanel@pharmac.govt.nz</li> <li>PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABL</li> <li>a) No patient co-payment payable</li> <li>b) Note – Supply of treatment is via PHARMAC's website http://www.self.com/self</li></ul>	P). to confirmation of eli p://www.pharmac.go JVIR – [Xpharm] lirect distribution supp	vt.nz	<u>Thepatitis-c-tr</u>	letails for accessing
Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56), with dasabuvir tab 250 mg (56)		1 OP	•	iekira Pak
<ul> <li>PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABL</li> <li>a) No patient co-payment payable</li> <li>b) Note – Supply of treatment is via PHARMAC's approved c treatment may be obtained from PHARMAC's website http: Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg (168)</li> </ul>	JVIR AND RIBAVIRII lirect distribution sup p://www.pharmac.gov	oly.	Application d	
Antiretrovirals				

### ⇒SA1651 Special Authority for Subsidy

**Initial application** — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal** — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of

continued...

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

a Pharmaceutical for an indication for which it is not approved or contraindicated.

**Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV)** only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

### Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1651 on the previou	<mark>s page</mark> – Retail phar	macy	
Tab 50 mg	63.38	30	<ul> <li>Stocrin S29</li> </ul>
Tab 200 mg		90	<ul> <li>Stocrin</li> </ul>
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	<ul> <li>Stocrin S29</li> </ul>
ETRAVIRINE - Special Authority see SA1651 on the previous	us page – Retail pha	irmacy	
Tab 200 mg	770.00	60	<ul> <li>Intelence</li> </ul>
NEVIRAPINE - Special Authority see SA1651 on the previo	us page – Retail pha	irmacy	
Tab 200 mg		60	✓ <u>Nevirapine</u> <u>Alphapharm</u>
Oral suspension 10 mg per ml		240 ml	<ul> <li>Viramune</li> <li>Suspension</li> </ul>

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once if er

	Subsidy		Fullv	Brand or
	(Manufacturer's Pr	ice) Subsi	idised	Generic
	\$	Per	✓	Manufacturer
Nucleosides Reverse Transcriptase Inhibitors				
ABACAVIR SULPHATE - Special Authority see SA1651 on pag	e 112 – Retail pha	armacv		
Tab 300 mg		60	✓ Z	iagen
Oral liq 20 mg per ml	256.31	240 ml OP	✓ Z	lagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: abacavir with lamivudine (combination tablets) counts anti-retroviral Special Authority.				
Tab 600 mg with lamivudine 300 mg		30	🗸 К	livexa
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPP page 112 – Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil fu purposes of the anti-retroviral Special Authority	imarate counts as	·		·
Tab 600 mg with emtricitabine 200 mg and tenofovir disopro: fumarate 300 mg		30	🗸 🛛	tripla
EMTRICITABINE – Special Authority see SA1651 on page 112 -	-		• 7	
Cap 200 mg		30	✓ E	mtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE				
pharmacy Note: Emtricitabine with tenofovir disoproxil fumarate counts anti-retroviral Special Authority	s as two anti-retro	viral medicatio	ns for t	he purposes of the
Tab 200 mg with tenofovir disoproxil fumarate 300 mg		30	<b>√</b>	ruvada
LAMIVUDINE – Special Authority see SA1651 on page 112 – Re		<u> </u>		a un la un allun a
Tab 150 mg		60	v L	amivudine Alphapharm
Oral lig 10 mg per ml	102 50	240 ml OP	✓ 3 <sup>°</sup>	• •
ZIDOVUDINE [AZT] - Special Authority see SA1651 on page 11			• •	
Cap 100 mg		100	✓ B	etrovir
Oral lig 10 mg per ml		200 ml OP	_	letrovir
			_	
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets the anti-retroviral Special Authority.				•
Tab 300 mg with lamivudine 150 mg		60	✓ <u>A</u>	lphapharm
Protease Inhibitors				
ATAZANAVIR SULPHATE - Special Authority see SA1651 on p	age 112 – Retail	oharmacy		
Cap 150 mg	•	60	🗸 R	leyataz
Cap 200 mg	757.79	60	🗸 R	leyataz
DARUNAVIR - Special Authority see SA1651 on page 112 - Re	etail pharmacy			
Tab 400 mg		60	_	rezista
Tab 600 mg	476.00	60	✓ <u>P</u>	rezista
INDINAVIR - Special Authority see SA1651 on page 112 - Reta	ail pharmacy			
Cap 200 mg		360		rixivan
Cap 400 mg	519.75	180	✓ C	rixivan
(Crixivan Cap 200 mg to be delisted 1 March 2018)				
(Crixivan Cap 400 mg to be delisted 1 March 2018)				

	Subsidy (Manufacturer's Pri \$		Fully Brand or dised Generic ✓ Manufacturer
LOPINAVIR WITH RITONAVIR - Special Authority see SA1651	on page 112 - Re	tail pharmacy	
Tab 100 mg with ritonavir 25 mg		60	✓ Kaletra
Tab 200 mg with ritonavir 50 mg		120	<ul> <li>Kaletra</li> </ul>
Oral liq 80 mg with ritonavir 20 mg per ml		300 ml OP	✓ Kaletra
RITONAVIR – Special Authority see SA1651 on page 112 – Re Tab 100 mg Oral liq 80 mg per ml		30 90 ml OP	<ul><li>✓ Norvir</li><li>✓ Norvir</li></ul>
Strand Transfer Inhibitors			
DOLUTEGRAVIR – Special Authority see SA1651 on page 112 Tab 50 mg		30	✓ Tivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1651 (	on page 112 – Reta	ail pharmacy	
Tab 400 mg		60	✓ Isentress
Immune Modulators			

# Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

### **Criteria for Treatment**

- 1) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - · PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

#### **Exclusion Criteria**

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (< 2.0 × 10<sup>9</sup>) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

# INTERFERON ALFA-2A – PCT – Retail pharmacy-Specialist

a) See prescribing guideline above				
b) Prescriptions must be written by, or on the reco	ommendation of, an internal m	nedicine ph	ysician or ophthalmologist	
Inj 3 m iu prefilled syringe		1	✓ Roferon-A	
INTERFERON ALFA-2B - PCT - Retail pharmacy-Sp	ecialist			
a) See prescribing guideline above				
b) Prescriptions must be written by, or on the reco	ommendation of, an internal m	nedicine ph	ysician or ophthalmologist	
Inj 18 m iu, 1.2 ml multidose pen		1	Intron-A	
Inj 30 m iu, 1.2 ml multidose pen		1	Intron-A	
Inj 60 m iu, 1.2 ml multidose pen	689.04	1	<ul> <li>Intron-A</li> </ul>	

‡ safety cap

▲ Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Manulactuler's Flice) \$	Per	Subsidised	Manufacturer
EGYLATED INTERFERON ALFA-2A – Special Authority see S	A1400 below – Reta	il pha	rmacy	
See prescribing guideline on the previous page Inj 180 mcg prefilled syringe Pegasys to be Sole Supply on 1 November 2017	500.00	4	1	Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168	1,975.00	1 OP	1	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe x 4 with ribavirin tab 200 mg x 112	1,159.84	1 OP	1	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe x 4 with ribavirin tab 200 mg x 168	1,290.00	1 OP	1	Pegasys RBV Combination Pack

### ⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
  - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)		bsidised	Generic	
\$	Per	1	Manufacturer	

continued...

5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

\*Three months or six months, as applicable, dispensed all-at-once

## **Urinary Tract Infections**

#### HEXAMINE HIPPURATE

* Tab 1 g		100	
Ŭ	(40.01)		Hiprex
NITROFURANTOIN			
* Tab 50 mg – For nitrofurantoin oral liquid formulation refer,			
page 218		100	<ul> <li>Nifuran</li> </ul>
* Tab 100 mg		100	<ul> <li>Nifuran</li> </ul>
NORFLOXACIN			
Tab 400 mg – Subsidy by endorsement		100	Arrow-Norfloxacin
Only if proceribed for a patient with an uncomplicated urin	any tract infactio	n that is upr	conceive to a first line agent or

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

‡ safety cap

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Su	ibsidised	Generic
	\$	Per	~	Manufacturer
Anticholinesterases				
EOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule AstraZeneca to be Sole Supply on 1 December 2017	98.00	50	1	AstraZeneca
PYRIDOSTIGMINE BROMIDE Tab 60 mg	40 70	100		Maatinan
		100	•	Mestinon
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
₭ Tab EC 25 mg	1.30	50	✓	Diclofenac Sandoz
Fab 50 mg dispersible		20	✓	Voltaren D
₭ Tab EC 50 mg		50	1	Diclofenac Sandoz
K Tab long-acting 75 mg		500		Apo-Diclo SR
K Tab long-acting 100 mg		500	-	Apo-Diclo SR
<ul> <li>Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a F</li> </ul>		5		Voltaren
<ul> <li>Inj 25 mg per mi, 5 mi ampodie – Op to 5 mg available on a f</li> <li>Suppos 12.5 mg</li> </ul>		10		Voltaren
				Voltaren
Suppos 25 mg		10	-	
<ul> <li>Suppos 50 mg – Up to 10 supp available on a PSO</li> </ul>		10	-	Voltaren
Suppos 100 mg		10	~	Voltaren
	0.45	4 000		U
<ul> <li>Tab 200 mg</li> </ul>		1,000		Ibugesic
<ul> <li>Tab long-acting 800 mg</li> </ul>		30		Brufen SR
¢‡ Oral liq 20 mg per ml	1.89	200 ml	1	Fenpaed
ETOPROFEN				
Cap long-acting 200 mg		28	~	Oruvail SR
IEFENAMIC ACID				
<ul> <li>Cap 250 mg</li> </ul>	1.25	50		
	(9.16)			Ponstan
	0.50	20		
	(5.60)			Ponstan
APROXEN				
<ul> <li>Tab 250 mg</li> </ul>		500	✓	Noflam 250
<ul> <li>Tab 500 mg</li> </ul>		250	✓	Noflam 500
<ul> <li>Tab long-acting 750 mg</li> </ul>	5.60	28	✓	Naprosyn SR 750
€ Tab long-acting 1 g		28		Naprosyn SR 1000
ULINDAC				
Tab 100 mg		50	1	Aclin
€ Tab 200 mg		50		Aclin
ENOXICAM				
	40.05	100		<b>T</b> 11 411
← Tab 20 mg ← Inj 20 mg vial		100 1	-	<u>Tilcotil</u> AFT
, ,			•	
NSAIDs Other				
ELECOXIB				
Cap 100 mg	3.63	60	~	Celecoxib Pfizer
Cap 200 mg	2.30	30	✓	Celecoxib Pfizer

	Subsidy (Manufacturer's Price)	Fully ce) Subsidised		Brand or Generic	
	\$	Per	1	Manufacturer	_
MELOXICAM - Special Authority see SA1034 below - Retail pha	armacy				-
* Tab 7.5 mg		30	🗸 Ai	rrow-Meloxicam	

#### ⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

### **Topical Products for Joint and Muscular Pain**

#### CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Re	tail		
pharmacy	6.95	25 g OP	<ul> <li>Zostrix</li> </ul>
	9.95	45 g OP	<ul> <li>Zostrix</li> </ul>

#### ⇒SA1289 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents			
HYDROXYCHLOROQUINE * Tab 200 mg		100	✓ <u>Plaquenil</u>
LEFLUNOMIDE – Brand switch fee payable (Pharmacode 252	27014) - see page 2	15 for details	
Tab 10 mg	2.90	30	Apo-Leflunomide
Tab 20 mg		30	<ul> <li>Apo-Leflunomide</li> </ul>
PENICILLAMINE			
Tab 125 mg		100	<ul> <li>D-Penamine</li> </ul>
Tab 250 mg		100	<ul> <li>D-Penamine</li> </ul>
SODIUM AUROTHIOMALATE			
Inj 10 mg in 0.5 ml ampoule		10	<ul> <li>Myocrisin</li> </ul>
Inj 20 mg in 0.5 ml ampoule		10	<ul> <li>Myocrisin</li> </ul>
Inj 50 mg in 0.5 ml ampoule		10	<ul> <li>Myocrisin</li> </ul>

# **Drugs Affecting Bone Metabolism**

Alendronate for Osteoporosis

### ⇒SA1039 Special Authority for Subsidy

**Initial application** — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or

continued...

‡ safety cap

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

equal to -2.5) (see Note); or

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

**Initial application** — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical

continued...

	Subsidy	F	ully	Brand or
(	Manufacturer's Price)	Subsidi	sed	Generic
	\$	Per	1	Manufacturer

continued...

forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

 d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
 ALENDRONATE SODIUM – Special Authority see SA1039 on page 119 – Retail pharmacy

*	Tab 70 mg		4	1	Fosamax
ALE	ENDRONATE SODIUM WITH COLECALCIFEROL - Spec	ial Authority see SA103	on page	119	<ul> <li>Retail pharmacy</li> </ul>
*	Tab 70 mg with colecalciferol 5,600 iu		4	1	Fosamax Plus

## Alendronate for Paget's Disease

### ⇒SA0949 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDHONATE SODIUM – Special Authority see SA0949 above – * Tab 40 mg		30	✓ Fosamax
Other Treatments			
ETIDRONATE DISODIUM – See prescribing guideline below * Tab 200 mg Prescribing Guidelines	13.50	100	✓ <u>Arrow-Etidronate</u>
Etidronate for osteoporosis should be prescribed for 14 days (400 m not be taken at the same time of the day as any calcium supplement calcium). Etidronate should be taken at least 2 hours before or after	tation (minimum d	ose – 500 n	ng per day of elemental
PAMIDRONATE DISODIUM			
Inj 3 mg per ml, 10 ml vial	5.98	1	✓ Pamisol
Inj 6 mg per ml, 10 ml vial		1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial	17.05	1	✓ Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see SA1138	below - Retail ph	armacy	
* Tab 60 mg		28	🗸 Evista
■ SA1138 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid w the following criteria:		wal unless	notified for applications meeting

Any of the following:

continued...

\$ safety cap

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

Tab 35 mg	3.80	4	✓	Risedronate Sandoz
TERIPARATIDE - Special Authority see SA1139 on the next page - F	Retail pharmacy			
Inj 250 mcg per ml, 2.4 ml	490.00	1	1	Forteo

Subsidy		Fully	Brand or	
(Manufacturer's Price)	5	Subsidised	Generic	
\$	Per	1	Manufacturer	

#### ■ SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

#### Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

### ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see

100 ml OP Aclasta

### ■ SA1187 Special Authority for Subsidy

Initial application - (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease: and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and

\*Three months or six months, as applicable, dispensed all-at-once

3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically: or
  - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or

continued...

‡ safety cap

Three months supply may be dispensed at one time

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

**Initial application — (Underlying cause - glucocorticosteroid therapy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause -

osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	1	Manufacturer

continued...

- 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and guantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

# Hyperuricaemia and Antigout

### 

* Tab 100 mg	1,000	<ul> <li>Allopurinol-Apotex</li> </ul>
* Tab 300 mg – For allopurinol oral liquid formulation refer,		
page 218 15.91	500	<ul> <li>Allopurinol-Apotex</li> </ul>
BENZBROMARONE – Special Authority see SA1537 below – Retail pharmacy		
Tab 100 mg45.00	100	<ul> <li>Benzbromaron AL</li> </ul>
		100 S29

### ➡SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or

2.3 Both:

- 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
- 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or

2.4 All of the following:

- 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
- 2.4.2 Allopurinol is contraindicated: and
- 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function: and
- 3 The patient is receiving monthly liver function tests.

continued...

‡ safety cap

Three months supply may be dispensed at one time \*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsi	dised	Generic
\$	Per	1	Manufacturer

#### continued...

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at <a href="http://www.rheumatology.org.nz/home/resources-2/">www.rheumatology.org.nz/home/resources-2/</a>

ut
ric
ric
r

### ⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

126

*	Tab 500 mg	.55.00	100	✓ F	Probenecid-AFT
M	uscle Relaxants				
BAG	CLOFEN				
*	Tab 10 mg - For baclofen oral liquid formulation refer, page 218	3.85	100	🗸 F	Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	.11.55	1	🗸 L	ioresal Intrathecal
	Subsidised only for use in a programmable pump in patients wi caused intolerable side effects and the prescription is endorsed		astic agents	hav	e been ineffective or have
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement2		1	🗸 L	ioresal Intrathecal
	Subsidised only for use in a programmable pump in patients w	here oral antisp	astic agents	hav	e been ineffective or have

Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
DANTROLENE Cap 25 mg	65.00	100		Dantrium
Cap 50 mg		100		Dantrium
ORPHENADRINE CITRATE Tab 100 mg		100	1	Norflex

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	-	Subsidised	Generic
	\$	Per	/	Manufacturer
Agents for Parkinsonism and Related Disorde	rs			
Dopamine Agonists and Related Agents				
AMANTADINE HYDROCHLORIDE				
Cap 100 mg	38.24	60	1	Symmetrel
				• ,
▲ Inj 10 mg per ml, 2 ml ampoule	110.00	5	1	Movapo
	113.00	5	•	wovapo
BROMOCRIPTINE MESYLATE	~~~~		,	
* Tab 2.5 mg		100	<b>v</b>	Apo-Bromocriptine
ENTACAPONE				
Tab 200 mg		100	✓ [	Entapone
EVODOPA WITH BENSERAZIDE				
* Tab dispersible 50 mg with benserazide 12.5 mg		100	<ul> <li>Image: A second s</li></ul>	Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100		Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100		Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100		Madopar HBS
* Cap 200 mg with benserazide 50 mg		100	✓	Madopar 250
EVODOPA WITH CARBIDOPA				
<ul> <li>Tab 100 mg with carbidopa 25 mg – For levodopa with</li> </ul>				
carbidopa oral liquid formulation refer, page 218	20.00	100		Kinson
		100		Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100		Sinemet CR
<ul> <li>Tab 250 mg with carbidopa 25 mg</li> </ul>		100		Sinemet
PRAMIPEXOLE HYDROCHLORIDE				
▲ Tab 0.25 mg	7 20	100	1	Ramipex
▲ Tab 1 mg		100		Ramipex
-		100		numpex
	0.70	400		An a Danialasia
▲ Tab 0.25 mg		100		Apo-Ropinirole
▲ Tab 1 mg		100		Apo-Ropinirole
▲ Tab 2 mg		100 100		Apo-Ropinirole
▲ Tab 5 mg		100	•	Apo-Ropinirole
* Tab 5 mg	22.00	100	<b>v</b>	Apo-Selegiline
				S29 S29
TOLCAPONE				
Tab 100 mg	132.50	100	✓ :	<u>Tasmar</u>
Anticholinergics				
BENZATROPINE MESYLATE				
Tab 2 mg	7 99	60	<b>1</b>	Benztrop
Inj 1 mg per ml, 2 ml		5		Cogentin
	190.00	10		Omega
a) Up to 10 inj available on a PSO			-	
b) Only on a PSO				
	7.40	100		Ka waa dulu
Tab 5 mg		100	<b>v</b>	Kemadrin

			NER	VOUS SYSTEM
	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer
Agents for Essential Tremor, Chorea and Relate	ed Disorders			
RILUZOLE – Special Authority see SA1403 below – Retail phan Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg → SA1403 Special Authority for Subsidy Initial application only from a neurologist or respiratory specialis following criteria: All of the following: 1 The patient has amyotrophic lateral sclerosis with disease 2 The patient has at least 60 percent of predicted forced vit 3 The patient has not undergone a tracheostomy; and	400.00 st. Approvals valid fo e duration of 5 years c	or less; ar	ns for app	-
<ul> <li>4 The patient has not experienced respiratory failure; and</li> <li>5 Any of the following:</li> <li>5.1 The patient is ambulatory; or</li> <li>5.2 The patient is able to use upper limbs; or</li> <li>5.3 The patient is able to swallow.</li> </ul> Renewal from any relevant practitioner. Approvals valid for 18 n All of the following: <ol> <li>The patient has not undergone a tracheostomy; and</li> <li>The patient has not experienced respiratory failure; and</li> <li>Any of the following:</li> <li>3.1 The patient is ambulatory; or</li> <li>2.2 The patient is able to use upper limbs; or</li> <li>3.3 The patient is able to use upper limbs; or</li> <li>3.3 The patient is able to swallow.</li> </ol>	nonths for application	s meeting	g the follo	owing criteria:
TETRABENAZINE Tab 25 mg	91.10	112	✓ <u>N</u>	lotetis
Anaesthetics				
Local				
LIDOCAINE [LIGNOCAINE] Gel 2%, tube – Subsidy by endorsement a) Up to 150 ml available on a PSO	14.50	30 ml	✓ X	ylocaine 2% Jelly
<ul> <li>b) Subsidised only if prescribed for urethral or cervical a Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> </ul>		10	🗸 P	fizer
a) Up to 5 each available on a PSO	212.50	25	• (	athejell

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

NERVOUS SYSTEM

(	Subsidy Manufacturer's Price) \$	) Per	Fully Subsidised	Generic
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (gel) soln 2%		200 m	nl 🗸	Mucosoothe Xylocaine Viscous
Mucosoothe to be Sole Supply on 1 January 2018	()			<b>,</b>
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO	8.75 17.50	25 50	~	Lidocaine-Claris
	(35.00)			Xylocaine
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO	6.90	25	✓	Lidocaine-Claris
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO	2.40 12.00 (20.00)	1 5	~	Lidocaine-Claris Xylocaine
Inj 1%, 20 ml vial – Up to 5 inj available on a PSO		5	✓	Lidocaine-Claris
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓	Lidocaine-Claris
Inj 2%, 20 ml vial – Up to 5 inj available on a PSO (Xylocaine Viscous Oral (gel) soln 2% to be delisted 1 January 201		5	~	Lidocaine-Claris
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –				
Subsidy by endorsementa) Up to 5 each available on a PSO	43.26	10	1	Pfizer

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

### **Topical Local Anaesthetics**

# ⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] – Special Authority see SA0906 abo	ove – Retail phar	macy	
Crm 4%		5 g OP	🖌 LMX4
	27.00	30 g OP	🖌 LMX4
Crm 4% (5 g tubes)	27.00	5	🖌 LMX4
(LMX4 Crm 4% (5 g tubes) to be delisted 1 December 2017)			
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Author	ority see SA0906	<mark>6 above</mark> – Reta	il pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	🖌 EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	🖌 EMLA

## Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 118

### **Non-opioid Analgesics**

For aspirin & chloroform application refer Standard Formulae, page 22	21		
ASPIRIN	- '		
	2.00	100	<ul> <li>Ethics Aspirin</li> </ul>
* Tab dispersible 300 mg – Up to 30 tab available on a PSO	3.90	100	Eulics Aspirin
CAPSAICIN – Subsidy by endorsement			
Subsidised only if prescribed for post-herpetic neuralgia or diabet	ic peripheral	neuropathy ar	id the prescription is endorsed
accordingly.			_
Crm 0.075%	12 50	45 a OP	Zostrix HP

	Subsidy		Fully	Brand or
	(Manufacturer's Pri	ce) Sub	sidised	
	(indificite of the \$	Per	1	Manufacturer
NEFOPAM HYDROCHLORIDE				
Tab 30 mg	23.40	90	1	Acupan
PARACETAMOL				- F
<ul> <li>Tab 500 mg - blister pack – Up to 30 tab available on a PSC</li> </ul>	7 10	1,000	1	Pharmacare
Pharmacare to be Sole Supply on 1 November 2017	//.12	1,000	•	Filailliacale
* Tab 500 mg - bottle pack	6 32	1,000	1	Pharmacare
Pharmacare to be Sole Supply on 1 November 2017	0.02	1,000	•	Filaimacaic
*‡ Oral liq 120 mg per 5 ml	5 35	1.000 ml	1	Paracare
a) Up to 200 ml available on a PSO		1,000 111	-	l'alabaro
b) Not in combination				
c) Paracare to be Sole Supply on 1 January 2018				
*‡ Oral liq 250 mg per 5 ml		1.000 ml	1	Paracare Double
		.,	-	Strength
a) Up to 100 ml available on a PSO				
b) Not in combination				
* Suppos 125 mg		10	1	Gacet
* Suppos 250 mg		10		Gacet
* Suppos 500 mg		50	✓	Paracare
Opioid Analgesics				
CODEINE PHOSPHATE - Safety medicine; prescriber may dete	ermine dispensing	frequency		
Tab 15 mg	5.75	100	-	PSM
Tab 30 mg	6.80	100	✓	PSM
Tab 60 mg		100	1	PSM
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	9.55	60	1	DHC Continus
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
<ul><li>c) Safety medicine; prescriber may determine dispensing free</li></ul>	equency			
Inj 50 mcg per ml, 2 ml ampoule		10	1	Boucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10		Boucher and Muir
Patch 12.5 mcg per hour		5		Fentanyl Sandoz
Fentanyl Sandoz to be Sole Supply on 1 November 2017		-		
Patch 25 mcg per hour		5	1	Fentanyl Sandoz
Fentanyl Sandoz to be Sole Supply on 1 November 201				•
Patch 50 mcg per hour		5	1	Fentanyl Sandoz
Fentanyl Sandoz to be Sole Supply on 1 November 201	7			-
Patch 75 mcg per hour	9.25	5	1	Fentanyl Sandoz
Fentanyl Sandoz to be Sole Supply on 1 November 2017				
Patch 100 mcg per hour		5	✓	Fentanyl Sandoz
Fentanyl Sandoz to be Sole Supply on 1 November 2017	7			

	Subsidy	, <u> </u>	Fully Brand or
	(Manufacturer's Pri \$	ce) Sub Per	sidised Generic Manufacturer
	φ	FEI	
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing free			and the second
<ul> <li>d) Extemporaneously compounded methadone will only be re (methadone pounder not methadone tablete)</li> </ul>	empursed at the	rate of the ci	neapest form available
(methadone powder, not methadone tablets).			
e) For methadone hydrochloride oral liquid refer Standard Fo			<ul> <li>Methatabs</li> </ul>
Tab 5 mg		10 200 ml	
Oral liq 2 mg per ml		200 ml	<ul> <li>✓ <u>Biodone</u></li> <li>✓ Biodone Forte</li> </ul>
Oral liq 5 mg per ml Oral liq 10 mg per ml		200 ml	<ul> <li>✓ Biodone Forte</li> <li>✓ Biodone Extra Fort</li> </ul>
		200 mi 10	✓ AFT
Inj 10 mg per ml, 1 ml		10	
ORPHINE HYDROCHLORIDE			
<ul> <li>a) Only on a controlled drug form</li> </ul>			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing free			<b>6</b> - 1 - 1 - 1
Oral liq 1 mg per ml		200 ml	RA-Morph
Oral liq 2 mg per ml		200 ml	✓ <u>RA-Morph</u>
Oral liq 5 mg per ml		200 ml	RA-Morph
Oral liq 10 mg per ml		200 ml	<ul> <li>RA-Morph</li> </ul>
ORPHINE SULPHATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing free	quency		
Tab immediate-release 10 mg		10	Sevredol
Tab long-acting 10 mg		10	✓ Arrow-Morphine LA
Tab immediate-release 20 mg		10	✓ Sevredol
Tab long-acting 30 mg	2.85	10	✓ Arrow-Morphine LA
Tab long-acting 60 mg	5.60	10	<ul> <li>Arrow-Morphine LA</li> </ul>
Tab long-acting 100 mg	6.10	10	<ul> <li>Arrow-Morphine LA</li> </ul>
Cap long-acting 10 mg		10	✓ m-Eslon
Cap long-acting 30 mg		10	m-Eslon
Cap long-acting 60 mg	5.40	10	m-Eslon
Cap long-acting 100 mg	6.38	10	m-Eslon
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS	O6.27	5	<ul> <li>DBL Morphine</li> </ul>
			Sulphate
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	SO4.47	5	<ul> <li>DBL Morphine</li> </ul>
			Sulphate
Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	SO 4.76	5	✓ DBL Morphine
		÷	Sulphate
Inj 30 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	SO 6.19	5	✓ DBL Morphine
		5	Sulphate
			oalphate
ORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing free		_	<b>/</b> · · · · · ·
Inj 80 mg per ml, 1.5 ml ampoule	42.72	5	<ul> <li>DBL Morphine</li> </ul>
			Tartrate
Inj 80 mg per ml, 5 ml	107.67	5	<ul> <li>Hospira</li> </ul>
lospira Inj 80 mg per ml, 5 ml to be delisted 1 December 2017)			

NERVOUS	SYSTEM
---------	--------

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	1	Manufacturer
OXYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free	quency			
Tab controlled-release 5 mg	2.63	20	✓	BNM
Tab controlled-release 10 mg	2.76	20	✓	BNM
Tab controlled-release 20 mg	4.72	20	✓	BNM
Tab controlled-release 40 mg	7.69	20	✓	BNM
Tab controlled-release 80 mg		20	✓	BNM
Cap immediate-release 5 mg		20		OxyNorm
Cap immediate-release 10 mg		20		OxyNorm
Cap immediate-release 20 mg		20		OxyNorm
<ul> <li>Cral liq 5 mg per 5 ml</li> </ul>		250 m		OxyNorm
				•
Inj 10 mg per ml, 1 ml ampoule		5		OxyNorm
Inj 10 mg per ml, 2 ml ampoule		5		OxyNorm
Inj 50 mg per ml, 1 ml ampoule		5	<b>v</b>	OxyNorm
PARACETAMOL WITH CODEINE - Safety medicine; prescriber	may determine dispe	ensing	g frequenc	y
* Tab paracetamol 500 mg with codeine phosphate 8 mg		1.000		Paracetamol +
				Codeine (Relieve)
				<u></u>
PETHIDINE HYDROCHLORIDE				
<ul> <li>a) Only on a controlled drug form</li> </ul>				
<ul> <li>b) No patient co-payment payable</li> </ul>				
<ul> <li>c) Safety medicine; prescriber may determine dispensing free</li> </ul>	quency			
Tab 50 mg	4.46	10	✓	PSM
Tab 100 mg	6.25	10	✓	PSM
Inj 50 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS	SO 4.98	5	✓	DBL Pethidine
				Hydrochloride
Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a P	SO 5.12	5	1	DBL Pethidine
		Ũ		Hydrochloride
				nyaroomonao
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg		20		Tramal SR 100
Tab sustained-release 150 mg		20	~	Tramal SR 150
Tab sustained-release 200 mg		20	✓	Tramal SR 200
Cap 50 mg – For tramadol hydrochloride oral liquid formulation	on			
refer, page 218		100	✓	Arrow-Tramadol
Antidepressants				
Cyclic and Related Agents				
Cybild and Helated Agento				
AMITRIPTYLINE - Safety medicine; prescriber may determine dis	spensing frequency			
Tab 10 mg		100	1	Arrow-Amitriptyline
Tab 25 mg		100		Arrow-Amitriptyline
Tab 50 mg		100		Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescrib		•		
Tab 10 mg		100		Apo-Clomipramine
Tab 25 mg	8.68	100	✓	Apo-Clomipramine
DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE - Safety medicin	e: prescriber may de	etermi	ne dispens	sina freauency
Tab 75 mg		100		Dopress
Cap 25 mg		100		Dopress
			-	

‡ safety cap

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	<i>✓</i>	Manufacturer
DOXEPIN HYDROCHLORIDE – Safety medicine; prescribe		-		
Cap 10 mg		100		Anten
Cap 25 mg		100		Anten
Cap 50 mg	8.55	100	~	Anten
MIPRAMINE HYDROCHLORIDE - Safety medicine; presc	riber may determine dispe	ensing	frequenc	y
Tab 10 mg	5.48	50	✓	Tofranil
	6.58	60	1	Tofranil s29 S29
	10.96	100	✓	Tofranil
Tab 25 mg	8.80	50	✓	Tofranil
MAPROTILINE HYDROCHLORIDE - Safety medicine; pres	criber may determine dis	pensi	na freauer	ncv
Tab 25 mg		30		Ludiomil
1 ab 20 mg	12.53	50		Ludiomil
	25.06	100		Ludiomil
Tab 75 mg		20		Ludiomil
	21.01	30		Ludiomil
VORTRIPTYLINE HYDROCHLORIDE – Safety medicine; p		100 alspei		Norpress
Tab 10 mg Tab 25 mg		180	-	Norpress
Tab 25 Hig		100	•	Norpress
Monoamine-Oxidase Inhibitors (MAOIs) - No	n Selective			
PHENELZINE SULPHATE				
* Tab 15 mg	05.00	100		Nardil
		100	•	Narun
TRANYLCYPROMINE SULPHATE				_
* Tab 10 mg	22.94	50	~	Parnate
Monoamine-Oxidase Type A Inhibitors				
NOCLOBEMIDE				
	95 10	500		Apo-Moclobemide
<ul> <li>✤ Tab 150 mg</li> <li>✤ Tab 300 mg</li> </ul>		100		Apo-Moclobemide
* Tab 500 mg		100	•	Apo-mociobennue
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	1.79	84	1	PSM Citalopram
ESCITALOPRAM				
* Tab 10 mg	1 11	28	1	Apo-Escitalopram
	1.40	20		Air Flow Products
🖌 Tab 20 mg		28		Apo-Escitalopram
- 100 EV IIIY	2.40	20		Air Flow Products
	2.70			
FLUOXETINE HYDROCHLORIDE	ont 0.47	20		
Tab dispersible 20 mg, scored – Subsidy by endorseme Subsidied by endorsement	2.47	30	•	Arrow-Fluoxetine
Subsidised by endorsement	Harris de alta de 1919			
<ol> <li>When prescribed for a patient who cannot swa approximate and</li> </ol>	allow whole tablets or cap	sules	and the pi	rescription is endorsed
accordingly; or			44	dution in all conservations.
<ol> <li>When prescribed in a daily dose that is not a r endorsed. Note: Tablets should be combined</li> </ol>				
K Car 20 mm		00		- 
* Cap 20 mg	1.99	90	~	Arrow-Fluoxetine

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	(Manulacial ci 3 1 100) \$	Per		Manufacturer
	φ	rei		Manufacturer
PAROXETINE				
* Tab 20 mg	4.00	00		Ana Davavatina
<b>本</b> Tab 20 Tily	4.02	90	•	Apo-Paroxetine
SERTRALINE				
	0.05	00		Arrow Controling
Tab 50 mg		90		Arrow-Sertraline
Tab 100 mg	5.25	90	✓	Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE				
	0.55	20		Ana Mistoronina
Tab 30 mg		30		Apo-Mirtazapine
Tab 45 mg	3.25	30	✓	Apo-Mirtazapine
VENLAFAXINE – Brand switch fee payable (Pharmacode 2527)	(22) coo page $215$ fc	or dat	aile	
	, , ,			
Cap 37.5 mg		84		Enlafax XR
Cap 75 mg	8.11	84	✓	Enlafax XR
Cap 150 mg	11.16	84	1	Enlafax XR
		01	-	
Antiepilepsy Drugs				
Agents for Control of Status Epilepticus				
Agents for control of status Ephephicus				
CLONAZEPAM – Safety medicine; prescriber may determine dis				
Inj 1 mg per ml, 1 ml		5	✓	Rivotril
DIAZEPAM – Safety medicine; prescriber may determine disper			_	
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement	11.83	5	✓	Hospira
<ul> <li>a) Up to 5 inj available on a PSO</li> </ul>				
, , ,				
b) Only on a PSO				
<li>c) PSO must be endorsed "not for anaesthetic procedu</li>	res".			
Rectal tubes 5 mg – Up to 5 tube available on a PSO	33.07	5		Stesolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO		5		Stesolid
Rectal lubes to fly $-$ op to 5 lube available of a FSO		5	•	Stesoliu
PARALDEHYDE				
	1 500 00	5		AFT S29
* Inj 5 ml	1,500.00	5	v	AFI S29
PHENYTOIN SODIUM				
		~		Haanina
Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a l	-2088.63	5	v	Hospira
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a				
PSO	133 92	5	1	Hospira
100		0	•	noopiiu
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓	Tegretol
* Tab long-acting 200 mg	16.98	100		Tegretol CR
		100		0
* Tab 400 mg				Tegretol
* Tab long-acting 400 mg		100	1	Tegretol CR
*‡ Oral liq 20 mg per ml		250 m	nl 🖌	Tegretol
CLOBAZAM – Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 10 mg		50	1	Frisium
‡ Safety cap for extemporaneously compounded oral liqu				
CLONAZEPAM - Safety medicine; prescriber may determine dis	spensing frequency			
<ul> <li>Cral drops 2.5 mg per ml.</li> </ul>		) ml C		Rivotril
T Orai aropo 2.0 mg por mi				

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
(N	lanufacturer's Pric	ce) Si	ubsidised	Generic
· · · · · · · · · · · · · · · · · · ·	\$	Per	1	Manufacturer
ETHOSUXIMIDE				
Cap 250 mg	16.45	100	1	Zarontin
	32.90	200	1	Zarontin
Cral liq 250 mg per 5 ml	13.60	200 ml	✓	Zarontin
GABAPENTIN - Special Authority see SA1477 below - Retail phar	macy			
Cap 100 mg	7.16	100	✓	Arrow-Gabapentin
			✓	Neurontin
			✓	Nupentin
▲ Cap 300 mg – For gabapentin oral liquid formulation refer,				
page 218	11.00	100	✓	Arrow-Gabapentin
			✓	Neurontin
			1	Nupentin
▲ Cap 400 mg	13.75	100	1	Arrow-Gabapentin
· -			1	Neurontin
			1	Nupentin

### ⇒SA1477 Special Authority for Subsidy

**Initial application — (Epilepsy)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Either:

- 1 The patient has been diagnosed with neuropathic pain; or
- 2 Both:
  - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus\* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
  - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with \* are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer	
LACOSAMIDE – Special Authority see SA1125 below – Retail pl	narmacy				
▲ Tab 50 mg		14	🗸 V	'impat	
▲ Tab 100 mg		14	🗸 V	'impat	
-	200.24	56	🗸 V	'impat	
▲ Tab 150 mg	75.10	14	🗸 V	'impat	
-	300.40	56	🗸 V	'impat	
▲ Tab 200 mg		56	🗸 V	'impat	

### ⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

**Renewal** from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

#### LAMOTRIGINE

Tab dispersible 2 mg	30	Lamictal
▲ Tab dispersible 5 mg	30	<ul> <li>Lamictal</li> </ul>
15.00	56	✓ Arrow-Lamotrigine
▲ Tab dispersible 25 mg14.74	56	✓ Motrig
19.38		✓ Logem
20.40		<ul> <li>Arrow-Lamotrigine</li> </ul>
29.09		Lamictal
▲ Tab dispersible 50 mg24.73	56	<ul> <li>Motrig</li> </ul>
32.97		<ul> <li>Logem</li> </ul>
34.70		<ul> <li>Arrow-Lamotrigine</li> </ul>
47.89		<ul> <li>Lamictal</li> </ul>
▲ Tab dispersible 100 mg42.34	56	<ul> <li>Motrig</li> </ul>
56.91		<ul> <li>Logem</li> </ul>
59.90		<ul> <li>Arrow-Lamotrigine</li> </ul>
79.16		<ul> <li>Lamictal</li> </ul>
(Motrig Tab dispersible 25 mg to be delisted 1 April 2018) (Motrig Tab dispersible 50 mg to be delisted 1 April 2018) (Motrig Tab dispersible 100 mg to be delisted 1 April 2018)		
LEVETIRACETAM		
Tab 250 mg	60	<ul> <li>Everet</li> </ul>
Tab 500 mg - For levetiracetam oral liquid formulation refer,		
page 218	60	<ul> <li>Everet</li> </ul>
Tab 750 mg45.23	60	<ul> <li>Everet</li> </ul>
Tab 1,000 mg59.12	60	<ul> <li>Everet</li> </ul>
PHENOBARBITONE		
For phenobarbitone oral liquid refer Standard Formulae, page 221		
* Tab 15 mg	500	✓ PSM
* Tab 30 mg	500	✓ PSM
÷		

‡ safety cap

▲ Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price		Fully Subsidised	Generic
	\$	Per		Manufacturer
PHENYTOIN SODIUM				
* Tab 50 mg	50.51	200	1	Dilantin Infatab
Cap 30 mg	22.00	200	1	Dilantin
Cap 100 mg	19.79	200	✓	Dilantin
*‡ Oral liq 30 mg per 5 ml		500 m	nl 🗸	Dilantin
PRIMIDONE				
* Tab 250 mg	17.25	100	1	Apo-Primidone
SODIUM VALPROATE				
Tab 100 mg	13.65	100	1	Epilim Crushable
Tab 200 mg EC		100	-	Epilim
Tab 500 mg EC		100	-	Epilim
*‡ Oral liq 200 mg per 5 ml		300 m	-	Epilim S/F Liquid
		000 11	-	Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	-	Epilim IV
		•		-r
STIRIPENTOL – Special Authority see SA1330 below – Retail p				
Cap 250 mg		60	~	Diacomit S29
Powder for oral liq 250 mg sachet	509.29	60	~	Diacomit S29

#### ⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ Tab 25 mg	11.07	60	<ul> <li>Arrow-Topiramate</li> </ul>
-			<ul> <li>Topiramate Actavis</li> </ul>
	26.04		<ul> <li>Topamax</li> </ul>
▲ Tab 50 mg		60	<ul> <li>Arrow-Topiramate</li> </ul>
J. J			<ul> <li>Topiramate Actavis</li> </ul>
	44.26		<ul> <li>Topamax</li> </ul>
▲ Tab 100 mg		60	<ul> <li>Arrow-Topiramate</li> </ul>
-			<ul> <li>Topiramate Actavis</li> </ul>
	75.25		<ul> <li>Topamax</li> </ul>
▲ Tab 200 mg	55.19	60	<ul> <li>Arrow-Topiramate</li> </ul>
-			<ul> <li>Topiramate Actavis</li> </ul>
	129.85		<ul> <li>Topamax</li> </ul>
▲ Sprinkle cap 15 mg	20.84	60	<ul> <li>Topamax</li> </ul>
▲ Sprinkle cap 25 mg		60	<ul> <li>Topamax</li> </ul>
VIGABATRIN - Special Authority see SA1072 below -	Retail pharmacy		
▲ Tab 500 mg		100	<ul> <li>Sabril</li> </ul>

#### ⇒SA1072 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price	)	Subsidised	Generic	
(Manalacator - 1100	Per	<ul> <li>✓</li> </ul>	Manufacturer	

continued...

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and

1.2.2 Either:

- 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. **Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

### **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 118

### **Acute Migraine Treatment**

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	<ul> <li>✓ Cafergot</li> <li>✓ Cafergot S29 S29</li> </ul>
RIZATRIPTAN		
Tab orodispersible 10 mg5.26	30	Rizamelt
SUMATRIPTAN		
Tab 50 mg24.44	100	Apo-Sumatriptan
•	102	<ul> <li>Apo-Sumatriptan</li> </ul>
Tab 100 mg46.23	100	<ul> <li>Apo-Sumatriptan</li> </ul>
•	102	<ul> <li>Apo-Sumatriptan</li> </ul>
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per		
prescription	2 OP	<ul> <li>Clustran</li> </ul>
		Sun Pharma S29

‡ safety cap

	Subsidy (Manufacturer's Price) \$	) Per	Ful Subsidise	
Prophylaxis of Migraine				
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SY	STEM, page 57			
PIZOTIFEN				
* Tab 500 mcg	23.21	100	•	Sandomigran
Antinausea and Vertigo Agents				
For Antispasmodics refer to ALIMENTARY TRACT, page 22				
APREPITANT – Special Authority see SA0987 below – Retail pha	armacy			
Cap 2 $\times$ 80 mg and 1 $\times$ 125 mg	100.00	3 OP		Emend Tri-Pack
Cap 40 mg	71.43	5 OP	•	Emend
Renewal from any relevant practitioner. Approvals valid for 12 m chemotherapy and/or anthracycline-based chemotherapy for the t BETAHISTINE DIHYDROCHLORIDE			andorgo	
* Tab 16 mg	2 89	84		Vergo 16
CYCLIZINE HYDROCHLORIDE	2.00	•••		<u></u>
Tab 50 mg	0.59	20		Nauzene
CYCLIZINE LACTATE		20		Italente
Inj 50 mg per ml, 1 ml		5		<b>Nausicalm</b>
DOMPERIDONE		-		
<ul> <li>Tab 10 mg – For domperidone oral liquid formulation refer,</li> </ul>				
page 218		100	•	<b>Prokinex</b>
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml ampoule		5	•	<ul> <li>Hospira</li> </ul>
	93.00	10		Martindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail				
pharmacy	11.95	2	•	Scopoderm TTS
SA1387 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid Either:	l for 1 year for appli	cations	meeting	the following criteria:
1 Control of intractable nausea, vomiting, or inability to swall	ow saliva in the trea	atment	of malig	nancy or chronic disease
where the patient cannot tolerate or does not adequately re-				
2 Control of clozapine-induced hypersalivation where trials o				
ineffective.				
Renewal from any relevant practitioner. Approvals valid for 1 yea benefiting from treatment.	r where the treatme	ent ren	nains app	propriate and the patient is
METOCLOPRAMIDE HYDROCHLORIDE				
* Tab 10 mg – For metoclopramide hydrochloride oral liquid				

Ť	rab to fing – For metoclopramide nydrochionde oral liquid		
	formulation refer, page 2181.82	2 100	<ul> <li>Metamide</li> </ul>
*	Inj 5 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO4.50	) 10	<ul> <li>Pfizer</li> </ul>

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	
	\$	Per		Manulaclurer
ONDANSETRON				
* Tab 4 mg		50	✓	Apo-Ondansetron
* Tab disp 4 mg	1.00	10	✓	Dr Reddy's
				Ondansetron
* Tab 8 mg	4.77	50	1	Apo-Ondansetron
* Tab disp 8 mg		10	✓	Ondansetron
				ODT-DRLA
PROCHLORPERAZINE				
* Tab 3 mg buccal		50		
<b>3</b> • • • • <b>3</b> • • • • •	(15.00)			Buccastem
* Tab 5 mg – Up to 30 tab available on a PSO		500	✓	Antinaus
* Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO	25.81	10	1	Stemetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg		10		
	(6.24)			Avomine

### Antipsychotics

### General

AMISULPRIDE - Safety medicine; prescriber may determin	e dispensing frequenc	У	
Tab 100 mg	4.56	30	<ul> <li>Sulprix</li> </ul>
Tab 200 mg	14.75	60	<ul> <li>Sulprix</li> </ul>
Tab 400 mg	27.70	60	<ul> <li>Sulprix</li> </ul>
Oral liq 100 mg per ml	65.53	60 ml	✓ Solian
ARIPIPRAZOLE – Special Authority see SA1539 below – R Safety medicine; prescriber may determine dispensing fi			
Tab 5 mg - No more than 1 tab per day		30	🗸 Abilify
Tab 10 mg		30	<ul> <li>Abilify</li> </ul>
Tab 15 mg		30	<ul> <li>Abilify</li> </ul>
Tab 20 mg		30	<ul> <li>Abilify</li> </ul>

#### ➡SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder\*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder\* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and

continued...

‡ safety cap

▲ Three months supply may be dispensed at one time

	Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
	\$	Per 🗸	Manufacturer
continued			
3 The patient is aged less than 18 years.			
Renewal — (Schizophrenia or related psychoses)	from any relevant practitioner.	Approvals valid fo	r 2 years where the

treatment remains appropriate and the patient is benefiting from		ier. Approvais	s valid for 2 years where the
Renewal - (Autism spectrum disorder*) only from a paediate			
of a paediatrician or psychiatrist (in writing). Approvals valid for	2 years where the	e treatment rei	mains appropriate and the patient
is benefiting from treatment.			
Note: Indications marked with * are Unapproved Indications			
CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; pr	escriber may det	ermine dispen	sing frequency
Tab 10 mg – Up to 30 tab available on a PSO		100	<ul> <li>Largactil</li> </ul>
Tab 25 mg – Up to 30 tab available on a PSO		100	<ul> <li>Largactil</li> </ul>
Tab 100 mg – Up to 30 tab available on a PSO		100	<ul> <li>Largactil</li> </ul>
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		10	<ul> <li>Largactil</li> </ul>
CLOZAPINE – Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing frequ	iencv		
Tab 25 mg	•	50	✓ Clozaril
·	6.69		✓ Clopine
	11.36	100	<ul> <li>Clozaril</li> </ul>
	13.37		✓ Clopine
Tab 50 mg		50	✓ Clopine
	17.33	100	<ul> <li>Clopine</li> </ul>
Tab 100 mg		50	<ul> <li>Clozaril</li> </ul>
	17.33		✓ Clopine
	29.45	100	<ul> <li>Clozaril</li> </ul>
	34.65		<ul> <li>Clopine</li> </ul>
Tab 200 mg		50	✓ Clopine
0	69.30	100	✓ Clopine
Suspension 50 mg per ml	17.33	100 ml	✓ Clopine
HALOPERIDOL – Safety medicine; prescriber may determine d	ispensing frequer	ncv	
Tab 500 mcg – Up to 30 tab available on a PSO		100	✓ Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Oral lig 2 mg per ml – Up to 200 ml available on a PSO		100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a P		10	✓ Serenace
LEVOMEPROMAZINE HYDROCHLORIDE – Safety medicine;		tormino disna	
Inj 25 mg per ml, 1 ml ampoule		10	✓ Wockhardt
LEVOMEPROMAZINE MALEATE – Safety medicine; prescriber			
Tab 25 mg		100	<ul> <li>Nozinan</li> <li>Nozinan</li> </ul>
Tab 100 mg		100	<ul> <li>Nozinan</li> </ul>
LITHIUM CARBONATE - Safety medicine; prescriber may dete		• •	
Tab 250 mg		500	Lithicarb FC
Tab 400 mg		100	<ul> <li>Lithicarb FC</li> </ul>
Tab long-acting 400 mg		100	<ul> <li>Priadel</li> </ul>
Cap 250 mg		100	Douglas
OLANZAPINE - Safety medicine; prescriber may determine dis	pensing frequenc	y	
Tab 2.5 mg	0.64	28	✓ Zypine
Tab 5 mg	1.15	28	✓ Zypine
Tab orodispersible 5 mg	1.25	28	<ul> <li>Zypine ODT</li> </ul>
Tab 10 mg	1.65	28	<ul> <li>Zypine</li> </ul>
Tab orodispersible 10 mg	2.05	28	<ul> <li>Zypine ODT</li> </ul>

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per	1	Manufacturer
PERICYAZINE - Safety medicine; prescriber may determine dis	pensing frequency			
Tab 2.5 mg		100	1	Neulactil
Tab 10 mg		100	1	Neulactil
QUETIAPINE - Safety medicine; prescriber may determine disp	ensing frequency			
Tab 25 mg		90	1	Quetapel
Tab 100 mg		90		Quetapel
Tab 200 mg		90		Quetapel
Tab 300 mg	9.60	90	1	Quetapel
RISPERIDONE - Safety medicine; prescriber may determine dis	spensing frequency			
Tab 0.5 mg		60	1	Actavis
Actavis to be Sole Supply on 1 January 2018				
Tab 1 mg	2.06	60	1	Actavis
Actavis to be Sole Supply on 1 January 2018				
Tab 2 mg	2.29	60	1	Actavis
Actavis to be Sole Supply on 1 January 2018				
Tab 3 mg	2.50	60	✓	Actavis
Actavis to be Sole Supply on 1 January 2018				
Tab 4 mg	3.43	60	1	Actavis
Actavis to be Sole Supply on 1 January 2018				
Oral liq 1 mg per ml	7.66	30 m	✓	Risperon
	equency			
<ul> <li>b) Subsidised for patients who were taking trifluoperazine hy endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride.</li> </ul>	vdrochloride prior to	1 Janı ed wh	uary 2017 ere there e	and the prescription is exists a record of prior
endorsed accordingly. Pharmacists may annotate the pr	vdrochloride prior to escription as endorse	1 Janı ed wh 100	ere there e	and the prescription is xists a record of prior <b>Apo-</b>
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride.	vdrochloride prior to escription as endorse	ed wh	ere there e	xists a record of prior
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride. Tab 1 mg	ydrochloride prior to escription as endorse 19.75	ed who 100	ere there e	xists a record of prior Apo- Trifluoperazine S29
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride.	ydrochloride prior to escription as endorse 19.75	ed wh	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo-
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride. Tab 1 mg	ydrochloride prior to escription as endorse 19.75	ed who 100	ere there e	xists a record of prior Apo- Trifluoperazine S29
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride. Tab 1 mg	ydrochloride prior to escription as endorse 	ed who 100	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo-
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 1000 Tab 1 mg to be delisted 1 December 2000 Tab 1 mg to be delisted 1 mg to	ydrochloride prior to escription as endorse 	ed who 100	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo-
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine <sup>629</sup> Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine <sup>629</sup> Tab 5 mg to be delisted 1 December 2	ydrochloride prior to escription as endorse 	ed who 100	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo-
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 229 Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 229 Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis	ydrochloride prior to escription as endorse 	ed wh 100 100	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 329) Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 329) Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg	ydrochloride prior to escription as endorse 	ed wh 100 100 60	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 <u>Zusdone</u>
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 329) Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 329) Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg	ydrochloride prior to escription as endorse 	ed wh 100 100 60 60	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 <u>Zusdone</u>
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine S29) Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine S29) Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 60 mg	ydrochloride prior to escription as endorse 	ed wh 100 100 60 60 60	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 Zusdone Zusdone Zusdone Zusdone
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine S29) Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine S29) Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 80 mg	ydrochloride prior to escription as endorse 	ed wh 100 100 60 60 60 60 60	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 <u>Zusdone Zusdone Zusdone Zusdone</u>
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 20 Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 20 Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 80 mg ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre	ydrochloride prior to escription as endorse 	ed whi 100 100 100 60 60 60 60 60 ne disj	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 Zusdone Zusdone Zusdone Zusdone Quency
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 229 Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 229 Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 80 mg	ydrochloride prior to escription as endorse 	ed wh 100 100 60 60 60 60 60	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 <u>Zusdone Zusdone Zusdone Zusdone</u>
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine S29) Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine S29) Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre Tab 10 mg	ydrochloride prior to escription as endorse 	ed whi 100 100 100 60 60 60 60 60 ne disj	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 Zusdone Zusdone Zusdone Zusdone Quency
endorsed accordingly. Pharmacists may annotate the prodispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 529) Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 529) Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 80 mg ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre	ydrochloride prior to escription as endorse 	ed whi 100 100 100 60 60 60 60 60 ne disj	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 Zusdone Zusdone Zusdone Zusdone Quency
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 200 Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 200 Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre Tab 10 mg	ydrochloride prior to escription as endorse 	60 60 60 60 60 60 60 60 60 60 60 60 60 6	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 Zusdone Zusdone Zusdone Zusdone Quency
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 200 Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 200 Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 80 mg Cap 80 mg ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre Tab 10 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	ydrochloride prior to escription as endorse 	ed wh 100 100 100 60 60 60 60 60 60 100 sing fi 5	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 Zusdone Zusdone Zusdone Zusdone Quency
endorsed accordingly. Pharmacists may annotate the pro- dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg (Apo-Trifluoperazine 229 Tab 1 mg to be delisted 1 December 2 (Apo-Trifluoperazine 229 Tab 5 mg to be delisted 1 December 2 ZIPRASIDONE – Safety medicine; prescriber may determine dis Cap 20 mg Cap 40 mg Cap 80 mg ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre Tab 10 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE – Safety medicine; prescriber m	ydrochloride prior to escription as endorse 	ed whi 100 100 60 60 60 60 60 60 ne disj 100	ere there e	xists a record of prior Apo- Trifluoperazine \$29 Apo- Trifluoperazine \$29 Zusdone Zusdone Zusdone Zusdone Zusdone Zusdone Zusdone

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$  Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Sut Per	Fully osidised	Brand or Generic Manufacturer
FLUPHENAZINE DECANOATE – Subsidy by endorsement	•			
<ul> <li>a) Safety medicine; prescriber may determine dispensing fr</li> <li>b) Subsidised for patients who were taking fluphenazine de endorsed accordingly. Pharmacists may annotate the pr dispensing of fluphenazine decanoate.</li> </ul>	canoate prior to 1 Dec			
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PS	SO 17.60	5	✓ 1	Nodecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ I	Nodecate
			1	Modecate S29 S29
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	<b>√</b> ∣	Modecate S29 S29
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	-	Nodecate
Modecate Inj 12.5 mg per 0.5 ml, 0.5 ml to be delisted 1 March Modecate Inj 25 mg per ml, 1 ml to be delisted 1 March 2018) Modecate S29 <sup>s29</sup> Inj 25 mg per ml, 1 ml to be delisted 1 Mar Modecate S29 <sup>s29</sup> Inj 25 mg per ml, 2 ml to be delisted 1 Mar Modecate Inj 100 mg per ml, 1 ml to be delisted 1 March 2018)	2018) ch 2018)			
ALOPERIDOL DECANOATE - Safety medicine; prescriber ma	ay determine dispensi	ng freque	ency	
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	<ul> <li>I</li> </ul>	laldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5		Haldol Concentrate Haldol
				Decanoas S29
DLANZAPINE – Special Authority see SA1428 below – Retail p				
Safety medicine; prescriber may determine dispensing frequ				
Inj 210 mg vial		1		Zyprexa Relprevv
Inj 300 mg vial		1		Zyprexa Relprevv
Inj 405 mg vial		1	V 7	Zyprexa Relprevv

#### Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia; and
  - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 on the next page - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg syringe	1	Invega Sustenna
Inj 50 mg syringe271.95	1	🗸 Invega Sustenna
Inj 75 mg syringe	1	Invega Sustenna
Inj 100 mg syringe	1	Invega Sustenna
Inj 150 mg syringe	1	Invega Sustenna

Subsidy	Subsid	Fully	Brand or
(Manufacturer's Price)		dised	Generic
\$	Per	1	Manufacturer

### ⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or

- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO 178.48	10	🖌 Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	10	<ul> <li>Piportil</li> </ul>

(Piportil Inj 50 mg per ml, 1 ml to be delisted 1 June 2019)

(Piportil Inj 50 mg per ml, 2 ml to be delisted 1 June 2019)

\*Three months or six months, as applicable, dispensed all-at-once

RISPERIDONE - Special Authority see SA1427 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg vial	1	Risperdal Consta
Inj 37.5 mg vial	1	Risperdal Consta
Inj 50 mg vial	1	<ul> <li>Risperdal Consta</li> </ul>

### ⇒SA1427 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or 2 All of the following:

- 2.1 The patient has schizophrenia or other psychotic disorder; and
- 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO19.80	5 🖌	Clopixol
---	-----	----------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Anxiolytics				
BUSPIRONE HYDROCHLORIDE				
* Tab 5 mg		100	-	Orion
* Tab 10 mg	14.96	100	~	Orion
CLONAZEPAM - Safety medicine; prescriber may determine disp				_
Tab 500 mcg		100	-	Paxam
Tab 2 mg		100	~	Paxam
DIAZEPAM – Safety medicine; prescriber may determine dispens			-	
Tab 2 mg		500	<b>v</b>	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid Tab. 5 mm		-00		Armony Diamon and
Tab 5 mg ‡ Safety cap for extemporaneously compounded oral liquid		500	v	Arrow-Diazepam
LORAZEPAM – Safety medicine; prescriber may determine dispe		050		A 41
Tab 1 mg		250	•	Ativan
‡ Safety cap for extemporaneously compounded oral liquid Tab 2.5 mg		100	1	Ativan
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		100	•	Auvan
OXAZEPAM – Safety medicine; prescriber may determine dispen Tab 10 mg	• • •	100	1	Ox-Pam
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		100	÷	
Tab 15 mg		100	1	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid		100		<u>un</u>
1	· · · · · · ·			

# Multiple Sclerosis Treatments

DIMETHYL FUMARATE – Special Authority see SA1559 below – Retail pharmacy				
Wastage claimable – see rule 3.3.2 on page 13				
Cap 120 mg		14	<ul> <li>Tecfidera</li> </ul>	
Cap 240 mg	2,000.00	56	<ul> <li>Tecfidera</li> </ul>	

### ➡SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

146

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified). Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

- a) EDSS score 0 4.0 and:
  - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
  - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
    - i) a gadolinium enhancing lesion; or
    - ii) a Diffusion Weighted Imaging positive lesion; or
    - iii) a T2 lesion with associated local swelling; or
    - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
    - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

### Stopping Criteria

### Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD – Special Authority see SA1562 on the next page – Retail pharmacy Wastage claimable – see rule 3.3.2 on page 13

\*Three months or six months, as applicable, dispensed all-at-once

wastage claimable	See rule 0.0.2 on page ro		
Cap 0.5 mg		28	🗸 Gilenya

Subsidy (Manufacturer's		Fully dised	Brand or Generic	
\$	Per	1	Manufacturer	

### ⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

# **Stopping Criteria**

# Any of the following:

1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:

Subsidy		Fully	Brand or	
(Manufacturer's F	Price)	Subsidised	Generic	
\$	Per	1	Manufacturer	

a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or

- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

Inj 20 mg per ml, 15 ml vial..... 1,750.00 1 🖌 Tysabri

### ⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: 04 460 4990
Facsimile: 04 916 7571
Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
      past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and

4) A significant relapse must:

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

Three months supply may be dispensed at one time

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

- a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse;
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- 9) a) Patient is JC virus negative, or
  - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

# Stopping Criteria

### Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.

2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or

- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 on the next page - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Tab	14 mg	1,582.62	28	🗸 Aubagio

Subsi	idy Fully	Brand or
(Manufacture	er's Price) Subsidised	Generic
\$	Per 🗸	Manufacturer

### ⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and

\*Three months or six months, as applicable, dispensed all-at-once

- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

### **Stopping Criteria**

### Any of the following:

1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:

continued...

Subsidy (Manufacturer's Price)	Full Subsidise		
\$	Per 🖌	Manufacturer	

- a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

# **Other Multiple Sclerosis Treatments**

### ⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

- Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
- Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
  - i) a gadolinium enhancing lesion; or
  - ii) a Diffusion Weighted Imaging positive lesion; or
  - iii) a T2 lesion with associated local swelling: or
  - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
  - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - q) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
  - a) intolerance to both natalizumab and fingolimod; or
  - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

### Stopping Criteria

### Any of the following:

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0: or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0: or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from

continued...

 rice)	Fully Subsidised	Brand or Generic
\$ Per	1	Manufacturer

either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE - Special Authority see SA1564	on page 152 – [Xpharm	]	
Inj 20 mg prefilled syringe	1,089.25	28	<ul> <li>Copaxone</li> </ul>
INTERFERON BETA-1-ALPHA – Special Authority see SA	1564 on page 152 – [X	oharm]	
Inj 6 million iu prefilled syringe		4	<ul> <li>Avonex</li> </ul>
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	<ul> <li>Avonex Pen</li> </ul>
INTERFERON BETA-1-BETA - Special Authority see SA15	564 on page 152 – [Xpł	narm]	
Inj 8 million iu per 1 ml	1,322.89	15	<ul> <li>Betaferon</li> </ul>

# Sedatives and Hypnotics

LORMETAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 1 mg		30		
-	(23.50)		Noctamid	
‡ Safety cap for extemporaneously compounded oral liquic	d preparations.			
MELATONIN - Special Authority see SA1666 below - Retail pha	rmacy			
Tab modified-release 2 mg - No more than 5 tab per day		30	<ul> <li>Circadin</li> </ul>	

### ⇒SA1666 Special Authority for Subsidy

**Initial application** only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)\*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged 18 years or under\*.

**Renewal** only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is aged 18 years or under\*; and
- 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
- 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
- 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with \* are Unapproved Indications.

# NERVOUS SYSTEM

	Subsidy		Fully	
	(Manufacturer's Price)	_	Subsidised	
	\$	Per		Manufacturer
MIDAZOLAM - Safety medicine; prescriber may determine dispe	nsing frequency			
Inj 1 mg per ml, 5 ml ampoule	4.30	10	✓	Midazolam-Claris
Inj 1 mg per ml, 5 ml plastic ampoule - Up to 10 inj available				
on a PSO		10	1	Pfizer
On a PSO for status epilepticus use only. PSO must be	endorsed for status e	epiler	ticus use	only.
Inj 5 mg per ml, 3 ml ampoule	2.50	5		Midazolam-Claris
Inj 5 mg per ml, 3 ml plastic ampoule - Up to 5 inj available				
a PSO		5	1	Pfizer
On a PSO for status epilepticus use only. PSO must be	endorsed for status e	epilep	ticus use	only.
NITRAZEPAM - Safety medicine; prescriber may determine disp	ensing frequency			
Tab 5 mg	0 1 7	100	1	Nitrados
‡ Safety cap for extemporaneously compounded oral liquid				
PHENOBARBITONE SODIUM – Special Authority see SA1386 b		001		
				Mautin dala ana
Inj 200 mg per ml, 1 ml ampoule		10	•	Martindale S29
SA1386 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	I without further rene	wal u	nless noti	fied for applications meeting
the following criteria:				
Both:				
1 For the treatment of terminal agitation that is unresponsive	to other agents; and	ł		
2 The applicant is part of a multidisciplinary team working in	palliative care.			
TEMAZEPAM - Safety medicine; prescriber may determine dispe	ansing frequency			
Tab 10 mg		25	1	Normison
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		20	•	NOTHISON
TRIAZOLAM – Safety medicine; prescriber may determine disper	• • •			
Tab 125 mcg		100		
	(9.85)			Hypam
‡ Safety cap for extemporaneously compounded oral liquid Tel: 050 manual		400		
Tab 250 mcg		100		
	(11.20)			Hypam
‡ Safety cap for extemporaneously compounded oral liquid				
ZOPICLONE - Safety medicine; prescriber may determine disper	nsing frequency			
Tab 7.5 mg	8.99	500	✓	Zopiclone Actavis
Stimulants/ADHD Treatments				
ATOMOVETINE Creatic Authority and CA1416 below Details				
ATOMOXETINE – Special Authority see SA1416 below – Retail g Cap 10 mg		28		Strattera
		20 28		Strattera
Cap 18 mg		28 28		
Cap 25 mg		28 28		Strattera Strattera
Cap 40 mg		28 28		Strattera
Cap 60 mg	107.03	20	•	Surallera

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and

continued...

Strattera

✓ Strattera

‡ safety cap

28 28

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsid	ised	Generic
\$	Per	✓	Manufacturer

- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
  - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg ......17.00 100 🗸 PSM

### ➡SA1149 Special Authority for Subsidy

**Initial application** — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Renewal** — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Subsidy (Manufacturer's Pri	e)	Fully Subsidised	Brand or Generic	
\$	Per	r 🖌	Manufacturer	

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine; prescriber may determine dispensing frequency

Tab immediate-release 5 mg	3.20	30	<ul> <li>Rubifen</li> </ul>
Tab immediate-release 10 mg	3.00	30	<ul> <li>Ritalin</li> </ul>
° °			<ul> <li>Rubifen</li> </ul>
Tab immediate-release 20 mg	7.85	30	<ul> <li>Rubifen</li> </ul>
Tab sustained-release 20 mg		30	<ul> <li>Rubifen SR</li> </ul>
0	50.00	100	<ul> <li>Ritalin SR</li> </ul>

### ⇒SA1150 Special Authority for Subsidy

**Initial application** — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

**Initial application — (ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Renewal** — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Subsidised	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEAS	SE - Special Authorit	y see	SA1151 below	w – Retail pharmacy
a) Only on a controlled drug form				
b) Safety medicine; prescriber may determine dispensing fre	equency			
Tab extended-release 18 mg		30	🗸 Co	ncerta
Tab extended-release 27 mg	65.44	30	🗸 Co	ncerta
Tab extended-release 36 mg	71.93	30	🗸 Co	ncerta
Tab extended-release 54 mg		30	🗸 Co	ncerta
Cap modified-release 10 mg		30	🗸 Rit	alin LA
Cap modified-release 20 mg	20.40	30	🗸 Rit	alin LA
Cap modified-release 30 mg	25.52	30	🗸 Rit	alin LA
Cap modified-release 40 mg		30	🗸 Rit	alin LA

### ► SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy

### ⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and

2 Either:

- 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
- 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

3 Either:

Subsidy (Manufacturer's Price)	SI	Fully ubsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

- 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
- 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia			
DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	4.34	90	<ul> <li>Donepezil-Rex</li> </ul>
* Tab 10 mg	6.64	90	<ul> <li>Donepezil-Rex</li> </ul>
RIVASTIGMINE - Special Authority see SA1488 below - Retail	pharmacy		
Patch 4.6 mg per 24 hour		30	<ul> <li>Exelon</li> </ul>
Patch 9.5 mg per 24 hour	90.00	30	<ul> <li>Exelon</li> </ul>

#### ⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

**Renewal** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

### **Treatments for Substance Dependence**

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

Tab sublingual 2 mg with naloxone 0.5 mg	57.40	28	<ul> <li>Suboxone</li> </ul>
Tab sublingual 8 mg with naloxone 2 mg	166.00	28	<ul> <li>Suboxone</li> </ul>

### ⇒SA1203 Special Authority for Subsidy

**Initial application — (Detoxification)** from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health..

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and

\*Three months or six months, as applicable, dispensed all-at-once

- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following

continued...

Subsidy	Fu	Illy Brand or	
(Manufacturer's Price)	Subsidis	ed Generic	
\$	Per	<ul> <li>Manufactu</li> </ul>	Jrer

criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

# Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE Tab modified-release 150 mg11.00 30	✓ Zyban
DISULFIRAM Tab 200 mg44.30 100	✓ Antabuse
NALTREXONE HYDROCHLORIDE – Special Authority see SA1408 below – Retail pharm Tab 50 mg112.55 30	

### ⇒SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

**Renewal** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Sul	bsidised	Generic
	\$	Per	1	Manufacturer
NICOTINE				
a) Nicotine will not be funded under the Dispensing Frequer	ncy Rule in amounts le	ess than	4 weeks	of treatment.
b) Note: may be provided by a pharmacist under the non-p	rescribing Practitioner	s provisi	ions in Pa	art III of Section A.
Patch 7 mg - Up to 28 patch available on a PSO		28		abitrol
Patch 14 mg – Up to 28 patch available on a PSO	11.31	28	🖌 Н	abitrol
Patch 21 mg - Up to 28 patch available on a PSO		28	🖌 Н	abitrol
Lozenge 1 mg - Up to 216 loz available on a PSO		216	🖌 Н	abitrol
Lozenge 2 mg – Up to 216 loz available on a PSO	14.14	216	🖌 Н	abitrol
Gum 2 mg (Fruit) – Up to 384 piece available on a PSO		384	🖌 Н	abitrol
Gum 2 mg (Mint) - Up to 384 piece available on a PSO		384	🖌 Н	abitrol
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO		384	🖌 Н	abitrol
Gum 4 mg (Mint) – Up to 384 piece available on a PSO		384	🗸 Н	abitrol
VARENICLINE TARTRATE - Special Authority see SA1575 bel	ow – Retail pharmacy			
a) Varenicline will not be funded under the Dispensing Freq	uency Rule in amount	s less th	an 2 wee	ks of treatment.
b) A maximum of 12 weeks' varenicline will be subsidised o				
Toh 1 mg	67.74		10	<b>U</b>

Tab 1 mg67.74	28	Champix
135.48	56	<ul> <li>Champix</li> </ul>
Tab 0.5 mg × 11 and 1 mg × 1460.48	25 OP	<ul> <li>Champix</li> </ul>

### ⇒SA1575 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

### All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Sub	sidised	Generic
	\$	Per	1	Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BENDAMUSTINE HYDROCHLORIDE - PCT only - Specialist -	Special Authority see	SA1667	7 below	
Inj 25 mg vial		1	🗸 R	ibomustin
Ini 100 mg vial	1,085.38	1	🗸 R	ibomustin
Inj 1 mg for ECP		1 mg	🗸 В	axter
► SA1667 Special Authority for Subsidy				
Initial application - (treatment naive CLL) only from a relevan	t specialist or medica	al practiti	oner on t	he recommendation of a
relevant specialist. Approvals valid for 12 months for applications	meeting the followin	g criteria	:	

### All of the following:

- 1 The patient has Binet stage B or C, or progressive stage A chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is chemotherapy treatment naive; and
- 3 The patient is unable to tolerate toxicity of full-dose FCR; and
- 4 Patient has ECOG performance status 0-2; and
- 5 Patient has a Cumulative Illness Rating Scale (CIRS) score of < 6; and
- 6 Bendamustine is to be administered at a maximum dose of 100 mg/m<sup>2</sup> on days 1 and 2 every 4 weeks for a maximum of 6 cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL). Chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

**Initial application — (Indolent, Low-grade lymphomas)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has indolent low grade NHL requiring treatment; and
- 2 Patient has a WHO performance status of 0-2; and
- 3 Either:
  - 3.1 Both:
    - 3.1.1 Patient is treatment naive; and
    - 3.1.2 Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+); or
  - 3.2 All of the following:
    - 3.2.1 Patient has relapsed refractory disease following prior chemotherapy; and
    - 3.2.2 The patient has not received prior bendamustine therapy; and
    - 3.2.3 Either:

3.2.3.1 Both:

- 3.2.3.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
- 3.2.3.1.2 Patient has had a rituximab treatment-free interval of 12 months or more; or
- 3.2.3.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Both:

- 1 Patients have not received a bendamustine regimen within the last 12 months; and
- 2 Either:
  - 2.1 Both:

	Subsidy		Fully	Brand or
	Subsidy (Manufacturer's Pr	rice) Subs	Fully idised	Generic
	\$	Per	1	Manufacturer
continued				
2.1.1 Bendamustine is to be administered for	a maximum of 6 cycl	les in relapsed	patien	ts (in combination with
rituximab when CD20+); and				
2.1.2 Patient has had a rituximab treatment-fr		,		
2.2 Bendamustine is to be administered as a mono				
Note: 'indolent, low-grade lymphomas' includes follicular, man	ntle cell, marginal zo	ne and lympho	plasma	acytic/ Waldenstrom's
macroglobulinaemia.				
BUSULFAN – PCT – Retail pharmacy-Specialist	90.05	100		lularan.
Tab 2 mg		100	• N	lyleran
CARBOPLATIN – PCT only – Specialist	45.07			
Inj 10 mg per ml, 5 ml vial		1		BL Carboplatin
Inj 10 mg per ml, 15 ml vial	20.00	1		Carboplatin Ebewe DBL Carboplatin
	19.50	1		arbaccord
	22.50			arboplatin Ebewe
Inj 10 mg per ml, 45 ml vial		1	-	BL Carboplatin
	48.50			arbaccord
	50.00		✓ 0	arboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ E	laxter
CARMUSTINE – PCT only – Specialist				
Inj 100 mg vial		1		BICNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ E	laxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	29.06	25	✓ L	eukeran FC
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml vial		1		BL Cisplatin
	15.00			isplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1		Sisplatin Ebewe
Inj 1 mg for ECP	22.46	1 mg		BL Cisplatin Baxter
	0.20	i iliy	• 1	JANGI
CYCLOPHOSPHAMIDE	70.00	=0		
Tab 50 mg – PCT – Retail pharmacy-Specialist		50	-	ndoxan S29
Western deimekle, een wile 0.0.0 en nore 10	158.00	100	✓ P	rocytox S29
Wastage claimable – see rule 3.3.2 on page 13 Inj 1 g vial – PCT – Retail pharmacy-Specialist	35.03	1	<b>/</b> F	ndoxan
	127.80	6		Sytoxan
Inj 2 g vial – PCT only – Specialist		1		Indoxan
Inj 1 mg for ECP – PCT only – Specialist		1 mg		laxter
IFOSFAMIDE - PCT only - Specialist		Ũ		
Inj 1 g		1	✓ H	loloxan
lnj 2 g		1	🗸 H	loloxan
Inj 1 mg for ECP	0.10	1 mg	🗸 E	laxter
LOMUSTINE – PCT – Retail pharmacy-Specialist				
Cap 10 mg		20	✓ 0	eeNU
Cap 40 mg		20	✓ 0	eeNU
MELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist	40.70	25	🗸 A	lkeran
Inj 50 mg – PCT only – Specialist	67.80	1	🗸 🗸	lkeran

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy Manufacturer's Price)	9	Fully Subsidised	
(*	\$	Per	<ul> <li>✓</li> </ul>	Manufacturer
OXALIPLATIN – PCT only – Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	~	Oxaliccord
Inj 50 mg vial	15.32	1	1	Oxaliplatin Actavis 50
	55.00		1	Oxaliplatin Ebewe
Inj 100 mg vial	25.01	1	1	Oxaliplatin Actavis 100
	110.00		1	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial	16.00	1		Oxaliccord
Inj 1 mg for ECP		1 mg	~	Baxter
THIOTEPA – PCT only – Specialist				
Inj 15 mg vial	CBS	1	1	Bedford S29
, ,			1	THIO-TEPA S29
			1	Tepadina S29
Inj 100 mg vial	CBS	1		Tepadina S29
Antimetabolites				
AZACITIDINE - PCT only - Specialist - Special Authority see SA1				
Inj 100 mg vial		1		Vidaza
Inj 1 mg for ECP	6.66	1 mg	~	Baxter

### ➡SA1467 Special Authority for Subsidy

**Initial application** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
  - 1 Any of the following:
    - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
    - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
    - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
  - 2 The patient has performance status (WHO/ECOG) grade 0-2; and
  - 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
  - 4 The patient has an estimated life expectancy of at least 3 months.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's F \$	Price) Subs Per	sidised	Generic Manufacturer
	Ψ	Fei	•	Manulaclurei
ALCIUM FOLINATE				
Tab 15 mg – PCT – Retail pharmacy-Specialist	104.26	10	~	DBL Leucovorin
				Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist		5		Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist		5	✓	Calcium Folinate
				Ebewe
Inj 100 mg – PCT only – Specialist	7.33	1	1	Calcium Folinate
				Ebewe
Inj 300 mg – PCT only – Specialist	22 51	1	1	Calcium Folinate
		•	•	Ebewe
Init a DCT only Specialist	67 51	1		
Inj 1 g – PCT only – Specialist		1	•	Calcium Folinate
				Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.06	1 mg	~	Baxter
APECITABINE – Retail pharmacy-Specialist				
Tab 150 mg	11.15	60	✓	Brinov
Tab 500 mg		120		Brinov
LADRIBINE – PCT only – Specialist				
Inj 1 mg per ml, 10 ml	5 240 72	7	1	Leustatin
				Baxter
Inj 10 mg for ECP		10 mg OP	•	Daxler
YTARABINE				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Speciali	st55.00	5	✓	Pfizer
	80.00			Hospira
Inj 500 mg – PCT – Retail pharmacy-Specialist	95.36	5	✓	Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-Spec	ialist8.83	1	✓	Pfizer
	42.65		✓	Hospira
Inj 100 mg per ml, 20 ml vial – PCT – Retail				
pharmacy-Specialist		1	1	Pfizer
	34.47		1	Hospira
Inj 1 mg for ECP – PCT only – Specialist	0.11	10 mg		Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Speciali		100 mg OP	-	Baxter
Hospira Inj 20 mg per ml, 5 ml vial to be delisted 1 January 2018				
lospira Inj 20 mg pol mi, 3 mi via to be delisted 1 bandary 2010 lospira Inj 500 mg to be delisted 1 January 2018)	/			
lospira inf 500 mg to be delisted i bandary 2010) lospira Inj 100 mg per ml, 10 ml vial to be delisted 1 January 20	18)			
lospira Inj 100 mg per ml, 10 ml vial to be delisted 1 January 20 lospira Inj 100 mg per ml, 20 ml vial to be delisted 1 January 20				
	(10)			
UDARABINE PHOSPHATE				
Tab 10 mg – PCT – Retail pharmacy-Specialist		20		Fludara Oral
Inj 50 mg vial – PCT only – Specialist		5		Fludarabine Ebewe
Inj 50 mg for ECP – PCT only – Specialist	105.00	50 mg OP	-	Baxter
LUOROURACIL				
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist		1	1	Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial – PCT only – Specialist		1	-	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial – PCT only – Specialist		1		Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.66	100 mg		Baxter
EMCITABINE HYDROCHLORIDE – PCT only – Specialist				
	60 50	4		DDI Comeltablina
Inj 1 g, 26.3 ml vial		1		DBL Gemcitabine
lnj 1 g		1		Gemcitabine Ebewe
1 : 000	349.20			Gemzar
	8.36	1	~	Gemcitabine Ebewe
Inj 200 mg				•
Inj 200 mg	78.00	1 mg	-	Gemzar Baxter

‡ safety cap

▲ Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once if endo

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy		Fully Brand or	
	(Manufacturer's Price		Subsidised Generic	
	\$	Per	<ul> <li>Manufacturer</li> </ul>	-
RINOTECAN HYDROCHLORIDE – PCT only – Specialist			_	
Inj 20 mg per ml, 2 ml vial	11.50	1	<ul> <li>Irinotecan Act</li> </ul>	avis
			40	
	41.00		<ul> <li>Camptosar</li> </ul>	
			<ul> <li>Irinotecan-Res</li> </ul>	
Inj 20 mg per ml, 5 ml vial	17.80	1	<ul> <li>Irinotecan Act</li> </ul>	avis
			100	
	100.00		<ul> <li>Camptosar</li> </ul>	
			<ul> <li>Irinotecan-Res</li> </ul>	x
Inj 1 mg for ECP	0.19	1 mg	<ul> <li>Baxter</li> </ul>	
MERCAPTOPURINE – PCT – Retail pharmacy-Specialist			_	
Tab 50 mg		25	<ul> <li>Puri-nethol</li> </ul>	
METHOTREXATE				
* Tab 2.5 mg – PCT – Retail pharmacy-Specialist	3.18	30	<ul> <li>Trexate</li> </ul>	
* Tab 10 mg – PCT – Retail pharmacy-Specialist		50	✓ Trexate	
Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	47.50	5	<ul> <li>Hospira</li> </ul>	
Inj 7.5 mg prefilled syringe	14.61	1	<ul> <li>Methotrexate</li> </ul>	
			Sandoz	
Inj 10 mg prefilled syringe	14.66	1	<ul> <li>Methotrexate</li> </ul>	
			Sandoz	
Inj 15 mg prefilled syringe	14.77	1	<ul> <li>Methotrexate</li> </ul>	
			Sandoz	
<ul> <li>Inj 20 mg prefilled syringe</li> </ul>	14.88	1	<ul> <li>Methotrexate</li> </ul>	
			Sandoz	
Inj 25 mg prefilled syringe	14.99	1	<ul> <li>Methotrexate</li> </ul>	
			Sandoz	
Inj 30 mg prefilled syringe		1	<ul> <li>Methotrexate</li> </ul>	
			Sandoz	
Inj 25 mg per ml, 2 ml vial – PCT – Retail pharmacy-Speciali	st30.00	5	<ul> <li>DBL Methotre</li> </ul>	xate
			Onco-Vial	
Inj 25 mg per ml, 20 ml vial – PCT – Retail pharmacy-Specia	alist45.00	1	<ul> <li>DBL Methotre</li> </ul>	xate
			Onco-Vial	
Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialis	t25.00	1	<ul> <li>Methotrexate</li> </ul>	Ebewe
Inj 100 mg per ml, 50 ml vial – PCT – Retail				
pharmacy-Specialist	79.99	1	<ul> <li>Methotrexate</li> </ul>	Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.06	1 mg	<ul> <li>Baxter</li> </ul>	
Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist.	4.73	5 mg OP	<ul> <li>✓ Baxter</li> </ul>	
THIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg		25	<ul> <li>Lanvis</li> </ul>	
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist				
Inj 50 mg per ml, 1.5 ml ampoule	1 500 00	6	✓ Amsidine S29	
		5	<ul> <li>✓ AmsaLyo S29</li> </ul>	
		0	· AnisaLyu-529	
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Sp				
Cap 0.5 mg	CBS	100	<ul> <li>Agrylin S29</li> </ul>	
			Teva S29	
ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 10 mg	4,817.00	10	✓ AFT \$29	

S29 Unapproved medicine supplied under Section 29 Sole Subsidised Supply

	Subsidy (Manufacturer's Price \$	) Su Per	Fully bsidised	Brand or Generic Manufacturer
BLEOMYCIN SULPHATE – PCT only – Specialist Inj 15,000 iu, vial	150.48	1	<b>~</b>	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	✓	Baxter
BORTEZOMIB – PCT only – Specialist – Special Authority see S/ Inj 3.5 mg vial Inj 1 mg for ECP	1,892.50	1 1 mg		Velcade Baxter

#### ➡SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
- 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*; and
- 2 Maximum of 9 treatment cycles.
- Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 The patient has relapsed or refractory multiple myeloma; or
  - 1.2 The patient has relapsed or refractory systemic AL amyloidosis \*; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and

2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE]	- PCT only - Specialist
----------------------------	-------------------------

\*Three months or six months, as applicable, dispensed all-at-once

Inj 10,000 iu		1	<ul> <li>Leunase</li> </ul>
Inj 10,000 iu for ECP	102.32	10,000 iu OP	<ul> <li>Baxter</li> </ul>
DACARBAZINE – PCT only – Specialist Inj 200 mg vial Inj 200 mg for ECP		1 200 mg OP	<ul> <li>✓ DBL Dacarbazine</li> <li>✓ Baxter</li> </ul>
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial		1	<ul> <li>Cosmegen</li> </ul>
Inj 0.5 mg for ECP	145.00	0.5 mg OP	✓ Baxter
DAUNORUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 10 ml Inj 20 mg for ECP		1 20 mg OP	<ul><li>✓ Pfizer</li><li>✓ Baxter</li></ul>

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	(Manulactuler's Flice) \$	Per		Manufacturer
DOCETAXEL – PCT only – Specialist				
Inj 10 mg per ml, 2 ml vial	12.40	1	✓	DBL Docetaxel
Inj 20 mg		1	✓	Docetaxel Sandoz
lnj 10 mg per ml, 8 ml vial		1	✓	DBL Docetaxel
Inj 80 mg		1	✓	Docetaxel Sandoz
Inj 1 mg for ECP		1 mg	✓	Baxter
DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial		1	1	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Doxorubicin Ebewe
, <u> </u> , <u> </u>	17.00	·	-	Arrow-Doxorubicin
Inj 50 mg vial		1		DBL Doxorubicin
		•		DBL Doxorubicin
	00.00	4		S29 S29
Inj 2 mg per ml, 50 ml vial		1		Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1		Doxorubicin Ebewe
	65.00			Arrow-Doxorubicin
Ini 1 mg for FCD	150.00	1		Adriamycin Baxter
Inj 1 mg for ECP	0.25	1 mg	v	Daxier
PIRUBICIN HYDROCHLORIDE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml vial		1		Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1	-	Epirubicin Ebewe
	39.38		•	DBL Epirubicin Hydrochloride
Inj 2 mg per ml, 50 ml vial		1	✓	Epirubicin Ebewe
	58.20		✓	DBL Epirubicin Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1	✓	Epirubicin Ebewe
	94.50	•		DBL Epirubicin Hydrochloride
Inj 1 mg for ECP	0.36	1 mg	1	Baxter
TOPOSIDE		i ing	-	Duxion
Cap 50 mg - PCT - Retail pharmacy-Specialist		20	1	Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10		Vepesid
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Spec		1	-	Rex Medical
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓	Baxter
TOPOSIDE PHOSPHATE – PCT only – Specialist				
Inj 100 mg (of etoposide base)	40.00	1	✓	Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg		Baxter
IYDROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	1	Hydrea
		100	•	nyurea
	105.00			<b>7</b>
Inj 5 mg vial – PCT only – Specialist		1		Zavedos
Inj 10 mg vial – PCT only – Specialist		1	-	Zavedos
Inj 1 mg for ECP – PCT only – Specialist		1 mg		Baxter
ENALIDOMIDE – Retail pharmacy-Specialist – Special Author Wastage claimable – see rule 3.3.2 on page 13	prity see SA1468 on the	e next p	page	
Cap 10 mg	6,207.00	21	✓	Revlimid
Cap 15 mg	7,239.18	21	✓	Revlimid
Cap 25 mg		21	1	Revlimid

168

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	lised	Generic
 \$	Per	1	Manufacturer

### ⇒SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
  - 2.1 Lenalidomide to be used as third line\* treatment for multiple myeloma; or
  - 2.2 Both:
    - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
    - 2.2.2 The patient has experienced severe (grade 3 or higher), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with \* is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

#### MESNA

		_
Tab 400 mg – PCT – Retail pharmacy-Specialist	50	<ul> <li>Uromitexan</li> </ul>
Tab 600 mg – PCT – Retail pharmacy-Specialist	50	<ul> <li>Uromitexan</li> </ul>
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist	15	<ul> <li>Uromitexan</li> </ul>
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist	15	<ul> <li>Uromitexan</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist2.69	100 mg	<ul> <li>Baxter</li> </ul>
MITOMYCIN C – PCT only – Specialist	•	
Inj 5 mg vial	1	<ul> <li>Arrow</li> </ul>
Inj 1 mg for ECP42.04	1 mg	✓ Baxter
MITOZANTRONE – PCT only – Specialist	5	
Inj 2 mg per ml, 10 ml vial	1	<ul> <li>Mitozantrone Ebewe</li> </ul>
	1 mg	✓ Baxter
Inj 1 mg for ECP5.51	i ing	• Daxlei
PACLITAXEL – PCT only – Specialist		
Inj 30 mg47.30	5	Paclitaxel Ebewe
Inj 100 mg20.00	1	<ul> <li>Paclitaxel Ebewe</li> </ul>
91.67		<ul> <li>Paclitaxel Actavis</li> </ul>
Inj 150 mg26.69	1	<ul> <li>Paclitaxel Ebewe</li> </ul>
137.50		<ul> <li>Anzatax</li> </ul>
		<ul> <li>Paclitaxel Actavis</li> </ul>
Inj 300 mg	1	Paclitaxel Ebewe
275.00		<ul> <li>Anzatax</li> </ul>
		Paclitaxel Actavis
Inj 600 mg73.06	1	Paclitaxel Ebewe
Inj 1 mg for ECP0.19	1 mg	<ul> <li>Baxter</li> </ul>
PEGASPARGASE – PCT only – Special Authority see SA1325 on the next page	5	
	1	A Openapar Coo
Inj 3,750 IU per 5 ml3,005.00	I	<ul> <li>Oncaspar S29</li> </ul>

(Manu	Subsidy facturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SA1325 Special Authority for Subsidy				
Initial application only from a relevant specialist or medical practitioner		end	ation of a r	elevant specialist.
Approvals valid for 12 months for applications meeting the following crite	eria:			
All of the following:	. and			
<ol> <li>The patient has newly diagnosed acute lymphoblastic leukaemia</li> <li>Pegaspargase to be used with a contemporary intensive multi-ac</li> </ol>		anv t	reatment r	protocol: and
3 Treatment is with curative intent.		лру	i outilioni p	
Renewal only from a relevant specialist or medical practitioner on the re	commendation	of a	relevant s	pecialist. Approvals valid
for 12 months for applications meeting the following criteria:				
All of the following:				
<ol> <li>The patient has relapsed acute lymphoblastic leukaemia; and</li> <li>Pegaspargase to be used with a contemporary intensive multi-ac</li> </ol>	ont chamathar		rootmont r	victocol: and
3 Treatment is with curative intent.		apyi	ieauneni p	
PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist				
Inj 10 mg	CBS	1	1	Nipent S29
PROCARBAZINE HYDROCHLORIDE – PCT – Retail pharmacy-Speci			•	nipent 😅
Cap 50 mg4		50	1	Natulan S29
TEMOZOLOMIDE – Special Authority see SA1616 below – Retail phar		00	•	
Cap 5 mg		5	1	Orion
		•		Temozolomide
Cap 20 mg	18.30	5	✓	Orion
				Temozolomide
				Temaccord
0	40.00	~		Temizole 20 S29
Cap 100 mg	40.20	5	•	Orion Temozolomide
Cap 140 mg	56.00	5	1	Orion
0 ° F · · · · · · · · · · · · · · · · · ·		Ŭ	-	Temozolomide
Cap 250 mg	96.80	5	✓	Orion
				Temozolomide

(Temaccord Cap 20 mg to be delisted 1 February 2018)

### ⇒SA1616 Special Authority for Subsidy

**Initial application** — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m<sup>2</sup> per day.

**Initial application** — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour\*; and

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	I Generic	
\$	Per 🗸	Manufacturer	

continued...

- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m<sup>2</sup> per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Patient has glioblastoma multiforme; and
  - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
  - 2.1 Patient has anaplastic astrocytoma\*; and
  - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
  - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE	<ul> <li>Retail pharmacy-Specialist – Special Authority see SA1124 below</li> </ul>	

Cap 50 mg	378.00	28	<ul> <li>Thalomid</li> </ul>
Cap 100 mg	756.00	28	<ul> <li>Thalomid</li> </ul>

### ⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

itner:

1 The patient has multiple myeloma; or

2 The patient has systemic AL amyloidosis\*.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with \* is an Unapproved Indication.

\*Three months or six months, as applicable, dispensed all-at-once

TRETINOIN

Cap 10 mg – PCT – Retail pharmacy-Specialist	100	<ul> <li>Vesanoid</li> </ul>
VINBLASTINE SULPHATE Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist 186.46	5	✓ Hospira
Inj 1 mg for ECP – PCT only – Specialist4.14	1 mg	<ul> <li>Baxter</li> </ul>
VINCRISTINE SULPHATE	-	
Inj 1 mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist74.52	5	<ul> <li>DBL Vincristine Sulfate</li> </ul>
Inj 1 mg per ml, 2 ml vial – PCT – Retail pharmacy-Specialist85.61	5	<ul> <li>DBL Vincristine Sulfate</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist11.30	1 mg	<ul> <li>Baxter</li> </ul>

(Manufacturer's Price) \$ 	) S Per 1 1	✓ \ ✓	Generic Manufacturer Navelbine Vinorelbine Ebewe Navelbine
42.00 40.00	Per 1 1		Navelbine Vinorelbine Ebewe
42.00 40.00	1 1	✓ \ ✓	Vinorelbine Ebewe
42.00 40.00	1 1	✓ \ ✓	Vinorelbine Ebewe
42.00 40.00	1	✓ 1	
	1	-	Navelbine
210.00		1	
		•	Vinorelbine Ebewe
0.90	1 mg	🗸 I	Baxter
	60	1	Sprycel
			Sprycel
	•••		Sprycel
	30		Sprycel

### ⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: cmlgistcoordinator@pharmac.govt.nz
Wellington	

### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^{9}$ /L, platelets >  $100 \times 10^{9}$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10<sup>9</sup>/L, platelets > 20 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</li>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per		Manufacturer
ERLOTINIB – Retail pharmacy-Specialist – Special Authority see	SA1653 below			
Tab 100 mg		30	1	Tarceva
Tab 150 mg		30	1	Tarceva
SA1653 Special Authority for Subsidy				
Initial application only from a relevant specialist or medical pract Approvals valid for 4 months for applications meeting the following All of the following:		mend	lation of a	relevant specialist.
<ol> <li>Patient has locally advanced or metastatic, unresectable, r</li> <li>There is documentation confirming that the disease expres</li> <li>Either:</li> <li>3.1 Patient is treatment naive; or</li> </ol>				
3.2 Both:				
3.2.1 The patient has discontinued gefitinib due to 3.2.2 The cancer did not progress while on gefitin				
4 Erlotinib is to be given for a maximum of 3 months.				
Renewal only from a relevant specialist or medical practitioner on for 6 months where radiological assessment (preferably including	CT scan) indicates N			
GEFITINIB – Retail pharmacy-Specialist – Special Authority see		00		
Tab 250 mg SA1654 Special Authority for Subsidy	1,700.00	30	•	Iressa
Initial application only from a relevant specialist or medical pract Approvals valid for 4 months for applications meeting the following All of the following: 1 Patient has locally advanced, or metastatic, unresectable, 2 Either:	g criteria:			
2.1 Patient is treatment naive; or				
2.2 Both:				
2.2.1 The patient has discontinued erlotinib due to 2.2.2 The cancer did not progress whilst on erloting	nib; and			
<ul><li>3 There is documentation confirming that disease expresses</li><li>4 Gefitinib is to be given for a maximum of 3 months.</li></ul>	activating mutations	s of E	GFR tyros	ine kinase; and
Renewal only from a relevant specialist or medical practitioner on for 6 months where radiological assessment (preferably including IMATINIB MESILATE				
Note: Imatinib-AFT is not a registered for the treatment of Ga imatinib mesilate (supplied by Novartis) remains fully subsidis metastatic malignant GIST, see SA1460 in Section B of the P Tab 100 mg – Special Authority see SA1460 below –	ed under Special Au	Ithorit		,
[Xpharm]	2,400.00	60	✓	Glivec
Cap 100 mg Imatinib-AFT to be Sole Supply on 1 November 2017	98.00	60	1	Imatinib-AFT
Cap 400 mg Imatinib-AFT to be Sole Supply on 1 November 2017	197.50	30	~	Imatinib-AFT
SA1460 Special Authority for Subsidy Special Authority approved by the CML/GIST Co-ordinator Notes: Application details may be obtained from PHARMAC's we sent to:	bsite <u>http://www.pha</u>	rmac	. <u>govt.nz</u> , a	nd prescriptions should be

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or	
(Manufacturer's Price	e)	Subsidised	Generic	
\$	Per	· · ·	Manufacturer	

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: cmlgistcoordinator@pharmac.govt.nz
Wellington	

### Special Authority criteria for GIST - access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

Tab 250 mg ...... 1,899.00 70 🗸 Tykerb

# ⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
  - 1.3 Lapatinib not to be given in combination with trastuzumab; and
  - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on trastuzumab; and
  - 2.4 Lapatinib not to be given in combination with trastuzumab; and
  - 2.5 Lapatinib to be discontinued at disease progression.

**Renewal — (metastatic breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 on the next page - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13		
Cap 150 mg4,680.00	120	🗸 Tasigna
Cap 200 mg6,532.00	120	🗸 Tasigna

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	1	Manufacturer	

### ⇒SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and 2 Either:

2.1 Patient has documented CML treatment failure\* with imatinib; or

2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and

- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: \*treatment failure as defined by Leukaemia Net Guidelines.

**Renewal** only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	1,334.70	30	<ul> <li>Votrient</li> </ul>
Tab 400 mg		30	<ul> <li>Votrient</li> </ul>

### ⇒SA1190 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 Both:
    - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
    - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
  - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of less than or equal to 70; or
  - 5.6 2 or more sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

\*Three months or six months, as applicable, dispensed all-at-once

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
SUNITINIB - Special Authority see SA1266 below - Retail pharm	acy			
Cap 12.5 mg	2,315.38	28	✓	Sutent
Cap 25 mg	4,630.77	28	✓	Sutent
Cap 50 mg	9,261.54	28	1	Sutent

# ➡SA1266 Special Authority for Subsidy

Initial application - (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval: or

2.4 Both:

- 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
- 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
  - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of less than or equal to 70: or
  - 5.6 2 or more sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application -- (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and

2 Fither:

- 2.1 The patient's disease has progressed following treatment with imatinib; or
- 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal - (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- - 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal - (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

120

Zytiga

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1 Any of the following:
  - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
  - 1.2 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease); or
  - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

# **Endocrine Therapy**

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 89

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable – see rule 3.3.2 on page 13

Tab 250 mg ......4,276.19

#### ⇒SA1515 Special Authority for Subsidy

**Initial application** only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
  - 4.1 All of the following:
    - 4.1.1 Patient is symptomatic; and
    - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
    - 4.1.3 Patient has ECOG performance score of 0-1; and
    - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
  - 4.2 All of the following:
    - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
    - 4.2.2 Patient has ECOG performance score of 0-2; and
    - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and

\*Three months or six months, as applicable, dispensed all-at-once

- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

### BICALUTAMIDE

Tab 50 mg	4.90	28	<ul> <li>Bicalaccord</li> </ul>
-----------	------	----	---------------------------------

	Subsidy		Fully Brand or
	(Manufacturer's Price)		Subsidised Generic
	\$	Per	r 🖌 Manufacturer
FLUTAMIDE – Retail pharmacy-Specialist			
Tab 250 mg		30	<ul> <li>Flutamide</li> </ul>
C C C C C C C C C C C C C C C C C C C			Mylan S29
	55.00	100	Flutamin
MEGESTROL ACETATE – Retail pharmacy-Specialist			
Tab 160 mg		30	Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial		5	✓ DBL Octreotide
DBL Octreotide to be Sole Supply on 1 December 2017			
Inj 100 mcg per ml, 1 ml vial		5	<ul> <li>DBL Octreotide</li> </ul>
DBL Octreotide to be Sole Supply on 1 December 2017			
Inj 500 mcg per ml, 1 ml vial		5	<ul> <li>DBL Octreotide</li> </ul>
DBL Octreotide to be Sole Supply on 1 December 2017			
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special	Authority see SA1016	belo	ow – Retail pharmacy
Inj LAR 10 mg prefilled syringe	'	1	<ul> <li>Sandostatin LAR</li> </ul>
Inj LAR 20 mg prefilled syringe		1	<ul> <li>Sandostatin LAR</li> </ul>
Inj LAR 30 mg prefilled syringe	2,951.25	1	<ul> <li>Sandostatin LAR</li> </ul>
SA1016 Special Authority for Subsidy			
nitial application — (Malignant Bowel Obstruction) from any	y relevant practitioner.	Арр	provals valid for 2 months for
applications meeting the following criteria:			
All of the following:			
1 The patient has nausea* and vomiting* due to malignant			evelopeire for at least 40 hours had
<ol> <li>Treatment with antiemetics, rehydration, antimuscarinic a failed; and</li> </ol>	igents, corticosterolas	and	analgesics for at least 48 hours has
3 Octreotide to be given at a maximum dose 1500 mcg dai	ly for up to 4 weeks		
Note: Indications marked with * are Unapproved Indications.			
Renewal — (Malignant Bowel Obstruction) from any relevant	practitioner. Approva	als va	alid for 3 months where the treatment
remains appropriate and the patient is benefiting from treatment.			
nitial application — (Acromegaly) only from a relevant specia		oner	on the recommendation of a relevant
specialist. Approvals valid for 3 months for applications meeting			
Both:			
1 The patient has acromegaly; and			
2 Any of the following:			

- 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
- 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
- 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal** — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

### Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

**Initial application** — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS			
Subsidy (Manufacturer's Price \$	Fully e) Subsidised Per ✔	Brand or Generic Manufacturer	
<ul> <li>continued</li> <li>Any of the following: <ol> <li>VIPomas and Glucagonomas - for patients who are seriously ill in order to impurgery; or</li> <li>Both: <ol> <li>Gastrinoma; and</li> <li>Either: <ol> <li>2.2.1 Patient has failed surgery; or</li> <li>2.2.2 Patient in metastatic disease after H2 antagonists (or proton puter seriously ill in order to impute seriously in order to impute series and the impute series of the impute series of</li></ol></li></ol></li></ol></li></ul>			
<ul> <li>5 Both:         <ul> <li>5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5H</li> <li>5.2 Disabling symptoms not controlled by maximal medical therapy.</li> </ul> </li> <li>Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellant funded as a Special Authority item         <ul> <li>Renewal — (Other Indications) only from a relevant specialist or medical practition specialist. Approvals valid for 2 years where the treatment remains appropriate and TAMOXIFEN CITRATE</li> <li>* Tab 10 mg</li></ul></li></ul>	eous diarrhoea an her on the recomm the patient is bene 100 4 30 4	d hypotension will not be endation of a relevant	
ANASTROZOLE * Tab 1 mg26.55	30 🖌	Aremed	

			<ul> <li>✓ Arimidex</li> <li>✓ DP-Anastrozole</li> </ul>
EXEMESTANE * Tab 25 mg14	.50	30	✓ Pfizer Exemestane
LETROZOLE * Tab 2.5 mg2	95	30	✓ Letrole

# Immunosuppressants

# Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist * Tab 25 mg	9.66	100	✓ Imuran
✤ Tab 50 mg - For azathioprine oral liquid formulation refer,			_
page 218	10.58	100	Imuran
* Inj 50 mg vial	60.00	1	✓ Imuran
MYCOPHENOLATE MOFETIL			
Tab 500 mg	25.00	50	<ul> <li>Cellcept</li> </ul>
Cap 250 mg	25.00	100	<ul> <li>Cellcept</li> </ul>
Powder for oral liq 1 g per 5 ml - Subsidy by endorsement	187.25	165 ml OP	<ul> <li>Cellcept</li> </ul>
Mycophenolate powder for oral liquid is subsidised only for	patients unal	ble to swallow ta	ablets and capsules, and when

the prescription is endorsed accordingly.

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
Fusion Proteins				
ETANERCEPT - Special Authority see SA1620 below - Retail p	harmacy			
Inj 25 mg		4	🖌 Ei	nbrel
Inj 50 mg autoinjector	1,599.96	4	🖌 Ei	nbrel
Inj 50 mg prefilled syringe	1,599.96	4	🖌 Ei	nbrel

#### ⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
  - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
  - 2.5 Both:
    - 2.5.1 Either:
      - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
      - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 2.5.2 Physician's global assessment indicating severe disease.

**Initial application** — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy		Fully	Brand or	
(Manufacturer's Price	e) 5	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
  - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
  - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
  - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: Either:

inner:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

‡ safety cap

Subsidy	Fu	lly Brand	d or
(Manufacturer's Price)	Subsidis	ed Gene	eric
\$	Per	<ul> <li>Manu</li> </ul>	ufacturer

#### continued...

**Initial application** — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
 \$	Per	✓	

continued...

- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum\*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 Either:
  - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
  - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
  - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

**Renewal** — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or

\*Three months or six months, as applicable, dispensed all-at-once

1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

continued...

\$ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Pric	e)	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal** — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal** — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	1	Manufacturer	

#### continued...

All of the following:

1 Either:

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or

\*Three months or six months, as applicable, dispensed all-at-once

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

### **Immune Modulators**

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specia Inj 50 mg per ml, 5 ml	5	🗸 ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only	Ū	
Subsidised only for bladder cancer. Inj 2-8 × 100 million CFU	 1	✓ OncoTICE

	Subsidy (Manufacturer's Price) \$	F Subsid Per	ully ised	Brand or Generic Manufacturer
Monoclonal Antibodies				
ADALIMUMAB - Special Authority see SA1621 below - Retail p	harmacy			
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	✔ Н	umira
Inj 40 mg per 0.8 ml prefilled pen	1,599.96	2	✔ Н	umiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96	2	🗸 Н	umira
➡SA1621 Special Authority for Subsidy				

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:
    - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
- 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
- 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application — (severe chronic plaque psoriasis)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:

\*Three months or six months, as applicable, dispensed all-at-once

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	idised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
  - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
  - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

5 mg per day and has done so for more than three months.

Initial application - (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and 1.2 Fither:

- 1.2.1 The patient has experienced intolerable side effects from etanercept; or
- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or

#### 2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
  - 2.5.1 Either:
    - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints: or
    - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Fither:
  - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pvoderma gangrenosum\*: and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with \* are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application - (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Pri	ce)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

1 Both:

- 1.1 Either:
  - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
  - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
  - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

**Renewal** — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal** — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

- 1.1 Applicant is a gastroenterologist; or
- 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Either:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
    - 2.1.2 CDAI score is 150 or less; or
  - 2.2 Both:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or

2.2 Both:

- 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
- 2.2.2 Either:
  - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
  - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

- Renewal (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist.
- Approvals valid for 6 months for applications meeting the following criteria:
- All of the following:
  - 1 Either:
    - 1.1 Applicant is a rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
  - 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
  - 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or

\*Three months or six months, as applicable, dispensed all-at-once

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:

continued...

\$ safety cap

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
  - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

**Renewal — (adult-onset Still's disease)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OBINUTUZUMAB - PCT only - Specialist - Special Autho	rity see SA1627 on the r	next page	
Inj 25 mg per ml, 40 ml vial		1	🗸 Gazyva
Inj 1 mg for ECP	6.21	1 mg	<ul> <li>Baxter</li> </ul>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
 \$	Per 🖌	Manufacturer

#### ⇒SA1627 Special Authority for Subsidy

**Initial application** — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and
- 4 Patient has adequate neutrophil and platelet counts\* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

\* Neutrophil greater than or equal to  $1.5 \times 10^9$ /L and platelets greater than or equal to  $75 \times 10^9$ /L.

OMALIZUMAB – Special Authority see SA1490 below – Retail pharmacy

Inj 150 mg vial		~	Xolair
-----------------	--	---	--------

### ⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month .

**Renewal** only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

1 Hospital admissions have been reduced as a result of treatment; and

\*Three months or six months, as applicable, dispensed all-at-once

- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

#### PERTUZUMAB - PCT only - Specialist - Special Authority see SA1606 on the next page

Inj 30 mg per ml,	14 ml vial	 	.00 1	Perjeta
Inj 1 mg for ECP.		 9	.82 1 mg	<ul> <li>Baxter</li> </ul>

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	✓	Manufacturer

### ⇒SA1606 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
  - 2.1 Patient is chemotherapy treatment naïve; or
  - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1655 below

Inj 100 mg per 10 ml vial		<ul> <li>Mabthera</li> </ul>
Inj 500 mg per 50 ml vial		<ul> <li>Mabthera</li> </ul>
Inj 1 mg for ECP	5.64 1 mg	<ul> <li>Baxter</li> </ul>

#### ⇒SA1655 Special Authority for Subsidy

**Initial application — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has indolent low grade NHL or hairy cell leukaemia\* with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or

2 Both:

- 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia\* requiring first-line systemic chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. \*Hairy cell leukaemia includes hairy cell leukaemia variant \*Unapproved indication.

Initial application - (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
  - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
  - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia **Initial application — (Chronic Lymphocytic Leukaemia)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
  - 3.1 The patient is chemotherapy treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
    - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient does not have chromosome 17p deletion CLL; and
- 6 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles; and
- 7 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2. **Renewal — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant

specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia\* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

\*Three months or six months, as applicable, dispensed all-at-once

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. \*Hairy cell leukaemia includes hairy cell leukaemia variant \*Unapproved indication.

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had a rituximab treatment-free interval of 36 months or more; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

#### SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater	r than 11 mg/kg ever	/ 3 weeks.	
Inj 100 mg vial	770.57	1	<ul> <li>Sylvant</li> </ul>
Inj 400 mg vial	3,082.33	1	<ul> <li>Sylvant</li> </ul>

#### ⇒SA1596 Special Authority for Subsidy

**Initial application** only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

**Renewal** only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

#### TRASTUZUMAB – PCT only – Specialist – Special Authority see SA1632 below

Inj 150 mg vial	1	<ul> <li>Herceptin</li> </ul>
Inj 440 mg vial	1	<ul> <li>Herceptin</li> </ul>
Inj 1 mg for ECP	1 mg	<ul> <li>Baxter</li> </ul>

#### ➡SA1632 Special Authority for Subsidy

**Initial application** — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

2 Either:

2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or 2.2 Both:

Subsidy		Fully	Brand or	
(Manufacturer's Pr	,	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
- 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
  - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
  - 3.2 All of the following:
    - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
    - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
    - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

**Renewal** — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
  - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

**Renewal — (early breast cancer\*)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
  - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or 3.2 Both:
    - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress whilst on lapatinib; or
- 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and 4 Either:
  - 4.1 Trastuzumab will not be given in combination with pertuzumab; or

\*Three months or six months, as applicable, dispensed all-at-once

continued...

\$ safety cap

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

#### continued...

- 4.2 All of the following:
  - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
  - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
  - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: \* For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

### Programmed Cell Death-1 (PD-1) Inhibitors

NIVOLUMAB - PCT only - Specialist - Special Authority see SA1656 below

Inj 10 mg per ml, 4 ml vial	1,051.98	1	<ul> <li>Opdivo</li> </ul>
Inj 10 mg per ml, 10 ml vial	2,629.96	1	<ul> <li>Opdivo</li> </ul>
Inj 1 mg for ECP		1 mg	<ul> <li>Baxter</li> </ul>

### ⇒SA1656 Special Authority for Subsidy

**Initial application** — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
  - 4.1 Patient has not received funded pembrolizumab; or
  - 4.2 Both:
    - 4.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
    - 4.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 5 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).
- Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version

Subsid	dy F	ully	Brand or
(Manufacture	er's Price) Subsidis	sed	Generic
\$	Per	✓	Manufacturer

continued...

1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to < 10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB - PCT only - Specialist - Special Authority see SA1657 below

Inj 50 mg vial	 1	🗸 Keytruda
Inj 1 mg for ECP	 1 mg	<ul> <li>Baxter</li> </ul>

### ► SA1657 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
  - 4.1 Patient has not received funded nivolumab; or
  - 4.2 Both:
    - 4.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
    - 4.2.2 The cancer did not progress while the patient was on nivolumab; and
- 5 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and

continued...

\$ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles). Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to < 10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

### Other Immunosuppressants

### CICLOSPORIN

Cap 25 mg Cap 50 mg	50 50	<ul><li>✓ Neoral</li><li>✓ Neoral</li></ul>
Cap 100 mg Oral liq 100 mg per ml	50 50 ml OP	<ul> <li>✓ Neoral</li> <li>✓ Neoral</li> </ul>
EVEROLIMUS – Special Authority see SA1491 below – Retail Wastage claimable – see rule 3.3.2 on page 13		
Tab 10 mg Tab 5 mg	30 30	<ul> <li>✓ Afinitor</li> <li>✓ Afinitor</li> </ul>

#### ➡SA1491 Special Authority for Subsidy

**Initial application** only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis; and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

· · · · · · · · · · · · · · · · · · ·	3,		
SIROLIMUS - Special Authority see SA0866 on the next page	- Retail pharmacy		
Tab 1 mg	749.99	100	<ul> <li>Rapamune</li> </ul>
Tab 2 mg	1,499.99	100	<ul> <li>Rapamune</li> </ul>
Oral liq 1 mg per ml		60 ml OP	<ul> <li>Rapamune</li> </ul>

(Mar	Subsidy nufacturer's Price)	Ful Subsidise	
	\$	Per •	Manufacturer

#### ► SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min: or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis: or
- HUS or TTP; or
- · Leukoencepthalopathy; or
- · Significant malignant disease

TACROLIMUS - Special Authority see SA1540 below - Retail pharmacy

Cap 0.5 mg	100	Tacrolimus Sandoz
Cap 1 mg	100	✓ Tacrolimus Sandoz
Cap 5 mg – For tacrolimus oral liquid formulation refer,		
page 218	50	<ul> <li><u>Tacrolimus Sandoz</u></li> </ul>

#### ■ SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application - (steroid-resistant nephrotic syndrome\*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome\* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
  - 2.1 The patient is an adult with SRNS: and
  - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response: and
  - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.
- Note: Indications marked with \* are Unapproved Indications
- Note: Subsidy applies for either primary or rescue therapy.

	Quitariatio		E. III.	Decad en
	Subsidy (Manufacturer's Price)	Subs	Fully	Brand or Generic
	\$	Per	✓	Manufacturer
Antiallanay Dranarationa				
Antiallergy Preparations				
Allergic Emergencies				
ICATIBANT - Special Authority see SA1558 below - Retail phar				
Inj 10 mg per ml, 3 ml prefilled syringe	2,668.00	1	✓ Fi	razyr
Initial application only from a clinical immunologist or relevant s the following criteria: Both:	pecialist. Approvals	valid for 12	2 month	s for applications meeting
1 Supply for anticipated emergency treatment of laryngeal/c angioedema (HAE) for patients with confirmed diagnosis	of C1-esterase inhibi	tor deficien	cy; and	
2 The patient has undergone product training and has agree <b>Renewal</b> from any relevant practitioner. Approvals valid for 12 m is benefiting from treatment.				
Allergy Desensitisation				
Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensiti <b>Renewal</b> only from a relevant specialist. Approvals valid for 2 ye benefiting from treatment. BEE VENOM ALLERGY TREATMENT – Special Authority see S Maintenance kit - 6 vials 120 mcg freeze dried venom, with diluent	ears where the treatm GA1367 above - Reta		cy .	priate and the patient is enomil s29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml		1 OP	🗸 A	lbev
WASP VENOM ALLERGY TREATMENT - Special Authority see		etail pharm		-
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze		1 OP	🗸 A	lbey
dried venom, with diluent		1 OP	🗸 V	enomil S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze		1 OP	🗸 A	lbey
dried venom, with diluent		1 OP	🗸 V	enomil S29
Antihistamines				
CETIRIZINE HYDROCHLORIDE				
* Tab 10 mg		100	✓ <u>Z</u>	
*+ Oral liq 1 mg per ml	2.99	200 ml	✔ Н	istaclear
CHLORPHENIRAMINE MALEATE *+ Oral liq 2 mg per 5 ml	8 06	500 ml	<b>у</b> п	istafen
*+ Ordeniq 2 mg per 0 min		500 mi	чп	13141511

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Subsi	idised Generic
	`\$	Per	<ul> <li>Manufacturer</li> </ul>
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2 02	40	
	(8.40)	10	Polaramine
	1.01	20	r olaraninio
	(5.99)	20	Polaramine
*+ Oral liq 2 mg per 5 ml		100 ml	Tolaramine
*+ Orar liq 2 mg per 5 mi		100 111	Polaramine
	(10.29)		Foldramme
FEXOFENADINE HYDROCHLORIDE			
* Tab 60 mg	4.34	20	
	(11.53)		Telfast
* Tab 120 mg	14.22	30	
	(29.81)		Telfast
	4.74	10	
	(11.53)		Telfast
LORATADINE	/		
-	1 00	100	✓ Lorafix
* Tab 10 mg		100 120 ml	
* Oral liq 1 mg per ml	2.15	120 ml	✓ Lorfast
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg	1.78	50	<ul> <li>Allersoothe</li> </ul>
* Tab 25 mg	1.99	50	✓ Allersoothe
* + Oral liq 1 mg per 1 ml	2.59	100 ml	✓ Allersoothe
* Inj 25 mg per ml, 2 ml ampoule - Up to 5 inj available on a F		5	✓ Hospira
	0.70	100 ml OP	
Oral liq 30 mg per 5 ml		100 mi OP	Vellermen Ferte
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
minaleu conticosteroius			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 50 mcg per dose		200 dose OP	✓ Qvar
Aerosol inhaler, 50 mcg per dose CFC-free	8.54	200 dose OP	✓ Beclazone 50
Aerosol inhaler, 100 mcg per dose		200 dose OP	✓ Qvar
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free		200 dose OP	✓ Beclazone 250
		200 0036 01	Declazofie 250
BUDESONIDE			
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	<ul> <li>Pulmicort</li> </ul>
			Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	<ul> <li>Pulmicort</li> </ul>
			Turbuhaler
Powder for inhalation, 400 mcg per dose		200 dose OP	✓ Pulmicort
· · · · · · · · · · · · · · · · · · ·			Turbuhaler
ELLITICASONE			
FLUTICASONE	4.00	100 daga 00	
Aerosol inhaler, 50 mcg per dose			
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Powder for inhalation, 50 mcg per dose	7.50	60 dose OP	<ul> <li>Flixotide Accuhaler</li> </ul>
Powder for inhalation, 100 mcg per dose	7.50	60 dose OP	<ul> <li>Flixotide Accuhaler</li> </ul>
Aerosol inhaler, 125 mcg per dose		120 dose OP	✓ Floair
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Aerosol inhaler, 250 mcg per dose	10.18	120 dose OP	✓ Floair
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Powder for inhalation, 250 mcg per dose		60 dose OP	<ul> <li>Flixotide Accuhaler</li> </ul>

‡ safety cap

▲ Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacture's	Price) Subsi	Fully Brand or idised Generic
(	Per	✓ Manufacturer
nhaled Long-acting Beta-adrenoceptor Agonists		
FORMOTEROL FUMARATE		
Powder for inhalation, 6 mcg per dose, breath activated	60 dose OP	
(16.90)		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose device20.64	60 dose	
(35.80)		Foradil
IDACATEROL		
Powder for inhalation 150 mcg61.00	30 dose OP	<ul> <li>Onbrez Breezhaler</li> </ul>
Powder for inhalation 300 mcg61.00	30 dose OP	<ul> <li>Onbrez Breezhaler</li> </ul>
ALMETEROL		
Aerosol inhaler CFC-free, 25 mcg per dose	120 dose OP	<ul> <li>Serevent</li> </ul>
Aerosol inhaler 25 mcg per dose	120 dose OP	✓ Meterol
Powder for inhalation, 50 mcg per dose, breath activated	60 dose OP	<ul> <li>Serevent Accuhaler</li> </ul>
Inhaled Corticosteroids with Long-Acting Beta-Adrenocept	tor Agonists	
UDESONIDE WITH EFORMOTEROL		
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg 18.23	120 dose OP	<ul> <li>Vannair</li> </ul>
Powder for inhalation 100 mcg with eformoterol fumarate 6 mcg33.74	120 dose OP	<ul> <li>Symbicort</li> </ul>
		Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg21.40	120 dose OP	🗸 Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 mcg44.08	120 dose OP	<ul> <li>Symbicort</li> </ul>
		Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate		
12 mcg – No more than 2 dose per day44.08	60 dose OP	<ul> <li>Symbicort</li> </ul>
		Turbuhaler 400/12
LUTICASONE FUROATE WITH VILANTEROL		
Powder for inhalation 100 mcg with vilanterol 25 mcg44.08	30 dose OP	<ul> <li>Breo Ellipta</li> </ul>
LUTICASONE WITH SALMETEROL		
Aerosol inhaler 50 mcg with salmeterol 25 mcg	120 dose OP	✓ RexAir
33.74		✓ Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg16.83	120 dose OP	✓ RexAir
44.08		<ul> <li>Seretide</li> </ul>
Powder for inhalation 100 mcg with salmeterol 50 mcg – No		
more than 2 dose per day33.74	60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
Powder for inhalation 250 mcg with salmeterol 50 mcg – No		
more than 2 dose per day44.08	60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
Beta-Adrenoceptor Agonists		
ALBUTAMOL		
Oral liq 400 mcg per ml2.06	150 ml	<ul> <li>Ventolin</li> </ul>
Infusion 1 mg per ml, 5 ml118.38	10	
(130.21)		Ventolin
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO 12.90	5	<ul> <li>Ventolin</li> </ul>

	Subsidy (Manufacturer's	Price) Subsi	Fully Brand or dised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO		200 dose OP	<ul> <li>Respigen</li> </ul>
	(6.00)		<ul> <li>SalAir</li> <li>Ventolin</li> </ul>
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO	)	20	✓ Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO		20	✓ Asthalin
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	<ul> <li>Bricanyl Turbuhaler</li> </ul>
Anticholinergic Agents			
IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dos available on a PSO		200 dose OP	✓ Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 ne available on a PSO		20	✓ Univent
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 ne available on a PSO		20	✓ <u>Univent</u>
Inhaled Beta-Adrenoceptor Agonists with Antic	holinergic A	Agents	
SALBUTAMOL WITH IPRATROPIUM BROMIDE			
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg p dose CFC-free		200 dose OP	<ul> <li>Duolin HFA</li> </ul>
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSC	)3.59	20	✓ <u>Duolin</u>
Long-Acting Muscarinic Antagonists			
GLYCOPYRRONIUM – Subsidy by endorsement a) Inhaled glycopyrronium treatment will not be subsidised i umeclidinium.	•	Ū	
<li>b) Glycopyrronium powder for inhalation 50 mcg per dose is having COPD using spirometry, and the prescription is en Powder for inhalation 50 mcg per dose</li>	ndorsed accordi		<ul> <li>Seebri Breezhaler</li> </ul>
TIOTROPIUM BROMIDE – Special Authority see SA1568 below Tiotropium treatment will not be subsidised if patient is also r umeclidinium.	– Retail pharm		ed inhaled glycopyrronium or
Powder for inhalation, 18 mcg per dose Soln for inhalation 2.5 mcg per dose		30 dose 60 dose OP	<ul> <li>✓ Spiriva</li> <li>✓ Spiriva Respimat</li> </ul>
SA1568 Special Authority for Subsidy Initial application only from a general practitioner or relevant sp following criteria:	ecialist. Approv	vals valid for 2 ye	ears for applications meeting the

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 µg ipratropium a.i.d for one month: and
- 3 Either:
  - The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:
  - 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
  - 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:
  - Applicant must state recent measurement of:
  - 4.1 Actual FEV, (litres); and
  - 4.2 Predicted FEV, (litres); and
  - 4.3 Actual FEV, as a % of predicted (must be below 60%); and
- 5 Fither:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.
- Powder for inhalation 62.5 mcg per dose ......61.50 30 dose OP ✓ Incruse Ellipta

### Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

### SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).
- GLYCOPYRRONIUM WITH INDACATEROL Special Authority see SA1584 above Retail pharmacy ✓ Ultibro Breezhaler Powder for Inhalation 50 mcg with indacaterol 110 mcg......81.00 30 dose OP
- TIOTROPIUM BROMIDE WITH OLODATEROL Special Authority see SA1584 above Retail pharmacy

	Subsidy (Manufacturer's Price) \$	) Subs Per	Fully Brand or sidised Generic ✔ Manufacture	er
UMECLIDINIUM WITH VILANTEROL – Special Authority see S/ Powder for inhalation 62.5 mcg with vilanterol 25 mcg		u <mark>s page</mark> – F dose OP	Retail pharmacy	1
Antifibrotics				
PIRFENIDONE - Retail pharmacy-Specialist - Special Authority	see SA1628 below			
Cap 267 mg – Wastage claimable – see rule 3.3.2 on	/		<b>4 -</b> • • • •	
page 13	3,645.00	270	<ul> <li>Esbriet</li> </ul>	
SA1628 Special Authority for Subsidy Initial application — (idiopathic pulmonary fibrosis) only from applications meeting the following criteria: All of the following:				onths for
<ol> <li>Patient has been diagnosed with idiopathic pulmonary fibr</li> <li>Forced vital capacity is between 50% and 80% predicted;</li> <li>Pirfenidone is to be discontinued at disease progression (</li> </ol>	and	y histology,	CT or biopsy; and	
Renewal — (idiopathic pulmonary fibrosis) only from a respiration on the following criteria: Both:	,	provals vali	d for 12 months for	applications
1 Treatment remains clinically appropriate and patient is be		erating trea	atment; and	
2 Pirfenidone is to be discontinued at disease progression (				
Note: disease progression is defined as a decline in percent pre-	dicted FVC of 10% o	or more with	nin any 12 month pe	riod.
Leukotriene Receptor Antagonists				
MONTELUKAST – Special Authority see SA1421 below – Retail Prescribing Guideline: Clinical evidence indicates that the ef used in short treatment courses.		elukast is s	trongest when mont	elukast is
Tab 4 mg	5.25	28	✓ Apo-Montelu	
Tab 5 mg		28 28	<ul> <li>✓ <u>Apo-Montelu</u></li> <li>✓ Apo-Montelu</li> </ul>	
Tab 10 mg		20	<ul> <li>Apo-monteiu</li> </ul>	inasi
⇒SA1421 Special Authority for Subsidy Initial application — (Pre-school wheeze) from any relevant pr the following criteria: Both:	ractitioner. Approva	ls valid for	1 year for applicatio	ns meeting

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

	0,		Fully Drand or	
	Subsidy (Manufacturer's I \$	Price) Subs Per	Fully Brand or idised Generic Manufacturer	
<ul> <li>continued</li> <li>All of the following: <ol> <li>Patient is undergoing aspirin desensitisation th</li> <li>Patient has moderate to severe aspirin-exacert</li> <li>Nasal polyposis, confirmed radiologically or sur</li> <li>Documented aspirin or NSAID allergy confirme NSAID where challenge would be considered or</li> </ol></li></ul>	pated respiratory disease o gically; and d by aspirin challenge or a	r Samter's triad	; and	
Mast Cell Stabilisers				
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free SODIUM CROMOGLYCATE		112 dose OP	✓ Tilade	
Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free		50 dose 112 dose OP 018)	<ul><li>✓ Intal Spincaps</li><li>✓ Intal Forte CFC F</li></ul>	ree
Methylxanthines				
AMINOPHYLLINE				
<ul> <li>Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj ava PSO</li> <li>DBL Aminophylline to be Sole Supply on 1 De</li> </ul>		5	✓ DBL Aminophyll	ine
	01 51	100	✓ Nuelin-SR	
<ul> <li>* Tab long-acting 250 mg</li> <li>*‡ Oral liq 80 mg per 15 ml</li> </ul>		500 ml	<ul><li>✓ Nuelin</li><li>✓ Nuelin</li></ul>	
Mucolytics				
DORNASE ALFA – Special Authority see SA0611 bel Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	<ul> <li>Pulmozyme</li> </ul>	
► SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Advi Notes: Application details may be obtained from PHA	,	v.pharmac.govt	. <u>nz</u> or:	
The Co-ordinator, Cystic Fibrosis Advisory Panel	Phone: (04) 460 4990			
PHARMAC, PO Box 10 254 Wellington	Facsimile: (04) 916 7571 Email: CFPanel@pharma			
Prescriptions for patients approved for treatment must			ediatricians who have ex	kperience
and expertise in treating cystic fibrosis.				
SODIUM CHLORIDE Not funded for use as a nasal drop.				
Soln 7%	23.50	90 ml OP	<ul> <li>Biomed</li> </ul>	

Soln 7%	23 50	90 ml OP	🖌 Bi
JOIIT 7 /8	20.00	30 111 01	• 01

	Subsidy (Manufacturer's	Prico) Subc	Fully Brand or idised Generic
	(Manulacturers	Per	Manufacturer
Nasal Preparations			
Allergy Prophylactics			
ECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(5.26)		Alanase
Metered aqueous nasal spray, 100 mcg per dose	2.46 (6.00)	200 dose OP	Alanase
	(0.00)		Aldilase
UDESONIDE Metered aqueous nasal spray, 50 mcg per dose	2 35	200 dose OP	
melered aqueous hasar spray, oo meg per dose	(5.26)	200 0036 01	Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	Dulatori riquotuo
	(6.00)		Butacort Aqueous
LUTICASONE PROPIONATE	. ,		
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	<ul> <li>Flixonase Hayfever</li> </ul>
			& Allergy
RATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	4.61	15 ml OP	<ul> <li>Univent</li> </ul>
Univent to be Sole Supply on 1 November 2017			
Respiratory Devices			
ASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			_
Small	2.20	1	<ul> <li><u>e-chamber Mask</u></li> </ul>
EAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO	0.54		
Low range	9.54	1	<ul> <li>Mini-Wright AFS Low Range</li> </ul>
Normal range	9 54	1	✓ Mini-Wright
Normai range		I	Standard
PACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
220 ml (single patient)		1	<ul> <li><u>e-chamber Turbo</u></li> </ul>
510 ml (single patient)	5.12	1	✓ e-chamber La
900 ml	0.50	4	Grande
800 ml		1	<ul> <li>Volumatic</li> </ul>
Respiratory Stimulants			
AFFEINE CITRATE Oral liq 20 mg per ml (10 mg base per ml)	44.05		Diamod
Ural lig 20 mg per ml (10 mg base per ml)		25 ml OP	<ul> <li>Biomed</li> </ul>

‡ safety cap

	Subsidy		Fully Brand or
	(Manufacturer's Pr	rice) Subs	sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BE	ENZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer Stands		ge 221	
Ear drops 2% with 1, 2-Propanediol diacetate 3% and			
benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	<ul> <li>Locacorten-Viaform ED's</li> </ul>
			<ul> <li>Locorten-Vioform</li> </ul>
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTAT	IN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	<ul> <li>Kenacomb</li> </ul>
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and			
gramicidin 50 mcg per ml	4.50	8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%		8 ml OP	
	(8.65)		Soframycin
Eye Preparations			
Eye preparations are only funded for use in the eye, unless expli	citly stated otherw	vise	
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%	14.92	4.5 g OP	✓ ViruPOS
CHLORAMPHENICOL			
Eye oint 1%		4 g OP	✓ Chlorsig
Eye drops 0.5%	0.98	10 ml OP	<ul> <li>Chlorafast</li> </ul>
Funded for use in the ear*.			
Indications marked with * are Unapproved Indications.			
CIPROFLOXACIN Eye Drops 0.3% – Subsidy by endorsement	10 / 2	5 ml OP	<ul> <li>Ciloxan</li> </ul>
When prescribed for the treatment of bacterial keratitis of			
for the second line treatment of chronic suppurative otiti			•
Note: Indication marked with a * is an Unapproved Indic			
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	<ul> <li>Fucithalmic</li> </ul>
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	<ul> <li>Genoptic</li> </ul>
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%	2.97	10 ml OP	
	(7.99)		Brolene

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully Brand or sidised Generic Manufacturer
OBRAMYCIN			
Eye oint 0.3%		3.5 g OP	<ul> <li>Tobrex</li> </ul>
Eye drops 0.3%	11.48	5 ml OP	<ul> <li>Tobrex</li> </ul>
Corticosteroids and Other Anti-Inflammatory	Preparations		
EXAMETHASONE			
Eye oint 0.1%	5.86	3.5 g OP	<ul> <li>Maxidex</li> </ul>
Eye drops 0.1%	4.50	5 ml OP	<ul> <li>Maxidex</li> </ul>
EXAMETHASONE WITH NEOMYCIN SULPHATE AND PC	LYMYXIN B SULPH	HATE	
Eye oint 0.1% with neomycin sulphate 0.35% and polymy	vxin b		
sulphate 6,000 u per g	5.39	3.5 g OP	<ul> <li>Maxitrol</li> </ul>
Eye drops 0.1% with neomycin sulphate 0.35% and polyr	nyxin		
b sulphate 6,000 u per ml	4.50	5 ml OP	<ul> <li>Maxitrol</li> </ul>
ICLOFENAC SODIUM			
Eye drops 0.1%		5 ml OP	<ul> <li>Voltaren Ophtha</li> </ul>
LUOROMETHOLONE			
Eye drops 0.1%		5 ml OP	✓ FML
EVOCABASTINE			
Eye drops 0.5 mg per ml	8 71	4 ml OP	
	(10.34)		Livostin
DOXAMIDE	(1000)		
Eye drops 0.1%	8.71	10 ml OP	Lomide
REDNISOLONE ACETATE			
REDNISOLONE AGETATE Eye drops 1%	3.03	10 ml OP	Prednisolone-AFT
Lye ulops 1 /0	7.00	5 ml OP	<ul> <li>Pred Forte</li> </ul>
REDNISOLONE SODIUM PHOSPHATE – Special Authorit			Minims
Eye drops 0.5%, single dose (preservative free)		20 dose	Prednisolone

**Initial application** only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

1 Patient has severe inflammation; and

2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Eye drops 2%0.85	5 ml OP	✓ <u>Rexacrom</u>
------------------	---------	-------------------

# **Glaucoma Preparations - Beta Blockers**

\*Three months or six months, as applicable, dispensed all-at-once

BETAXOLOL	5 100	
* Eye drops 0.25%	5 ml OP 5 ml OP	<ul> <li>Betoptic S</li> <li>Betoptic</li> </ul>
* Eye drops 0.5%7.50	5 MI OP	• Betoptic
LEVOBUNOLOL		<b>4 •</b> •
* Eye drops 0.5%	5 ml OP	<ul> <li>Betagan</li> </ul>

if endorsed "certified exemption" by the prescriber or pharmacist.

SENSORY ORGANS

	Subsidy (Manufacturer's F		Fully Brand or idised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
TIMOLOL * Eye drops 0.25%	1.43	5 ml OP	<ul> <li>Arrow-Timolol</li> </ul>
<ul> <li># Eye drops 0.25%, gel forming</li> </ul>		2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%		5 ml OP	<ul> <li>Arrow-Timolol</li> </ul>
<ul> <li>Eye drops 0.5%, gel forming</li> </ul>	3.78	2.5 ml OP	<ul> <li><u>Timoptol XE</u></li> </ul>
Glaucoma Preparations - Carbonic Anhydrase I	nhibitors		
ACETAZOLAMIDE			
Tab 250 mg – For acetazolamide oral liquid formulation refe			<b>6</b> - 1
page 218	17.03	100	Diamox
BRINZOLAMIDE ₩ Eye drops 1%	0 77	5 ml OP	<ul> <li>Azopt</li> </ul>
DORZOLAMIDE HYDROCHLORIDE		5 mi OP	
K Eye drops 2%	9.77	5 ml OP	
,	(17.44)		Trusopt
OORZOLAMIDE WITH TIMOLOL			
₭ Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ Arrow-Dortim
Glaucoma Preparations - Prostaglandin Analog	ues		
BIMATOPROST			_
¥ Eye drops 0.03%	3.65	3 ml OP	<ul> <li>Bimatoprost Actavis</li> </ul>
	1 50		
₭ Eye drops 0.005%	1.50	2.5 ml OP	<ul> <li><u>Hysite</u></li> </ul>
"RAVOPROST ₭ Eye drops 0.004%		2.5 ml OP	<ul> <li>Travatan</li> </ul>
Glaucoma Preparations - Other			
•			
BRIMONIDINE TARTRATE ¥ Eye drops 0.2%	4.32	5 ml OP	Arrow-Brimonidine
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE			
<ul> <li>Eye drops 0.2% with timolol maleate 0.5%</li> </ul>		5 ml OP	<ul> <li>Combigan</li> </ul>
		-	•
₭ Eye drops 1%		15 ml OP	<ul> <li>Isopto Carpine</li> </ul>
₭ Eye drops 2%		15 ml OP	<ul> <li>Isopto Carpine</li> </ul>
Eye drops 4% Subsidised for oral use pursuant to the Standard Formul		15 ml OP	<ul> <li>Isopto Carpine</li> </ul>
<ul> <li>Eye drops 2% single dose – Special Authority see SA0895</li> </ul>	uu.		
below – Retail pharmacy		20 dose	<ul> <li>Minims Pilocarpine</li> </ul>
■ SA0895 Special Authority for Subsidy			

SA0895 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### SENSORY ORGANS

	Subsidy (Manufacturer's P \$	rice) Subs Per	Fully Brand or idised Generic ✓ Manufacturer	
Mydriatics and Cycloplegics				
ATROPINE SULPHATE	17.36	15 ml OP	✓ <u>Atropt</u>	
₭ Eye drops 1% IROPICAMIDE	8.76	15 ml OP	<ul> <li>Cyclogyl</li> </ul>	
<ul> <li>₭ Eye drops 0.5%</li> <li>₭ Eye drops 1%</li> </ul>		15 ml OP 15 ml OP	<ul> <li>Mydriacyl</li> <li>Mydriacyl</li> </ul>	
Preparations for Tear Deficiency				
For acetylcysteine eye drops refer Standard Formulae, page 2: HYPROMELLOSE	21			
₭ Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt	
HYPROMELLOSE WITH DEXTRAN ₭ Eye drops 0.3% with dextran 0.1% POLYVINYL ALCOHOL	2.30	15 ml OP	✓ Poly-Tears	
<ul> <li>✗ Eye drops 1.4%</li> <li>✗ Eye drops 3%</li> </ul>		15 ml OP 15 ml OP	✓ <u>Vistil</u> ✓ <u>Vistil Forte</u>	
Preservative Free Ocular Lubricants				
<ul> <li>SA1388 Special Authority for Subsidy         <ul> <li>nitial application from any relevant practitioner. Approvals visoth:</li> <li>1 Confirmed diagnosis by slit lamp of severe secretory dr</li></ul></li></ul>	y eye; and daily on a regular b	asis; or	meeting the following criter	'ia:
Renewal from any relevant practitioner. Approvals valid for 24 drops and has benefited from treatment.			ues to require lubricating eye	е
CARBOMER – Special Authority see SA1388 above – Retail p Ophthalmic gel 0.3%, 0.5 g		30	<ul> <li>Poly-Gel</li> </ul>	
ACROGOL 400 AND PROPYLENE GLYCOL – Special Auth Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	nority see SA1388 a	above – Retail 24	•	
Systane Unit Dose Ultra Eye drops 0.4% and propylene glyco SODIUM HYALURONATE [HYALURONIC ACID] – Special Au Eye drops 1 mg per ml Hylo-Fresh has a 6 month expiry after opening. The F month is not relevant and therefore only the prescribe	uthority see <mark>SA1388</mark> 22.00 Pharmacy Procedur	3 above – Reta 10 ml OP es Manual res	il pharmacy Hylo-Fresh triction allowing one bottle p	ber
Other Eye Preparations				
		15 ml OD	- Nonhoon Forto	

‡ safety cap

▲ Three months supply may be dispensed at one time

\*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

# SENSORY ORGANS

	Subsidy (Manufacturer's Price)		Fully sidised	Brand or Generic
	\$	Per	1	Manufacturer
OLOPATADINE				
Eye drops 0.1%	13.60	5 ml OP	🗸 P	atanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN				
* Eye oint with soft white paraffin	3.63	3.5 g OP	🗸 R	lefresh Night Time
PARAFFIN LIQUID WITH WOOL FAT				
* Eye oint 3% with wool fat 3%	3.63	3.5 g OP	🗸 P	oly-Visc
RETINOL PALMITATE				
Eye oint 138 mcg per g	3.80	5 g OP	🗸 V	/itA-POS

VARIOUS

	Subsidy (Manufacturer's P	rice) Subs	Fully Brand or sidised Generic
	(Manulacturer 3 1	Per	<ul> <li>Manufacturer</li> </ul>
Various			
PHARMACY SERVICES			
May only be claimed once per patient.			
* Brand switch fee	4.50	1 fee	✓ BSF
			Apo-Leflunomide
			<ul> <li>BSF Enlafax XR</li> </ul>
a) The Pharmacode for BSF Apo-Leflunomide is 252			
b) The Pharmacode for BSF Enlafax XR is 2527022			
BSF Apo-Leflunomide Brand switch fee to be delisted 1 Dece	,		
BSF Enlafax XR Brand switch fee to be delisted 1 December	2017)		
Agents Used in the Treatment of Poisonings			
Antidotes			
CETYLCYSTEINE – Retail pharmacy-Specialist			
Inj 200 mg per ml, 10 ml ampoule	78.34	10	<ul> <li>DBL Acetylcysteine</li> </ul>
IALOXONE HYDROCHLORIDE			
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
<ul> <li>Inj 400 mcg per ml, 1 ml ampoule</li> </ul>		5	<ul> <li>Hospira</li> </ul>
Removal and Elimination			-
CHARCOAL			
₭ Oral liq 50 g per 250 ml		250 ml OP	Carbosorb-X
a) Up to 250 ml available on a PSO			
b) Only on a PSO			
DEFERASIROX - Special Authority see SA1492 below - Ret	ail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 125 mg dispersible	276.00	28	<ul> <li>Exjade</li> </ul>
Tab 250 mg dispersible		28	<ul> <li>Exjade</li> </ul>
Tab 500 mg dispersible	1,105.00	28	<ul> <li>Exjade</li> </ul>
SA1492 Special Authority for Subsidy			
nitial application only from a haematologist. Approvals valid	d for 2 years for appl	ications meeti	ng the following criteria:
Il of the following:			
1 The patient has been diagnosed with chronic iron over	•		aemia; and
<ul><li>2 Deferasirox is to be given at a daily dose not exceeding</li><li>3 Any of the following:</li></ul>	g 40 mg/kg/day; and		
, ,	farinrana manathara	nu ar dafarinru	and deeferrievemine
3.1 Treatment with maximum tolerated doses of de combination therapy have proven ineffective as			
3.2 Treatment with deferiprone has resulted in seve			
3.3 Treatment with deferiprone has resulted in arth			-,
3.4 Treatment with deferiprone is contraindicated d		ranulocytosis (	defined as an absolute neutro
count (ANC) of < 0.5 cells per $\mu$ L) or recurrent e	, ,		
0.5 - 1.0 cells per μL).			
ensuel only from a base stale sist. Approvale valid for Que	ana fan analiaatiana n	المكرم مالديم منادم م	lass dua as and tanda s

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria:

continued...

‡ safety cap

	Subsidy (Manufacturer's F \$	rice) Si Per	Fully ubsidised	Brand or Generic Manufacturer
continued				
Either: 1 For the first renewal following 2 years of therapy, the t	reatment has been t	oloratod and	hae roeu	Ited in clinical
improvement in all three parameters namely serum fe				
<ol> <li>For subsequent renewals, the treatment has been tole in all three parameters namely serum ferritin, cardiac l</li> </ol>	rated and has result	ed in clinica	l stability o	,
DEFERIPRONE – Special Authority see SA1480 below – Re			•	
Tab 500 mg		100	🖌 F	erriprox
Oral liq 100 mg per 1 ml		250 ml OF	° <b>√</b> F	erriprox
SA1480 Special Authority for Subsidy				
nitial application only from a haematologist. Approvals vali ollowing criteria:	d without further ren	ewal unless	notified fo	or applications meeting the
Either:				
<ol> <li>The patient has been diagnosed with chronic iron over</li> <li>The patient has been diagnosed with chronic iron over</li> </ol>	•			or
	noau que lo acquire	a reu ceir api	18518.	
	51 50	10		) a a fa «a l
* Inj 500 mg vial		10	ΥĽ	Desferal
	50.01	0		
Inj 200 mg per ml, 5 ml	(156.71)	6	C	Calcium Disodium
	(150.71)			

Versenate

VARIOUS

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- · Emulsifying ointment BP
- · Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

#### **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored. The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

#### Pharmaceuticals with standardised formula for compounding in Ora products

- Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml Carvedilol 1 mg/ml Clopidogrel 5 mg/ml Diltiazem hydrochloride 12 mg/ml Dipyridamole 10 mg/ml Domperidone 1 mg/ml Enalapril 1 mg/ml
- Flecainide 20 mg/ml Gabapentin 100 mg/ml Hydrocortisone 1 mg/ml Labetolol 10 mg/ml Levetiracetam 100 mg/ml Levodopa with carbidopa (5 mg levodopa + 1.25 mg carbidopa)/ml Metoclopramide 1 mg/ml Metoprolol tartrate 10 mg/ml Nitrofurantoin 10 mg/ml Pyrazinamide 100 mg/ml
- Rifabutin 20 mg/ml Sildenafil 2 mg/ml Sotalol 5 mg/ml Sulphasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml Tramadol 10 mg/ml Ursodeoxycholic acid 50 mg/ml Valganciclovir 60 mg/ml\* Verapamil hydrochloride 50 mg/ml

qs

\*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical iudgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- · Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.


#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 217) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products). One or more dermatological galenicals may be added to a dermatological base (including proprietary, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid. The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised. The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.



# **Standard Formulae**

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs	PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg Chloroform	12 tabs to 100 ml	PHENOBARBITONE SODIUM PAEDIATRIC ORAL mg per ml) Phenobarbitone Sodium	
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Codeine phosphate Glycerol Preservative	60 mg 40 ml qs	Glycerol BP Water PILOCARPINE ORAL LIQUID	4 ml to 40 ml
Water CODEINE LINCTUS DIABETIC (15 mg per 5 ml)	to 100 ml	Pilocarpine 4% eye drops Preservative Water	qs qs to 500 ml
Codeine phosphate Glycerol Preservative	300 mg 40 ml qs	(Preservative should be used if quantity supplied is than 5 days.)	
Water	to 100 ml	SALIVA SUBSTITUTE FORMULA Methylcellulose	5 g
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water	1 tab qs to 500 ml	Preservative Water (Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	qs to 500 ml for more
(Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	for more	SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml	qs
MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% Methyl hydroxybenzoate	275 g 1.5 g	Water (Only funded if prescribed for treatment of hyponatra	qs
Water	to 1,000 m	I VANCOMYCIN ORAL SOLUTION (50 mg per ml) Vancomycin 500 mg injection	10 vials
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml	Glycerol BP Water (Only funded if prescribed for treatment of Clostridiu following metronidazole failure)	40 ml to 100 ml m difficile
METHYL HYDROXYBENZOATE 10% SOLUTION Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of oral liqu	10 g to 100 ml iid mixture)	VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml
OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml		

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pr		sidised	Generic
	\$	Per		Manufacturer
Extemporaneously Compounded Preparations a	and Galenica	IS		
BENZOIN	04.40	500 ml		
Tincture compound BP		500 ml	_	
	(39.90)		F	Pharmacy Health
	2.44	50 ml		
	(5.10)		F	Pharmacy Health
CHLOROFORM – Only in combination				
Only in aspirin and chloroform application.				
Chloroform BP	25 50	500 ml		PSM
			• •	-21/1
CODEINE PHOSPHATE - Safety medicine; prescriber may dete	ermine dispensing	frequency		
Powder – Only in combination	63.09	25 g		
	(90.09)	•	[	Douglas
a) Only in extemporaneously compounded codeine lincl	· /	deine linctus r		•
b)‡ Safety cap for extemporaneously compounded oral I			Jucului	no.
	iquiu preparation	5.		
COLLODION FLEXIBLE				
Collodion flexible		100 ml	🗸 I	PSM
COMPOUND HYDROXYBENZOATE - Only in combination				
Only in extemporaneously compounded oral mixtures.				
Soln	20.00	100 ml		Midwest
5011		100 ml		
	34.18		¥ 1	David Craig
GLYCERIN WITH SODIUM SACCHARIN - Only in combination				
Only in combination with Ora-Plus.				
Suspension	32.50	473 ml	1	Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination				
Only in combination with Ora-Plus.				
Suspension		473 ml	✓ (	Dra-Sweet
GLYCEROL				
* Liquid – Only in combination	3.28	500 ml	✓ ł	nealthE Glycerol BP
Only in extemporaneously compounded oral liquid prepa		000 111		iounine onyconor Br
MAGNESIUM HYDROXIDE				
Paste 29%	22.61	500 g	✓ I	PSM
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fre	equency			fame and table
d) Extemporaneously compounded methadone will only be i	reimbursed at the	rate of the cr	ieapest	form available
(methadone powder, not methadone tablets).				
Powder		1 g	✓	AFT
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.			
METHYL HYDROXYBENZOATE				
Powder	8 00	25 g	<b>~</b> 1	PSM
1 011401	8.98	-0 y		Vidwest
	0.90		• 1	mawcal
METHYLCELLULOSE				
Powder		100 g	✓ I	MidWest
Suspension – Only in combination		473 ml	✓ (	Dra-Plus
		ombination		
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCH. Suspension	ARIN – Only in c	ombination 473 ml		Dra-Blend SF

222

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e)	Subsidised	
	\$	Per	1	Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl	y in combination			
Suspension		473 m	I 🖌	Ora-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination		10 g	✓	MidWest
	325.00	100 g	✓	MidWest
a) Only in children up to 12 years		-		
b)‡ Safety cap for extemporaneously compounded oral I	iquid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz	oate 10% solution.			
Liq		500 m	✓	Midwest
SODIUM BICARBONATE				
Powder BP – Only in combination		500 q	✓	Midwest
	9.80	0		
	(29.50)			David Craig
Only in extemporaneously compounded omeprazole and	l lansoprazole susp	ension.		-
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparatic	ons.			
Liq		2,000 n	nl 🗸	Midwest
WATER				
Tap – Only in combination	0.00	1 ml	1	Tap water

# **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

 Initial Applications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner.

 Reapplications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioners.

 Weight of the system of the dietitian, relevant specialist or vocationally registered general practitioner.
 Other general practitioners or the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner.

 Other general practitioner and the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.
 Other general practitioner or vocationally registered general practitioner.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

## Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition.

(Manufacturer's Price)

Per

Subsidy

\$

Fully Subsidised

Generic Manufacturer

Brand or

# **Nutrient Modules**

Carbohydrate

#### ■SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Fither:

- 1 cvstic fibrosis: or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia: or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism: or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment: and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3] Powder 5.29 400 a OP Polvcal

## **Carbohydrate And Fat**

#### ■SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
φ	Per	•	Manufacturer	

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or
  - 2.2 faltering growth; or
  - 2.3 bronchopulmonary dysplasia; or
  - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SU	JPPLEMENT - Special Autho	rity see SA1376 on	the previous page	ge -	Hospital pharmacy [HP3]
Powder (neutral)			400 g OP	1	Duocal Super
			-		Soluble Powder

## Fat

## ⇒SA1523 Special Authority for Subsidy

**Initial application** — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

**Initial application — (Indications other than inborn errors of metabolism)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

- 10 ascites; or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)		200 ml OP	✓ Calogen
	30.75	500 ml OP	<ul> <li>Calogen</li> </ul>
Emulsion (strawberry)		200 ml OP	<ul> <li>Calogen</li> </ul>
Oil		500 ml OP	<ul> <li>MCT oil (Nutricia)</li> </ul>
Oil, 250 ml		4 OP	<ul> <li>Liquigen</li> </ul>

## Protein

#### ⇒SA1524 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	armacy [HP3]	PROTEIN SUPPLEMENT - Special Authority see SA1524 above - Hospital ph
<ul> <li>Protif</li> </ul>	225 g OP	Powder
🖌 Resou	227 g OP	8.95
Dem	•	

Protifar
 Resource
 Beneprotein

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	1	Manufacture

# Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

## **Respiratory Products**

## ⇒SA1094 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA	A1094 above – Hospi	tal pharmacy [H	HP3]
Liquid	1.66	237 ml OP	<ul> <li>Pulmocare</li> </ul>

## **Diabetic Products**

## ➡SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA10 Liquid		- Hospital pharm 1,000 ml OP	acy [HP3] ✓ Diason RTH ✓ Glucerna Select RTH
DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 a	bove – Hos	spital pharmacy	[HP3]
Liquid (strawberry)	1.50	200 ml OP	<ul> <li>Diasip</li> </ul>
Liquid (vanilla)	1.50	200 ml OP	<ul> <li>Diasip</li> </ul>
	1.88	250 ml OP	<ul> <li>Glucerna Select</li> </ul>
	1.78	237 ml OP	
	(2.10)		Resource Diabetic
	(2.10)		Sustagen Diabetic

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

## **Fat Modified Products**

#### ⇒SA1525 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED – Special Authority see SA1525 above – I	Hospital pharma	icy [HP3]	
Powder	60.48	400 g OP	<ul> <li>Monogen</li> </ul>

## Paediatric Products For Children Awaiting Liver Transplant

#### ⇒SA1098 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

## Paediatric Products For Children With Chronic Renal Failure

#### ⇒SA1099 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	\$	Per ✓	Manufacturer
ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1 Liquid		age – Hospital p 0 g OP  ✔ I	

## **Paediatric Products**

## ⇒SA1379 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
  - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
  - 2.2 any condition causing malabsorption; or
  - 2.3 faltering growth in an infant/child; or
  - 2.4 increased nutritional requirements; or
  - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority Liquid		ove – Hospital p 500 ml OP	harmacy [HP3] ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority s Liquid		e – Hospital pha 500 ml OP	armacy [HP3] ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Spi Liquid		e SA1379 abov 500 ml OP	e – Hospital pharmacy [HP3] ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED – Special Authority see SA1379 abo Powder (vanilla)		armacy [HP3] 850 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60	<ul> <li>Hospital pharr</li> <li>200 ml OP</li> <li>200 ml OP</li> </ul>	nacy [HP3] ✓ Fortini ✓ Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	A1379 above – 1.07 1.07	Hospital pharma 200 ml OP 200 ml OP 200 ml OP 250 ml OP	Acy [HP3] ✓ Pediasure ✓ Pediasure ✓ Pediasure ✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)		A1379 above – I 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Hospital pharmacy [HP3] ✓ Fortini Multi Fibre ✓ Fortini Multi Fibre ✓ Fortini Multi Fibre
PEPTIDE-BASED ORAL FEED – Special Authority see SA1379 Powder		al pharmacy [HP 400 g OP	<ul> <li>Peptamen Junior</li> </ul>

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✔	Brand or Generic Manufacturer
Renal Products			
<ul> <li>SA1101 Special Authority for Subsidy</li> <li>Initial application only from a dietitian, relevant specialist or voca years where the patient has acute or chronic kidney disease.</li> <li>Renewal only from a dietitian, relevant specialist, vocationally regrecommendation of a dietitian, relevant specialist or vocationally regrecommendations meeting the following criteria:</li> <li>Both:         <ol> <li>The treatment remains appropriate and the patient is beneficient.</li> </ol> </li> </ul>	jistered general prac egistered general pr fiting from treatment	titioner or general actitioner. Approv	practitioner on the vals valid for 3 years for
2 General Practitioners must include the name of the dietitia practitioner and date contacted. RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority see S Liquid.	SA1101 above - Hos	pital pharmacy [H	
RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA11 Liquid	01 above - Hospital	l pharmacy [HP3] 20 ml OP 🛛 🖌 N	lepro HP (strawberry) lepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML – Special Authority see SA110 Liquid Liquid (apricot) 125 ml Liquid (caramel) 125 ml	2.88 23 (3.31) 	37 ml OP N 4 OP ✔ F	lovaSource Renal Renilon 7.5 Renilon 7.5

## **Specialised And Elemental Products**

## ► SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas: or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's P \$	Price) Subsi Per	Fully idised	Brand or Generic Manufacturer
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Spe pharmacy [HP3] Liquid	,	e SA1377 on th 1,000 ml OP	e previ	
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton		previous page - 18 OP 18 OP 18 OP 18 OP	✓ E ✓ E	tal pharmacy [HP3] lemental 028 Extra lemental 028 Extra lemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S Powder (unflavoured)		evious page – H 80 g OP		l pharmacy [HP3] i <b>vonex TEN</b>
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Auth [HP3] Liquid		7 on the previou 1,000 ml OP		e – Hospital pharmacy eptisorb

## Paediatric Products For Children With Low Energy Requirements

## ⇒SA1196 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
  - 1 Child aged one to eight years; and
  - 2 The child has a low energy requirement but normal protein and micronutrient requirements.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTE	RAL FEED WIT	H FIBRE 0.76 KCAL/	ML – Special A	Authority	see SA1196 a	bove -	- Hospital pharm	acy [HP3]
Liquid				4.00	500 ml OP	✓	Nutrini Low Er	ergy
							Multi Fibre	

## **Standard Supplements**

#### ⇒SA1554 Special Authority for Subsidy

**Initial application** — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
  - 2.1 The patient has a condition causing malabsorption; or
  - 2.2 The patient has failure to thrive; or
  - 2.3 The patient has increased nutritional requirements; and

3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal - (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant

Subsidy	Ful	y Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per •	<ul> <li>Manufacturer</li> </ul>	

specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

**Initial application** — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m<sup>2</sup>; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m<sup>2</sup> and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:
  - Patient has not responded to first-line dietary measures over a 4 week period by:
  - 2.1 Increasing their food intake frequency (eg snacks between meals); or
  - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
  - 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

**Renewal** — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m<sup>2</sup>; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m<sup>2</sup> and unintentional weight loss greater than 5% within the last 3-6 months.

Subsidy		ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	✓	Manufacturer

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	;	Subsidised	Generic	
\$	Per	✓	Manufacturer	

- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm<sup>3</sup>); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1554 on page 232 – Liquid	Hospital pharmacy [HP3] 1,000 ml OP <b>✓ Nutrison Energy</b>
ENTERAL FEED 1KCAL/ML – Special Authority see SA1554 on page 232 – He Liquid	ospital pharmacy [HP3] 250 ml OP ✓ Isosource Standard 1,000 ml OP ✓ Isosource Standard RTH ✓ Nutrison Standard RTH ✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 Liquid	on page 232 – Hospital pharmacy [HP3] 1,000 ml OP ✓ Nutrison 800 Complete Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1554 on Liquid	page 232 – Hospital pharmacy [HP3] 1,000 ml OP ✓ Jevity RTH ✓ Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1554 or Liquid	n page 232 – Hospital pharmacy [HP3] 250 ml OP    Ensure Plus HN 1,000 ml OP    Ensure Plus RTH Jevity HiCal RTH Nutrison Energy Multi Fibre

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Subs Per	sidised Generic Manufacturer
ORAL FEED (POWDER) - Special Authority see SA1554 on pag			
Note: Higher subsidy for Sustagen Hospital Formula will only	be reimbursed	for patients wit	th both a valid Special Authority
number and an appropriately endorsed prescription.			
Powder (chocolate) – Higher subsidy of up to \$26.00 per 850	) g		
with Endorsement		850 g OP	<ul> <li>Ensure</li> </ul>
	9.54	840 g OP	
	(14.90)	-	Sustagen Hospital
			Formula
Additional subsidy by endorsement is available for patien	ts with fat mala	bsorption, fat in	tolerance or chyle leak. The
prescription must be endorsed accordingly.			
Powder (vanilla) – Higher subsidy of up to \$26.00 per 850 g			
with Endorsement		350 g OP	✓ Fortisip
	26.00	850 g OP	<ul> <li>Ensure</li> </ul>
	9.54	840 g OP	
	(14.90)	<b>3</b> -	Sustagen Hospital
	()		Formula
Additional subsidy by endorsement is available for patien	ts with fat mala	bsorption. fat in	tolerance or chyle leak. The
prescription must be endorsed accordingly.		,	·····,····
ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on pa		ital pharmaoy [L	וכסב
Additional subsidy by endorsement is available for patients be			
epidermolysis bullosa, or as exclusive enteral nutrition in child			
disease. The prescription must be endorsed accordingly.		age of to years	for the treatment of Cronins
Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)	200 111 01	Ensure Plus
	(1.26)		Fortisip
Liquid (abaaalata) Llighan subsidu of \$1.00 and 000 mluidh	```		Fortisip
Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with		000	
Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 n			
with Endorsement		200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml wi	th		
Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
	. ,		•

	Subsidy	F	Fully	Brand or
	(Manufacturer's F	Price) Subsid	lised	Generic
	\$	Per	1	Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see	SA1554 on pag	e 232 – Hospital	pharn	nacv [HP3]
Additional subsidy by endorsement is available for patients b				
epidermolysis bullosa. The prescription must be endorsed a	0			
Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with	0,			
Endorsement		200 ml OP		
Endorsement		200 IIII OF	г.	entialia Marildi Ellana
	(1.26)		F	ortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml wit	h			
Endorsement	0.72	200 ml OP		
	(1.26)		F	ortisip Multi Fibre
Liquid (vanilla) – Higher subsidy of \$1.26 per 200 ml with				
Endorsement	0.72	200 ml OP		
	(1.26)		F	ortisip Multi Fibre
	(=0)			

## **High Calorie Products**

## ⇒SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- All of the following:
  - 1 Cystic fibrosis; and
  - 2 other lower calorie products have been tried; and
  - 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 faltering growth in an infant/child; or
  - 1.3 increased nutritional requirements; or
  - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 abo	ve – Hospital	pharmacy [HP3]	
Liquid	5.50	500 ml OP	<ul> <li>Nutrison</li> </ul>
			Concentrated
	11.00	1,000 ml OP	🗸 Two Cal HN RTH
		,	

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
DRAL FEED 2 KCAL/ML – Special Authority see SA1195 on the Additional subsidy by endorsement is available for patients I epidermolysis bullosa. The prescription must be endorsed a Liquid (vanilla) – Higher subsidy of \$1.90 per 200 ml with	peing bolus fed th			
Endorsement	0.96 (1.90)	200 ml OP	Ти	vo Cal HN
Food Thickeners				
<ul> <li>ecommendation of a dietitian, relevant specialist or vocationally upplications meeting the following criteria:</li> <li>Both:</li> <li>1 The treatment remains appropriate and the patient is ben</li> <li>2 General Practitioners must include the name of the dietiti practitioner and date contacted.</li> </ul>	efiting from treat	ment; and		
OOD THICKENER – Special Authority see SA1106 above – H		/ [HP3] 300 g OP	. Ni	
Dowdor			• NU	utilie
Powder	0.53 7.25	380 g OP		ıtilis ed Thickener Karicare Aptamil
Powder		0		ed Thickener

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

## ► SA1107 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107 above – Hospita Powder	l pharmacy [HP3] 1,000 g OP	
(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1107 above - Hospital	pharmacy [HP3]	
Powder	1,000 g OP	
(7.32)	, Ç	NZB Low Gluten Bread Mix
3.51		
(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA1107 above – Hospital phan Powder	macy [HP3] 2.000 g OP	
(18.10)	_, y or	Horleys Flour

	Subsidy (Manufacturer's Pri	aa) Sub	Fully sidised	Brand or Generic
	(Manulacturer's Fit	Per Sub	siuiseu ✓	Manufacturer
GLUTEN FREE PASTA - Special Authority see SA1107 on t	he previous page – H	ospital pharr	nacy [H	P3]
Buckwheat Spirals	2.00	250 g OP		
	(3.11)		C	Drgran
Corn and Vegetable Shells	2.00	250 g OP		
	(2.92)		C	Drgran
Corn and Vegetable Spirals	2.00	250 g OP		
	(2.92)		C	Drgran
Rice and Corn Lasagne Sheets	1.60	200 g OP		
	(3.82)		C	Drgran
Rice and Corn Macaroni	2.00	250 g OP		
	(2.92)		C	Drgran
Rice and Corn Penne	2.00	250 g OP		
	(2.92)		C	Drgran
Rice and Maize Pasta Spirals	2.00	250 g OP		
	(2.92)		C	Drgran
Rice and Millet Spirals	2.00	250 g OP		
	(3.11)		C	Drgran
Rice and corn spaghetti noodles	2.00	375 g OP		
	(2.92)		C	Drgran
Vegetable and Rice Spirals	2.00	250 g OP		
	(2.92)		C	Drgran
Italian long style spaghetti	2.00	220 g OP		
	(3.11)		C	Drgran

# Foods And Supplements For Inborn Errors Of Metabolism

#### ⇒SA1108 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

## **Supplements For Homocystinuria**

AMINOACID FORMULA WITHOUT METHIONINE	- Special Authority see SA1108	<mark>3 above –</mark> Hosp	ital pharmacy [HP3]
Powder		500 g OP	<ul> <li>XMET Maxamum</li> </ul>

## Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEU	CINE – Sp	ecial Authority se	e SA1108 above – Hospital
pharmacy [HP3]		-	
Powder	437.22	500 g OP	<ul> <li>MSUD Maxamum</li> </ul>

	Subsidy		Fully	Brand or
	(Manufacturer's	Price) Subs Per	idised	Generic Manufacturer
	\$	Per	•	Manulaclurer
Supplements For PKU				
AMINOACID FORMULA WITHOUT PHENYLALANINE – Specia pharmacy [HP3]	I Authority see	SA1108 on the p	orevious	page – Hospital
Tabs		75 OP		lexy 10
Powder (unflavoured) 36 g sachets		30	🖌 PK	U Anamix Junior
Infant formula	174.72	400 g OP	🖌 PK	U Anamix Infant
Powder (orange)	221.00	500 g OP	🖌 XP	Maxamaid
	320.00			Maxamum
Powder (unflavoured)	221.00	500 g OP		Maxamaid
	320.00			Maxamum
Liquid (berry)	13.10	125 ml OP		U Anamix Junior .Q
Liquid (orange)	13.10	125 ml OP		U Anamix Junior .Q
Liquid (unflavoured)	13.10	125 ml OP		U Anamix Junior .Q
Liquid (forest berries), 250 ml carton		18 OP	🖌 Ea	siphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	🖌 PK	U Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml		60 OP		U Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	🖌 PK	U Lophlex LQ 10
Liquid (juicy berries) 125 ml	936.00	30 OP	🖌 PK	U Lophlex LQ 20
Liquid (juicy citrus) 125 ml	936.00	30 OP	🖌 PK	U Lophlex LQ 20
Liquid (juicy orange) 125 ml	936.00	30 OP	🖌 PK	U Lophlex LQ 20

# Foods

LOW PROTEIN BAKING MIX – Special Authority see SA1108 c Powder			oharmacy [HP3]
LOW PROTEIN PASTA - Special Authority see SA1108 on the	previous page -	Hospital pharm	acy [HP3]
Animal shapes		500 g OP	<ul> <li>Loprofin</li> </ul>
Lasagne	5.95	250 g OP	<ul> <li>Loprofin</li> </ul>
Low protein rice pasta	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Macaroni	5.95	250 g OP	<ul> <li>Loprofin</li> </ul>
Penne	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Spaghetti	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Spirals	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>

# Infant Formulae

# For Premature Infants

PRETERM POST-DISCHARGE INFANT FORMULA - Speci	al Authority see SA1	198 below - I	Hospital pharmacy [HP3]
Powder		400 g OP	<ul> <li>S-26 Gold Premgro</li> </ul>

## ► SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	bsidised	Generic	
\$	Per	✓	Manufacturer	

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Either:
  - 2.1 The infant has faltering growth (downward crossing of percentiles); or
  - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

## For Williams Syndrome

#### ⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA - Special Authority see SA1110 abo	ove – Hosp	bital pharmacy	[HP3]
Powder4	4.40	400 g OP	<ul> <li>Locasol</li> </ul>

## **Gastrointestinal and Other Malabsorptive Problems**

Powder	43.60	400 g OP	<ul> <li>Alfamino Junior</li> </ul>
	53.00		✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	<ul> <li>Elecare</li> </ul>
		Ū	<ul> <li>Elecare LCP</li> </ul>
			Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
		5	Neocate Advance

#### ⇒SA1219 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's Pric	ce) Su	Fully bsidised	Brand or Generic	
	\$	Per	1	Manufacturer	
EXTENSIVELY HYDROLYSED FORMULA – Special Auth Powder				y [HP3] Aptamil Gold+ Pept	ti
		Ū		Junior	
► SA1557 Special Authority for Subsidy					

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Either:
    - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
    - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
  - 11.1 For step down from Amino Acid Formula; and
  - 11.2 The infant is currently receiving funded amino acid formula; and
  - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
  - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.
- Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

# **Ketogenic Diet**

## ➡SA1197 Special Authority for Subsidy

**Initial application** only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

**Renewal** only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA -	- Special Authority see SA1197 above – Retail pharmacy
-------------------------------------	--

Powder (unflavoured)35.50	300 g OP	KetoCal 4:1
		Ketocal 3:1
Powder (vanilla)35.50	300 g OP	<ul> <li>KetoCal 4:1</li> </ul>

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE
✓ Inj 1 in 1,000, 1 ml ampoule5
✓ Inj 1 in 10,000, 10 ml ampoule5
AMINOPHYLLINE
✓ Inj 25 mg per ml, 10 ml ampoule5
AMIODARONE HYDROCHLORIDE
✓ Inj 50 mg per ml, 3 ml ampoule5
AMOXICILLIN
✓ Cap 250 mg
✓ Cap 500 mg
✓ Grans for oral liq 125 mg per 5 ml
✓ Grans for oral liq 250 mg per 5 ml
✓ Inj 1 g vial5 AMOXICILLIN WITH CLAVULANIC ACID
<ul> <li>Tab 500 mg with clavulanic acid 125 mg</li></ul>
✓ Grans for oral liq amoxicillin 25 mg with clavulanic
acid 6.25 mg per ml
✓ Grans for oral liq amoxicillin 50 mg with clavulanic
acid 12.5 mg per ml
Grans for oral liquid amoxicillin 50 mg with clavulanic acid 12.5 mg per ml
ASPIRIN
✓ Tab dispersible 300 mg
ATROPINE SULPHATE
✓ Inj 600 mcg per ml, 1 ml ampoule
AZITHROMYCIN
✓ Tab 500 mg – See note on page 96
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]
✓ Tab 2.5 mg – See note on page 61
BENZATHINE BENZYLPENICILLIN
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe
BENZATROPINE MESYLATE
✓ Inj 1 mg per ml, 2 ml10
BENZYLPENICILLIN SODIUM [PENICILLIN G]
✓ Inj 600 mg (1 million units) vial
BLOOD GLUCOSE DIAGNOSTIC TEST METER
<ul> <li>Meter with 50 lancets, a lancing device and</li> </ul>
10 diagnostic test strips – Subsidy by
endorsement – See note on page 261
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP
<ul> <li>Blood glucose test strips – See note on</li> </ul>
page 26
BLOOD KETONE DIAGNOSTIC TEST METER
✓ Meter – See note on page 251
CEFTRIAXONE
<ul> <li>Inj 500 mg vial – Subsidy by endorsement – See</li> </ul>
note on page 955
<ul> <li>Inj 1 g vial – Subsidy by endorsement – See note</li> </ul>
on page 955 CHARCOAL
✓ Oral liq 50 g per 250 ml
- Graning 00 g por 200 min

CHLORPROMAZINE HYDROCHLORIDE
<ul> <li>Tab 10 mg</li></ul>
✓ Tab 25 mg
Tab 100 mg
<ul> <li>Inj 25 mg per ml, 2 ml</li></ul>
CIPROFLOXACIN
Tab 250 mg – See note on page 1005
Tab 500 mg – See note on page 100
COMPOUND ELECTROLYTES
<ul> <li>Powder for oral soln10</li> </ul>
CONDOMS
✓ 49 mm
🖌 53 mm 144
<ul> <li>53 mm (chocolate)144</li> </ul>
53 mm (strawberry)144
✓ 56 mm
56 mm, shaped144
✓ 60 mm
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL
<ul> <li>Tab 2 mg with ethinyloestradiol 35 mcg and</li> </ul>
7 inert tabs168
DEXAMETHASONE
✓ Tab 0.5 mg – Retail pharmacy-Specialist60
<ul> <li>Tab 4 mg – Retail pharmacy-Specialist</li></ul>
DEXAMETHASONE PHOSPHATE
✓ Inj 4 mg per ml, 1 ml ampoule – See note on page 845
Inj 4 mg per ml, 2 ml ampoule – See note on page 845
DIAZEPAM
Inj 5 mg per ml, 2 ml ampoule – Subsidy by
endorsement – See note on page 1355
<ul> <li>Rectal tubes 5 mg</li></ul>
<ul> <li>Rectal tubes 10 mg5</li> </ul>
DICLOFENAC SODIUM
✓ Inj 25 mg per ml, 3 ml ampoule5
✓ Suppos 50 mg10
DIGOXIN
✓ Tab 62.5 mcg
✓ Tab 250 mcg
DOXYCYCLINE
Tab 50 mg
✓ Tab 100 mg
ERGOMETRINE MALEATE
<ul> <li>Inj 500 mcg per ml, 1 ml ampoule</li></ul>
ERYTHROMYCIN ETHYL SUCCINATE
Tab 400 mg
<ul> <li>Tab 400 mg20</li> <li>Grans for oral liq 200 mg per 5 ml</li></ul>
Grans for oral liq 400 mg per 5 ml
ERYTHROMYCIN STEARATE
Tab 250 mg
continued

fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

## (continued)

ETHINYLOESTRADIOL WITH DESOGESTREL
Tab 20 mcg with desogestrel 150 mcg and 7 inert tab84
Tab 30 mcg with desogestrel 150 mcg and 7 inert tab84
ETHINYLOESTRADIOL WITH LEVONORGESTREL
✓ Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab
✓ Tab 50 mcg with levonorgestrel 125 mcg and
7 inert tab
Tab 30 mcg with levonorgestrel 150 mcg
<ul> <li>Tab 30 mcg with levonorgestrel 150 mcg and</li> </ul>
7 inert tab
ETHINYLOESTRADIOL WITH NORETHISTERONE
✓ Tab 35 mcg with norethisterone 1 mg
<ul> <li>Tab 35 mcg with norethisterone 1 mg and 7 inert tab</li></ul>
<ul> <li>Tab 35 mcg with norethisterone 500 mcg</li></ul>
<ul> <li>Tab 35 mcg with norethisterone 500 mcg and</li> </ul>
7 inert tab
FLUCLOXACILLIN
✓ Cap 250 mg
<ul> <li>✓ Grans for oral liq 25 mg per ml</li></ul>
<ul> <li>✓ Grans for oral lig 50 mg per ml</li></ul>
<ul> <li>Inj 1 g vial</li></ul>
FLUPENTHIXOL DECANOATE
✓ Inj 20 mg per ml, 1 ml
✓ Inj 20 mg per ml, 1 ml
✓ Inj 20 mg per ml, 2 mi
FLUPHENAZINE DECANOATE
✓ Inj 12.5 mg per 0.5 ml, 0.5 ml – Subsidy by
endorsement – See note on page 1445 ✓ Inj 25 mg per ml, 1 ml – Subsidy by endorsement
- See note on page 144
✓ Inj 25 mg per ml, 2 ml – Subsidy by endorsement
- See note on page 144
✓ Inj 100 mg per ml, 1 ml – Subsidy by
endorsement – See note on page 144
FUROSEMIDE [FRUSEMIDE]
<ul> <li>✓ Tab 40 mg</li></ul>
GLUCAGON HYDROCHLORIDE
✓ Inj 1 mg syringe kit
GLUCOSE [DEXTROSE]
✓ Inj 50%, 10 ml ampoule
✓ Inj 50%, 90 ml bottle
GLYCERYL TRINITRATE
✓ Tab 600 mcg100
<ul> <li>Oral pump spray, 400 mcg per dose</li></ul>
✓ Oral spray, 400 mcg per dose250 dose
GLYCOPYRRONIUM BROMIDE
Ini 200 mag nor ml 1 ml ampaula
✓ Inj 200 mcg per ml, 1 ml ampoule10

HALOPERIDOL	
<ul> <li>Tab 500 mcg</li> </ul>	
<ul> <li>Tab 1.5 mg</li> </ul>	
<ul> <li>Tab 5 mg</li> </ul>	
<ul> <li>Oral liq 2 mg per ml</li> </ul>	
<ul> <li>Inj 5 mg per ml, 1 ml ampoule</li> </ul>	5
HALOPERIDOL DECANOATE	
✓ Inj 50 mg per ml, 1 ml	
✓ Inj 100 mg per ml, 1 ml	5
HYDROCORTISONE	
✓ Inj 100 mg vial	5
HYDROXOCOBALAMIN	
<ul> <li>Inj 1 mg per ml, 1 ml ampoule</li> </ul>	6
HYOSCINE BUTYLBROMIDE	
✓ Inj 20 mg, 1 ml	5
INTRA-UTERINE DEVICE	
✓ IUD 29.1 mm length × 23.2 mm width	40
<ul> <li>IUD 33.6 mm length × 29.9 mm width</li> </ul>	
<ul> <li>IUD 35.5 mm length × 19.6 mm width</li> </ul>	40
IPRATROPIUM BROMIDE	
✓ Aerosol inhaler, 20 mcg per dose CFC-free	400 dose
<ul> <li>Nebuliser soln, 250 mcg per ml, 1 ml ampoule</li> </ul>	40
<ul> <li>Nebuliser soln, 250 mcg per ml, 2 ml ampoule</li> </ul>	
IVERMECTIN	
<ul> <li>Tab 3 mg – See note on page 72</li> </ul>	100
KETONE BLOOD BETA-KETONE ELECTRODES	
✓ Test strip	10
LEVONORGESTREL	
Tab 30 mcg	
✓ Tab 1.5 mg	
✓ Subdermal implant (2 × 75 mg rods)	
LIDOCAINE [LIGNOCAINE]	
✓ Gel 2%, tube – Subsidy by endorsement – See	
note on page 129	150 ml
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	
endorsement – See note on page 129	5
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	-
✓ Inj 1%, 5 ml ampoule	25
✓ Inj 2%, 5 ml ampoule	
✓ Inj 1%, 20 ml ampoule	
✓ Inj 1%, 20 ml vial	
✓ Inj 2%, 20 ml ampoule	
✓ Inj 2%, 20 ml vial	5
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	=
✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral	-
syringes – Subsidy by endorsement – See	
note on page 130	5
LOPERAMIDE HYDROCHLORIDE	
<ul> <li>Tab 2 mg</li> </ul>	20
<ul> <li>Tab 2 mg</li> <li>Cap 2 mg</li> </ul>	00 חג
CO	nunueu

fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

## (continued)

MASK FOR SPACER DEVICE
✓ Small – See note on page 20920
MEDROXYPROGESTERONE ACETATE
✓ Inj 150 mg per ml, 1 ml syringe5
METOCLOPRAMIDE HYDROCHLORIDE
✓ Inj 5 mg per ml, 2 ml ampoule5
METRONIDAZOLE
✓ Tab 200 mg30
MIDAZOLAM
<ul> <li>Inj 1 mg per ml, 5 ml plastic ampoule – See note</li> </ul>
on page 15510
<ul> <li>Inj 5 mg per ml, 3 ml plastic ampoule – See note</li> </ul>
on page 1555
MORPHINE SULPHATE
Inj 5 mg per ml, 1 ml ampoule – Only on a
controlled drug form
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a
controlled drug form
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form
✓ Inj 30 mg per ml, 1 ml ampoule – Only on a
controlled drug form
NALOXONE HYDROCHLORIDE
✓ Inj 400 mcg per ml, 1 ml ampoule
NICOTINE
<ul> <li>Patch 7 mg - See note on page 161</li></ul>
<ul> <li>Patch 21 mg – See note on page 161</li></ul>
✓ Lozenge 1 mg – See note on page 161
✓ Lozenge 2 mg – See note on page 161216
✓ Gum 2 mg (Fruit) – See note on page 161
✓ Gum 2 mg (Mint) – See note on page 161
Gum 4 mg (Fruit) – See note on page 161
Gum 4 mg (Mint) – See note on page 161
NORETHISTERONE
✓ Tab 350 mcg
✓ Tab 5 mg
OXYTOCIN
Inj 5 iu per ml, 1 ml ampoule
Inj 10 iu per ml, 1 ml ampoule
OXYTOCIN WITH ERGOMETRINE MALEATE
$\checkmark$ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml5
PARACETAMOL
✓ Tab 500 mg - blister pack
<ul> <li>✓ Tab 500 mg - blister pack</li></ul>
<ul> <li>✓ Tab 500 mg - blister pack</li></ul>
<ul> <li>✓ Tab 500 mg - blister pack</li></ul>
<ul> <li>✓ Tab 500 mg - blister pack</li></ul>
<ul> <li>✓ Tab 500 mg - blister pack</li></ul>

PETHIDINE HYDROCHLORIDE	
<ul> <li>Inj 50 mg per ml, 1 ml ampoule – Only on a</li> </ul>	
controlled drug form	5
<ul> <li>Inj 50 mg per ml, 2 ml ampoule – Only on a</li> </ul>	
controlled drug form	5
PHENOXYMETHYLPENICILLIN (PENICILLIN V)	
✓ Cap 250 mg	
✓ Cap 500 mg	
<ul> <li>Grans for oral liq 125 mg per 5 ml</li> <li>Grans for oral liq 250 mg per 5 ml</li> </ul>	
PHENYTOIN SODIUM	300 mi
✓ Inj 50 mg per ml, 2 ml ampoule	5
✓ Inj 50 mg per ml, 5 ml ampoule	
PHYTOMENADIONE	
✓ Inj 2 mg per 0.2 ml	5
✓ Inj 10 mg per ml, 1 ml	5
PIPOTHIAZINE PALMITATE	
✓ Inj 50 mg per ml, 1 ml – Subsidy by endorsement	
- See note on page 145	5
✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement	
- See note on page 145	5
PREDNISOLONE	
✓ Oral liq 5 mg per ml – See note on page 84	30 ml
PREDNISONE ✓ Tab 5 mg	20
PREGNANCY TESTS - HCG URINE	
	200 test
✓ Cassette	200 test
✓ Cassette PROCAINE PENICILLIN	
✓ Cassette	
<ul> <li>Cassette</li> <li>PROCAINE PENICILLIN</li> <li>Inj 1.5 g in 3.4 ml syringe</li> <li>PROCHLORPERAZINE</li> </ul>	5
<ul> <li>Cassette</li> <li>PROCAINE PENICILLIN</li> <li>Inj 1.5 g in 3.4 ml syringe</li> </ul>	5
<ul> <li>Cassette</li> <li>PROCAINE PENICILLIN</li> <li>Inj 1.5 g in 3.4 ml syringe</li> <li>PROCHLORPERAZINE</li> <li>Tab 5 mg</li> <li>Inj 12.5 mg per ml, 1 ml</li> <li>PROMETHAZINE HYDROCHLORIDE</li> </ul>	5 30 5
<ul> <li>Cassette</li></ul>	5 30 5
<ul> <li>Cassette</li></ul>	5 30 5 5
<ul> <li>Cassette</li></ul>	5 30 5 5
<ul> <li>Cassette</li></ul>	5 5 5 5
<ul> <li>Cassette</li></ul>	5 5 5 5 100 dose
<ul> <li>Cassette</li></ul>	5 5 5 5 100 dose 30
<ul> <li>Cassette</li></ul>	5 5 5 5 100 dose 30
<ul> <li>Cassette</li></ul>	5 5 5 5 100 dose 30
<ul> <li>Cassette</li></ul>	5 5 5 5 000 dose 30 30
<ul> <li>Cassette</li></ul>	5 5 5 5 000 dose 30 30
<ul> <li>Cassette</li></ul>	5 5 5 5 
<ul> <li>Cassette</li></ul>	5 5 5 5 5 
<ul> <li>Cassette</li></ul>	5 5 5 5 5 
<ul> <li>Cassette</li></ul>	5 5 5 5 5 
<ul> <li>Cassette</li></ul>	5 5 5 5 30 30 30 30 
<ul> <li>Cassette</li></ul>	5 5 5 5 30 30 30 

fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

## (continued)

SPACER DEVICE
✓ 220 ml (single patient)20
✓ 510 ml (single patient)20
✓ 800 ml
SULFADIAZINE SILVER
✓ Crm 1%
TRIMETHOPRIM
✓ Tab 300 mg
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE
[CO-TRIMOXAZOLE]
<ul> <li>Tab trimethoprim 80 mg and sulphamethoxazole</li> </ul>
400 mg
<ul> <li>Oral lig 8 mg sulphamethoxazole 40 mg per</li> </ul>
ml

## VERAPAMIL HYDROCHLORIDE

✓ Inj 2.5 mg per ml, 2 ml ampoule.....5

## WATER

1	Inj 5 ml ampoule – See note on page 545
1	Inj 10 ml ampoule - See note on page 545
1	Inj 20 ml ampoule - See note on page 545

#### ZUCLOPENTHIXOL DECANOATE

1	Inj 200 mg per ml,	1	ml	5
---	--------------------	---	----	---

## **Rural Areas for Practitioner's Supply Orders**

#### NORTH ISLAND

Northland DHB Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

#### Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

## Auckland DHB

Great Barrier Island Oneroa Ostend

#### **Counties Manukau DHB**

Tuakau Waiuku

## Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

#### **Bay of Plenty DHB**

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

# Lakes DHB

Mangakino Turangi

Tairawhiti DHB Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay

#### Tolaga Bay Taranaki DHB

Eltham Inglewood Manaia Oakura

Okato Opunake Patea Stratford Waverley

## Hawkes Bay DHB

Waipawa Waipukurau Wairoa Whanganui DHB Bulls

Marton Ohakune Raetihi Taihape Waiouru

## MidCentral DHB

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

## Wairarapa DHB

Carteron Featherston Greytown Martinborough

## SOUTH ISLAND

## Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

#### West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

#### Canterbury DHB

Akaroa Amberley Amuri Chatham Islands Cheviot Darfield

Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia **Bolleston** Rotherham Templeton Waikari South Canterbury DHB Fairlie Geraldine Pleasant Point Temuka Twizel Waimate Southern DHB Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere Wanaka

Winton

# **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is under the Dispensing Frequency Rule.

## SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility;
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

# SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a \* please refer to Section F; Part II

Note - the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

## COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

**INSULIN GLARGINE** 

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

**INSULIN NEUTRAL** 

## CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

#### FLECAINIDE ACETATE

Tab 50 mg Tambocor Cap long-acting Tambocor CR 100 mg Cap long-acting Tambocor CR 200 mg

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE Nasal drops 100 mcg Minirin per ml Nasal spray 10 mcg Desmopressin-PH&T

MUSCULOSKELETAL SYSTEM

per dose

PYRIDOSTIGMINE BROMIDE

#### NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

# SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

## Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the
  particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

## Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

## Safety Caps (NZS 5825:1991)

20 mm	Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

## SAFETY CAP MEDICINES

## ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral lig 30 mg (6 mg Ferodan elemental) per 1 ml

#### CARDIOVASCULAR SYSTEM AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL Oral lig 5 mg per ml Capoten

CHI OROTHIAZIDE Oral lig 50 mg per ml Biomed

DIGOXIN Oral liq 50 mcg per ml Lanoxin Lanoxin S29

FUROSEMIDE [FRUSEMIDE] Oral lig 10 mg per ml Lasix

SPIRONOLACTONE Oral lig 5 mg per ml

Biomed

## **HORMONE PREPARATIONS - SYSTEMIC EXCLUDING** CONTRACEPTIVE HORMONES

LEVOTHYROXINE Tab 25 mcg Tab 50 mcg

Tab 100 mcg

Synthroid Eltroxin Mercury Pharma Synthroid Eltroxin Mercury Pharma Synthroid (Extemporaneously compounded oral liquid preparations)

## INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE Q 300 Tab 300 mg (Extemporaneously compounded oral liquid preparations)

## MUSCULOSKELETAL SYSTEM

**IBUPROFEN** Oral liq 20 mg per ml Fenpaed

## NERVOUS SYSTEM

CARBAMAZEPINE Oral lig 20 mg per ml

Tegretol

CLOBAZAM Tab 10 mg	Frisium
(Extemporaneously compounded ora	
CLONAZEPAM Oral drops 2.5 mg per ml	Rivotril
DIAZEPAM	
Tab 2 mg Tab 5 mg	Arrow-Diazepam Arrow-Diazepam
(Extemporaneously compounded ora	al liquid preparations)
ETHOSUXIMIDE Oral liq 250 mg per 5 ml	Zarontin
LORAZEPAM	
Tab 1 mg	Ativan
Tab 2.5 mg (Extemporaneously compounded ora	Ativan al liquid preparations)
LORMETAZEPAM	Mandausid
Tab 1 mg (Extemporaneously compounded ora	Noctamid al liquid preparations)
METHADONE HYDROCHLORID	
Oral liq 2 mg per ml Oral liq 5 mg per ml	Biodone Biodone Forte
Oral liq 10 mg per ml	Biodone Extra Forte
MORPHINE HYDROCHLORIDE	DA Marrah
Oral liq 1 mg per ml Oral liq 2 mg per ml	RA-Morph RA-Morph
Oral liq 5 mg per ml Oral liq 10 mg per ml	RA-Morph RA-Morph
NITRAZEPAM Tab 5 mg	Nitrados
(Extemporaneously compounded or	al liquid preparations)
OXAZEPAM	Qu Dam
Tab 10 mg Tab 15 mg	Ox-Pam Ox-Pam
(Extemporaneously compounded or	al liquid preparations)
OXYCODONE HYDROCHLORID Oral liq 5 mg per 5 ml	E OxyNorm
PARACETAMOL	
Oral liq 120 mg per 5 ml Oral liq 250 mg per 5 ml	Paracare Paracare Double Strength

PHENYTOIN SODIUM Oral lig 30 mg per 5 ml

Dilantin

## SAFETY CAP MEDICINES

#### SODIUM VALPROATE

Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

#### TEMAZEPAM

Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

#### TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam (Extemporaneously compounded oral liquid preparations)

### **RESPIRATORY SYSTEM AND ALLERGIES**

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE Oral liq 1 mg per 1 ml Allersoothe

## SALBUTAMOL

Oral liq 400 mcg per ml

Ventolin

Nuelin

THEOPHYLLINE Oral liq 80 mg per 15 ml

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml

Vallergan Forte

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

# SECTION I: NATIONAL IMMUNISATION SCHEDULE

	Subsidy	o	Fully	Brand or
	(Manufacturer's Price) \$	Subsi Per		Generic Manufacturer
	÷			
Vaccinations				
ADULT DIPHTHERIA AND TETANUS VACCINE – [Xpharm]				
Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml	0.00	5	✓ <u>A</u> [	T Booster
Any of the following:				
1) For vaccination of patients aged 45 and 65 years o				
<ol> <li>For vaccination of previously unimmunised or partial</li> <li>For reveasing tion following immunosurpression or</li> </ol>	, ,	ts; or		
<ol> <li>For revaccination following immunosuppression; or</li> <li>For boosting of patients with tetanus-prone wounds</li> </ol>				
5) For use in testing for primary immunodeficiency dis		nendation	of an in	ternal medicine physician
or paediatrician.		nonautori		
Note: Please refer to the Immunisation Handbook for ap	propriate schedule fo	r catch up	progran	nmes.
BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm]				
For infants at increased risk of tuberculosis. Increased risk is	defined as:			
1) living in a house or family with a person with current or				
2) having one or more household members or carers who	within the last 5 years	s lived in a	country	with a rate of TB > or
equal to 40 per 100,000 for 6 months or longer; or	r in a country with a re			1 to 10 por 100 000
3) during their first 5 years will be living 3 months or longe	r in a country with a ra	ate of TB >	or equa	al to 40 per 100,000
Note a list of countries with high rates of TB are available at v	www.health.govt.nz/tu	berculosis	(search	for downloads) or
www.bcgatlas.org/index.php.	www.nealth.govt.nz/ta	0010010010	(000101	
Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),				
Danish strain 1331, live attenuated, vial with diluent	0.00	10	🗸 ВС	G Vaccine
DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xphan	m]			
Funded for any of the following criteria:				
1) A single vaccine for pregnant woman between gestation				
<ol> <li>A course of up to four vaccines is funded for children from the second se</li></ol>	om age 7 up to the ag	e of 18 ye	ears inclu	usive to complete full
primary immunisation; or 3) An additional four doses (as appropriate) are funded for	(ra )immunication for	r nationte r	oot haa	matanaiatia atam call
transplantation or chemotherapy; pre or post splenector				
severely immunosuppressive regimens.		organ tran	opiani, i	
, , , , , , , , , , , , , , , , , , , ,				
Notes: Tdap is not registered for patients aged less than 10	years. Please refer to	the Immu	unisatior	Handbook for
appropriate schedule for catch up programmes.				
Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg				
pertussis toxoid, 8 mcg pertussis filamentous	0.00	10	. / De	antriv
haemagluttinin and 2.5 mcg pertactin in 0.5 ml syringe	0.00	10		o <u>ostrix</u> oostrix
		'	• 00	

\*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Su Per	Fully Ibsidised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE - Funded for any of the following:	- [Xpharm]			
<ol> <li>A single dose for children up to the age of 7 who have of A course of four vaccines is funded for catch up program primary immunisation; or</li> </ol>				ars) to complete full
<ol> <li>An additional four doses (as appropriate) are funded fo pre- or post splenectomy; pre- or post solid organ trans regimens; or</li> </ol>	plant, renal dialysis a	•	•	
<ol> <li>Five doses will be funded for children requiring solid org</li> </ol>	gan transplantation.			
Note: Please refer to the Immunisation Handbook for approp Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertussia and 80 D-antigen units			-	
poliomyelitis virus in 0.5ml syringe DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B A		10		Ifanrix IPV
<ul> <li>[Xpharm]</li> <li>Funded for patients meeting any of the following criteria:</li> <li>1) Up to four doses for children up to and under the age o</li> <li>2) An additional four doses (as appropriate) are funded fo</li> <li>10 who are patients post haematopoietic stem cell transpost solid organ transplant, renal dialysis and other sev</li> <li>3) Up to five doses for children up to and under the age of</li> </ul>	r (re-)immunisation fo splantation, or chemo erely immunosuppres	r childre therapy ssive ree	en up to ai ; pre or po gimens; o	ost splenectomy; pre- or r
Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the Im programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg				• • •
pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen in 0.5ml syringe	0.00	10	🖌 Ir	ıfanrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following: 1) For primary vaccination in children; or			-	
<ol> <li>An additional dose (as appropriate) is funded for (re-)in transplantation, or chemotherapy; functional asplenic; p or post cochlear implants, renal dialysis and other seve</li> <li>For use in testing for primary immunodeficiency disease paediatrician.</li> </ol>	re or post splenecton rely immunosuppress	ny; pre- sive regi	or post so mens; or	blid organ transplant, pre-
Haemophilus Influenzae type B polysaccharide 10 mcg conjugated to tetanus toxoid as carrier protein 20-40 mcg prefilled syringe plus vial 0.5 ml		1	✓ <u>H</u>	iberix_

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
,	any of the following criteria:	,			
Inj 1440 ELISA units in 1 ml s Inj 720 ELISA units in 0.5 ml s HEPATITIS B RECOMBINANT V	syringe		1 1		<u>łavrix</u> łavrix Junio <u>r</u>
Inj 5 mcg per 0.5 ml vial			1	✓ <u>⊦</u>	IBvaxPRO
<ol> <li>for children born to</li> <li>for children up to ar serology and requir</li> <li>for HIV positive pati</li> <li>for hepatitis C posit</li> <li>for patients followin</li> <li>for patients followin</li> <li>for solid organ trans</li> </ol>	ive patients; or g non-consensual sexual inte g immunosuppression; or splant patients; or ietic stem cell transplant (HS	surface antigen (HBsAg) inclusive who are consic quire a primary course o ercourse; or	) pos lerec	itive; or I not to have	e achieved a positive
Inj 10 mcg per 1 ml vial			1	✓ <u>⊦</u>	IBvaxPRO
<ol> <li>for household or se</li> <li>for children born to</li> <li>for children up to ar serology and requir</li> <li>for HIV positive pati</li> <li>for hepatitis C posit</li> <li>for patients followin</li> <li>for solid organ trans</li> </ol>	ive patients; or g non-consensual sexual inte g immunosuppression; or splant patients; or ietic stem cell transplant (HS	hepatitis B patients or h surface antigen (HBsAg) inclusive who are consic quire a primary course o ercourse; or	) pos lerec	itive; or I not to have	e achieved a positive
Inj 40 mcg per 1 ml vial Funded for any of the foll 1) for dialysis patients 2) for liver or kidney tr	owing criteria: ; or	0.00	1	<b>√</b> <u>⊦</u>	<u>IBvaxPRO</u>

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 54 Any of the following:	8) VACCINE [HPV] -	[Xpharm]	
<ol> <li>Maximum of two doses for children aged 14 years and the second sec</li></ol>			
<ol> <li>People aged 15 to 26 years inclusive; or</li> <li>Either:</li> </ol>			
People aged 9 to 26 years inclusive 1) Confirmed HIV infection; or			
<ol> <li>Transplant (including stem cell) patients: or</li> <li>Maximum of four doses for people aged 9 to 26 years in</li> </ol>	nclusive nost chemoth	erany	
Inj 270 mcg in 0.5 ml syringe	·		Gardasil 9

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic
\$	Per	1	Manufacturer

#### INFLUENZA VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- C)

A) is available each year for patients who meet the following criteria, as set by PHARMAC:

- a) all people 65 years of age and over; or
- b) people under 65 years of age who:
  - i) have any of the following cardiovascular diseases:
    - a) ischaemic heart disease, or
    - b) congestive heart failure, or
    - c) rheumatic heart disease, or
    - d) congenital heart disease, or
    - e) cerebo-vascular disease; or
  - ii) have either of the following chronic respiratory diseases:
    - a) asthma, if on a regular preventative therapy, or
    - b) other chronic respiratory disease with impaired lung function; or
  - iii) have diabetes; or
  - iv) have chronic renal disease; or
  - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
  - vi) have any of the following other conditions:
    - a) autoimmune disease, or
    - b) immune suppression or immune deficiency, or
    - c) HIV, or
    - d) transplant recipients, or
    - e) neuromuscular and CNS diseases/disorders, or
    - f) haemoglobinopathies, or
    - g) are children on long term aspirin, or
    - h) have a cochlear implant, or
    - i) errors of metabolism at risk of major metabolic decompensation, or
    - j) pre and post splenectomy, or
    - k) down syndrome, or
  - vii) are pregnant; or

\*Three months or six months, as applicable, dispensed all-at-once

- c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
- d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);
- People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

	Subsidy (Manufacturer's Price)		Fully bsidised	Brand or Generic
	\$	Per	1	Manufacturer
MEASLES, MUMPS AND RUBELLA VACCINE – [Xpharm] A maximum of two doses for any patient meeting the followin	ng criteria:			
<ol> <li>For primary vaccination in children; or</li> <li>For revaccination following immunosuppression; or</li> </ol>				
<ol> <li>For any individual susceptible to measles, mumps or ru</li> <li>A maximum of three doses for children who have had the</li> </ol>		12 mont	ths.	
Note: Please refer to the Immunisation Handbook for approp Injection, measles virus 1,000 CCID50, mumps virus	priate schedule for ca	tch up pi	rogramme	es.
5,012 CCID50, Rubella virus 1,000 CCID50; prefilled svringe/ampoule of diluent 0.5 ml	0.00	10	✓ P	riorix
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGAT Any of the following:			· <u>-</u>	
<ol> <li>Up to three doses and a booster every five years for pa or anatomic asplenia, HIV, complement deficiency (acq</li> </ol>	uired or inherited), or			
<ol> <li>2) One dose for close contacts of meningococcal cases; c</li> <li>3) A maximum of two doses for bone marrow transplant p.</li> <li>4) A maximum of two doses for patients following immuno</li> </ol>	atients; or			
				<i>.</i>
Note: children under seven years of age require two doses & series and then five yearly. *Immunosuppression due to steroid or other immunosuppres			-	
Inj 4 mcg of each meningococcal polysaccharide conjugated a total of approximately 48 mcg of diphtheria toxoid carri	to	ioi u po	ined en gin	
per 0.5 ml vial	0.00	1	✓ <u>M</u>	lenactra
MENINGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following:				
<ol> <li>Up to three doses and a booster every five years for pa or anatomic asplenia, HIV, complement deficiency (acq</li> <li>One dose for close contacts of meningococcal cases; contacts o</li></ol>	uired or inherited), or			
<ul><li>3) A maximum of two doses for bone marrow transplant p.</li><li>4) A maximum of two doses for patients following immuno</li></ul>	atients; or			
Note: children under seven years of age require two doses 8 series and then five yearly.	8 weeks apart, a boos	ster dose	three ye	ars after the primary
*Immunosuppression due to steroid or other immunosuppres Inj 10 mcg in 0.5 ml syringe		for a pe 1		eater than 28 days. I <b>eisvac-C</b>
PNEUMOCOCCAL (PCV10) CONJUGATE VACCINE – [Xpharm Either:	n]			
<ol> <li>A primary course of four doses for previously unvaccina</li> <li>Up to three doses as appropriate to complete the prima 59 months who have received one to three doses of PC</li> </ol>	ary course of immunis			
Note: please refer to the Immunisation Handbook for the ap Inj 1 mcg of pneumococcal polysaccharide serotypes 1, 5, 6E 7F, 9V, 14 and 23F; 3 mcg of pneumococcal		r catch u	p prograr	nmes
polysaccharide serotypes 4, 18C and 19F in 0.5 ml				

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

#### PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE - [Xpharm]

Any of the following:

- 1) One dose is funded for high risk children (over the age of 17 months and under 18 years) who have previously received four doses of PCV10; or
- 2) Up to an additional four doses (as appropriate) are funded for high risk children aged under 5 years for (re-)immunisation of patients with any of the following:
  - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
  - b) with primary immune deficiencies; or
  - c) with HIV infection; or
  - d) with renal failure, or nephrotic syndrome; or
  - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
  - f) with cochlear implants or intracranial shunts; or
  - g) with cerebrospinal fluid leaks; or
  - receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
  - i) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
  - j) pre term infants, born before 28 weeks gestation; or
  - k) with cardiac disease, with cyanosis or failure; or
  - I) with diabetes; or
  - m) with Down syndrome; or
  - n) who are pre-or post-splenectomy, or with functional asplenia; or
- 3) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients 5 years and over with HIV, for patients pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes ini 30.8 mcg of pneumococcal polysaccharide serotypes 1, 3, 4.

5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml
syringe0.00

Prevenar 13
 Prevenar 13

10

1

	Subsidy (Manufacturer's Price) \$	Subsid Per	Fully dised	Brand or Generic Manufacturer
PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE -   Either:	[Xpharm]			
<ol> <li>Up to three doses (as appropriate) for patients with HII chemotherapy; pre- or post-splenectomy or with functiv complement deficiency (acquired or inherited), cochleat</li> <li>All of the following:</li> </ol>	onal asplenia, pre- or p	oost-solid o	rgan tr	ransplant, renal dialysis,
<ul> <li>a) Patient is a child under 18 years for (re-)immunis</li> <li>b) Treatment is for a maximum of two doses; and</li> </ul>	ation; and			
<ul> <li>c) Any of the following: <ol> <li>on immunosuppressive therapy or radiation immune response; or</li> <li>with primary immune deficiencies; or</li> <li>with HIV infection; or</li> <li>with renal failure, or nephrotic syndrome; or</li> <li>with renal failure, or nephrotic syndrome; or</li> <li>with cochlear implants or intracranial shunts</li> <li>with cerebrospinal fluid leaks; or</li> <li>with crecieving corticosteroid therapy for more the prednisone of 2 mg/kg per day or greater, or</li> <li>with chronic pulmonary disease (including a x) pre term infants, born before 28 weeks ges</li> <li>with cadiac disease, with cyanosis or failur</li> <li>with diabetes; or</li> <li>witi with Down syndrome; or</li> <li>wito are pre-or post-splenectomy, or with fu</li> </ol> </li> </ul>	an transplantation (incl s; or an two weeks, and wh or children who weigh i asthma treated with hig tation; or e; or	luding haer o are on ar more than 1	natopo n equiv 10 kg c	pietic stem cell transplant); ralent daily dosage of on a total daily dosage of
Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype) POLIOMYELITIS VACCINE – [Xpharm]		1	✓ <u>P</u>	neumovax 23
<ul><li>Up to three doses for patients meeting either of the following</li><li>1) For partially vaccinated or previously unvaccinated ind</li><li>2) For revaccination following immunosuppression.</li></ul>				
Note: Please refer to the Immunisation Handbook for appro Inj 80D antigen units in 0.5 ml syringe		tch-up prog 1	ramme ✓ <u>IF</u>	
<ul> <li>ROTAVIRUS ORAL VACCINE – [Xpharm]</li> <li>Maximum of two doses for patients meeting the following:</li> <li>1) first dose to be administered in infants aged under 14</li> <li>2) no vaccination being administered to children aged 24</li> </ul>	weeks of age; and			
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, prefilled oral applicator	0.00	10	✓ <u>R</u>	otarix

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

#### VARICELLA VACCINE [CHICKENPOX VACCINE] - [Xpharm]

Either:

- 1) Maximum of one dose for primary vaccination for either:
  - a) Any infant born on or after 1 April 2016; or
  - b) For previously unvaccinated children turning 11 years old on or after 1 July 2017, who have not previously had a varicella injection (chickenpox), or
- 2) Maximum of two doses for any of the following:
  - a) Any of the following for non-immune patients:
    - i) with chronic liver disease who may in future be candidates for transplantation: or
    - ii) with deteriorating renal function before transplantation; or
    - iii) prior to solid organ transplant: or
    - iv) prior to any elective immunosuppression\*, or
    - v) for post exposure prophylaxis who are immune competent inpatients.; or
  - b) For patients at least 2 years after bone marrow transplantation, on advice of their specialist, or
  - c) For patients at least 6 months after completion of chemotherapy, on advice of their specialist, or
  - d) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist, or
  - e) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella, or
  - f) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella, or
  - g) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

\* immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than 28 davs

Inj 2000 PFU prefilled syringe plus vial	0.00	1	<ul> <li>Varilrix</li> </ul>
		10	✓ Varilrix

## **Diagnostic Agents**

TUBERCULIN PPD [MANTOUX] TEST - [Xpharm]			
Inj 5 TU per 0.1 ml, 1 ml vial	0.00	1	✓ <u>Tubersol</u>

- Symbols -

3TC114
50X 3.0 Reservoir
- A -
A-Scabies74
Abacavir sulphate 114
Abacavir sulphate with
lamivudine 114
Abilify141
Abiraterone acetate
Acarbose
Accu-Chek Ketur-Test
Accu-Chek Performa
Accuretic 10
Accuretic 20
Acetazolamide
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium 210
Acetic acid with hydroxyquinoline and
ricinoleic acid 80
Acetylcysteine215
Aci-Jel80
Aciclovir
Infection109
Sensory210
Acidex20
Acipimox62
Acitretin74
Aclasta123
Aclin
Actinomycin D167
Actrapid
Actrapid Penfill
Acupan
Adalat 10
Adalat Oros
Adalimumab186
Adapalene
Adefin XL
Adefovir dipivoxil
Adenuric
Adrenaline
Adriamycin
ADT Booster
Adult diphtheria and tetanus
vaccine 253
Advantan
Advate
Afinitor 200
AFT Carbimazole88
AFT SLS-free71
AFT-Pyrazinamide106

AFT-Pyrazinamide S29 106
Agents Affecting the
Renin-Angiotensin System 55
Agents for Parkinsonism and Related
Disorders
Agents Used in the Treatment of Poisonings
Agrylin
Alanase
Albendazole
Albey
Albustix
Alendronate sodium
AL 1 1 11 11 11
Alendronate sodium with colecalciferol 121
Alfacalcidol
Alfamino Junior241
Alginic acid20
Alglucosidase alfa
Alkeran 163
Allersoothe
Allopurinol
Allopurinol-Apotex
Alpha Adrenoceptor Blockers
Alpha-Keri Lotion71
Alphamox 250
Alu-Tab20
Aluminium hydroxide20
Amantadine hydrochloride128
Ambrisentan
AMDIPHARM64
Amiloride hydrochloride61
Amiloride hydrochloride with
furosemide 61
Amiloride hydrochloride with
hydrochlorothiazide61
Aminophylline
Amiodarone hydrochloride56
Amisulpride
Amitriptyline
Amlodipine
Amorolfine
Amoxicillin Actavis
Amoxicillin with clavulanic acid
Amphotericin B
Amsacrine
AmsaLyo
Amsidine
Amyl nitrite
Amzoate
Anaesthetics
Anagrelide hydrochloride
Analgesics
-

Anastrozole	179
Andriol Testocaps	85
Androderm	
Animas Battery Cap	33
Animas Cartridge	
Animas Vibe	
Anoro Ellipta	207
Antabuse	. 160
Antacids and Antiflatulants	20
Anten	134
Anthelmintics	95
Antiacne Preparations	66
Antiallergy Preparations	202
Antianaemics	
Antiandrogen Oral	
Contraceptives	79
Antiarrhythmics	56
Antibacterials	
Antibacterials Topical	
Anticholinergic Agents	
Anticholinesterases	
Antidepressants	133
Antidiarrhoeals	20
Antiepilepsy Drugs	
Antifibrinolytics, Haemostatics and	
Local Sclerosants	47
Antifibrotics	
Antifungals	
Antifungals Topical	67
Antihistamines	202
Antihypotensives	57
Antimalarials	
Antimigraine Preparations	139
Antinaus	
Antinausea and Vertigo Agents	140
Antiparasitics	
Antipruritic Preparations	88
Antipsychotics	1/1
Antiretrovirals	
Antirheumatoid Agents	
Antispasmodics and Other Agents	
Altering Gut Motility	22
Antithrombotic Agents	22
Antithymocyte globulin	43
(equine)	105
Antitrichomonal Agents	105
Antituberculotics and	105
Antileprotics and	105
Antiulcerants	. 100 00
Antivirals	22
Anxiolytics	140
Anziolylics	140
Apidra Apidra SoloStar	24
Apiula 301031a1	24

Apo-Amiloride61
Apo-Amlodipine
Apo-Amoxi
Apo-Azithromycin96
Apo-Bromocriptine
Apo-Ciclopirox
Apo-Cilazapril
Apo-Cilazapril/
Hydrochlorothiazide
Apo-Clarithromycin
Alimentary22
Infection96
Apo-Clomipramine133
Apo-Diclo SR 118
Apo-Diltiazem CD60
Apo-Doxazosin55
Apo-Escitalopram 134
Apo-Folic Acid47
Apo-Imiquimod Cream 5%76
Apo-Leflunomide 119
Apo-Megestrol
Apo-Metoprolol
Apo-Mirtazapine
Apo-Moclobemide
Apo-Motelukast
Apo-Nadolol
Apo-Nicotinic Acid
Apo-Nicolinic Acid
Apo-Ondansetron
Apo-Paroxetine
Apo-Perindopril
Apo-Pindolol
Apo-Prazosin55 Apo-Prednisone85
Apo-Preunisone
Apo-Primidone
Apo-Propranolol
Apo-Propranolol S29
Apo-Pyridoxine
Apo-Ropinirole128
Apo-Selegiline S29128
Apo-Sumatriptan139
Apo-Terazosin55
Apo-Thiamine43
Apo-Timol59
Apo-Trifluoperazine143
Apomorphine hydrochloride128
Aprepitant 140
Apresoline64
Aptamil Gold+ Pepti Junior242
Aqueous cream71
Aremed179
Arimidex179
Aripiprazole141
Aristocort70
Arrow - Clopid
Arrow-Amitriptyline

Arrow-Bendrofluazide	61
Arrow-Brimonidine2	12
Arrow-Calcium	44
Arrow-Diazepam1	46
Arrow-Dortim2	12
Arrow-Doxorubicin1	
Arrow-Etidronate1	21
Arrow-Fluoxetine1	34
Arrow-Gabapentin1	36
Arrow-Lamotrigine 1	37
Arrow-Losartan &	<u> </u>
Hydrochlorothiazide	56
Arrow-Meloxicam1	
Arrow-Morphine LA1	
Arrow-Norfloxacin1	17
Arrow-Ornidazole1	05
Arrow-Quinapril 10	55
Arrow-Quinapril 20	
Arrow-Quinapril 5	55
Arrow-Roxithromycin	97
Arrow-Sertraline1	35
Arrow-Simva 10mg	62
Arrow-Simva 20mg	62
Arrow-Simva 40mg	
Arrow-Simva 80mg	
Arrow-Timolol2	
Arrow-Tolterodine	
Arrow-Topiramate1	
Arrow-Tramadol1	
Arsenic trioxide 1	
Asacol	
Asamax	
Ascorbic acid	43
Aspen Adrenaline	64
Aspirin	
Blood	49
Nervous1	30
Asthalin2	05
Atazanavir sulphate1	14
Atenolol	57
Atenolol AFT	
ATGAM1	
Ativan1	
Atomoxetine1	
Atorvastatin	62
Atripla1	14
Atropine sulphate	1
Cardiovascular	56
Sensory2	
Atropt2	19
Atrovent	05
Aubagio1	50
Augmentin	00
Ava 20 ED	30 70
Ava 30 ED	
Avelox1	
AVEIUX	UU

Avomine141
Avonex154
Avonex Pen 154
Azacitidine164
Azathioprine179
Azithromycin
Azol
Azopt212
AZT114
- B -
B-D Micro-Fine27
B-D Ultra Fine27
B-D Ultra Fine II27
Bacillus Calmette-Guerin (BCG)
vaccine 185
Bacillus Calmette-Guerin
vaccine
Baclofen126
Bactroban
Baraclude107
Barrier Creams and Emollients
BCG Vaccine
Beclazone 100203
Beclazone 250
Beclazone 50203
Beclomethasone
dipropionate
Bee venom allergy treatment
Bendamustine hydrochloride
Bendrofluazide61
Bendroflumethiazide
[Bendrofluazide]61
BeneFIX
Benzathine benzylpenicillin
Benzatropine mesylate 128
Benzbromaron AL 100 125
Benzbromarone 125
Benzoin222
Benztrop
Benzydamine hydrochloride41
Benzylpenicillin sodium [Penicillin
G]
Beta Adrenoceptor Blockers
Beta Cream
Beta Ointment69
Beta Scalp75
Beta-Adrenoceptor Agonists
Betadine
Betadine Skin Prep
Betaferon
Betagan
Betahistine dihydrochloride

Betamethasone sodium phosphate with betamethasone acetate
Betamethasone valerate69, 75
Betamethasone valerate with clioquinol70
Betamethasone valerate with fusidic
acid
Betaxolol211
Betnovate
Betnovate-C70
Betoptic
Betoptic S
Bezafibrate
Bezalip
Bezalip Retard
Bicalaccord177
Bicalutamide 177
Bicillin LA
BiCNU
Bile and Liver Therapy23
Biltricide
Bimatoprost212
Bimatoprost Actavis
Biodone
Biodone Extra Forte132
Biodone Forte
Bisacodyl
Bisoprolol fumarate
BK Lotion71
Bleomycin sulphate 167
Blood Colony-stimulating
Factors
Blood glucose diagnostic test
meter
Blood glucose diagnostic test
strip
Blood glucose test strips (visually
impaired)27
Blood ketone diagnostic test
meter 25
Bonjela42
Bonvit
Boostrix
Bortezomib167
Bosentan65
Bosvate57
Bplex43
Breo Ellipta 204
Brevinor 1/2178
Brevinor 1/2878
Brevinor 2178
Bricanyl Turbuhaler205
Brilinta
Brimonidine tartrate212
Brimonidine tartrate with timolol
maleate

Brinov	165
Brinzolamide	
Brolene	
Bromocriptine mesylate	
Brufen SR	
BSF Apo-Leflunomide	
BSF Enlafax XR	215
Buccastem	
Budesonide	
Alimentary	20
Respiratory203,	209
Budesonide with eformoterol	204
Bumetanide	
Buprenorphine with naloxone	
Bupropion hydrochloride	160
Burinex	
Buscopan	22
Buspirone hydrochloride	
Busulfan	163
Butacort Aqueous	209
- C -	200
Cabergoline	93
Cafergot	139
Cafergot S29	139
Caffeine citrate	
Calamine	
Calcipotriol	
Calcitonin	83
Calcitriol	
Calcitriol-AFT	
Calcium carbonate	
Calcium Channel Blockers	
Calcium Disodium Versenate	
Calcium folinate	165
Calcium Folinate Ebewe	165
Calcium gluconate	
Calcium Homeostasis	
Calcium polystyrene sulphonate	
Calcium Resonium	
Calogen	
Calsource	
Camptosar	166
Candesartan cilexetil	56
Candestar	
Canesten	
Capecitabine	
Capoten	
Capsaicin	
Musculoskeletal	119
Nervous	
Captopril	
Carafate	
Carbaccord	
Carbamazepine	
Carbimazole	
Carbomer	
	210

Carboplatin	163
Carboplatin Ebewe	163
Carbosorb-X	215
Cardinol LA	. 59
Cardizem CD	
CareSens	
CareSens II	
CareSens N	
CareSens N POP	.20
Carmelless and um with colorin and	.20
Carmellose sodium with gelatin and	40
pectin	. 42
Carmustine	163
Carvedilol	
Carvedilol Sandoz	
Catapres	. 60
Catapres-TTS-1	. 60
Catapres-TTS-2	. 60
Catapres-TTS-3	.60
Cathejell	129
CeeNU	163
Cefaclor monohydrate	.95
Cefalexin	95
Cefalexin Sandoz	95
Cefazolin	95
Ceftriaxone	
Cefuroxime axetil	. 00
Celecoxib	110
Celecoxib Pfizer	110
Celestone Chronodose	01
Celiprolol	.04
	.58
Cellcept	179
Celol	
Centrally-Acting Agents	. 60
Cephalexin ABM	. 95
Cerezyme	.41
Cetirizine hydrochloride	
Cetomacrogol	.71
Cetomacrogol with glycerol	.71
Champix	161
Charcoal	215
Chemotherapeutic Agents	162
Chickenpox vaccine	261
Chlorafast	
Chlorambucil	163
Chloramphenicol	
Chlorhexidine gluconate	
Alimentary	42
Dermatological	70
Chloroform	
Chlorothiazide	
Chlorpheniramine maleate	
Chlorpromazine hydrochloride	
Chlorsig	
Chlortalidone [Chlorthalidone]	
Chlorthalidone	
Chlorvescent	.54

	-
Choice Load 37577	7
Choice TT380 Short77	7
Choice TT380 Standard77	7
Cholestyramine	
Choline salicylate with cetalkonium	
chloride	2
Cholvastin	
Ciclopirox olamine	1
Ciclosporin	
Cilazapril	2
Cilazapril with	
hydrochlorothiazide	
Cilicaine	9
Cilicaine VK	9
Ciloxan210	)
Cinacalcet83	3
Cipflox100	)
Ciprofloxacin	
Infection	n
Sensory210	
Circadin	
Cisplatin	
Cisplatin Ebewe	2
Citalopram hydrobromide 134	ר ג
Cladribine	+
Clarithromycin	כ
	_
Alimentary	
Clexane	
Clindamycin	
Clindamycin ABM 100	)
Clinicians Renal Vit43	
Clobazam 135	
Clobetasol propionate	5
Clobetasone butyrate69	9
Clofazimine105	5
Clomazol	
Dermatological67	7
Genito-Urinary80	
Clomifene citrate	
Clomipramine hydrochloride133	3
Clonazepam 135, 146	ô
Clonidine	
Clonidine BNM	
Clonidine hydrochloride	
Clopidogrel	9
Clopine	2
Clopixol143, 143	5
Clotrimazole	1
Dermatological	7
Genito-Urinary	
Clozapine	
Clozaril	
Clustran	
Co-trimoxazole	
Coal tar75	J

Coal tar with allantoin, menthol,	
phenol and sulphur	. 75
Coal tar with salicylic acid and	
sulphur	. 75
Coco-Scalp	.75
Codeine phosphate	
Extemporaneous	222
Nervous	
Cogentin	
Colaspase [L-asparaginase]	
Colchicine	126
Colecalciferol	
Colestid	
Colestipol hydrochloride	. 62
Colgout	126
Colifoam	
Colistin sulphomethate	
Colistin-Link	100
Collodion flexible	222
Colloidal bismuth subcitrate	.23
Colofac	
Coloxyl	.38
Combigan	212
Comfort	
Comfort Short	
Compound electrolytes	.54
Compound hydroxybenzoate	222
Concerta	158
Condoms	
Condyline	
Contact-D	.33
Contraceptives - Hormonal	
Contraceptives - Non-hormonal	
Copaxone	154
Cordarone-X	.56
Corticosteroids and Related Agents	
for Systemic Use	. 84
Corticosteroids Topical	.69
Cosmegen	
Coumadin	
Creon 10000	
Creon 25000	
Crixivan	
Crotamiton	
Crystaderm	
Curam	.98
Cvite	43
Cyclizine hydrochloride	
Cyclizine lactate	
Cyclogyl	
Cyclopentolate hydrochloride	
Cyclophosphamide	
Cycloserine	
Cyklokapron	
Cyproterone acetate	
Cyproterone acetate with	
- /	

ethinyloestradiol	79
Cytarabine	165
Cytotec	22
Cytoxan	163
- D -	
D-Penamine	. 119
Dabigatran	52
Dacarbazine	
Dactinomycin [Actinomycin D]	. 167
Daivobet	74
Daivonex	74
Daktarin	
Dalacin C	100
Dalteparin sodium	
Danazol	94
Dantrium	127
Dantrolene	
Daonil	
Dapa-Tabs	20 61
Dapsone	105
Daraprim	100
Darunavir	114
Dasatinib	. 114
Dasatinio	
DBL Acetylcysteine	107
DBL Aminophylline	210
DBL Bleomycin Sulfate	200
DBL Carboplatin	160
DBL Cisplatin	160
DBL Dacarbazine	167
DBL Docetaxel	107
DBL Doceraxei	100
DBL Doxorubicin S29	100
DBL Epirubicin Hydrochloride DBL Ergometrine	100
DBL Ergometrahing	100
DBL Gemcitabine DBL Leucovorin Calcium	100
DBL Methotrexate Onco-Vial	100
DBL Methone Sulphote	100
DBL Morphine Sulphate DBL Morphine Tartrate	100
DBL Octreotide	1.132
DBL Pethidine Hydrochloride	100
DBL Vincristine Sulfate	171
De-Worm Decozol	90
Deforaciroy	42
Deferasirox	
Deferiprone	
Deoxycoformycin	170
Depo-Medrol Depo-Medrol with Lidocaine	04
Depo-Integror with Lidocaine	80 مح
Depo-Provera Depo-Testosterone	/9 07
Deprim	. 102
DermAssist	
Dermol	9,75
Desieldi	210

Desferrioxamine mesilate
Desmopressin acetate93
Desmopressin-PH&T93
Detection of Substances in
Urine
Dexamethasone
Hormone84
Sensory211
Dexamethasone phosphate
Dexamethasone with framycetin and
gramicidin
Dexamethasone with neomycin
sulphate and polymyxin B
sulphate 211
Dexamfetamine sulfate
Dexmethsone
Dextrochlorpheniramine
maleate 203
Dextrose
Dextrose with electrolytes54
DHC Continus131
Diabetes23
Diabetes Management25
Diacomit138
Diagnostic Agents261
Diamide Relief
Diamox
Diasip228
Diason RTH228
Diazepam 135, 146
Diazoxide
Dicarz
Diclofenac Sandoz
Diclofenac sodium
Musculoskeletal
Sensory
Differin
Difflam
Diflucan
Diflucan S29
Diflucortolone valerate
Digestives Including Enzymes
Digoxin
Dihydrocodeine tartrate 131
Dilantin138
Dilantin Infatab138
Diltiazem hydrochloride60
Dilzem60
Dimethicone71–72
Dimethyl fumarate 146
Dipentum21
Diphtheria, tetanus and pertussis
vaccine
Diphtheria, tetanus, pertussis and
polio vaccine
Diphtheria, tetanus, pertussis, polio,

hepatitis B and haemophilus	
influenzae type B vaccine 254	4
Diprosone	
Diprosone OV65	
Dipyridamole49	9
Disinfecting and Cleansing	Č
Agents	'n
Disopyramide phosphate	7
Disulfiram	'n
Diuretics	ñ
Diurin 40	
Docetaxel	
Docetaxel Sandoz	
Docusate sodium	
Docusate sodium with	0
sennosides	~
Dolutegravir	
Domperidone	
Donepezil hydrochloride	
Donepezil-Rex159	
Dopress 133	
Dornase alfa 208	8
Dorzolamide hydrochloride	2
Dorzolamide with timolol212	
Dostinex93	3
Dosulepin [Dothiepin]	
hydrochloride 133	3
Dothiepin133	3
Doxazosin	5
Doxepin hydrochloride134	4
Doxine	9
Doxorubicin Ebewe168	8
Doxorubicin hydrochloride 168	8
Doxy-50	9
Doxycycline	9
DP Fusidic Acid Cream67	7
DP Lotion	
DP Lotn HC	9
DP-Anastrozole	g
Dr Reddy's Omeprazole	3
Dr Reddy's Ondansetron	
Dr Reddy's Terbinafine	
Drugs Affecting Bone	
Metabolism 119	۵
Duocal Super Soluble Powder	6
Duolin	
Duolin HFA	
Durex Confidence	
Durex Extra Safe	
Duride	
Duro-K	
Dynacirc-SRO	9
-E-	_
e-chamber La Grande200	
e-chamber Mask200	
e-chamber Turbo209	9

E-Mycin	97
Ear Preparations	.210
Ear/Eye Preparations	.210
Easiphen Liquid	
EasyCheck	
Econazole nitrate	
Efavirenz	
Efavirenz with emtricitabine and	
tenofovir disoproxil	
fumarate	114
Effient	
Eformoterol fumarate	
Efudix	
Egopsoryl TA	
Elaprase	
Elecare	
Elecare LCP	.241
Elemental 028 Extra	.241
Elocon	
Elocon Alcohol Free	
Eltrombopag	
Eltroxin	
Emend	
Emend Tri-Pack	
EMLA	
Emtricitabine	.114
Emtricitabine with tenofovir disoprov	
fumarate	
Emtriva	
Emulsifying ointment	71
Enalapril maleate	
Enbrel	
Endocrine Therapy	.177
Endoxan	
Enerlyte	
Enlafax XR	
Enoxaparin sodium	51
Ensure	
Ensure Plus	
Ensure Plus HN	.235
Ensure Plus RTH	
Entacapone	. 128
Entapone	. 128
Entecavir	. 107
Entocort CIR	20
Epilim	.138
Epilim Crushable	.138
Epilim IV	.138
Epilim S/F Liquid	
Epilim Syrup	
Epirubicin Ebewe	
Epirubicin hydrochloride	
Epoetin alfa [Erythropoietin alfa]	
Eprex	47
Eptacog alfa [Recombinant factor	
VIIa]	47

INDEX: G	eneric	Chemicals	and	Brands
----------	--------	-----------	-----	--------

ERA	97
Ergometrine maleate	80
Ergotamine tartrate with	
caffeine 1	39
Erlotinib1	
Erythrocin IV	97
Erythromycin ethyl succinate	
Erythromycin lactobionate	97
Erythromycin stearate	97
Erythropoietin alfa	47
Esbriet	
Escitalopram1	
Eskazole	
Estradot	
Estradot 50 mcg	
Estrofem	
Etanercept 1	80
Ethambutol hydrochloride 1	06
Ethics Aspirin1	30
Ethics Aspirin EC	49
Ethics Enalapril	55
Ethics Lisinopril	55
Ethinyloestradiol	87
Ethinyloestradiol with	
desogestrel	78
Ethinyloestradiol with	
levonorgestrel	78
Ethinyloestradiol with	
norethisterone	78
Ethosuximide1	
Etidronate disodium1	
Etopophos1	
Etoposide1	88
Etoposide phosphate1	
Etravirine1	12
Eumovate	
Everet	
Everolimus	
Evista1	
Exelon1	
Exemestane1	
Exjade2	15
Extemporaneously Compounded	
Preparations and	
Galenicals	22
Eye Preparations2	10
Ezemibe	
Ezetimibe	62
Ezetimibe with simvastatin	
-F-	
Factor eight inhibitor bypassing	
fraction	48
Febuxostat1	
Feed Thickener Karicare	_0
Aptamil	38
FEIBA NF	
	-10

=

Felodipine59
Fenpaed118
Fentanyl131
Fentanyl Sandoz131
Ferinject44
Ferodan45
Ferric carboxymaltose44
Ferriprox
Ferro-F-Tabs45
Ferro-tab45
Ferrograd
Ferrograd F45 Ferrous fumarate45
Ferrous fumarate45 Ferrous fumarate with folic acid45
Ferrous sulphate45 Ferrous sulphate with folic acid45
Ferrum H45
Fexofenadine hydrochloride
Fibro-vein
Filgrastim
Finasteride
Fingolimod147
Finpro
Firazyr
Flagyl
FlagyI-S 105
Flamazine
Flecainide acetate57
Flecainide acetate57 Fleet Phosphate Enema
Flecainide acetate
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Florinef       84         Fluanxol       143         Flucil       99         Flucloxacillin       99
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Florinef       84         Fluanxol       143         Flucil       99         Flucloxacillin       99         Flucloxin       99
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Florinef       84         Fluanxol       143         Flucila       99         Flucloxacillin       99         Flucloxin       99         Fluconazole       102
Flecainide acetate         57           Fleet Phosphate Enema         39           Flixonase Hayfever & Allergy         209           Flixotide         203           Flixotide Accuhaler         203           Florinef         84           Fluanxol         143           Flucine         99           Flucloxacillin         99           Fluconazole         102           Fluconazole         102
Flecainide acetate         57           Fleet Phosphate Enema         39           Flixonase Hayfever & Allergy         209           Flixotide         203           Flixotide Accuhaler         203           Floair         203           Florinef         84           Flucain         99           Flucloxacillin         99           Fluconazole         102           Fludara Oral         165
Flecainide acetate         57           Fleet Phosphate Enema         39           Flixonase Hayfever & Allergy         209           Flixotide         203           Flixotide Accuhaler         203           Floair         203           Floair         203           Florinef         84           Fluanxol         143           Flucia         99           Flucloxacillin         99           Flucloxacillin         99           Flucara Oral         102           Fludara Oral         165           Fludarabine Ebewe         165           Fludarabine phosphate         165
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Floair       203         Florinef       84         Fluanxol       143         Flucia       99         Fluckacillin       99         Fluckacillin       99         Flucara Oral       165         Fludara Oral       165         Fludarabine Ebewe       165         Fludarabine phosphate       165
Flecainide acetate         57           Fleet Phosphate Enema         39           Flixonase Hayfever & Allergy         209           Flixotide         203           Flixotide Accuhaler         203           Floair         203           Floair         203           Florinef         84           Fluanxol         143           Flucia         99           Flucloxacillin         99           Flucloxacillin         99           Fluconazole         102           Fludara Oral         165           Fludarabine Ebewe         165           Fludarabine phosphate         165           Fludarabine acetate         84           Fluids and Electrolytes         53
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Florinef       84         Fluanxol       143         Flucil       99         Fluckaxcillin       99         Fluckaxcillin       99         Fluckaxole       102         Fludara Oral       165         Fludarabine Ebewe       165         Fludarabine phosphate       165         Fludorotrisone acetate       84         Fluids and Electrolytes       53         Flumetasone pivalate       210
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Florinef       84         Fluanxol       143         Flucil       99         Flucloxacillin       99         Fluconazole       102         Fludara Oral       165         Fludarabine Ebewe       165         Fludarabine acetate       84         Fluids and Electrolytes       53         Flumetasone pivalate       210
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Florinef       84         Fluanxol       143         Flucil       99         Flucloxacillin       99         Fluconazole       102         Fludara Oral       165         Fludarabine Ebewe       165         Fludarabine acetate       84         Fluids and Electrolytes       53         Flumetasone pivalate       210         Fluocortolone caproate with       fluocortolone pivalate and
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Floair       203         Floair       203         Floair       84         Fluanxol       143         Flucil       99         Flucloxacillin       99         Fluconazole       102         Fludara Oral       165         Fludarabine Ebewe       165         Fludarabine phosphate       165         Fludarabine phosphate       165         Fludrabine phosphate       210         Fluocortisone acetate       84         Fluids and Electrolytes       53         Flumetasone pivalate       210         Fluocortolone caproate with       fluocortolone pivalate and         cinchocaine       21
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Flucioxacillin       99         Flucloxacillin       99         Flucloxacillin       99         Flucloxacillin       99         Flucloxacillin       102         Fludarabine Ebewe       165         Fludarabine phosphate       165         Fludarabine phosphate       210         Fluoroortisone acetate       84         Fluotocotisone caproate with       11         Fluocortolone pivalate and       210         Fluorometholone
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Floair       203         Floair       203         Floair       84         Fluanxol       143         Flucil       99         Flucloxacillin       99         Fluconazole       102         Fludara Oral       165         Fludarabine Ebewe       165         Fludarabine phosphate       165         Fludarabine phosphate       165         Fludrabine phosphate       210         Fluocortisone acetate       84         Fluids and Electrolytes       53         Flumetasone pivalate       210         Fluocortolone caproate with       fluocortolone pivalate and         cinchocaine       21
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floarin       203         Flucoxacillin       99         Flucloxacillin       99         Flucloxacillin       99         Flucloxacile       102         Fludara Oral       165         Fludarabine phosphate       165         Fludarabine phosphate       165         Fludrocortisone acetate       84         Fluorocotrisone acetate       210         Fluorotolone caproate with       1         fluocortolone pivalate and       210         cinch
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floair       203         Floair       203         Floair       203         Florinef       84         Fluanxol       143         Flucia       99         Flucloxacillin       99         Flucloxacile       102         Fludraobine Ebewe       165         Fludrocortisone acetate       84         Fluids and Electrolytes       53         Flumetasone pivalate       210         Fluocortolone caproate with       1         fluorouracil       165         Fluorouracil       165
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Floarin       203         Flucoxacillin       99         Flucloxacillin       99         Flucloxacillin       99         Flucloxacile       102         Fludara Oral       165         Fludarabine phosphate       165         Fludarabine phosphate       165         Fludrocortisone acetate       84         Fluorocotrisone acetate       210         Fluorotolone caproate with       1         fluocortolone pivalate and       210         cinch
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Florinef       84         Fluanxol       143         Flucine       99         Flucloxacillin       99         Fluconazole       102         Fludara Oral       165         Fludarabine Ebewe       165         Fludorcortisone acetate       84         Fluids and Electrolytes       53         Flumetasone pivalate       210         Fluocortolone caproate with       1         fluorouracil       165         Fluorouracil       165
Flecainide acetate       57         Fleet Phosphate Enema       39         Flixonase Hayfever & Allergy       209         Flixotide       203         Flixotide Accuhaler       203         Florinef       84         Fluanxol       143         Flucina       99         Flucloxacillin       99         Flucoracole       102         Fludara Oral       165         Fludarabine Ebewe       165         Fludrocortisone acetate       84         Fluids and Electrolytes       53         Fluocontolone pivalate and       210         Fluocortolone caproate with       1100         fluorouracil       165         Fluorouracil

Flutamide Mylan	.178
Flutamin	
Fluticasone	.203
Fluticasone furoate with	
vilanterol	. 204
Fluticasone propionate	.209
Fluticasone with salmeterol	
FML	
Foban	
Folic acid	
Food Thickeners	
Foods And Supplements For Inborn	
Errors Of Metabolism	000
Foradil	.204
Forteo	
Fortini	
Fortini Multi Fibre	
Fortisip	.236
Fortisip Multi Fibre	
Fosamax	. 121
Fosamax Plus	.121
Fragmin	50
Framycetin sulphate	.210
Freestyle Optium	26
Freestyle Optium Ketone	25
Freestyle Optium Neo	
Frisium	
Frumil	
Frusemide	
Frusemide-Claris	
Fucicort	
Fucidin	
Fucithalmic	
Fungilin	
Furosemide [Frusemide]	61
Fusidic acid	
Dermatological	
Infection	
Sensory	.210
- G -	
Gabapentin	.136
Gacet	.131
Galsulfase	
Gardasil 9	.256
Gastrodenol	
Gastrosoothe	
Gaviscon Double Strength	20
Gaviscon Infant	
Gazyva	
Gefitinib	172
Gemcitabine Ebewe	165
Gemcitabine hydrochloride	
Gemfibrozil	001 . مم
Gemzar	
Genoptic	
Genox	.179

Gentamicin sulphate
Infection100
Sensory210
Gilenya 147
Ginet79
Glatiramer acetate 154
Glibenclamide25
Gliclazide25
Glipizide25
Glivec
Glizide25
Glucagen Hypokit23
Glucagon hydrochloride23
Glucerna Select 228
Glucerna Select RTH228
Glucobay25
Glucose [Dextrose]53
Gluten Free Foods
Glycerin with sodium saccharin 222
Glycerin with sucrose
Glycerol
Alimentary38
Extemporaneous222
Glyceryl trinitrate
Alimentary
Cardiovascular63
Glycopyrronium
Glycopyrronium bromide
Glycopyrronium with
indacaterol 206
Glytrin63
Gold Knight77
Goserelin
Gutron
Gynaecological Anti-infectives80
-H-
Habitrol
Haemophilus influenzae type B
vaccine 254
Haldol 144
Haldol Concentrate144
Haldol Decanoas 144
Haloperidol142
Haloperidol decanoate144
Hamilton Sunscreen76
Harvoni 111
Havrix
Havrix Junior255
HBvaxPRO255
healthE Dimethicone 10%71
healthE Dimethicone 4% Lotion72
healthE Dimethicone 5%71
healthE Glycerol BP 222
healthE Urea Cream71
Healtheries Simple Baking Mix238
Hemastix

Heparinised saline52
Heparon Junior
Hepatitis A vaccine
Hepatitis B recombinant
vaccine
Hepsera107
Herceptin
Hexamine hippurate 117
Hiberix
Hiprex
Histaclear
Histafen
Holoxan
Horleys Bread Mix
Horleys Flour
Hormone Replacement Therapy -
Systemic
HPV
Humalog
Humalog Mix 2524
Humalog Mix 50
Human papillomavirus (6, 11, 16, 18,
31, 33, 45, 52 and 58) vaccine
[HPV]
Humatin
Humira
HumiraPen
Humulin 30/70
Humulin NPH24
Humulin R24
Hyaluronic acid213
Hyaluronic acid213 Hybloc58
Hyaluronic acid
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydraea       168
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       64
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       Dermatological         69       0
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Hormone       84
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Hormone       84         Hydrocortisone acetate       21
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid       10
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine       64         Hydralazine       64         Hydralazine       64         Hydrea       168         Hydrocortisone       69         Hormone       84         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid and lanolin       69
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid and lanolin       69         Hydrocortisone butyrate       69         Hydrocortisone for the second paraffin liquid and lanolin       69
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid and lanolin       69         Hydrocortisone with cinchocaine       21
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid       69         Hydrocortisone butyrate       69,75         Hydrocortisone with cinchocaine       21
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine       64         Hydralazine       64         Hydralazine       64         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid       21         Hydrocortisone butyrate       69, 75         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with natamycin and       70
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine       64         Hydralazine       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid       and lanolin         and lanolin       69         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with miconazole       70         Hydrocortisone with natamycin and neomycin       70
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine       64         Hydralazine       64         Hydralazine       64         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid       and lanolin         and lanolin       69         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with natamycin and       70         Hydrocortisone peroxide       70
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine       64         Hydralazine       64         Hydralazine       64         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid       and lanolin         and lanolin       69         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with natamycin and       70         Hydrogen peroxide       Alimentary
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine       64         Hydralazine       64         Hydralazine       64         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid       and lanolin         and lanolin       69         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with miconazole       70         Hydrocortisone with natamycin and       70         Hydrogen peroxide       Alimentary         Alimentary       42         Dermatological       67
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid and lanolin       69         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with natamycin and neomycin       70         Hydrocortisone with natamycin and neomycin       70         Hydrogen peroxide       41         Alimentary       42         Dermatological       67         Hydroxocobalamin       42
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone and paraffin liquid and lanolin       69         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with miconazole       70         Hydrocortisone with natamycin and neomycin       70         Hydrogen peroxide       Alimentary       42         Dermatological       67         Hydroxocobalamin       42         Hydroxychloroquine       119
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone with cinchocaine       21         Hydrocortisone with niconazole       70         Hydrocortisone with natamycin and neomycin       70         Hydrogen peroxide       Alimentary         Alimentary       42         Dermatological       67         Hydroxychloroquine       119         Hydroxyurea       168
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone butyrate       69, 75         Hydrocortisone with cinchocaine       21         Hydrocortisone with natamycin and       70         Hydrocortisone with natamycin and       70         Hydrogen peroxide       Alimentary         Alimentary       42         Dermatological       67         Hydroxocobalamin       42         Hydroxychloroquine       119         Hydroxychloroquine       168         Hygroton       61
Hyaluronic acid       213         Hybloc       58         Hydralazine       64         Hydralazine hydrochloride       64         Hydralazine hydrochloride       64         Hydrea       168         Hydrocortisone       69         Dermatological       69         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone acetate       21         Hydrocortisone butyrate       69         Hydrocortisone with cinchocaine       21         Hydrocortisone with niconazole       70         Hydrocortisone with natamycin and       70         Hydrogen peroxide       Alimentary         Alimentary       42         Dermatological       67         Hydroxychloroquine       119         Hydroxyurea       168

Hyoscine hydrobromide	140
Hypam	155
Hyperuricaemia and Antigout	125
Hypromellose	
Hypromellose with dextran	
Hysite	
-1-	
lbiamox	
Ibugesic	. 118
Ibuprofen	
Icatibant	
Idarubicin hydrochloride	168
Idursulfase	
Ifosfamide	163
Ikorel	
lloprost	
Imatinib mesilate	173
Imatinib-AFT	173
Imiglucerase	41
Imipramine hydrochloride	134
Imiquimod	76
Immune Modulators	115
Immunosuppressants	179
Imuran	179
Incruse Ellipta	206
Indacaterol	204
Indapamide	61
Indinavir	114
Infanrix IPV	254
Infanrix-hexa	254
Infant Formulae	240
Influenza vaccine	
Influvac	257
Inhaled Corticosteroids	203
Inhaled Long-acting	
Beta-adrenoceptor Agonists	204
Inset 30	34
Inset II	35
Insulin aspart	<mark>2</mark> 4
Insulin aspart with insulin aspart	
protamine	24
Insulin glargine	24
Insulin glulisine	24
Insulin isophane	24
Insulin isophane with insulin	
neutral	24
Insulin lispro	24
Insulin lispro with insulin lispro	
protamine	
Insulin neutral	
Insulin pen needles	27
Insulin pump	
Insulin pump accessories	33
Insulin pump infusion set (steel	
cannula)	33
Insulin pump infusion set (teflon	

INDEX: Generic C	hemicals	and	Brands
------------------	----------	-----	--------

cannula, angle insertion with
insertion device) 34
Insulin pump infusion set (teflon
cannula, angle insertion) 34
Insulin pump infusion set (teflon
cannula, straight insertion with
insertion device) 35
Insulin pump infusion set (teflon
cannula, straight insertion)
Insulin pump reservoir
Insulin syringes, disposable with
attached needle
Intal Forte CFC Free
Intal Spincaps
Intelence
Interferon alfa-2a
Interferon alfa-2b
Interferon beta-1-alpha
Interferon beta-1-beta154
Intra-uterine device
Intron-A115
Invega Sustenna
IPOL
Ipratropium bromide
Iressa
Irinotecan Actavis 40 166
Irinotecan hydrochloride
Irinotecan-Rex
Iron polymaltose
Isentress
Ismo 20
Ismo 40 Retard64
Isoniazid 106
Isoprenaline
Isoptin 60
Isopto Carpine
Isosorbide mononitrate64
Isosource Standard
Isosource Standard RTH235
Isotane 10
Isotane 20
Isotretinoin
Ispaghula (psyllium) husk
Isradipine
Isuprel
Itch-Soothe68
Itraconazole
Itrazole103 Ivermectin72
- J -
- J - Jadelle
Jevity HiCal RTH
Jevity RTH235
- K -
Kaletra 115
าณเงแน้

Kemadrin	. 128
Kenacomb	
Kenacort-A 10	85
Kenacort-A 40	
Kenalog in Orabase	
Ketocal 3:1	
KetoCal 4:1	.242
Ketoconazole	
Dermatological	75
Infection	. 103
Ketogenic Diet	.242
Ketone blood beta-ketone	
electrodes	25
Ketoprofen	
Ketostix	
Keytruda	
Kindergen	
Kinson	
Kivexa	
Klacid	
Kliogest	
Kliovance	
Kogenate FS	
Konakion MM	
Konsyl-D	
- L -	
L-asparaginase	. 167
Labetalol	
Lacosamide	
Lactulose	
Laevolac	
Lamictal	
Lamivudine 108	
Lamivudine Alphapharm	
Lamotrigine	
Lamprene	
Lanoxin	
Lanoxin PG	
Lanoxin S29	
Lansoprazole	
Lantus	24
Lantus SoloStar	24
Lanvis	
Lanzol Relief	
Lapatinib ditosylate	
Largactil	142
Lasix	
Latanoprost	212
Lax-Sachets	
Lax-Suppositories	
Lax-Tab	
Laxatives	
Laxsol	
Ledipasvir with sofosbuvir	
Leflunomide	
Lenalidomide	

	_
Letrole17	
Letrozole17	'9
Leukeran FC16	63
Leukotriene Receptor	
Antagonists	17
Leunase16	57
Leuprorelin	
Leustatin	
Levetiracetam	
Levobunolol	
Levocabastine	
Levodopa with benserazide	
Levodopa with carbidopa12	
I second s	
hydrochloride 14	0
Levomepromazine maleate	·2
	-2
Levonorgestrel	
Genito-Urinary7	
Hormone8	
Levothyroxine	
Lidocaine [Lignocaine] 129-13	0
Lidocaine [Lignocaine]	
hydrochloride 13	0
Lidocaine [Lignocaine] with	
chlorhexidine 13	0
Lidocaine [Lignocaine] with	
prilocaine 13	
Lidocaine-Claris13	0
Lignocaine	
Hormone	
Nervous129-13	80
Lioresal Intrathecal12	6
Lipazil6	62
Lipid-Modifying Agents6	
Liquigen	27
Lisinopril5	
Lithicarb FC 14	2
Lithium carbonate14	
Livostin	1
LMX4	
Locacorten-Viaform ED's21	0
Local preparations for Anal and	Ĩ
Rectal Disorders 2	1
Locasol	
Locoid	
Locoid Crelo	
Locoid Lipocream	
Locorten-Vioform	
Lodi5	
Lodoxamide21	
Logem	
Lomide	
Lomustine 16	
Loniten	
Loperamide hydrochloride	
Lopinavir with ritonavir11	5

	-
Lopresor	3
Loprofin240	)
Loprofin Mix240	)
Lorafix	
Loratadine	
Lorazepam146	
Lorfast	
Lormetazepam154	í
Lorstat	r 2
Losartan Actavis	1
Losartan potassium	2
	)
Losartan potassium with	
hydrochlorothiazide	
Lovir	
Lucrin Depot 1-month	
Lucrin Depot 3-month	
Ludiomil 134	ł
Lycinate63	3
Lyderm74	ŧ
- M -	
m-Eslon 132	
m-Nystatin42	2
Mabthera 194	ŧ
Macrogol 3350 with potassium	
chloride, sodium bicarbonate and	
sodium chloride 38	3
Macrogol 400 and propylene	
glycol	3
Madopar 125 128	Ŕ
Madopar 250 128	Ŕ
Madopar 62.5	
Madopar HBS	2
Madopar Rapid	
Magnesium hydroxide	
Magnesium sulphate	
Mantoux	
Maprotiline hydrochloride 134	
Marevan	2
Marine Blue Lotion SPF 50+76	
Marvelon 2878	3
Mask for spacer device209	)
Mast Cell Stabilisers 208	3
Maxidex211	
Maxitrol211	
MCT oil (Nutricia)227	7
Measles, mumps and rubella	
vaccine	3
Mebendazole95	
Mebeverine hydrochloride	
Medrol	
Medroxyprogesterone acetate	1
Genito-Urinary	2
Hormone	
Mefenamic acid	
Megestrol acetate	
Melatonin 154	t,

Meloxicam119
Melphalan163
Menactra258
Meningococcal (groups A, C, Y and
W-135) conjugate vaccine
Meningococcal C conjugate
vaccine
Menthol
Mercaptopurine
Mercilon 28
Mesalazine
Mesna
Mestinon
Metabolic Disorder Agents 39
Metamide140
Metchek
Meterol204
Metformin hydrochloride25
Metformin Mylan25
Methadone hydrochloride
Extemporaneous222
Nervous132
Methatabs132
Methopt213
Methotrexate166
Methotrexate Ebewe166
Methotrexate Sandoz
Methyl hydroxybenzoate
Methylcellulose
Methylcellulose with glycerin and
sodium saccharin
Methylcellulose with glycerin and
sucrose
Methyldopa
Methyldopa Mylan60
Methylphenidate hydrochloride 157
Methylphenidate hydrochloride
extended-release158
Methylprednisolone
Methylprednisolone (as sodium
succinate) 84
Methylprednisolone aceponate
Methylprednisolone acetate84
Methylprednisolone acetate with
lidocaine [Lignocaine] 84
Methylxanthines208
Metoclopramide hydrochloride 140
Metolazone61
Metopirone94
Metoprolol - AFT CR
Metoprolol succinate
Metoprolol tartrate
Metronidazole
Metyrapone
Mexiletine hydrochloride
Mexiletine Hydrochloride USP

Miacalcic	. 83
Micolette	
Miconazole	. 42
Miconazole nitrate	
Dermatological	. 68
Genito-Urinary	
Micreme	80
Micreme H	. 70
Microgynon 30	. 78
Microgynon 50 ED	78
Microlut	79
Midazolam	155
Midazolam-Claris	155
Midodrine	57
Minerals	44
Mini-Wright AFS Low Range	209
Mini-Wright Standard	209
Minidiab	25
Minims Pilocarpine	212
Minims Prednisolone	211
Minirin	
Mino-tabs	
Minocycline hydrochloride	
Minomycin	
Minor Skin Infections	72
Minoxidil	
Mirena	
Mirtazapine	135
Misoprostol	.22
Mitomycin C	169
Mitozantrone	169
Mitozantrone Ebewe	169
Mixtard 30	
Moclobemide	134
Modafinil	
Modavigil	158
Modecate	144
Modecate S29	144
Moduretic	
Mometasone furoate	
Monogen	
Montelukast	207
Moroctocog alfa [Recombinant factor	
VIII]	48
Morphine hydrochloride	132
Morphine sulphate	
Morphine tartrate	132
Motetis	
Motrig	
Mouth and Throat	
Movapo	
Moxifloxacin	
MSUD Maxamum	
Mucilaginous laxatives with	200
stimulants	38
Mucolytics	

Mucosoothe 130
Multiple Sclerosis Treatments 146
Multivitamin renal43
Multivitamins43
Mupirocin
Muscle Relaxants 126
Myite
Myambutol
Mycobutin
MycoNail
Mycophenolate mofetil 179
Mycostatin
Mydriacyl213
Mylan Atenolol 57
Mylan Clomiphen94
Mylan-Bosentan65
Myleran163
Myloc CR
Myocrisin119
Myometrial and Vaginal Hormone
Preparations
Myozyme
- N -
Nadolol
Naglazyme
Nalcrom
Naloxone hydrochloride215
Naltraccord 160
Naltrexone hydrochloride160
Naphazoline hydrochloride213
Naphcon Forte213
Naprosyn SR 1000 118
Naprosyn SR 750 118
Naproxen
Nardil
Nasal Preparations
Natalizumab149
Natulan
Nausicalm
Nausicaliti
Navelbine
Nedocromil
Nefopam hydrochloride
Neisvac-C258
Neo-B12
Neo-Mercazole88
Neocate Advance241
Neocate Gold241
Neocate LCP
Neoral
Neostigmine metilsulfate 118
Nepro HP (strawberry)
Nepro HP (vanilla)
Nepro HP RTH
Nerisone
Neulactil143

Neulastim       5         Neurontin       13         NeuroTabs       4         Nevirapine       11         Nevirapine Alphapharm       11         Nicorandii       6         Nicotine       16         Nicotinic acid       6         Nifedipine       5         Nifuran       11         Nilotinib       17         Nilstat       1         Alimentary       4         Genito-Urinary       8         Infection       10         Nitrades       15         Nitrates       6         Nitragepam       15         Nitrofur m TTS       6         Nitrofur antoin       11	36 44 13 64 61 62 59 17 74 42 80 03 70 55 63 55 63 17
Neurontin       13         NeuroTabs       4         Nevirapine       11         Nicorandii       6         Nicorandii       6         Nicotine       16         Nicotine       16         Nicotinic acid       6         Nifedipine       5         Nifuran       11         Nilotinib       17         Nilstat       16         Alimentary       4         Genito-Urinary       8         Infection       10         Nipent       17         Nitrados       18         Nitrazepam       18         Nitroderm TTS       6	36 44 13 64 61 62 59 17 74 42 80 03 70 55 63 55 63 17
NeuroTabs       4         Nevirapine       11         Nevirapine Alphapharm       11         Nicorandil       6         Nicotinic acid       6         Nicotinic acid       6         Nifedipine       5         Nifuran       11         Nilotnib       17         Nilstat       4         Alimentary       4         Infection       10         Nipent       17         Nitrates       6         Nitrates       6         Nitracopam       16         Nitracopam       16         Nitrates       6         Nitrates       6         Nitracos       15         Nitracos       16         Nitrates       6         Nitroderm TTS       6	44 13 64 61 62 59 17 74 42 80 03 70 55 63 55 63 17
Nevirapine       11         Nevirapine Alphapharm       11         Nicorandil       6         Nicotine       16         Nicotinic acid       6         Nifedipine       5         Nifuran       11         Nilotinib       17         Nilotata       4         Alimentary       4         Infection       10         Nipent       17         Nitrates       6         Nitrates       6         Nitracos       15         Nitracos       15         Nitrates       6         Nitracos       15         Nitracos       16         Nitracos       17         Nitrates       6         Nitracos       16         Nitracos       17         Nitracos       16         Nitracos       17         Nitracos       16         Nitracos       17         Nitracos       18         Nitracos       16         Nitracos       16         Nitracos       17         Nitracos       16         Nitracos       17	13 13 64 61 62 59 17 74 42 80 03 70 55 63 55 63 17
Nevirapine Alphapharm       11         Nicorandil       6         Nicotine       16         Nicotinic acid       6         Nifedipine       5         Nifran       11         Nilotnib       17         Nilstat       4         Alimentary       4         Infection       10         Nipent       17         Nitrates       6         Nitrates       6         Nitrates       6         Nitraderm       16         Nitraderm       17	13 64 61 62 59 17 74 42 80 03 70 55 63 55 63 17
Nicorandil       6         Nicotine       16         Nicotinic acid       6         Nifedipine       5         Nifuran       11         Nilotinib       17         Nilotinib       17         Nilstat       4         Alimentary       4         Infection       10         Nipent       17         Nitrados       15         Nitrates       6         Nitrazepam       16         Nitradorm       17         Nitrados       16         Nitrates       6         Nitradorm       16         Nitrados       16         Nitradorm       16         Nitradorm       17         Nitrados       16         Nitrados       17         Nitrados       16         Nitrados       17         Nitrados       16         Nitradorm       16         Nitradorm       17         Nitradorm       16         Nitradorm       17         Nitrados       16         Nitrados       17         Nitrados       16 <tr< td=""><td>64 61 59 17 74 42 80 03 70 55 63 55 63 17</td></tr<>	64 61 59 17 74 42 80 03 70 55 63 55 63 17
Nicotine       16         Nicotinic acid       6         Nifedipine       5         Nifuran       11         Nilotinib       17         Nilstat       4         Alimentary       4         Genito-Urinary       8         Infection       10         Nipent       17         Nitrates       6         Nitrates       6         Nitradorm       16         Nitrados       15         Nitrates       6         Nitradorm       16         Nitradorm       17         Nitrados       16         Nitrates       6         Nitradorm       16         Nitradorm       17         Nitradorm       16         Nitradorm       17         Nitradorm       16         Nitradorm       16         Nitradorm       17         Nitradorm       16         Nitradorm       16         Nitradorm       17         Nitradorm       16         Nitradorm       17         Nitradorm       16         Nitradorm       17	61 62 59 17 74 42 80 03 70 55 63 55 63 17
Nicotinic acid	62 59 17 74 42 80 03 70 55 63 55 63 17
Nifedipine       5         Nifuran       11         Nilotinib       17         Nilstat       17         Alimentary       4         Genito-Urinary       6         Infection       10         Nipent       17         Nitrados       16         Nitrates       6         Nitrazepam       16         Nitroderm TTS       6	59 17 74 42 80 03 70 55 63 55 63 17
Nifuran         11           Nilotinib         17           Nilstat         17           Alimentary         4           Genito-Urinary         6           Infection         10           Nipent         17           Nitrados         16           Nitrates         6           Nitrazepam         16           Nitroderm TTS         6	17 74 42 80 03 70 55 63 55 63 17
Nilotinib       17         Nilstat       17         Alimentary       4         Genito-Urinary       8         Infection       10         Nipent       17         Nitrados       16         Nitrates       6         Nitrazepam       15         Nitroderm TTS       6	74 42 80 03 70 55 63 55 63 17
Nilstat       Alimentary       4         Genito-Urinary       8         Infection       10         Nipent       17         Nitrados       15         Nitrates       6         Nitrazepam       15         Nitroderm TTS       6	42 80 03 70 55 63 55 63 17
Alimentary 4 Genito-Urinary 6 Infection 10 Nipent 17 Nitrados 15 Nitrates 6 Nitrazepam 15 Nitroderm TTS 6	80 03 70 55 63 55 63 17
Genito-Urinary	80 03 70 55 63 55 63 17
Infection 10 Nipent 17 Nitrados 15 Nitrates 6 Nitrazepam 15 Nitroderm TTS 6	03 70 55 63 55 63 17
Nipent         17           Nitrados         15           Nitrates         6           Nitrazepam         15           Nitroderm TTS         6	70 55 63 55 63 17
Nipent         17           Nitrados         15           Nitrates         6           Nitrazepam         15           Nitroderm TTS         6	70 55 63 55 63 17
Nitrates	63 55 63 17
Nitrates	63 55 63 17
Nitrazepam	55 63 17
Nitroderm TTS6	63 17
	17
Nitrolingual Pump Spray6	
Niuolumoh	00
Nivolumab	90
Nizoral10	03
Noctamid15	
Nodia2	
Noflam 250 11	18
Noflam 500 11	18
Non-Steroidal Anti-Inflammatory	10
Drugs 11	
Nonacog alfa [Recombinant factor	
3 1	
IX1	18
IX]	18
Nonacog gamma, [Recombinant	18 48
Nonacog gamma, [Recombinant Factor IX]4	18 48
Nonacog gamma, [Recombinant Factor IX] 4 Norethisterone	18 48 48
Nonacog gamma, [Recombinant Factor IX]4 Norethisterone Genito-Urinary7	18 48 48 79
Nonacog gamma, [Recombinant Factor IX]4 Norethisterone Genito-Urinary7 Hormone	18 48 48 79 87
Nonacog gamma, [Recombinant Factor IX]4 Norethisterone Genito-Urinary7 Hormone	18 48 48 79 87 27
Nonacog gamma, [Recombinant         Factor IX]4         Norethisterone         Genito-Urinary7         Hormone         Norflex         12         Norfloxacin11	18 48 48 79 87 27 17
Nonacog gamma, [Recombinant         Factor IX]4         Norethisterone         Genito-Urinary7         Hormone         Norflex         12         Norfloxacin11         Noriday 28	18 48 48 79 87 27 17 79
Nonacog gamma, [Recombinant         Factor IX]	18 48 48 79 87 27 17 79 78
Nonacog gamma, [Recombinant         Factor IX]	18 48 48 79 87 27 17 79 78 38
Nonacog gamma, [Recombinant         Factor IX]	18 48 48 79 87 27 17 79 78 38 55
Nonacog gamma, [Recombinant         Factor IX]	18 48 48 79 87 27 17 79 78 38 55
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 17 79 78 38 55 34
Nonacog gamma, [Recombinant         Factor IX]	18 48 48 79 87 27 17 79 78 38 55 34 34
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 17 79 78 38 55 34 34 15
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 17 79 78 38 55 34 34 15 231
Nonacog gamma, [Recombinant Factor IX]	18 48 79 87 27 17 79 78 38 55 34 34 15 31 74
Nonacog gamma, [Recombinant Factor IX]	18 48 79 87 27 17 79 78 38 55 34 34 15 31 74 24
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 17 79 78 38 55 34 34 15 31 74 24 24
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 17 79 78 38 55 34 15 31 74 24 24 24
Nonacog gamma, [Recombinant Factor IX]	18 48 79 87 27 79 78 38 55 34 35 34 31 74 24 24 24 24
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 79 78 38 55 34 55 34 15 31 74 24 24 24 24 47
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 79 78 38 55 34 35 34 34 15 31 74 24 24 24 24 24 03
Nonacog gamma, [Recombinant Factor IX]	18 48 48 79 87 27 79 78 35 34 55 34 15 31 74 24 24 24 24 24 47 03 42

Nuelin-SR	
Nupentin	
Nutilis	
Nutrient Modules	
Nutrini Energy Multi Fibre	230
Nutrini Energy RTH	230
Nutrini Low Energy Multi Fibre	200 222
Nutrini RTH	
Nutrison 800 Complete Multi	200
Fibre	225
Nutrison Concentrated	
Nutrison Energy Nutrison Energy Multi Fibre	200
Nutrison Multi Fibre	200
Nutrison Standard RTH	200
Nyefax Retard	
Nystatin	
Alimentary	
Dermatological	
Genito-Urinary	
Infection	103
NZB Low Gluten Bread Mix	238
-0-	
O/W Fatty Emulsion Cream	/1
Obinutuzumab	192
Octocog alfa [Recombinant factor	40
VIII] (Advate) Octocog alfa [Recombinant factor	48
VIII] (Kogenate FS)	40
Octreotide	49
Octreotide LAR (somatostatin	170
analogue)	170
Oestradiol	
Oestradiol valerate	
Oestradiol with norethisterone	
Oestriol	00
Genito-Urinary	00
Hormone	
Oestrogens	
Oestrogens with	00
medroxyprogesterone	87
Oil in water emulsion	07
Olanzapine14	
Olbetam	
Olopatadine	
Olsalazine	
Omalizumab	
Omeprazole	
Omezol Relief	
Omnitrope	
Onbrez Breezhaler	204
Oncaspar	169
OncoTICE	
Ondansetron	
Ondansetron ODT-DRLA	
One-Alpha	

Opdivo 198
Ora-Blend
Ora-Blend SF222
Ora-Plus
Ora-Sweet
Ora-Sweet SF222
Orabase
Oral Supplements/Complete Diet
(Nasogastric/Gastrostomy Tube
Feed) 228
Oratane
Orgran
Orion Temozolomide
Ornidazole
Orphenadrine citrate
Ortho-tolidine
Oruvail SR
Osmolite RTH
Ospamox
Other Endocrine Agents
Other Oestrogen Preparations
Other Progestogen Preparations
Other Skin Preparations
Ovestin
Genito-Urinary
Hormone
Ox-Pam
Oxaliccord
Oxaliplatin
Oxaliplatin Actavis 100
Oxaliplatin Actavis 50
Oxaliplatin Ebewe
Oxazepam
Oxis Turbuhaler
Oxpentifylline
Oxybutynin
Oxycodone hydrochloride133
OxyNorm
Oxytocin
Oxytocin BNM80
Oxytocin with ergometrine
maleate
Ozole
- P -
Pacifen126
Paclitaxel
Paclitaxel Actavis
Paclitaxel Ebewe
Paediatric Seravit
Paliperidone144
Pamidronate disodium
Pamisol121
Pancreatic enzyme
Pantoprazole
Panzop Relief

Panzytrat37
Papaverine hydrochloride64
Para-amino salicylic acid
Paracare
Paracare Double Strength 131
Paracetamol 131
Paracetamol + Codeine
(Relieve)
Paracetamol with codeine
Paradigm 1.8 Reservoir
Paradigm 3.0 Reservoir
Paradigm 522 28
Paradigm 722 28
Paradigm Mio MMT-92135
Paradigm Mio MMT-92335
Paradigm Mio MMT-92535
Paradigm Mio MMT-941
Paradigm Mio MMT-943
Paradigm Mio MMT-94535
Paradigm Mio MMT-96535
Paradigm Mio MMT-97535
Paradigm Quick-Set MMT-386
Paradigm Quick-Set MMT-387
Paradigm Quick-Set MMT-396
Paradigm Quick-Set MMT-397
aradigm Quick-Set MMT 000
Paradigm Quick-Set MMT-398
Paradigm Quick-Set MMT-399
Paradigm Silhouette MMT-368
Paradigm Silhouette MMT-37734
Paradigm Silhouette MMT-37834
Paradigm Silhouette MMT-381
Paradigm Silhouette MMT-38234
Paradigm Silhouette MMT-383
Paradigm Silhouette MMT-384
Paradigm Sure-T MMT-86433
Paradigm Sure-T MMT-86633
Paradigm Sure-T MMT-87433
Paradigm Sure-T MMT-87633
Paradigm Sure-T MMT-88433
Paradigm Sure-T MMT-886
Paraffin
Paraffin liquid with soft white
paraffin
Paraffin liquid with wool fat214
Paraldehyde 135
Parasidose74
Parasiticidal Preparations72
Paritaprevir, ritonavir and ombitasvir
with dasabuvir 112
Paritaprevir, ritonavir and ombitasvir
with dasabuvir and ribavirin 112
Parnate134
Paromomycin101
Paroxetine
Paser 106
Patanol214

Paxam	
Pazopanib	
Peak flow meter	.209
Pedialyte - Bubblegum	54
Pediasure	.230
Pediasure RTH	.230
Pegaspargase	169
Pegasys	116
Pegasys RBV Combination	
Pack	116
Pegfilgrastim	53
Pegylated interferon alfa-2a	
Pembrolizumab	100
Penicillamine	
Penicillin G	
PenMix 30	
PenMix 40	24
PenMix 50	
Pentasa	
Pentostatin [Deoxycoformycin]	. 170
Pentoxifylline [Oxpentifylline]	64
Peptamen Junior	.230
Peptisoothe	22
Peptisorb	.232
Perhexiline maleate	
Pericyazine	
Perindopril	55
Perjeta	193
Permethrin	
Pertuzumab	
Peteha	
Pethidine hydrochloride	100
Pevaryl	68
Pexsig	
Pfizer Exemestane	
Pharmacare	. 131
Pharmacy Health Sorbolene with	
Glycerin	
Pharmacy Services	
Pheburane	41
Phenelzine sulphate	. 134
Phenobarbitone	.137
Phenobarbitone sodium	
Extemporaneous	.223
Nervous	
Phenothrin	
Phenoxybenzamine	
	55
	55
Phenoxymethylpenicillin (Penicillin	00
V)	99
Phenytoin sodium 135	
Phlexy 10	
Phosphate-Sandoz	
Phosphorus	
Phytomenadione	49
Pilocarpine hydrochloride	.212

Pimafucort70
Pindolol58
Pine tar with trolamine laurilsulfate
and fluorescein75
Pinetarsol75
Pioglitazone
Piportil145
Pipothiazine palmitate145
Pirfenidone
Pizotifen140
PKU Anamix Infant
PKU Anamix Junior240
PKU Anamix Junior LQ240
PKU Lophlex LQ 10240
PKU Lophlex LQ 20240
Plaquenil119
Plendil ER59
Pneumococcal (PCV10) conjugate
vaccine 258
Pneumococcal (PCV13) conjugate
vaccine 259
Pneumococcal (PPV23)
polysaccharide vaccine 260
Pneumovax 23260
Podophyllotoxin76
Polaramine203
Poliomyelitis vaccine
Poloxamer
Poly-Gel213
Poly-Tears
Poly-Visc214
Polycal
Polyvinyl alcohol213
Ponstan 118
Posaconazole 103
Postinor-179
Potassium chloride53–54
Potassium citrate
Potassium iodate
Povidone iodine
Pradaxa
Pramipexole hydrochloride 128
Prasugrel
Pravastatin
Praziquantel
Prazosin
Pred Forte
Prednisolone
Prednisolone acetate
Prednisolone sodium
phosphate
Prednisolone-AFT
Prednisone
Pregnancy Tests - hCG Urine
Premarin
FIEIDIA Z.3 COMINUOUS

Premia 5 Continuous	87
Prevenar 13	.259
Prezista	.114
Priadel	142
Primacin	
Primaquine phosphate	
Primidone	138
Primolut N	. 100
Printolul N	0/
Priorix	
Probenecid	. 126
Probenecid-AFT	
Procaine penicillin	99
Procarbazine hydrochloride	
Prochlorperazine	
Proctosedyl	21
Procur	85
Procyclidine hydrochloride	.128
Procytox	
Progesterone	
Proglicem	
Proglycem	23
Progynova	
Prokinex	140
Promethazine hydrochloride	
Promethazine theoclate	
Propafenone hydrochloride	
Propamidine isethionate	
Propranolol	59
Propylene glycol	
Propylthiouracil	88
Protamine sulphate	
Protaphane	24
Protaphane Penfill	24
Protifar	.227
Protionamide	.106
Provera	
Provera HD	87
PSM Citalopram	134
Psoriasis and Eczema	
Preparations	74
PTU	
Pulmicort Turbuhaler	203
Pulmocare	
Pulmozyme	220
Puri-nethol	. 100
Pyrazinamide	
Pyridostigmine bromide	
Pyridoxine hydrochloride	43
Pyrimethamine	
Pytazen SR	49
- Q -	
Q 300	
Questran-Lite	
Quetapel	
Quetiapine	.143
Quick-Set MMT-390	36

Quick-Set MMT-391
Quick-Set MMT-39236
Quick-Set MMT-393 36
Quinapril55
Quinapril with
hydrochlorothiazide 56
Quinine sulphate105
Qvar
- R -
RA-Morph 132
Delevitere budreebleride
Raloxifene hydrochloride 121
Raltegravir potassium115
Ramipex 128
Ranbaxy-Cefaclor95
Ranitidine22
Ranitidine Relief22
Rapamune
Reandron 100085
Recombinant factor IX
Recombinant factor VIIa
Recombinant factor VIII
Rectogesic
Redipred
Refresh Night Time
Renilon 7.5
Resonium-A
Resource Beneprotein
Resource Diabetic
Respigen
Respiratory Devices 209
Respiratory Stimulants 209
Retinol palmitate214
ReTrieve66
Retrovir114
Revlimid168
Revolade47
Rexacrom
RexAir
Revataz114
Ribomustin
Ricit
Rifabutin106
Rifadin
Rifampicin
Rifaximin
Rifinah
Rilutek
Riluzole
Riodine
Risedronate Sandoz122
Risedronate sodium122
Risperdal Consta 145
Risperidone 143, 145
Risperon 143
Ritalin157
Ritalin LA 158

Ritalin SR157
Ritonavir115
Rituximab194
Rivaroxaban52
Rivastigmine
Rivotril
RIXUBIS
Rizamelt139
Rizatriptan
Roferon-A 115
Ropinirole hydrochloride 128
Rotarix
Rotavirus oral vaccine
Roxane
Alimentary
Cardiovascular59
Roxithromycin
Rubifen
Rubifen SR 157
Rulide D
Rythmodan
Rytmonorm
-S-
S-26 Gold Premgro240
Sabril
SalAir
Salazopyrin
Salazopyrin EN
Salbutamol204-205
Salbutamol204–205 Salbutamol with ipratropium
Salbutamol
Salbutamol204–205 Salbutamol with ipratropium bromide
Salbutamol

Shield Blue	77
Shield XL	
Sildenafil	<mark>65</mark>
Silhouette MMT-371	<mark>34</mark>
Silhouette MMT-373	<mark>34</mark>
Siltuximab	1 <mark>96</mark>
Simvastatin	
Sinemet	128
Sinemet CR	128
Sirolimus	200
Slow-K	54
Slow-Lopresor	
Sodibic	54
Sodium acid phosphate	39
Sodium alginate	
Sodium aurothiomalate	
Sodium benzoate	41
Sodium bicarbonate	
Blood	
Extemporaneous	
Sodium calcium edetate	216
Sodium chloride	
Blood	
Respiratory	208
Sodium citrate with sodium lauryl	
sulphoacetate	
Sodium citro-tartrate	81
Sodium cromoglycate	~
Alimentary	
Respiratory	
Sensory	
Sodium fluoride	44
Sodium hyaluronate [Hyaluronic	040
acid]	
Sodium nitroprusside	25
Sodium phenylbutyrate	41
Sodium polystyrene sulphonate Sodium tetradecyl sulphate	
Sodium valproate	49
Sofradex	
Soframycin	
Solian	141
Solifenacin succinate	
Solu-Cortef	84
Solu-Medrol	
Somatropin (Omnitrope)	89
Sotacor	59
Sotalol	
Spacer device	
Span-K	
Spiolto Respimat	206
Spiractin	61
Spiriva	
Spiriva Respimat	
Spironolactone	
Sporanox	

Sprycel	.172
Staphlex	99
Stemetil	.141
Stesolid Stimulants/ADHD Treatments	135
Stimulants/ADHD Treatments	155
Stiripentol	138
Stocrin	113
Stomahesive	42
Strattera	155
Stromectol	72
Suboxone	159
Sucralfate	23
Sulfadiazine Silver	20
Sulfadiazine sodium	101
Sulindac	118
Sulphasalazine	21
Sulphur	21
Sulprix	1/1
Sumatriptan	120
Sunitinib	176
Sunscreens	
Sunscreens, proprietary	70
Sure-T MMT-863	70 22
Sure-T MMT-865	00 20
Sure-T MMT-873	00 20
Sure-T MMT-875	00 20
Sure-T MMT-883	00 20
Sure-T MMT-885	აა იი
Sustagen Diabetic	
Sustagen Hospital Formula	.220 206
Sustanon Ampoules	.230
Sutent	00 176
Suleni	100
Sylvant	. 190
Symbicort Turbuhaler 100/6 Symbicort Turbuhaler 200/6	.204
Symbicort Turbuhaler 200/6	.204
Sympleon Turbunaler 400/12	.204
Symmetrel	. 128
Sympathomimetics	
Synacthen	85
Synacthen Depot	80
Synflorix	.258
Synthroid	
Syntometrine	80
Syrup (pharmaceutical grade)	.223
Systane Unit Dose	.213
Systane Unit Dose Ultra	.213
- I - Tacrolimus	004
Tacrolimus	.201
Tacrolimus Sandoz	.201
Tambocor	
Tambocor CR	
Tamoxifen citrate Tamsulosin hydrochloride	. 179
Tamsulosin nydrochloride	1ŏ
Tamsulosin-Rex	ŏl
Tap water	. 223

Tasigna174
Tasmar
Tecfidera146
Tegretol 135
Tegretol CR 135
Telfast
Temaccord170
Temazepam155
Temizole 20 170
Temozolomide 170
Tenofovir disoproxil fumarate
Tenoxicam
Tepadina164
Terazosin55
Terbinafine104
Terbutaline sulphate
Teriflunomide
Teriparatide 122
Testosterone85
Testosterone cypionate85
Testosterone esters85
Testosterone undecanoate85
Tetrabenazine129
Tetrabromophenol82
Tetracosactrin85
Tetracyclin Wolff99
Tetracycline
Teva166
Thalidomide 171
Thalomid171
Theophylline 208
Thiamine hydrochloride43
ТНЮ-ТЕРА 164
Thioguanine166
Thiotepa164
Thymol glycerin
Thyroid and Antithyroid Agents
Ticagrelor
Tilade
Tilcotil
Timolol Cardiovascular59
Sensory
Timoptol XE
Tiotropium bromide with
olodaterol
Tivicay 115
TMP
TOBI
Tobramycin
Infection
Sensory211
Tobramycin Mylan 102
Tobrex
Tofranil

Tofranil s29	
Tolcapone	128
Tolterodine	
Topamax	138
Topical Products for Joint and	
Muscular Pain	119
Topiramate	
Topiramate Actavis	
Total parenteral nutrition (TPN)	53
TPN	53
Tramadol hydrochloride	
Tramal SR 100	133
Tramal SR 150	
Tramal SR 200	
Trandate	
Tranexamic acid	
Tranylcypromine sulphate	134
Trastuzumab	196
Travatan	
Travoprost	212
Treatments for Dementia	159
Treatments for Substance	
Dependence	159
Trental 400	64
Tretinoin	
Dermatological	66
Oncology	171
Trexate	166
Triamcinolone acetonide	
Alimentary	42
Dermatological	70
Hormone	85
Triamcinolone acetonide with	
gramicidin, neomycin and nysta	tin
Dermatological	70
Sensory	210
Triazolam	155
Trichozole	
Triclosan	70
Trifluoperazine hydrochloride	143
Trimeprazine tartrate	203
Trimethoprim	102
Trimethoprim with	
sulphamethoxazole	
[Co-trimoxazole]	102
Trisequens	<mark>86</mark>
Trisul	
Trophic Hormones	
Tropicamide	213
Trusopt	212
Truvada	114
Tuberculin PPD [Mantoux] test	
Tubersol	261
Two Cal HN	238
Two Cal HN RTH	237
Tykerb	174
тукетр	

Tysabri1	49
-U-	
Ultibro Breezhaler	
Ultraproct	21
Umeclidinium	206
Umeclidinium with vilanterol	207
Univent 205, 2	
Ural	
Urea	
Urex Forte	
Urinary Agents	
Urinary Tract Infections1	
Uromitexan 1	69
Ursodeoxycholic acid	
Ursosan	37
Utrogestan	87
- V -	
Vaccinations	
Vaclovir1	
Valaciclovir 1	
Valcyte1	09
Valganciclovir 1	
Vallergan Forte	203
Vancomycin 1	02
Vannair	
Varenicline tartrate1	61
Varicella vaccine [Chickenpox	
vaccine]	261
Varilrix	261
Various	215
Various2 Vasodilators	215 .64
Various	215 .64 .93
Various2 Vasodilators	215 .64 .93
Various	215 .64 .93 .65
Various	215 .64 .93 .65 .67
Various	215 .64 .93 .65 .65 .67 .35 .202
Various	215 64 93 65 65 167 135 202 65
Various	215 64 93 65 65 167 135 202 65
Various 22 Vasodilators. Vasopressin Agonists Vedafil. Velcade 1 Venlafaxine 1 Venlafaxine 2 Ventavis. Ventavis. Ventolin. 204–2 Vepesid.	215 .64 .93 .65 .65 .65 202 .65 205
Various 22 Vasodilators.22 Vasodilators.22 Vasopressin Agonists.22 Vedafil.22 Velcade.22 Vendafaxine.22 Ventolin.22 Ventolin.22 Ventolin.22 Vepesid.22 Verapamil hydrochloride.22 Verap	215 .64 .93 .65 .65 .202 .65 .205 .68 .60
Various 22 Vasodilators. Vasopressin Agonists Vedafil. Velcade 1 Venlafaxine 1 Venlafaxine 2 Ventavis. Ventavis. Ventolin. 204–2 Vepesid.	215 .64 .93 .65 .65 .202 .65 .205 .68 .60
Various	215 .64 .93 .65 .65 .65 .202 .65 .205 .66 .60 .40 .95
Various	215 .64 .93 .65 .65 .65 .202 .65 .205 .66 .60 .40 .95
Various	215 .64 .93 .65 .65 .65 .65 .65 .60 .40 .95 .60 .71
Various	215 .64 .93 .65 .65 .202 .65 .205 .60 .95 .60 .71 .81
Various	215 .64 .93 .65 .65 .202 .65 .205 .60 .95 .60 .71 .81
Various	215 64 93 65 167 135 202 65 205 168 60 140 .95 .60 171 .81 .25
Various	215 64 93 65 167 135 202 65 205 168 60 140 .95 60 171 .25 104
Various	215 64 93 65 167 135 202 65 205 168 60 140 95 60 171 .81 .25 104 .70 164
Various 22 Vasodilators	215 64 93 65 167 135 202 65 205 168 60 171 .81 .25 104 .70 164
Various	215 64 93 65 167 135 202 65 168 60 140 95 60 171 81 25 104 104 112
Various	215 64 93 65 167 135 202 65 168 60 140 95 60 171 81 25 104 104 112
Various	215 64 93 65 167 135 202 65 205 168 60 140 95 60 171 .81 .25 104 .12 112 138
Various       2         Vasodilators       2         Vasopressin Agonists       2         Vedafil.       2         Velcade       1         Velcade       1         Venomil.       2         Venomil.       2         Ventavis.       2         Ventavis.       2         Veresid.       1         Vergo 16.       1         Verpamil SR       2         Vesanoid.       1         Vesicare.       2         Viaderm KC       1         Viaderm KC       1         Viekira Pak       1         Viekira Pak-RBV       1         Vigabatrin       1         Vimpat       1	215 64 93 65 167 135 202 65 205 168 60 171 81 25 104 122 138 137
Various	215 64 .93 .65 167 135 205 168 .60 140 .95 .60 171 .25 104 .70 164 112 138 137 171

Vinorelbine Ebewe172
Viramune Suspension113
Viread
ViruPOS
Vistil
Vistil Forte
Visur Fore
VitA-POS
Vitabdeck
Vitadol C
Vital
Vitamin B complex
Vitamin B6 25
Vitamins
Vivonex TEN232
Volibris65
Voltaren 118
Voltaren D118
Voltaren Ophtha211
Volumatic209
Voriconazole104
Vosol
Votrient 175
Vttack104
- W -
Warfarin sodium52
Wart Preparations76
Wasp venom allergy treatment
Wasp venom allergy treatment202 Water
Wasp venom allergy treatment202 Water
Wasp venom allergy treatment202 Water Blood
Wasp venom allergy treatment202 Water Blood
Wasp venom allergy treatment202 Water Blood
Wasp venom allergy treatment202 Water Blood54 Extemporaneous223 Wool fat with mineral oil71 - X -
Wasp venom allergy treatment

Zimybe	
Zinc and castor oil	71
Zinc sulphate	45
Zincaps	
Zinnat	96
Ziprasidone	143
Zista	202
Zithromax	<mark>96</mark>
Zoladex	92
Zoledronic acid	
Hormone	83
Musculoskeletal	
Zoledronic acid Mylan	
Zometa	
Zopiclone	
Zopiclone Actavis	
Zostrix	
Zostrix HP	
Zuclopenthixol decanoate	
Zuclopenthixol hydrochloride	
Zusdone	143
Zyban	
Zypine	
Zypine ODT	
Zyprexa Relprevv	
Zytiga	177











