## December 2017 Volume 24 Number 3

#### **Editors:**

Kaye Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

## Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

#### Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

### **Programmers**

Anrik Drenth & John Geering
email: texschedule@pharmac.govt.nz
@Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 4.0 International licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/by/4.0/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

	_	
Section A	General Rules	6
Section B	Alimentary Tract & Metabolism	20
	Blood & Blood Forming Organs	47
	Cardiovascular System	56
	Dermatologicals	68
	Genito Urinary System	79
	Hormone Preparations – Systemic	85
	Infections – Agents For Systemic Use	97
	Musculoskeletal System	120
	Nervous System	130
	Oncology Agents & Immunosuppressants	164
	Respiratory System & Allergies	205
	Sensory Organs	213
	Various	218
Section C	Extemporaneous Compounds (ECPs)	220
Section D	Special Foods	227
Section E	Practitioner's Supply Orders	247
	Rural Areas	251
Section F	Dispensing Period Exemptions	252
Section G	Safety Cap Medicines	254
Section I	National Immunisation Schedule	257
	Index	267

Introducing PHARMAC

## Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

#### PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

## **Purpose of the Pharmaceutical Schedule**

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply:
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

## **Explaining pharmaceutical entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

#### Example



## Glossary

#### Units of Measure

gramkilograminternational unit	kg		mg	millimoleunit	
Abbreviations					
Ampoule	Amp	Gelatinous	Gel	Solution	Soln
Capsule	Cap	Granules	Gran	Suppository	Supp
Cream	Crm	Infusion	Inf	Tablet	Tab
Device	Dev	Injection	Inj	Tincture	Tinc
Dispersible	Disp	Liquid	Liq	Trans Dermal Delivery	
Effervescent	Eff	Long Acting	LA	System	TDDS
Emulsion	Emul	Ointment	Oint	•	
Enteric Coated	EC	Sachet	Sach		

**BSO** Bulk Supply Order. CBS Cost Brand Source.

**ECP** Extemporaneously Compounded Preparation.

ΩP Original Pack – subsidy is rounded up to a multiple at whole packs.

**PSO** Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

**XPharm** Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.

\* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once,

unless the medicine meets the Dispensing Frequency Rule criteria.

Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.

Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the

patient a manufacturer's surcharge.

S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.

HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy

Variation (for Clozapine Services).

## Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a 🗸 in the product's Schedule listing.

## Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

## **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

#### Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

#### Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

## Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

#### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to whole-salers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 December 2017 and is to be referred to as the Pharmaceutical Schedule Volume 24 Number 3, 2017. Distribution will be from 20 December 2017. This Schedule comes into force on 1 December 2017.

## PART I INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
  - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
  - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
  - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
    - a) have limited physical mobility;
    - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
    - c) are relocating to another area;
  - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
  - "Act", means the New Zealand Public Health and Disability Act 2000.
  - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
  - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
  - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
  - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
  - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
  - "Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

- "Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.
- "Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.
- "Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).
- "Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.
- "Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.
- "Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.
- "DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.
- "DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.
- "Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.
- "Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.
- "DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit. "DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:
  - a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
  - b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.
- "Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the Prescriber. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the Prescriber writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.
- "Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.
- "GST", means goods and services tax under the Goods and Services Tax Act 1985.
- "Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.
- "Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.
- "Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Prescriber.
- "Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:
  - a) on a Prescription signed by a Specialist, or
  - b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Prescriber which is either:
    - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Prescriber, or
    - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
    - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an

Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month". means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

- "Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines
- "Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule
- "Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)
- "Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.
- "PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.
- "PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.
- "Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.
- "Pharmaceutical Benefits", means the right of:
  - a) a person; and
  - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.
- "Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.
- "Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.
- "Practitioner", means a Prescriber or any of the following: Quitcard Provider, a Pharmacist, or a Vaccinator as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order", means a written order made by a Prescriber on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Prescriber, which the Prescriber requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescriber", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.
- "Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Prescriber.
- "Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984. "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.
- "Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.
- "Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

- "Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984. "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

  - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
  - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
    - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Prescriber, or
    - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
    - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
  - ii) the consultation to relate to the Patient for whom the Prescription is written:
  - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - iv) except in emergencies consultation to precede annotation of the Prescription; and
  - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.
- "Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

- "Safety Medicine". means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.
- "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.
- "Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:
  - a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine;
  - b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
  - c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
  - d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Prescribers of pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

"Vaccinator", means either:

- a) a pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health; or
- b) any other person who is authorised by the Director-General of Health or a Medical Officer of Health to administer vaccines in accordance with this Section 44A of the Medicines Regulations 1984.
- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

## PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

# PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Prescribers Prescriptions and provision of pharmaceuticals by other Practitioners (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Prescriber and provision of pharmaceuticals by other Practitioners unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
    - i) sufficient to provide treatment for a period not exceeding 10 days; and
    - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Prescriber and 3.1.7 for an Optometrist, where a Prescriber has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity
    prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had
    been dispensed in a Monthly Lot;
  - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - b) both:
        - the Prescriber endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Prescriber's own handwriting, or signed or initialled by the Prescriber; and
        - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eliqible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Prescriber has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
  - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Prescriber for an oral contraceptive:

3.2.1 The Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eliqible for Subsidy.

#### 3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Prescriber prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
  - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
  - an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
  - any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Prescriber in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Prescriber in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed or ordered by the Prescriber is less than 10% (eq; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed or ordered by the Prescriber.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

#### 3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
  - b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

#### 3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

#### 3.6 Non-prescribing Practitioners

- 3.6.1 Dispensing on the authority of a Quitcard will only be subsidised where it is:
  - a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
     and
  - b) written on a Quitcard.
- 3.6.2 Provision of vaccines by Vaccinators

Vaccines will only be valid for subsidy in accordance with an agreement between the Contractor and the DHB, and only for direct administration of a vaccine to a patient.

3.6.3 Provision of a Community Pharmaceutical by a Pharmacist Except where pursuant to a prescription, Quitcard or supply order, provision of a community pharmaceutical by a pharmacist will only be subsidised where specifically indicated in Section B of the Pharmaceutical Schedule.

# PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

#### "Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

#### 4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;

4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

#### 4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
  - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
  - a person assessed as requiring long term residential care services and residing in an age related residential care facility:

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
  - i) 7 days' supply for a Class B Controlled Drug; or
  - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
  - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the Prescriber or dispensing Pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

#### 4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the Prescriber has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial": and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

#### 4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
  - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
  - b) The prescribing Practitioner has:
    - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
    - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
  - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
  - Annotated the Prescription with the amended dispensing quantity and frequency.

#### 4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
  - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
  - b) the dispensing pharmacist has:

- i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
- ii) initialled the annotation in their own handwriting; and
- iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note -- no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

## PART V MISCELLANEOUS PROVISIONS

#### 5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Prescriber may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Prescriber may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Prescriber's care if:
  - a) the Prescriber's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Prescriber is a locum for a Prescriber whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Prescriber may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:

- i) is personally signed and dated by the Prescriber; and
- ii) sets out the Prescriber's address; and
- iii) sets out the Community Pharmaceuticals and quantities, and;
- b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Prescriber specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Prescriber working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
  - a) the RFPP provider name is written on the Practitioner's Supply Order; and
  - b) the total quantity ordered does not exceed a multiple of:
    - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral lig 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
    - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
  - c) the Prescriber must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

#### 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

#### 5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

#### 5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
  - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - c) is being used and funded as part of a paediatric oncology service; or
  - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.2;

- c) clauses 3.1 to 3.4; and
- d) clause 5.4.
- of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Prescribers of Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
  - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

#### 5.5 Prescribers of unapproved Pharmaceuticals

Prescribers should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Prescribers are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Prescribers should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect
  to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Prescribers should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 5.6 Substitution

Where a Prescriber has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

### 5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

#### 5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

#### 5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

## SECTION R. ALIMENTARY TRACT AND METAROLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
LGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg po sachet		30	,	Gaviscon Infant
CODIUM ALGINATE  Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60		Gaviscon Double Strength
F Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 m	I	Acidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE  Tab 600 mg	12.56	100	•	Alu-Tab
Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) — Subsidy by endorsementOnly when prescribed for children under 12 years of age endorsed accordingly.		500 m ate bir		Roxane nt and the prescription is
Antidiarrhoeals				
Agents Which Reduce Motility				
OPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a  * Tab 2 mg  * Cap 2 mg	10.75	400 400		Nodia Diamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE  Cap 3 mg - Special Authority see SA1155 below - Retail pharmacy	166.50	90	•	Entocort CIR

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
  - 2.1 Diabetes; or
  - 2.2 Cushingoid habitus; or
  - 2.3 Osteoporosis where there is significant risk of fracture; or

Subsidy		Fully	Brand or	
(Manufacturer's Pric	e)	Subsidised	Generic	
	Per	1	Manufacturer	

continued...

- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

#### HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✓ Pentasa
Tab 800 mg85.50	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✓ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg93.37	100	✓ Dipentum
Cap 250 mg53.00	100	✓ Dipentum
SODIUM CROMOGLICATE		
Cap 100 mg	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg - For sulphasalazine oral liquid formulation refer.		
,	100	✓ Salazopyrin
page 221		_ <del> </del>
* Tab EC 500 mg13.50	100	✓ <u>Salazopyrin EN</u>

## Local preparations for Anal and Rectal Disorders

## **Antihaemorrhoidal Preparations**

#### FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cinchocaine hydrochloride 5 mg per g	30 g OP	✓ Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg2.66	12	✓ Ultraproct
HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	✓ Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90		✓ Proctosedyl

ALIMENTARY TRACT AND METABOLISM				
	Subsidy (Manufacturer's Price) \$	) Subs Per	Fully sidised	Brand or Generic Manufacturer
Management of Anal Fissures				
GLYCERYL TRINITRATE – Special Authority see SA1329 bel  * Oint 0.2%		30 g OP	<b>√</b> R	lectogesic
■ SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vachronic anal fissure that has persisted for longer than three were		ewal unless	notifie	d where the patient has a
Antispasmodics and Other Agents Altering Gu	ut Motility			
GLYCOPYRRONIUM BROMIDE Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available	on a			
PSO		10	✓ N	lax Health
HYOSCINE BUTYLBROMIDE  * Tab 10 mg	1.75	100 20		Buscopan
Buscopan to be Sole Supply on 1 March 2018	(2.18)		G	Sastrosoothe
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO(Gastrosoothe Tab 10 mg to be delisted 1 March 2018) MEBEVERINE HYDROCHLORIDE	9.57	5	<b>✓</b> B	Buscopan
* Tab 135 mg	18.00	90	<b>√</b> 0	Colofac
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL  * Tab 200 mcg	41.50	120	<b>√</b> <u>C</u>	Sytotec
Helicobacter Pylori Eradication				
CLARITHROMYCIN  Tab 500 mg - Subsidy by endorsement		14	_	po-Clarithromycin
<ul> <li>b) Subsidised only if prescribed for helicobacter pylori</li> <li>Note: the prescription is considered endorsed if clarithand either amoxicillin or metronidazole.</li> </ul>	eradication and preson promycin is prescribed	ription is ei in conjunct	ndorsed ion with	d accordingly.  n a proton pump inhibitor
H2 Antagonists				
RANITIDINE - Only on a prescription  * Tab 150 mg  * Tab 300 mg  * Oral liq 150 mg per 10 ml  * Inj 25 mg per ml, 2 ml	18.21 5.14	500 500 300 ml 5	✓ <u>P</u>	tanitidine Relief tanitidine Relief eptisoothe tantac

[HP4] refer page 4

Cap 15 mg.......5.08

**Proton Pump Inhibitors** 

LANSOPRAZOLE

✓ Lanzol Relief

✓ Lanzol Relief

100

100

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per		Manufacturer
OMEPRAZOLE				
For omeprazole suspension refer Standard Formulae, page	224			
* Cap 10 mg	2.23	90	1	Omezol Relief
* Cap 20 mg	2.91	90	✓	Omezol Relief
* Cap 40 mg		90	1	Omezol Relief
* Powder – Only in combination	42.50	5 g	1	Midwest
Only in extemporaneously compounded omeprazole sus				
* Inj 40 mg ampoule with diluent	33.98	5	•	<u>Dr Reddy's</u> <u>Omeprazole</u>
PANTOPRAZOLE				
* Tab EC 20 mg	2.41	100		Panzop Relief
* Tab EC 40 mg	3.35	100	✓	Panzop Relief
Site Protective Agents				
COLLOIDAL BISMUTH SUBCITRATE				
Tab 120 mg	14.51	50	1	Gastrodenol S29
SUCRALFATE				
Tab 1 g	35.50	120		
Tab T g	(48.28)	120		Carafate
	(40.20)			Ourdiate
Bile and Liver Therapy				
RIFAXIMIN - Special Authority see SA1461 below - Retail phar	macv			
Tab 550 mg	•	56	1	Xifaxan
⇒SA1461 Special Authority for Subsidy				
Initial application only from a gastroenterologist, hepatologist of	r Practitioner on the re	com	mendation	of a gastroenterologist or
hepatologist. Approvals valid for 6 months where the patient has				
tolerated doses of lactulose.		,		
Renewal only from a gastroenterologist, hepatologist or Practitio	ner on the recommen	datio	n of a gast	roenterologist or
hepatologist. Approvals valid without further renewal unless noti				
benefiting from treatment.				
-				

## **Diabetes**

## **Hyperglycaemic Agents**

DIAZOXIDE - Special Authority see SA1320 below -	Retail pharmacy		
Cap 25 mg	110.00	100	✓ Proglicem S29
Cap 100 mg	280.00	100	✓ Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	✓ Proglycem  §29

## ⇒SA1320 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

### GLUCAGON HYDROCHLORIDE

Inj 1 mg syringe kit	- Up to 5 kit available on a PSO	32.00	1	Glucagen Hypokit
----------------------	----------------------------------	-------	---	------------------

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Subs	idised	Generic
	` \$	Per	✓	Manufacturer
In culting Character and Duran custing a				
Insulin - Short-acting Preparations				
INSULIN NEUTRAL			_	
▲ Inj human 100 u per ml	25.26	10 ml OP		ctrapid
▲ Inj human 100 u per ml, 3 ml	40.66	5		umulin R ctrapid Penfill
Inj numan 100 u per mi, 3 mi	42.00	5		umulin R
			V 11	umum n
Insulin - Intermediate-acting Preparations				
NSULIN ASPART WITH INSULIN ASPART PROTAMINE				
▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✓ N	ovoMix 30 FlexPen
NSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml OP	<b>✓</b> H	umulin NPH
		-		rotaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5		umulin NPH
,			<b>✓</b> P	rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL				
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	<b>✓</b> H	umulin 30/70
•			✓ M	ixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	<b>√</b> H	umulin 30/70
			✓ P	enMix 30
			✓ P	enMix 40
			✓ P	enMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml				
3 ml		5	<b>✓</b> H	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml				· ·
3 ml	42.66	5	<b>✓</b> H	umalog Mix 50
Institute I and action Dyanagations				
Insulin - Long-acting Preparations				
NSULIN GLARGINE	00.00			
▲ Inj 100 u per ml, 10 ml		1 5		antus antus
		5 5		antus antus SoloStar
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	J	V L	antus SoloStai
Insulin - Rapid Acting Preparations				
NSULIN ASPART				
▲ Inj 100 u per ml, 3 ml syringe	51.19	5	✓ N	ovoRapid FlexPen
▲ Inj 100 u per ml, 3 ml	51.19	5		ovoRapid Penfill
▲ Inj 100 u per ml, 10 ml	30.03	1	✓ N	ovoRapid
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	✓ A	pidra
▲ Inj 100 u per ml, 3 ml		5		pidra
▲ Inj 100 u per ml, 3 ml disposable pen		5		pidra SoloStar
NSULIN LISPRO				-
▲ Inj 100 u per ml, 10 ml	34.92	10 ml OP	<b>✓</b> H	umalog
▲ Inj 100 u per ml, 3 ml		5		umalog
,		-		- <b>J</b>

	Subsidy (Manufacturer's Price \$	) Sub Per	Fully sidised	Brand or Generic Manufacturer
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg	4.28	90	<b>√</b> <u>G</u>	ilucobay
* Tab 100 mg	7.78	90	<b>√</b> <u>G</u>	ilucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	<b>√</b> D	aonil
GLICLAZIDE				
* Tab 80 mg	10.29	500	<b>√</b> (	ilizide
GLIPIZIDE			_	
* Tab 5 mg	2.85	100	✓ N	linidiab
METFORMIN HYDROCHLORIDE			_	
* Tab immediate-release 500 mg	9.59	1,000	✓ N	letchek
* Tab immediate-release 850 mg		500	_	potex
v			✓ N	letformin Mylan
Metformin Mylan to be Sole Supply on 1 February 2018				
(Apotex Tab immediate-release 850 mg to be delisted 1 February	2018)			
PIOGLITAZONE				
* Tab 15 mg		90	_	<u>exazone</u>
* Tab 30 mg		90	_	<u>exazone</u>
* Tab 45 mg	7.10	90	<b>✓</b> <u>V</u>	<u>'exazone</u>
Diabetes Management				
Ketone Testing				
PLOOD VETONE DIACNOSTIC TEST METER. Lin to 1 motor of	wailahla an a BCO			
BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter a Meter funded for the purposes of blood ketone diagnostics on		l one or mo	nra anici	ndes of ketoacidosis and i
at risk of future episodes or patient is on an insulin pump. On				
Meter		1		reestyle Optium
KETONE BLOOD BETA-KETONE ELECTRODES				NEU
a) Maximum of 20 strip per prescription				
b) Up to 10 strip available on a PSO				
Test strip – Not on a BSO	15.50 10	Strip OP	<b>√</b> F	reestyle Optium
·		•		Ketone
SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription	on			
* Test strip - Not on a BSO		Strip OP	✓ A	ccu-Chek
•				Ketur-Test
	12.00		✓ K	Cetostix

(Accu-Chek Ketur-Test Test strip to be delisted 1 March 2018)

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

## **Blood Glucose Testing**

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
  - 1) is receiving insulin or sulphonylurea therapy; or
  - 2) is pregnant with diabetes; or
  - 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
  - has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome.

Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter.

The prescription must be endorsed accordingly.

Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the
  prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips – Note differing brand requirements			
below10	0.56	50 test OP	✓ CareSens
29	8.75		<ul><li>✓ CareSens N</li><li>✓ Accu-Chek</li></ul>
20	0.75		Performa
			✓ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 on the next page Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

#### ⇒SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

**PHARMAC** 

PO Box 10 254 Facsimile: (04) 974 4788
Wellington Email: bgstrips@pharmac.govt.nz

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

⇒SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

**PHARMAC** 

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: <a href="mailto:bgstrips@pharmac.govt.nz">bgstrips@pharmac.govt.nz</a>

#### BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the
  prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

## **Insulin Syringes and Needles**

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INS	SULIN PEN NEEDLES – Maximum of 100 dev per prescription	
*	29 a x 12 7 mm	10.50

~~	20 g x 12.7 11111	10.00	100	V D-D WIICIO-I IIIC
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
*	31 g × 6 mm		100	✓ ABM
*	31 g × 8 mm	10.50	100	✓ B-D Micro-Fine
*	32 g × 4 mm		100	✓ B-D Micro-Fine
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEED	LE - Maximum of 1	00 dev per j	prescription
*	Syringe 0.3 ml with 29 g x 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g x 12.7 mm needle	13.00	100	✓ B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g x 12.7 mm needle	13.00	100	✓ B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II

100

✓ B-D Micro-Fine

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

### **Insulin Pumps**

INSULIN PUMP - Special Authority see SA1603 below - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

<ul> <li>c) Maximum of 1 insulin pump per patient each four</li> </ul>	r year period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour		1	Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722

## ⇒SA1603 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Fither:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsi	dised	Generic	
\$	Per	✓	Manufacturer	

#### continued...

- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol: and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement: and
- 4 Fither:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 8.2 The pump is due for replacement; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 4.2 The pump is due for replacement; and
- 5 Either:
  - 5.1 Applicant is a relevant specialist; or
  - 5.2 Applicant is a nurse practitioner working within their vocational scope.

## **Insulin Pump Consumables**

#### ⇒SA1604 Special Authority for Subsidy

**Initial application** — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	idised	Generic	
\$	Per	•	Manufacturer	

continued...

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (permanent neonatal diabetes)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Fither
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (severe unexplained hypoglycaemia)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

appropriate health professional); and

- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1: and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:
All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Fither:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (**Previous use before 1 September 2012**) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 30 - Retail pharmacy a) Maximum of 1 cap per prescription b) Only on a prescription c) Maximum of 1 prescription per 180 days. ✓ Animas Battery Cap INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 30 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 10 mm steel needle; 29 G; manual insertion; 60 cm tubing x 10 with 10 needles 130.00 1 OP ✓ Paradigm Sure-T MMT-884 10 mm steel needle; 29 G; manual insertion; 60 cm tubing × ✓ Sure-T MMT-883 1 OP 10 mm steel needle: 29 G: manual insertion: 80 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-886 10 mm steel needle: 29 G: manual insertion: 80 cm tubing x 1 OP ✓ Sure-T MMT-885 6 mm steel cannula; straight insertion; 60 cm grey line × 10 with ✓ Contact-D 1 OP 6 mm steel needle: 29 G: manual insertion: 60 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-864 6 mm steel needle; 29 G; manual insertion; 60 cm tubing x 1 OP ✓ Sure-T MMT-863 6 mm steel needle: 29 G: manual insertion: 80 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-866 6 mm steel needle; 29 G; manual insertion; 80 cm tubing × ✓ Sure-T MMT-865 1 OP 8 mm steel cannula: straight insertion: 110 cm grev line x 1 OP ✓ Contact-D 8 mm steel cannula; straight insertion; 60 cm grey line × 10 with 1 OP ✓ Contact-D 8 mm steel needle: 29 G: manual insertion: 60 cm tubing × 1 OP ✓ Paradigm Sure-T MMT-874 8 mm steel needle: 29 G: manual insertion: 60 cm tubing × ✓ Sure-T MMT-873 1 OP 8 mm steel needle: 29 G: manual insertion: 80 cm tubing x ✓ Paradigm Sure-T 1 OP MMT-876 8 mm steel needle: 29 G: manual insertion: 80 cm tubing x ✓ Sure-T MMT-875 1 OP

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
 \$	Per	✓	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 30 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

of Maximum of to inacion sets will be fanded per year.			
13 mm teflon cannula; angle insertion; insertion device; 110 cm			
grey line × 10 with 10 needles	140.00	1 OP	✓ Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm			
blue line x 10 with 10 needles	140.00	1 OP	✓ Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm			
grey line × 10 with 10 needles	140.00	1 OP	✓ Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm			
pink line × 10 with 10 needles	140.00	1 OP	✓ Inset 30

(Inset 30 13 mm teflon cannula; angle insertion; insertion device; 60 cm blue line × 10 with 10 needles to be delisted 1 May 2018) (Inset 30 13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line × 10 with 10 needles to be delisted 1 May 2018)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 30 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

c) Maximum of 13 infusion sets will be funded per year.			
13 mm teflon cannula; angel insertion; 60 cm grey line × 5 with	100.00	4 OD	Comfort Chart
10 needles	120.00	1 OP	✓ Comfort Short
13 mm teflon cannula; angle insertion; 120 cm line × 10 with 10 needles	120.00	1 OP	✓ Paradigm Silhouette
10 Needles	130.00	TOF	MMT-382
13 mm teflon cannula; angle insertion; 45 cm line × 10 with			002
10 needles	130.00	1 OP	✓ Paradigm Silhouette
			MMT-368
13 mm teflon cannula; angle insertion; 60 cm line × 10 with			
10 needles	130.00	1 OP	Paradigm Silhouette
			MMT-381
13 mm teflon cannula; angle insertion; 80 cm line × 10 with	400.00	4.00	/ Dame diame Oille accepte
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-383
17 mm teflon cannula; angle insertion; 110 cm grey line ×			IVIIVI I -303
5 with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 110 cm line × 10 with		-	
10 needles	130.00	1 OP	✓ Paradigm Silhouette
			MMT-377
17 mm teflon cannula; angle insertion; 110 cm line $\times$ 10 with			
10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line $\times$ 5 with	400.00	4.00	( O t t
10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette
10 Heedies	130.00	1 01	MMT-378
17 mm teflon cannula; angle insertion; 60 cm line × 10 with			
10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line $\times$ 10 with			
10 needles	130.00	1 OP	✓ Paradigm Silhouette

(Comfort Short 13 mm teflon cannula; angel insertion; 60 cm grey line × 5 with 10 needles to be delisted 1 May 2018) (Comfort 17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles to be delisted 1 May 2018) (Comfort 17 mm teflon cannula; angle insertion; 60 cm grey line × 5 with 10 needles to be delisted 1 May 2018)

35

MMT-384

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 30 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
  6 mm teflon cannula; straight insertion; insertion device;
  110 cm gray line x 10 with 10 peoples.

6 mm teflon cannula; straight insertion; insertion device;		
110 cm grey line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 45 cm		
blue tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 cm		
pink tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 cm		
blue line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 60 cm		_
blue tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60 cm		
grey line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 60 cm		
pink line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 60 cm		_
pink tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80 cm		
blue tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 cm		IVIIVI 1-343
clear tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio
clear tability x 10 with 10 fleedies	1 01	MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 cm		WIW 1-303
pink tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Mio
print tability × 10 with 10 hoodiss	1 01	MMT-925
9 mm teflon cannula; straight insertion; insertion device;		020
110 cm grey line × 10 with 10 needles140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 cm		
blue line × 10 with 10 needles140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 cm		
grey line × 10 with 10 needles140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 cm		
pink line × 10 with 10 needles140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 80 cm	<del>-</del> :	
clear tubing × 10 with 10 needles	1 OP	✓ Paradigm Mio MMT-975

(Inset II 6 mm teflon cannula; straight insertion; insertion device; 60 cm blue line  $\times$  10 with 10 needles to be delisted 1 May 2018) (Inset II 6 mm teflon cannula; straight insertion; insertion device; 60 cm pink line  $\times$  10 with 10 needles to be delisted 1 May 2018) (Inset II 9 mm teflon cannula; straight insertion; insertion device; 60 cm blue line  $\times$  10 with 10 needles to be delisted 1 May 2018) (Inset II 9 mm teflon cannula; straight insertion; insertion device; 60 cm pink line  $\times$  10 with 10 needles to be delisted 1 May 2018)

Subsidy Fully Brand or (Manufacturer's Price) Generic Subsidised \$ Per Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 30 -Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year

6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Quick-Se MMT-398
6 mm teflon cannula; straight insertion; 110 cm tubing $\times$ 10 with			<b>.</b>
10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing $\times$ 10 with			
10 needles	130.00	1 OP	✓ Paradigm Quick-Se MMT-399
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 with			
10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing × 10 with			
10 needles	130.00	1 OP	✓ Paradigm Quick-Se
			MMT-387
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 with			
10 needles	130.00	1 OP	✓ Paradigm Quick-Se
			MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing × 10 with			
10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with			
10 needles	130.00	1 OP	✓ Paradigm Quick-Se
			MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with			
10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-39:
9 mm teflon cannula; straight insertion; 80 cm tubing × 10 with			
10 needles	130.00	1 OP	✓ Paradigm Quick-Se MMT-386

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 packs of reservoir sets will be funded per year.

Syringe and cartridge for 50X pump, 3.0 ml × 10......50.00

10 × luer lock conversion cartridges 1.8 ml for Paradigm pumps50.00	1 OP
Cartridge 200 U, luer lock × 1050.00	1 OP
Cartridge for 5 and 7 series pump; 1.8 ml x 1050.00	1 OP
Cartridge for 7 series pump; 3.0 ml × 1050.00	1 OP

✓ ADR Cartridge 1.8 ✓ Animas Cartridge

✓ Paradigm 1.8 Reservoir

✓ Paradigm 3.0 Reservoir

1 OP

√ 50X 3.0 Reservoir

_					
	Subsidy		Fully	Brand or	
	(Manufacturer's Price)	Sub	sidised	Generic	
	\$	Per	1	Manufacturer	

## **Digestives Including Enzymes**

## PANCREATIC FNZYME

PANCREATIC ENZYME			
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase			
10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ Creon 10000
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase,			
1,250 U protease))	94.40	100	✓ Panzytrat
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase			
25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✓ Creon 25000
URSODEOXYCHOLIC ACID - Special Authority see SA1383 below	– Retail phar	macy	
Cap 250 mg - For ursodeoxycholic acid oral liquid formulation			
refer, page 221	37.95	100	✓ <u>Ursosan</u>

#### ⇒SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
  - 1 Patient has been diagnosed with Alagille syndrome; or
  - 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- All of the following:
  - 1 Patient has chronic severe drug induced cholestatic liver injury; and
  - 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
  - 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

**Initial application** — (**Pregnancy**) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains

continued...

	Subsidy	Fully	Brand or
(Manu	facturer's Price)	Subsidised	Generic
	\$ Pe	er 🗸	Manufacturer

continued...

appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure -- doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives		
Bulk-forming Agents		
ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription  * Powder for oral soln	500 g OP	✓ Bonvit ✓ <u>Konsyl-D</u>
* Dry	500 g OP 200 g OP	Normacol Plus
Faecal Softeners		
DOCUSATE SODIUM — Only on a prescription  * Tab 50 mg	100 100 100 ml OP 200 30 ml OP	✓ Coloxyl ✓ Coloxyl ✓ Coloxyl ✓ Laxsol ✓ Coloxyl
Osmotic Laxatives		
GLYCEROL  * Suppos 3.6 g – Only on a prescription	20	✓ <u>PSM</u>
* Oral liq 10 g per 15 ml	500 ml AND SODIUM CI	✓ <u>Laevolac</u> HLORIDE – Special Authority
see SA1473 on the next page – Retail pharmacy Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chloride 350.7 mg – Maximum of 90 sach per prescription	30	✓ Molaxole

✓ Lax-Sachets

7.65

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	1	Manufacturer

### ⇒SA1473 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated; and
- 2 The patient would otherwise require a per rectal preparation.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	Only on a pres	scription	Enema
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,		50	✓ Micolette
5 ml	19.95	50	Micolette

### Stimulant Laxatives

BISACODYL – Only on a prescription			
* Tab 5 mg	5.99	200	✓ Lax-Tab
* Suppos 10 mg	3.78	10	✓ Lax-Suppositories
SENNA - Only on a prescription			
* Tab, standardised	2.17	100	
	(6.84)		Senokot
	0.43	20	

## Metabolic Disorder Agents

ALGLUCOSIDASE ALFA – Special Authority see SA1622 below – Retail pharmacy		
Inj 50 mg vial1,142.60	1	✓ Myozyme

#### ⇒SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease: and

(1.72)

Senokot

- 2 Any of the following:
  - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
  - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
  - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
  - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	idised	Generic	
\$	Per	✓	Manufacturer	

continued...

or might be reasonably expected to compromise a response to ERT; and

5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

**Renewal** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE - Special Authority see SA1593 below - Retail pharmacy

### ⇒SA1593 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
  - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
  - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

**Renewal** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE - Special Authority see SA1623 below - Retail pharmacy

#### ⇒SA1623 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
  - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
  - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with

continued...

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
 \$	Per	<b>✓</b>	Manufacturer

continued...

idursulfase would be bridging treatment to transplant; and

- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

SODIUM BENZOATE - Special Authority see SA1599 below - Retail pharmacy

### ⇒SA1599 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.

**Renewal** only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

### ⇒SA1598 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.

**Renewal** only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

### Gaucher's Disease

#### ⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC. PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

### Mouth and Throat

## **Agents Used in Mouth Ulceration**

#### BENZYDAMINE HYDROCHLORIDE

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price \$	e) Sub Per	Fully sidised	
CARMELLOSE SODIUM WITH GELATIN AND PECTIN				
Paste	17.20	56 g OP	1	Stomahesive
	4.55	15 g OP		
	(7.90)			Orabase
	1.52	5 g OP		•
Develop	(3.60)	00 - OD		Orabase
Powder		28 g OP		Stomahesive
	(10.95)			Stomanesive
CHLORHEXIDINE GLUCONATE	0.57	00I OD	,	L 141-F
Mouthwash 0.2%	2.57 2	200 ml OP	•	<u>healthE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE				
* Adhesive gel 8.7% with cetalkonium chloride 0.01%		15 g OP		
	(6.00)			Bonjela
TRIAMCINOLONE ACETONIDE				
Paste 0.1%	5.33	5 g OP	•	Kenalog in Orabase
Oropharyngeal Anti-infectives				
AMPHOTERICIN B				
Lozenges 10 mg	5.86	20	1	Fungilin
MICONAZOLE				· ung
Oral gel 20 mg per g	4 70	40 g OP	1	Decozol
		70 g Oi	•	DCCOZOI
NYSTATIN Oral liq 100,000 u per ml	1.05	24 ml OP	./	Nilstat
Oral liq 100,000 u per IIII	(2.55)	24 IIII OF	•	m-Nystatin
Nilstat to be Sole Supply on 1 January 2018	(2.00)			iii i vyotatii i
m-Nystatin Oral liq 100,000 u per ml to be delisted 1 January 2	2018)			
Other Oral Agents				
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	e formula refer Standa	ard Formula	ae, <mark>pa</mark>	ge 224
HYDROGEN PEROXIDE  W. Sola 29/ (10 yel) Maximum of 200 ml nor proportion	4 40	100!		Dhawmaay Haalth
* Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	•	Pharmacy Health
THYMOL GLYCERIN	c		_	no
* Compound, BPC	9.15	500 ml	•	<u>PSM</u>
Vitamins				
Vitamin A				
/ITAMIN A WITH VITAMINS D AND C				
* Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg	ner			
* 30iii 1000 u wiiii vitaniii D 400 u anu ascorbic aciu 30 ing		10 ml OP	1	Vitadol C
το αιορο	4.50	10 1111 01	_	TRAUDIO
Vitamin B				
HYDROXOCOBALAMIN				
Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a	PSO2.31	3	1	Neo-B12

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
PYRIDOXINE HYDROCHLORIDE  a) No more than 100 mg per dose b) Only on a prescription				
** Tab 25 mg – No patient co-payment payable  Vitamin B6 25 to be Sole Supply on 1 February 2018	2.70	90	•	Vitamin B6 25
* Tab 50 mg	13.63	500	•	Apo-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription  * Tab 50 mg	5.62	100	1	Apo-Thiamine
VITAMIN B COMPLEX  * Tab, strong, BPC	7.15	500	1	<u>Bplex</u>
Vitamin C				
ASCORBIC ACID  a) No more than 100 mg per dose b) Only on a prescription  * Tab 100 mg	8.10	500	,	Cvite
Vitamin D				
ALFACALCIDOL  * Cap 0.25 mcg  * Cap 1 mcg  * Oral drops 2 mcg per ml  CALCITRIOL  * Cap 0.25 mcg  * Cap 0.5 mcg  COLECALCIFEROL  * Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescript		100 100 20 ml C 100 100	OP /	One-Alpha One-Alpha One-Alpha Calcitriol-AFT Calcitriol-AFT Vit.D3
Multivitamin Preparations				
MULTIVITAMIN RENAL — Special Authority see SA1546 below -  ★ Cap	6.49	30 newal u		Clinicians Renal Vit
Either:  1 The patient has chronic kidney disease and is receiving e 2 The patient has chronic kidney disease grade 5, defined a 15 ml/min/1.73 m² body surface area (BSA).				

MULTIVITAMINS - Special Authority see SA1036 below - Retail pharmacy

## **⇒SA1036** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
VITAMINS				
* Tab (BPC cap strength)	10.50	1,000	✓ <u>N</u>	<u>//vite</u>
* Cap (fat soluble vitamins A, D, E, K) - Special	Authority see			
SA1002 below - Retail pharmacy	23.40	60	✓ V	/itabdeck

### ⇒SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals		
Calcium		
CALCIUM CARBONATE  * Tab eff 1.75 g (1 g elemental)	10 250 10	✓ Calsource ✓ Arrow-Calcium ✓ Hospira
Fluoride		
SODIUM FLUORIDE  * Tab 1.1 mg (0.5 mg elemental)	100	✓ PSM
lodine		
POTASSIUM IODATE  * Tab 253 mcg (150 mcg elemental iodine)	90	✓ NeuroTabs
Iron		
FERRIC CARBOXYMALTOSE – Special Authority see SA1675 below – Retail Inj 50 mg per ml, 10 ml	pharmacy 1	✓ Ferinject
■ SA1675 Special Authority for Subsidy Initial application — (serum ferritin less than or equal to 20 mcg/L) from a months for applications meeting the following criteria: Both:	ny medical practit	ioner. Approvals valid for 3

- 1 Patient has been diagnosed with iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and
- 2 Any of the following:
  - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
  - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
  - 2.3 Rapid correction of anaemia is required.

Renewal — (serum ferritin less than or equal to 20 mcg/L) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

1 Patient continues to have iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and

continued...

	Subsidy (Manufacturer's Price) \$	F Subsidi Per	ully sed	Brand or Generic Manufacturer
continued				

2 A re-trial with oral iron is clinically inappropriate.

Initial application — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia; and
- 2 Any of the following:
  - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
  - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
  - 2.3 Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective; or
  - 2.4 Rapid correction of anaemia is required.

Renewal — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient continues to have iron-deficiency anaemia; and
- 2 A re-trial with oral iron is clinically inappropriate.

* Tab 200 mg (65 mg elemental)       2.89       100       ✓ Ferro-tab         FERROUS FUMARATE WITH FOLIC ACID       * Tab 310 mg (100 mg elemental) with folic acid 350 mcg       4.75       60       ✓ Ferro-F-Tabs
3, 11 3, 11 11 11 11
FERROUS SULPHATE
<b>★</b> Tab long-acting 325 mg (105 mg elemental)2.06 30 <b>✓ Ferrograd</b>
*‡ Oral lig 30 mg (6 mg elemental) per 1 ml
FERROUS SULPHATE WITH FOLIC ACID
* Tab long-acting 325 mg (105 mg elemental) with folic acid
350 mcg
(4.29) Ferrograd F
IRON POLYMALTOSE
<b>※</b> Inj 50 mg per ml, 2 ml ampoule15.22 5 <b>✓ Ferrum H</b>
Manuscium
Magnesium
For magnesium hydroxide mixture refer Standard Formulae, page 224
MAGNESIUM SULPHATE
<b>★</b> Inj 2 mmol per ml, 5 ml ampoule10.21 10 ✓ <u>DBL</u>
7ina
Zinc
ZINC SULPHATE
* Cap 137.4 mg (50 mg elemental)

Subsidy (Manufacturer's Price) Su \$ Per

Fully Subsidised Brand or Generic Manufacturer

## **Antianaemics**

## Hypoplastic and Haemolytic

### ⇒SA1469 Special Authority for Subsidy

**Initial application** — **(chronic renal failure)** from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin is less than or equal to 100g/L; and
- 3 Any of the following:
  - 3.1 Both:
    - 3.1.1 Patient does not have diabetes mellitus: and
    - 3.1.2 Glomerular filtration rate is less than or equal to 30ml/min; or
  - 3.2 Both:
    - 3.2.1 Patient has diabetes mellitus: and
    - 3.2.2 Glomerular filtration rate is less than or equal to 45ml/min; or
  - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)\*: and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

**Renewal — (chronic renal failure)** from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 ju per week.

Note: Indication marked with \* is an Unapproved Indication

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per		Manufacturer	
y see SA1469 on the p	revious	page – R	etail pharmacy	
48.68	6	<b>✓</b> <u>E</u>	prex	
120.18	6	<b>√</b> E	prex	
166.87	6	<b>√</b> E	prex	
193.13	6	✓ E	prex	
243.26	6	✓ E	prex	
291.92	6			
352.69	6	✓ E	prex	
395.18	6			
263.45	1	✓ E	prex	
	(Manufacturer's Price)  y see SA1469 on the p 48.68120.18166.87193.13243.26291.92352.69395.18	(Manufacturer's Price)     Su Per       y see SA1469 on the previous      48.68     6      120.18     6      166.87     6	(Manufacturer's Price)     Subsidised       y see SA1469 on the previous page − R      48.68     6     ✓ E      120.18     6     ✓ E      166.87     6     ✓ E      193.13     6     ✓ E	(Manufacturer's Price)         Subsidised Per         Generic Manufacturer           y see SA1469 on the previous page − Retail pharmacy          48.68         6         ✓ Eprex          120.18         6         ✓ Eprex          166.87         6         ✓ Eprex

### Megaloblastic

FOL		$\Lambda \cap$	In.
LOF	JI.	AU	טו

*	Tab 0.8 mg20.60	1,000	Apo-Folic Acid
	Tab 5 mg	500	✓ Apo-Folic Acid
	Oral lig 50 mcg per ml24.00	25 ml OP	✓ Biomed

## **Antifibrinolytics, Haemostatics and Local Sclerosants**

ELTROMBOPAG - Special Authority see SA1418 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13		
Tab 25 mg1,771.00	28	Revolade
Tab 50 mg	28	✓ Revolade

#### ⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab);
- 3 Any of the following:
  - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
  - 3.2 Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding; or
  - 3.3 Patient has a platelet count of less than or equal to 10,000 platelets per microlitre.

**Initial application** — (**idiopathic thrombocytopenic purpura - preparation for splenectomy**) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

#### EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1,178.30	1	✓ NovoSeven RT
Inj 2 mg syringe	2,356.60	1	✓ NovoSeven RT
Inj 5 mg syringe	5,891.50	1	✓ NovoSeven RT
Inj 8 mg syringe	9,426.40	1	✓ NovoSeven RT

	BLOOD AND	BLO	OD FOR	MING ORGANS
	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
ACTOR EIGHT INHIBITOR BYPASSING FRACTION	- [Xpharm]			
For patients with haemophilia, whose funded treatr		philia -	Γreaters G	roup in conjunction with
the National Haemophilia Management Group.	• •			
Inj 500 U	1,450.00	1	<b>✓</b> F	EIBA NF
Inj 1,000 U		1	<b>✓</b> F	EIBA NF
Inj 2,500 U	7,250.00	1	<b>✓</b> F	EIBA NF
MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII	] - [Xpharm]			
Preferred Brand of recombinant factor VIII for patie	ents with haemophilia from 1 Ma	rch 20	16 until 28	February 2019. Access
to funded treatment is managed by the Haemophili	a Treaters Group in conjunction	n with t	he Nationa	al Haemophilia
Management Group.	•			•
Inj 250 iu prefilled syringe		1		(yntha
Inj 500 iu prefilled syringe		1		(yntha
Inj 1,000 iu prefilled syringe		1		(yntha
Inj 2,000 iu prefilled syringe		1		(yntha
Inj 3,000 iu prefilled syringe	2,520.00	1	<b>✓</b> )	(yntha
IONACOG ALFA [RECOMBINANT FACTOR IX] - [X	oharm]			
For patients with haemophilia, whose funded treatr	nent is managed by the Haemo	philia -	Γreaters G	roup in conjunction with
the National Haemophilia Management Group.	· .			, ,
Inj 250 iu vial	310.00	1	<b>✓</b> E	BeneFIX
Inj 500 iu vial	620.00	1	<b>✓</b> E	BeneFIX
Inj 1,000 iu vial	1,240.00	1	<b>✓</b> E	BeneFIX
Inj 2,000 iu vial	2,480.00	1	<b>✓</b> E	BeneFIX
Inj 3,000 iu vial	3,720.00	1	<b>✓</b> E	BeneFIX
IONACOG GAMMA, [RECOMBINANT FACTOR IX] -	- [Xpharm]			
For patients with haemophilia, whose funded treatr		nhilia <sup>-</sup>	Treaters G	roup in conjunction with
the National Haemophilia Management Group.	g,			, , , , , , , , , , , , , , , , , , , ,
Inj 250 iu vial	287.50	1	<b>✓</b> F	RIXUBIS
lnį 500 iu vial	575.00	1	<b>√</b> F	RIXUBIS
Inj 1,000 iu vial	1,150.00	1	<b>✓</b> F	RIXUBIS
Inj 2,000 iu vial	2,300.00	1	<b>✓</b> F	RIXUBIS
Inj 3,000 iu vial	3,450.00	1	<b>✓</b> F	RIXUBIS
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (AD	VATE) - [Xnharm]			
Rare Clinical Circumstances Brand of recombinant		monhil	ia from 1 N	March 2016 until
28 February 2019. Access to funded treatment by				
be obtained from PHARMAC's website http://www.				
The Co-ordinator, Haemophilia Treatments Pane		Intion C	)	
·			-	
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@pha	rmac.g	ovt.nz	
Inj 250 iu vial		1	-	Advate
Inj 500 iu vial	575.00	1	<b>✓</b>	Advate

1

1

1

✓ Advate

✓ Advate ✓ Advate

✓ Advate

Inj 2,000 iu vial......2,300.00

Inj 3,000 iu vial......3,450.00

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGENATE FS) – [Xpharm]  Second Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or:  The Co-ordinator, Haemophilia Treatments Panel Phone: 0800 023 588 Option 2 PHARMAC PO Box 10 254 Wellington  Phaemophilia @pharmac.govt.nz  Phaemophilia @pharmac.govt.nz
PHARMAC PO Box 10 254 Facsimile: (04) 974 4881  Wellington Email: haemophilia@pharmac.govt.nz
Wellington Email: haemophilia@pharmac.govt.nz
lai 050 iuvial
Inj 250 iu vial
Inj 500 iu vial
Inj 1,000 iu vial950.00 1 <b>Vogenate FS</b>
Inj 2,000 iu vial
Inj 3,000 iu vial2,850.00 1 <b>✓ Kogenate FS</b>
SODIUM TETRADECYL SULPHATE
* Inj 3% 2 ml28.50 5
(73.00) Fibro-vein
TRANEXAMIC ACID
Tab 500 mg20.67 100 <b>✓ <u>Cyklokapron</u></b>
Vitamin K
PHYTOMENADIONE
Inj 2 mg per 0.2 ml − Up to 5 inj available on a PSO8.00 5 <b>✓ Konakion MM</b>
Inj 10 mg per ml, 1 ml − Up to 5 inj available on a PSO9.21 5 <b>Konakion MM</b>
Antithrombotic Agents
Antiplatelet Agents
ASPIRIN
<b>※</b> Tab 100 mg
CLOPIDOGREL
* Tab 75 mg – For clopidogrel oral liquid formulation refer,
page 221
DIPYRIDAMOLE

Subsidy

Fully

Brand or

#### ⇒SA1201 Special Authority for Subsidy

PRASUGREL - Special Authority see SA1201 below - Retail pharmacy 

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where

continued...

60

28

28

Pytazen SR

✓ Effient

✓ Effient

	Subsidy	Fully	Brand or
(Manufa	acturer's Price)	Subsidised	Generic
	\$ Per	✓	Manufacturer

continued...

the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Note: \* Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

✓ Brilinta 

### ⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

## **Heparin and Antagonist Preparations**

DALTEPARIN SODIUM - Special Authority see SA1270 below - Retail pharmacy

Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	✓ Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe		10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe		10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe		10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe		10	✓ Fragmin

### ⇒SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

#### Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery: or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

**Renewal** — (**Pregnancy or Malignancy**) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1646 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	27.93	10	<ul><li>Clexane</li></ul>
Inj 40 mg in 0.4 ml syringe		10	<ul><li>Clexane</li></ul>
Inj 60 mg in 0.6 ml syringe		10	<ul><li>Clexane</li></ul>
Inj 80 mg in 0.8 ml syringe		10	✓ Clexane
Inj 100 mg in 1 ml syringe		10	✓ Clexane
Inj 120 mg in 0.8 ml syringe		10	✓ Clexane
Inj 150 mg in 1 ml syringe	133.20	10	Clexane

### ⇒SA1646 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

i / ii iii CODIONI			
Inj 1,000 iu per ml, 35 ml vial	17.76	1	<ul><li>Hospira</li></ul>
Inj 1,000 iu per ml, 5 ml	13.36	10	✓ Hospira
	61.04	50	✓ Pfizer
	66.80		✓ Hospira
Inj 5,000 iu per ml, 1 ml	14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml	236.60	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	<ul><li>Hospira</li></ul>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
EPARINISED SALINE Inj 10 iu per ml, 5 ml	39.00	50	•	Pfizer
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg - No more than 2 cap per day	76.36	60	✓	Pradaxa
Cap 110 mg	76.36	60	✓	Pradaxa
Cap 150 mg	76.36	60	✓	Pradaxa
RIVAROXABAN - Special Authority see SA1066 below - Retai	I pharmacy			
Tab 10 mg	' '	15	1	Xarelto

#### ⇒SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

**Renewal** from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	✓ Coumadin
	Ÿ	6.86	100	Marevan
*	Tab 2 mg	4.31	50	<ul><li>Coumadin</li></ul>
	Tab 3 mg		100	Marevan
	Tab 5 mg		50	<ul><li>Coumadin</li></ul>
	v	11 75	100	✓ Marevan

## **Blood Colony-stimulating Factors**

FILGRASTIM - Special Authority see SA1259 below - Retail phar	rmacy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	✓ Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	432.00	5	✓ Zarzio

### ⇒SA1259 Special Authority for Subsidy

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%\*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5 ×109/L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC  $< 0.5 \times 10^9$ /L).

Note: \*Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM – Special Authority see SA1384 on the next page – Retail pharmacy

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

### ⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%\*). Note: \*Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

## Fluids and Electrolytes

#### Intravenous Administration

GLUCOSE [DEXTROSE]		
* Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO29.50	5	✓ Biomed
* Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO14.50	1	✓ Biomed
POTASSIUM CHLORIDE		
* Inj 75 mg per ml, 10 ml55.00	50	✓ AstraZeneca
SODIUM BICARBONATE		
Inj 8.4%, 50 ml	1	✓ Biomed
a) Up to 5 inj available on a PSO		
b) Not in combination		
Inj 8.4%, 100 ml20.50	1	✓ Biomed
a) Up to 5 inj available on a PSO		

### SODIUM CHLORIDE

b) Not in combination

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser use.

Inj 0.9%, bag – Up to 2000 ml available on a PSO	1.23	500 ml	✓ Baxter
	1.26	1,000 ml	✓ Baxter

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO

for any angular section of a prescription for renardialysis, mate	ennity of post-na	iai caie iii iiii	e nome or the patient, o
for emergency use. (500 ml and 1,000 ml packs)			
Inj 23.4% (4 mmol/ml), 20 ml ampoule		5	✓ Biomed
For Sodium chloride oral liquid formulation refer Standard	Formulae, page	e 224	
Inj 0.9%, 5 ml ampoule - Up to 5 inj available on a PSO	7.00	50	✓ InterPharma
			✓ Multichem
Inj 0.9%, 10 ml ampoule - Up to 5 inj available on a PSO	6.63	50	✓ Pfizer
Inj 0.9%, 20 ml ampoule	5.00	20	✓ Multichem
	7.50	30	✓ InterPharma
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Spe	ecialist		
Infusion	CBS	1 OP	✓ TPN

#### WATER

- 1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or
- 2) On a bulk supply order; or
- 3) When used in the extemporaneous compounding of eye drops; or
- 4) When used for the dilution of sodium chloride soln 7% for cystic fibrosis patients only.

Inj 5 ml ampoule - Up to 5 inj available on a PSO7.0	00 50	✓ InterPharma
Inj 10 ml ampoule - Up to 5 inj available on a PSO6.6	53 50	✓ Pfizer
Inj 20 ml ampoule - Up to 5 inj available on a PSO5.0	00 20	✓ Multichem
7.5	50 30	✓ InterPharma

	Subsidy (Manufacturer's P \$	rice) Subsi Per	Fully Brand or idised Generic Manufacturer	
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE Powder COMPOUND ELECTROLYTES	169.85	300 g OP	✓ Calcium Resonium	ı
Powder for oral soln — Up to 10 sach available on a PSO	2.30	10	✓ Enerlyte	
DEXTROSE WITH ELECTROLYTES Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP	✓ Pedialyte - Bubblegum	
PHOSPHORUS			_	
Tab eff 500 mg (16 mmol)	82.50	100	✓ Phosphate-Sandoz	<u>'</u>
POTASSIUM CHLORIDE  * Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60		
Tab cit 540 filg (14 fill eq) with citionide 200 filg (0 fill eq)	(11.85)	00	Chlorvescent	
* Tab long-acting 600 mg (8 mmol)	7.42	200	✓ Span-K	
SODIUM BICARBONATE	0.50	400	<b>4.0</b> - 40-1-	
Cap 840 mg	8.52	100	<ul><li>✓ Sodibic</li><li>✓ Sodibic</li></ul>	
SODIUM POLYSTYRENE SULPHONATE				
Powder	84.65	454 g OP	✓ Resonium-A	

Subsidy (Manufacturer's Price) Subsidised Per ✓ Subsidised Generic Manufacturer  Alpha Adrenoceptor Blockers  DOXAZOSIN  * Tab 2 mg
S   Per
DOXAZOSIN  * Tab 2 mg
DOXAZOSIN  * Tab 2 mg
* Tab 2 mg       6.75       500       ✓ Apo-Doxazosin         * Tab 4 mg       9.09       500       ✓ Apo-Doxazosin         PHENOXYBENZAMINE HYDROCHLORIDE       **         * Cap 10 mg       65.00       30       ✓ BNM \$29         PRAZOSIN       **       Tab 1 mg       ✓ Apo-Prazosin         * Tab 2 mg       7.00       100       ✓ Apo-Prazosin         * Tab 5 mg       11.70       100       ✓ Apo-Prazosin         * Tab 1 mg       0.59       28       ✓ Actavis         * Tab 2 mg       7.50       500       ✓ Apo-Terazosin         * Tab 5 mg       10.90       500       ✓ Apo-Terazosin         Agents Affecting the Renin-Angiotensin System         ACE Inhibitors         CAPTOPRIL         *‡ Oral liq 5 mg per ml       94.99       95 ml OP       ✓ Capoten
* Tab 2 mg       6.75       500       ✓ Apo-Doxazosin         * Tab 4 mg       9.09       500       ✓ Apo-Doxazosin         PHENOXYBENZAMINE HYDROCHLORIDE       **         * Cap 10 mg       65.00       30       ✓ BNM \$29         PRAZOSIN       **       Tab 1 mg       ✓ Apo-Prazosin         * Tab 2 mg       7.00       100       ✓ Apo-Prazosin         * Tab 5 mg       11.70       100       ✓ Apo-Prazosin         * Tab 1 mg       0.59       28       ✓ Actavis         * Tab 2 mg       7.50       500       ✓ Apo-Terazosin         * Tab 5 mg       10.90       500       ✓ Apo-Terazosin         Agents Affecting the Renin-Angiotensin System         ACE Inhibitors         CAPTOPRIL         *‡ Oral liq 5 mg per ml       94.99       95 ml OP       ✓ Capoten
PHENOXYBENZAMINE HYDROCHLORIDE  * Cap 10 mg
** Cap 10 mg       65.00       30       ✓ BNM 529         PRAZOSIN       ** Tab 1 mg       5.53       100       ✓ Apo-Prazosin         ** Tab 2 mg       7.00       100       ✓ Apo-Prazosin         ** Tab 5 mg       11.70       100       ✓ Apo-Prazosin         ** Tab 1 mg       0.59       28       ✓ Actavis         ** Tab 2 mg       7.50       500       ✓ Apo-Terazosin         ** Tab 5 mg       10.90       500       ✓ Apo-Terazosin     ACE Inhibitors  CAPTOPRIL  **‡ Oral liq 5 mg per ml         **‡ Oral liq 5 mg per ml       94.99       95 ml OP       ✓ Capoten
PRAZOSIN  * Tab 1 mg
PRAZOSIN  * Tab 1 mg
* Tab 1 mg       5.53       100       ✓ Apo-Prazosin         * Tab 2 mg       7.00       100       ✓ Apo-Prazosin         * Tab 5 mg       11.70       100       ✓ Apo-Prazosin         TERAZOSIN       Tab 1 mg       0.59       28       ✓ Actavis         * Tab 2 mg       7.50       500       ✓ Apo-Terazosin         * Tab 5 mg       10.90       500       ✓ Apo-Terazosin     ACE Inhibitors  CAPTOPRIL  *‡ Oral liq 5 mg per ml         *‡ Oral liq 5 mg per ml       94.99       95 ml OP       ✓ Capoten
* Tab 2 mg       7.00       100       ✓ Apo-Prazosin         * Tab 5 mg       11.70       100       ✓ Apo-Prazosin         TERAZOSIN       * Tab 1 mg       0.59       28       ✓ Actavis         * Tab 2 mg       7.50       500       ✓ Apo-Terazosin         * Tab 5 mg       10.90       500       ✓ Apo-Terazosin     ACE Inhibitors  CAPTOPRIL  *‡ Oral liq 5 mg per ml     94.99       95 ml OP       ✓ Capoten
* Tab 5 mg       11.70       100       ✓ Apo-Prazosin         TERAZOSIN       * Tab 1 mg       0.59       28       ✓ Actavis         * Tab 2 mg       7.50       500       ✓ Apo-Terazosin         * Tab 5 mg       10.90       500       ✓ Apo-Terazosin    Agents Affecting the Renin-Angiotensin System ACE Inhibitors CAPTOPRIL *‡ Oral liq 5 mg per ml 94.99 95 ml OP Capoten Capoten Capoten
* Tab 1 mg       0.59       28       ✓ Actavis         * Tab 2 mg       7.50       500       ✓ Apo-Terazosin         * Tab 5 mg       10.90       500       ✓ Apo-Terazosin    AGE Inhibitors CAPTOPRIL *‡ Oral liq 5 mg per ml 94.99 95 ml OP Capoten Capoten
* Tab 1 mg       0.59       28       ✓ Actavis         * Tab 2 mg       7.50       500       ✓ Apo-Terazosin         * Tab 5 mg       10.90       500       ✓ Apo-Terazosin    AGE Inhibitors CAPTOPRIL *‡ Oral liq 5 mg per ml 94.99 95 ml OP Capoten Capoten
* Tab 5 mg
* Tab 5 mg
ACE Inhibitors           CAPTOPRIL           *‡ Oral liq 5 mg per ml           —         ✓ Capoten
ACE Inhibitors           CAPTOPRIL           *‡ Oral liq 5 mg per ml           —         ✓ Capoten
CAPTOPRIL  *
CAPTOPRIL  *
<b>*</b> ‡ Oral liq 5 mg per ml94.99 95 ml OP <b>✓ Capoten</b>
Oral liquid restricted to children under 12 years of ago
Oral liquid restricted to children under 12 years of age.
CILAZAPRIL
<b>★</b> Tab 0.5 mg
<b>★</b> Tab 2.5 mg
<b>★</b> Tab 5 mg
ENALAPRIL MALEATE
* Tab 5 mg
<b>★</b> Tab 10 mg
★ Tab 20 mg – For enalapril maleate oral liquid formulation refer, page 221
· · ·
LISINOPRIL  ** Tob 5 mg 190 00 ** Ethics Licinopril
★ Tab 5 mg       1.80       90       ✓ Ethics Lisinopril         ★ Tab 10 mg       2.05       90       ✓ Ethics Lisinopril
* Tab 10 mg
PERINDOPRIL
* Tab 2 mg
* Tab 4 mg
QUINAPRIL
* Tab 5 mg
* Tab 10 mg
<b>★</b> Tab 20 mg
ACE Inhibitors with Diuretics
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE
# Tab 5 mg with hydrochlorothiazide 12.5 mg10.18  100  ✓ Apo-Cilazapril/
# Tab 5 flig with hydrochlorothiazide 12.5 flig
<u></u>

	•	/AI II	DIOVAGO	JOLAN STOTEW
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
QUINAPRIL WITH HYDROCHLOROTHIAZIDE  * Tab 10 mg with hydrochlorothiazide 12.5 mg  * Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30		Accuretic 10 Accuretic 20
Angiotensin II Antagonists				
CANDESARTAN CILEXETIL - Special Authority see SA1223 be	elow – Retail pharma	CV		
* Tab 4 mg		90	✓	Candestar
* Tab 8 mg		90		Candestar
* Tab 16 mg		90	-	<u>Candestar</u>
* Tab 32 mg  SA1223 Special Authority for Subsidy	10.66	90	•	<u>Candestar</u>
Initial application — (ACE inhibitor intolerance) from any release notified for applications meeting the following criteria:  Either:  1 Patient has persistent ACE inhibitor induced cough that is inhibitor); or  2 Patient has a history of angioedema.				
Initial application — (Unsatisfactory response to ACE inhibit further renewal unless notified where patient is not adequately contained to the contained of the				
LOSARTAN POTASSIUM	4.00	٠.		
* Tab 12.5 mg * Tab 25 mg		84 84		<u>Losartan Actavis</u> Losartan Actavis
* Tab 50 mg		84		Losartan Actavis
* Tab 100 mg		84		Losartan Actavis
Angiotensin II Antagonists with Diuretics				
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	2.18	30	✓,	Arrow-Losartan & Hydrochlorothiazide
Antiarrhythmics				
For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anae	sthetics, Local, page	130		
AMIODARONE HYDROCHLORIDE	4.00	00		0 V
Tab 100 mg - Retail pharmacy-Specialist		30		<u>Cordarone-X</u> Cordarone-X
▲ Tab 200 mg − Retail pharmacy-SpecialistInj 50 mg per ml, 3 ml ampoule − Up to 5 inj available on a F		30 5		<u>Cordarone-x</u> Lodi
ATROPINE SULPHATE		·	:	<del></del>
* Inj 600 mcg per ml, 1 ml ampoule - Up to 5 inj available on	a 71.00	50	1	AstraZeneca
PSO	71.00	30	•	AStrazerieca
DIGOXIN  * Tab 62.5 mcg – Up to 30 tab available on a PSO	6.67	240	1	Lanoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO*		240		Lanoxin
*‡ Oral liq 50 mcg per ml		60 m		Lanoxin
				Lanoxin S29 S29
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		
	(23.87)		ا	Rythmodan

<sup>‡</sup> safety cap

<sup>▲</sup> Three months supply may be dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	38.95	60	✓	Tambocor
▲ Cap long-acting 100 mg	38.95	30	✓	Tambocor CR
▲ Cap long-acting 200 mg	68.78	30	✓	Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	✓	Tambocor
MEXILETINE HYDROCHLORIDE			,	
▲ Cap 150 mg	162.00	100	•	Mexiletine Hydrochloride USP \$29
▲ Cap 250 mg	202.00	100	•	Mexiletine Hydrochloride USP \$29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specia	list			
▲ Tab 150 mg		50	✓	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail pha	rmacv			
Tab 2.5 mg	•	100	/	Gutron
Tab 5 mg		100	_	Gutron

### **⇒SA1474** Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Beta Adrenoceptor Blockers

ATENOLOL			
* Tab 50 mg	4.61	500	Mylan Atenolol
* Tab 100 mg	7.67	500	Mylan Atenolol
* Oral lig 25 mg per 5 ml	21.25	300 ml OP	✓ Atenolol AFT
Restricted to children under 12 years of age.			
BISOPROLOL FUMARATE			
Tab 2.5 mg	3.53	90	✓ Bosvate
Bosvate to be Sole Supply on 1 March 2018			
Tab 5 mg	5.15	90	✓ Bosvate
Bosvate to be Sole Supply on 1 March 2018			
Tab 10 mg	9.40	90	✓ Bosvate
Bosvate to be Sole Supply on 1 March 2018			

	Subsidy		Fully Brand or
	(Manufacturer's Price)		Subsidised Generic
	\$	Per	✓ Manufacturer
CARVEDILOL			
* Tab 6.25 mg	2.24	60	<ul><li>Carvedilol Sandoz</li></ul>
	(3.90)		Dicarz
Carvedilol Sandoz to be Sole Supply on 1 March 2018			
* Tab 12.5 mg		60	✓ Carvedilol Sandoz
0 1110 1 1 0 1 0 1 1 1 1 1 1 1 1 1 1 1	(5.10)		Dicarz
Carvedilol Sandoz to be Sole Supply on 1 March 2018		-00	( O
* Tab 25 mg - For carvedilol oral liquid formulation refer, page	(6.30)	60	✓ Carvedilol Sandoz  Dicarz
Carvedilol Sandoz to be Sole Supply on 1 March 2018			
(Dicarz Tab 6.25 mg to be delisted 1 March 2018)			
(Dicarz Tab 12.5 mg to be delisted 1 March 2018)			
(Dicarz Tab 25 mg to be delisted 1 March 2018)			
CELIPROLOL			
* Tab 200 mg	21.40	180	✓ Celol
LABETALOL			
* Tab 50 mg	8.99	100	✓ Hybloc
* Tab 100 mg - For labetalol oral liquid formulation refer,			•
page 221	11.36	100	✓ Hybloc
* Tab 200 mg		100	_ •
* Inj 5 mg per ml, 20 ml ampoule	59.06	5	·
	(88.60)		Trandate
METOPROLOL SUCCINATE			
* Tab long-acting 23.75 mg	0.80	30	✓ Myloc CR
	1.03		✓ Bétaloc CR
	2.39	90	✓ Metoprolol - AFT CR
Betaloc CR to be Sole Supply on 1 March 2018			
* Tab long-acting 47.5 mg		30	<ul><li>Betaloc CR</li></ul>
	2.59		✓ Myloc CR
	3.48	90	✓ Metoprolol - AFT CR
Betaloc CR to be Sole Supply on 1 March 2018			4
* Tab long-acting 95 mg		30	✓ Myloc CR
	1.99	•	✓ Betaloc CR
Detalog CD to be Cala Cumply on 1 March 2010	5.73	90	✓ Metoprolol - AFT CR
Betaloc CR to be Sole Supply on 1 March 2018  * Tab long-acting 190 mg	2.00	30	✓ Betaloc CR
Tab long-acting 190 mg	3.85	JU	✓ Myloc CR
	3.65 11.54	90	✓ Metoprolol - AFT CR
Betaloc CB to be Sole Supply on 1 March 2018	11.07	50	- metoprotor - At 1 Off

Betaloc CR to be Sole Supply on 1 March 2018 (Myloc CR Tab long-acting 23.75 mg to be delisted 1 March 2018) (Metoprolol - AFT CR Tab long-acting 23.75 mg to be delisted 1 March 2018) (Myloc CR Tab long-acting 47.5 mg to be delisted 1 March 2018) (Metoprolol - AFT CR Tab long-acting 47.5 mg to be delisted 1 March 2018) (Myloc CR Tab long-acting 95 mg to be delisted 1 March 2018) (Metoprolol - AFT CR Tab long-acting 95 mg to be delisted 1 March 2018) (Myloc CR Tab long-acting 190 mg to be delisted 1 March 2018) (Metoprolol - AFT CR Tab long-acting 190 mg to be delisted 1 March 2018)

_		Subsidy		Fully	Brand or
		(Manufacturer's Price)		Subsidised	
		\$	Per		Manufacturer
ME	TOPROLOL TARTRATE				
*	Tab 50 mg - For metoprolol tartrate oral liquid formulation				
	refer, page 221	4.64	100	1	Apo-Metoprolol
*	Tab 100 mg		60	1	Apo-Metoprolol
*	Tab long-acting 200 mg		28		Slow-Lopresor
*	Inj 1 mg per ml, 5 ml vial		5	1	Lopresor
NA	DOLOL				
*	Tab 40 mg	16.05	100	1	Apo-Nadolol
*	Tab 80 mg		100		Apo-Nadolol
DIN	NDOLOL				
*		0.72	100	1	Apo-Pindolol
*	Tab 5 mg Tab 10 mg		100		Apo-Pindolol
*	Tab 15 mg		100		Apo-Pindolol
•	-	20.40	100	•	Apo-i illuoloi
	OPRANOLOL	0.05	400	,	
*	Tab 10 mg	3.65	100		Apo-Propranolol
				•	Apo-Propranolol
					S29 S29
*	Tab 40 mg	4.65	100		Apo-Propranolol
				✓	Apo-Propranolol
					S29 S29
	Cap long-acting 160 mg	18.17	100	1	Cardinol LA
*	Oral liq 4 mg per ml - Special Authority see SA1327 below -	_			
	Retail pharmacy		500 m	nl 🗸	Roxane S29
_					

#### ⇒SA1327 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

#### SOTALOL

* Tab 80 mg – For sotalol oral liquid formulation refer, page 221		500	Mylan
* Tab 160 mg * Inj 10 mg per ml, 4 ml ampoule		100 5	<ul><li>✓ <u>Mylan</u></li><li>✓ Sotacor</li></ul>
TIMOLOL			
* Tab 10 mg	10.55	100	✓ Apo-Timol

## **Calcium Channel Blockers**

## **Dihydropyridine Calcium Channel Blockers**

AMLODIPINE		
* Tab 2.5 mg	1.72 100	✓ Apo-Amlodipine
* Tab 5 mg - For amlodipine oral liquid formulation		✓ Apo-Amlodipine
* Tab 10 mg	4.40 250	✓ Apo-Amlodipine

				-
	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Wandacturer's Frice)	Per		
FELODIPINE	· · · · · · · · · · · · · · · · · · ·			
* Tab long-acting 2.5 mg	1 45	30	_	Plendil ER
		30		Plendil ER
		30		Plendil ER
Fab long-acting 10 mg	2.30	30	•	Plendii ER
SRADIPINE			_	
F Cap long-acting 2.5 mg		30	_	Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	•	Dynacirc-SRO
IIFEDIPINE				
₹ Tab long-acting 10 mg	10.63	60	✓	Adalat 10
			/	Adefin \$29
Fab long-acting 20 mg	9.59	100	/	Nyefax Retard
₹ Tab long-acting 30 mg		30		Adalat Oros
· g soung oo nig		50		Adefin XL
Adalat Oros to be Sole Supply on 1 March 2018			-	
* Tab long-acting 60 mg	5.67	30	/	Adalat Oros
Tab long doing of mg		00		Adefin XL
Adalat Oros to be Sole Supply on 1 March 2018			_	Audini Al
Adefin XL Tab long-acting 60 mg to be delisted 1 March 2018) Other Calcium Channel Blockers				
ILTIAZEM HYDROCHLORIDE				
F Tab 30 mg	4.60	100	1	Dilzem
Tab 60 mg – For diltiazem hydrochloride oral liquid formulati				v
refer, page 221		100	/	Dilzem
Cap long-acting 120 mg		30		Cardizem CD
- Cup long doling 120 mg	31.83	500		Apo-Diltiazem CD
Cap long-acting 180 mg		30		Cardizem CD
· Cup long dolling roo mg	47.67	500		Apo-Diltiazem CD
Cap long-acting 240 mg		30		Cardizem CD
Out fortig dotting 240 mg	63.58	500		Apo-Diltiazem CD
EDUEVILINE MALEATE	00.00	000	-	Apo Billiazolli ob
ERHEXILINE MALEATE	00.00	400	,	D
← Tab 100 mg	62.90	100	V	Pexsig
ERAPAMIL HYDROCHLORIDE				
← Tab 40 mg	7.01	100	✓	Isoptin
Tab 80 mg - For verapamil hydrochloride oral liquid				
formulation refer, page 221	11.74	100	/	Isoptin
Tab long-acting 120 mg		250	•	Verpamil SR
Fab long-acting 240 mg		250		Verpamil SR
★ Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on a				•
PSO	25.00	5	/	Isoptin
Centrally-Acting Agents				
CLONIDINE - Brand switch fee payable (Pharmacode 2533839)	- see page 218 for d	etails	3	

4

✓ Mylan

✓ Mylan

✓ Mylan

\* Patch 5 mg, 200 mcg per day - Only on a prescription......10.04

\* Patch 7.5 mg, 300 mcg per day - Only on a prescription...............12.34

<sup>‡</sup> safety cap

<sup>▲</sup> Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	Brand or Generic Manufacturer
CLONIDINE HYDROCHLORIDE  K Tab 25 mcg  K Tab 150 mcg  Inj 150 mcg per ml, 1 ml ampoule	34.32	112 100 5	1	Clonidine BNM Catapres Catapres
Figuretics  Diuretics	15.10	100	✓	Methyldopa Mylan
Loop Diuretics				
BUMETANIDE    Tab 1 mg   Inj 500 mcg per ml, 4 ml vial   UROSEMIDE [FRUSEMIDE]   Tab 40 mg - Up to 30 tab available on a PSO   Tab 500 mg   Oral liq 10 mg per ml   Inj 10 mg per ml, 25 ml ampoule   Inj 10 mg per ml, 2 ml ampoule	7.95 8.00 25.00 10.66 57.77	100 5 1,000 50 30 ml OF 6 5	/ / /	Burinex Burinex  Diurin 40 Urex Forte Lasix Lasix Frusemide-Claris
Potassium Sparing Diuretics				
MILORIDE HYDROCHLORIDE  Tab 5 mg Oral liq 1 mg per ml  TETOLAZONE – Special Authority see SA1678 below – Reta	30.00	100 25 ml Of		Apo-Amiloride Biomed
Tab 5 mg	CBS	1 50		Metolazone S29  Zaroxolyn S29
<ul> <li>SA1678 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals vine following criteria:</li> <li>Either:         <ul> <li>Patient has refractory heart failure and is intolerant or his therapy; or</li> <li>Paediatric patient has oedema secondary to nephrotics</li> </ul> </li> </ul>	as not responded to lo	oop diure	etics and/o	or loop-thiazide combinat
SPIRONOLACTONE  Tab 25 mg  Tab 100 mg  Oral liq 5 mg per ml	11.80	100 100 25 ml OF	1	<u>Spiractin</u> <u>Spiractin</u> Biomed
Potassium Sparing Combination Diuretics				
MILORIDE HYDROCHLORIDE WITH FUROSEMIDE  Tab 5 mg with furosemide 40 mg		28	✓	Frumil
MILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIA  Tab 5 mg with hydrochlorothiazide 50 mg		50	1	Moduretic

	O. d i.d.		F. "	Description
(1	Subsidy Manufacturer's Price) \$	) Per	Fully Subsidised	
Thiazide and Related Diuretics				
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]  * Tab 2.5 mg - Up to 150 tab available on a PSO	5.48	500	•	Arrow- Bendrofluazide
May be supplied on a PSO for reasons other than emerger Tab 5 mg	•	500	•	Arrow- Bendrofluazide
CHLOROTHIAZIDE  Oral liq 50 mg per ml	26.00 2	5 ml C	P 🗸	Biomed
CHLORTALIDONE [CHLORTHALIDONE] ★ Tab 25 mg NDAPAMIDE	8.00	50	•	Hygroton
* Tab 2.5 mg	2.60	90	✓	Dapa-Tabs
Lipid-Modifying Agents				
Fibrates				
BEZAFIBRATE  * Tab 200 mg  * Tab long-acting 400 mg  GEMFIBROZIL  * Tab 600 mg	6.78	90 30 60	✓	Bezalip Bezalip Retard Lipazil
Other Lipid-Modifying Agents				
ACIPIMOX * Cap 250 mg VICOTINIC ACID	18.75	30	1	Olbetam
* Tab 50 mg * Tab 500 mg		100 100		Apo-Nicotinic Acid Apo-Nicotinic Acid
Resins				
CHOLESTYRAMINE Powder for oral liq 4 g	19.25 (52.68)	50		Questran-Lite
COLESTIPOL HYDROCHLORIDE  Grans for oral liq 5 g	22.00	30	•	Colestid
1000 0 A D 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

# HMG CoA Reductase Inhibitors (Statins)

### **Prescribing Guidelines**

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ATORVASTATIN – See prescribing guideline on the previous pa	age			
* Tab 10 mg	9.29	500	✓	Lorstat
* Tab 20 mg		500	✓	Lorstat
* Tab 40 mg		500	✓	Lorstat
* Tab 80 mg		500	✓	Lorstat
PRAVASTATIN - See prescribing guideline on the previous page	10			
* Tab 20 mg		30	1	Cholvastin
	4.72	100	1	Apo-Pravastatin
* Tab 40 mg	6.36	30		Cholvastin
SIMVASTATIN – See prescribing guideline on the previous page				
* Tab 10 mg		90		Arrow-Simva 10mg Simvastatin Mylan
* Tab 20 mg	1.52	90		Simvastatin Mylan
•	1.61			Arrow-Simva 20mg
* Tab 40 mg	2.63	90		Simvastatin Mylan
•	2.83			Arrow-Simva 40mg
* Tab 80 mg	6.00	90	_	Simvastatin Mylan
v	7.91			Arrow-Simva 80mg

## **Selective Cholesterol Absorption Inhibitors**

EZETIMIBE - Special Authority see SA1045 below - Retail pha	rmacy		
Tab 10 mg	3.35	30	Ezemibe

#### ⇒SA1045 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
  - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 x normal) when treated with one statin; or
  - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
  - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 on the next page - Retail pharmacy

Tab 10 mg with simvastatin 10 mg	5.15	30	Zimybe
Tab 10 mg with simvastatin 20 mg		30	✓ Zimybe
Tab 10 mg with simvastatin 40 mg	7.15	30	✓ Zimybe
Tab 10 mg with simvastatin 80 mg	8.15	30	✓ Zimybe

### ADDIOVACOUL AD OVOTEM

	CARDIOVASCULAR SYSTEM				
	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer		
➤ SA1046 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals All of the following:	valid for 2 years for applic	ations meeting t	he following criteria:		

All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to less than or equal to 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrates		
GLYCERYL TRINITRATE		
* Tab 600 mcg - Up to 100 tab available on a PSO8.00	100 OP	✓ Lycinate
* Oral pump spray, 400 mcg per dose - Up to 250 dose		
available on a PSO	250 dose OP	✓ Nitrolingual Pump Spray
* Oral spray, 400 mcg per dose - Up to 250 dose available on a		
PSO4.45	250 dose OP	✓ Glytrin
* Patch 25 mg, 5 mg per day15.73	30	✓ Nitroderm TTS
* Patch 50 mg, 10 mg per day	30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE		
* Tab 20 mg18.80	100	✓ Ismo 20
* Tab long-acting 40 mg7.50	30	✓ Ismo 40 Retard
* Tab long-acting 60 mg8.29	90	✓ <u>Duride</u>
Sympathomimetics		
ADRENALINE		
Inj 1 in 1,000, 1 ml ampoule - Up to 5 inj available on a PSO4.98	5	<ul><li>Aspen Adrenaline</li></ul>
5.25		✓ Hospira
Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO27.00	5	✓ Hospira
49.00	10	Aspen Adrenaline
ISOPRENALINE		
* Inj 200 mcg per ml, 1 ml ampoule	25	
(164.20)		Isuprel
Vasodilators		
AMYL NITRITE		
* Liq 98% in 0.3 ml cap	12	

Baxter

(73.40)

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer	
HYDRALAZINE HYDROCHLORIDE	<u> </u>				
* Tab 25 mg - Special Authority see SA1321 below - Retail pharmacy	CBS	1	<b>✓</b> H	lydralazine	
		56	<b>✓</b> 0	Onelink S29	
		84	✓ A	MDIPHARM \$29	
* Inj 20 mg ampoule	25.90	5	✓ A	presoline	

### ⇒SA1321 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Fither:

- 1 For the treatment of refractory hypertension; or
- 2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

#### MINOXIDIL

▲ Tab 10 mg	100	✓ Loniten
NICORANDIL		
▲ Tab 10 mg27.95	60	✓ Ikorel
▲ Tab 20 mg	60	✓ Ikorel
PAPAVERINE HYDROCHLORIDE		
* Inj 12 mg per ml, 10 ml ampoule217.90	5	✓ Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE]		
Tab 400 mg42.26	50	✓ Trental 400

### **Endothelin Receptor Antagonists**

#### ⇒SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN - Special Authority see SA0967 above - Retail	l pharmacy		
Tab 5 mg	4,585.00	30	✓ Volibris
Tab 10 mg	4,585.00	30	✓ Volibris
BOSENTAN - Special Authority see SA0967 above - Retail ph	armacy		
Tab 62.5 mg	375.00	56	✓ Mylan-Bosentan
Tab 125 mg	375.00	56	✓ Mylan-Bosentan

## Phosphodiesterase Type 5 Inhibitors

### ⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon\* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

1 Patient has Raynaud's Phenomenon\*; and

continued...

Subsidy (Manufacturer		Fully idised	Brand or Generic	
\$	Per	✓	Manufacturer	

#### continued...

- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with \* are Unapproved Indications.

SILDENAFIL – Special Authority see SA1293 on the previous page – Retail pharmacy

Tab 25 mg	0.75	4	✓ Vedafil
Tab 50 mg	0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page 221.		4	✓ Vedafil

## **Prostacyclin Analogues**

### ⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
	Por 🗸	Manufacturor

## **Antiacne Preparations**

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 97

#### ADAPAI FNF

a) Maximum of 30 g per prescription

b	) (	Only	on	a	prescription
---	-----	------	----	---	--------------

Crm 0.1%	22.89	30 g OP	Differin
Gel 0.1%	22.89	30 g OP	<ul><li>Differin</li></ul>
ISOTRETINOIN - Special Authority see SA1475 below	/ – Retail pharmacy		
Cap 10 mg	12.47	100	✓ Isotane 10
	14.96	120	<ul><li>Oratane</li></ul>
Cap 20 mg	19.27	100	✓ Isotane 20
	23.12	120	<ul><li>Oratane</li></ul>

### ⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Fither:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

**Renewal** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

#### **TRETINOIN**

Crm 0.5 mg per g − Maximum of 50 g per prescription ......13.90 50 g OP ✓ ReTrieve

## Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 97

HYDROGEN PEROXIDE

		L	JEKIVI	ATOLOGICALS
	Subsidy		Fully	Brand or
	(Manufacturer's F \$	Price) Subs Per	sidised •	Generic Manufacturer
MUPIROCIN				
Oint 2%	6.60 (9.26)	15 g OP		actroban
a) Only on a prescription	(9.20)		_	actiobali
b) Not in combination				
SODIUM FUSIDATE [FUSIDIC ACID]				
Crm 2%	2.52	15 g OP	<b>✓</b> [	P Fusidic Acid Cream
a) Maximum of 15 g per prescription				Orcam
b) Only on a prescription				
c) Not in combination				
Oint 2%	3.45	15 g OP	<b>✓</b> F	oban
<ul><li>a) Maximum of 15 g per prescription</li><li>b) Only on a prescription</li></ul>				
c) Not in combination				
SULFADIAZINE SILVER				
Crm 1%	10.80	50 g OP	<b>✓</b> <u>F</u>	lamazine
a) Up to 250 g available on a PSO				
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, pa	age 104			
AMOROLFINE				
a) Only on a prescription     b) Not in combination				
Nail soln 5%	15.95	5 ml OP	✓ N	lycoNail
CICLOPIROX OLAMINE			_	
a) Only on a prescription				
b) Not in combination				
Nail-soln 8%	6.50	7 ml OP	✓ <u>F</u>	po-Ciclopirox
CLOTRIMAZOLE	0.70	00 = OD		NI
* Crm 1%	0.70	20 g OP	• (	Clomazol
b) Not in combination				
c) Clomazol to be Sole Supply on 1 February 2018				
* Soln 1%		20 ml OP	_	
A Outros and a delication	(7.55)		C	Canesten
a) Only on a prescription     b) Not in combination				
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)	<b>J</b> -	F	'evaryl
a) Only on a prescription				
b) Not in combination	0.00	0		
Foaming soln 1%, 10 ml sachets	(17.23)	3	F	'evaryl
a) Only on a prescription	(20)			- · · j ·
h) Not in combination				

<sup>‡</sup> safety cap

b) Not in combination

<sup>▲</sup> Three months supply may be dispensed at one time

	Subsidy (Manufacturer's Pi	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
MICONAZOLE NITRATE	Ψ	101		Mariarataro
* Crm 2%	0.74	15 g OP	✓ N	/lultichem
a) Only on a prescription			-	
b) Not in combination				
c) Multichem to be Sole Supply on 1 February 2018	4.00	00 100		
* Lotn 2%	4.36 (10.03)	30 ml OP	_	Daktarin
a) Only on a prescription	(10.03)		_	Jakiaiiii
b) Not in combination				
* Tinct 2%	4.36	30 ml OP		
	(12.10)			Daktarin
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>				
NYSTATIN				
Crm 100,000 u per g	1.00 (7.90)	15 g OP	N	Mycostatin
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP		100 g		Pharmacy Health
Lotn, BP	12.94	2,000 ml	✓ <u>F</u>	<u> 25141</u>
CROTAMITON				
a) Only on a prescription     b) Not in combination				
Crm 10%	3.37	20 g OP	<b>√</b> I	tch-Soothe
MENTHOL - Only in combination		J	_	
Only in combination with a dermatological base or pro	prietary Topical Co	orticosteriod -	- Plain,	refer dermatological base
page 220 2) With or without other dermatological galenicals.				
,				
Crystals	6.50	25 g	<b>✓</b> F	PSM
	6.92		_	/lidWest
	29.60	100 g	✓ N	/lidWest
Corticosteroids Topical				
For systemic corticosteroids, refer to CORTICOSTEROIDS AND	RELATED AGEN	NTS, page 86		
Corticosteroids - Plain				
BETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96	15 g OP		Diprosone
	8.97	50 g OP		Diprosone
Crm 0.05% in propylene glycol base		30 g OP		Diprosone OV
Oint 0.05%	2.96 8.97	15 g OP 50 g OP		Diprosone Diprosone
Oint 0.05% in propylene glycol base		30 g OP		Diprosone OV

	Subsidy		Fully	
	(Manufacturer's F	Price) Subs Per	idised •	
	\$	Per		Manufacturer
BETAMETHASONE VALERATE			_	
* Crm 0.1%		50 g OP		Beta Cream
* Oint 0.1%		50 g OP		Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	/	Betnovate
CLOBETASOL PROPIONATE				
* Crm 0.05%	2.20	30 g OP	1	Dermol
* Oint 0.05%	2.20	30 g OP	1	Dermol
CLOBETASONE BUTYRATE				
Crm 0.05%	5.38	30 g OP		
0111 0.00 / 0.00	(7.09)	00 g 0.		Eumovate
NELLICOPTOLONE VALEDATE	()			
DIFLUCORTOLONE VALERATE	0.07	50 × 0D		
Crm 0.1%		50 g OP		Narioona
Fathy sint 0.19/	(15.86)	E0 = 0D		Nerisone
Fatty oint 0.1%		50 g OP		Madaaa
	(15.86)			Nerisone
HYDROCORTISONE				
* Crm 1% – Only on a prescription	1.11	30 g OP	1	DermAssist
	16.25	500 g	1	Pharmacy Health
Powder - Only in combination		25 g		<u>ABM</u>
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only on a prescription		250 ml	1	DP Lotn HC
HYDROCORTISONE BUTYRATE				
Lipocream 0.1%	2.30	30 g OP	1	Locoid Lipocream
	6.85	100 g OP		Locoid Lipocream
Oint 0.1%	6.85	100 g OP		Locoid
Milky emul 0.1%	6.85	100 ml OP		
1551 N. (1 DD 551 NO. (1 O. 1 D 5 O. (1 O. 1 O. 1 O		100 mi OP	/	Locoid Crelo
METHYLPREDNISOLONE ACEPONATE		100 mi OP	•	
//ETHYLPREDNISOLONE ACEPONATE  Crm 0.1%		15 g OP		
	4.95		1	Locoid Crelo
Crm 0.1% Oint 0.1%	4.95	15 g OP	1	Locoid Crelo Advantan
Crm 0.1% Oint 0.1%  MOMETASONE FUROATE	4.95 4.95	15 g OP 15 g OP	1	Locoid Crelo Advantan Advantan
Crm 0.1% Oint 0.1%	4.95 4.95 1.51	15 g OP 15 g OP 15 g OP	1	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free
Crm 0.1% Oint 0.1%  MOMETASONE FUROATE	4.95 4.95 1.51 2.90	15 g OP 15 g OP 15 g OP 50 g OP	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free
Crm 0.1% Oint 0.1% #IOMETASONE FUROATE Crm 0.1%	4.95 4.95 1.51 2.90	15 g OP 15 g OP 15 g OP	**	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free
Crm 0.1% Oint 0.1% #IOMETASONE FUROATE Crm 0.1%	4.95 4.95 1.51 2.90 1.51 2.90	15 g OP 15 g OP 15 g OP 50 g OP 15 g OP	**	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon
Crm 0.1%	4.95 4.95 1.51 2.90 1.51 2.90	15 g OP 15 g OP 15 g OP 50 g OP 15 g OP 50 g OP	**	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon
Crm 0.1% Oint 0.1%  #IOMETASONE FUROATE Crm 0.1%  Oint 0.1%  Lotn 0.1%  TRIAMCINOLONE ACETONIDE	4.95 4.95 1.51 2.90 1.51 2.90 7.35	15 g OP 15 g OP 15 g OP 50 g OP 15 g OP 50 g OP 30 ml OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon
Crm 0.1%		15 g OP 15 g OP 15 g OP 50 g OP 15 g OP 50 g OP 30 ml OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Elocon Aristocort
Crm 0.1%		15 g OP 15 g OP 15 g OP 50 g OP 15 g OP 50 g OP 30 ml OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon
Crm 0.1% Oint 0.1%  MOMETASONE FUROATE Crm 0.1%  Oint 0.1%  Lotn 0.1%  FRIAMCINOLONE ACETONIDE Crm 0.02% Oint 0.02%		15 g OP 15 g OP 15 g OP 50 g OP 15 g OP 50 g OP 30 ml OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Elocon Aristocort
Crm 0.1% Oint 0.1%  MOMETASONE FUROATE Crm 0.1%  Oint 0.1%  Lotn 0.1%  RIAMCINOLONE ACETONIDE Crm 0.02% Oint 0.02%  Oint 0.02%  Corticosteroids - Combination	4.95 1.51 2.90 1.51 2.90 7.35 6.30 6.35	15 g OP 15 g OP 15 g OP 50 g OP 15 g OP 50 g OP 30 ml OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Elocon Aristocort
Crm 0.1%		15 g OP 15 g OP 15 g OP 50 g OP 15 g OP 50 g OP 30 ml OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Crelo  Advantan  Advantan  Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Elocon Aristocort

## **DERMATOLOGICALS**

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully idised	Brand or Generic Manufacturer
ETAMETHASONE VALERATE WITH SODIUM FUSIDATE [F Crm 0.1% with sodium fusidate (fusidic acid) 2%		15 g OP	F	ucicort
<ul><li>a) Maximum of 15 g per prescription</li><li>b) Only on a prescription</li></ul>				
YDROCORTISONE WITH MICONAZOLE - Only on a prescied from 1% with miconazole nitrate 2%		15 g OP	✓ <u>M</u>	icreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Crm 1% with natamycin 1% and neomycin sulphate 0.5%.		otion 15 g OP	<b>✓</b> P	imafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5% RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMY	2.79	15 g OP		imafucort
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 and gramicidin 250 mcg per g — Only on a prescription	mg	15 g OP		
and grannolum 250 meg per g – Omy on a prescription	(6.60)	13 y Oi	V	iaderm KC
Disinfecting and Cleansing Agents				
HLORHEXIDINE GLUCONATE – Subsidy by endorsement				
<ul><li>a) No more than 500 ml per month</li><li>b) Only if prescribed for a dialysis patient and the prescrip</li></ul>	tion is endorsed a	ccordingly.		
Handrub 1% with ethanol 70%	4.29	500 ml	_	ealthE
Soln 4% wash	3.98	500 ml	✓ h	<u>ealthE</u>
200,0044			_	
RICLOSAN – Subsidy by endorsement a) Maximum of 500 ml per prescription				
a) Maximum of 500 ml per prescription     b)     a) Only if prescribed for a patient identified with Meth		aphylococcus a	ureus (I	MRSA) prior to elective
a) Maximum of 500 ml per prescription     b)     a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse	ed accordingly; or		,	, ,
a) Maximum of 500 ml per prescription     b)     a) Only if prescribed for a patient identified with Meth	ed accordingly; or		,	, .
a) Maximum of 500 ml per prescription     b)     a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap	ed accordingly; or hylococcus aureu		the pres	, ,
a) Maximum of 500 ml per prescription     b)     a) Only if prescribed for a patient identified with Metrosurgery in hospital and the prescription is endorse     b) Only if prescribed for a patient with recurrent Stapaccordingly  Soln 1%	ed accordingly; or hylococcus aureu	s infection and	the pres	scription is endorsed
a) Maximum of 500 ml per prescription     b)     a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly	ed accordingly; or hylococcus aureu	s infection and	the pres	scription is endorsed
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly  Soln 1%  Barrier Creams and Emollients  Barrier Creams	ed accordingly; or hylococcus aureus	s infection and	the pres	scription is endorsed
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly  Soln 1%  Barrier Creams and Emollients  Barrier Creams	ed accordingly; or hylococcus aureus	s infection and	the pres	ealthE
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly  Soln 1%	ed accordingly; or hylococcus aureus	s infection and	the pres	ealthE  ealthE  Dimethicone 5% ealthE
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly Soln 1%  Barrier Creams and Emollients  Barrier Creams  IMETHICONE  Crm 5% pump bottle	ed accordingly; or hylococcus aureus	s infection and to 500 ml OP 500 ml OP 500 ml OP	the pres	ealthE  Dimethicone 10%
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly Soln 1%  Barrier Creams and Emollients  Barrier Creams  IMETHICONE Crm 5% pump bottle Crm 10% pump bottle	ed accordingly; or hylococcus aureus	s infection and to 500 ml OP	the pres	ealthE  ealthE  Dimethicone 5% ealthE
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly Soln 1%  Barrier Creams and Emollients  Barrier Creams  IMETHICONE  Crm 5% pump bottle	ed accordingly; or hylococcus aureus	s infection and to 500 ml OP 500 ml OP 500 ml OP	the pres	ealthE  Dimethicone 10%
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly Soln 1%	ed accordingly; or hylococcus aureus	s infection and to 500 ml OP 500 ml OP 500 ml OP 500 g	the pres	ealthE  Dimethicone 5% ealthE  Dimethicone 10%  ultichem
a) Maximum of 500 ml per prescription b)  a) Only if prescribed for a patient identified with Meth surgery in hospital and the prescription is endorse b) Only if prescribed for a patient with recurrent Stap accordingly Soln 1%  Barrier Creams and Emollients  Barrier Creams  IMETHICONE Crm 5% pump bottle Crm 10% pump bottle  INC AND CASTOR OIL Oint BP	ed accordingly; or hylococcus aureus	s infection and to 500 ml OP 500 ml OP 500 ml OP	the pres	ealthE  Dimethicone 10%

			LIMATOLOGICALO
	Subsidy (Manufacturer's \$		Fully Brand or idised Generic  Manufacturer
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	2.82	500 ml OP	✓ Pharmacy Health Sorbolene with
	3.87	1,000 ml OP	Glycerin  ✓ Pharmacy Health  Sorbolene with  Glycerin
EMULSIFYING OINTMENT			<del></del>
* Oint BP	3.59	500 g	✓ <u>AFT</u>
* Crm	2.25	500 g	✓ O/W Fatty Emulsion Cream
UREA			
* Crm 10%	1.37	100 g OP	✓ healthE Urea Cream
WOOL FAT WITH MINERAL OIL - Only on a prescription			
* Lotn hydrous 3% with mineral oil	5.60	1,000 ml	
	(11.95)		DP Lotion
	1.40	250 ml OP	
	(4.53)		DP Lotion
	5.60 (20.53) (23.91)	1,000 ml	Alpha-Keri Lotion BK Lotion
	` 1.40 <sup>′</sup>	250 ml OP	
	(7.73)		BK Lotion
Other Dermatological Bases			
PARAFFIN			
White soft - Only in combination	20.20 3.58	2,500 g 500 g	✓ IPW

AKAFFIN			
White soft - Only in combination	20.20	2,500 g	✓ IPW
,	3.58	500 g	
	(7.78)	•	IPW
	(8.69)		PSM

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.

### DERMATOLOGICALS

Minor Skin Infections					
	(Manufacturer's Price) \$	Per	Subsidised 🗸	Generic Manufacturer	
	Subsidy		Fully	Brand or	

POVIDONE IODINE		
Oint 10%3.27	25 g OP	✓ Betadine
a) Maximum of 100 g per prescription		
b) Only on a prescription		
Antiseptic soln 10%	500 ml	✓ Betadine
		✓ Riodine
1.28	100 ml	
(4.20)		Riodine
(13.27)		Betadine
0.19	15 ml	
(7.41)		Betadine
Skin preparation, povidone iodine 10% with 30% alcohol10.00	500 ml	<ul> <li>Betadine Skin Prep</li> </ul>
1.63	100 ml	
(3.48)		Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13	500 ml	
(18.63)		Orion
1.63	100 ml	
(6.04)		Orion

# **Parasiticidal Preparations**

ווט	VIE I	IHI	CC	)INE

200 ml OP ✓ healthE Dimethicone 4% Lotion

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg - Up to 100 tab available on a PSO.......17.20 ✓ Stromectol

- 1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- 3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

### ⇒SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

### Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or

### DERMATOLOGICALS

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
  - 2.2.1 The Patient is a resident in an institution; and
  - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently:
  - 2.2.3 Any of the following:
    - 2.2.3.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
    - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy: or
    - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist: and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:
      - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy: or
      - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or

\*Three months or six months, as applicable, dispensed all-at-once

3 Strongyloidiasis.

#### **PERMETHRIN**

Crm 5%4.95	30 g OP	<ul><li>Lyderm</li></ul>
Lyderm to be Sole Supply on 1 January 2018	Ü	•
Lotn 5%	30 ml OP	✓ <u>A-Scabies</u>

75

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully idised	Brand or Generic Manufacturer	
PHENOTHRIN Shampoo 0.5%	11.36	200 ml OP	<b>√</b> P	arasidose	

# **Psoriasis and Eczema Preparations**

ACITRETIN – Special Authority see SA1476 below – Retail pharmacy		
Cap 10 mg17.86	60	✓ Novatretin
Cap 25 mg41.36	60	✓ Novatretin

#### ⇒SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL  Gel 500 mcg with calcipotriol 50 mcg per g		✓ <u>Daivobet</u> ✓ Daivobet
CALCIPOTRIOL Oint 50 mcg per g45.0		
COAL TAR Soln BP - Only in combination32.9	95 200 ml	✓ Midwest

- 1) Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod Plain, refer dermatological base, page 220
- 2) With or without other dermatological galenicals.

#### COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)		Egopsoryl TA
	3.43	30 g OP	
	(4.35)	-	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORESCE	EIN - Only o	n a prescription	
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodium	3.86	500 ml	✓ Pinetarsol

		DI	ERMA	TOLOGICALS
	Subsidy (Manufacturer's Price \$		lised	Brand or Generic Manufacturer
SALICYLIC ACID				
Powder - Only in combination	18.88	250 g	✓ PSI	M
<ol> <li>Only in combination with a dermatological base or refer dermatological base, page 220</li> <li>With or without other dermatological galenicals.</li> </ol>	proprietary Topical (	Corticosteroio	d – Plair	n or collodion flexible,
SULPHUR	0.05	400	<b>/ 1</b> 00	L4
Precipitated — Only in combination		100 g Corticosteroid	<b>✓ Mic</b> d – Plain	
Scalp Preparations				
BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75 1	00 ml OP	✓ Bet	ta Scalp
CLOBETASOL PROPIONATE				
* Scalp app 0.05%	6.96	30 ml OP	✓ Der	rmol
HYDROCORTISONE BUTYRATE				

# Sunscreens

**KETOCONAZOLE** 

SUNSCREENS, PROPRIETARY	- Subsidy by endorsement
-------------------------	--------------------------

a) Maximum of 100 ml per prescription

b) Only on a prescription

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

Crm	3.30 10	0 g OP	
	(5.89)	Ü	Hamilton Sunscreen
Lotn,	3.30 10	0 g OP	✓ Marine Blue Lotion
			SPF 50+
	5.10 20	0 g OP	✓ Marine Blue Lotion

# **Wart Preparations**

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 76

IMIQUIMOD

PODOPHYLLOTOXIN

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

100 ml OP

100 ml OP

✓ Locoid

✓ Sebizole

SPF 50+

✓ Apo-Imiquimod Cream 5%

# **DERMATOLOGICALS**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

# **Other Skin Preparations**

# **Antineoplastics**

FLUOROURACIL SODIUM

Crm 5%......8.95 20 g OP ✓ **Efudix** 

Brand or

Generic

✓ Choice TT380 Short

✓ Choice Load 375

TT380 Standard

✓ Choice

Fully

Subsidised

\$	Per	✓ Manufacturer
Contraceptives - Non-hormonal		
Condoms		
CONDOMS		
* 49 mm – Up to 144 dev available on a PSO	144	✓ Shield 49
* 53 mm – Up to 144 dev available on a PSO	12	✓ Gold Knight
•		✓ Shield Blue
13.36	144	✓ Shield Blue
* 53 mm (chocolate) – Up to 144 dev available on a PSO1.11	12	Gold Knight
13.36	144	✓ Gold Knight
* 53 mm (strawberry) – Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
13.36	144	✓ Gold Knight
* 56 mm – Up to 144 dev available on a PSO	12	✓ Gold Knight
13.36	144	✓ Durex Extra Safe
		✓ Gold Knight
* 56 mm, shaped – Up to 144 dev available on a PSO1.11	12	<ul><li>Durex Confidence</li></ul>
13.36	144	<ul><li>Durex Confidence</li></ul>
* 60 mm – Up to 144 dev available on a PSO	144	✓ Shield XL
Contraceptive Devices		

Subsidy

(Manufacturer's Price)

# **Contraceptives - Hormonal**

INTRA-UTERINE DEVICE

b) Only on a PSO

# **Combined Oral Contraceptives**

a) Up to 40 dev available on a PSO

# ⇒SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

**Renewal** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

			Generic
\$	Per		Manufacturer
<b></b>	Per		Manufacturer
	nufacturaria prica	· · · · · · · · · · · · · · · · · · ·	puracturar's price for each of these

the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### ETHINYLOFSTRADIOL WITH DESOGESTREL

*	Tab 20 mcg with desogestrel 150 mcg and 7 inert tab6.	62 84
	(19.	Mercilon 28

- a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page
- b) Up to 84 tab available on a PSO
- \* Tab 30 mcg with desogestrel 150 mcg and 7 inert tab......6.62 84 Marvelon 28
  - a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page

	b) Up to 84 tab available on a PSO	.y 000 0/10000 0	in the provid	ao pago
ETI	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tablets -			
	Up to 84 tab available on a PSO	2.18	84	Microgynon 20 ED
		2.65		✓ Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO		84	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg		63	
		(16.50)		Microgynon 30
	<ul> <li>a) Higher subsidy of \$15.00 per 63 tab with Special Authori</li> </ul>	ty see <mark>SA0500</mark> c	on the previo	ous page
	b) Up to 63 tab available on a PSO			
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tablets –			
	Up to 84 tab available on a PSO		84	✓ Levlen ED
		2.30		✓ Ava 30 ED
ET	HINYLOESTRADIOL WITH NORETHISTERONE			
*	Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available			
	on a PSO	6.62	63	✓ Brevinor 1/21
*	Tab 35 mcg with norethisterone 1 mg and 7 inert tab - Up to			
	84 tab available on a PSO	6.62	84	✓ Brevinor 1/28
*	Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab			
	available on a PSO	6.62	63	✓ Brevinor 21
*	Tab 35 mcg with norethisterone 500 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	6.62	84	✓ Norimin

# **Progestogen-only Contraceptives**

### ⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

\$ Per ✔ Manufacturer
-----------------------

continued...

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit: or
  - 1.2 Patient has an income no greater than the benefit; and
  - 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- · on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

### LEVONORGESTREL

*	Tab 30 mcg	6.62	84	
		(16.50)		Microlut

- a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page
- b) Up to 84 tab available on a PSO

★ Subdermal implant (2 x 75 mg rods) - Up to 3 pack available	le		
on a PSO	133.65	1	✓ <u>Jadelle</u>
MEDROXYPROGESTERONE ACETATE			

★ Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO ......7.25
1
Depo-Provera

....6.25 84 • Noriday 28

# **Emergency Contraceptives**

#### LEVONORGESTRE

*	Tab 1.5 mg4.95	1	✓ Postinor-1
---	----------------	---	--------------

- a) Maximum of 2 tab per prescription
- b) Up to 5 tab available on a PSO
- c) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.

# **Antiandrogen Oral Contraceptives**

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

★ Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 168 tab available on a PSO.......4.67 168
✓ Ginet

Gynaecological Anti-infectives  ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43 100 g OP (24.00)  CLOTRIMAZOLE  * Vaginal crm 1% with applicators		Subsidy (Manufacturer's Prio \$	ce) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43 100 g OP (24.00) Aci-Jel  CLOTRIMAZOLE  * Vaginal crm 1% with applicators	Gynaecological Anti-infectives			
0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43 (24.00)  CLOTRIMAZOLE  * Vaginal crm 1% with applicators				
<ul> <li>★ Vaginal crm 1% with applicators</li></ul>		cator8.43	100 g OP	Aci-Jel
* Vaginal crm 2% with applicators	CLOTRIMAZOLE			
MICONAZOLE NITRATE  * Vaginal crm 2% with applicator			•	
* Vaginal crm 2% with applicator	* Vaginal crm 2% with applicators	2.10	20 g OP	✓ Clomazol
NYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s)	MICONAZOLE NITRATE			
Vaginal crm 100,000 u per 5 g with applicator(s) 4.45 75 g OP ✓ Nilstat   Myometrial and Vaginal Hormone Preparations   ERGOMETRINE MALEATE Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO 105.00 5 ✓ DBL Ergometrine   OESTRIOL * Crm 1 mg per g with applicator 6.62 15 g OP ✓ Ovestin   * Pessaries 500 mcg 6.86 15 ✓ Ovestin   OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule 4.03 5 ✓ Oxytocin BNM   Inj 10 iu per ml, 1 ml ampoule 5.03 5 ✓ Oxytocin BNM   OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml 11.13 5 ✓ Syntometrine   Pregnancy Tests - hCG Urine   Pregnancy Tests - HCG URINE	* Vaginal crm 2% with applicator	3.88	40 g OP	✓ <u>Micreme</u>
Myometrial and Vaginal Hormone Preparations  ERGOMETRINE MALEATE  Inj 500 mcg per ml, 1 ml ampoule − Up to 5 inj available on a PSO	****			
ERGOMETRINE MALEATE  Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a  PSO	Vaginal crm 100,000 u per 5 g with applicator(s)	4.45	75 g OP	✓ <u>Nilstat</u>
Inj 500 mcg per ml, 1 ml ampoule — Up to 5 inj available on a PSO	Myometrial and Vaginal Hormone Preparations			
PSO	ERGOMETRINE MALEATE			
OESTRIOL  * Crm 1 mg per g with applicator	Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on a	a		
* Crm 1 mg per g with applicator	PSO	105.00	5	✓ DBL Ergometrine
* Pessaries 500 mcg	OESTRIOL			
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule	* Crm 1 mg per g with applicator	6.62	15 g OP	
Inj 5 iu per ml, 1 ml ampoule	* Pessaries 500 mcg	6.86	15	✓ Ovestin
Inj 10 iu per ml, 1 ml ampoule	OXYTOCIN - Up to 5 inj available on a PSO			
OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml				
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml11.13 5 Syntometrine  Pregnancy Tests - hCG Urine  PREGNANCY TESTS - HCG URINE	Inj 10 iu per ml, 1 ml ampoule	5.03	5	<ul> <li>Oxytocin BNM</li> </ul>
Pregnancy Tests - hCG Urine PREGNANCY TESTS - HCG URINE				_
PREGNANCY TESTS - HCG URINE	Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	11.13	5	✓ Syntometrine
	Pregnancy Tests - hCG Urine			
	PREGNANCY TESTS - HCG LIBINE			
ar on to contest available ULLa LOO	a) Up to 200 test available on a PSO			

# **Urinary Agents**

b) Only on a PSO

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 116

# 5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 on the next	page - Retail pharmacy	1	
* Tab 5 mg	4.81	100	✓ Ricit
•	1.44	30	
	(2.08)		Finpro

Ricit to be Sole Supply on 1 March 2018 (Finpro Tab 5 mg to be delisted 1 March 2018)

✓ EasyCheck

40 test OP

Subsidy		Fully	Brand or	
(Manufacturer's Price)	,	Subsidised	Generic	
\$	Per	✓	Manufacturer	

### ⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

### Alpha-1A Adrenoreceptor Blockers

### ⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

# **Other Urinary Agents**

OXYBUTYNIN		
* Tab 5 mg	100	✓ Ditropan S29
8.85	500	✓ Apo-Oxybutynin
* Oral liq 5 mg per 5 ml60.40	473 ml	✓ Apo-Oxybutynin
(Ditropan S29 Tab 5 mg to be delisted 1 March 2018)		
POTASSIUM CITRATE		
Oral liq 3 mmol per ml - Special Authority see SA1083 below -		
Retail pharmacy30.00	200 ml OP	✓ Biomed

### **⇒SA1083** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis: and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

### SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets	2.34	28	✓ <u>Ural</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998 below	- Retail pharn	nacy	
Tab 5 mg	37.50	30	✓ Vesicare
Tab 10 mg	37.50	30	✓ Vesicare

#### ⇒SA0998 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

TOLTERODINE – Special Authority see SA1272 on the ne	ext page – Retail pharmac	су	
Tab 1 mg	14.56	56	Arrow-Tolterodine
Tab 2 mg	14.56	56	✓ Arrow-Tolterodine

<sup>‡</sup> safety cap

(M	Subsidy Ianufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per	/	Manufacturer

# **⇒SA1272** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

# **Detection of Substances in Urine**

ORTHO-TOLIDINE			
* Compound diagnostic sticks	7.50	50 test OP	
	(8.25)		Hemastix
TETRABROMOPHENOL			
* Blue diagnostic strips	7.02	100 test OP	
•	(13.92)		Albustix

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

# **Calcium Homeostasis**

O 4 1	017	 
CAL		IΝ

CINACALCET - Special Authority see SA1618 below - Retail pharmacy

Tab 30 mg − Wastage claimable − see rule 3.3.2 on page 13......403.70 28 ✓ Sensipar

#### ⇒SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 All of the following:
  - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
  - 1.2 The patient has persistent hypercalcaemia (serum calcium greater than or equal to 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
  - 1.3 The patient is symptomatic; or
- 2 All of the following:
  - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
  - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium greater than or equal to mmol/L); and
  - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

**Renewal** only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

#### ZOLEDRONIC ACID

Inj 4 mg per 5 ml, vial − Special Authority see SA1512 below −

Retail pharmacy......84.50 1 ✓ Zoledronic acid

Mylan

550.00 ✓ Zometa

### ⇒SA1512 Special Authority for Subsidy

**Initial application** only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
  - 2.1 Patient has bone metastases or involvement; and
  - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
  - 3.1 Patient has bone metastases or involvement; and
  - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

85

	Subsidy		Fully Brand or
	(Manufacturer's Pric		idised Generic
	\$	Per	✓ Manufacturer
Corticosteroids and Related Agents for System	nic Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETH	ACONE ACETATE		
		5	
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5	Calantana
	(36.96)		Celestone
			Chronodose
DEXAMETHASONE			
* Tab 0.5 mg - Retail pharmacy-Specialist		30	<ul> <li>Dexmethsone</li> </ul>
Up to 60 tab available on a PSO			
* Tab 4 mg - Retail pharmacy-Specialist	1.84	30	✓ Dexmethsone
Up to 30 tab available on a PSO			
Oral liq 1 mg per ml — Retail pharmacy-Specialist	45.00	25 ml OP	✓ Biomed
Oral liq prescriptions:		201111 01	· Dionica
	ardialaciate ar		
Must be written by a Paediatrician or Paediatric C			
<ol><li>On the recommendation of a Paediatrician or Pae</li></ol>	ediatric Cardiologist.		
DEXAMETHASONE PHOSPHATE			
Dexamethasone phosphate injection will not be funded for o	oral use		
* Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a F		10	✓ Max Health
* Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a F		10	✓ Max Health
, , , , , , , , , , , , , , , , , , , ,	-3025.16	10	▼ Max Health
FLUDROCORTISONE ACETATE			
* Tab 100 mcg	14.32	100	✓ Florinef
HYDROCORTISONE			
* Tab 5 mg	8 10	100	✓ Douglas
		100	Douglas
* Tab 20 mg – For hydrocortisone oral liquid formulation refe		100	✓ Davidas
page 221		100	✓ <u>Douglas</u>
* Inj 100 mg vial	5.30	1	✓ Solu-Cortef
<ul> <li>a) Up to 5 inj available on a PSO</li> </ul>			
b) Only on a PSO			
METHYLPREDNISOLONE - Retail pharmacy-Specialist			
* Tab 4 mg	80.00	100	✓ Medrol
* Tab 100 mg		20	✓ Medrol
<b>G</b>			<u> </u>
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Reta			
Inj 40 mg vial		1	✓ Solu-Medrol
Inj 125 mg vial	22.25	1	✓ Solu-Medrol
Inj 500 mg vial	9.00	1	✓ Solu-Medrol
Inj 1 g vial	16.00	1	✓ Solu-Medrol
METHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml vial	40.00	5	✓ Depo-Medrol
		J	- Depo-Medioi
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGN			
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	9.25	1	✓ Depo-Medrol with
			<u>Lidocaine</u>
PREDNISOLONE			
* Oral lig 5 mg per ml - Up to 30 ml available on a PSO	7 50	30 ml OP	✓ Redipred
Restricted to children under 12 years of age.		•.	

	Subsidy (Manufacturer's Price) \$	Per	Subsidised Ge	and or eneric anufacturer
PREDNISONE				
* Tab 1 mg	10.68	500	✓ Apo-l	Prednisone
* Tab 2.5 mg	12.09	500	✓ Apo-l	Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	✓ Apo-l	Prednisone
* Tab 20 mg	29.03	500	✓ Apo-l	Prednisone Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	✓ Syna	cthen
* Inj 1 mg per ml, 1 ml ampoule		1	✓ Syna	cthen Depot
TRIAMCINOLONE ACETONIDE			-	•
Inj 10 mg per ml, 1 ml ampoule	20.80	5	✓ Kena	cort-A 10
Inj 40 mg per ml, 1 ml ampoule		5		cort-A 40

# **Sex Hormones Non Contraceptive**

# **Androgen Agonists and Antagonists**

CYPROTERONE ACETATE – Retail pharmacy-Specialist			
Tab 50 mg	15.87	50	✓ Procur
Tab 100 mg	30.40	50	✓ Procur
TESTOSTERONE			
Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
Patch 5 mg per day		30	✓ Androderm
(Androderm Transdermal patch, 2.5 mg per day to be delisted 1 M			
TESTOSTERONE CIPIONATE - Retail pharmacy-Specialist			
Inj 100 mg per ml, 10 ml vial	76.50	1	✓ Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml	12.98	1	✓ Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist	+		·
Cap 40 mg		60	✓ Andriol Testocaps
Inj 250 mg per ml, 4 ml vial		1	✓ Reandron 1000
) Jr- /			

# **Hormone Replacement Therapy - Systemic**

### Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Su Per	bsidised	Generic Manufacturer
Oestrogens		1 01		Wallandolardi
ESTRADIOL – See prescribing guideline on the previous page	10			
Tab 1 mg		28 OP		
145 Ting	(11.10)	2001	Е	strofem
F Tab 2 mg		28 OP	_	
<b>3</b>	(11.10)		Е	strofem
Patch 25 mcg per day		8	<b>√</b> E	stradot
a) No more than 2 patch per week			_	
b) Only on a prescription				
Patch 50 mcg per day	7.04	8	<b>√</b> E	stradot 50 mcg
a) No more than 2 patch per week			_	
b) Only on a prescription				
Patch 75 mcg per day	7.91	8	<b>√</b> E	stradot
a) No more than 2 patch per week		·	=	<del></del>
b) Only on a prescription				
Patch 100 mcg per day	7 91	8	<b>√</b> F	stradot
a) No more than 2 patch per week	7.01	U	• =	<u>strauot</u>
, , ,				
b) Only on a prescription				
ESTRADIOL VALERATE - See prescribing guideline on the				
F Tab 1 mg		84	_	rogynova
Fab 2 mg	12.36	84	<b>✓</b> <u>P</u>	rogynova
ESTROGENS - See prescribing guideline on the previous pa	age			
Conjugated, equine tab 300 mcg	3.01	28		
	(11.48)		Р	remarin
Conjugated, equine tab 625 mcg	4.12	28		
	(11.48)		Р	remarin
Progestogens				
IEDROXYPROGESTERONE ACETATE - See prescribing gu	ideline on the prev	vious nage		
Tab 2.5 mg	•	30	<b>√</b> p	rovera
· Tab 2.5 mg		00	_	rovera
•		100		
← Tab 5 mg	14.00	100 30		
•	14.00	100 30		rovera
← Tab 5 mg	14.00 7.15			
€ Tab 5 mg € Tab 10 mg	14.00 7.15 rations	30		
Tab 5 mg Tab 10 mg  Progestogen and Oestrogen Combined Prepare	14.00 7.15 rations	30		
Tab 5 mg Tab 10 mg Progestogen and Oestrogen Combined Preparties ESTRADIOL WITH NORETHISTERONE – See prescribing g	14.00 7.15 rations	30 evious page	<b>√</b> <u>P</u>	
Tab 5 mg Tab 10 mg Progestogen and Oestrogen Combined Preparties ESTRADIOL WITH NORETHISTERONE – See prescribing g	14.00 7.15 rations juideline on the pre 5.40 (18.10)	30 evious page	<b>√</b> <u>P</u>	rovera
Tab 5 mg Tab 10 mg Progestogen and Oestrogen Combined Preparties  ESTRADIOL WITH NORETHISTERONE – See prescribing greater than 1 mg with 0.5 mg norethisterone acetate	14.00 7.15 rations juideline on the pre 5.40 (18.10)	30 evious page 28 OP	<b>✓</b> <u>P</u>	rovera
Tab 5 mg Tab 10 mg  Progestogen and Oestrogen Combined Prepart  ESTRADIOL WITH NORETHISTERONE – See prescribing greater than 1 mg with 0.5 mg norethisterone acetate		30 evious page 28 OP	<b>✓</b> <u>P</u>	liovance
Frage Tab 5 mg Tab 10 mg  Progestogen and Oestrogen Combined Prepart  ESTRADIOL WITH NORETHISTERONE – See prescribing g  Tab 1 mg with 0.5 mg norethisterone acetate	14.00 7.15 rations juideline on the pre 5.40 (18.10) 5.40 (18.10)	30 evious page 28 OP	<b>✓</b> <u>P</u>	liovance

	Subsidy (Manufacturer's Price) \$	) Sub	Fully sidised	Brand or Generic Manufacturer
OESTROGENS WITH MEDROXYPROGESTERONE - See pre  * Tab 625 mcg conjugated equine with 2.5 mg	escribing guideline on	page 87		
medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Р	remia 2.5 Continuous
* Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Р	remia 5 Continuous
Other Oestrogen Preparations				
ETHINYLOESTRADIOL  * Tab 10 mcg	17.60	100	✓ <u>N</u>	IZ Medical and Scientific
OESTRIOL				

### Other Progestogen Preparations

#### LEVONORGESTREL

\* Intra-uterine system 20 mcg per day - Special Authority see Mirena

### ⇒SA1608 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 The patient has a clinical diagnosis of heavy menstrual bleeding; and

\* Tab 2 mg .......7.00

- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria. Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE		
* Tab 100 mg - Retail pharmacy-Specialist101.00	100	✓ Provera HD
NORETHISTERONE		
* Tab 5 mg – Up to 30 tab available on a PSO18.29	100	✓ Primolut N
PROGESTERONE		
Cap 100 mg - Special Authority see SA1609 on the next page		
- Retail pharmacy16.50	30	✓ <u>Utrogestan</u>

30

Ovestin

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

### ⇒SA1609 Special Authority for Subsidy

**Initial application** only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 For the prevention of pre-term labour\*; and
- 2 Fither:
  - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

**Renewal** only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour\*; and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
  - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

CARBIMAZOLE			
* Tab 5 mg	10.80	100	✓ AFT
			Carbimazole S29
			✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg	3.89	90	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral I			•
* Tab 50 mcg		28	✓ Mercury Pharma
ů	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral I	liquid preparations.		
* Tab 100 mcg	1.78	28	✓ Mercury Pharma
·	4.21	90	✓ Synthroid
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral I	liquid preparations.		
PROPYLTHIOURACIL - Special Authority see SA1199 below	w – Retail pharmacy		
Propylthiouracil is not recommended for patients under th		less the patie	ent is pregnant and other
treatments are contraindicated.	, , , , , , , , , , , , , , , , , , , ,		
Tab 50 mg	35.00	100	✓ PTU S29

#### ⇒SA1199 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

# **Trophic Hormones**

#### **Growth Hormones**

SC	MATROPIN (OMNITROPE)  – Special Authority see SA1629 below – Reta	il pharmacy	
*	Inj 5 mg cartridge	i i	<ul><li>Omnitrope</li></ul>
*	Inj 10 mg cartridge219.00	1	✓ Omnitrope
*	Inj 15 mg cartridge	1	✓ Omnitrope

### ⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or</p>
- 2 All of the following:
  - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and</p>
  - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
  - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and</p>
  - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
  - 2.5 Appropriate imaging of the pituitary gland has been obtained.

**Renewal — (growth hormone deficiency in children)** only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 2 Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

**Initial application** — (**Turner syndrome**) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

**Renewal — (Turner syndrome)** only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is greater than or equal to 2 cm per year, calculated over six months; and

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	✓	

continued...

- 3 A current bone age is 14 years or under; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years or under (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
  - 6.1 The patient has a GFR less than or equal to 30 ml/min/1.73m<sup>2</sup> as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m<sup>2</sup> in a child who may or may not be receiving dialysis; or
  - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months...

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Por 🗸	Manufacturer	

continued...

- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 The patient is aged two years or older; and
    - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months; or
  - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months.

**Initial application** — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidis	sed	Generic
\$	Per	✓	Manufacturer

continued...

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 The patient has been treated with somatropin for < 12 months; and
  - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
  - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
  - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
  - 2.1 The patient has been treated with somatropin for more than 12 months; and
  - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
  - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
  - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

# **GnRH Analogues**

Implant 3.6 mg, syringe

**GOSFREI IN** 

implant old mg, dyringd illininininininin			- <u>Holadox</u>
Implant 10.8 mg, syringe	177.50	1	✓ Zoladex
LEUPRORELIN			
Additional subsidy by endorsement where	e the patient is a child or adolescen	t and is unable	to tolerate administration of
goserelin and the prescription is endorse	d accordingly.		
Inj 3.75 mg prefilled dual chamber syring	e - Higher subsidy of		
\$221.60 per 1 inj with Endorsement.	66.48	1	
	(221.60)		Lucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syrin	ge – Higher subsidy		
of \$591.68 per 1 inj with Endorsemen	nt177.50	1	
	(591.68)		Lucrin Depot 3-month

✓ Zoladex

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

# Vasopressin Agonists

DESI	10PF	RESSIN	ACFT	ΔTF

DE	SMOPRESSIN ACETATE			
	Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy	25.00	30	✓ Minirin
	Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy	54.45	30	✓ Minirin
	Nasal drops 100 mcg per ml – Retail pharmacy-Specialist Nasal spray 10 mcg per dose – Retail pharmacy-Specialist	39.03	2.5 ml OP 6 ml OP	✓ Minirin ✓ Desmopressin- PH&T
	Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below – Retail pharmacy	67.18	10	✓ Minirin

#### ⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# Other Endocrine Agents

#### **CABERGOLINE**

		Tab 0.5 mg - Maximum of 2 tab per prescription; can be
✓ Dostinex	2	waived by Special Authority see SA1370 below4.75
<ul><li>Dostinex</li></ul>	8	19.00

### ⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly\*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with \* is an Unapproved indication.

	Subsidy (Manufacturer's Price)	Subs Per	Fully sidised	Brand or Generic Manufacturer
CLOMIFENE CITRATE Tab 50 mg	29.84	10		lylan Clomiphen \$29 erophene
DANAZOL Cap 100 mg Cap 200 mg		100 100	✓ A	zol
METYRAPONE  Cap 250 mg - Retail pharmacy-Specialist	520.00	50	✓ N	letopirone

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per 
Manufacturer

# **Anthelmintics**

ALBENDAZOLE - Special Authority see	SA1318 below – Retail pharmacy
-------------------------------------	--------------------------------

### ⇒SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

### MEBENDAZOLE - Only on a prescription

Tab 100 mg	24.19	24	De-Worm
Oral liq 100 mg per 5 ml		15 ml	
	(7.17)		Vermox
PRAZIQUANTEL			
Tab 600 mg	68.00	8	<ul> <li>Biltricide</li> </ul>

### **Antibacterials**

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 68
- b) For anti-infective eve preparations, refer to SENSORY ORGANS, page 213

### Cephalosporins and Cephamycins

CEFAC	LOR	Mon	OHY	DRA	ΑTE
-------	-----	-----	-----	-----	-----

Cap 250 mg24.70	U	100	Ranbaxy-Cetacior
Grans for oral liq 125 mg per 5 ml - Wastage claimable - see			
rule 3.3.2 on page 13	3 1	00 ml 🗸	Ranbaxy-Cefaclor

CEFALEXIN

0-- 0-0 ---

Cap 250 mg	3.50	20	✓ Cephalexin ABM
Cap 500 mg	3.95	20	✓ Cephalexin ABM

Grans for oral lig 25 mg per ml – Wastage claimable – see rule

Grans for oral lig 50 mg per ml — Wastage claimable — see rule

Grans for oral lig 50 mg per mi – Wastage claimable – see rule

3.3.2 on page 13......11.00 100 ml Cefalexin Sandoz

Note: Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispensing.

### CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly.

lnj 500 mg vial 3.39 5 ✓ <u>AFT</u> lnj 1 g vial 3.29 5 ✓ **AFT** 

# CEFTRIAXONE - Subsidy by endorsement

- a) Up to 5 ini available on a PSO
- b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

Inj 500 mg vial	1.20	1	✓ DEVA
Inj 1 g vial	0.84	1	✓ DEVA

	Subsidy (Manufacturer's Price)	Sub	Fully sidised	Brand or Generic
	\$	Per	1	Manufacturer
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pre-	scription is endorsed	according	gly.	
Tab 250 mg	29.40	50	✓ Zi	innat

### **Macrolides**

AZITHROMYCIN – Maximum of 5 days treatment per prescription; can be waived by Special Authority see SA1683 below
A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised on Special
Authority

Tab 250 mg	9.00	30	✓ Apo-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO	1.05	2	✓ Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) - Wastage			
claimable – see rule 3.3.2 on page 13	12.50	15 ml	✓ Zithromax

### ⇒SA1683 Special Authority for Waiver of Rule

Initial application — (bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has received a lung transplant, stem cell transplant, or bone marrow transplant and requires treatment for bronchiolitis obliterans syndrome\*; or
- 2 Patient has received a lung transplant and requires prophylaxis for bronchiolitis obliterans syndrome\*; or
- 3 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms\*; or
- 4 Patient has an atypical Mycobacterium infection.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (non-cystic fibrosis bronchiectasis\*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

#### All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis\*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
  - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
  - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (non-cystic fibrosis bronchiectasis\*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and
- 3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with \* are Unapproved Indications

CLARITHROMYCIN – Maximum of 500 mg per prescription; can	be waived by Sp	ecial Authorit	ly see SA1131 on the next page	ge
Tab 250 mg	3.98	14	✓ Apo-Clarithromycin	
Grans for oral liq 250 mg per 5 ml - Wastage claimable - see	Э			
rule 3.3.2 on page 13	23.12	50 ml	✓ Klacid	

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

### ⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE			
Tab 400 mg	16.95	100	<ul><li>E-Mycin</li></ul>
a) Up to 20 tab available on a PSO			-
b) Up to 2 x the maximum PSO quantity for RFPP -	see rule 5.2.6 on pa	ge 17	
Grans for oral liq 200 mg per 5 ml		100 ml	✓ E-Mycin
a) Up to 300 ml available on a PSO			•
b) Up to 2 x the maximum PSO quantity for RFPP -	see rule 5.2.6 on pa	ge 17	
c) Wastage claimable – see rule 3.3.2 on page 13		9- 11	
Grans for oral lig 400 mg per 5 ml	6.77	100 ml	✓ E-Mycin
a) Up to 200 ml available on a PSO			,
b) Wastage claimable – see rule 3.3.2 on page 13			
,			
ERYTHROMYCIN LACTOBIONATE	10.00		/ Fundamenta IV
Inj 1 g	16.00	1	<ul><li>Erythrocin IV</li></ul>
ERYTHROMYCIN STEARATE			
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100	
	(22.29)		ERA
Tab 500 mg	29.90	100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab disp 50 mg	7.19	10	✓ Rulide D
Restricted to children under 12 years of age.			
Tab 150 mg	7.48	50	✓ Arrow-
•			Roxithromycin
			·
Tab 300 mg	14.40	50	✓ Arrow-
			Roxithromycin

	Subsidy		Fully	Brand or
	(Manufacturer's Price		ubsidised •	Generic
	\$	Per		Manufacturer
Penicillins				
AMOXICILLIN				
Cap 250 mg	14 97	500	<b>√</b> !	Apo-Amoxi
a) Up to 30 cap available on a PSO		000		tpo runoxi
b) Up to 10 x the maximum PSO quantity for RFPP – se	oo rulo 5 2 6 on nad	o 17		
Cap 500 mg		500	11	Apo-Amoxi
	10.75	300	• •	Apo-Amoxi
a) Up to 30 cap available on a PSO		. 47		
b) Up to 10 x the maximum PSO quantity for RFPP – so				
Grans for oral liq 125 mg per 5 ml		100 ml		Amoxicillin Actavis
	1.20			Alphamox 125
	2.00		<b>7</b> (	Ospamox
<ul> <li>a) Up to 200 ml available on a PSO</li> </ul>				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	0.97	100 ml	_	Amoxicillin Actavis
	1.31		<b>✓</b>	Alphamox 250
	2.00		✓ (	Ospamox
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – se	ee rule 5.2.6 on pag	e 17		
c) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial	10.67	10	<b>✓</b>	biamox
Inj 500 mg vial		10	<b>√</b> ∏	biamox
Inj 1 g vial - Up to 5 inj available on a PSO		10	<b>√</b> ∏	biamox
(Amoxicillin Actavis Grans for oral lig 125 mg per 5 ml to be delis			_	<del></del>
(Ospamox Grans for oral lig 125 mg per 5 ml to be delisted 1 Ma				
(Amoxicillin Actavis Grans for oral liq 250 mg per 5 ml to be delis	,			
(Ospamox Grans for oral liq 250 mg per 5 ml to be delisted 1 Ma				
	y 2010)			
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab				
available on a PSO		20	<b>✓</b> <u>F</u>	<u>Augmentin</u>
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25	mg			
per ml	3.83	100 ml	<b>✓</b> A	Augmentin
<ul> <li>a) Up to 200 ml available on a PSO</li> </ul>				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral lig amoxicillin 50 mg with clavulanic acid 12.5	mg			
per ml - Up to 200 ml available on a PSO	2.20 1	00 ml OF	· •	Curam
BENZATHINE BENZYLPENICILLIN			_	
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj				
available on a PSO	215.00	10	<b>√</b> [	Bicillin LA
	313.00	10	▼ [	DICHIMI LA
BENZYLPENICILLIN SODIUM [PENICILLIN G]				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a P	SO 10.35	10	<b>√</b> §	Sandoz

	Subsidy (Manufacturer's Price	) Sı	Fully Ibsidised	
	\$	Per	•	Manufacturer
LUCLOXACILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	18.70	250	1	Staphlex
Cap 500 mg	62.90	500	1	Staphlex
Grans for oral liq 25 mg per ml	2.29	100 ml	✓	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	1	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial	9.00	10	1	Flucloxin
Inj 500 mg vial	9.40	10	1	Flucloxin
Inj 1 g vial – Up to 5 inj available on a PSO	5.22	5	✓	Flucil
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg - Up to 30 cap available on a PSO	2.88	50	1	Cilicaine VK
Cap 500 mg		50		Cilicaine VK
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP – s	see rule 5.2.6 on page	17		
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	1	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	1	AFT
a) Up to 300 ml available on a PSO				<u></u>
	see rule 5.2.6 on page	17		
b) Up to 2 x the maximum PSO quantity for RFPP - s	see rule 5.2.6 on page	17		
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13	see rule 5.2.6 on page	17		
<ul> <li>b) Up to 2 x the maximum PSO quantity for RFPP - s</li> <li>c) Wastage claimable - see rule 3.3.2 on page 13</li> <li>ROCAINE PENICILLIN</li> </ul>				Ciliaging
<ul> <li>b) Up to 2 x the maximum PSO quantity for RFPP – s</li> <li>c) Wastage claimable – see rule 3.3.2 on page 13</li> </ul>		17 5	•	Cilicaine
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO			•	Cilicaine
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN			•	Cilicaine
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE	123.50		<b>✓</b>	Cilicaine
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE	123.50	5	•	Cilicaine  Doxy-50
b) Up to 2 x the maximum PSO quantity for RFPP - s c) Wastage claimable - see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg - Up to 30 tab available on a PSO		5		
b) Up to 2 x the maximum PSO quantity for RFPP - s c) Wastage claimable - see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg - Up to 30 tab available on a PSO		5		Doxy-50
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		5		Doxy-50
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250		Doxy-50
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		5		Doxy-50 Doxine
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250 60		Doxy-50
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250		Doxy-50 Doxine Mino-tabs
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250 60		Doxy-50 Doxine
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250 60 100	•	Doxy-50 Doxine  Mino-tabs Minomycin
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250 60 100	•	Doxy-50 Doxine  Mino-tabs Minomycin
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250 60 100	•	Doxy-50 Doxine  Mino-tabs Minomycin
b) Up to 2 x the maximum PSO quantity for RFPP – s c) Wastage claimable – see rule 3.3.2 on page 13 PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE Tab 50 mg – Up to 30 tab available on a PSO		30 250 60 100	ess notif	Doxy-50 Doxine  Mino-tabs Minomycin

### **⇒SA1332** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
Other Antibiotics				
or topical antibiotics, refer to DERMATOLOGICALS, page 68				
PROFLOXACIN				
Recommended for patients with any of the following:				
<ul> <li>i) microbiologically confirmed and clinically significant ps</li> <li>ii) prostatitis; or</li> </ul>	seudomonas intection;	or		
iii) pyelonephritis; or				
iv) gonorrhoea.				
Tab 250 mg - Up to 5 tab available on a PSO	1.45	28	/	Cipflox
Tab 500 mg - Up to 5 tab available on a PSO		28		Cipflox
Tab 750 mg	3.15	28	•	Cipflox
LINDAMYCIN				
Cap hydrochloride 150 mg - Maximum of 4 cap per				
prescription; can be waived by endorsement - Retail	4.40	40	,	Olimatera de ADM
pharmacy - Specialist	4.10	16	•	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule – Retail pharmacy-Specialist	65.00	10	/	Dalacin C
OLISTIN SULPHOMETHATE - Retail pharmacy-Specialist -			_	<u>Dalaoni o</u>
Only if prescribed for dialysis or cystic fibrosis patient and the			according	V.
Inj 150 mg		1		Colistin-Link
ENTAMICIN SULPHATE				
Inj 10 mg per ml, 1 ml - Subsidy by endorsement	8.56	5	•	Hospira
Only if prescribed for a dialysis or cystic fibrosis patient	or complicated urinary	rac trac	t infection	and the prescription is
endorsed accordingly.	175 10	0.5		ADD
Inj 10 mg per ml, 2 ml - Subsidy by endorsement	1/5.10	25	•	APP Pharmaceuticals \$29
Only if prescribed for a dialysis or cystic fibrosis patient	or complicated urinary	r trac	t infection	and the prescription is
endorsed accordingly.  Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement	6.00	10	1	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient				
endorsed accordingly.				
OXIFLOXACIN - Special Authority see SA1358 below - Reta	il pharmacy			
No patient co-payment payable				
Tab 400 mg	52.00	5	•	Avelox
SA1358 Special Authority for Subsidy				
tial application — (Tuberculosis) only from a respiratory sp	pecialist or infectious d	iseas	se speciali	st. Approvals valid for 1
applications meeting the following criteria:				

# Either:

1 Both: 1.1 Active tuberculosis\*; and

- 1.2 Any of the following:
  - 1.2.1 Documented resistance to one or more first-line medications; or
  - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or

		IIII EOIIOIIO - A	alitio i oii	OTOTENIIO GOL
		Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
continued				
	1.2.3 Impaired visual acuity (considered to pred	clude ethambutol use);	or	
	1.2.4 Significant pre-existing liver disease or he	epatotoxicity from tuber	culosis medicatio	ons; or
	1.2.5 Significant documented intolerance and/o	or side effects following	a reasonable tria	al of first-line medications;

or
2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.\*.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

**Renewal** only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (Mycoplasma genitalium)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium\*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacy

Cap 250 mg.......126.00 16 **✓ Humatin** ©29

### **⇒SA1324** Special Authority for Subsidy

**Initial application** only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

**Renewal** only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

✓ Daraprim S29	30	Tab 25 mg26.14
✓ Daraprim S29	50	36.95

### ⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

### SODIUM FUSIDATE [FUSIDIC ACID]

Tab 250 mg − Retail pharmacy-Specialist.......34.50 12 ✓ Fucidin

Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist

SULFADIAZINE SODIUM - Special Authority see SA1331 below - Retail pharmacy

### ⇒SA1331 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

	Subsidy (Manufacturer's Price \$	e) S Per	Fully subsidised	Brand or Generic Manufacturer
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml vial - Subsidy by endorsement	15.00	5	<b>√</b> <u>T</u>	obramycin Mylan
Only if prescribed for dialysis or cystic fibrosis patient an	d the prescription is	s endorse	ed accordin	ngly.
Solution for inhalation 60 mg per ml, 5 ml - Subsidy by				
endorsement	2,200.00	56 dose	<b>√</b> T	ОВІ
a) Wastage claimable – see rule 3.3.2 on page 13				
<ul> <li>b) Only if prescribed for a cystic fibrosis patient and the</li> </ul>	prescription is ende	orsed acc	cordingly.	
TRIMETHOPRIM				
* Tab 300 mg - Up to 30 tab available on a PSO	15.00	50	<b>√</b> <u>I</u>	<u>MP</u>
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMOX	AZOLE1			
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg - l	•			
to 30 tab available on a PSO		500	<b>√</b> T	risul
* Oral liq 8 mg sulphamethoxazole 40 mg per ml - Up to 200	ml			
available on a PSO		100 ml	✓ 0	Deprim
VANCOMYCIN - Subsidy by endorsement			_	<del></del> -
Only if prescribed for a dialysis or cystic fibrosis patient or for	r prophylaxis of end	docarditis	or for trea	tment of Clostridium
difficile following metronidazole failure and the prescription is				
Inj 500 mg vial		1	✓ N	/lylan
, ,			_	-

## **Antifungals**

- a) For topical antifungals refer to DERMATOLOGICALS, page 69
- b) For topical antifungals refer to GENITO URINARY, page 82

#### FLUCONAZOLE

9 28	st2.09 28 <b>V</b> Mylan	Cap 50 mg - Retail pharmacy-Specialis
	3.49 <b>✓ Ozole</b>	, , , , ,
3 1	nt	Cap 150 mg - Subsidy by endorsement
	0.71 <b>✓ Ozole</b>	σ. γ.

- a) Maximum of 1 cap per prescription; can be waived by endorsement Retail pharmacy Specialist
- Patient has vaginal candida albicans and the practitioner considers that a topical imidazole (used intra-vaginally) is not recommended and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy -Specialist.

Cap 200 mg – Retail pharmacy-Specialist	5.08 9.69	28	<ul><li>✓ Mylan</li><li>✓ Ozole</li></ul>
Powder for oral suspension 10 mg per ml - Special Authority			
see SA1359 below – Retail pharmacy	34.56	35 ml	✓ Diflucan S29 S29
	98 50		✓ Diflucan

Wastage claimable - see rule 3.3.2 on page 13

### ⇒SA1359 Special Authority for Subsidy

**Initial application** — (**Systemic candidiasis**) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

**Initial application — (Immunocompromised)** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

**Renewal — (Systemic candidiasis)** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

**Renewal — (Immunocompromised)** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

#### ITRACONAZOI F

Cap 100 mg − Subsidy by endorsement ......2.79 15 ✓ <u>Itrazole</u>

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology, or for tinea unguium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly.

Can be waived by endorsement - Retail pharmacy - Specialist

Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral liq 10 mg per ml - Special Authority see SA1322 below -

Tab 200 mg - PCT - Retail pharmacy-Specialist - Subsidy by

### ⇒SA1322 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

#### KETOCONAZOLE

endorsement	CBS	30	✓ Link Healthcare \$29 ✓ Nizoral \$29
Prescriptions must be written by, or on the recommer	ndation of an oncole	ogist	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 below - F	Retail pharmacy		
Tab modified-release 100 mg	869.86	24	✓ Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

#### ⇒SA1285 Special Authority for Subsidy

**Initial application** only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression\* and requires on going posaconazole treatment.

Note: \* Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

#### **TERBINAFINE**

* Tab 250 mg - For terbinafine oral liquid formulation refer,		
page 2211.33	14	Deolate
1.50		✓ Dr Reddy's Terbinafine
VORICONAZOLE - Special Authority see SA1273 below - Retail pharmacy		
Tab 50 mg130.00	56	✓ Vttack
Tab 200 mg500.00	56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wastage claimable		
- see rule 3.3.2 on page 13876.00	70 ml	✓ Vfend

#### ⇒SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
  - 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
  - 3 Any of the following:
    - 3.1 Patient has proven or probable invasive aspergillus infection; or
    - 3.2 Patient has possible invasive aspergillus infection; or
    - 3.3 Patient has fluconazole resistant candidiasis; or
    - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
  - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis: or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per ✓ Manufacturer

# **Antimalarials**

PRIMAQUINE PHOSPHATE - Special Authority see SA1684 below - Retail pharmacy

Tab 7.5 mg .......117.00 56 **✓ Primacin №** 

### SA1684 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

#### Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

**Renewal** only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

#### Both:

- 1 The patient has relapsed vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

### **Antiparasitics**

# **Antiprotozoals**

#### QUININE SULPHATE

**★** Tab 300 mg .......61.91 500 **✓ Q 300** 

‡ Safety cap for extemporaneously compounded oral liquid preparations.

# **Antitrichomonal Agents**

#### **METRONIDAZOLE**

Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	23.00	10	✓ Arrow-Ornidazole

# **Antituberculotics and Antileprotics**

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

### CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

#### CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

107

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DA	PSONE - Retail pharmacy-Specialist				
	a) No patient co-payment payable     b) Prescriptions must be written by, or on the recommendati dermatologist	on of, an infectious di	iseas	e physician,	clinical microbiologist o
	Tab 25 mg		100		Dapsone
	Tab 100 mg		100	✓ [	)apsone
ETH	HAMBUTOL HYDROCHLORIDE – Retail pharmacy-Specialis	t			
	<ul> <li>a) No patient co-payment payable</li> <li>b) Prescriptions must be written by, or on the recommendati respiratory physician</li> </ul>	on of, an infectious di	iseas	e physician,	clinical microbiologist o
	Tab 100 mg	48.01	56	✓ N	lyambutol S29
	Tab 400 mg	49.34	56	✓ N	lyambutol S29
ISC	NIAZID - Retail pharmacy-Specialist				
	a) No patient co-payment payable     b) Prescriptions must be written by, or on the recommendati microbiologist, dermatologist or public health physician		dicine		
	Tab 100 mg		100	<b>✓</b> <u>F</u>	
	Tab 100 mg with rifampicin 150 mg		100	_	Rifinah
	Tab 150 mg with rifampicin 300 mg	170.60	100	V <u>F</u>	<u>Rifinah</u>
PAI	RA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinica	Il microbiologist or res	spirat	orv specialis	st.
	Grans for oral liq 4 g sachet	•	30	, .	Paser \$29
PR	OTIONAMIDE - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Specialist must be an infectious disease specialist, clinical	l microbiologist or res	spirat	ory specialis	st.
	Tab 250 mg	305.00	100	<b>✓</b> F	eteha \$29
PYI	RAZINAMIDE - Retail pharmacy-Specialist				
*	<ul> <li>a) No patient co-payment payable</li> <li>b) Prescriptions must be written by, or on the recommendati respiratory physician</li> <li>Tab 500 mg - For pyrazinamide oral liquid formulation refer,</li> </ul>		iseas	e physician,	clinical microbiologist o
	page 221	59.00	100		AFT-Pyrazinamide AFT-Pyrazinamide S29 S29
RIF	ABUTIN - Retail pharmacy-Specialist				
	a) No patient co-payment payable     b) Prescriptions must be written by, or on the recommendati     qastroenterologist	on of, an infectious di	iseas	e physician,	respiratory physician or
	Cap 150 mg – For rifabutin oral liquid formulation refer,				
*					

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sul	bsidised	Generic	
\$	Per	✓	Manufacturer	

RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement -Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg55.75	100	1	Rifadin
*	Cap 300 mg116.25	100	1	Rifadin
*	Oral liq 100 mg per 5 ml12.00	60 ml	1	Rifadin

## **Antivirals**

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 213

## **Hepatitis B Treatment**

## ⇒SA0829 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 x ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load 10 fold or higher over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
  - 5.1 Both
    - 5.1.1 Patient is cirrhotic; and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic; and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

**Renewal** only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 x ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load 10 fold or higher over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

Subsidy	Full	y Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per 🗸	<ul> <li>Manufacturer</li> </ul>	

## **⇒SA1361** Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 patient has a minimum of 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
  of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
  commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
  fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1685 below - Retail pharmacy		
Tab 100 mg6.00	28	Zeffix
Oral liq 5 mg per ml270.00	240 ml OP	✓ Zeffix

#### ⇒SA1685 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year where used for the treatment or prevention of hepatitis B.

Renewal from any relevant practitioner. Approvals valid for 2 years where used for the treatment or prevention of hepatitis B.

## **Herpesvirus Treatments**

ACICLOVIR			
* Tab dispersible 200 mg	1.60	25	✓ Lovir
* Tab dispersible 400 mg		56	✓ Lovir
* Tab dispersible 800 mg	5.98	35	✓ Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
Tab 1,000 mg	12.75	30	✓ Vaclovir
VALGANCICLOVIR - Special Authority see SA1404 on the next	page - Retail pha	armacy	
Tab 450 mg		60	✓ Valcyte

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

### ⇒SA1404 Special Authority for Subsidy

**Initial application** — **(transplant cytomegalovirus prophylaxis)** only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
  - 1 Patient has undergone a lung transplant; and
  - 2 Either:
    - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
    - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Subsidy (Manufacturer's Price)

Subsidised

Fully

Brand or Generic Manufacturer

## Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement: can be waived by Special Authority see SA1362 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1651 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1651, page 114

Tab 300 mg ......531.00 ✓ Viread

### ⇒SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased 10 fold or higher over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score > 20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased 10 fold or higher over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 Patient is HBsAg positive and pregnant or breastfeeding; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAq positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAq positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

#### Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
  negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

## **Hepatitis C Treatment**

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 below - [Xpharm]

No patient co-payment payable

Tab 90 mg with sofosbuvir 400 mg......24,363.46 28 

✓ Harvoni

## **⇒SA1605** Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz/hepatitis-c-treatments">http://www.pharmac.govt.nz/hepatitis-c-treatments</a> or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

#### PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz/hepatitis-c-treatments">http://www.pharmac.govt.nz/hepatitis-c-treatments</a>

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz/hepatitis-c-treatments">http://www.pharmac.govt.nz/hepatitis-c-treatments</a>

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✓ Manufacturer

## **Antiretrovirals**

#### ⇒SA1651 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates

(Mar	Subsidy nufacturer's Price)	F Subsid	ully	Brand or Generic
<u> </u>	\$	Per	1	Manufacturer

continued...

prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

## Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1651 on the pre	vious page - Retail phar	macy	
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE - Special Authority see SA1651 on the pr	evious page – Retail pha	ırmacy	
Tab 200 mg	770.00	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1651 on the pr	evious page – Retail pha	armacy	
Tab 200 mg	65.00	60	✓ Nevirapine
			<u>Alphapharm</u>
Oral suspension 10 mg per ml	203.55	240 ml	✓ Viramune
-			Suspension

## Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE – Special Authority see SA1651 on the Tab 300 mg  Oral liq 20 mg per ml	229.00	Retail pharmad 60 240 ml OP	y ✔ Ziagen ✔ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: abacavir with lamivudine (combination tablets) counts anti-retroviral Special Authority. Tab 600 mg with lamivudine 300 mg	as two anti-retro		
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPI previous page – Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil fu purposes of the anti-retroviral Special Authority Tab 600 mg with emtricitabine 200 mg and tenofovir disopro fumarate 300 mg	ROXIL FUMARA umarate counts a xil	·	,
EMTRICITABINE – Special Authority see SA1651 on the previo Cap 200 mg		pharmacy 30	✓ Emtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE pharmacy Note: Emtricitabine with tenofovir disoproxil fumarate counts	·	,	

anti-retroviral Special Authority

Tab 200 mg with tenofovir disoproxil fumarate 300 mg......838.20 Truvada

	Subsidy (Manufacturer's P \$	rice) Subsi	Fully Brand or idised Generic  Manufacturer
LAMIVUDINE - Special Authority see SA1651 on page 114 - R Tab 150 mg	, ,	60	✓ Lamivudine Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	✓ 3TC
ZIDOVUDINE [AZT] – Special Authority see SA1651 on page 1 Cap 100 mg Oral liq 10 mg per ml	152.25	100 200 ml OP	✓ <u>Retrovir</u> ✓ <u>Retrovir</u>
ZIDOVUDINE [AZT] WITH LAMIVUDINE — Special Authority se Note: zidovudine [AZT] with lamivudine (combination tablet the anti-retroviral Special Authority.	, ,		
Tab 300 mg with lamivudine 150 mg	33.00	60	✓ <u>Alphapharm</u>
Protease Inhibitors			
ATAZANAVIR SULPHATE – Special Authority see SA1651 on p Cap 150 mg Cap 200 mg	568.34	pharmacy 60 60	<ul><li>✓ Reyataz</li><li>✓ Reyataz</li></ul>
DARUNAVIR - Special Authority see SA1651 on page 114 - Re Tab 400 mg Tab 600 mg	335.00	60 60	✓ <u>Prezista</u> ✓ <u>Prezista</u>
INDINAVIR – Special Authority see SA1651 on page 114 – Ret. Cap 200 mg	519.75	360 180	✓ Crixivan ✓ Crixivan
LOPINAVIR WITH RITONAVIR – Special Authority see SA1651 Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml	183.75 463.00	detail pharmacy 60 120 300 ml OP	✓ Kaletra ✓ <u>Kaletra</u> ✓ Kaletra
RITONAVIR – Special Authority see SA1651 on page 114 – Re Tab 100 mg Oral liq 80 mg per ml	43.31	30 90 ml OP	✓ Norvir ✓ Norvir

## **Strand Transfer Inhibitors**

DOLUTEGRAVIR - Special Authority see SA1651 on page	e 114 – Retail pharmacy		
Tab 50 mg	' '	30	✓ Tivicay
RALTEGRAVIR POTASSIUM - Special Authority see SA	1651 on page 114 - Reta	l pharmacy	
Tab 400 mg	1,090.00	60	✓ Isentress

## **Immune Modulators**

## Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

((	Subsidy	Fully	Brand or
	Manufacturer's Price)	Subsidised	Generic
	\$	Per 🗸	Manufacturer

continued...

### **Criteria for Treatment**

- 1) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

#### **Exclusion Criteria**

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (< 2.0 × 109) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

## Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### **Exit Criteria**

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

#### INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

#### INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

a) See prescribing guideline on the previous page

Ini 10 m iu. 1 2 ml multidoco non

b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

200 71

iiij 16 iii iu, 1.2 iiii iiiuluuose peii	200.71		▼ IIIII OII-A
Inj 30 m iu, 1.2 ml multidose pen	344.52	1	✓ Intron-A

## PEGYLATED INTERFERON ALFA-2A - Special Authority see SA1400 below - Retail pharmacy

See prescribing guideline on the previous page
Inj 180 mcg prefilled syringe.......500.00

Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×			
168	1,975.00	1 OP	✓ Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe x 4 with ribavirin tab 200 mg x 112	1,159.84	1 OP	✓ Pegasys RBV Combination Pack

Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×
168.......1,290.00 1 OP ✓ Pegasys RBV
Combination Pack

## ⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

1 Any of the following:

continued...

Pegasys

	Subsidy	Fully	Brand or
(Manu	facturer's Price)	Subsidised	Generic
	\$ Pe	er 🗸	Manufacturer

continued...

- 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
- 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Fither
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

**Initial application** — (**Hepatitis B**) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis): and

				_
Subsidy	Fully		Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	✓	Manufacturer	

#### continued...

- 6 Compensated liver disease; and
  - 7 No continuing alcohol abuse or intravenous drug use; and
  - 8 Not co-infected with HCV, HIV or HDV; and
  - 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

#### Notes:

- · Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

## **Urinary Tract Infections**

HEXAMINE HIPPURATE			
* Tab 1 g	18.40	100	
· ·	(40.01)		Hiprex
NITROFURANTOIN			
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,			
page 221	22.20	100	✓ Nifuran
* Tab 100 mg	37.50	100	✓ Nifuran
NORFLOXACIN			
Tab 400 mg - Subsidy by endorsement		100	

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Pric	e)	Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
nticholinesterases				
OSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	1	<u>AstraZeneca</u>
RIDOSTIGMINE BROMIDE				
Tab 60 mg	42.79	100	✓	<u>Mestinon</u>
on-Steroidal Anti-Inflammatory Drugs				
CLOFENAC SODIUM	1 20	ΕO	./	Dialofonco Condoz
Tab EC 25 mg		50		Diclofenac Sandoz
Tab 50 mg dispersible		20	_	Voltaren D
Tab EC 50 mg		50		Diclofenac Sandoz
Tab long-acting 75 mg		500	_	Apo-Diclo SR
Tab long-acting 100 mg		500	_	Apo-Diclo SR
Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a		5		Voltaren
Suppos 12.5 mg		10	_	Voltaren
Suppos 25 mg		10	_	Voltaren
Suppos 50 mg - Up to 10 supp available on a PSO		10	_	Voltaren
Suppos 100 mg	7.00	10	•	Voltaren
PROFEN				
Tab 200 mg	9.45	1,000	✓	Ibugesic
	11.71		✓	Relieve
Tab long-acting 800 mg	7.99	30	✓	Brufen SR
Oral liq 20 mg per ml		200 m	✓	Fenpaed
TOPROFEN				•
Cap long-acting 200 mg	12.07	28	/	Oruvail SR
, , , ,			-	Oravan ort
FENAMIC ACID	4.05			
Cap 250 mg	4	50		
	(9.16)			Ponstan
	0.50	20		
DROVEN	(5.60)			Ponstan
PROXEN	10.06	500	./	Noflam 250
Tab 500 mg		250		Noflam 500
Tab 500 mg Tab long-acting 750 mg		28		Naprosyn SR 750
• •		28		Naprosyn SR 1000
Tab long-acting 1 g	0.33	20	•	Naprosyli Sh 1000
LINDAC			_	
Tab 100 mg		50		Aclin
Tab 200 mg	15.10	50	/	Aclin
IOXICAM				
Tab 20 mg	10.95	100	1	Tilcotil
Inj 20 mg vial		1		AFT
SAIDs Other				
ECOXIB				
Cap 100 mg	3 63	60	/	Celecoxib Pfizer

E. .....

	(Manufacturer's Price)		sidised	,	
	\$	Per	<b>✓</b>	Manufacturer	
MELOXICAM - Special Authority see SA1034 below - Retail pl	harmacy				
* Tab 7.5 mg	11.50	30	✓ A	rrow-Meloxicam	

Cubaidy

#### ⇒SA1034 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

## **Topical Products for Joint and Muscular Pain**

#### **CAPSAICIN**

Crm 0.025% - Special Authority see SA1289 below - Retail			
pharmacy	6.95	25 g OP	✓ Zostrix
,	9 95	45 a OP	✓ Zostrix

#### ⇒SA1289 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

## **Antirheumatoid Agents**

HYDROXYCHLOROQUINE  ★ Tab 200 mg10.50	100	✓ Plaquenil
LEFLUNOMIDE		
Tab 10 mg2.90	30	✓ Apo-Leflunomide
Tab 20 mg2.90	30	✓ Apo-Leflunomide
PENICILLAMINE		
Tab 125 mg67.23	100	✓ D-Penamine
Tab 250 mg110.12	100	✓ D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	' 10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	' 10	✓ Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

## **Drugs Affecting Bone Metabolism**

## **Alendronate for Osteoporosis**

## ⇒SA1039 Special Authority for Subsidy

**Initial application** — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
 \$	Per	✓	

continued...

equal to -2.5) (see Note); or

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - Osteoporosis' criteria) or raloxifene.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical

Subsidy	ı	Fully	Brand or	
(Manufacturer's Price)	Subsid	lised	Generic	
\$	Per	1	Manufacturer	

continued...

forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1	039 on page 121 - Retail pharm	nacy	
* Tab 70 mg	12.90	4	✓ Fosamax
ALENDRONATE SODIUM WITH COLECALCIFEROL * Tab 70 mg with colecalciferol 5,600 iu	- Special Authority see SA1039	on page	

## Alendronate for Paget's Disease

### ⇒SA0949 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain: or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or

- 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
- 2.5 Preparation for orthopaedic surgery.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

benefiting from treatment.		
ALENDRONATE SODIUM	- Special Authority see SA0949 above - Retail pharmacy	

## **Other Treatments**

ΕT	DRONATE DISODIUM – See prescribing guideline below			
*	Tab 200 mg13.50	100	•	Arrow-Etidronate

### **Prescribing Guidelines**

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

#### PAMIDRONATE DISODIUM

inj 3 mg per mi, 10 mi viai	5.98	1	Pamisoi
Inj 6 mg per ml, 10 ml vial	15.02	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial		1	✓ Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see	SA1138 below – Retail p	harmacy	
* Tab 60 mg	53.76	28	<ul><li>Evista</li></ul>

#### ⇒SA1138 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

continued...

30

✓ Fosamax

Subs (Manufactur		
\$	Per	Manufacturer

continued...

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
   Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM			
Tab 35 mg	3.80	4	✓ Risedronate Sandoz
TERIPARATIDE - Special Authority see SA1139 on the next pag	e – Retail pharma	су	
Inj 250 mcg per ml, 2.4 ml	490.00	1	✓ Forteo

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

### ⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

#### Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

#### **ZOLEDRONIC ACID**

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see

## **⇒SA1187** Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease: and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

**Initial application — (Underlying cause - Osteoporosis)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	1	Manufacturer

continued...

- 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	✓	Manufacturer

continued...

- 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
   Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

## **Hyperuricaemia and Antigout**

ALL OPLIBINO

ALLOFONINOL			
* Tab 100 mg	4.54	500	✓ DP-Allopurinol
Ç	15.11	1,000	✓ Allopurinol-Apotex
* Tab 300 mg - For allopurinol oral liquid formula	tion refer,		
page 221	10.35	500	✓ DP-Allopurinol
, ,	15.91		✓ Allopurinol-Apotex
BENZBROMARONE - Special Authority see SA153	7 below – Retail pharmacy		
Tab 100 mg	45.00	100	✓ Benzbromaron AL
•			<b>100</b> \$29

## ⇒SA1537 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.3 Both:
    - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
    - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
  - 2.4 All of the following:
    - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
    - 2.4.2 Allopurinol is contraindicated; and
    - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal

(Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer
--

continued...

function: and

3 The patient is receiving monthly liver function tests.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at <a href="https://www.rheumatology.org.nz/home/resources-2/">www.rheumatology.org.nz/home/resources-2/</a>

## COLCHICINE

* Tab 500 mcg	10.08	100	✓ Colgout
-		100	Colgout
FEBUXOSTAT - Special Authority see SA1538 belo	w – Retail pharmacy		
Tab 80 mg	39.50	28	✓ Adenuric
Tab 120 mg	39.50	28	✓ Adenuric
· · · · · · · · · · · · · · · ·			

## **⇒SA1538** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

### **PROBENECID**

*	Tab 500 mg55	5.00 1	100	✓ Probenecid-AFT
---	--------------	--------	-----	------------------

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	sidised	Generic
\$	Per	/	Manufacturer

## **Muscle Relaxants**

BA	$\sim$ 1	$\cap$		NI
DA	UL	UI.	ᅚ	IN

*	Tab 10 mg – For baclofen oral liquid formulation refer, page 2213.85	100	Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement11.55	1	✓ Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patients where oral a	antispastic	agents have been ineffective or have
	caused intolerable side effects and the prescription is endorsed according	gly.	
	Ini 2 mg nor ml 5 ml amnoulo Subsidy by andersoment 200.20	1	✓ Liorocal Intrathocal

Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement......209.29 Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

#### DANTROI ENE

DANTROLENE			
Cap 25 mg	65.00	100	Dantrium
Cap 50 mg	77.00	100	<ul><li>Dantrium</li></ul>
ORPHENADRINE CITRATE			
Tah 100 mg	18 54	100	✓ Norfley

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

# **Agents for Parkinsonism and Related Disorders**

Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE	20.04	22	
Cap 100 mg	38.24	60	✓ Symmetrel
POMORPHINE HYDROCHLORIDE	440.00	-	<b>/</b> N
Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Movapo
BROMOCRIPTINE MESYLATE	00.00	400	
≰ Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
NTACAPONE	00.00	400	4
Tab 200 mg	28.00	100	Entapone
EVODOPA WITH BENSERAZIDE			
Tab dispersible 50 mg with benserazide 12.5 mg		100	✓ Madopar Rapid
Cap 50 mg with benserazide 12.5 mg		100 100	<ul><li>✓ Madopar 62.5</li><li>✓ Madopar 125</li></ul>
Cap 100 mg with benserazide 25 mg Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
Cap long-acting 100 mg with benserazide 50 mg		100	✓ Madopar 155
EVODOPA WITH CARBIDOPA	20.00	100	- maaopai 200
Tab 100 mg with carbidopa 25 mg - For levodopa with carbidopa oral liquid formulation refer, page 221	17.07	100	✓ Sinemet
carbidopa oral liquid formulation refer, page 221	20.00	100	✓ Kinson
₹ Tab long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
Tab 250 mg with carbidopa 25 mg		100	✓ Sinemet
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
▲ Tab 1 mg		100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			<del></del>
▲ Tab 0.25 mg	2.78	100	✓ Apo-Ropinirole
Tab 1 mg		100	✓ Apo-Ropinirole
▲ Tab 2 mg	7.72	100	✓ Apo-Ropinirole
Tab 5 mg	16.51	100	✓ Apo-Ropinirole
ELEGILINE HYDROCHLORIDE			
★ Tab 5 mg	22.00	100	✓ Apo-Selegiline
•			S29 S29
OLCAPONE			
▲ Tab 100 mg	132.50	100	✓ Tasmar
Anticholinergics			
ENZATROPINE MESYLATE			
Tab 2 mg		60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
) II	190.00	10	Omega
a) Up to 10 inj available on a PSO			
b) Only on a PSO			
PROCYCLIDINE HYDROCHLORIDE			
Tab 5 mg	7.40	100	✓ Kemadrin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

## Agents for Essential Tremor, Chorea and Related Disorders

RILUZOLE - Special Authority see SA1403 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

### ⇒SA1403 Special Authority for Subsidy

**Initial application** only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

#### All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
  - 5.1 The patient is ambulatory; or
  - 5.2 The patient is able to use upper limbs; or
  - 5.3 The patient is able to swallow.

**Renewal** from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
  - 3.1 The patient is ambulatory; or
  - 3.2 The patient is able to use upper limbs; or
  - 3.3 The patient is able to swallow.

#### **TETRABENAZINE**

Tab 25 mg ......91.10 112 ✓ <u>Motetis</u>

#### Anaesthetics

#### Local

#### LIDOCAINE [LIGNOCAINE]

Gel 2%, tube − Subsidy by endorsement .......14.50 30 ml ✓ Xylocaine 2% Jelly

- a) Up to 150 ml available on a PSO
- b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

- a) Up to 5 each available on a PSO
- b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price	e) Per	Fully Subsidised	
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	•			
Oral (gel) soln 2%	38.00	200 m	· •	Mucosoothe
,	(55.00)			Xylocaine Viscous
Mucosoothe to be Sole Supply on 1 January 2018	, ,			•
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓	Lidocaine-Claris
	17.50	50		
	(35.00)			Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	1	Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓	Lidocaine-Claris
	12.00	5		
	(20.00)			Xylocaine
Inj 1%, 20 ml vial - Up to 5 inj available on a PSO	12.00	5	1	Lidocaine-Claris
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	1	Lidocaine-Claris
Inj 2%, 20 ml vial - Up to 5 inj available on a PSO	12.00	5	✓	Lidocaine-Claris
(Xylocaine Viscous Oral (gel) soln 2% to be delisted 1 January 20	018)			
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –				
Subsidy by endorsement	43.26	10	1	Pfizer
a) Up to 5 each available on a PSO				

# Topical Local Anaesthetics

## ⇒SA0906 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Analgesics**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 120

## **Non-opioid Analgesics**

For aspirin & chloroform application refer Standard Formulae, page 224

ASPI	IRI	Ν
AOF	ını	IV

★ Tab dispersible 300 mg - Up to 30 tab available on a PSO......3.90
100
<u>Ethics Aspirin</u>

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

Crm 0.075%......12.50 45 g OP **✓ Zostrix HP** 

NEFOPAM HYDROCHLORIDE

Tab 30 mg .......23.40 90 ✓ Acupan

	Subsidy		Fully Brand or
	(Manufacturer's Pri		sidised Generic
	\$	Per	✓ Manufacturer
ARACETAMOL	_		•
Tab 500 mg - blister pack - Up to 30 tab available on a PS		1,000	✓ Pharmacare
Tab 500 mg - bottle pack		1,000	✓ <u>Pharmacare</u>
‡ Oral liq 120 mg per 5 ml	5.35	1,000 ml	✓ Paracare
<ul> <li>a) Up to 200 ml available on a PSO</li> </ul>			
b) Not in combination			
c) Paracare to be Sole Supply on 1 January 2018			_
‡ Oral liq 250 mg per 5 ml	4.35	1,000 ml	✓ Paracare Double
			Strength
a) Up to 100 ml available on a PSO			
b) Not in combination			
Suppos 125 mg		10	✓ Gacet
Suppos 250 mg		10	✓ Gacet
Suppos 500 mg	12.60	50	✓ Paracare
Opioid Analgesics			
DDEINE PHOSPHATE - Safety medicine; prescriber may de	etermine dispensing	frequency	
Tab 15 mg	5.75	100	✓ <u>PSM</u>
Tab 30 mg		100	✓ PSM
Tab 60 mg	13.50	100	✓ PSM
HYDROCODEINE TARTRATE			
Tab long-acting 60 mg	9.55	60	✓ <u>DHC Continus</u>
NTANYL			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing f	frequency		
Inj 50 mcg per ml, 2 ml ampoule		10	<ul> <li>Boucher and Muir</li> </ul>
Inj 50 mcg per ml, 10 ml ampoule	10.45	10	✓ Boucher and Muir
Patch 12.5 mcg per hour		5	✓ Fentanyl Sandoz
Patch 25 mcg per hour	3.66	5	✓ Fentanyl Sandoz
Patch 50 mcg per hour	6.65	5	✓ Fentanyl Sandoz
Patch 75 mcg per hour		5	✓ Fentanyl Sandoz
Patch 100 mcg per hour	11.40	5	✓ Fentanyl Sandoz
THADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing f	frequency		
d) Extemporaneously compounded methadone will only be	e reimbursed at the	rate of the ch	eapest form available
(methadone powder, not methadone tablets).			
e) For methadone hydrochloride oral liquid refer Standard	Formulae, page 224	4	
Tab 5 mg		10	✓ Methatabs
Oral liq 2 mg per ml	5.55	200 ml	✓ <u>Biodone</u>
Oral liq 5 mg per ml	5.00	200 ml	✓ Biodone Forte
Oral liq 10 mg per ml	6.55	200 ml	✓ Biodone Extra Forte
Inj 10 mg per ml, 1 ml	61.00	10	✓ AFT

		Subsidy (Manufacturer's Price	e) Su	Fully bsidised	Brand or Generic
_		\$	Per	1	Manufacturer
MC	PRPHINE HYDROCHLORIDE				
	a) Only on a controlled drug form				
	b) No patient co-payment payable				
	c) Safety medicine; prescriber may determine dispensing free	quency			
‡	Oral liq 1 mg per ml	8.84	200 ml		RA-Morph
‡	Oral liq 2 mg per ml	14.00	200 ml	1	RA-Morph
‡	Oral liq 5 mg per ml	18.00	200 ml	1	RA-Morph
‡	Oral liq 10 mg per ml	26.00	200 ml	1	RA-Morph
MC	RPHINE SULPHATE				
	a) Only on a controlled drug form				
	b) No patient co-payment payable				
	c) Safety medicine; prescriber may determine dispensing fred	guency			
	Tab immediate-release 10 mg		10	1	Sevredol
	Tab long-acting 10 mg	1.93	10		Arrow-Morphine LA
	Tab immediate-release 20 mg		10		Sevredol
	Tab long-acting 30 mg		10	1	Arrow-Morphine LA
	Tab long-acting 60 mg		10	1	Arrow-Morphine LA
	Tab long-acting 100 mg		10	1	Arrow-Morphine LA
	Cap long-acting 10 mg		10	1	m-Eslon
	Cap long-acting 30 mg	2.50	10	1	m-Eslon
	Cap long-acting 60 mg	5.40	10	1	m-Eslon
	Cap long-acting 100 mg	6.38	10	1	m-Eslon
	Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO	O6.27	5	1	DBL Morphine
					Sulphate
	Inj 10 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS	SO4.47	5	1	DBL Morphine
					Sulphate
	Inj 15 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS	SO4.76	5	1	DBL Morphine
	, 01 / 1 ,				Sulphate
	Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS	SO6.19	5	1	DBL Morphine
	,				Sulphate
MC	ORPHINE TARTRATE				
IVIC					
	a) Only on a controlled drug form				
	b) No patient co-payment payable	NI ODOV			
	c) Safety medicine; prescriber may determine dispensing fred		5	./	DBL Morphine
	Inj 80 mg per ml, 1.5 ml ampoule	42.12	J	•	DBL Worpnine

**Tartrate** 

		Subsidy		Fully	Brand or
		(Manufacturer's Price)		Subsidised	
_		\$	Per		Manufacturer
OX	YCODONE HYDROCHLORIDE				
	a) Only on a controlled drug form				
	b) No patient co-payment payable				
	c) Safety medicine; prescriber may determine dispensing fre	quency			
	Tab controlled-release 5 mg	2.63	20	✓	BNM
	Tab controlled-release 10 mg	2.76	20	✓	BNM
	Tab controlled-release 20 mg		20		BNM
	Tab controlled-release 40 mg		20		BNM
	Tab controlled-release 80 mg		20		BNM
	Cap immediate-release 5 mg		20		<u>OxyNorm</u>
	Cap immediate-release 10 mg		20		<u>OxyNorm</u>
	Cap immediate-release 20 mg		20		OxyNorm
‡	Oral liq 5 mg per 5 ml		250 m		OxyNorm
	Inj 10 mg per ml, 1 ml ampoule		5		<u>OxyNorm</u>
	Inj 10 mg per ml, 2 ml ampoule		5		<u>OxyNorm</u>
	Inj 50 mg per ml, 1 ml ampoule	51.00	5	•	<u>OxyNorm</u>
	RACETAMOL WITH CODEINE - Safety medicine; prescriber		ensin	g frequenc	у
*	Tab paracetamol 500 mg with codeine phosphate 8 mg	18.21	1,000	/	Paracetamol +
					Codeine (Relieve)
PΕ	THIDINE HYDROCHLORIDE				
	a) Only on a controlled drug form				
	b) No patient co-payment payable				
	c) Safety medicine; prescriber may determine dispensing fre	quency			
	Tab 50 mg	4.46	10	1	PSM
	Tab 100 mg		10	1	PSM
	Inj 50 mg per ml, 1 ml ampoule - Up to 5 inj available on a P		5	1	DBL Pethidine
					Hydrochloride
	Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a P	SO5.12	5	1	DBL Pethidine
					Hydrochloride
TR	AMADOL HYDROCHLORIDE				<del></del>
111	Tab sustained-release 100 mg	1 55	20	1	Tramal SR 100
	Tab sustained release 150 mg		20		Tramal SR 150
	Tab sustained release 200 mg		20		Tramal SR 200
	Cap 50 mg – For tramadol hydrochloride oral liquid formulati				
	refer, page 221		100	/	Arrow-Tramadol
	10101, page 221		100		Allow Hamador
Δ	ntidepressants				
	- Indepression				
С	yclic and Related Agents				
·	yono ana nelalea Agento				
ΑM	ITRIPTYLINE - Safety medicine; prescriber may determine di	ispensing frequency			
	Tab 10 mg	1.68	100	1	Arrow-Amitriptyline
	Tab 25 mg	1.68	100	1	Arrow-Amitriptyline
	Tab 50 mg	2.82	100	✓	Arrow-Amitriptyline
CL	OMIPRAMINE HYDROCHLORIDE - Safety medicine; prescri	ber mav determine d	ispen	sina freau	encv
	Tab 10 mg		100		Apo-Clomipramine
	Tab 25 mg		100		Apo-Clomipramine
DC	SULEPIN [DOTHIEPIN] HYDROCHLORIDE - Safety medicir				
טט	Tab 75 mg		100		Dopress
	1αυ / 5 mg	11.13	100	•	Dopless

<sup>‡</sup> safety cap

if endorsed "certified exemption" by the prescriber or pharmacist.

100

✓ Dopress

Cap 25 mg.......6.45

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per	•	Manufacturer
OXEPIN HYDROCHLORIDE - Safety medicine; prescriber ma	ay determine dispensi	ng fre	equency	
Cap 10 mg		100		Anten
Cap 25 mg		100	1	Anten
Cap 50 mg		100		Anten
MIPRAMINE HYDROCHLORIDE - Safety medicine; prescriber		neino		
Tab 10 mg		50		Tofranil
1 ab 10 mg		60		Tofranil s29 S29
	6.58 10.96			Tofranii S29 S29
Tab 05 mg		100		
Tab 25 mg		50		Tofranil
IAPROTILINE HYDROCHLORIDE - Safety medicine; prescrib				
Tab 25 mg	7.52	30		Ludiomil
	12.53	50		Ludiomil
	25.06	100		Ludiomil
Tab 75 mg	14.01	20	✓	Ludiomil
	21.01	30	✓	Ludiomil
ORTRIPTYLINE HYDROCHLORIDE - Safety medicine; presc	criber may determine o	disper	nsing frequ	iency
Tab 10 mg		100		Norpress
Tab 25 mg		180		Norpress
•				
Monoamine-Oxidase Inhibitors (MAOIs) - Non S	Selective			
HENELZINE SULPHATE				
F Tab 15 mg	95.00	100	1	Nardil
-		100	•	rturun
RANYLCYPROMINE SULPHATE	00.04		,	
F Tab 10 mg	22.94	50	•	Parnate
Monoamine-Oxidase Type A Inhibitors				
•				
OCLOBEMIDE	05.40			
F Tab 150 mg		500		Apo-Moclobemide
F Tab 300 mg	30.70	100	•	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
ITALOPRAM HYDROBROMIDE				
	1 70	84	.1	DSM Citalonram
F Tab 20 mg	1./¥	04	•	PSM Citalopram
SCITALOPRAM			_	
F Tab 10 mg	1.11	28		Air Flow Products
			✓	Apo-Escitalopram
Apo-Escitalopram to be Sole Supply on 1 March 2018				
F Tab 20 mg	1.90	28	✓	Air Flow Products
			✓	Apo-Escitalopram
Apo-Escitalopram to be Sole Supply on 1 March 2018				-
Air Flow Products Tab 10 mg to be delisted 1 March 2018)				
Air Flow Draduata Tab 00 mg to be deliated 1 March 2010)				

(Air Flow Products Tab 20 mg to be delisted 1 March 2018)

			NERVOUS STSTEM
	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
FLUOXETINE HYDROCHLORIDE  * Tab dispersible 20 mg, scored – Subsidy by endorsement  Subsidised by endorsement	2.47	30	✓ <u>Arrow-Fluoxetine</u>
When prescribed for a patient who cannot swallow v accordingly; or     When prescribed in a daily dose that is not a multiple endorsed. Note: Tablets should be combined with a combined	e of 20 mg in which o	case	the prescription is deemed to be
* Cap 20 mg	1.99	90	✓ Arrow-Fluoxetine
PAROXETINE  * Tab 20 mg	4.02	90	✓ Apo-Paroxetine
SERTRALINE Tab 50 mg	3.05	90	✓ Arrow-Sertraline
Tab 100 mg		90	✓ Arrow-Sertraline
Other Antidepressants			
MIRTAZAPINE			
Tab 30 mg		30	Apo-Mirtazapine
Tab 45 mg	3.25	30	✓ Apo-Mirtazapine
VENLAFAXINE			_
* Cap 37.5 mg		84	Enlafax XR
* Cap 75 mg		84	✓ Enlafax XR
* Cap 150 mg	11.10	84	✓ Enlafax XR
Antiepilepsy Drugs			
Agents for Control of Status Epilepticus			
CLONAZEPAM – Safety medicine; prescriber may determine disp		5	✓ Rivotril
DIAZEPAM - Safety medicine; prescriber may determine dispensi	ing frequency		
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Only on a PSO	11.83	5	✓ Hospira
<ul> <li>c) PSO must be endorsed "not for anaesthetic procedure</li> </ul>			_
Rectal tubes 5 mg — Up to 5 tube available on a PSO		5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO	40.87	5	✓ Stesolid
PARALDEHYDE	1 500 00	_	( ) = = =
* Inj 5 ml	1,500.00	5	✓ AFT S29
PHENYTOIN SODIUM		_	
* Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS	SO88.63	5	✓ <u>Hospira</u>
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a	100.00	_	C Ha andre

5

✓ Hospira



	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
Control of Epilepsy	<u> </u>	1 01		manutaturor
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	1	Tegretol
* Tab long-acting 200 mg	16.98	100	1	Tegretol CR
* Tab 400 mg	34.58	100	✓	Tegretol
* Tab long-acting 400 mg	39.17	100	✓	Tegretol CR
*‡ Oral liq 20 mg per ml	26.37	250 m	· •	Tegretol
CLOBAZAM - Safety medicine; prescriber may determine dispe	ensing frequency			
Tab 10 mg		50	1	Frisium
‡ Safety cap for extemporaneously compounded oral liqu		00		· · · · · · · · · · · · · · · · · · ·
CLONAZEPAM – Safety medicine; prescriber may determine di				
, ,,	, , ,	10 ml C	D ./	Rivotril
Oral drops 2.5 mg per ml	1.30	10 1111 0	/F \\	nivotrii
ETHOSUXIMIDE			_	
Cap 250 mg		100		Zarontin
	32.90	200		Zarontin
Oral liq 250 mg per 5 ml	13.60	200 m	<b> </b>	Zarontin
GABAPENTIN - Special Authority see SA1477 below - Retail p	harmacy			
▲ Cap 100 mg	,	100	1	Arrow-Gabapentin
			1	Neurontin .
			1	Nupentin
▲ Cap 300 mg − For gabapentin oral liquid formulation refer,				
page 221	11 00	100	1	Arrow-Gabapentin
pago EE I		100		Neurontin
				Nupentin
▲ Cap 400 mg	13 75	100		Arrow-Gabapentin
= 04p 100 mg		.00		Neurontin
				Nupentin
			•	Hapoliuli

## **⇒SA1477** Special Authority for Subsidy

**Initial application — (Epilepsy)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

## Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

#### Either:

- 1 The patient has been diagnosed with neuropathic pain; or
- 2 Both:
  - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus\* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
  - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient

Subsidy		Fully	Brand or
(Manufacturer's Pri	ice)	Subsidised	Generic
\$	Pe	er 🗸	Manufacturer

continued...

has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with \* are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

$\blacktriangle$	Tab 50 mg	 	14	✓ Vimpat
	•		14	✓ Vimpat
	J	200.24	56	✓ Vimpat
$\blacktriangle$	Tab 150 mg	 75.10	14	✓ Vimpat
	· ·	300.40	56	✓ Vimpat
$\blacktriangle$	Tab 200 mg	 400.55	56	✓ Vimpat

## ⇒SA1125 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
  - 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

**Renewal** from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	oubsidised ✓	Manufacturer
MOTRIGINE				
Tab dispersible 2 mg	6.74	30	✓	Lamictal
Tab dispersible 5 mg	9.64	30	✓	Lamictal
	15.00	56	✓	Arrow-Lamotrigine
Tab dispersible 25 mg	14.74	56	✓	Motrig
·	19.38		✓	Logem
	20.40		✓	Arrow-Lamotrigine
	29.09		✓	Lamictal
Tab dispersible 50 mg	24.73	56	1	Motrig
,	32.97		_	Logem
	34.70			Arrow-Lamotrigine
	47.89			Lamictal
Tab dispersible 100 mg		56		Motrig
	56.91	- •		Logem
	59.90			Arrow-Lamotrigine
	79.16			Lamictal
otrig Tab dispersible 100 mg to be delisted 1 April 2018)  /ETIRACETAM  Tab 250 mg	24.02	60	ı	Everet
Tab 250 mg		60	•	Everet
Tab 500 mg – For levetiracetam oral liquid formulation refe				
page 221		60		Everet
Tab 750 mg		60		Everet
Tab 1,000 mg	59.12	60	/	Everet
ENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, pa	ige 224			
Tab 15 mg	30.00	500	✓	<u>PSM</u>
Tab 30 mg	31.00	500	✓	<u>PSM</u>
ENYTOIN SODIUM				
Tab 50 mg	50.51	200	/	Dilantin Infatab
Cap 30 mg		200		Dilantin
Cap 100 mg		200		Dilantin
Coral lig 30 mg per 5 ml		200 n 00		Dilantin
, ,,	22.00	11 000		Dilanun
IMIDONE	47.05	400	,	Anna Balantatan
Tab 250 mg	17.25	100	•	Apo-Primidone
DIUM VALPROATE				
Tab 100 mg	13.65	100	1	Epilim Crushable
Tab 200 mg EC	27.44	100	1	Epilim
Tab 500 mg EC	52.24	100	1	Epilim
Oral liq 200 mg per 5 ml	20.48	300 m	nl 🗸	Epilim S/F Liquid
				Epilim Syrup
Inj 100 mg per ml, 4 ml	41.50	1		Epilim IV
RIPENTOL - Special Authority see SA1330 on the next page				-
Cap 250 mg	•	60		Diacomit S29
Powder for oral lig 250 mg sachet				Diacomit S29
	F(10.700)	60		LUIDCOMIT S20

lubsidy	Fully	Brand or
cturer's Price) Su	ibsidised	Generic
 \$ Per	✓	

### ⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

#### **TOPIRAMATE**

▲ Tab 25 mg	11.07	60	✓ Arrow-Topiramate
· ·			✓ Topiramate Actavis
	26.04		✓ Topamax
▲ Tab 50 mg	18.81	60	✓ Arrow-Topiramate
· ·			✓ Topiramate Actavis
	44.26		✓ Topamax
▲ Tab 100 mg	31.99	60	✓ Arrow-Topiramate
•			✓ Topiramate Actavis
	75.25		✓ Topamax
▲ Tab 200 mg	55.19	60	✓ Arrow-Topiramate
· ·			✓ Topiramate Actavis
	129.85		✓ Topamax
▲ Sprinkle cap 15 mg	20.84	60	✓ Topamax
▲ Sprinkle cap 25 mg		60	✓ Topamax
VIGABATRIN - Special Authority see SA1072 below	– Retail pharmacy		
▲ Tab 500 mg	119.30	100	✓ Sabril

### SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient has infantile spasms; or
  - 1.2 Both:
    - 1.2.1 Patient has epilepsy; and
    - 1.2.2 Either:
      - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
      - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. **Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	<b>✓</b>	Manufacturer

continued...

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

## **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 120

## **Acute Migraine Treatment**

ERGOTAMINE TARTRATE WITH CAFFEINE  Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
•			✓ Cafergot S29 S29
RIZATRIPTAN			
Tab orodispersible 10 mg	5.26	30	✓ Rizamelt
SUMATRIPTAN			
Tab 50 mg	24.44	100	✓ Apo-Sumatriptan
Tab 100 mg	46.23	100	✓ Apo-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen - Maximum of 10 inj per			
prescription	42.67	2 OP	✓ Clustran
·			✓ Sun Pharma S29

## **Prophylaxis of Migraine**

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 58

**PIZOTIFEN** 

**★** Tab 500 mcg......23.21 100 **✓** <u>Sandomigran</u>

## **Antinausea and Vertigo Agents**

For Antispasmodics refer to ALIMENTARY TRACT, page 22

APREPITANT - Special Authority see SA0987 below - Ret	ail pharmacy		
Cap 2 × 80 mg and 1 × 125 mg	100.00	3 OP	✓ Emend Tri-Pack
Cap 40 mg	71.43	5 OP	✓ Emend

#### ⇒SA0987 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

#### BETAHISTINE DIHYDROCHI ORIDE

* Tab 16 mg	2.89	84	✓ Vergo 16
CYCLIZINE HYDROCHLORIDE			
Tab 50 mg	0.59	20	✓ Nauzene

	Subsidy (Manufacturer's Price)	Ç.	Fully ubsidised	Brand or Generic
	(Manufacturer's Price)	Per	JUSIUISEU 🗸	Manufacturer
	φ	rei		Manuacturei
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	✓ N	ausicalm
DOMPERIDONE				
* Tab 10 mg - For domperidone oral liquid formulation refer.				
page 221	3.20	100	✔ P	rokinex
HYOSCINE HYDROBROMIDE			_	
		_		
* Inj 400 mcg per ml, 1 ml ampoule	46.50	5	<b>✓</b> H	ospira
	93.00	10	✓ M	lartindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retai	il			
pharmacy		2	<b>√</b> S	copoderm TTS

## **⇒SA1387** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

**Renewal** from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

#### METOCLOPRAMIDE HYDROCHLORIDE

100	<ul> <li>Metoclopramide</li> <li>Actavis 10</li> </ul>
	✓ Metamide
10	✓ Pfizer
50	✓ Apo-Ondansetron
10	✓ Dr Reddy's
	Ondansetron
50	✓ Apo-Ondansetron
10	✓ Ondansetron
	ODT-DRLA
50	
	Buccastem
500	✓ Antinaus
10	✓ Stemetil
10	
	Avomine
	50 10 50 10 50 50 500

## **Antipsychotics**

#### General

AMISULPRIDE - Safety medicine; prescriber may determin	e dispensing frequency		
Tab 100 mg	4.56	30	<ul><li>Sulprix</li></ul>
Tab 200 mg	14.75	60	✓ Sulprix
Tab 400 mg	27.70	60	✓ Sulprix
Oral liq 100 mg per ml	65.53	60 ml	✓ Solian

<sup>‡</sup> safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
ARIPIPRAZOLE – Special Authority see SA1539 below – R Safety medicine; prescriber may determine dispensing fr					
Tab 5 mg - No more than 1 tab per day	' '	30	✓ Ab	oilify	
Tab 10 mg	123.54	30	✓ Ab	oilify	
Tab 15 mg	175.28	30	✓ Ab	oilify	
Tab 20 mg	213.42	30	✓ Ab	oilify	
Tab 30 mg	260.07	30	✓ Ab	oilify	

⇒SA1539 Special Authority for Subsidy

**Initial application — (Schizophrenia or related psychoses)** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

#### Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder\*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder\* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder\*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with \* are Unapproved Indications

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescriber m	ay determine	dispensing fr	equency
Tab 10 mg - Up to 30 tab available on a PSO12	.36 10	00	Largactil
Tab 25 mg - Up to 30 tab available on a PSO13		00 🗸	Largactil
Tab 100 mg - Up to 30 tab available on a PSO30.	.61 10	00 🗸	Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25.	.66 1	0	Largactil
CLOZAPINE - Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing frequency			
Tab 25 mg5	.69 5	0	Clozaril
6.	.69	/	Clopine
11.	.36 10	00 🗸	Clozaril
13.	.37	✓	Clopine
Tab 50 mg8	.67 5	0	Clopine
		00 🗸	Clopine
Tab 100 mg14.	.73 5	0	Clozaril
	.33	✓	Clopine
29.	.45 10	00 🗸	Clozaril
34.	.65	✓	Clopine
Tab 200 mg34.	.65 5	0	Clopine
69.	.30 10	00 🗸	Clopine
Suspension 50 mg per ml17.	.33 100	) ml 🗸	Clopine

	Subsidy		Fully Brand or	
	(Manufacturer's Price)		sidised Generic	
	\$	Per	✓ Manufacture	r
ALOPERIDOL - Safety medicine; prescriber may determine	e dispensing frequency			
Tab 500 mcg - Up to 30 tab available on a PSO	6.23	100	✓ Serenace	
Tab 1.5 mg - Up to 30 tab available on a PSO		100	✓ Serenace	
Tab 5 mg - Up to 30 tab available on a PSO		100	✓ Serenace	
Oral lig 2 mg per ml - Up to 200 ml available on a PSO		100 ml	✓ Serenace	
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a		10	✓ Serenace	
EVOMEPROMAZINE HYDROCHLORIDE - Safety medicin		nina diena		
and the contract of the contra		10	✓ Wockhardt	
Inj 25 mg per ml, 1 ml ampoule				
EVOMEPROMAZINE MALEATE – Safety medicine; prescri				
Tab 25 mg		100	✓ Nozinan	
Tab 100 mg	43.96	100	Nozinan	
THIUM CARBONATE - Safety medicine; prescriber may de	etermine dispensing fred	quency		
Tab 250 mg	34.30	500	✓ Lithicarb FC	
Tab 400 mg	12.83	100	✓ Lithicarb FC	
Tab long-acting 400 mg		100	✓ Priadel	
Cap 250 mg		100	✓ Douglas	
LANZAPINE - Safety medicine; prescriber may determine			J. J.	
		20	√ 7unino	
Tab 2.5 mg		28	✓ Zypine	
Tab 5 mg		28	✓ Zypine	
Tab orodispersible 5 mg		28	✓ Zypine ODT	
Tab 10 mg		28	✓ Zypine	
Tab orodispersible 10 mg		28	✓ Zypine ODT	
ERICYAZINE - Safety medicine; prescriber may determine	dispensing frequency			
Tab 2.5 mg	12.49	100	Neulactil	
Tab 10 mg	44.45	100	Neulactil	
UETIAPINE - Safety medicine; prescriber may determine d	lispensing frequency			
Tab 25 mg		90	✓ Quetapel	
Tab 100 mg		90	✓ Quetapel	
Tab 200 mg		90	✓ Quetapel	
Tab 300 mg		90	✓ Quetapel	
•		00	<u>auotapoi</u>	
ISPERIDONE – Safety medicine; prescriber may determine		00	/ Autouto	
Tab 0.5 mg	1.86	60	Actavis	
Actavis to be Sole Supply on 1 January 2018	0.00	00		
Tab 1 mg	2.06	60	Actavis	
Actavis to be Sole Supply on 1 January 2018				
Tab 2 mg	2.29	60	Actavis	
Actavis to be Sole Supply on 1 January 2018				
Tab 3 mg	2.50	60	Actavis	
Actavis to be Sole Supply on 1 January 2018			_	
Tab 4 mg	3.43	60	Actavis	
Actavis to be Sole Supply on 1 January 2018				
Oral liq 1 mg per ml	7.66	30 ml	✓ Risperon	
PRASIDONE - Safety medicine; prescriber may determine	dispensing frequency			
Cap 20 mg		60	✓ Zusdone	
Cap 40 mg		60	✓ Zusdone	
Cap 60 mg		60	✓ Zusdone	
Cap 80 mg		60	✓ Zusdone	
JCLOPENTHIXOL HYDROCHLORIDE – Safety medicine;				
Tab 10 mg	31.45	100	Clopixol	

<sup>‡</sup> safety cap



	manufacturers Price) \$	Per	Manufacturer
Depot Injections			
FLUPENTHIXOL DECANOATE – Safety medicine; prescriber may lnj 20 mg per ml, 1 ml – Up to 5 inj available on a PSOlnj 20 mg per ml, 2 ml – Up to 5 inj available on a PSOlnj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	13.14 20.90 40.87 Juency noate prior to 1 Dec	5 5 5 ember 2016	Fluanxol Fluanxol and the prescription or PSO is
dispensing of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml Inj	)17.60 27.90	5 5	/ Modecate / Modecate / Modecate S29 \$29 / Modecate S29 \$29 / Modecate
(Modecate Inj 12.5 mg per 0.5 ml, 0.5 ml to be delisted 1 March 20 (Modecate Inj 25 mg per ml, 1 ml to be delisted 1 March 2018) (Modecate S29 S29 Inj 25 mg per ml, 1 ml to be delisted 1 March (Modecate S29 S29 Inj 25 mg per ml, 2 ml to be delisted 1 March (Modecate Inj 100 mg per ml, 1 ml to be delisted 1 March 2018)	2018)		
HALOPERIDOL DECANOATE – Safety medicine; prescriber may Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5 5	<ul> <li>✓ Haldol</li> <li>✓ Haldol Concentrate</li> <li>✓ Haldol</li> <li>Decanoas \$29</li> </ul>
OLANZAPINE - Special Authority see SA1428 below - Retail pha	rmacy		

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

✓ Zyprexa Relprevy

✓ Zyprexa Relprevv

✓ Zyprexa Relprevv

## 

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia; and

Safety medicine; prescriber may determine dispensing frequency Inj 210 mg vial .......280.00

- 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
PALIPERIDONE – Special Authority see SA1429 below – Reta	il pharmacy			
Safety medicine; prescriber may determine dispensing frequency	uency			
Inj 25 mg syringe	194.25	1	🗸 In	vega Sustenna
Inj 50 mg syringe	271.95	1	🗸 In	vega Sustenna
Inj 75 mg syringe	357.42	1	✓ In	vega Sustenna
Inj 100 mg syringe	435.12	1	✓ In	vega Sustenna
Ini 150 ma syringe	435.12	1	✓ In	vega Sustenna

## ⇒SA1429 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

## PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1 ml	- Up to 5 inj available on a PSO	178.48	10	✓ Piportil
Inj 50 mg per ml, 2 ml	- Up to 5 inj available on a PSO	353.32	10	✓ Piportil

(Piportil Inj 50 mg per ml, 1 ml to be delisted 1 June 2019) (Piportil Inj 50 mg per ml, 2 ml to be delisted 1 June 2019)

RISPERIDONE - Special Authority see SA1427 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg vial	135.98	1	Risperdal Consta
Inj 37.5 mg vial	178.71	1	Risperdal Consta
Ini 50 mg vial	217.56	1	✓ Risperdal Consta

## **⇒SA1427** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

	(Manufacturer's Price)		dised	Generic
	\$	Per		Manufacturer
ZUCLOPENTHIXOL DECANOATE $-$ Safety medicine; prescribe	r may determine disp	ensing freq	uency	1
Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	19.80	5	✓ (	Clopixol
Application				
Anxiolytics				
BUSPIRONE HYDROCHLORIDE				
* Tab 5 mg	23.80	100	<b>√</b> <u>C</u>	<u> Drion</u>
* Tab 10 mg	14.96	100	<b>√</b> <u>C</u>	<u> Drion</u>
CLONAZEPAM - Safety medicine; prescriber may determine dis	pensing frequency			
Tab 500 mcg	7.53	100	<b>√</b> P	axam
Tab 2 mg	14.37	100	<b>✓</b> P	axam
DIAZEPAM - Safety medicine; prescriber may determine dispen	sing frequency			
Tab 2 mg		500	<b>✓</b> A	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
Tab 5 mg		500	✓ A	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
LORAZEPAM - Safety medicine; prescriber may determine disp				
Tab 1 mg		250	✓ <u>Þ</u>	<u>ktivan</u>
‡ Safety cap for extemporaneously compounded oral liqui		100		••
Tab 2.5 mg		100	• 4	<u>Ativan</u>
‡ Safety cap for extemporaneously compounded oral liqui				
OXAZEPAM – Safety medicine; prescriber may determine dispe		400		N B
Tab 10 mg		100	• [	<u>)x-Pam</u>
‡ Safety cap for extemporaneously compounded oral liqui Tab 15 mg		100	10	)x-Pam
‡ Safety cap for extemporaneously compounded oral liqui		100	• •	/A-1 UIII
+ Salety sup for extemperationally composition of an inqui	a proparations:			
<b>Multiple Sclerosis Treatments</b>				
DIMETHYL ELIMADATE Special Authority con SA1550 below				

Subsidy

Fully

Brand or

### ⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

**Entry Criteria** 

				_
Subsidy		Fully	Brand or	
(Manufacturer's Pric	ce)	Subsidised	Generic	
\$	Per	/	Manufacturer	

continued...

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

### Stopping Criteria

### Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

Cap 0.5 mg.......2,650.00 28 ✓ Gilenya

## ⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

8) patient must not be co-prescribed beta interferon or glatiramer acetate.

## **Stopping Criteria**

## Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

✓ Tysabri

## ⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
      past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:



Subsidy (Manufacturer's Price)	F Subsidis	ully	Brand or Generic	
\$	Per	1	Manufacturer	

continued...

- i) a gadolinium enhancing lesion; or
- ii) a Diffusion Weighted Imaging positive lesion; or
- iii) a T2 lesion with associated local swelling; or
- iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- a) Patient is JC virus negative, or
  - Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

### **Stopping Criteria**

### Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If

Subsidy (Manufacturer's Price)

Subsidised Per

Fully

Brand or Generic Manufacturer

continued...

a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

28 Aubagio

### ⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse:
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and



Subsidy (Manufacturer's Price)	Full Subsidise		
\$	Per 🗸	Manufacturer	

continued...

8) patient must not be co-prescribed beta interferon or glatiramer acetate.

### Stopping Criteria

### Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

# Other Multiple Sclerosis Treatments

### ⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: <a href="mailto:mstaccoordinator@pharmac.govt.nz">mstaccoordinator@pharmac.govt.nz</a>

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

## **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse:
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
  - a) intolerance to both natalizumab and fingolimod; or
  - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

### Stopping Criteria

### Any of the following:

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with



5	Subsidy	Fully	Brand or
(Manufa	acturer's Price)	Subsidised	Generic
	\$ Pe	er 🗸	Manufacturer

continued...

both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE - Special Authority see SA1564 on page	je 154 – [Xpharm]		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA1564 of	n page 154 – [Xpha	rm]	
Inj 6 million iu prefilled syringe	1,170.00	4	✓ Avonex
Injection 6 million iu per 0.5 ml pen injector		4	Avonex Pen
INTERFERON BETA-1-BETA - Special Authority see SA1564 on	page 154 - [Xpharr	n]	
Inj 8 million iu per 1 ml	1,322.89	15	<ul><li>Betaferon</li></ul>

# **Sedatives and Hypnotics**

LORMETAZEPAM - Safety medicine; prescriber may determine dispensing frequency	ency	
Tab 1 mg	30	
(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
MELATONIN - Special Authority see SA1666 below - Retail pharmacy		
Tab modified-release 2 mg - No more than 5 tab per day28.22	30	<ul><li>Circadin</li></ul>

### ⇒SA1666 Special Authority for Subsidy

**Initial application** only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)\*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged 18 years or under\*.

**Renewal** only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is aged 18 years or under\*; and
- 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
- 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
- 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with \* are Unapproved Indications.

				OGG GTGTEM
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
MIDAZOLAM – Safety medicine; prescriber may determine dis Inj 1 mg per ml, 5 ml ampoule	4.30	10	•	Midazolam-Claris
Inj 1 mg per ml, 5 ml plastic ampoule – Up to 10 inj availab on a PSO		10	./	Pfizer
On a PSO for status epilepticus use only. PSO must b				
Inj 5 mg per ml, 3 ml ampoule		5 5		Midazolam-Claris
Inj 5 mg per ml, 3 ml plastic ampoule – Up to 5 inj available				
a PSO		5	/	Pfizer
On a PSO for status epilepticus use only. PSO must b	e endorsed for status e	epilep	ticus use	only.
NITRAZEPAM - Safety medicine; prescriber may determine di	spensing frequency			
Tab 5 mg		100	•	Nitrados
‡ Safety cap for extemporaneously compounded oral liq	uid preparations.			
PHENOBARBITONE SODIUM – Special Authority see SA1386	below – Retail pharm	acy		
Inj 200 mg per ml, 1 ml ampoule	46.20	10	•	Martindale S29
the following criteria: Both:  1 For the treatment of terminal agitation that is unresponsi 2 The applicant is part of a multidisciplinary team working		i		
TEMAZEPAM - Safety medicine; prescriber may determine dis Tab 10 mg ‡ Safety cap for extemporaneously compounded oral liq	1.27	25	•	Normison
TRIAZOLAM – Safety medicine; prescriber may determine disp Tab 125 mcg	0 1 7	100		Нурат
‡ Safety cap for extemporaneously compounded oral liq Tab 250 mcg	uid preparations. 4.10	100		
‡ Safety cap for extemporaneously compounded oral lig	(11.20) uid preparations			Hypam
ZOPICLONE – Safety medicine; prescriber may determine disp				
Tab 7.5 mg		500	•	Zopiclone Actavis
Stimulants/ADHD Treatments				
ATOMOXETINE – Special Authority see SA1416 below – Reta	il pharmacy			
Cap 10 mg		28		Strattera
Cap 18 mg		28		Strattera
Cap 25 mg		28		Strattera
Cap 40 mg		28 28		Strattera Strattera
Cap 60 mg	107.03	∠δ	•	Suattera

**⇒SA1416** Special Authority for Subsidy

Cap 80 mg.......139.11

Cap 100 mg......139.11

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and

continued...

28 28 ✓ Strattera

✓ Strattera



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
  - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

### ⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Renewal — (ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Subs		
(Manufactur	rer's Price) Subsidise	I Generic
\$	S Per ✔	Manufacturer

continued...

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- h) Safety medicine: prescriber may determine dispensing frequency

b) Galety inculcine, prescriber may determine dispens	ing inequency		
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	✓ Ritalin
v			Rubifen
Tab immediate-release 20 mg	7.85	30	<ul><li>Rubifen</li></ul>
Tab sustained-release 20 mg	10.95	30	Rubifen SR
•	50.00	100	Ritalin SR

## ⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

159



Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
 \$	Per	1	Manufacturer	

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

b) Galety inculcine, prescriber may determine dispens	oning in equency		
Tab extended-release 18 mg	58.96	30	<ul><li>Concerta</li></ul>
Tab extended-release 27 mg	65.44	30	Concerta
Tab extended-release 36 mg	71.93	30	<ul><li>Concerta</li></ul>
Tab extended-release 54 mg		30	<ul><li>Concerta</li></ul>
Cap modified-release 10 mg		30	Ritalin LA
Cap modified-release 20 mg		30	✓ Ritalin LA
Cap modified-release 30 mg		30	✓ Ritalin LA
Cap modified-release 40 mg		30	✓ Ritalin LA

## ⇒SA1151 Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy
Tab 100 mg ........72.50 30 

✓ Modavigil

## ⇒SA1126 Special Authority for Subsidy

**Initial application** only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
  - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
  - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Fither:

Subsidy (Manufacturer's Price)	Fully Subsidised	I Generic
\$	Per 🗸	Manufacturer

continued...

- 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
- 3.2 Methylphenidate and dexamfetamine are contraindicated.

**Renewal** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

## Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	4.34	90	✓ Donepezil-Rex
* Tab 10 mg	6.64	90	✓ Donepezil-Rex
RIVASTIGMINE - Special Authority see SA1488 below - Retail	pharmacy		
Patch 4.6 mg per 24 hour	90.00	30	✓ Exelon
Patch 9.5 mg per 24 hour	90.00	30	✓ Exelon

### **⇒SA1488** Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

# **Treatments for Substance Dependence**

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

Suboxone	28	57.40	Tab sublingual 2 mg with naloxone 0.5 mg
✓ Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

### ⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

### All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

**Initial application — (Maintenance treatment)** from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

### All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE  Tab modified-release 150 mg	11.00	30	✓ Zyban
DISULFIRAM Tab 200 mg	44.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE – Special Authorit Tab 50 mg	•	pharmacy 30	✓ <u>Naltraccord</u>

### ⇒SA1408 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

**Renewal** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	✓	Manufacturer	

### NICOTINE

- a) Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.
- b) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.

2) Trotor may 20 promata 2) a priamilation and a month pro-	,	p	
Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	<ul><li>Habitrol</li></ul>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	<ul><li>Habitrol</li></ul>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	<ul><li>Habitrol</li></ul>
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	<ul><li>Habitrol</li></ul>
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	<ul><li>Habitrol</li></ul>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	<ul><li>Habitrol</li></ul>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	<ul><li>Habitrol</li></ul>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	<ul><li>Habitrol</li></ul>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	<ul><li>Habitrol</li></ul>

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

Tab 1 mg67	7.74	28 •	Champix
	5.48	56	Champix
Tab 0.5 mg × 11 and 1 mg × 1460	0.48	25 OP <b>▼</b>	Champix

## ⇒SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

**Renewal** from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking;
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

# Chemotherapeutic Agents

# **Alkylating Agents**

BENDAMUSTINE HYDROCHI ORIDE - PCT only - Specialist - Special Authority see SA1667 below

Inj 25 mg vial	271.35	1	✓ Ribomustin
Inj 100 mg vial	1,085.38	1	✓ Ribomustin
Inj 1 mg for ECP	11.40	1 mg	✓ Baxter

### ⇒SA1667 Special Authority for Subsidy

Initial application — (treatment naive CLL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has Binet stage B or C, or progressive stage A chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is chemotherapy treatment naive; and
- 3 The patient is unable to tolerate toxicity of full-dose FCR; and
- 4 Patient has ECOG performance status 0-2; and
- 5 Patient has a Cumulative Illness Rating Scale (CIRS) score of < 6: and
- 6 Bendamustine is to be administered at a maximum dose of 100 mg/m<sup>2</sup> on days 1 and 2 every 4 weeks for a maximum of 6 cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL). Chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has indolent low grade NHL requiring treatment; and
- 2 Patient has a WHO performance status of 0-2; and
- 3 Either:
  - 3.1 Both:
    - 3.1.1 Patient is treatment naive; and
    - 3.1.2 Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+); or
  - 3.2 All of the following:
    - 3.2.1 Patient has relapsed refractory disease following prior chemotherapy; and
    - 3.2.2 The patient has not received prior bendamustine therapy; and
    - 3.2.3 Fither:
      - 3.2.3.1 Both:
        - 3.2.3.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
        - 3.2.3.1.2 Patient has had a rituximab treatment-free interval of 12 months or more: or
      - 3.2.3.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Both:

- 1 Patients have not received a bendamustine regimen within the last 12 months; and
- 2 Either:
  - 2.1 Both:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	I Generic
\$	Per 🗸	Manufacturer

- 2.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
- 2.1.2 Patient has had a rituximab treatment-free interval of 12 months or more; or
- 2.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.
  Note: 'indolent, low-grade lymphomas' includes follicular, mantle cell, marginal zone and lymphoplasmacytic/ Waldenstrom's macroglobulinaemia.

BUSULFAN - PCT - Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			,
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
, , , , , , , , , , , , , , , , , , , ,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	✓ DBL Carboplatin
, •,	19.50		✓ Carbaccord
	22.50		<ul> <li>Carboplatin Ebewe</li> </ul>
Inj 10 mg per ml, 45 ml vial		1	DBL Carboplatin
	48.50		<ul><li>Carbaccord</li></ul>
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12 29	1	✓ DBL Cisplatin
, <u></u>	15.00	•	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
, 3, ,	22.46		✓ DBL Cisplatin
Inj 1 mg for ECP	0.28	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		•	
Tab 50 mg - PCT - Retail pharmacy-Specialist	79.00	50	✓ Endoxan S29
Tab oo mg ToT Hotali phamaoy opoolalio	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13	130.00	100	V FIOCYTOX 023
Inj 1 g vial – PCT – Retail pharmacy-Specialist	35.03	1	✓ Endoxan
ing righted in the restaurant of opposition	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
IFOSFAMIDE – PCT only – Specialist		· ·	
Inj 1 g	96.00	1	✓ Holoxan
Inj 2 g		1	✓ Holoxan
Inj 1 mg for ECP		1 mg	✓ Baxter
LOMUSTINE – PCT – Retail pharmacy-Specialist		9	
Cap 10 mg	132 50	20	✓ CeeNU
Cap 40 mg		20	✓ CeeNU
· · · · · ·		20	- 300110
MELPHALAN Tob 2 mg	40.70	O.F.	Alleanan
Tab 2 mg — PCT – Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	07.80	1	✓ Alkeran

<sup>‡</sup> safety cap

<sup>▲</sup> Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	oubsidised ✓	Manufacturer
DXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	✓	Oxaliccord
Inj 50 mg vial		1	•	Oxaliplatin Actavis 50
	55.00		1	Oxaliplatin Ebewe
Inj 100 mg vial	25.01	1	•	Oxaliplatin Actavis 100
	110.00		1	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial	16.00	1	/	Oxaliccord .
Inj 1 mg for ECP		1 mg	✓	Baxter
THIOTEPA - PCT only - Specialist		•		
Inj 15 mg vial	CBS	1	1	Bedford S29
, - 3			1	THIO-TEPA S29
			_	Tepadina S29
Inj 100 mg vial	CBS	1		Tepadina S29

## **Antimetabolites**

		AZACITIDINE - PCT only - Specialist - Special Authority see SA1467 below
✓ Vidaza	1	Inj 100 mg vial605.00
✓ Baxter	1 mg	Inj 1 mg for ECP6.66

## ⇒SA1467 Special Authority for Subsidy

**Initial application** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

### All of the following:

- 1 Any of the following:
  - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
  - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
  - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy		Fully	
	(Manufacturer's Pric \$	e) Su Per	bsidised م	d Generic Manufacturer
OAL OU MA FOLINIATE	Ψ	1 61		Manuacure
CALCIUM FOLINATE	104.06	10	.,	DDI Laurania
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.20	10	•	DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17 10	5	_	Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist		5		Calcium Folinate
injooning 101 Hotali phamacy opcoluliot	10.20	J	•	Ebewe
Inj 100 mg - PCT only - Specialist	7.33	1	/	Calcium Folinate
.,				Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	1	Calcium Folinate
, , , ,				Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	•	Calcium Folinate
				Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	•	Baxter
CAPECITABINE - Retail pharmacy-Specialist				
Tab 150 mg	11.15	60	1	Brinov
Tab 500 mg		120	•	Brinov
CLADRIBINE - PCT only - Specialist				
Inj 1 mg per ml, 10 ml	5,249.72	7	1	Leustatin
Inj 10 mg for ECP		10 mg OP	•	Baxter
CYTARABINE				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialis	st55.00	5	/	Pfizer
	80.00		•	Hospira
Inj 500 mg - PCT - Retail pharmacy-Specialist		5		Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-Speci-	alist8.83	1		Pfizer
	42.65		•	Hospira
Inj 100 mg per ml, 20 ml vial – PCT – Retail				
pharmacy-Specialist		1		Pfizer
Ini 1 mg for ECD DCT only Chapitalist	34.47	10 ma		Hospira
Inj 1 mg for ECP – PCT only – Specialist		10 mg 100 mg OP		Baxter Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialis (Hospira Inj 20 mg per ml, 5 ml vial to be delisted 1 January 2018,		ioo ilig OF	•	Daxiei
(Hospira Inj 20 mg to be delisted 1 January 2018)	/			
(Hospira Inj 300 mg ber ml, 10 ml vial to be delisted 1 January 20	18)			
(Hospira Inj 100 mg per ml, 20 ml vial to be delisted 1 January 20				
FLUDARABINE PHOSPHATE	,			
Tab 10 mg - PCT - Retail pharmacy-Specialist	412.00	20	/	Fludara Oral
Inj 50 mg vial - PCT only - Specialist		5		Fludarabine Ebewe
Inj 50 mg for ECP - PCT only - Specialist		50 mg OP	•	Baxter
FLUOROURACIL				
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist	10.00	1	1	Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1	•	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial - PCT only - Specialist		1	•	Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.66	100 mg	•	Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist				
Inj 1 g, 26.3 ml vial	62.50	1	•	DBL Gemcitabine
lnj 1 g		1		Gemcitabine Ebewe
1.000	349.20			Gemzar
Inj 200 mg		1		Gemcitabine Ebewe
Inj 1 mg for ECP	78.00	1 ma		Gemzar Baxter
IIIJ I IIIY IOI EOP	0.02	1 mg	•	Daxler

<sup>‡</sup> safety cap

if endorsed "certified exemption" by the prescriber or pharmacist.

<sup>▲</sup> Three months supply may be dispensed at one time

	Subsidy		Fully	
	(Manufacturer's Price \$	e) S Per	ubsidised •	Generic Manufacturer
NOTECAN HYDROCHLORIDE - PCT only - Specialist				
Inj 20 mg per ml, 2 ml vial	11.50	1	1	Irinotecan Actavis 40
	41.00			Camptosar Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	/	Irinotecan Actavis 100
	100.00		✓	Camptosar Irinotecan-Rex
Inj 1 mg for ECP	0.19	1 mg	•	Baxter
RCAPTOPURINE - PCT - Retail pharmacy-Specialist				
Tab 50 mg THOTREXATE	49.41	25	•	Puri-nethol
Tab 2.5 mg - PCT - Retail pharmacy-Specialist		30	1	<u>Trexate</u>
Tab 10 mg - PCT - Retail pharmacy-Specialist		50		Trexate
Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist .		5		Hospira
Inj 7.5 mg prefilled syringe	14.61	1	1	Methotrexate Sandoz
Inj 10 mg prefilled syringe	14.66	1	/	Methotrexate Sandoz
Inj 15 mg prefilled syringe		1	1	Methotrexate Sandoz
Inj 20 mg prefilled syringe		1	1	Methotrexate Sandoz
Inj 25 mg prefilled syringe	14.99	1	1	Methotrexate Sandoz
Inj 30 mg prefilled syringe	15.09	1	1	Methotrexate Sandoz
Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Special	ist30.00	5	/	DBL Methotrexate Onco-Vial
Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-Specia	alist45.00	1	/	DBL Methotrexate Onco-Vial
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialis Inj 100 mg per ml, 50 ml vial - PCT - Retail	t25.00	1		Methotrexate Ebewe
pharmacy-Specialist		1		Methotrexate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	_	Baxter
Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist METREXED – PCT only – Specialist – Special Authority see		5 mg OP		Baxter
Inj 100 mg vial		1	1	Juno Pemetrexed
Inj 500 mg vial		1		Juno Pemetrexed
			•	Julio I CIIICLICACU

# **⇒SA1679** Special Authority for Subsidy

Initial application — (mesothelioma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 Patient has been diagnosed with mesothelioma; and
- 2 Pemetrexed to be administered at a dose of 500 mg/m<sup>2</sup> every 21 days in combination with cisplatin or carboplatin for a

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

maximum of 6 cycles.

**Renewal — (mesothelioma)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed to be administered at a dose of 500mg/m<sup>2</sup> every 21 days for a maximum of 6 cycles.

Initial application — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 Patient has locally advanced or metastatic non-squamous non-small cell lung carcinoma; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient has chemotherapy-naïve disease; and
    - 2.1.2 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles; or
  - 2.2 All of the following:
    - 2.2.1 Patient has had first-line treatment with platinum based chemotherapy; and
    - 2.2.2 Patient has not received prior funded treatment with pemetrexed; and
    - 2.2.3 Pemetrexed is to be administered at a dose of 500 mg/m<sup>2</sup> every 21 days for a maximum of 6 cycles.

Renewal — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

1 No evidence of disease progression; and

THIOGIANINE - PCT - Retail pharmacy-Specialist

- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed is to be administered at a dose of 500mg/m<sup>2</sup> every 21 days.

THOUGHANTE	 rician priarriacy	Opedialist			
Tab 40 mg	 		126.31	25	<ul><li>Lanvis</li></ul>

Other Cytotoxic Agents			
AMSACRINE - PCT only - Specialist			
Inj 50 mg per ml, 1.5 ml ampoule	.1,500.00	6	✓ Amsidine S29
Inj 75 mg	.1,250.00	5	✓ AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmacy-Specia	alist		
Cap 0.5 mg	CBS	100	✓ Agrylin S29
			✓ Teva S29
ARSENIC TRIOXIDE - PCT only - Specialist			
Inj 10 mg	.4,817.00	10	✓ AFT \$29
BLEOMYCIN SULPHATE - PCT only - Specialist			
Inj 15,000 iu, vial	150.48	1	✓ DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	✓ Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority see SA1	576 on the nex	kt page	
Inj 3.5 mg vial	.1,892.50	1	✓ Velcade
Inj 1 mg for ECP		1 mg	✓ Baxter

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

## ⇒SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
  - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 The patient has relapsed or refractory multiple myeloma; or
  - 1.2 The patient has relapsed or refractory systemic AL amyloidosis \*; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

COLASPASE IL-ASPARAGINASEL - PCT only - Specialist

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] - PCT Only - Specialist			
Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP		10,000 iu OP	✓ Baxter
DACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	58.06	1	<ul> <li>DBL Dacarbazine</li> </ul>
Inj 200 mg for ECP		200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial	145.00	1	✓ Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
DAUNORUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 10 ml	118.72	1	✓ Pfizer
Inj 20 mg for ECP	118.72	20 mg OP	✓ Baxter
DOCETAXEL - PCT only - Specialist			
Inj 10 mg per ml, 2 ml vial	12.40	1	✓ DBL Docetaxel
Inj 20 mg	48.75	1	✓ Docetaxel Sandoz
Inj 10 mg per ml, 8 ml vial	26.95	1	✓ DBL Docetaxel
Inj 80 mg		1	✓ Docetaxel Sandoz
Inj 1 mg for ECP	0.55	1 mg	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	Ψ	rei		Manuacturer
DOXORUBICIN HYDROCHLORIDE – PCT only – Specialist	40.00			
Inj 2 mg per ml, 5 ml vial		1		Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Doxorubicin Ebewe
Ini FO man vial	17.00	4		Arrow-Doxorubicin
Inj 50 mg vial	40.00	1		DBL Doxorubicin
			•	DBL Doxorubicin
				<b>S29</b> \$29
Inj 2 mg per ml, 50 ml vial		1		Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1		Doxorubicin Ebewe
	65.00			Arrow-Doxorubicin
	150.00		_	Adriamycin
Inj 1 mg for ECP	0.25	1 mg	•	Baxter
PIRUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	25.00	1	✓	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial	30.00	1	✓	Epirubicin Ebewe
	39.38		✓	DBL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 50 ml vial	32.50	1	✓	Epirubicin Ebewe
	58.20		✓	DBL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1	1	Epirubicin Ebewe
., ,	94.50	-		DBL Epirubicin
	000			Hydrochloride
Inj 1 mg for ECP	0.36	1 mg	1	Baxter
		1 1119	•	DUALCI
TOPOSIDE	040.70	00		Vanasid
Cap 50 mg - PCT - Retail pharmacy-Specialist		20		Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10	_	Vepesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specia		1	_	Rex Medical
Inj 1 mg for ECP - PCT only - Specialist	0.09	1 mg	•	Baxter
ETOPOSIDE PHOSPHATE - PCT only - Specialist				
Inj 100 mg (of etoposide base)	40.00	1		Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✓	Baxter
HYDROXYUREA - PCT - Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	✓	Hydrea
DARUBICIN HYDROCHLORIDE				•
Inj 5 mg vial – PCT only – Specialist	125.00	1	1	Zavedos
Inj 10 mg vial – PCT only – Specialist		1		Zavedos
Inj 1 mg for ECP – PCT only – Specialist		1 mg	_	Baxter
		•	•	DUALUI
ENALIDOMIDE - Retail pharmacy-Specialist - Special Author	ity see SA1468 below			
Wastage claimable – see rule 3.3.2 on page 13	0.007.00			
Cap 10 mg		21		Revlimid
Cap 15 mg	·	21		Revlimid
Cap 25 mg		21	./	Revlimid

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

MESNA

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either
  - 2.1 Lenalidomide to be used as third line\* treatment for multiple myeloma; or
  - 2.2 Both:
    - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
    - 2.2.2 The patient has experienced severe (grade 3 or higher), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with \* is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

Tab 400 mg - PCT - Retail pharmacy-Specialist273.00	50	✓ Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist407.50	50	✓ Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist161.25		✓ Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist370.35		✓ Uromitexan
Inj 1 mg for ECP - PCT only - Specialist		✓ Baxter
MITOMYCIN C - PCT only - Specialist	· ·	
Inj 5 mg vial204.08	3 1	✓ Arrow
Inj 1 mg for ECP42.04		✓ Baxter
MITOZANTRONE - PCT only - Specialist	Ü	
Inj 2 mg per ml, 10 ml vial97.50	) 1	✓ Mitozantrone Ebewe
Inj 1 mg for ECP		✓ Baxter
PACLITAXEL - PCT only - Specialist	Ü	
Inj 30 mg47.30	5	✓ Paclitaxel Ebewe
Inj 100 mg20.00		✓ Paclitaxel Ebewe
91.67		Paclitaxel Actavis
Inj 150 mg26.69	9 1	✓ Paclitaxel Ebewe
137.50		✓ Anzatax
		✓ Paclitaxel Actavis
Inj 300 mg35.35	5 1	✓ Paclitaxel Ebewe
275.00		✓ Anzatax
		Paclitaxel Actavis
Inj 600 mg73.06	3 1	✓ Paclitaxel Ebewe
Inj 1 mg for ECP		✓ Baxter
(Paclitaxel Ebewe Inj 600 mg to be delisted 1 April 2018)		
PEGASPARGASE - PCT only - Special Authority see SA1325 on the next p	nage	
Inj 3,750 IU per 5 ml	•	✓ Oncaspar S29
iiij 0,750 io poi 0 iiii	, 1	• Olicaspai ozs

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

## ⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialist		
Inj 10 mgCBS	1	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-Specialist		
Cap 50 mg498.00	50	✓ Natulan S29
TEMOZOLOMIDE - Special Authority see SA1616 below - Retail pharmacy		
Cap 5 mg10.20	5	✓ Orion
		<u>Temozolomide</u>
Cap 20 mg18.30	5	✓ <u>Orion</u>
		<u>Temozolomide</u>
		Temaccord
		✓ Temizole 20 S29
Cap 100 mg40.20	5	✓ Orion
		<u>Temozolomide</u>
Cap 140 mg56.00	5	Orion
		Temozolomide
Cap 250 mg96.80	5	✓ Orion
		Temozolomide

(Temaccord Cap 20 mg to be delisted 1 February 2018)

## ⇒SA1616 Special Authority for Subsidy

**Initial application** — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

**Initial application — (neuroendocrine tumours)** only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour\*; and

Subsidy (Manufacturer's Price)	Suk	Fully	Brand or Generic
 \$	Per	√	Manufacturer

continued...

- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 Patient has glioblastoma multiforme; and
  - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
  - 2.1 Patient has anaplastic astrocytoma\*; and
  - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
  - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE - Retail pharmacy-Specialist - Special	Authority see SA1124 below		
Cap 50 mg	378.00	28	Thalomid
Cap 100 mg	756.00	28	✓ Thalomid

### ⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

### Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis\*.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with \* is an Unapproved Indication.

TRETINOIN		
Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specialist186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml vial - PCT - Retail pharmacy-Specialist74.52	5	✓ DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist85.61	5	✓ DBL Vincristine Sulfate
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	•	Manufacturer
8.00	1	✓	Navelbine
42.00		✓	Vinorelbine Ebewe
40.00	1	1	Navelbine
210.00		1	Vinorelbine Ebewe
0.90	1 mg	1	Baxter
urml			
•	60	1	Sprycel
-,	••		Sprycel
			Sprycel
6,214.20	30		Sprycel
	(Manufacturer's Price) \$8.00 42.0040.00 210.000.90  arm]3,774.066,214.207,692.58	(Manufacturer's Price) \$ Per \$	(Manufacturer's Price) Subsidised \$ Per

### **⇒SA0976** Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
ERLOTINIB - Retail pharmacy-Specialist - Special Authority see	e SA1653 below			
Tab 100 mg	764.00	30	✓	Tarceva
Tab 150 mg	1,146.00	30	1	Tarceva
- CA4CEO Consist Authority for Cubaidu				

⇒SA1653 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- - 3.1 Patient is treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient has discontinued gefitinib due to intolerance; and
    - 3.2.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1654 below Tab 250 mg ......1,700.00 ✓ Iressa

## ⇒SA1654 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- - 2.1 Patient is treatment naive; or
  - 2.2 Both:
    - 2.2.1 The patient has discontinued erlotinib due to intolerance; and
    - 2.2.2 The cancer did not progress whilst on erlotinib; and
  - 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
  - 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

#### IMATINIB MESII ATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✓ Glivec
*	Cap 100 mg		60	✓ Imatinib-AFT
*	Cap 400 mg	197.50	30	✓ Imatinib-AFT

## ⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

The CML/GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

### Special Authority criteria for GIST – access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy 70 Tykerb

## ⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
  - 1.3 Lapatinib not to be given in combination with trastuzumab; and
  - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on trastuzumab; and
  - 2.4 Lapatinib not to be given in combination with trastuzumab; and
  - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- - 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 on the next page - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 150 mg......4,680.00 120 ✓ Tasigna 120 ✓ Tasigna

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

## **⇒SA1489** Special Authority for Subsidy

**Initial application** only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Either:
  - 2.1 Patient has documented CML treatment failure\* with imatinib; or
  - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day: and
- 4 Subsidised for use as monotherapy only.

Note: \*treatment failure as defined by Leukaemia Net Guidelines.

**Renewal** only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

### ⇒SA1190 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 Both:
    - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
    - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of less than or equal to 70; or
  - 5.6 2 or more sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

	Subsidy (Manufacturer's Price)	Sub	Fully	Brand or Generic
	\$	Per	1	Manufacturer
SUNITINIB - Special Authority see SA1266 below - Retail pharr	nacy			
Cap 12.5 mg	2,315.38	28	✓ S	utent
Cap 25 mg	4,630.77	28	✓ S	utent
Cap 50 mg	9,261.54	28	<b>√</b> S	utent

**⇒SA1266** Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- or the following.
- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
  - 2.4 Both:
    - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
    - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of less than or equal to 70; or
  - 5.6 2 or more sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
  - 2.1 The patient's disease has progressed following treatment with imatinib; or
  - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

**Renewal — (RCC)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

**Renewal** — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
--	--	---	-----	---------------------	-------------------------------------	--

continued...

- 1 Any of the following:
  - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
  - 1.2 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease); or
  - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

# **Endocrine Therapy**

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 91

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable – see rule 3.3.2 on page 13

### ⇒SA1515 Special Authority for Subsidy

**Initial application** only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
  - 4.1 All of the following:
    - 4.1.1 Patient is symptomatic; and
    - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
    - 4.1.3 Patient has ECOG performance score of 0-1; and
    - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
  - 4.2 All of the following:
    - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
    - 4.2.2 Patient has ECOG performance score of 0-2; and
    - 4.2.3 Patient has not had prior treatment with abiraterone.

**Renewal — (abiraterone acetate)** only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

CA		

Binarex	28	Tab 50 mg3.80
✓ Bicalaccord		4.90

	Subsidy (Manufacturer's Price)	S Per	Fully Brand or subsidised Generic ✓ Manufacturer
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	16.50	30	✓ Flutamide  Mylan S29
	55.00	100	✓ Flutamin
MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg	54.30	30	✓ Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial	30.64	5	✓ DBL Octreotide
Inj 100 mcg per ml, 1 ml vial		5	✓ DBL Octreotide
Inj 500 mcg per ml, 1 ml ampoule	72.50	5	✓ Octreotide MaxRx
Inj 500 mcg per ml, 1 ml vial	72.50	5	✓ DBL Octreotide
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special	Authority see SA1016	below	- Retail pharmacy
Inj LAR 10 mg prefilled syringe	1,772.50	1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 30 mg prefilled syringe		1	✓ Sandostatin LAR

⇒SA1016 Special Authority for Subsidy

**Initial application** — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed: and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

**Renewal — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal — (Acromegaly)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:
Any of the following:

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
continued			
1 VIPomas and Glucagonomas - for patients who are s	eriously ill in order to impr	ove their clinical	state prior to definitive
surgery; or			
2 Both:			
2.1 Gastrinoma; and 2.2 Either:			
2.2.1 Patient has failed surgery; or			
2.2.2 Patient in metastatic disease after H2	antagonists (or proton pun	np inhibitors) hav	ve failed: or
3 Both:	3 (1 1	,	•
3.1 Insulinomas; and			
<ol><li>3.2 Surgery is contraindicated or has failed; or</li></ol>			
4 For pre-operative control of hypoglycaemia and for m	aintenance therapy; or		
5 Both: 5.1 Carcinoid syndrome (diagnosed by tissue path	halagy and/ar urinany EUIA	A analysis); and	ı
5.1 Calcinoid syndrome (diagnosed by tissue paties) 5.2 Disabling symptoms not controlled by maxima		na alialysis), alic	l
Note: The use of octreotide in patients with fistulae, oesoph		ous diarrhoea an	d hypotension will not be
funded as a Special Authority item	•		
Renewal — (Other Indications) only from a relevant speci			
specialist. Approvals valid for 2 years where the treatment r	emains appropriate and th	e patient is ben	efiting from treatment.
TAMOXIFEN CITRATE  * Tab 10 mg	17.50	100	Genox
* Tab 10 mg			Genox
	8.75		Genox
Aromatase Inhibitors			
ANASTROZOLE			
* Tab 1 mg	5.04	30	Rolin
3	26.55	1	Aremed
			Arimidex
		•	DP-Anastrozole
EXEMESTANE  *** Table 05 mm and 10 m	44.50	00	D# F
* Tab 25 mg	14.50	30	Pfizer Exemestane
LETROZOLE			

# **Immunosuppressants**

# **Cytotoxic Immunosuppressants**

AZA	THIOPRINE - Retail pharmacy-Specialist			
*	Tab 25 mg	9.66	100	✓ <u>Imuran</u>
*	Tab 50 mg - For azathioprine oral liquid formulation refer,			
	page 221	10.58	100	✓ <u>Imuran</u>
*	Inj 50 mg vial	60.00	1	✓ <u>Imuran</u>
MY	COPHENOLATE MOFETIL			
	Tab 500 mg	25.00	50	✓ Cellcept
	Cap 250 mg	25.00	100	✓ Cellcept
	Powder for oral liq 1 g per 5 ml - Subsidy by endorsement	187.25	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

30

✓ Letrole

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

#### **Fusion Proteins**

ETANERCEPT - Special Authority see SA1620 below - Re	tail pharmacy		
Inj 25 mg	799.96	4	Enbrel
Inj 50 mg autoinjector	1,599.96	4	<ul><li>Enbrel</li></ul>
Ini 50 mg prefilled syringe	1.599.96	4	✓ Enbrel

### ⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA: or

#### 2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
  - 2.5.1 Either:
    - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
    - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 2.5.2 Physician's global assessment indicating severe disease.

**Initial application — (rheumatoid arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

continued...

- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold: or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
  - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
  - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
  - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Initial application — (severe chronic plaque psoriasis)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Fither:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
    or
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum\*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both: 1.1 Fither:
  - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
  - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
    - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992:19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal** — **(rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Subsidy (Manufacturer's	Price) Sub	Fully	Brand or Generic	
\$	Per	1	Manufacturer	

continued...

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment: and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

<b>Immune</b>	Mod	lula	tors
---------------	-----	------	------

Inj 50 mg per ml, 5 ml		5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only	- Specialist		
Subsidised only for bladder cancer. Inj 2-8 × 100 million CFU	149.37	1	✓ OncoTICE

TTU ( 400) (TE OLODUU IN (EQUINE)

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

#### Monoclonal Antibodies

ADALIMUMAB	- Special Authority	y see SA1621	below - Retail pharmacy	У
------------	---------------------	--------------	-------------------------	---

Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	<ul><li>Humira</li></ul>
Inj 40 mg per 0.8 ml prefilled pen	1,599.96	2	✓ HumiraPen
Ini 40 mg per 0.8 ml prefilled syringe	1.599.96	2	✓ Humira

# ⇒SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

#### 2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

#### 2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

#### 2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
- 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
- 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

1 Both:

Fither:

- 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
  - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
  - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

#### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or

#### 2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.2 Patient diagnosed with JIA; and
  - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
  - 2.5 Both:
    - 2.5.1 Either:
      - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
      - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
  - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease

**Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum\*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with \* are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 1 Both:
  - 1.1 Either:
    - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
    - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
    - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Fither:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal — (Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Either:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
    - 2.1.2 CDAI score is 150 or less; or
  - 2.2 Both:

Subsidy (Manufacturer's Price)	Full Subsidise		
\$	Per 🗸	Manufacturer	

continued...

- 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
- 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
    - 2.2.2 Fither:
      - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
  - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

**Renewal — (adult-onset Still's disease)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OBINUTUZUMAB  – PCT only – Specialist – Special Authorit	y see SA1627 on the	next page	
Inj 25 mg per ml, 40 ml vial	5,910.00	1	✓ Gazyva
Inj 1 mg for ECP	6.21	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

### **⇒SA1627** Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and</p>
- 4 Patient has adequate neutrophil and platelet counts\* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

\* Neutrophil greater than or equal to  $1.5 \times 10^9$ /L and platelets greater than or equal to  $75 \times 10^9$ /L.

OMALIZUMAB – Special Authority see SA1490 below – Retail pharmacy
Inj 150 mg vial .......500.00 1 ✓ Xolair

### ⇒SA1490 Special Authority for Subsidy

**Initial application** only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated: and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month .

**Renewal** only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

PERTUZUMAB – PCT only – Specialist – Special Author	ority see SA1606 on the ne	ext page	
Inj 30 mg per ml, 14 ml vial	3,927.00	1	Perjeta
Inj 1 mg for ECP	9.82	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

### ⇒SA1606 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
  - 2.1 Patient is chemotherapy treatment naïve; or
  - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

**Renewal — (metastatic breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

#### RITUXIMAB - PCT only - Specialist - Special Authority see SA1686 below

Inj 100 mg per 10 ml vial	1,075.50	2	Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	<ul><li>Mabthera</li></ul>
Inj 1 mg for ECP	5.64	1 mg	Baxter

#### **⇒SA1686** Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL or hairy cell leukaemia\* with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia\* requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. \*Hairy cell leukaemia includes hairy cell leukaemia variant \*Unapproved indication.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the

Subsidy		Fully	Brand or	
(Manufacturer's Price	)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
  - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
  - 1.3 To be used for a maximum of 8 treatment cycles: or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither

All of the following:

- 3.1 The patient is chemotherapy treatment naive; or
- 3.2 Both:
  - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
  - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient does not have chromosome 17p deletion CLL; and
- 6 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles; and
- 7 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia\* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. \*Hairy cell leukaemia includes hairy cell leukaemia variant \*Unapproved indication.

Subsidy (Manufacturer's Price)	ç	Fully Subsidised	Brand or Generic
 \$	Per	<b>✓</b>	Manufacturer

continued...

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had an interval of 36 months or more since commencement of initial rituximab treatment; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks. Inj 100 mg vial ......770.57

Sylvant Svlvant

# ⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1632 below

Inj 150 mg vial		1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

#### ⇒SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
  - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
  - 2.2 Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	/	Manufacturer

continued...

- 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
- 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
  - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
  - 3.2 All of the following:
    - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
    - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
    - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
  - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

### All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
  - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
  - 3.2 Both
    - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress whilst on lapatinib; or
  - 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 4 Fither:
  - 4.1 Trastuzumab will not be given in combination with pertuzumab; or

Subsidy (Manufacturer's Price)	Sul	Fully	Brand or Generic
 \$	Per	✓	Manufacturer

continued...

- 4.2 All of the following:
  - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
  - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
  - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: \* For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

# Programmed Cell Death-1 (PD-1) Inhibitors

NIVOLUMAB - PCT only - Specialist - Special Authority see	SA1656 below		
Inj 10 mg per ml, 4 ml vial	1,051.98	1	<ul><li>Opdivo</li></ul>
Inj 10 mg per ml, 10 ml vial	2,629.96	1	✓ Opdivo
Inj 1 mg for ECP	27.62	1 mg	✓ Baxter

### ⇒SA1656 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
  - 4.1 Patient has not received funded pembrolizumab; or
  - 4.2 Both:
    - 4.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
    - 4.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 5 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	✓	Manufacturer	

continued...

1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to < 10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB - PCT only - Specialist - Special Authority see SA1657 below

#### ⇒SA1657 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
  - 4.1 Patient has not received funded nivolumab; or
  - 4.2 Both:
    - 4.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
    - 4.2.2 The cancer did not progress while the patient was on nivolumab; and
- 5 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
 \$	Per	1	Manufacturer

continued...

5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version

1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to < 10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

### Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg	44.63	50	✓ Neoral
Cap 50 mg		50	✓ Neoral
Cap 100 mg	177.81	50	✓ Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	Neoral
EVEROLIMUS - Special Authority see SA1491 below	- Retail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 10 mg	6,512.29	30	<ul><li>Afinitor</li></ul>
Tab 5 mg	4,555.76	30	Afinitor
Cap 100 mg		50 50 ml OP	✓ Neon ✓ Neon

### **⇒SA1491** Special Authority for Subsidy

**Initial application** only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 Patient has tuberous sclerosis; and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

**Renewal** only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

#### SIROLIMUS - Special Authority see SA0866 on the next page - Retail pharmacy

Tab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	✓ Rapamune

Subsidy		Fully	Brand or	
(Manufacturer's Pr	rice)	Subsidised	Generic	
\$	Per	•	Manufacturer	

#### ⇒SA0866 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min: or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- · Leukoencepthalopathy; or
- · Significant malignant disease

Cap 0.5 mg85.60	100	✓ Tacrolimus Sandoz
Cap 1 mg171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer,		
page 221428.00	50	✓ <u>Tacrolimus Sandoz</u>

# **⇒SA1540** Special Authority for Subsidy

**Initial application — (organ transplant)** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome\*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome\* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
  - 2.1 The patient is an adult with SRNS; and
  - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
  - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with \* are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

# **Antiallergy Preparations**

### **Allergic Emergencies**

ICATIBANT – Special Authority see SA1558 below – Retail pharmacy Inj 10 mg per ml, 3 ml prefilled syringe......2,668.00

1 **✓** Firazyr

### ⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

### **Allergy Desensitisation**

#### ⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Maintenance kit - 6 vials 120 mcg freeze dried venom, with

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy

diluent	285.00	1 OP	✓ Venomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see S	A1367 above	- Retail pharn	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil §29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil S29

# Antihistamines

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	✓ Zista
*‡ Oral liq 1 mg per ml		200 ml	✓ Histaclear
CHLORPHENIRAMINE MALEATE			
* Oral lig 2 mg per 5 ml	8.06	500 ml	✓ Histafen

	Subsidy		Fully	Brand or
	(Manufacturer's Pri		ubsidised	Generic
	\$	Per		Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE				
★ Tab 2 mg	2.02	40		
-	(8.40)		F	Polaramine
	1.01	20		
	(5.99)		F	Polaramine
*‡ Oral liq 2 mg per 5 ml		100 ml		
. 1 01	(10.29)		F	Polaramine
EXOFENADINE HYDROCHLORIDE	,			
	4 24	20		
★ Tab 60 mg		20	-	Telfast
K Tob 100 mg	(8.23)	10	l	eliasi
★ Tab 120 mg		10	-	T-164
	(8.23)	00		Telfast
	14.22	30	_	- 1/
	(26.44)			Telfast
ORATADINE				
* Tab 10 mg	1.28	100	<b>√</b> <u>L</u>	<u>-orafix</u>
* Oral liq 1 mg per ml	2.15	120 ml	<b>√</b> [	orfast
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg	1 78	50	1	Allersoothe
* Tab 25 mg		50	_	Allersoothe
<b>k</b> ‡ Oral lig 1 mg per 1 ml		100 ml		Allersoothe
★ Unit of the per till		5		lospira
	1 F30 15.54	3	• 1	iospii a
FRIMEPRAZINE TARTRATE				
Pral liq 30 mg per 5 ml	2.79	100 ml OF		
	(8.06)		/	/allergan Forte
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				_
Aerosol inhaler, 50 mcg per dose		200 dose O		Qvar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose C	_	Beclazone 50
Aerosol inhaler, 100 mcg per dose	15.50 2	200 dose C		Qvar
Aerosol inhaler, 100 mcg per dose CFC-free	12.50 2	200 dose C	)P 🗸 E	Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free	22.67 2	200 dose C	)P 🗸 E	Beclazone 250
BUDESONIDE				
			D ./ I	Pulmicort
Powder for inhalation, 100 mcg per dose	17 00 2	200 dose O		uninour.
Powder for inhalation, 100 mcg per dose	17.00 2	200 dose C	)F • F	Turbuhaler
				Turbuhaler
Powder for inhalation, 100 mcg per dose  Powder for inhalation, 200 mcg per dose		200 dose C 200 dose C		Pulmicort
Powder for inhalation, 200 mcg per dose	19.00 2	200 dose C	)P <b>✓ F</b>	Pulmicort Turbuhaler
	19.00 2		)P <b>✓ F</b>	Pulmicort Turbuhaler Pulmicort
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose	19.00 2	200 dose C	)P <b>✓ F</b>	Pulmicort Turbuhaler
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose	32.00 2	200 dose C 200 dose C	OP <b>✓ F</b>	Pulmicort Turbuhaler Pulmicort Turbuhaler
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  ELUTICASONE  Aerosol inhaler, 50 mcg per dose	32.00 2	200 dose C 200 dose C 200 dose C	OP	Pulmicort Turbuhaler Pulmicort Turbuhaler
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  FLUTICASONE  Aerosol inhaler, 50 mcg per dose  Aerosol inhaler, 50 mcg per dose CFC-free		200 dose C 200 dose C 20 dose C 20 dose C	OP	Pulmicort Turbuhaler Pulmicort Turbuhaler Floair Flixotide
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  FLUTICASONE  Aerosol inhaler, 50 mcg per dose  Aerosol inhaler, 50 mcg per dose CFC-free  Powder for inhalation, 50 mcg per dose		200 dose C 200 dose C 200 dose C	OP	Pulmicort Turbuhaler Pulmicort Turbuhaler
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  ELUTICASONE  Aerosol inhaler, 50 mcg per dose  Aerosol inhaler, 50 mcg per dose CFC-free		200 dose C 200 dose C 20 dose C 20 dose C	OP	Pulmicort Turbuhaler Pulmicort Turbuhaler Floair Flixotide
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  ELUTICASONE  Aerosol inhaler, 50 mcg per dose  Aerosol inhaler, 50 mcg per dose CFC-free  Powder for inhalation, 50 mcg per dose		200 dose C 200 dose C 200 dose C 20 dose C 60 dose O	OP	Pulmicort Turbuhaler Pulmicort Turbuhaler Floair Flixotide Flixotide Accuhaler
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  ELUTICASONE  Aerosol inhaler, 50 mcg per dose  Aerosol inhaler, 50 mcg per dose CFC-free  Powder for inhalation, 50 mcg per dose  Powder for inhalation, 100 mcg per dose		200 dose C 200 dose C 20 dose C 20 dose C 60 dose O 60 dose O	DP / F	Pulmicort Turbuhaler Pulmicort Turbuhaler Floair Flixotide Flixotide Accuhaler Flixotide Accuhaler
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  FLUTICASONE  Aerosol inhaler, 50 mcg per dose  Aerosol inhaler, 50 mcg per dose CFC-free  Powder for inhalation, 50 mcg per dose  Powder for inhalation, 100 mcg per dose  Aerosol inhaler, 125 mcg per dose		200 dose C 200 dose C 20 dose C 20 dose C 60 dose O 60 dose O 20 dose C	DP	Pulmicort Turbuhaler Pulmicort Turbuhaler Floair Flixotide Flixotide Accuhaler Flixotide Accuhaler Floair
Powder for inhalation, 200 mcg per dose  Powder for inhalation, 400 mcg per dose  FLUTICASONE  Aerosol inhaler, 50 mcg per dose  Aerosol inhaler, 50 mcg per dose CFC-free  Powder for inhalation, 50 mcg per dose  Powder for inhalation, 100 mcg per dose  Aerosol inhaler, 125 mcg per dose CFC-free  Aerosol inhaler, 125 mcg per dose CFC-free		200 dose C 200 dose C 200 dose C 20 dose C 60 dose O 60 dose O 20 dose C 20 dose C 20 dose C	DP / F	Pulmicort Turbuhaler Pulmicort Turbuhaler Floair Flixotide Flixotide Accuhaler Flixotide Accuhaler Flixotide

	Subsidy		Fully Brand or
	(Manufacturer's I	Price) Subsid	dised Generic  ✓ Manufacturer
	Ψ	1 01	Wandiactarci
Inhaled Long-acting Beta-adrenoceptor Agoni	sts		
EFORMOTEROL FUMARATE			
Powder for inhalation, 6 mcg per dose, breath activated	10.32	60 dose OP	
	(16.90)		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de		60 dose	
	(35.80)		Foradil
INDACATEROL			
Powder for inhalation 150 mcg		30 dose OP	<ul> <li>Onbrez Breezhaler</li> </ul>
Powder for inhalation 300 mcg	61.00	30 dose OP	<ul> <li>Onbrez Breezhaler</li> </ul>
SALMETEROL			
Aerosol inhaler CFC-free, 25 mcg per dose		120 dose OP	✓ Serevent
Aerosol inhaler 25 mcg per dose	9.90	120 dose OP	✓ Meterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose OP	✓ Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta	a-Adrenocept	or Agonists	
BUDESONIDE WITH EFORMOTEROL			
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	18.23	120 dose OP	✓ Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6		120 dose OP	✓ Symbicort
			Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 dose OP	✓ Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6	6 mcg 44.08	120 dose OP	✓ Symbicort
			Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate			
12 mcg - No more than 2 dose per day	44.08	60 dose OP	✓ Symbicort
			Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL			
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✓ Breo Ellipta
FLUTICASONE WITH SALMETEROL			
Aerosol inhaler 50 mcg with salmeterol 25 mcg	14.58	120 dose OP	✓ RexAir
	33.74		✓ Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg		120 dose OP	✓ RexAir
	44.08		✓ Seretide
Powder for inhalation 100 mcg with salmeterol 50 mcg – N		CO dana OD	Complide Assubator
more than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg - Nore than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
more man z dose per day	44.00	00 dose OF	• Serelide Accumaler
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 400 mcg per ml	2.06	150 ml	✓ Ventolin
Infusion 1 mg per ml, 5 ml		10	
	(130.21)		Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin

	Subsidy		Fully Brand or		
	(Manufacturer's Pri	ce) Subsic Per	lised Generic  ✓ Manufacturer		
Inhaled Beta-Adrenoceptor Agonists					
SALBUTAMOL					
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000			45		
dose available on a PSO	3.80 2	200 dose OP	<ul><li>✓ Respigen</li><li>✓ SalAir</li></ul>		
	(6.00)		Ventolin		
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb		00	/ A - Al U-		
available on a PSO  Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb		20	✓ <u>Asthalin</u>		
available on a PSO		20	✓ <u>Asthalin</u>		
TERBUTALINE SULPHATE					
Powder for inhalation, 250 mcg per dose, breath activated	22.00 2	200 dose OP	<ul> <li>Bricanyl Turbuhaler</li> </ul>		
Anticholinergic Agents					
IPRATROPIUM BROMIDE					
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dose available on a PSO		200 dose OP	✓ Atrovent		
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 ne		00	<b>4</b> 11 1 1		
available on a PSO Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 ne		20	✓ <u>Univent</u>		
available on a PSO		20	✓ <u>Univent</u>		
Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents					
SALBUTAMOL WITH IPRATROPIUM BROMIDE					
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg p		200 de - OD	A Decello LIEA		
dose CFC-free  Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per	12.19 2	200 dose OP	✓ Duolin HFA		
vial, 2.5 ml ampoule – Up to 20 neb available on a PSO	3.59	20	✓ <u>Duolin</u>		
Long-Acting Muscarinic Antagonists					
GLYCOPYRRONIUM - Subsidy by endorsement					
<ul> <li>a) Inhaled glycopyrronium treatment will not be subsidised if umeclidinium.</li> </ul>	patient is also rec	ceiving treatme	nt with subsidised tiotropium or		
b) Glycopyrronium powder for inhalation 50 mcg per dose is	subsidised only for	or patients who	have been diagnosed as		
having COPD using spirometry, and the prescription is en Powder for inhalation 50 mcg per dose		ly. 30 dose OP	✓ Seebri Breezhaler		
TIOTROPIUM BROMIDE - Special Authority see SA1568 below					
Tiotropium treatment will not be subsidised if patient is also rumeclidinium.	eceiving treatmen	t with subsidise	ed inhaled glycopyrronium or		
Powder for inhalation, 18 mcg per dose	50.37	30 dose	✓ Spiriva		
Soln for inhalation 2.5 mcg per dose		60 dose OP	✓ Spiriva Respimat		

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the

continued...

**⇒SA1568** Special Authority for Subsidy

following criteria:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

### All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 µg ipratropium a.i.d for one month: and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV, (litres); and
- 4.2 Predicted FEV, (litres); and
- 4.3 Actual FEV, as a % of predicted (must be below 60%); and
- 5 Fither:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

#### Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

#### UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

Powder for inhalation 62.5 mcg per dose......61.50 30 dose OP ✓ Incruse Ellipta

# Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

### ⇒SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 ab	ove – Retail pha	armacy		
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP	✓ Ultibro Breezhaler		
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584 above - Retail pharmacy				
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00	60 dose OP	✓ Spiolto Respimat		

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
	Per 🗸	Manufacturer	

UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 on the previous page - Retail pharmacy Powder for inhalation 62.5 mcg with vilanterol 25 mcg ......77.00 ✓ Anoro Ellipta 30 dose OP

#### **Antifibrotics**

PIRFENIDONE - Retail pharmacy-Specialist - Special Authority see SA1628 below

Cap 267 mg - Wastage claimable - see rule 3.3.2 on

270 ✓ Eshriet

### ⇒SA1628 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis as confirmed by histology. CT or biopsy; and
- 2 Forced vital capacity is between 50% and 80% predicted; and
- 3 Pirfenidone is to be discontinued at disease progression (See Notes).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Pirfenidone is to be discontinued at disease progression (See Notes).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

# Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg5.25	28	✓ Apo-Montelukast
Tab 5 mg5.50	28	✓ Apo-Montelukast
Tab 10 mg5.65	28	✓ Apo-Montelukast

### ⇒SA1421 Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

	Subsidy		Fully	Brand or
(Mai	nufacturer's Price)	Subsi	dised	Generic
	\$	Per	✓	Manufacturer

continued...

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

### **Mast Cell Stabilisers**

NE	DOCE	
N⊏	DOCH	10MIL

Aerosol inhaler, 2 mg per dose CFC-free	28.07	112 dose OP	Tilade
---	-------	-------------	--------

### SODIUM CROMOGLICATE

Powder for inhalation, 20 mg per dose26.35 50 dose	✓ Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free	✓ Intal Forte CFC Free

(Intal Spincaps Powder for inhalation, 20 mg per dose to be delisted 1 January 2018)

# Methylxanthines

#### **AMINOPHYLLINE**

* Inj 25 mg per mi, 10 mi ampoule – Up to 5 inj available on a PSO124.37	5	✓ DBL Aminophylline
THEOPHYLLINE		
* Tab long-acting 250 mg21.51	100	✓ Nuelin-SR
*‡ Oral lig 80 mg per 15 ml	500 ml	✓ Nuelin

# Mucolytics

DORNASE ALFA - Special Authority see SA0611 below - Re	tali bharmacv
--	---------------

Nebuliser soln, 2.5 mg per 2.5 ml ampoule......250.00 6 ✓ Pulmozyme

#### ⇒SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

#### SODIUM CHLORIDE

Not funded for use as a nasal drop.

# **Nasal Preparations**

# **Allergy Prophylactics**

#### BECLOMETHASONE DIPROPIONATE

PEOLOWETT MOONE BIT TO TOWN TE				
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP		
	(5.26)		Alanase	
Metered aqueous nasal spray, 100 mcg per dose	2.46	200 dose OP		
	(6.00)		Alanase	

	Subsidy (Manufacturer's \$	Price) Subsi Per	Fully Brand or dised Generic Manufacturer
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose	2.35 (5.26)	200 dose OP	Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose	` '	200 dose OP	Butacort Aqueous
FLUTICASONE PROPIONATE	, ,		·
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	✓ Flixonase Hayfever & Allergy
PRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	4.61	15 ml OP	✓ <u>Univent</u>
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			
Small	2.20	1	✓ e-chamber Mask
PEAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range	9.54	1	✓ Mini-Wright AFS
· · g-			Low Range
Normal range	9.54	1	✓ Mini-Wright
<b></b>			Standard
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
220 ml (single patient)	2.95	1	✓ e-chamber Turbo
510 ml (single patient)		i 1	✓ e-chamber La
, ,			Grande
800 ml	6.50	1	✓ Volumatic
Respiratory Stimulants			
CAFFFINE CITRATE			
MIT LINE OTHERTE			a =

Oral liq 20 mg per ml (10 mg base per ml)......14.85 25 ml OP

✓ Biomed

	Subsidy		Fully	Brand or
	(Manufacturer's Pric \$	e) Sul Per	osidised	Generic Manufacturer
	Ψ	r ei		Wandacturer
Ear Preparations				
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BE	NZETHONIUM			
For Vosol ear drops with hydrocortisone powder refer Standa	ard Formulae, <mark>page</mark>	224		
Ear drops 2% with 1, 2-Propanediol diacetate 3% and				
benzethonium chloride 0.02%	6.97	35 ml OP	<b>✓</b> V	osol
FLUMETASONE PIVALATE	4.40	7 F I OD		
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	<b>✓</b> L	ocacorten-Viaform ED's
			<b>✓</b> 1	ocorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTATIN	1	_	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate		l		
2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	<b>✓</b> K	enacomb
Ear/Eye Preparations				
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN				
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and				
gramicidin 50 mcg per ml		8 ml OP		
	(9.27)		S	ofradex
FRAMYCETIN SULPHATE	4.40	0 100		
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	9	oframycin
	(0.00)		U	onamyon
Eye Preparations				
Eye preparations are only funded for use in the eye, unless explicit	citly stated otherwis	se.		
Anti-Infective Preparations				
ACICLOVIR				
* Eye oint 3%	14.92	4.5 g OP	✓ V	<u>iruPOS</u>
CHLORAMPHENICOL				
Eye oint 1%		4 g OP		hlorsig
Eye drops 0.5%	0.98	10 ml OP	<b>→</b> <u>C</u>	hlorafast
Indications marked with * are Unapproved Indications.				
CIPROFLOXACIN				
Eye Drops 0.3% – Subsidy by endorsement		5 ml OP	•	iloxan
When prescribed for the treatment of bacterial keratitis of				
for the second line treatment of chronic suppurative otitis		and the pre	scription	is endorsed accordingly.
Note: Indication marked with a * is an Unapproved Indic	cation.			

**GENTAMICIN SULPHATE** 

PROPAMIDINE ISETHIONATE

SODIUM FUSIDATE [FUSIDIC ACID]

if endorsed "certified exemption" by the prescriber or pharmacist.

5 ml OP

10 ml OP

5 g OP

(14.55)

✓ Genoptic

Brolene

✓ Fucithalmic

\* Eye drops 0.1%......2.97

	Subsidy (Manufacturer's F	rice) Subs	Fully	Brand or Generic	
	\$	Per	1	Manufacturer	
TOBRAMYCIN Eye oint 0.3% Eye drops 0.3%		3.5 g OP 5 ml OP		obrex obrex	
Corticosteroids and Other Anti-Inflammatory Pr	reparations				
DEXAMETHASONE  * Eye oint 0.1%	5.86	3.5 g OP	✓ N	laxidex	

# ⇒SA1680 Special Authority for Subsidy

Initial application — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

5 ml OP

✓ Maxidex

✓ Ozurdex

All of the following:

1 Patient has diabetic macular oedema with pseudophakic lens; and

\* Eye drops 0.1%......4.50

Ocular implant 700 mcg - Special Authority see SA1680 below

- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- 3 Fither
  - 3.1 Patient's disease has progressed despite 3 injections with bevacizumab; or
  - 3.2 Patient is unsuitable or contraindicated to treatment with anti-VEGF agents; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months, and up to a maximum of 3 implants per year.

**Renewal — (Diabetic macular oedema)** only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Dexamethasone implants are to be administered not more frequently than once every 4 months, and up to a maximum of 3 implants per year.

**Initial application — (Women of child bearing age with diabetic macular oedema)** only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has diabetic macular oedema; and
- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- 3 Patient is of child bearing potential and has not yet completed a family; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months, and up to a maximum of 3 implants per year.

Renewal — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Patient is of child bearing potential and has not yet completed a family; and
- 3 Dexamethasone implants are to be administered not more frequently than once every 4 months, and up to a maximum of 3 implants per year.

### DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMYXIN B SULPHATE

*	Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per g	5.39	3.5 g OP	✓ Maxitrol
*	Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per ml4		5 ml OP	✓ Maxitrol
	CLOFENAC SODIUM  Eye drops 0.1%13	3.80	5 ml OP	✓ Voltaren Ophtha

	Subsidy		Fully	Brand or
	(Manufacturer's Pri \$	ice) Subs Per	sidised •	Generic Manufacturer
FLUOROMETHOLONE				
* Eye drops 0.1%	3.09	5 ml OP	<b>√</b> <u>F</u>	ML
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71	4 ml OP		
	(10.34)		L	ivostin
LODOXAMIDE				
Eye drops 0.1%	8.71	10 ml OP	<b>√</b> L	omide
PREDNISOLONE ACETATE				
Eye drops 1%	3.93	10 ml OP	<b>✓</b> P	rednisolone-AFT
•	7.00	5 ml OP	<b>√</b> P	red Forte
PREDNISOLONE SODIUM PHOSPHATE - Special Authority	see SA1547 below	– Retail pharr	nacy	
Eye drops 0.5%, single dose (preservative free)		20 dose		linims Prednisolone

#### **⇒SA1547** Special Authority for Subsidy

Initial application only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLICATE	
Eye drops 2%	0.85

Glaucoma Preparations - Beta Blockers		
BETAXOLOL		
* Eye drops 0.25%11.80	5 ml OP	✓ Betoptic S
* Eye drops 0.5%7.50	5 ml OP	✓ Betoptic
LEVOBUNOLOL		•
* Eye drops 0.5%7.00	5 ml OP	✓ Betagan
TIMOLOL		-
* Eye drops 0.25%	5 ml OP	Arrow-Timolol
* Eye drops 0.25%, gel forming	2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%	5 ml OP	✓ Arrow-Timolol
* Eye drops 0.5%, gel forming	2.5 ml OP	✓ Timoptol XE

# Glaucoma Preparations - Carbonic Anhydrase Inhibitors

	$\Gamma\Delta TC$		

* Tab 250 mg — For acetazolamide oral liquid formulation refer, page 221	17.03	100	✓ Diamox
BRINZOLAMIDE  * Eye drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE  * Eye drops 2%		5 ml OP	
- 1/3 diopo 2/3	(17.44)	0 1111 01	Trusopt
DORZOLAMIDE WITH TIMOLOL  * Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ Arrow-Dortim

5 ml OP

✓ Rexacrom

	Subsidy		Fully Brand or	
	(Manufacturer's P \$	rice) Subs Per	idised Generic  Manufacturer	
Glaucoma Preparations - Prostaglandin Analog	jues			
BIMATOPROST  * Eye drops 0.03%	3.65	3 ml OP	✓ Bimatoprost A	ctavis
ATANOPROST  * Eye drops 0.005%	1.50	2.5 ml OP	✓ Hysite	
FRAVOPROST  * Eye drops 0.004%	7.30 19.50	5 ml OP 2.5 ml OP	<ul><li>✓ Travopt</li><li>✓ Travatan</li></ul>	
Glaucoma Preparations - Other				
## Eye drops 0.2%	4.29	5 ml OP	✓ Arrow-Brimon	idine
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE  * Eye drops 0.2% with timolol maleate 0.5%  PILOCARPINE HYDROCHLORIDE	18.50	5 ml OP	✓ Combigan	
<ul> <li>Eye drops 1%</li> <li>Eye drops 2%</li> <li>Eye drops 4%</li> <li>Subsidised for oral use pursuant to the Standard Formu</li> </ul>	5.35 7.99	15 ml OP 15 ml OP 15 ml OP	<ul><li>✓ Isopto Carpine</li><li>✓ Isopto Carpine</li><li>✓ Isopto Carpine</li></ul>	•
Eye drops 2% single dose – Special Authority see SA0895  below – Retail pharmacy	31.95	20 dose	✓ Minims Piloca	rpine
<ul> <li>SA0895 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valifier:         <ul> <li>1 Patient has to use an unpreserved solution due to an alle</li> <li>2 Patient wears soft contact lenses.</li> </ul> </li> <li>Note: Minims for a general practice are considered to be "tools of Renewal from any relevant practitioner. Approvals valid for 2 yearenefiting from treatment.</li> </ul>	rgy to the preserv	rative; or not approved a	s special authority ite	ems.
Mydriatics and Cycloplegics				
ATROPINE SULPHATE  * Eye drops 1%  CYCLOPENTOLATE HYDROCHLORIDE	17.36	15 ml OP	✓ <u>Atropt</u>	
FOPICAMIDE		15 ml OP	✓ Cyclogyl	
★ Eye drops 0.5%      Eye drops 1%		15 ml OP 15 ml OP	<ul><li>✓ Mydriacyl</li><li>✓ Mydriacyl</li></ul>	
Preparations for Tear Deficiency				
For acetylcysteine eye drops refer Standard Formulae, page 224				

(3.92)

15 ml OP

Methopt

\* Eye drops 0.5%......2.00

	Subsidy (Manufacturer's Pr	ice) Subs		Brand or Generic
	\$	Per		Manufacturer
HYPROMELLOSE WITH DEXTRAN				
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	<b>✓</b> P	oly-Tears
POLYVINYL ALCOHOL				
* Eye drops 1.4%	2.62	15 ml OP	✓ V	<u>istil</u>
* Eye drops 3%	3.68	15 ml OP	✓ V	istil Forte

### **Preservative Free Ocular Lubricants**

### ⇒SA1388 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
  - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
  - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

**Renewal** from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.

# Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE  * Eye drops 0.1%4.1	5 15 ml OP	✓ Naphcon Forte
OLOPATADINE  Eye drops 0.1%13.6	60 5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT  * Eye oint 3% with wool fat 3%	3 3.5 g OP	✓ Poly-Visc
RETINOL PALMITATE  Eve oint 138 mcg per g	30 5 a OP	✓ VitA-POS



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

# Various

PHARMACY SERVICES

May only be claimed once per patient.

\* Brand switch fee .......4.50 1 fee BSF Mylan Clonidine

The Pharmacode for BSF Mylan Clonidine is 2533839 - see also page 61 (BSF Mylan Clonidine Brand switch fee to be delisted 1 March 2018)

# Agents Used in the Treatment of Poisonings

#### **Antidotes**

ACETYLCYSTEINE - Retail pharmacy-Specialist

10 ✓ DBL Acetvlcvsteine

NALOXONE HYDROCHLORIDE

a) Up to 5 inj available on a PSO

b) Only on a PSO

5 ✓ Hospira

### Removal and Elimination

#### CHARCOAL

<b>*</b> 0	ral lig 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X
------------	-------------------------	-------	-----------	---------------

- a) Up to 250 ml available on a PSO
- b) Only on a PSO

### DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Tractage claimable coot rate cities on page 10			
Tab 125 mg dispersible	276.00	28	Exjade
Tab 250 mg dispersible	552.00	28	Exiade
Tab 500 mg dispersible	1,105.00	28	Exjade

### ⇒SA1492 Special Authority for Subsidy

**Initial application** only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
  - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels. liver or cardiac MRI T2\*: or
  - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
  - 3.3 Treatment with deferiprone has resulted in arthritis; or
  - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per µL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per uL).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels.

	Subsidy (Manufacturer's Prio \$	ce) Subs	Fully sidised	Brand or Generic Manufacturer
DEFERIPRONE – Special Authority see SA1480 below – Retail p	•	100	<b>√</b> F	erriprox
Oral liq 100 mg per 1 ml		250 ml OP		erriprox

### ⇒SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

* Inj 500 mg vial	51.52	10	✓ Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium
			Versenate

### SECTION C: EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- · Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- · Emulsifying ointment BP
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- · Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

**Standard formulae:** Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

### **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored. The Emixt website <a href="https://www.pharminfotech.co.nz">www.pharminfotech.co.nz</a> has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

### Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Flecainide 20 mg/ml Rifabutin 20 mg/ml Allopurinol 20 mg/ml Gabapentin 100 mg/ml Sildenafil 2 mg/ml Sildenafil 2 mg/ml Sotalol 5 mg/ml Sotalol 5 mg/ml Azathioprine 50 mg/ml Labetolol 10 mg/ml Sulphasalazine 100 mg/ml

Baclofen 10 mg/ml

Carvedilol 1 mg/ml

Levetiracetam 100 mg/ml

Levodopa with carbidopa (5 mg levodopa

Terbinafine 25 mg/ml

Clopidogrel 5 mg/ml + 1.25 mg carbidopa)/ml Tramadol 10 mg/ml
Diltiazem hydrochloride 12 mg/ml Metoclopramide 1 mg/ml Ursodeoxycholic acid 50 mg/ml
Dipyridamole 10 mg/ml Metoprolol tartrate 10 mg/ml Valganciclovir 60 mg/ml\*
Domperidone 1 mg/ml Nitrofurantoin 10 mg/ml Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

\*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl
  hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is
  added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.



#### EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.


Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 220) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products). One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid. The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised. The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

# Dermatological ECPs

Is it subsidised?



# EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

# Standard Formulae

Standard Formulae			
ACETYLCYSTEINE EYE DROPS		PHENOBARBITONE ORAL LIQUID	
Acetylcysteine inj 200 mg per ml, 10 ml	<b>a</b> o	Phenobarbitone Sodium	1 0
	qs		1 g
Suitable eye drop base	qs	Glycerol BP	70 ml
ACRIDINI AND CHI ORGEODIA ARRIVOATIONI		Water	to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION	40 1-1-	DUENORA PRITONE CORUNA RA ERIATRIO ORAL	LIQUID (40
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRIC ORAL	LIQUID (10
Chloroform	to 100 ml	mg per ml)	
CODEINE LINCTUC DAEDIATRIC (C		Phenobarbitone Sodium	400 mg
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml)	00	Glycerol BP	4 ml
Codeine phosphate	60 mg	Water	to 40 ml
Glycerol	40 ml		
Preservative	qs	PILOCARPINE ORAL LIQUID	
Water	to 100 ml	Pilocarpine 4% eye drops	qs
CODEINE LINOTUO DIADETIO (45		Preservative	qs
CODEINE LINCTUS DIABETIC (15 mg per 5 ml)		Water	to 500 ml
Codeine phosphate	300 mg	(Preservative should be used if quantity supplied is	for more
Glycerol	40 ml	than 5 days.)	
Preservative	qs	• •	
Water	to 100 ml	SALIVA SUBSTITUTE FORMULA	
		Methylcellulose	5 g
FOLINIC MOUTHWASH		Preservative	qs
Calcium folinate 15 mg tab	1 tab	Water	to 500 ml
Preservative	qs	(Preservative should be used if quantity supplied is	for more
Water	to 500 ml	than 5 days. Maximum 500 ml per prescription.)	
(Preservative should be used if quantity supplied is	for more	, , , , , , , , , , , , , , , , , , , ,	
than 5 days. Maximum 500 ml per prescription.)		SODIUM CHLORIDE ORAL LIQUID	
		Sodium chloride inj 23.4%, 20 ml	qs
MAGNESIUM HYDROXIDE 8% MIXTURE		Water	qs
Magnesium hydroxide paste 29%	275 g	(Only funded if prescribed for treatment of hyponatra	aemia)
Methyl hydroxybenzoate	1.5 g		
Water	to 1,000 m	VANCOMYCIN ORAL SOLUTION (50 mg per ml)	
		Vancomycin 500 mg injection	10 vials
METHADONE MIXTURE		Glycerol BP	40 ml
Methadone powder	qs	Water	to 100 ml
Glycerol	qs	(Only funded if prescribed for treatment of Clostridiu	m difficile
Water	to 100 ml	following metronidazole failure)	
METHYL HYDDOXYDENIZOATE 400/ COLUTION		WOODL EAR PROPO	
METHYL HYDROXYBENZOATE 10% SOLUTION		VOSOL EAR DROPS	
Methyl hydroxybenzoate	10 g	WITH HYDROCORTISONE POWDER 1%	
Propylene glycol	to 100 ml	Hydrocortisone powder	1%
(Use 1 ml of the 10% solution per 100 ml of oral liqu	ıid mixture)	Vosol Ear Drops	to 35 ml
OMEPRAZOLE SUSPENSION			
Omeprazole capules or powder	qs		
Sodium bicarbonate powder BP	чs 8.4 g		
Motor	0.4 y		

to 100 ml

Water

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Extemporaneously Compounded Preparations and Galenicals BENZOIN Tincture compound BP......24.42 500 ml (39.90)Pharmacy Health 2.44 50 ml (5.10)Pharmacy Health CHLOROFORM - Only in combination Only in aspirin and chloroform application. 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency Powder - Only in combination......63.09 (90.09)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) \$\preceq\$ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collodion flexible ......19.30 100 ml ✓ PSM COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. ✓ Midwest 100 ml 34.18 David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. 473 ml ✓ Ora-Sweet SF GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. 473 ml ✓ Ora-Sweet GI YCFROI 500 ml ✓ healthE Glycerol BP Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE ✓ PSM 500 q METHADONE HYDROCHI ORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). 1 g ✓ AFT ‡ Safety cap for extemporaneously compounded oral liquid preparations. METHYL HYDROXYBENZOATE PSM 25 g ✓ Midwest **METHYLCELLULOSE** ✓ MidWest 100 g ✓ Ora-Plus 473 ml METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHARIN - Only in combination 473 ml ✓ Ora-Blend SF 

if endorsed "certified exemption" by the prescriber or pharmacist.

<sup>‡</sup> safety cap

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pric		bsidised	Generic
	\$	Per	•	Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl	v in combination			
Suspension		473 ml	10	Ora-Blend
•				2
PHENOBARBITONE SODIUM				
Powder – Only in combination	52.50	10 g	-	/lidWest
	325.00	100 g	✓ N	/lidWest
a) Only in children up to 12 years				
b)‡ Safety cap for extemporaneously compounded oral I	liquid preparations.			
PROPYLENE GLYCOL	1			
Only in extemporaneously compounded methyl hydroxybenz				
Liq	11.25	500 ml	✓ N	/lidwest
SODIUM BICARBONATE				
Powder BP — Only in combination	8 95	500 g	<b>✓</b> N	/lidwest
Torradi Bi Oring in combination	9.80	000 g		anoot
			_	Souid Crain
Out. in	(29.50)		L	David Craig
Only in extemporaneously compounded omeprazole and	i lansoprazole susp	pension.		
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparation	ons.			
Liq		2,000 ml	<b>✓</b> N	Midwest
•		<u>_,</u> 000 IIII	٠.,	
WATER				
Tap - Only in combination	0.00	1 ml	<b>✓</b> T	ap water

# **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and charges to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the Conditions and Guidelines for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Only from a dietitian, relevant specialist or a vocationally registered general Reapplications:

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or vocationally registered

general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### **Definitions**

Failure to thrive An inability to gain or maintain weight resulting in physiological impairment. Growth deficiency

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition.



Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

# **Nutrient Modules**

### Carbohydrate

### ⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Fither:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

**Initial application** — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism: or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

# Carbohydrate And Fat

### **⇒SA1376** Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

0.1.1		F "	D 1	
Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	✓	Manufacturer	

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or
  - 2.2 faltering growth; or
  - 2.3 bronchopulmonary dysplasia; or
  - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

#### Fat

# **⇒SA1523** Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome: or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or



Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	•	Manufacturer

- 10 ascites: or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT – Special Authority see SA1523 on the previous page – Hospital pharmacy [HP3]

Emulsion (neutral)	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml114.92	4 OP	✓ Liquigen

### **Protein**

#### ⇒SA1524 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - S	Special Authority see SA1524 above – Hospital pha	armacy [HP3]	
Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	Resource
			Beneprotein

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Sustagen Diabetic

# Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

### Respiratory Products

### ⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 vear where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3] 237 ml OP ✓ Pulmocare

### Diabetic Products

### ⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Liquid	,	Hospital pharm 1,000 ml OP	,
DIABETIC ORAL FEED 1KCAL/ML - Special Au	thority see SA1095 above – Hos	pital pharmacy	[HP3]
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
,	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

(2.10)



Subsidy (Manufacturer's Price) \$ Fully Subsidised Brand or Generic Manufacturer

### **Fat Modified Products**

#### ⇒SA1525 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED − Special Authority see SA1525 above − Hospital pharmacy [HP3]

Powder .......60.48 400 q OP

✓ Monogen

### Paediatric Products For Children Awaiting Liver Transplant

### ⇒SA1098 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

### Paediatric Products For Children With Chronic Renal Failure

#### ⇒SA1099 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

ENTERAL/ORAL FEED 1KCAL/ML − Special Authority see SA1099 on the previous page − Hospital pharmacy [HP3] Liquid.......54.00 400 g OP ✓ Kindergen

### **Paediatric Products**

#### ⇒SA1379 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years: and
- 2 Any of the following:
  - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
  - 2.2 any condition causing malabsorption; or
  - 2.3 faltering growth in an infant/child; or
  - 2.4 increased nutritional requirements; or
  - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority see \$A1379 a Liquid	above – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1379 ab Liquid	ove – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority Liquid	see SA1379 above − Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED - Special Authority see SA1379 above - Hospital provider (vanilla)28.00	oharmacy [HP3] 850 g OP <b>✓ Pediasure</b>
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see SA1379 abov Liquid (strawberry)	e – Hospital pharmacy [HP3] 200 ml OP  ✓ Fortini 200 ml OP  ✓ Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA1379 above Liquid (chocolate)	- Hospital pharmacy [HP3] 200 ml OP  ✓ Pediasure 200 ml OP  ✓ Pediasure 200 ml OP  ✓ Pediasure 250 ml OP  ✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see Liquid (chocolate)	200 ml OP
PEPTIDE-BASED ORAL FEED – Special Authority see SA1379 above – Hosp Powder43.60	ital pharmacy [HP3] 400 g OP ✓ Peptamen Junior



Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	/	Manufacturer

### **Renal Products**

#### ⇒SA1101 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML - Special Authori Liquid	•		
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority se	e SA1101 above – Hos	pital pharmacy	[HP3]
Liquid	2.67	220 ml OP	
			(strawberry)
			✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see	SA1101 above - Hospi	tal pharmacy [F	HP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	✓ Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✓ Renilon 7.5

# **Specialised And Elemental Products**

### **⇒SA1377** Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Brand or

Fully

	(Manufacturer's F	Price) Subsi Per	idised Generic  Manufacturer
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Spe pharmacy [HP3] Liquid	,	1,000 ml OP	e previous page – Hospital  Vital
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	SA1377 on the 1171.00	previous page - 18 OP 18 OP 18 OP	- Hospital pharmacy [HP3]  ✓ Elemental 028 Extra  ✓ Elemental 028 Extra  ✓ Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see S Powder (unflavoured)		evious page – F 80 g OP	Hospital pharmacy [HP3]  ✓ Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Auth	•		
Liquid	12.04	1,000 ml OP	✓ Peptisorb

Subsidy

# Paediatric Products For Children With Low Energy Requirements

### ⇒SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

•				Multi Fibre
Liquid	4.00	500 ml OP	1	Nutrini Low Energy
PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML  – Sp	pecial Authority	see SA1196	above -	<ul> <li>Hospital pharmacy [HP3]</li> </ul>

# Standard Supplements

### ⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age: and
- 2 Any of the following:
  - 2.1 The patient has a condition causing malabsorption; or
  - 2.2 The patient has failure to thrive: or
  - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m<sup>2</sup>; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m<sup>2</sup> and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m<sup>2</sup>; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m<sup>2</sup> and unintentional weight loss greater than 5% within the last 3-6 months.



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result: or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

**Initial application** — (**Long-term medical condition**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or



Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	ubsidised	Generic
\$	Per	✓	Manufacturer

- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm3); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 235 - Liquid7.00	Hospital pharmacy	y [HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML — Special Authority see SA1554 on page 235 — Ho Liquid	ospital pharmacy [ 250 ml OP 1,000 ml OP	✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 Liquid	on page 235 – Ho 1,000 ml OP	ospital pharmacy [HP3]  Nutrison  800 Complete  Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML — Special Authority see SA1554 on Liquid	page 235 - Hosp 1,000 ml OP	ital pharmacy [HP3]  Jevity RTH  Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see SA1554 or Liquid	n page 235 – Hos 250 ml OP 1,000 ml OP	

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

ORAL FEED (POWDER) - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) – Higher subsidy of up to \$26.00 per 850 g with Endorsement......26.00

.26.00 850 g OP 9.54 840 g OP (14.90)

Sustagen Hospital Formula

✓ Ensure

✓ Fortisip✓ Ensure

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Powder (vanilla) - Higher subsidy of up to \$26.00 per 850 g

Sustagen Hospital Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with

Liquid (bariaria) — riigiler subsidy of \$1.20 per 200 mi with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml			
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml with			
Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	1	Manufacturer	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with

Liquid (chocolate) — Higher Subsidy of \$1.20 per 200 fill with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	

(1.26)

Fortisip Multi Fibre

### **High Calorie Products**

### ⇒SA1195 Special Authority for Subsidy

**Initial application** — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 faltering growth in an infant/child; or
  - 1.3 increased nutritional requirements; or
  - 1.4 fluid restricted; and
  - 2 other lower calorie products have been tried; and
  - 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 abov	/e – Hospital	pharmacy [HP3]	
Liquid	5.50	500 ml OP	✓ Nutrison
			Concentrated
	11.00	1,000 ml OP	Two Cal HN RTH

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

90) Two Cal HN

### **Food Thickeners**

### ⇒SA1106 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### **Gluten Free Foods**

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

### **⇒SA1107** Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107	above – Hospital pharmac	y [HP3]
Powder	2.81 1,000	g OP
	(5.15)	Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1107	above – Hospital pharmacy	/ [HP3]
Powder	3.93 1,000	g OP
	(7.32)	NZB Low Gluten Bread Mix
	3.51	
	(10.87)	Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 above	e – Hospital pharmacy [HP	3]
Powder	5.62 2,000	g OP
	(18.10)	Horleys Flour

	Subsidy (Manufacturer's Pric \$	ce) Sub Per	Fully sidised	Brand or Generic Manufacturer
GLUTEN FREE PASTA - Special Authority see SA1107 on	the previous page – Ho	ospital pharr	nacy [H	P3]
Buckwheat Spirals	2.00	250 g OP	, .	•
	(3.11)	-	C	Orgran
Corn and Vegetable Shells	2.00	250 g OP		•
	(2.92)	-	C	Orgran
Corn and Vegetable Spirals	2.00	250 g OP		
	(2.92)		C	Orgran
Rice and Corn Lasagne Sheets	1.60	200 g OP		
	(3.82)		C	Orgran
Rice and Corn Macaroni	2.00	250 g OP		•
	(2.92)	•	C	Orgran
Rice and Corn Penne	2.00	250 g OP		
	(2.92)	-	C	Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP		
	(2.92)	-	C	Orgran
Rice and Millet Spirals	2.00	250 g OP		
	(3.11)		C	Orgran
Rice and corn spaghetti noodles	2.00	375 g OP		
	(2.92)		C	Orgran
Vegetable and Rice Spirals	2.00	250 g OP		
•	(2.92)	=	C	Orgran
Italian long style spaghetti	2.00	220 g OP		
· · ·	(3.11)	=	C	Orgran
	, ,			-

# Foods And Supplements For Inborn Errors Of Metabolism

### ⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

# **Supplements For Homocystinuria**

# **Supplements For MSUD**

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital pharmacy [HP3]

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	✓	Manufacturer	

### Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

Tabs	99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 36 g sachets		30	✓ PKU Ánamix Junior
Infant formula		400 g OP	✓ PKU Anamix Infant
Powder (orange)	221.00	500 g OP	✓ XP Maxamaid
· • • ·	320.00	Ü	✓ XP Maxamum
Powder (unflavoured)	221.00	500 a OP	✓ XP Maxamaid
(	320.00	3 -	✓ XP Maxamum
Liquid (berry)	13.10	125 ml OP	✓ PKU Anamix Junior
4 ( 7)			LQ
Liquid (orange)	13.10	125 ml OP	✓ PKU Anamix Junior
1 ( 3 /			LQ
Liquid (unflavoured)	13.10	125 ml OP	✓ PKU Anamix Junior
,			LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	✓ Easiphen Liquid
Liquid (juicy berries) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml		30 OP	✓ PKU Lophlex LQ 20

### Foods

LOW PROTEIN BAKING MIX - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3] 500 g OP ✓ Loprofin Mix LOW PROTEIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3] Animal shapes......11.91 500 q OP ✓ Loprofin ✓ Loprofin Lasagne 5.95 250 q OP ✓ Loprofin 500 a OP ✓ Loprofin 250 q OP 500 a OP ✓ Loprofin

 Penne
 11.91
 500 g OP
 ✓ Loprofin

 Spaghetti
 11.91
 500 g OP
 ✓ Loprofin

 Spirals
 11.91
 500 g OP
 ✓ Loprofin

### Infant Formulae

#### For Premature Infants

#### ⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:



Subsidy	Fu	lly Brand or	
(Manufacturer's Price)	Subsidis	ed Generic	
\$	Per	<ul> <li>Manufacturer</li> </ul>	

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
  - 2.1 The infant has faltering growth (downward crossing of percentiles); or
  - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

### For Williams Syndrome

#### ⇒SA1110 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### **Gastrointestinal and Other Malabsorptive Problems**

AMINO ACID FORMULA – Special Authority see SA1219 below – H Powder		400 g OP	✓ Alfamino Junior
	53.00	•	✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
			✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
			<ul><li>Neocate Junior Unflavoured</li></ul>
Powder (vanilla)	53.00	400 g OP	✓ Elecare
		_	✓ Neocate Advance
			<ul><li>Neocate Junior Vanilla</li></ul>

(Neocate Advance Powder (unflavoured) to be delisted 1 May 2018) (Neocate Advance Powder (vanilla) to be delisted 1 May 2018)

#### **⇒SA1219** Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.



Subsidy		Fully	Brand or	
,		. ,		
(Manufacturer's Price)	Subs	idised	Generic	
(				
\$	Per	/	Manufacturer	
(Manufacturer's Price) \$	Subs Per	idised	Generic Manufacturer	

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula: and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### ⇒SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Either:
    - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
    - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption: or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure: or
- 11 All of the following:
  - 11.1 For step down from Amino Acid Formula; and
  - 11.2 The infant is currently receiving funded amino acid formula; and
  - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
  - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

### **SPECIAL FOODS**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

# **Ketogenic Diet**

#### ⇒SA1197 Special Authority for Subsidy

**Initial application** only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

**Renewal** only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Authority see SA1197 above - Retail pharmacy

Powder (unflavoured)35.50	300 g OP	✓ KetoCal 4:1
		✓ Ketocal 3:1
Powder (vanilla)35.50	300 g OP	✓ KetoCal 4:1

#### Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order CHLORPROMAZINE HYDROCHLORIDE **ADRENALINE** ✓ Inj 1 in 1,000, 1 ml ampoule......5 ✓ Tab 10 mg......30 ✓ Tab 25 mg......30 ✓ Inj 1 in 10,000, 10 ml ampoule......5 ✓ Tab 100 mg......30 **AMINOPHYLLINE** ✓ Inj 25 mg per ml, 10 ml ampoule.....5 **CIPROFLOXACIN** AMIODARONE HYDROCHLORIDE ✓ Tab 250 mg – See note on page 102...... ✓ Inj 50 mg per ml, 3 ml ampoule.....5 ✓ Tab 500 mg – See note on page 102...... **AMOXICILLIN** COMPOUND FLECTROLYTES ✓ Cap 250 mg......30 ✓ Cap 500 mg......30 CONDOMS ✓ Inj 1 g vial......5 AMOXICILLIN WITH CLAVULANIC ACID ✓ Tab 500 mg with clavulanic acid 125 mg ......30 ✓ 56 mm .......144 ✓ Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25 mg per ml ......200 ml ✓ Grans for oral lig amoxicillin 50 mg with clavulanic CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL ✓ Tab 2 mg with ethinyloestradiol 35 mcg and ✓ Tab dispersible 300 mg......30 DEXAMETHASONE ATROPINE SUI PHATE ✓ Tab 0.5 mg – Retail pharmacy-Specialist ......60 ✓ Inj 600 mcg per ml, 1 ml ampoule......5 ✓ Tab 4 mg – Retail pharmacy-Specialist ......30 **AZITHROMYCIN** DEXAMETHASONE PHOSPHATE ✓ Tab 500 mg – See note on page 98......8 ✓ Ini 4 mg per ml. 1 ml ampoule – See note on page 86 ...... 5 BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] ✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 86 ......5 BENZATHINE BENZYLPENICILLIN ✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement - See note on page 137 ......5 BENZATROPINE MESYLATE ✓ Inj 1 mg per ml, 2 ml......10 ✓ Rectal tubes 10 mg......5 BENZYLPENICILLIN SODIUM [PENICILLIN G] DICLOFENAC SODIUM ✓ Inj 600 mg (1 million units) vial......5 ✓ Inj 25 mg per ml, 3 ml ampoule......5 BLOOD GLUCOSE DIAGNOSTIC TEST METER ✓ Suppos 50 mg......10 ✓ Meter with 50 lancets, a lancing device and DIGOXIN 10 diagnostic test strips - Subsidy by ✓ Tab 62.5 mcg ......30 endorsement - See note on page 26 ......1 ✓ Tab 250 mcg......30 **BLOOD GLUCOSE DIAGNOSTIC TEST STRIP** DOXYCYCLINE ✓ Blood glucose test strips – See note on Tab 50 mg......30 page 26......50 test ✓ Tab 100 mg......30 BLOOD KETONE DIAGNOSTIC TEST METER ERGOMETRINE MALEATE ✓ Meter – See note on page 25...... ✓ Inj 500 mcg per ml, 1 ml ampoule.....5 **CEFTRIAXONE** FRYTHROMYCIN FTHYL SUCCINATE ✓ Inj 500 mg vial – Subsidy by endorsement – See ✓ Tab 400 mg......20 note on page 97......5 ✓ Inj 1 g vial – Subsidy by endorsement – See note on page 97......5 FRYTHROMYCIN STEARATE Tab 250 mg......30 CHARCOAL continued...

# PRACTITIONER'S SUPPLY ORDERS

(continued)	
ETHINYLOESTRADIOL WITH DESOGESTREL	HALOPERIDOL
Tab 20 mcg with desogestrel 150 mcg and 7 inert tab 84	✓ Tab 500 mcg30
Tab 30 mcg with desogestrel 150 mcg and 7 inert tab 84	✓ Tab 1.5 mg30
ETHINYLOESTRADIOL WITH LEVONORGESTREL	✓ Tab 5 mg30
✓ Tab 20 mcg with levonorgestrel 100 mcg and	✓ Oral liq 2 mg per ml200 ml
7 inert tablets84	✓ Inj 5 mg per ml, 1 ml ampoule5
✓ Tab 50 mcg with levonorgestrel 125 mcg and	HALOPERIDOL DECANOATE
7 inert tab84	✓ Inj 50 mg per ml, 1 ml
Tab 30 mcg with levonorgestrel 150 mcg63	✓ Inj 100 mg per ml, 1 ml5 HYDROCORTISONE
✓ Tab 30 mcg with levonorgestrel 150 mcg and	✓ Inj 100 mg vial5
7 inert tablets84	HYDROXOCOBALAMIN
ETHINYLOESTRADIOL WITH NORETHISTERONE	✓ Inj 1 mg per ml, 1 ml ampoule6
✓ Tab 35 mcg with norethisterone 1 mg63	HYOSCINE BUTYLBROMIDE
✓ Tab 35 mcg with norethisterone 1 mg and 7 inert tab84	✓ Inj 20 mg, 1 ml5
✓ Tab 35 mcg with norethisterone 500 mcg63	INTRA-UTERINE DEVICE
✓ Tab 35 mcg with norethisterone 500 mcg and	✓ IUD 29.1 mm length × 23.2 mm width
7 inert tab84	✓ IUD 33.6 mm length × 29.9 mm width40
FLUCLOXACILLIN	✓ IUD 35.5 mm length × 19.6 mm width40
✓ Cap 250 mg30	IPRATROPIUM BROMIDE
✓ Grans for oral liq 25 mg per ml	✓ Aerosol inhaler, 20 mcg per dose CFC-free 400 dose
✓ Grans for oral liq 50 mg per ml200 ml	✓ Nebuliser soln, 250 mcg per ml, 1 ml ampoule40
✓ Inj 1 g vial5	✓ Nebuliser soln, 250 mcg per ml, 2 ml ampoule40
FLUPENTHIXOL DECANOATE	IVERMECTIN
✓ Inj 20 mg per ml, 1 ml5	✓ Tab 3 mg – See note on page 74100
✓ Inj 20 mg per ml, 2 ml	KETONE BLOOD BETA-KETONE ELECTRODES
✓ Inj 100 mg per ml, 1 ml	✓ Test strip
FLUPHENAZINE DECANOATE	LEVONORGESTREL 24
✓ Inj 12.5 mg per 0.5 ml, 0.5 ml – Subsidy by	Tab 30 mcg
endorsement – See note on page 1465	✓ Tab 1.5 mg – See note on page 815  ✓ Subdermal implant (2 × 75 mg rods)
✓ Inj 25 mg per ml, 1 ml – Subsidy by endorsement	LIDOCAINE [LIGNOCAINE]
- See note on page 146	✓ Gel 2%, tube – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 2 ml – Subsidy by endorsement – See note on page 1465	note on page 131150 ml
✓ Inj 100 mg per ml, 1 ml – Subsidy by	✓ Gel 2%, 10 ml urethral syringe – Subsidy by
endorsement – See note on page 1465	endorsement – See note on page 1315
FUROSEMIDE [FRUSEMIDE]	LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE
✓ Tab 40 mg	✓ Inj 1%, 5 ml ampoule25
✓ Inj 10 mg per ml, 2 ml ampoule	✓ Inj 2%, 5 ml ampoule5
	✓ Inj 1%, 20 ml ampoule5
GLUCAGON HYDROCHLORIDE  ✓ Inj 1 mg syringe kit5	✓ Inj 1%, 20 ml vial5
	✓ Inj 2%, 20 ml ampoule5
GLUCOSE [DEXTROSE]	✓ Inj 2%, 20 ml vial5
✓ Inj 50%, 10 ml ampoule	LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE
•	✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral
GLYCERYL TRINITRATE	syringes – Subsidy by endorsement – See
✓ Tab 600 mcg	note on page 132
✓ Oral pump spray, 400 mcg per dose	LOPERAMIDE HYDROCHLORIDE
	✓ Tab 2 mg
GLYCOPYRRONIUM BROMIDE	✓ Cap 2 mg30
✓ Inj 200 mcg per ml, 1 ml ampoule10	continued

MASK FOR SPACER DEVICE  ✓ Small – See note on page 122  ✓ Small – See note on page 187  ✓ In j 50 mg per ml, 1 ml ampoule — See note on page 157  ✓ In j 5 mg per ml, 3 ml plastic ampoule – See note on page 157  ✓ In j 5 mg per ml, 3 ml plastic ampoule – See note on page 157  ✓ In j 5 mg per ml, 1 ml ampoule — See note on page 157  ✓ In j 5 mg per ml, 1 ml ampoule – See note on page 157  ✓ In j 5 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 10 mg per ml, 3 ml plastic ampoule – See note on page 157  ✓ In j 5 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule — Only on a controlled drug form  ✓ In j 30 mg per ml, 1 ml ampoule — Only on a controlled drug form  ✓ In	(continued)			
MEDROXYPROGESTERONE ACETATE  ✓ Inj 150 mg per ml, 1 ml syringe.  ✓ Inj 50 mg per ml, 2 ml ampoule  ✓ Inj 50 mg per ml, 2 ml ampoule  ✓ Tab 200 mg.  ✓ Tab 2			PETHIDINE HYDROCHLORIDE	
MEDROXYPROGESTERONE ACETATE  ✓ Inj 150 mg per ml, 1 ml syringe.  ✓ Inj 50 mg per ml, 2 ml ampoule  ✓ Inj 50 mg per ml, 2 ml ampoule  ✓ Tab 200 mg.  ✓ Tab 2	✓ Small – See note on page 212	20	✓ Inj 50 mg per ml, 1 ml ampoule – Only on a	
METOCLOPRAMIDE HYDROCHLORIDE  ✓ Inj 5 mg per mil, 2 ml ampoule  ✓ Tab 200 mg			controlled drug form	5
METOCLOPRAMIDE HYDROCHLORIDE  ✓ In j 5 mg per mi, 2 mil ampoule  ✓ Tab 200 mg.	✓ Inj 150 mg per ml, 1 ml syringe	5		
✓ Inj 5 mg per ml, 2 ml ampoule.         .5           METRONIDAZOLE         √ Cap 250 mg.         .30           ✓ Tab 200 mg.         .30           MIDAZOLAM         √ Inj 1 mg per ml, 5 ml plastic ampoule – See note on page 157.         .10         √ Grans for oral liq 250 mg per 5 ml.         .200 ml           ✓ Inj 15 mg per ml, 3 ml plastic ampoule – See note on page 157.         .5         .10         √ Inj 50 mg per ml, 2 ml ampoule.         .5           ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form.         .5         ✓ Inj 10 mg per ml, 1 ml ampoule.         .5           ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form.         .5         ✓ Inj 10 mg per ml, 1 ml ampoule.         .5           ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         .5         ✓ Inj 50 mg per ml, 2 ml - Subsidy by endorsement.         .5           ✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         .5         ✓ Inj 50 mg per ml, 2 ml - Subsidy by endorsement.         .5           ✓ Inj 50 mg per ml, 1 ml ampoule – Only on a controlled drug form.         .5         ✓ Inj 50 mg per ml, 2 ml - Subsidy by endorsement.         .5           ✓ Inj 50 mg per ml, 1 ml ampoule – Only on a controlled drug form.         .5         ✓ Inj 50 mg per ml, 2 ml - Subsidy by endorsement.         .5           ✓ Inj 50 mg per Mg, 2 ml ampoule – Only on a controlled drug form.         .5<				5
METRONIDAZOLE         ✓ Cap 500 mg.         30           ✓ Tab 200 mg.         30           MIDAZOLAM         ✓ Grans for oral liq 250 mg per 5 ml.         200 ml           ✓ In j 1 mg per ml, 5 ml plastic ampoule – See note on page 157.         10           ✓ In j 5 mg per ml, 3 ml plastic ampoule – See note on page 157.         5           MORPHINE SULPHATE         5           ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 10 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 15 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 30 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 400 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ In j 50 mg per ml, 2 ml ampoule – Only on a controlled drug form.         5           ✓ In j 400 mg per ml, 1 ml ampoule – Only on a controlled drug form.         5           ✓ Patch 7 mg – See note on page 163	✓ Ini 5 mg per ml. 2 ml ampoule	5	PHENOXYMETHYLPENICILLIN (PENICILLIN V)	
✓ Tab 200 mg         30           MIDAZOLAM         √ Grans for oral liq 125 mg per 5 ml         200 ml           ✓ Inj 1 mg per ml, 5 ml plastic ampoule – See note on page 157         10         √ Grans for oral liq 25 mg per 5 ml         300 ml           ✓ Inj 5 mg per ml, 3 ml plastic ampoule – See note on page 157         10         √ Inj 5 mg per ml, 3 ml plastic ampoule – See note on page 157         5           MORPHINE SULPHATE         √ Inj 5 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         √ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form         5         ✓ Inj 15 mg per ml, 2 ml ampoule – Only on a controlled				
MIDAZOLAM		30		
✓ Inj 1 mg per ml, 5 ml plastic ampoule — See note on page 157				
on page 157. 10				300 ml
✓ Inj 5 mg per ml, 3 ml plastic ampoule — See note on page 157		10		_
on page 157.  MORPHINE SULPHATE  Inj 5 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 10 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 15 mg per ml, 1 ml ampoule − Only on a controlled drug form.  Inj 20 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 2 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 2 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 2 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 2 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 147.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 186.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 186.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 86.  Inj 15 mg per ml, 2 ml − Subsidy by endorsement − See note on page 86.  Inj 50 mg per ml, 1 ml − Subsidy by endorsement − See note on page 86.  Inj 15 mg per ml, 1 ml − Subsidy by endorsement − See note on page 86.  Inj 15 mg per ml, 1 ml − Subsidy by endorsement − See note on page 86.  Inj 15 mg per ml, 1 ml − Subsidy by endorsement − See note on page 86.  Inj 15 mg per ml, 1 ml − Subsid				
MORPHINE SULPHATE		5	, , , ,	5
✓ Inj 5 mg per ml, 1 ml ampoule − Only on a controlled drug form				_
Controlled drug form			, 0,	
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form		5		5
Controlled drug form				
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form		5		5
✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form			. •	
✓ Inj 30 mg per ml, 1 ml ampoule — Only on a controlled drug form	controlled drug form	5	, 51	5
Oral liq 5 mg per ml − See note on page 86				
NALOXONE HYDROCHLORIDE         ✓ Inj 400 mcg per ml, 1 ml ampoule         5         ✓ Tab 5 mg         30           NICOTINE         ✓ Patch 7 mg — See note on page 163         28         ✓ Patch 14 mg — See note on page 163         28         ✓ Patch 14 mg — See note on page 163         28         ✓ Patch 21 mg — See note on page 163         28         ✓ Patch 21 mg — See note on page 163         28         ✓ Patch 21 mg — See note on page 163         28         ✓ PREGNANCY TESTS - HCG URINE         ✓ Cassette         200 test           ✓ Patch 21 mg — See note on page 163         28         ✓ Patch 21 mg — See note on page 163         28         ✓ PREGNANCY TESTS - HCG URINE         ✓ Cassette         200 test           ✓ Lozenge 2 mg — See note on page 163         28         ✓ Lozenge 2 mg — See note on page 163         384         ✓ Tab 5 mg         30           ✓ Gum 2 mg (Mint) — See note on page 163         384         ✓ Gum 2 mg (Mint) — See note on page 163         384         ✓ Inj 12.5 mg per ml, 1 ml         5           ✓ Gum 4 mg (Mint) — See note on page 163         384         ✓ ROMETHAZINE HYDROCHLORIDE         ✓ Inj 25 mg per ml, 2 ml ampoule         ✓ SALBUTAMOL           ✓ Tab 5 mg         30         ✓ Aerosol inhaler, 100 mcg per dose CFC         free         Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ NYTOCIN WITH ERGOMETRINE MALEATE         ✓ Inj 5 iu with ergometrine	controlled drug form	5		30 ml
✓ Inj 400 mcg per ml, 1 ml ampoule         5         ✓ Tab 5 mg				00 1111
NICOTINE         Patch 7 mg - See note on page 163.         28           ✓ Patch 14 mg - See note on page 163.         28           ✓ Patch 21 mg - See note on page 163.         28           ✓ Lozenge 1 mg - See note on page 163.         28           ✓ Lozenge 2 mg - See note on page 163.         216           ✓ Lozenge 2 mg - See note on page 163.         216           ✓ Gum 2 mg (Fruit) - See note on page 163.         384           ✓ Gum 2 mg (Mint) - See note on page 163.         384           ✓ Gum 4 mg (Mint) - See note on page 163.         384           ✓ Gum 4 mg (Mint) - See note on page 163.         384           ✓ Gum 4 mg (Mint) - See note on page 163.         384           ✓ Tab 5 mg.         30           NORETHISTERONE         ✓ Aerosol inhaler, 100 mcg per ml, 2 ml ampoule.         5           ✓ Tab 5 mg.         30           OXYTOCIN         Aerosol inhaler, 100 mcg per dose CFC           ✓ Tab 5 mg.         100 dose           ✓ Inj 5 iu per ml, 1 ml ampoule.         5           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml.         5           ✓ Oral liq 120 mg per 5 ml.         200 ml           ✓ Oral liq 1250 mg per 5 ml.         200 ml           ✓ Oral liq 1250 mg per 5 ml.         200 ml           ✓ Low range		5	✓ Tab 5 mg	30
✓ Patch 7 mg - See note on page 163.         28         ✓ Cassette.         200 test           ✓ Patch 14 mg - See note on page 163.         28         ✓ Patch 21 mg - See note on page 163.         28           ✓ Lozenge 1 mg - See note on page 163.         216         ✓ Inj 1.5 g in 3.4 ml syringe.         5           ✓ Lozenge 2 mg - See note on page 163.         216         ✓ Tab 5 mg.         30           ✓ Gum 2 mg (Fruit) - See note on page 163.         384         ✓ Inj 12.5 mg per ml, 1 ml.         5           ✓ Gum 4 mg (Fruit) - See note on page 163.         384         ✓ Inj 25 mg per ml, 2 ml ampoule.         5           ✓ Gum 4 mg (Mint) - See note on page 163.         384         ✓ Inj 50 mcg per ml, 1 ml.         5           ✓ Gum 4 mg (Mint) - See note on page 163.         384         ✓ Inj 50 mcg per ml, 2 ml ampoule.         5           ✓ Tab 5 mg.         30         ✓ Aerosol inhaler, 100 mcg per dose CFC         free.         1000 dose           ✓ Tab 5 mg.         30         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           OXYTOCIN         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule.         30           ✓ Inj 10 iu per ml, 1 ml ampoule.         5         Nebuliser soln, 2.5 mg with ipratropium bromide.           OXYTOCIN WITH ERGOMETRINE MALEATE         ✓ Inj 8.4%, 50 ml.         5				
✓ Patch 14 mg − See note on page 163         28         ✓ Patch 21 mg − See note on page 163         28         ✓ Inj 1.5 g in 3.4 ml syringe         5           ✓ Lozenge 1 mg − See note on page 163         216         ✓ Inj 1.5 g in 3.4 ml syringe         5           ✓ Lozenge 2 mg − See note on page 163         216         ✓ Tab 5 mg         30           ✓ Gum 2 mg (Fruit) − See note on page 163         384         ✓ Inj 12.5 mg per ml, 1 ml         5           ✓ Gum 4 mg (Fruit) − See note on page 163         384         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Gum 4 mg (Mint) − See note on page 163         384         ✓ Inj 350 mcg         ✓ Inj 500 mcg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30         ✓ Aerosol inhaler, 100 mcg per dose CFC         Inj 500 mcg per ml, 2.5 ml ampoule         5           ✓ Inj 5 iu per ml, 1 ml ampoule         5         ✓ Aerosol inhaler, 100 mcg per ml, 2.5 ml ampoule         30           ✓ NYTOCIN WITH ERGOMETRINE MALEATE         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml         5           ✓ Tab 500 mg - blister pack         30         ✓ Inj 8.4%, 50 ml         5           ✓ Tab 500 mg - blister pack         30         ✓ Inj 9.9%, bag - See note on page 54         5           ✓ Oral liq 250 mg per 5 ml         100 ml         ✓ Inj 0.9%, 5 ml ampoule - See note on page 54		20	✓ Cassette	200 test
✓ Patch 21 mg − See note on page 163         28           ✓ Lozenge 1 mg − See note on page 163         216           ✓ Lozenge 2 mg − See note on page 163         216           ✓ Gum 2 mg (Fruit) − See note on page 163         384           ✓ Gum 2 mg (Fruit) − See note on page 163         384           ✓ Gum 4 mg (Fruit) − See note on page 163         384           ✓ Gum 4 mg (Mint) − See note on page 163         384           ✓ Tab 5 mg         384           ✓ NORETHISTERONE         ✓ Inj 500 mcg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30           OXYTOCIN         ✓ Aerosol inhaler, 100 mcg per dose CFC            ✓ Tree         1000 dose           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule         20           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml         5           ✓ PARACETAMOL         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml         5           ✓ Oral liq 120 mg per 5 ml         200 ml         ✓ Inj 3.4%, 50 ml         5           ✓ Oral liq 250 mg per 5 ml         200 ml         ✓ Inj 0.9%, 5 ml ampoule – See no				
✓ Lozenge 1 mg - See note on page 163         216         ✓ Lozenge 2 mg - See note on page 163         216         ✓ Tab 5 mg         30           ✓ Gum 2 mg (Fruit) - See note on page 163         384         ✓ Inj 12.5 mg per ml, 1 ml         5           ✓ Gum 4 mg (Fruit) - See note on page 163         384         ✓ Inj 12.5 mg per ml, 1 ml         5           ✓ Gum 4 mg (Mint) - See note on page 163         384         ✓ Inj 25 mg per ml, 2 ml ampoule         5           ✓ Gum 4 mg (Mint) - See note on page 163         384         ✓ Inj 350 mcg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30         ✓ Inj 500 mcg per ml, 2 ml ampoule         5           ✓ Tab 5 mg         30         ✓ Aerosol inhaler, 100 mcg per dose CFC         free         1000 dose           ✓ Tab 5 mg         30         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 1 ml         5         SALBUTAMOL WITH IPRATROPIUM BROMIDE           ✓ Inj 5 iu vith ergometrine maleate 500 mcg per ml, 1 ml         5         Nebuliser soln, 2.5 mg with ipratropium bromide           ✓ OSDIUM BICARBONATE         ✓ Inj 8.4%, 50 ml         5           ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml         1 ml         5           ✓ Oral liq 120 mg per 5 ml         200 ml         100 ml         5			✓ Inj 1.5 g in 3.4 ml syringe	5
✓ Lozenge 2 mg – See note on page 163       216         ✓ Gum 2 mg (Fruit) – See note on page 163       384         ✓ Gum 2 mg (Mint) – See note on page 163       384         ✓ Gum 4 mg (Fruit) – See note on page 163       384         ✓ Gum 4 mg (Mint) – See note on page 163       384         ✓ Tab 350 mcg       4         ✓ Tab 350 mcg       84         ✓ Tab 5 mg       30         OXYTOCIN       4         ✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5         ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       30         ✓ Tab 500 mg - blister pack       30         ✓ Oral liq 120 mg per 5 ml       200 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       5         ✓ Low range       100 ml       100 ml       100 ml         ✓ Low range       100 ml       200 ml       100 ml       100 ml       200 ml         ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5				
✓ Gum 2 mg (Mint) – See note on page 163         384           ✓ Gum 2 mg (Mint) – See note on page 163         384           ✓ Gum 4 mg (Fruit) – See note on page 163         384           ✓ Gum 4 mg (Mint) – See note on page 163         384           ✓ Roum 4 mg (Mint) – See note on page 163         384           ✓ Roum 4 mg (Mint) – See note on page 163         384           ✓ Roum 4 mg (Mint) – See note on page 163         384           ✓ Roum 4 mg (Mint) – See note on page 163         384           ✓ Roum 4 mg (Mint) – See note on page 163         384           ✓ NoBLITSTERONE         Inj 500 mcg per ml, 2 ml ampoule         5           ✓ Tab 350 mcg         84         ✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule         30           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule           ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule           ✓ Nebuliser soln, 2 mg per ml, 2 ml per ml, 2 ml per ml, 2 ml per ml, 2 ml per m				
✓ Gum 2 mg (Mint) – See note on page 163	✓ Gum 2 mg (Fruit) – See note on page 163	384	, , ,	5
✓ Gum 4 mg (Mint) – See note on page 163				_
V Tab 350 mcg       84         ✓ Tab 5 mg       30         OXYTOCIN       30         ✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5         ✓ Tab 500 mg - blister pack       30         ✓ Oral liq 120 mg per 5 ml       200 ml         ✓ Oral liq 250 mg per 5 ml       100 ml         ✓ Low range       10         Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5				5
✓ Tab 350 mcg       84         ✓ Tab 5 mg       30         OXYTOCIN       30         ✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       5         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5         PARACETAMOL       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30         SOLIUM BITH PRATROPIUM BROMIDE       ✓ Nebuliser soln, 2.5 mg with ipratropium bromide       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30       SALBUTAMOL WITH IPRATROPIUM BROMIDE       ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule       30         ✓ SODIUM BICARBONATE       ✓ Inj 8.4%, 50 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 54       200 ml         ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5	✓ Gum 4 mg (Mint) – See note on page 163	384		_
✓ Tab 5 mg       30         OXYTOCIN       ✓ Inj 5 iu per ml, 1 ml ampoule       30         ✓ Inj 10 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soin, 2 mg per ml, 2.5 ml ampoule       30         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5         ✓ PARACETAMOL       ✓ Inj 8.4%, 50 ml       5         ✓ Tab 500 mg - blister pack       30         ✓ Oral liq 120 mg per 5 ml       200 ml       5         ✓ Oral liq 250 mg per 5 ml       100 ml       5         ✓ Dral liq 250 mg per 5 ml       100 ml       100 ml         ✓ Low range       100 ml       100 ml       200 ml         ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5			✓ Inj 500 mcg per ml, 1 ml	5
OXYTOCIN  ✓ Inj 5 iu per ml, 1 ml ampoule	✓ Tab 350 mcg	84		
OXYTOCIN       ✓ Inj 5 iu per ml, 1 ml ampoule	✓ Tab 5 mg	30		
✓ Inj 5 iu per ml, 1 ml ampoule       5         ✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         0.5 mg per vial, 2.5 ml ampoule       0.5 mg per vial, 2.5 ml ampoule         0.5 mg per vial, 2.5 ml ampoule       20         SODIUM BICARBONATE         ✓ Inj 8.4%, 50 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml         ✓ Oral liq 250 mg per 5 ml       100 ml         ✓ PEAK FLOW METER       Inj 0.9%, bag – See note on page 54       2000 ml         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5         ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5	OXYTOCIN			
✓ Inj 10 iu per ml, 1 ml ampoule       5         OXYTOCIN WITH ERGOMETRINE MALEATE       ✓ Nebuliser soln, 2.5 mg with ipratropium bromide         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5         PARACETAMOL       ✓ Inj 8.4%, 50 ml       5         ✓ Tab 500 mg - blister pack       30       ✓ Inj 8.4%, 100 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 54       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Low range       10       Inj 0.9%, 10 ml ampoule – See note on page 54       5	✓ Inj 5 iu per ml, 1 ml ampoule	5		30
OXYTOCIN WITH ERGOMETRINE MALEATE       0.5 mg per vial, 2.5 ml ampoule       20         ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml       5         PARACETAMOL       ✓ Inj 8.4%, 50 ml       5         ✓ Tab 500 mg - blister pack       30       ✓ Inj 8.4%, 100 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 54       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Low range       10       Inj 0.9%, 10 ml ampoule – See note on page 54       5				
✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml5       SODIUM BICARBONATE         ✓ PARACETAMOL       ✓ Inj 8.4%, 50 ml	OXYTOCIN WITH ERGOMETRINE MALEATE			20
PARACETAMOL       ✓ Inj 8.4%, 50 ml       5         ✓ Tab 500 mg - blister pack       30       ✓ Inj 8.4%, 50 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 54       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5	✓ Inj 5 iu with ergometrine maleate 500 mcg per ml,	1 ml5	01 1	20
✓ Tab 500 mg - blister pack.       30       ✓ Inj 8.4%, 100 ml       5         ✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 54       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5				5
✓ Oral liq 120 mg per 5 ml       200 ml       SODIUM CHLORIDE         ✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 54       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Low range       10       ✓ Inj 0.9%, 10 ml ampoule – See note on page 54       5		30		
✓ Oral liq 250 mg per 5 ml       100 ml       ✓ Inj 0.9%, bag – See note on page 54       2000 ml         PEAK FLOW METER       ✓ Inj 0.9%, 5 ml ampoule – See note on page 54       5         ✓ Low range       10       Inj 0.9%, 10 ml ampoule – See note on page 54       5	ŭ i		•	
PEAK FLOW METER  ✓ Inj 0.9%, 5 ml ampoule – See note on page 54				2000 ml
✓ Low range 10 ✓ Inj 0.9%, 10 ml ampoule – See note on page 545				
		10		

# PRACTITIONER'S SUPPLY ORDERS

(continued)	
SPACER DEVICE	
✓ 220 ml (single patient)	20
✓ 510 ml (single patient)	20
✓ 800 ml	20
SULFADIAZINE SILVER	
✓ Crm 1%	250 g
TRIMETHOPRIM	
✓ Tab 300 mg	30
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE	
[CO-TRIMOXAZOLE]	
✓ Tab trimethoprim 80 mg and sulphamethoxazole	
400 mg	30
✓ Oral liq 8 mg sulphamethoxazole 40 mg per	
	000 1

VERAPAMIL HYDROCHLORIDE  ✓ Inj 2.5 mg per ml, 2 ml ampoule	
WATER  ✓ Inj 5 ml ampoule – See note on page 54	Į.
✓ Inj 10 ml ampoule – See note on page 54	
✓ Inj 20 ml ampoule – See note on page 54	
ZUCLOPENTHIXOL DECANOATE	

# **Rural Areas for Practitioner's Supply Orders**

#### NORTH ISLAND

Northland DHB
Dargaville
Hikurangi
Kaeo
Kaikohe
Kaitaia
Kawakawa
Kerikeri

Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

Waitemata DHB Helensville Huapai Kumeu Snells Beach Waimauku

Wellsford **Auckland DHB**Great Barrier Island

Oneroa Ostend

Warkworth

**Counties Manukau DHB** 

Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga

Paeroa Pauanui Beach Putaruru Raglan
Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi
Whangamata
Whitianga

Whitianga

Bay of Plenty DHB

Edgecumbe

Katiikati

Kawerau

Murupara

Opotiki

Taneatua

Te Kaha

Waihi Beach

Whakatane

Lakes DHB

Mangakino

Turangi

Tairawhiti DHB
Ruatoria
Te Araroa
Te Karaka
Te Puia Springs
Tikitiki
Tokomaru Bay
Tolaga Bay

Taranaki DHB Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

Hawkes Bay DHB Waipawa Waipukurau Wairoa Whanganui DHB Bulls Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB
Dannevirke
Foxton
Levin
Otaki
Pahiatua
Shannon
Woodville

Wairarapa DHB Carteron Featherston Greytown Martinborough

**SOUTH ISLAND** 

Nelson/Marlborough DHB Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB
Dobson
Greymouth
Hokitika
Karamea
Reefton
South Westland
Westport
Whataroa

Canterbury DHB Akaroa Amberley Amuri

Chatham Islands Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

South Canterbury DHB Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

Southern DHB Alexandra Ralclutha Cromwell Gore Kurow Lawrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah

Tapanui

Te Anau

Tokonui

Wanaka

Winton

Tuatapere

### SECTION F: COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

# **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots:
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is under the Dispensing Frequency Rule.

# SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \*within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility:
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport:
  - iii) are relocating to another area:
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

# SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply.
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a \* please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

#### COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

#### ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

#### **CARDIOVASCULAR SYSTEM**

AMIODARONE HYDROCHLORIDE
Tab 100 mg Cordarone-X
Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Cap long-acting Tambocor CR

100 mg

Cap long-acting Tambocor CR

200 mg

MEXILETINE HYDROCHLORIDE

MINOXIDII

**NICORANDIL** 

PROPAFENONE HYDROCHLORIDE

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg

Desmopressin-PH&T

per dose

#### MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

**NERVOUS SYSTEM** 

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

**ENTACAPONE** 

GABAPENTIN

LACOSAMIDE

**LAMOTRIGINE** 

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

**TOLCAPONE** 

**TOPIRAMATE** 

VIGABATRIN

### SECTION G: SAFETY CAP MEDICINES

Pharmacists should endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the
  particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

#### Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

20 mm	Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

Rivotril

7arontin

Ativan

Ativan

RA-Morph

RA-Morph RA-Morph

RA-Morph

Ox-Pam

Ox-Pam

ALIMENTARY TRACT AND METABOLISM

**FERROUS SULPHATE** 

CARDIOVASCUL AR SYSTEM

Oral liq 30 mg (6 mg

Ferodan

CI OBAZAM

Tab 10 mg Frisium

Oral drops 2.5 mg per ml

Oral lig 250 mg per 5 ml

MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml

Oral lig 2 mg per ml

Oral liq 5 mg per ml

Oral liq 10 mg per ml

(Extemporaneously compounded oral liquid preparations)

elemental) per 1 ml CLONAZEPAM

AMILORIDE HYDROCHLORIDE DIAZEPAM

Oral liq 1 mg per ml Biomed Tab 2 mg Arrow-Diazepam

Tab 5 mg Arrow-Diazepam **CAPTOPRIL** (Extemporaneously compounded oral liquid preparations)

Oral lig 5 mg per ml Capoten

**ETHOSUXIMIDE** 

CHI OROTHIAZIDE Oral lig 50 mg per ml Biomed

DIGOXIN Tab 1 mg Oral lig 50 mcg per ml Lanoxin Tab 2.5 mg

Lanoxin S29 (Extemporaneously compounded oral liquid preparations)

I ORAZEPAM

FUROSEMIDE [FRUSEMIDE] I ORMFTAZFPAM

Oral lig 10 mg per ml Lasix Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

**SPIRONOLACTONE** 

Oral lig 5 mg per ml Rinmed METHADONE HYDROCHI ORIDE

Oral lig 2 mg per ml Biodone Oral lig 5 mg per ml Biodone Forte HORMONE PREPARATIONS - SYSTEMIC EXCLUDING Biodone Extra Forte Oral lig 10 mg per ml

CONTRACEPTIVE HORMONES

**LEVOTHYROXINE** 

Tab 25 mcg Synthroid Tab 50 mcg Eltroxin

Mercury Pharma

Synthroid

Eltroxin Tab 100 mcg

Mercury Pharma

NITRA7FPAM Synthroid Tab 5 mg Nitrados (Extemporaneously compounded oral liquid preparations)

OXAZEPAM

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

MUSCULOSKELETAL SYSTEM

Tab 10 mg QUININE SULPHATE Tab 15 mg

Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations) (Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE Oral lig 5 mg per 5 ml OxvNorm

**PARACETAMOL** 

**IBUPROFEN** 

Oral liq 20 mg per ml Fenpaed Oral liq 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double Strenath

**NERVOUS SYSTEM** PHENYTOIN SODIUM CARBAMAZEPINE

Oral lig 20 mg per ml Oral lig 30 mg per 5 ml Dilantin Tegretol

## **SAFETY CAP MEDICINES**

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

**TRIAZOLAM** 

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 1 mg per 1 ml Allersoothe

**SALBUTAMOL** 

Oral liq 400 mcg per ml Ventolin

**THEOPHYLLINE** 

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

#### SECTION I: NATIONAL IMMUNISATION SCHEDULE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

## **Vaccinations**

#### ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml.................. **ADT Booster** Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients; or
- 3) For revaccination following immunosuppression: or
- 4) For boosting of patients with tetanus-prone wounds; or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

#### BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or egual to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

Danish strain 1331, live attenuated, vial with diluent...............................0.00 10 ✓ BCG Vaccine

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- 2) A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg

pertussis toxoid, 8 mcg pertussis filamentous

10 **Boostrix** 

**Boostrix** 

	Subsidy (Manufacturer's Price) \$	Subsidi Per	Fully Brand or ised Generic  Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE -	- [Xpharm]		
Funded for any of the following:			
<ol> <li>A single dose for children up to the age of 7 who have c</li> <li>A course of four vaccines is funded for catch up prograr primary immunisation; or</li> </ol>		,	
An additional four doses (as appropriate) are funded for pre- or post splenectomy; pre- or post solid organ transpregimens; or			
4) Five doses will be funded for children requiring solid org	an transplantation.		
Note: Please refer to the Immunisation Handbook for approp Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe		ch up progr	rammes.  ✓ Infanrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AI	ND HAEMOPHILUS I	NFLUENZA	AE TYPE B VACCINE -
[Xpharm]			
Funded for patients meeting any of the following criteria:	. 10 for a minor on a lorence	.:	
<ol> <li>Up to four doses for children up to and under the age of</li> <li>An additional four doses (as appropriate) are funded for</li> </ol>			a to and under the age of
10 who are patients post haematopoietic stem cell trans	\ /		
post solid organ transplant, renal dialysis and other sevi			
3) Up to five doses for children up to and under the age of			
Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the Improgrammes.  Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg			
pertussistoxoid, 25mcq			
pertussisfilamentoushaemagluttinin, 8 mcgpertactin,			
80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen in			
0.5ml syringe	0.00	10	✓ Infanrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following:			
For primary vaccination in children; or			
<ul><li>2) An additional dose (as appropriate) is funded for (re-)im</li></ul>	munisation for nation	ts nost haer	matonoietic stem cell
transplantation, or chemotherapy; functional asplenic; p			
or post cochlear implants, renal dialysis and other sevel			
3) For use in testing for primary immunodeficiency disease		•	
paediatrician.			
Haemophilus Influenzae type B polysaccharide 10 mcg			
conjugated to tetanus toxoid as carrier protein 20-40 mcg	1:		
prefilled syringe plus vial 0.5 ml		1	✓ Hiberix
. , , ,			<del></del>

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	idised	Generic	
\$	Per	1	Manufacturer	

#### HEPATITIS A VACCINE - [Xpharm]

Funded for patients meeting any of the following criteria:

- 1) Two vaccinations for use in transplant patients; or
- 2) Two vaccinations for use in children with chronic liver disease; or
- 3) One dose of vaccine for close contacts of known hepatitis A cases.

Inj 1440 ELISA units in 1 ml syringe	0.00	1	✓ Havrix
Inj 720 ELISA units in 0.5 ml syringe	0.00	1	✓ Havrix Junior

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
EPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	•	<b>HBvaxPRO</b>
Funded for patients meeting any of the following criteri	a:			
<ol> <li>for household or sexual contacts of known acute</li> </ol>				ers; or
<ol><li>for children born to mothers who are hepatitis B s</li></ol>				
<ol><li>for children up to and under the age of 18 years i</li></ol>				
serology and require additional vaccination or rec	quire a primary course o	of vac	cination;	or
<ol><li>for HIV positive patients; or</li></ol>				
5) for hepatitis C positive patients; or				
<ol><li>for patients following non-consensual sexual inter</li></ol>	rcourse; or			
<ol><li>for patients following immunosuppression; or</li></ol>				
for solid organ transplant patients; or				
<ol><li>for post-haematopoietic stem cell transplant (HSC)</li></ol>	CT) patients; or			
<ol><li>following needle stick injury.</li></ol>				
Inj 10 mcg per 1 ml vial	0.00	1	_	HBvaxPRO
Funded for patients meeting any of the following criteri		٠	•	IIDVAXI IIO
for household or sexual contacts of known acute		onot	itic B corr	ore: or
2) for children born to mothers who are hepatitis B s				1615, 01
3) for children up to and under the age of 18 years i	0 , 0			ve achieved a nocitive
serology and require additional vaccination or rec				
4) for HIV positive patients; or	fulle a primary course c	n vac	Ciriation,	JI
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual inte	rcourse or			
7) for patients following immunosuppression; or	course, or			
8) for solid organ transplant patients; or				
for post-haematopoietic stem cell transplant (HSC)	CT) natients: or			
10) following needle stick injury.	or, panerne, er			
Inj 20 mcg per 1 ml prefilled syringe		1	•	Engerix-B
Funded for patients meeting any of the following criteri				
for household or sexual contacts of known acute	' '			ers; or
2) for children born to mothers who are hepatitis B s				
3) for children up to and under the age of 18 years i				
serology and require additional vaccination or rec	quire a primary course o	of vac	cination;	or
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual inter	rcourse; or			
7) for patients following immunosuppression; or				
8) for solid organ transplant patients; or	OT)			
for post-haematopoietic stem cell transplant (HSC	J1) patients; or			
10) following needle stick injury.				
, , ,	0.00	1	/	HBvaxPRO
Inj 40 mcg per 1 ml vial	0.00	1	•	<u>HBvaxPRO</u>
Inj 40 mcg per 1 ml vial  Funded for any of the following criteria:	0.00	1	•	<u>HBvaxPRO</u>
Inj 40 mcg per 1 ml vial	0.00	1	•	<u>HBvaxPRO</u>

Sole Subsidised Supply

Subsidy Fully Brand or (Manufacturer's Price) Generic Subsidised \$ Per Manufacturer

HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 58) VACCINE [HPV] - [Xpharm]

Any of the following:

- 1) Maximum of two doses for children aged 14 years and under; or
- 2) Maximum of three doses for patients meeting any of the following criteria:
  - 1) People aged 15 to 26 years inclusive; or
  - 2) Either:

People aged 9 to 26 years inclusive

- 1) Confirmed HIV infection; or
- 2) Transplant (including stem cell) patients: or
- 3) Maximum of four doses for people aged 9 to 26 years inclusive post chemotherapy

10 ✓ Gardasil 9

261

			_
Subsidy	Fully	Brand or	_
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

#### INFLUENZA VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
  - a) all people 65 years of age and over; or
  - b) people under 65 years of age who:
    - i) have any of the following cardiovascular diseases:
      - a) ischaemic heart disease, or
      - b) congestive heart failure, or
      - c) rheumatic heart disease, or
      - d) congenital heart disease, or
      - e) cerebo-vascular disease; or
    - ii) have either of the following chronic respiratory diseases:
      - a) asthma, if on a regular preventative therapy, or
      - b) other chronic respiratory disease with impaired lung function; or
    - iii) have diabetes; or
    - iv) have chronic renal disease: or
    - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
    - vi) have any of the following other conditions:
      - a) autoimmune disease, or
      - b) immune suppression or immune deficiency, or
      - c) HIV. or
      - d) transplant recipients, or
      - e) neuromuscular and CNS diseases/disorders. or
      - f) haemoglobinopathies, or
      - g) are children on long term aspirin, or
      - h) have a cochlear implant, or
      - i) errors of metabolism at risk of major metabolic decompensation, or
      - i) pre and post splenectomy, or
      - k) down syndrome, or
    - vii) are pregnant; or
  - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
  - d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board):
  - e) People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region:

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

Ini	j 45 mcg in 0.5 ml syringe	90.00	10	✓ Influvac
Ш	45 mg    0.5 m 5ymge	90.00	10	• IIIIIuvac

	NATIONAL	IIVIIVIUIVI	SAII	ON SCHEDULE
	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully dised	Brand or Generic Manufacturer
MEASLES, MUMPS AND RUBELLA VACCINE – [Xpharm] A maximum of two doses for any patient meeting the follow 1) For primary vaccination in children; or 2) For revaccination following immunosuppression; or 3) For any individual susceptible to measles, mumps or any individual	rubella; or	12 months	).	
Note: Please refer to the Immunisation Handbook for appro Injection, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml		ch up prog		es. riorix
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGA		arm]		
<ol> <li>Any of the following:</li> <li>Up to three doses and a booster every five years for por anatomic asplenia, HIV, complement deficiency (ac</li> <li>One dose for close contacts of meningococcal cases;</li> <li>A maximum of two doses for bone marrow transplant</li> <li>A maximum of two doses for patients following immun</li> </ol>	equired or inherited), or or patients; or		•	•
Note: children under seven years of age require two doses series and then five yearly.  *Immunosuppression due to steroid or other immunosuppre Inj 4 mcg of each meningococcal polysaccharide conjugate a total of approximately 48 mcg of diphtheria toxoid car per 0.5 ml vial	essive therapy must be d to rier		d of gr	, ,
MENINGOCOCCAL C CONJUGATE VACCINE - [Xpharm]			_	
<ol> <li>Any of the following:</li> <li>Up to three doses and a booster every five years for por anatomic asplenia, HIV, complement deficiency (ac</li> <li>One dose for close contacts of meningococcal cases;</li> <li>A maximum of two doses for bone marrow transplant</li> <li>A maximum of two doses for patients following immun</li> </ol>	equired or inherited), or or patients; or			
Note: children under seven years of age require two doses series and then five yearly.  *Immunosuppression due to steroid or other immunosuppre Inj 10 mcg in 0.5 ml syringe	essive therapy must be		d of gr	, ,
PNEUMOCOCCAL (PCV10) CONJUGATE VACCINE - [Xphar Either:	rm]			
<ol> <li>A primary course of four doses for previously unvaccing.</li> <li>Up to three doses as appropriate to complete the prime 59 months who have received one to three doses of F</li> </ol>	nary course of immunis			
Note: please refer to the Immunisation Handbook for the a Inj 1 mcg of pneumococcal polysaccharide serotypes 1, 5, 6 7F, 9V, 14 and 23F; 3 mcg of pneumococcal polysaccharide serotypes 4, 18C and 19F in 0.5 ml prefilled suringe		catch up p	Ü	nmes

 $\ensuremath{ \divideontimes}$  Three months or six months, as applicable, dispensed all-at-once

263

Subsidy (Manufacturer's Price)	Fully Subsidised		
\$	Per 🗸	Manufacturer	

#### PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE - [Xpharm]

Any of the following:

- One dose is funded for high risk children (over the age of 17 months and under 18 years) who have previously received four doses of PCV10: or
- 2) Up to an additional four doses (as appropriate) are funded for high risk children aged under 5 years for (re-)immunisation of patients with any of the following:
  - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
  - b) with primary immune deficiencies; or
  - c) with HIV infection; or
  - d) with renal failure, or nephrotic syndrome; or
  - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
  - f) with cochlear implants or intracranial shunts; or
  - g) with cerebrospinal fluid leaks; or
  - h) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
  - i) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
  - j) pre term infants, born before 28 weeks gestation; or
  - k) with cardiac disease, with cyanosis or failure; or
  - I) with diabetes; or
  - m) with Down syndrome; or
  - n) who are pre-or post-splenectomy, or with functional asplenia; or
- 3) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients 5 years and over with HIV, for patients pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: please refer to the Immunisation Handbook for the appropriate schedule Inj 30.8 mgg of pneumococcal polysaccharide serotypes 1, 3, 4,	, ioi oatoii a	p programmes
5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml		
svringe	10	✓ Prevenar

13

✓ Prevenar 13

	NATIONAL	IMMUNISAT	ION SCHEDULE
	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE	– [Xpharm]		
Either:			
<ol> <li>Up to three doses (as appropriate) for patients with I chemotherapy; pre- or post-splenectomy or with funcomplement deficiency (acquired or inherited), coch</li> <li>All of the following:</li> </ol>	ctional asplenia, pre- or lear implants, or primary	post-solid organ	transplant, renal dialysis,
<ul> <li>a) Patient is a child under 18 years for (re-)immur</li> <li>b) Treatment is for a maximum of two doses; and</li> <li>c) Any of the following:</li> </ul>			
<ul> <li>i) on immunosuppressive therapy or radiati immune response; or</li> </ul>	on therapy, vaccinate w	hen there is expe	ected to be a sufficient
<ul><li>ii) with primary immune deficiencies; or</li><li>iii) with HIV infection; or</li></ul>			
iv) with renal failure, or nephrotic syndrome;			
<ul> <li>v) who are immune-suppressed following or</li> </ul>	rgan transplantation (inc	luding haematop	ocietic stem cell transplant)
vi) with cochlear implants or intracranial shu	nts; or		
vii) with cerebrospinal fluid leaks; or viii) receiving corticosteroid therapy for more	than two weeks, and wh	o are on an equi	ivalent daily docage of
prednisone of 2 mg/kg per day or greater			
20 mg or greater; or ix) with chronic pulmonary disease (includin	g asthma treated with hi	ah-dose corticos	teroid therapy): or
x) pre term infants, born before 28 weeks g	estation; or	<b>y</b>	
xi) with cardiac disease, with cyanosis or fai	lure; or		
xii) with diabetes; or xiii) with Down syndrome; or			
xiv) who are pre-or post-splenectomy, or with	functional asplenia.		
, , , , , ,			
Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)	0.00	1 🗸	Pneumovax 23
POLIOMYELITIS VACCINE - [Xpharm]			
Up to three doses for patients meeting either of the follow	•		
<ol> <li>For partially vaccinated or previously unvaccinated i</li> <li>For revaccination following immunosuppression.</li> </ol>	ndividuals; or		
Note: Please refer to the Immunisation Handbook for app	propriate schedule for ca	tch-up programn	nes.
Inj 80D antigen units in 0.5 ml syringe	0.00	1 1	<u>IPOL</u>
ROTAVIRUS ORAL VACCINE - [Xpharm]			
Maximum of two doses for patients meeting the following:			
<ol> <li>first dose to be administered in infants aged under 1</li> <li>no vaccination being administered to children aged 2</li> </ol>			
Oral susp live attenuated human rotavirus			

1,000,000 CCID50 per dose, prefilled oral applicator...............0.00

\*Three months or six months, as applicable, dispensed all-at-once

10

✓ Rotarix

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

#### VARICELLA VACCINE [CHICKENPOX VACCINE] - [Xpharm]

Either

- 1) Maximum of one dose for primary vaccination for either:
  - a) Any infant born on or after 1 April 2016; or
  - For previously unvaccinated children turning 11 years old on or after 1 July 2017, who have not previously had a varicella injection (chickenpox), or
- 2) Maximum of two doses for any of the following:
  - a) Any of the following for non-immune patients:
    - i) with chronic liver disease who may in future be candidates for transplantation; or
    - ii) with deteriorating renal function before transplantation; or
    - iii) prior to solid organ transplant; or
    - iv) prior to any elective immunosuppression\*, or
    - v) for post exposure prophylaxis who are immune competent inpatients.; or
  - b) For patients at least 2 years after bone marrow transplantation, on advice of their specialist, or
  - c) For patients at least 6 months after completion of chemotherapy, on advice of their specialist, or
  - d) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist, or
  - e) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella, or
  - f) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella, or
  - g) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid o	r other immunosuppressive therap	y must be foi	a treatment	period of greater than
28 days				
Inj 2000 PFU prefilled syringe plus via	0.0	) 1	✓	Varilrix

## **Diagnostic Agents**

TUBERCULIN PPD [MANTOUX] TEST - [Xpharm]			
Inj 5 TU per 0.1 ml, 1 ml vial	0.00	1	✓ Tubersol

✓ Varilrix

10

- Symbols -		AFT-Pyrazinamide	108	Analgesics	13
3TC	116	AFT-Pyrazinamide S29		Anastrozole	
50X 3.0 Reservoir		Agents Affecting the		Andriol Testocaps	
- A -		Renin-Angiotensin System	56	Androderm	
A-Scabies	75	Agents for Parkinsonism and Rela		Animas Battery Cap	
Abacavir sulphate		Disorders		Animas Cartridge	
Abacavir sulphate with		Agents Used in the Treatment of		Animas Vibe	2
lamivudine	115	Poisonings	218	Anoro Ellipta	
Abilify		Agrylin		Antabuse	
Abiraterone acetate		Alanase		Antacids and Antiflatulants	
Acarbose		Albendazole		Anten	
Accu-Chek Ketur-Test		Albey		Anthelmintics	
Accu-Chek Performa		Albustix		Antiacne Preparations	
Accuretic 10		Alendronate sodium		Antiallergy Preparations	
Accuretic 20		Alendronate sodium with	120	Antianaemics	
Acetazolamide		colecalciferol	100	Antiandrogen Oral	4
Acetic acid with 1, 2- propaned		Alfacalcidol		Contraceptives	0
diacetate and	IOI				
	010	Alfamino Junior		Antiarrhythmics Antibacterials	
benzethonium		Alginic acid			
Acetic acid with hydroxyquinol		Alglucosidase alfa		Antibacterials Topical	
ricinoleic acid		Alkeran		Anticholinergic Agents	
Acetylcysteine		Allersoothe		Anticholinesterases	
Aci-Jel	82	Allopurinol		Antidepressants	
Aciclovir	440	Allopurinol-Apotex		Antidiarrhoeals	
Infection		Alpha Adrenoceptor Blockers		Antiepilepsy Drugs	
Sensory		Alpha-Keri Lotion		Antifibrinolytics, Haemostatics and	
Acidex		Alphamox 125		Local Sclerosants	
Acipimox		Alphamox 250		Antifibrotics	
Acitretin		Alu-Tab		Antifungals	
Aclasta		Aluminium hydroxide		Antifungals Topical	
Aclin		Amantadine hydrochloride		Antihistamines	
Actinomycin D		Ambrisentan		Antihypotensives	
Actrapid		Amiloride hydrochloride	62	Antimalarials	
Actrapid Penfill		Amiloride hydrochloride with		Antimigraine Preparations	
Acupan		furosemide	62	Antinaus	14
Adalat 10		Amiloride hydrochloride with		Antinausea and Vertigo Agents	
Adalat Oros		hydrochlorothiazide		Antiparasitics	
Adalimumab		Aminophylline		Antipruritic Preparations	70
Adapalene		Amiodarone hydrochloride		Antipsychotics	
Adefin		Amisulpride		Antiretrovirals	
Adefin XL		Amitriptyline		Antirheumatoid Agents	
Adefovir dipivoxil	109	Amlodipine		Antispasmodics and Other Agents	
Adenuric	128	Amorolfine		Altering Gut Motility	2
ADR Cartridge 1.8	37	Amoxicillin	100	Antithrombotic Agents	50
Adrenaline		Amoxicillin Actavis		Antithymocyte globulin	
Adriamycin	171	Amoxicillin with clavulanic acid		(equine)	18
ADT Booster	257	Amphotericin B	43	Antitrichomonal Agents	10
Adult diphtheria and tetanus		Amsacrine	169	Antituberculotics and	
vaccine		AmsaLyo		Antileprotics	
Advantan	71	Amsidine	169	Antiulcerants	
Advate		Amyl nitrite		Antivirals	
Afinitor	203	Amzoate	42	Anxiolytics	
AFT Carbimazole	90	Anaesthetics		Anzatax	
AFT SLS-free	72	Anagrelide hydrochloride	169	Apidra	

Apidra SoloStar	24	Arrow-Amitriptyline	135	Avelox	102
Apo-Amiloride	62	Arrow-Bendrofluazide	63	Avomine	143
Apo-Amlodipine	60	Arrow-Brimonidine	216	Avonex	156
Apo-Amoxi	100	Arrow-Calcium	45	Avonex Pen	156
Apo-Azithromycin	98	Arrow-Diazepam	148	Azacitidine	166
Apo-Bromocriptine		Arrow-Dortim	215	Azathioprine	182
Apo-Ciclopirox	69	Arrow-Doxorubicin	171	Azithromycin	98
Apo-Cilazapril		Arrow-Etidronate	123	Azol	96
Apo-Cilazapril/		Arrow-Fluoxetine	137	Azopt	215
Hydrochlorothiazide	<u>56</u>	Arrow-Gabapentin	138	AZT	116
Apo-Clarithromycin		Arrow-Lamotrigine	140	- B -	
Alimentary	22	Arrow-Losartan &		B-D Micro-Fine	27
Infection	98	Hydrochlorothiazide	57	B-D Ultra Fine	27
Apo-Clomipramine	135	Arrow-Meloxicam	121	B-D Ultra Fine II	27
Apo-Diclo SR	120	Arrow-Morphine LA	134	Bacillus Calmette-Guerin (BCG)	
Apo-Diltiazem CD		Arrow-Norfloxacin	119	vaccine	188
Apo-Doxazosin	56	Arrow-Ornidazole	107	Bacillus Calmette-Guerin	
Apo-Escitalopram	136	Arrow-Quinapril 10	56	vaccine	257
Apo-Folic Acid	48	Arrow-Quinapril 20	56	Baclofen	129
Apo-Imiquimod Cream 5%	77	Arrow-Quinapril 5	56	Bactroban	69
Apo-Leflunomide		Arrow-Roxithromycin	99	Baraclude	109
Apo-Megestrol		Arrow-Sertraline	137	Barrier Creams and Emollients	72
Apo-Metoprolol		Arrow-Simva 10mg	64	BCG Vaccine	257
Apo-Mirtazapine		Arrow-Simva 20mg	64	Beclazone 100	206
Apo-Moclobemide		Arrow-Simva 40mg	64	Beclazone 250	206
Apo-Montelukast	210	Arrow-Simva 80mg	64	Beclazone 50	206
Apo-Nadolol	60	Arrow-Timolol	215	Beclomethasone	
Apo-Nicotinic Acid	63	Arrow-Tolterodine	83	dipropionate2	06, 211
Apo-Ondansetron	143	Arrow-Topiramate	141	Bee venom allergy treatment	
Apo-Oxybutynin	83	Arrow-Tramadol	135	Bendamustine hydrochloride	164
Apo-Paroxetine		Arsenic trioxide	169	Bendrofluazide	
Apo-Perindopril	56	Asacol	21	Bendroflumethiazide	
Apo-Pindolol		Asamax	21	[Bendrofluazide]	63
Apo-Pravastatin	64	Ascorbic acid	44	BeneFIX	
Apo-Prazosin		Aspen Adrenaline	65	Benzathine benzylpenicillin	100
Apo-Prednisone		Aspirin		Benzatropine mesylate	
Apo-Primidone	140	Blood	50	Benzbromaron AL 100	127
Apo-Propranolol	60	Nervous	132	Benzbromarone	127
Apo-Propranolol S29	60	Asthalin	208	Benzoin	225
Apo-Pyridoxine	44	Atazanavir sulphate	116	Benztrop	130
Apo-Ropinirole		Atenolol	58	Benzydamine hydrochloride	42
Apo-Selegiline S29	130	Atenolol AFT	58	Benzylpenicillin sodium [Penicillin	1
Apo-Sumatriptan	142	ATGAM	188	G]	100
Apo-Terazosin	56	Ativan	148	Beta Adrenoceptor Blockers	58
Apo-Thiamine	44	Atomoxetine	157	Beta Cream	71
Apo-Timol	60	Atorvastatin	64	Beta Ointment	71
Apomorphine hydrochloride	130	Atripla		Beta Scalp	<mark>77</mark>
Aprepitant	142	Atropine sulphate		Beta-Adrenoceptor Agonists	207
Apresoline	66	Cardiovascular	57	Betadine	
Aptamil Gold+ Pepti Junior	245	Sensory	216	Betadine Skin Prep	74
Aqueous cream		Atropt	216	Betaferon	
Aremed		Atrovent	208	Betagan	
Arimidex	182	Aubagio	153	Betahistine dihydrochloride	
Aripiprazole		Augmentin		Betaloc CR	
Aristocort	71	Ava 20 ED		Betamethasone dipropionate	70
Arrow - Clopid	50	Ava 30 ED	80	Betamethasone dipropionate with	l

calcipotriol	76	Brimonidine tartrate with timolol		Carbomer	21
Betamethasone sodium phosphate		maleate2	16	Carboplatin	
with betamethasone acetate	86	Brinov1	67	Carboplatin Ebewe	16
Betamethasone valerate71,	77	Brinzolamide2	15	Carbosorb-X	
Betamethasone valerate with		Brolene2	13	Cardinol LA	6
clioquinol	71	Bromocriptine mesylate1	30	Cardizem CD	
Betamethasone valerate with sodium		Brufen SR1		CareSens	2
fusidate [fusidic acid]	72	BSF Mylan Clonidine2		CareSens II	
Betaxolol		Buccastem1		CareSens N	2
Betnovate	71	Budesonide		CareSens N POP	
Betnovate-C	71	Alimentary	20	Carmellose sodium with gelatin an	d
Betoptic	215	Respiratory206, 2		pectin	4
Betoptic S		Budesonide with eformoterol2	07	Carmustine	16
Bezafibrate		Bumetanide		Carvedilol	
Bezalip	63	Buprenorphine with naloxone1	61	Carvedilol Sandoz	5
Bezalip Retard	63	Bupropion hydrochloride1		Catapres	
Bicalaccord		Burinex		Cathejell	13 <sup>-</sup>
Bicalutamide		Buscopan		CeeNU	
Bicillin LA		Buspirone hydrochloride1		Cefaclor monohydrate	
BiCNU		Busulfan1		Cefalexin	
Bile and Liver Therapy		Butacort Aqueous2		Cefalexin Sandoz	9
Biltricide		- C -		Cefazolin	
Bimatoprost		Cabergoline	95	Ceftriaxone	9
Bimatoprost Actavis		Cafergot1		Cefuroxime axetil	9
Binarex		Cafergot S291		Celecoxib	
Biodone		Caffeine citrate2		Celecoxib Pfizer	
Biodone Extra Forte		Calamine		Celestone Chronodose	
Biodone Forte		Calcipotriol		Celiprolol	
Bisacodyl		Calcitonin		Cellcept	
Bisoprolol fumarate		Calcitriol		Celol	
BK Lotion		Calcitriol-AFT		Centrally-Acting Agents	
Bleomycin sulphate		Calcium carbonate20,		Cephalexin ABM	9
Blood Colony-stimulating		Calcium Channel Blockers		Cerezyme	
Factors	53	Calcium Disodium Versenate2		Cetirizine hydrochloride	
Blood glucose diagnostic test	00	Calcium folinate1		Cetomacrogol	
meter	26	Calcium Folinate Ebewe1		Cetomacrogol with glycerol	
Blood glucose diagnostic test		Calcium gluconate		Champix	
strip	26	Calcium Homeostasis		Charcoal	
Blood glucose test strips (visually		Calcium polystyrene sulphonate		Chemotherapeutic Agents	
impaired)	27	Calcium Resonium		Chickenpox vaccine	
Blood ketone diagnostic test		Calogen2		Chlorafast	
meter	25	Calsource		Chlorambucil	
Bonjela		Camptosar1		Chloramphenicol	
Bonvit		Candesartan cilexetil		Chlorhexidine gluconate	211
Boostrix		Candestar		Alimentary	4
Bortezomib		Canesten		Dermatological	7º
Bosentan		Capecitabine1		Chloroform	
Bosvate		Capoten		Chlorothiazide	
Bplex		Capsaicin	00	Chlorpheniramine maleate	
Breo Ellipta		Musculoskeletal1	21	Chlorpromazine hydrochloride	
Brevinor 1/21		Nervous1		Chlorsig	
Brevinor 1/28		Captopril		Chlortalidone [Chlorthalidone]	
Brevinor 21		Captoprii	0.3 0.0	Chlorthalidone	رن
Bricanyl Turbuhaler		Carbaccord1		Chlorvescent	
Brilinta	E10			Choice Load 375	
		Carbamazepine1		Choice TT380 Short	
Brimonidine tartrate	10	Carbimazole	JU	UTIVICE I 1300 311011	/

Coal tar with salicylic acid and	Cytotec	22
sulphur76	Cytoxan	165
Coco-Scalp	- D -	
Codeine phosphate	D-Penamine	121
Extemporaneous225	Dabigatran	53
Nervous133	Dacarbazine	170
Cogentin130		
Colaspase [L-asparaginase]170	Daivobet	76
Colchicine 128	Daivonex	76
Colecalciferol44	Daktarin	70
Colestid63	Dalacin C	102
Colestipol hydrochloride63		
Colgout128		
Colifoam21		
Colistin sulphomethate102		
Colistin-Link102		
Collodion flexible225	Dapa-Tabs	63
Colloidal bismuth subcitrate23		
Colofac22	Daraprim	103
Coloxyl39	Darunavir	116
Combigan216	Dasatinib	175
Comfort35		
Comfort Short35	DBL Acetylcysteine	218
Compound electrolytes55	DBL Aminophylline	211
Compound hydroxybenzoate225	DBL Bleomycin Sulfate	169
Concerta160	DBL Carboplatin	165
Condoms79	DBL Cisplatin	165
Condyline77	DBL Dacarbazine	170
Contact-D33	DBL Docetaxel	170
Contraceptives - Hormonal79		
Contraceptives - Non-hormonal79		
Copaxone 156	DBL Epirubicin Hydrochloride	171
Cordarone-X57	DBL Ergometrine	82
Corticosteroids and Related Agents	DBL Gemcitabine	167
for Systemic Use86	DBL Leucovorin Calcium	167
Corticosteroids Topical70	DBL Methotrexate Onco-Vial	168
Cosmegen 170	DBL Morphine Sulphate	134
Coumadin53		
Creon 1000038		
Creon 2500038	DBL Pethidine Hydrochloride	135
Crixivan116		
Crotamiton70	De-Worm	97
Crystaderm68		
Curam100	Deferasirox	218
Cvite44		
Cyclizine hydrochloride142	Deolate	106
Cyclizine lactate143	Deoxycoformycin	173
Cyclogyl216		
Cyclopentolate hydrochloride216	Depo-Medrol with Lidocaine	86
Cyclophosphamide165	Depo-Provera	81
Cycloserine107	Depo-Testosterone	87
Cyklokapron50		
Cyproterone acetate87		
Cyproterone acetate with		
ethinyloestradiol81	Desferal	219
Cytarabine167	Desferrioxamine mesilate	219
	sulphur         76           Coco-Scalp         76           Codeine phosphate         225           Extemporaneous         225           Nervous         133           Cogentin         130           Colaspase [L-asparaginase]         170           Colchicine         128           Colecidid         63           Colestidi         63           Colestipol hydrochloride         63           Colgout         128           Colifoam         21           Colistin sulphomethate         102           Colistin-Link         102           Collodion flexible         225           Colloidal bismuth subcitrate         23           Colfac         222           Coloxyl         39           Combigan         216           Comfort         35           Comfort Short         35           Compound hydroxybenzoate         225           Concerta         160           Condoms         79           Condyline         77           Contraceptives - Hormonal         79           Contraceptives - Non-hormonal         79           Copaxone         156 <td>sulphur 76 Coco-Scalp 76 Coco-Scalp 76 Codeine phosphate</td>	sulphur 76 Coco-Scalp 76 Coco-Scalp 76 Codeine phosphate

Desmopressin acetate95	influenzae type B vaccine	258	E-Mycin	99
Desmopressin-PH&T95			Ear Preparations	
Detection of Substances in	Diprosone OV		Ear/Eye Preparations	
Urine 84			Easiphen Liquid	
Dexamethasone	Disinfecting and Cleansing		EasyCheck	
Hormone86		72	Econazole nitrate	
Sensory214	•		Efavirenz	
Dexamethasone phosphate86	.,		Efavirenz with emtricitabine and	
Dexamethasone with framycetin and	Ditropan		tenofovir disoproxil	
gramicidin 213			fumarate	115
Dexamethasone with neomycin	Diurin 40		Effient	
sulphate and polymyxin B	Docetaxel		Eformoterol fumarate	
sulphate214			Efudix	
Dexamfetamine sulfate158			Egopsoryl TA	
Dexmethsone86			Elaprase	41
Dextrochlorpheniramine	sennosides	39	Elecare	
maleate206			Elecare LCP	
Dextrose54			Elemental 028 Extra	
Dextrose with electrolytes55			Elocon	
DHC Continus			Elocon Alcohol Free	
Diabetes	•		Eltrombopag	
Diabetes Management			Eltroxin	
Diacomit			Emend	
Diagnostic Agents266	,		Emend Tri-Pack	
Diamide Relief			EMLA	
Diamox 215			Emtricitabine	
Diasip		135	Emtricitabine with tenofovir disop	
Diason RTH			fumarate	
Diazepam	· · · · · · · · · · · · · · · · · · ·		Emtriva	
Diazoxide 23			Emulsifying ointment	
Dicarz			Enalapril maleate	
Diclofenac Sandoz120			Enbrel	
Diclofenac sodium	Doxorubicin hydrochloride		Endocrine Therapy	
Musculoskeletal120			Endoxan	
Sensory214			Enerlyte	
Differin	DP Fusidic Acid Cream		Engerix-B	
Difflam			Enlafax XR	
Diflucan			Enoxaparin sodium	
Diflucan S29			Ensure	
Diflucortolone valerate71	•		Ensure Plus	
Digestives Including Enzymes38			Ensure Plus HN	
			Ensure Plus RTH	
Digoxin			Entacapone	
Dihydrocodeine tartrate	•	100		
Dilantin Infotoh		101	Entapone Entecavir	
Dilantin Infatab				
Diltiazem hydrochloride	•		Entocort CIR	
Dilzem			Epilim	140
Dimethicone			Epilim Crushable	
Dimethyl fumarate			Epilim IV	
Dipentum			Epilim S/F Liquid	
Diphtheria, tetanus and pertussis	Duride		Epilim Syrup	
vaccine		61	Epirubicin Ebewe	
Diphtheria, tetanus, pertussis and	- E -	040	Epirubicin hydrochloride	
polio vaccine			Epoetin alfa [Erythropoietin alfa].	
Diphtheria, tetanus, pertussis, polio,	e-chamber Mask		Eprex	
hepatitis B and haemophilus	e-chamber Turbo	212	Eptacog alfa [Recombinant factor	r

VIIa]	48	FEIBA NF	49	Flutamide	181
ERA	99	Felodipine	61	Flutamide Mylan	
Ergometrine maleate	82	Fenpaed	120	Flutamin	181
Ergotamine tartrate with		Fentanyl	133	Fluticasone	
caffeine	142	Fentanyl Sandoz		Fluticasone furoate with	
Erlotinib	176	Ferinject		vilanterol	207
Erythrocin IV	99	Ferodan		Fluticasone propionate	
Erythromycin ethyl succinate		Ferric carboxymaltose		Fluticasone with salmeterol	
Erythromycin lactobionate	99	Ferriprox		FML	215
Erythromycin stearate	99	Ferro-F-Tabs		Foban	
Erythropoietin alfa	48	Ferro-tab		Folic acid	
Esbriet		Ferrograd	46	Food Thickeners	241
Escitalopram		Ferrograd F		Foods And Supplements For Ir	nborn
Eskazole		Ferrous fumarate		Errors Of Metabolism	
Estradot	88	Ferrous fumarate with folic acid	J46	Foradil	
Estradot 50 mcg	88	Ferrous sulphate	46	Forteo	124
Estrofem		Ferrous sulphate with folic acid		Fortini	
Etanercept		Ferrum H		Fortini Multi Fibre	
Ethambutol hydrochloride		Fexofenadine hydrochloride		Fortisip	
Ethics Aspirin		Fibro-vein		Fortisip Multi Fibre	
Ethics Aspirin EC		Filgrastim		Fosamax	
Ethics Enalapril		Finasteride		Fosamax Plus	
Ethics Lisinopril		Fingolimod		Fragmin	
Ethinyloestradiol		Finpro	82	Framycetin sulphate	
Ethinyloestradiol with		Firazyr		Freestyle Optium	
desogestrel	80	Flagyl		Freestyle Optium Ketone	25
Ethinyloestradiol with		Flagyl-S		Freestyle Optium Neo	25
levonorgestrel	80	Flamazine		Frisium	
Ethinyloestradiol with		Flecainide acetate		Frumil	
norethisterone	80	Fleet Phosphate Enema	40	Frusemide	62
Ethosuximide		Flixonase Hayfever & Allergy		Frusemide-Claris	
Etidronate disodium	123	Flixotide		Fucicort	
Etopophos	171	Flixotide Accuhaler	206	Fucidin	
Etoposide		Floair		Fucithalmic	213
Etoposide phosphate		Florinef		Fungilin	
Etravirine		Fluanxol	146	Furosemide [Frusemide]	
Eumovate		Flucil	101	fusidic acid	
Everet	140	Flucloxacillin	101	Dermatological	69, 72
Everolimus	203	Flucloxin		Infection	
Evista	123	Fluconazole	104	Sensory	
Exelon	161	Fludara Oral	167	´ - G -	
Exemestane	182	Fludarabine Ebewe	167	Gabapentin	138
Exjade	218	Fludarabine phosphate	167	Gacet	
Extemporaneously Compounde		Fludrocortisone acetate		Galsulfase	41
Preparations and		Fluids and Electrolytes	54	Gardasil 9	261
Galenicals	225	Flumetasone pivalate		Gastrodenol	23
Eye Preparations		Fluocortolone caproate with		Gastrosoothe	22
Ezemibe		fluocortolone pivalate and		Gaviscon Double Strength	20
Ezetimibe		cinchocaine	21	Gaviscon Infant	
Ezetimibe with simvastatin	64	Fluorometholone		Gazyva	
-F-	-	Fluorouracil		Gefitinib	
Factor eight inhibitor bypassing	I	Fluorouracil Ebewe		Gemcitabine Ebewe	
fraction		Fluorouracil sodium		Gemcitabine hydrochloride	
Febuxostat		Fluoxetine hydrochloride		Gemfibrozil	63
Feed Thickener Karicare	-	Flupenthixol decanoate	146	Gemzar	
Aptamil	241	Fluphenazine decanoate		Genoptic	

Genox	182	Hemastix	84	Hyoscine butylbromide	22
Gentamicin sulphate		Heparin sodium	52	Hyoscine hydrobromide	143
Infection	102	Heparinised saline	53	Hypam	
Sensory	213	Heparon Junior	232	Hyperuricaemia and Antigout	127
Gilenya	150	Hepatitis A vaccine	259	Hypromellose	216
Ginet	81	Hepatitis B recombinant		Hypromellose with dextran	217
Glatiramer acetate	156	vaccine	260	Hysite	216
Glibenclamide	25	Hepsera	109	-1-	
Gliclazide		Herceptin		Ibiamox	100
Glipizide	25	Hexamine hippurate	119	Ibugesic	
Glivec	176	Hiberix	258	Ibuprofen	120
Glizide	25	Hiprex	119	Icatibant	
Glucagen Hypokit		Histaclear		Idarubicin hydrochloride	171
Glucagon hydrochloride		Histafen	205	Idursulfase	
Glucerna Select	231	Holoxan	165	Ifosfamide	165
Glucerna Select RTH		Horleys Bread Mix		Ikorel	
Glucobay		Horleys Flour	241	lloprost	67
Glucose [Dextrose]	54	Hormone Replacement Therap	оу -	Imatinib mesilate	
Gluten Free Foods	241	Systemic		Imatinib-AFT	176
Glycerin with sodium saccharin		HPV		Imiglucerase	
Glycerin with sucrose	225	Humalog		Imipramine hydrochloride	
Glycerol		Humalog Mix 25		Imiquimod	
Alimentary	39	Humalog Mix 50		Immune Modulators	
Extemporaneous	225	Human papillomavirus (6, 11,		Immunosuppressants	
Glyceryl trinitrate		31, 33, 45, 52 and 58) vacc		Imuran	
Alimentary		[HPV]		Incruse Ellipta	
Cardiovascular		Humatin		Indacaterol	
Glycopyrronium		Humira		Indapamide	
Glycopyrronium bromide	22	HumiraPen		Indinavir	
Glycopyrronium with		Humulin 30/70		Infanrix IPV	
indacaterol		Humulin NPH		Infanrix-hexa	
Glytrin	65	Humulin R		Infant Formulae	
Gold Knight		Hyaluronic acid		Influenza vaccine	
Goserelin		Hybloc		Influvac	
Gutron		Hydralazine		Inhaled Corticosteroids	206
Gynaecological Anti-infectives	82	Hydralazine hydrochloride		Inhaled Long-acting	
- H -		Hydrea	171	Beta-adrenoceptor Agonists	
Habitrol		Hydrocortisone		Inset 30	
Haemophilus influenzae type B		Dermatological		Inset II	
vaccine		Hormone		Insulin aspart	24
Haldol		Hydrocortisone acetate		Insulin aspart with insulin aspart	
Haldol Concentrate		Hydrocortisone and paraffin lic		protamine	
Haldol Decanoas		and lanolin		Insulin glargine	24
Haloperidol		Hydrocortisone butyrate		Insulin glulisine	
Haloperidol decanoate		Hydrocortisone with cinchocai		Insulin isophane	24
Hamilton Sunscreen		Hydrocortisone with miconazo		Insulin isophane with insulin	
Harvoni		Hydrocortisone with natamycir		neutral	
Havrix		neomycin	72	Insulin lispro	24
Havrix Junior		Hydrogen peroxide		Insulin lispro with insulin lispro	
HBvaxPRO		Alimentary	43	protamine	
healthE Dimethicone 10%		Dermatological	68	Insulin neutral	24
healthE Dimethicone 4% Lotion		Hydroxocobalamin	43	Insulin pen needles	
healthE Dimethicone 5%		Hydroxychloroquine		Insulin pump	
healthE Glycerol BP	225	Hydroxyurea		Insulin pump accessories	33
healthE Urea Cream		Hygroton		Insulin pump infusion set (steel	-
Healtheries Simple Baking Mix.	241	Hylo-Fresh	217	cannula)	33

Insulin pump infusion set (teflon	- K -		Leflunomide	12
cannula, angle insertion with	Kaletra	116	Lenalidomide	
insertion device)	34 Kemadrin	130	Letrole	
Insulin pump infusion set (teflon	Kenacomb	213	Letrozole	
cannula, angle insertion)	35 Kenacort-A 10	87	Leukeran FC	16
Insulin pump infusion set (teflon	Kenacort-A 40	87	Leukotriene Receptor	
cannula, straight insertion with	Kenalog in Orabase		Antagonists	21
insertion device)	ŭ .		Leunase	
Insulin pump infusion set (teflon	KetoCal 4:1	246	Leuprorelin	9
cannula, straight insertion)	37 Ketoconazole		Leustatin	16
Insulin pump reservoir		77	Levetiracetam	
Insulin syringes, disposable with	Infection		Levlen ED	
attached needle			Levobunolol	21
Intal Forte CFC Free2			Levocabastine	
Intal Spincaps2	11 electrodes	<u>25</u>	Levodopa with benserazide	
Intelence1		120	Levodopa with carbidopa	
Interferon alfa-2a1	•		Levomepromazine	
Interferon alfa-2b1			hydrochloride	14
Interferon beta-1-alpha1			Levomepromazine maleate	14
Interferon beta-1-beta1	•		Levonorgestrel	
Intra-uterine device			Genito-Urinary	8
Intron-A1			Hormone	
Invega Sustenna1			Levothyroxine	
IPOL2			Lidocaine [Lignocaine]1	
Ipratropium bromide208, 2			Lidocaine [Lignocaine]	
Iressa1			hydrochloride	13
Irinotecan Actavis 100			Lidocaine [Lignocaine] with	
Irinotecan Actavis 401			chlorhexidine	13
Irinotecan hydrochloride1		170	Lidocaine [Lignocaine] with	
Irinotecan-Rex1			prilocaine	13
Iron polymaltose			Lidocaine-Claris	
Isentress1			Lignocaine	
Ismo 20			Hormone	8
Ismo 40 Retard			Nervous1	
Isoniazid1			Lioresal Intrathecal	
Isoprenaline			Lipazil	
Isoptin			Lipid-Modifying Agents	
Isopto Carpine2			Liquigen	23
Isosorbide mononitrate			Lisinopril	5
Isosource Standard2			Lithicarb FC	
Isosource Standard RTH2			Lithium carbonate	
Isotane 10			Livostin	
Isotane 20			LMX4	
Isotretinoin			Locacorten-Viaform ED's	
Ispaghula (psyllium) husk			Local preparations for Anal and	2 1
Isradipine			Rectal Disorders	2
Isuprel			Locasol	
Itch-Soothe			Locoid	
Itraconazole1			Locoid Crelo	7
Itrazole1			Locoid Lipocream	7
Ivermectin	•		Locorten-Vioform	
- J -	Lax-Suppositories	40	Lodi	
Jadelle	81 Lax-Tab		Lodoxamide	
Jevity HiCal RTH2			Logem	
Jevity RTH2			Lomide	14 91
Juno Pemetrexed1			Lomustine	
OULIO I OILIOHOAGU	Louipastii Willi solosuuvii	1 10	LOTTUGUITO	10

Loniten		Mefenamic acid		Metronidazole	
Loperamide hydrochloride		Megestrol acetate		Metyrapone	
Lopinavir with ritonavir	116	Melatonin		Mexiletine hydrochloride	
Lopresor	60	Meloxicam	121	Mexiletine Hydrochloride USP	5
Loprofin		Melphalan		Miacalcic	
Loprofin Mix	243	Menactra		Micolette	
Lorafix	206	Meningococcal (groups A, C, Y and	d	Miconazole	4
Loratadine	206	W-135) conjugate vaccine	263	Miconazole nitrate	
Lorazepam		Meningococcal C conjugate		Dermatological	
Lorfast	206	vaccine	263	Genito-Urinary	
Lormetazepam	156	Menthol	70	Micreme	8
Lorstat	64	Mercaptopurine	168	Micreme H	
Losartan Actavis	57	Mercilon 28	80	Microgynon 20 ED	8
Losartan potassium	57	Mesalazine	21	Microgynon 30	8
Losartan potassium with		Mesna	172	Microgynon 50 ED	8
hydrochlorothiazide	<u>57</u>	Mestinon	120	Microlut	8
Lovir	110	Metabolic Disorder Agents	40	Midazolam	
Lucrin Depot 1-month	94	Metamide	143	Midazolam-Claris	15
Lucrin Depot 3-month		Metchek	25	Midodrine	
Ludiomil	136	Meterol		Minerals	4
Lycinate	65	Metformin hydrochloride	25	Mini-Wright AFS Low Range	21
Lyderm	75	Metformin Mylan	25	Mini-Wright Standard	21
- M -		Methadone hydrochloride		Minidiab	
m-Eslon	134	Extemporaneous	225	Minims Pilocarpine	21
m-Nystatin	43	Nervous	133	Minims Prednisolone	21
Mabthera	197	Methatabs	133	Minirin	9!
Macrogol 3350 with potassium		Methopt		Mino-tabs	
chloride, sodium bicarbonate	e and	Methotrexate	168	Minocycline hydrochloride	10
sodium chloride		Methotrexate Ebewe	168	Minomycin	
Macrogol 400 and propylene		Methotrexate Sandoz	168	Minor Skin Infections	
glycol	217	Methyl hydroxybenzoate	225	Minoxidil	6
Madopar 125		Methylcellulose		Mirena	
Madopar 250		Methylcellulose with glycerin and		Mirtazapine	13
Madopar 62.5		sodium saccharin	225	Misoprostol	
Madopar HBS		Methylcellulose with glycerin and		Mitomycin C	
Madopar Rapid		sucrose	226	Mitozantrone	
Magnesium hydroxide	225	Methyldopa		Mitozantrone Ebewe	
Magnesium sulphate	46	Methyldopa Mylan		Mixtard 30	
Mantoux		Methylphenidate hydrochloride		Moclobemide	
Maprotiline hydrochloride		Methylphenidate hydrochloride		Modafinil	
Marevan		extended-release	160	Modavigil	
Marine Blue Lotion SPF 50+		Methylprednisolone		Modecate	
Marvelon 28		Methylprednisolone (as sodium		Modecate S29	
Mask for spacer device		succinate)	86	Moduretic	
Mast Cell Stabilisers		Methylprednisolone aceponate		Molaxole	
Maxidex		Methylprednisolone acetate		Mometasone furoate	
Maxitrol		Methylprednisolone acetate with		Monogen	
MCT oil (Nutricia)		lidocaine [Lignocaine]	86	Montelukast	
Measles, mumps and rubella		Methylxanthines	211	Moroctocog alfa [Recombinant fa	
vaccine	263	Metoclopramide Actavis 10		VIII]	
Mebendazole		Metoclopramide hydrochloride		Morphine hydrochloride	
Mebeverine hydrochloride		Metolazone		Morphine sulphate	13
Medrol		Metopirone		Morphine tartrate	
Medroxyprogesterone acetate		Metoprolol - AFT CR		Motetis	
Genito-Urinary	81	Metoprolol succinate		Motrig	
Hormone		Metoprolol tartrate		Mouth and Throat	
		protor tartialo			· · · · · · · · · · · · · · · · · · ·

Movapo	130	Neocate LCP	244	NovoMix 30 FlexPen	
Moxifloxacin	102	Neoral	203	NovoRapid	24
MSUD Maxamum	242	Neostigmine metilsulfate	120	NovoRapid FlexPen	24
Mucilaginous laxatives with		Nepro HP (strawberry)	234	NovoRapid Penfill	
stimulants	39	Nepro HP (vanilla)	234	NovoSeven RT	48
Mucolytics	211	Nepro HP RTH		Noxafil	10
Mucosoothe	132	Nerisone	71	Nozinan	14
Multiple Sclerosis Treatments	148	Neulactil	145	Nuelin	21
Multivitamin renal	44	Neulastim	53	Nuelin-SR	21
Multivitamins	44	Neurontin	138	Nupentin	138
Mupirocin	69	NeuroTabs	45	Nutilis	
Muscle Relaxants	129	Nevirapine	115	Nutrient Modules	
Mvite	45	Nevirapine Alphapharm	115	Nutrini Energy Multi Fibre	233
Myambutol	108	Nicorandil	<mark>66</mark>	Nutrini Energy RTH	
Mycobutin	108	Nicotine	163	Nutrini Low Energy Multi Fibre	23
MycoNail		Nicotinic acid	63	Nutrini RTH	233
Mycophenolate mofetil		Nifedipine	61	Nutrison 800 Complete Multi	
Mycostatin		Nifuran		Fibre	238
Mydriacyl		Nilotinib	177	Nutrison Concentrated	
Mylan Atenolol		Nilstat		Nutrison Energy	238
Mylan Clomiphen		Alimentary	43	Nutrison Energy Multi Fibre	
Mylan-Bosentan		Genito-Urinary		Nutrison Multi Fibre	238
Myleran	165	Infection		Nutrison Standard RTH	
Myloc CR		Nipent	173	Nyefax Retard	
Myocrisin		Nitrados		Nystatin	
Myometrial and Vaginal Hormor		Nitrates	65	Alimentary	4
Preparations		Nitrazepam	157	Dermatological	
Myozyme		Nitroderm TTS		Genito-Urinary	
- N -		Nitrofurantoin	119	Infection	
Nadolol	60	Nitrolingual Pump Spray	65	NZB Low Gluten Bread Mix	24
Naglazyme	41	Nivolumab	201	- 0 -	
Nalcrom	21	Nizoral	105	O/W Fatty Emulsion Cream	7
Naloxone hydrochloride	218	Noctamid	156	Obinutuzumab	19
Naltraccord		Nodia	20	Octocog alfa [Recombinant factor	
Naltrexone hydrochloride	162	Noflam 250	120	VIII] (Advate)	49
Naphazoline hydrochloride	217	Noflam 500	120	Octocog alfa [Recombinant factor	
Naphcon Forte	217	Non-Steroidal Anti-Inflammate	ory	VIII] (Kogenate FS)	50
Naprosyn SR 1000		Drugs	120	Octreotide	
Naprosyn SR 750		Nonacog alfa [Recombinant fa	actor	Octreotide LAR (somatostatin	
Naproxen	120	IX]	49	analogue)	18 <sup>-</sup>
Nardil	136	Nonacog gamma, [Recombination	ant	Octreotide MaxRx	
Nasal Preparations	211	Factor IX]	49	Oestradiol	8
Natalizumab	151	Norethisterone		Oestradiol valerate	8
Natulan	173	Genito-Urinary	81	Oestradiol with norethisterone	8
Nausicalm	143	Hormone	89	Oestriol	
Nauzene	142	Norflex	129	Genito-Urinary	82
Navelbine	175	Norfloxacin	119	Hormone	
Nedocromil	211	Noriday 28	<mark>81</mark>	Oestrogens	8
Nefopam hydrochloride	132	Norimin		Oestrogens with	
Neisvac-C				medroxyprogesterone	80
Neo-B12	263	Normacol Plus	39	meuroxyprogesterone	
NEO-D12		Normison	157	Oil in water emulsion	7
Neo-Mercazole	43	Normison	157	Oil in water emulsion	7
	43 90	Normison Norpress	157 136		70 45–146
Neo-Mercazole Neocate Advance Neocate Gold	90 244 244	Normison	157 136 136	Oil in water emulsion	70 45–146 60
Neo-Mercazole Neocate Advance	90 244 244	Normison Norpress Nortriptyline hydrochloride	157 136 136 116	Oil in water emulsion	70 45–146 60 217

Omeprazole	23	Paclitaxel	172	Parasiticidal Preparations	7
Omezol Relief		Paclitaxel Actavis	172	Paritaprevir, ritonavir and ombitas	
Omnitrope		Paclitaxel Ebewe	172	with dasabuvir	
Onbrez Breezhaler	207	Paediatric Seravit	44	Paritaprevir, ritonavir and ombitas	
Oncaspar		Paliperidone		with dasabuvir and ribavirin	
OncoTICE		Pamidronate disodium		Parnate	
Ondansetron	143	Pamisol	123	Paromomycin	
Ondansetron ODT-DRLA	143	Pancreatic enzyme	38	Paroxetine	
One-Alpha	44	Pantoprazole		Paser	
Opdivo		Panzop Relief		Patanol	
Ora-Blend		Panzytrat		Paxam	14
Ora-Blend SF	225	Papaverine hydrochloride		Pazopanib	17
Ora-Plus	225	Para-amino salicylic acid		Peak flow meter	21
Ora-Sweet	225	Paracare		Pedialyte - Bubblegum	5
Ora-Sweet SF	225	Paracare Double Strength	133	Pediasure	
Orabase	43	Paracetamol		Pediasure RTH	
Oral Supplements/Complete	Diet	Paracetamol + Codeine		Pegaspargase	17
(Nasogastric/Gastrostomy		(Relieve)	135	Pegasys	
Feed)		Paracetamol with codeine		Pegasys RBV Combination	
Oratane		Paradigm 1.8 Reservoir	37	Pack	11
Orgran		Paradigm 3.0 Reservoir		Pegfilgrastim	
Orion Temozolomide	173	Paradigm 522		Pegylated interferon alfa-2a	
Ornidazole		Paradigm 722	28	Pembrolizumab	
Orphenadrine citrate		Paradigm Mio MMT-921		Pemetrexed	
Ortho-tolidine		Paradigm Mio MMT-923		Penicillamine	
Oruvail SR	120	Paradigm Mio MMT-925		Penicillin G	
Osmolite RTH	238	Paradigm Mio MMT-941		PenMix 30	2
Ospamox		Paradigm Mio MMT-943		PenMix 40	2
Other Endocrine Agents		Paradigm Mio MMT-945		PenMix 50	
Other Oestrogen Preparation		Paradigm Mio MMT-965		Pentasa	2
Other Progestogen		Paradigm Mio MMT-975		Pentostatin [Deoxycoformycin]	
Preparations	89	Paradigm Quick-Set MMT-386		Pentoxifylline [Oxpentifylline]	
Other Skin Preparations		Paradigm Quick-Set MMT-387		Peptamen Junior	
Ovestin		Paradigm Quick-Set MMT-396		Peptisoothe	
Genito-Urinary	82	Paradigm Quick-Set MMT-397		Peptisorb	23
Hormone		Paradigm Quick-Set MMT-398		Perhexiline maleate	
Ox-Pam		Paradigm Quick-Set MMT-399		Pericyazine	
Oxaliccord		Paradigm Silhouette MMT-368		Perindopril	
Oxaliplatin		Paradigm Silhouette MMT-377		Perjeta	
Oxaliplatin Actavis 100		Paradigm Silhouette MMT-378		Permethrin	
Oxaliplatin Actavis 50		Paradigm Silhouette MMT-381		Pertuzumab	
Oxaliplatin Ebewe	166	Paradigm Silhouette MMT-382		Peteha	
Oxazepam		Paradigm Silhouette MMT-383		Pethidine hydrochloride	
Oxis Turbuhaler		Paradigm Silhouette MMT-384		Pevaryl	
Oxpentifylline		Paradigm Sure-T MMT-864		Pexsig	
Oxybutynin		Paradigm Sure-T MMT-866		Pfizer Exemestane	
Oxycodone hydrochloride		Paradigm Sure-T MMT-874		Pharmacare	
OxyNorm		Paradigm Sure-T MMT-876		Pharmacy Health Sorbolene with	
Oxytocin		Paradigm Sure-T MMT-884		Glycerin	7:
Oxytocin BNM		Paradigm Sure-T MMT-886		Pharmacy Services	21
Oxytocin with ergometrine		Paraffin		Pheburane	
maleate	82	Paraffin liquid with soft white		Phenelzine sulphate	
Ozole		paraffin	217	Phenobarbitone	
Ozurdex		Paraffin liquid with wool fat	217	Phenobarbitone sodium	1 10
-P-		Paraldehyde		Extemporaneous	22
Pacifen	129	Parasidose		Nervous	

Phenothrin	76	Prazosin	56	Pyridostigmine bromide	120
Phenoxybenzamine		Pred Forte	215	Pyridoxine hydrochloride	44
hydrochloride	<u>56</u>	Prednisolone	86	Pyrimethamine	103
Phenoxymethylpenicillin (Pe		Prednisolone acetate	215	Pytazen SR	
V)		Prednisolone sodium		. Q -	
Phenytoin sodium		phosphate	215	Q 300	107
Phlexy 10		Prednisolone-AFT		Questran-Lite	
Phosphate-Sandoz		Prednisone		Quetapel	145
Phosphorus		Pregnancy Tests - hCG Urine	82	Quetiapine	145
Phytomenadione		Premarin		Quick-Set MMT-390	
Pilocarpine hydrochloride		Premia 2.5 Continuous		Quick-Set MMT-391	
Pimafucort		Premia 5 Continuous		Quick-Set MMT-392	
Pindolol		Prevenar 13		Quick-Set MMT-393	
Pine tar with trolamine laurils		Prezista		Quinapril	
and fluorescein		Priadel		Quinapril with	
Pinetarsol		Primacin		hydrochlorothiazide	57
Pioglitazone		Primaquine phosphate		Quinine sulphate	
Piportil		Primidone		Qvar	
Pipothiazine palmitate		Primolut N		- R -	200
Pirfenidone		Priorix		RA-Morph	12/
Pizotifen		Probenecid		•	
PKU Anamix Infant		Probenecid-AFT		Raloxifene hydrochloride	
				Raltegravir potassium	110
PKU Anamix Junior		Procaine penicillin		Ramipex	130
PKU Anamix Junior LQ		Procarbazine hydrochloride		Ranbaxy-Cefaclor	
PKU Lophlex LQ 10		Prochlorperazine		Ranitidine	
PKU Lophlex LQ 20		Proctosedyl		Ranitidine Relief	
Plaquenil		Procur		Rapamune	
Plendil ER		Procyclidine hydrochloride		Reandron 1000	
Pneumococcal (PCV10) con	jugate	Procytox		Recombinant factor IX	
vaccine	263	Progesterone		Recombinant factor VIIa	
Pneumococcal (PCV13) con		Proglicem		Recombinant factor VIII	
vaccine	264	Proglycem		Rectogesic	
Pneumococcal (PPV23)		Progynova	88	Redipred	
polysaccharide vaccine	265	Prokinex	143	Refresh Night Time	217
Pneumovax 23	265	Promethazine hydrochloride	206	Relieve	120
Podophyllotoxin		Promethazine theoclate	143	Renilon 7.5	
Polaramine	206	Propafenone hydrochloride	58	Resonium-A	55
Poliomyelitis vaccine	265	Propamidine isethionate	213	Resource Beneprotein	230
Poloxamer	39	Propranolol	60	Resource Diabetic	231
Poly-Gel	217	Propylene glycol	226	Respigen	208
Poly-Tears	217	Propylthiouracil		Respiratory Devices	212
Poly-Visc		Protaphane		Respiratory Stimulants	
Polycal	228	Protaphane Penfill	24	Retinol palmitate	217
Polyvinyl alcohol		Protifar		ReTrieve	
Ponstan		Protionamide		Retrovir	116
Posaconazole		Provera		Revlimid	
Postinor-1		Provera HD		Revolade	
Potassium chloride		PSM Citalopram		Rexacrom	
Potassium citrate		Psoriasis and Eczema		RexAir	
Potassium iodate		Preparations	76	Reyataz	
Povidone iodine		PTU		Ribomustin	
Pradaxa		Pulmicort Turbuhaler		Ricit	
		Pulmocare		Rifabutin	
Pracuarol		Pulmozyme		Rifadin	
Prasugrel					
Pravisuantal		Puri-nethol		Rifampicin	
Praziquantel	97	Pyrazinamide	108	Rifaximin	23

Rifinah	108	SensoCard	27	Soframycin	21
Rilutek	131	Serenace	145	Solian	14
Riluzole	131	Seretide	207	Solifenacin succinate	8
Riodine	74	Seretide Accuhaler	207	Solu-Cortef	8
Risedronate Sandoz	124	Serevent	207	Solu-Medrol	8
Risedronate sodium	124	Serevent Accuhaler		Somatropin (Omnitrope)	9
Risperdal Consta	147	Serophene	96	Sotacor	
Risperidone	145, 147	Sertraline	137	Sotalol	6
Risperon		Sevredol	134	Spacer device	21
Ritalin	159	Sex Hormones Non		Span-K	5
Ritalin LA	160	Contraceptive	87	Spiolto Respimat	
Ritalin SR	159	Shield 49	79	Spiractin	6
Ritonavir	116	Shield Blue	79	Spiriva	
Rituximab	197	Shield XL	79	Spiriva Respimat	
Rivaroxaban	53	Sildenafil	67	Spironolactone	6
Rivastigmine	161	Silhouette MMT-371		Sporanox	10
Rivotril	137–138	Silhouette MMT-373		Sprycel	17
RIXUBIS	49	Siltuximab	199	Staphlex	10
Rizamelt	142	Simvastatin	64	Stemetil	14
Rizatriptan	142	Simvastatin Mylan	64	Stesolid	13
Roferon-A	117	Sinemet	130	Stimulants/ADHD Treatments	15
Rolin		Sinemet CR		Stiripentol	140
Ropinirole hydrochloride	130	Sirolimus	203	Stocrin	11
Rotarix	<mark>265</mark>	Slow-Lopresor	60	Stomahesive	4
Rotavirus oral vaccine	<mark>265</mark>	Sodibic	55	Strattera	15
Roxane		Sodium acid phosphate		Stromectol	
Alimentary	<mark>20</mark>	Sodium alginate	20	Suboxone	
Cardiovascular	60	Sodium aurothiomalate	121	Sucralfate	
Roxithromycin	<mark>99</mark>	Sodium benzoate	42	Sulfadiazine Silver	6
Rubifen		Sodium bicarbonate		Sulfadiazine sodium	
Rubifen SR		Blood		Sulindac	
Rulide D	<mark>99</mark>	Extemporaneous	226	Sulphasalazine	2
Rythmodan	57	Sodium calcium edetate	219	Sulphur	7
Rytmonorm	58	Sodium chloride		Sulprix	14
- S -		Blood	54	Sumatriptan	
S-26 Gold Premgro	243	Respiratory	211	Sunitinib	17
Sabril	141	Sodium citrate with sodium	lauryl	Sunscreens	
SalAir		sulphoacetate	40	Sunscreens, proprietary	
Salazopyrin		Sodium citro-tartrate	83	Sure-T MMT-863	
Salazopyrin EN		Sodium cromoglicate		Sure-T MMT-865	
Salbutamol		Alimentary	21	Sure-T MMT-873	3
Salbutamol with ipratropium	1	Respiratory		Sure-T MMT-875	3
bromide		Sensory		Sure-T MMT-883	
Salicylic acid		Sodium fluoride		Sure-T MMT-885	
Salmeterol		Sodium Fusidate [fusidic ad		Sustagen Diabetic	
Sandomigran		Dermatological		Sustagen Hospital Formula	
Sandostatin LAR		Infection	103	Sustanon Ampoules	
Scalp Preparations	77	Sensory		Sutent	17
Scopoderm TTS		Sodium hyaluronate [Hyalu		Sylvant	
Sebizole	77	acid]		Symbicort Turbuhaler 100/6	
Sedatives and Hypnotics		Sodium nitroprusside		Symbicort Turbuhaler 200/6	
Seebri Breezhaler		Sodium phenylbutyrate		Symbicort Turbuhaler 400/12	
Selegiline hydrochloride		Sodium polystyrene sulpho		Symmetrel	
Senna		Sodium tetradecyl sulphate	50	Sympathomimetics	
Senokot		Sodium valproate		Synacthen	
Sensipar	85	Sofradex	213	Synacthen Depot	8

Synflorix	263	Timolol	Triclosan	72
Synthroid	90	Cardiovascular6	O Trimeprazine tartrate	206
Syntometrine	82	Sensory21	5 Trimethoprim	104
Syrup (pharmaceutical grade)		Timoptol XE21		
Systane Unit Dose		Tiotropium bromide20		
· -T-		Tiotropium bromide with	[Co-trimoxazole]	104
Tacrolimus	204	olodaterol20		88
Tacrolimus Sandoz	204	Tivicay11		
Tambocor	58	TMP10	4 Trophic Hormones	91
Tambocor CR	58	TOBI10		216
Tamoxifen citrate	182	Tobramycin	Trusopt	215
Tamsulosin hydrochloride	83	Infection10		
Tamsulosin-Rex		Sensory21	4 Tuberculin PPD [Mantoux] te	st266
Tap water		Tobramycin Mylan10		
Tarceva	176	Tobrex21		241
Tasigna		Tofranil13		
Tasmar		Tofranil s2913		177
Tecfidera		Tolcapone13		
Tegretol		Tolterodine8		
Tegretol CR		Topamax14		209
Telfast		Topical Products for Joint and	Ultraproct	
Temaccord		Muscular Pain12		
Temazepam		Topiramate14		
Temizole 20		Topiramate Actavis14		
Temozolomide		Total parenteral nutrition (TPN)5		
Tenofovir disoproxil fumarate		TPN5		
Tenoxicam		Tramadol hydrochloride13		
Tepadina		Tramal SR 10013		
Terazosin		Tramal SR 15013		
Terbinafine		Tramal SR 20013		
Terbutaline sulphate	208	Trandate5		
Teriflunomide		Tranexamic acid5		
Teriparatide		Tranylcypromine sulphate13		
Testosterone		Trastuzumab19		
Testosterone cipionate		Travatan21		257
Testosterone esters		Travoprost21		
Testosterone undecanoate		Travopt21		
Tetrabenazine		Treatments for Dementia16		
Tetrabromophenol		Treatments for Substance	Valganciclovir	
Tetracosactrin		Dependence 16	<u> </u>	
Tetracyclin Wolff		Trental 4006		
Tetracycline		Tretinoin	Vannair	
Teva		Dermatological6		
Thalidomide	174	Oncology17		
Thalomid	174	Trexate16		
Theophylline		Triamcinolone acetonide	Varilrix	266
Thiamine hydrochloride		Alimentary4		
THIO-TEPÁ		Dermatological7	1 Vasodilators	65
Thioguanine		Hormone8		95
Thiotepa		Triamcinolone acetonide with	Vedafil	
Thymol glycerin		gramicidin, neomycin and nystatin	Velcade	
Thyroid and Antithyroid Agents		Dermatological7		
Ticagrelor		Sensory21		
Tilade		Triazolam15		
Tilcotil		Trichozole10		
			Vepesid	
			•	

Verapamil hydrochloride6	1
Vergo 1614	
Vermox9	
Verpamil SR6	
Vesanoid17	' <u>1</u>
Vesicare	
Vexazone2	
Vfend10	
Viaderm KC	
Vidaza	
Viekira Pak11	
Viekira Pak-RBV11	থ
Vigabatrin14	11
Vimpat	10
Vinblastine sulphate17	i M
Vincristine sulphate17	т И
Vinorelbine17	4 75
Vinorelbine Ebewe17	75
Viramune Suspension11	
Viread         11           ViruPOS         21	2
Vistil 5-4-	
Vistil Forte21	
Vit.D34	
Vital-POS21	
Vitabdeck4 Vitadol C4	
Vital23	55
Vitamin A with vitamins D and C4	
Vitamin B complex4	4
Vitamin B complex4 Vitamin B6 254	4
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4	4 4 5
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23	14 14 15 35
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6	14 15 15 16
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12	14 14 15 35 66 20
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12	14 15 15 16 20
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21	14 14 15 15 15 16 10 10 4
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21	14 14 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10	14 15 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21	14 15 15 16 20 4 2 16 3
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17	14 15 15 16 20 4 2 16 3 18
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10	14 15 15 16 20 4 2 16 3 18
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10	14 15 15 16 20 4 2 16 3 78 16
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5	14 14 15 15 15 16 16 13 18 16 16 16 16 16 16 16 16 16 16 16 16 16
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7	14 15 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7         Wasp venom allergy treatment       20	14 15 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7         Wasp venom allergy treatment       20         Water	14 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Voirconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7         Wasp venom allergy treatment       20         Water       Blood       5	14 14 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren Ophtha       21         Volumatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Warf Preparations       7         Wasp venom allergy treatment       20         Water       Blood       5         Extemporaneous       22	14 14 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren Ophtha       21         Volronatic       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Warf Preparations       7         Wasp venom allergy treatment       20         Water       Blood       5         Extemporaneous       22         Wool fat with mineral oil       7	14 14 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren Ophtha       21         Volroonazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Warf Preparations       7         Wasp venom allergy treatment       20         Water       Blood       5         Extemporaneous       22         Wool fat with mineral oil       7	14 14 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7         Wasp venom allergy treatment       20         Water       Blood       5         Extemporaneous       22         Wool fat with mineral oil       7         - X -       Xarelto       5	144 145 156 166 160 170 170 170 170 170 170 170 170 170 17
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7         Wasp venom allergy treatment       20         Water       8         Blood       5         Extemporaneous       22         Wool fat with mineral oil       7         - X -       Xarelto       5         Xifaxan       2	14 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7         Wasp venom allergy treatment       20         Water       8         Blood       5         Extemporaneous       22         Wool fat with mineral oil       7         - X -       X         Xifaxan       2         XMET Maxamum       24	144 145 156 166 170 166 170 170 170 170 170 170 170 170 170 170
Vitamin B complex       4         Vitamin B6 25       4         Vitamins       43, 4         Vivonex TEN       23         Volibris       6         Voltaren       12         Voltaren D       12         Voltaren Ophtha       21         Voriconazole       10         Vosol       21         Votrient       17         Vttack       10         - W -         Warfarin sodium       5         Wart Preparations       7         Wasp venom allergy treatment       20         Water       8         Blood       5         Extemporaneous       22         Wool fat with mineral oil       7         - X -       Xarelto       5         Xifaxan       2	144 145 145 145 145 145 145 145 145 145

XP Maxamum	243
Xylocaine	
Xylocaine 2% Jelly	131
Xylocaine Viscous	
Xyntha	49
-Z-	
Zantac	22
Zapril	56
Zarontin	
Zaroxolyn	62
Zarzio	53
Zavedos	171
Zeffix	
Ziagen	115
Zidovudine [AZT]	116
Zidovudine [AZT] with	
lamivudine	. 116
Zimybe	64
Zinc and castor oil	
Zinc sulphate	46
Zincaps	46
Zinnat	98
Ziprasidone	145
Zista	205
Zithromax	98
Zoladex	94
Zoledronic acid	
Hormone	
Musculoskeletal	
Zoledronic acid Mylan	
Zometa	85
Zopiclone	157
Zopiclone Actavis	157
Zostrix	
Zostrix HP	
Zuclopenthixol decanoate	148
Zuclopenthixol hydrochloride	145
Zusdone	
Zyban	162
Zypine	145
Zypine ODT	
Zyprexa Relprevv	
Zytiga	180