May 2018 Volume 25 Number 1

Editors:

Kaye Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and T_EX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz @Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 4.0 International licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/by/4.0/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section A General Rules 6 Section B Alimentary Tract & Metabolism 20 Blood & Blood Forming Organs 50 Cardiovascular System 59 Dermatologicals 72 Genito Urinary System 83 Hormone Preparations – Systemic 89 Infections – Agents For Systemic Use 101 Musculoskeletal System 125 Nervous System 134 Oncology Agents & Immunosuppressants 168 Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders 251 Rural Areas 255 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		_	
Blood & Blood Forming Organs Cardiovascular System Dermatologicals T2 Genito Urinary System Blood & Blood Forming Organs Cardiovascular System Dermatologicals T2 Genito Urinary System B3 Hormone Preparations – Systemic B101 Musculoskeletal System Concology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Sensory Organs Cardiovascular System B3 Hormone Preparations – Systemic Use Concology Agents & Immunosuppressants Conco	Section A	General Rules	6
Cardiovascular System Dermatologicals Genito Urinary System 33 Hormone Preparations – Systemic Use Infections – Agents For Systemic Use Musculoskeletal System Nervous System 125 Nervous System 134 Oncology Agents & Immunosuppressants Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	Section B	Alimentary Tract & Metabolism	20
Genito Urinary System Hormone Preparations – Systemic Infections – Agents For Systemic Use Infections – Agents For Systemic Use Musculoskeletal System Nervous System Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Sensory Organs Various Section C Extemporaneous Compounds (ECPs) Section D Special Foods Section E Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines 258 Section I National Immunisation Schedule		Blood & Blood Forming Organs	50
Hormone Preparations – Systemic Infections – Agents For Systemic Use Infections – Agents For Systemic Use Musculoskeletal System Nervous System 125 Nervous System 134 Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		Cardiovascular System	59
Hormone Preparations – Systemic Use Infections – Agents For Systemic Use Musculoskeletal System Prevous System Infections – Agents For Systemic Use Musculoskeletal System Infections – Agents For Systemic Use Musculoskeletal System Infections Infections – Agents For Systemic Use Infections Infections – Agents For Systemic Infections – Infections Infections – Infection		Dermatologicals	72
Infections – Agents For Systemic Use Musculoskeletal System Nervous System 134 Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Various 222 Section C Extemporaneous Compounds (ECPs) Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule		Genito Urinary System	83
Musculoskeletal System Nervous System 134 Oncology Agents & Immunosuppressants Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		Hormone Preparations – Systemic	89
Nervous System 134 Oncology Agents & Immunosuppressants 168 Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders 251 Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		Infections – Agents For Systemic Use	101
Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Various 222 Section C Extemporaneous Compounds (ECPs) Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions Section G Safety Cap Medicines 258 Section I National Immunisation Schedule		Musculoskeletal System	125
Respiratory System & Allergies Sensory Organs Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		Nervous System	134
Section C Extemporaneous Compounds (ECPs) Section D Special Foods Section E Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines Section I National Immunisation Schedule 221 224 225 226 227 228 229 229 231 251 251 252 253 255 256 256 257 258 258 258 258 258		Oncology Agents & Immunosuppressants	168
Section C Extemporaneous Compounds (ECPs) Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		Respiratory System & Allergies	209
Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		Sensory Organs	217
Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule		Various	222
Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	Section C	Extemporaneous Compounds (ECPs)	224
Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule	Section D	Special Foods	231
Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	Section E	Practitioner's Supply Orders	251
Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		Rural Areas	255
Section I National Immunisation Schedule 261	Section F	Dispensing Period Exemptions	256
Translati illimatication conodate 201	Section G	Safety Cap Medicines	258
Index 272	Section I	National Immunisation Schedule	261
		Index	272

Introducing PHARMAC

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply:
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gramkilograminternational unit	kg		mg	millimoleunit	
Abbreviations					
Ampoule	Amp	Gelatinous	Gel	Solution	Soln
Capsule	Cap	Granules	Gran	Suppository	Supp
Cream	Crm	Infusion	Inf	Tablet	Tab
Device	Dev	Injection	Inj	Tincture	Tinc
Dispersible	Disp	Liquid	Liq	Trans Dermal Delivery	
Effervescent	Eff	Long Acting	LA	System	TDDS
Emulsion	Emul	Ointment	Oint	•	
Enteric Coated	EC	Sachet	Sach		

BSO Bulk Supply Order. CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

ΩP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.

* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once,

unless the medicine meets the Dispensing Frequency Rule criteria.

Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.

Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the

patient a manufacturer's surcharge.

S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.

HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy

Variation (for Clozapine Services).

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a 🗸 in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor:
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to whole-salers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 May 2018 and is to be referred to as the Pharmaceutical Schedule Volume 25 Number 1, 2018. Distribution will be from 20 May 2018. This Schedule comes into force on 1 May 2018.

PARTI

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment:
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area;
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
 - "Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

- "Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.
- "Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.
- "Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).
- "Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.
- "Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.
- "Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.
- "DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.
- "DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.
- "Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.
- "Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.
- "DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit. "DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:
 - a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
 - b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.
- "Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the Prescriber. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the Prescriber writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.
- "Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.
- "GST", means goods and services tax under the Goods and Services Tax Act 1985.
- "Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.
- "Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.
- "Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Prescriber.
- "Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:
 - a) on a Prescription signed by a Specialist, or
 - b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Prescriber which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Prescriber, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
 - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an

Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month". means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

- "Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines
- "Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule
- "Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)
- "Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.
- "PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.
- "PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.
- "Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.
- "Pharmaceutical Benefits", means the right of:
 - a) a person; and
 - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.
- "Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.
- "Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.
- "Practitioner", means a Prescriber or any of the following: Quitcard Provider, a Pharmacist, or a Vaccinator as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order", means a written order made by a Prescriber on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Prescriber, which the Prescriber requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescriber", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.
- "Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Prescriber.
- "Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984. "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.
- "Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.
- "Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

- "Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984. "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

 - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
 - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Prescriber, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written:
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.
- "Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

- "Safety Medicine". means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.
- "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.
- "Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:
 - a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine;
 - b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
 - c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
 - d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Prescribers of pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

"Vaccinator", means either:

- a) a pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health; or
- b) any other person who is authorised by the Director-General of Health or a Medical Officer of Health to administer vaccines in accordance with this Section 44A of the Medicines Regulations 1984.
- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Prescribers Prescriptions and provision of pharmaceuticals by other Practitioners (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Prescriber and provision of pharmaceuticals by other Practitioners unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Prescriber and 3.1.7 for an Optometrist, where a Prescriber has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity
 prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had
 been dispensed in a Monthly Lot;
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - b) both:
 - the Prescriber endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Prescriber's own handwriting, or signed or initialled by the Prescriber; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eliqible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Prescriber has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Prescriber for an oral contraceptive:

3.2.1 The Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eliqible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Prescriber prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
 - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
 - an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
 - any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Prescriber in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Prescriber in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed or ordered by the Prescriber is less than 10% (eq; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed or ordered by the Prescriber.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
 - b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

3.6 Non-prescribing Practitioners

- 3.6.1 Dispensing on the authority of a Quitcard will only be subsidised where it is:
 - a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
 - b) written on a Quitcard.
- 3.6.2 Provision of vaccines by Vaccinators

Vaccines will only be valid for subsidy in accordance with an agreement between the Contractor and the DHB, and only for direct administration of a vaccine to a patient.

3.6.3 Provision of a Community Pharmaceutical by a Pharmacist Except where pursuant to a prescription, Quitcard or supply order, provision of a community pharmaceutical by a pharmacist will only be subsidised where specifically indicated in Section B of the Pharmaceutical Schedule.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;

4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility:

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the Prescriber or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the Prescriber has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial": and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:

- i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
- ii) initialled the annotation in their own handwriting; and
- iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note -- no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Prescriber may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Prescriber may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Prescriber's care if:
 - a) the Prescriber's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Prescriber is a locum for a Prescriber whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Prescriber may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:

- i) is personally signed and dated by the Prescriber; and
- ii) sets out the Prescriber's address; and
- iii) sets out the Community Pharmaceuticals and quantities, and;
- b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Prescriber specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Prescriber working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral lig 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the Prescriber must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.2;

- c) clauses 3.1 to 3.4; and
- d) clause 5.4.
- of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Prescribers of Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Prescribers of unapproved Pharmaceuticals

Prescribers should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Prescribers are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Prescribers should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect
 to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Prescribers should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Prescriber has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$) Su Per	Fully bsidised	Brand or Generic Manufacturer
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 m sachet	• •	30	√ G	aviscon Infant
SODIUM ALGINATE * Tab 500 mg with sodium bicarbonate 267 mg and calciur carbonate 160 mg - peppermint flavour		60	G	aviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and cale carbonate 160 mg per 10 ml		500 ml	A	cidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE * Tab 600 mg CALCIUM CARBONATE	12.56	100	✓ A	lu-Tab
Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) - Subsidy by endorsement Only when prescribed for children under 12 years of endorsed accordingly.	39.00	500 ml nate bindi		oxane and the prescription is
Antidiarrhoeals				
Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE - Up to 30 cap available * Tab 2 mg* * Cap 2 mg	10.75	400 400		odia iamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE Cap 3 mg — Special Authority see SA1155 below — Reta pharmacy	166.50	90 alid for 6		ntocort CIR or applications meeting

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	26.55	21.1 g OP	✓ Colifoam
MESALAZINE			
Tab 400 mg	49.50	100	✓ Asacol
Tab EC 500 mg	49.50	100	✓ Asamax
Tab long-acting 500 mg	59.05	100	✓ Pentasa
Tab 800 mg	85.50	90	✓ Asacol
Modified release granules, 1 g	141.72	120 OP	✓ Pentasa
Enema 1 g per 100 ml	41.30	7	✓ Pentasa
Suppos 500 mg	22.80	20	✓ Asacol
Suppos 1 g	54.60	30	✓ Pentasa
OLSALAZINE			
Tab 500 mg	93.37	100	✓ Dipentum
Cap 250 mg		100	✓ Dipentum
SODIUM CROMOGLICATE			
Cap 100 mg	92.91	100	✓ Nalcrom
SULPHASALAZINE			
* Tab 500 mg - For sulphasalazine oral liquid formulat	ion refer,		
page 225	,	100	✓ Salazopyrin
* Tab EC 500 mg		100	✓ Salazopyrin EN
•			

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cinchocaine hydrochloride 5 mg per g	30 g OP	✓ Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg2.66	12	✓ Ultraproct
HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	✓ Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90		✓ Proctosedyl

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Management of Anal Fissures GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy 30 q OP ✓ Rectogesic ⇒SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks. Antispasmodics and Other Agents Altering Gut Motility **GLYCOPYRRONIUM BROMIDE** Inj 200 mcg per ml, 1 ml ampoule - Up to 10 inj available on a PSO.......17.14 10 ✓ Max Health HYOSCINE BUTYLBROMIDE * Tab 10 mg8.75 100 ✓ Buscopan * Inj 20 mg, 1 ml - Up to 5 inj available on a PSO......9.57 5 ✓ Buscopan MEBEVERINE HYDROCHLORIDE 90 ✓ Colofac **Antiulcerants** Antisecretory and Cytoprotective **MISOPROSTOL** * Tab 200 mcg.......41.50 120 ✓ Cytotec Helicobacter Pylori Eradication CLARITHROMYCIN

Tab 500 mg - Subsidy by endorsement......10.40

14

✓ Apo-Clarithromycin

- a) Maximum of 14 tab per prescription
- b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.

H2 Antagonists

RA	NITIDINE – Only on a prescription			
*	Tab 150 mg	12.91	500	Ranitidine Relief
*	Tab 300 mg	18.21	500	✓ Ranitidine Relief
	Oral lig 150 mg per 10 ml		300 ml	✓ Peptisoothe
*	Inj 25 mg per ml, 2 ml	8.75	5	✓ Zantac

Proton Pump Inhibitors

LAI	NSOPRAZOLE			
*	Cap 15 mg	5.08	100	✓ Lanzol Relief
*	Cap 30 mg	5.93	100	✓ Lanzol Relief

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
MEPRAZOLE				
For omeprazole suspension refer Standard Formulae, page 2 Cap 10 mg		90	✓	Omeprazole actavis
Omeprazole actavis 10 to be Sole Supply on 1 June 201	(2.23)			Omezol Relief
Cap 20 mg		90	•	Omeprazole actavis
Omeprazole actavis 20 to be Sole Supply on 1 June 201	(2.91)			Omezol Relief
Cap 40 mg		90	•	Omeprazole actavis
Omeprazole actavis 40 to be Sole Supply on 1 June 201	(4.42)			Omezol Relief
Powder – Only in combination Only in extemporaneously compounded omeprazole sus	42.50	5 g	✓	Midwest
Inj 40 mg ampoule with diluent	•	5	•	<u>Dr Reddy's</u> Omeprazole
Omezol Relief Cap 10 mg to be delisted 1 June 2018) Omezol Relief Cap 20 mg to be delisted 1 June 2018) Omezol Relief Cap 40 mg to be delisted 1 June 2018)				
PANTOPRAZOLE ★ Tab EC 20 mg	2 41	100	1	Panzop Relief
€ Tab EC 40 mg		100		Panzop Relief
Site Protective Agents				
COLLOIDAL BISMUTH SUBCITRATE	4454	۲0		Ocativa dan al 200
Tab 120 mg	14.51	50	•	Gastrodenol S29
BUCRALFATE Tab 1 g		120		0 (-) -
	(48.28)			Carafate
Bile and Liver Therapy				
RIFAXIMIN - Special Authority see SA1461 below - Retail pharm	•	56	1	Xifaxan
Tab 550 mg	625.00	50	• .	Alluxuli

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price \$	e) Subs Per	Fully sidised	Brand or Generic Manufacturer
Diabetes				
Hyperglycaemic Agents				
DIAZOXIDE – Special Authority see SA1320 below – Retail phar Cap 25 mg Cap 100 mg Oral liq 50 mg per ml SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid hypoglycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without the appropriate and the patient is benefiting from treatment. GLUCAGON HYDROCHLORIDE			✓ Prover the treat	
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	✓ G	lucagen Hypokit
Insulin - Short-acting Preparations				
NSULIN NEUTRAL ▲ Inj human 100 u per ml		10 ml OP	✓ H	ctrapid umulin R ctrapid Penfill
,, .			✓ H	umulin R
Insulin - Intermediate-acting Preparations				
NSULIN ASPART WITH INSULIN ASPART PROTAMINE Inj 100 iu per ml, 3 ml prefilled pen NSULIN ISOPHANE	52.15	5	✓ N	ovoMix 30 FlexPen
Inj human 100 u per ml	17.68	10 ml OP		umulin NPH rotaphane
Inj human 100 u per ml, 3 ml	29.86	5	✓ H	umulin NPH rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		umulin 30/70 ixtard 30
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ H ✓ Po ✓ Po	umulin 30/70 enMix 30 enMix 40 enMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml		5	√ H	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml		5		umalog Mix 50
				•

	Subsidy (Manufacturer's Price \$	e) Subs Per	Fully sidised	Brand or Generic Manufacturer
Insulin - Long-acting Preparations				
INSULIN GLARGINE				
▲ Inj 100 u per ml, 10 ml	63.00	1	√ L	antus.
▲ Inj 100 u per ml, 3 ml		5	√ L	antus.
Inj 100 u per ml, 3 ml disposable pen	94.50	5	√ L	antus SoloStar
Insulin - Rapid Acting Preparations				
NSULIN ASPART				
▲ Inj 100 u per ml, 3 ml syringe	51.19	5	✓ N	lovoRapid FlexPen
▲ Inj 100 u per ml, 3 ml	51.19	5	✓ N	lovoRapid Penfill
▲ Inj 100 u per ml, 10 ml	30.03	1	✓ N	lovoRapid
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1		Apidra
▲ Inj 100 u per ml, 3 ml		5	_	Apidra
Inj 100 u per ml, 3 ml disposable pen	46.07	5	✓ A	Apidra SoloStar
NSULIN LISPRO				
▲ Inj 100 u per ml, 10 ml		10 ml OP		lumalog
▲ Inj 100 u per ml, 3 ml	59.52	5	✓ H	lumalog
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg	4.28	90		<u> Slucobay</u>
* Tab 100 mg	7.78	90	√ <u>G</u>	Blucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	✓ 0	Daonil Control
GLICLAZIDE				
* Tab 80 mg	10.29	500	√ <u>G</u>	<u> Slizide</u>
GLIPIZIDE				
★ Tab 5 mg	2.85	100	✓ <u>N</u>	<u>linidiab</u>
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg	9.59	1,000		<u>letchek</u>
* Tab immediate-release 850 mg		500	✓ <u>N</u>	Metformin Mylan
PIOGLITAZONE				
* Tab 15 mg	3.47	90	✓ V	exazone exazone
* Tab 30 mg		90	_	<u>/exazone</u>
* Tab 45 mg	7.10	90	✓ V	/exazone

[‡] safety cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST STRIP - Subsidy by endorsement

- a) Not on a BSO
- b) Maximum of 20 strip per prescription
- c) Up to 10 strip available on a PSO
- d) Patient has any of the following:
 - 1) type 1 diabetes; or
 - 2) permanent neonatal diabetes: or
 - 3) undergone a pancreatectomy; or
 - 4) cystic fibrosis-related diabetes; or
 - 5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.

The prescription must be endorsed accordingly.

✓ KetoSens 10 strip OP KetoSens to be Sole Supply on 1 August 2018

BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter available on a PSO

Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis and is at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.

✓ Freestyle Optium Neo

(Freestyle Optium Neo Meter to be delisted 1 August 2018)

KETONE BLOOD BETA-KETONE ELECTRODES

- a) Maximum of 20 strip per prescription
- b) Up to 10 strip available on a PSO

Test strip - Not on a BSO......15.50 10 strip OP ✓ Freestyle Optium Ketone

(Freestyle Optium Ketone Test strip to be delisted 1 August 2018)

SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription

50 strip OP ✓ Ketostix

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

Dual Blood Glucose and Blood Ketone Testing

DUAL BLOOD GLUCOSE AND BLOOD KETONE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.
- d) A dual blood glucose and blood ketone diagnostic test meter is subsidised for a patient who has:
 - 1) type 1 diabetes; or
 - 2) permanent neonatal diabetes; or
 - 3) undergone a pancreatectomy; or
 - 4) cystic fibrosis-related diabetes, or
 - 5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.

The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Only 1 meter per patient will be subsidised (no repeat prescriptions).

For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

From 1 February 2018 – 31 July 2018 patients who have used a CareSens II blood glucose diagnostic meter and associated strips, as their only blood glucose diagnostic testing meter and strips, are eligible for a new CareSens meter provided they meet the funding criteria.

Meter with 50 lancets, a lancing device and 10 blood glucose

- a) Brand switch fee payable (Pharmacode 2535890) see page 222 for details
- b) No patient co-payment payable
- c) CareSens Dual to be Sole Supply on 1 August 2018

27

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.
- d) A diagnostic blood glucose test meter is subsidised for a patient who:
 - 1) is receiving insulin or sulphonylurea therapy; or
 - 2) is pregnant with diabetes; or
 - 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
 - 4) has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and metabolic syndrome.

The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Only one CareSens meter per patient will be subsidised (no repeat prescriptions).

Patients already using the CareSens N POP meter and CareSens N meter are not eligible for a new meter, unless they meet the criteria for a dual blood glucose and blood ketone diagnostic test meter.

For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

From 1 February 2018 – 31 July 2018 patients who have used a CareSens II blood glucose diagnostic meter and associated strips, as their only blood glucose diagnostic testing meter and strips, are eligible for a new CareSens meter provided they meet the funding criteria.

Meter with 50 lancets, a lancing device and 10 diagnostic test

- a) CareSens N brand: Brand switch fee payable (Pharmacode 2423138) see page 222 for details
- b) CareSens N POP brand: Brand switch fee payable (Pharmacode 2423154) see page 222 for details
- c) CareSens N Premier brand: Brand switch fee payable (Pharmacode 2535882) see page 222 for details
- d) Note: Only 1 meter available per PSO
- e) CareSens N to be Sole Supply on 1 August 2018
- f) CareSens N POP to be Sole Supply on 1 August 2018
- g) CareSens N Premier to be Sole Supply on 1 August 2018

Meter with $50 \times lancets$. $10 \times diagnostic test strips and a$

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed: or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Test strips – Note differing brand requirements below......10.56 50 test OP ✓ CareSens ✓ CareSens N ✓ CareSens PRO 28 75 ✓ Accu-Chek Performa ✓ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO
- d) CareSens N to be Sole Supply on 1 August 2018
- e) CareSens PRO to be Sole Supply on 1 August 2018

(CareSens Test strips to be delisted 1 August 2018)

(Accu-Chek Performa Test strips to be delisted 1 August 2018)

(Freestyle Optium Test strips to be delisted 1 August 2018)

⇒SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Email: bgstrips@pharmac.govt.nz Wellington

⇒SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed: or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

50 test OP ✓ SensoCard

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INSULIN PEN NEEDLES	 Maximum of 100 dev per prescription

IIVO	outin fen needles – maximum of 100 dev per prescript	lion		
*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
*	31 g × 6 mm	10.50	100	✓ ABM
*	31 g × 8 mm	10.50	100	✓ B-D Micro-Fine
*	=		100	✓ B-D Micro-Fine
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEED	DLE - Maximum of 1	00 dev per p	prescription
*	Syringe 0.3 ml with 29 g x 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g x 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g x 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II

Insulin Pumps

INSULIN PUMP - Special Authority see SA1603 on the next page - Retail pharmacy

a) Maximum of 1 dev per prescription

b) Only on a prescription			
c) Maximum of 1 insulin pump per patient each four year	ar period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	✓ Animas Vibe
Min basal rate 0.025 U/h; silver colour	4,500.00	1	✓ Animas Vibe
Min basal rate 0.05 U/h; blue colour		1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	✓ Paradigm 522
·			✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

⇒SA1603 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and

Subsidy		ully	Brand or
(Manufacturer's Price)	Subsid	ised	Generic
\$	Per	1	Manufacturer

continued...

- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1: and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	•	Manufacturer	

continued...

- 8.2 The pump is due for replacement; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Fither:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Either:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and

			
	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	\$	Por 🗸	Manufacturer

continued...

- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — **(HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Subsidy	Fı	ılly	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	✓	Manufacturer

continued...

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist: or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 33 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

Battery cap	32.00 1	•	Animas Batter	y Car	р
-------------	---------	---	---------------	-------	---

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 33 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

c) Maximum of 13 infusion sets will be funded per year.			
10 mm steel needle; 29 G; manual insertion; 60 cm tubing \times			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing x	100.00	4.00	. O T MMT 000
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-883
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
10 Mar 10 11004100	100.00	. 0.	MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing \times			_
10 with 10 needles; luer lock		1 OP	✓ Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line x 10 with 10 needles		1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×	130.00	TOP	V Contact-D
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
			MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing x			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
10 1101 10 11004100	100.00	1 01	MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line x	100.00	4.00	(O and ad D
10 with 10 needles		1 OP	✓ Contact-D
10 needles		1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing x			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
			MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing x 10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	100.00	1 01	• Jule-1 WIWIT-0/3
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
			MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing x	100.00	4.00	
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-875

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 33 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula; angle insertion; insertion device; 110 cm grey line x 10 with 10 needles.......140.00 1 OP ✓ Inset 30 13 mm teflon cannula; angle insertion; insertion device; 60 cm
- 13 mm teflon cannula; angle insertion; insertion device; 60 cm grey line × 10 with 10 needles......140.00

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 33 -Retail pharmacy

- a) Maximum of 3 sets per prescription

 b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 13 mm teflon cannula; angle insertion; 120 cm line x 10 with 			
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-382
13 mm teflon cannula; angle insertion; 45 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-368
13 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-381
13 mm teflon cannula; angle insertion; 80 cm line x 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-383
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-377
17 mm teflon cannula; angle insertion; 110 cm line x 10 with	120.00	1 OP	✓ Silhouette MMT-371
10 needles; luer lock	130.00	100	Simouette MW1-371
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-378
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line x 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-384

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 33 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

c) Maximum of 13 infusion sets will be funded per year.			
6 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 45 cm			
blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 cm			
pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 cm			
blue tubing x 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60 cm			
grey line × 10 with 10 needles	140 00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 60 cm	140.00	1 01	· moct ii
	120.00	1 OP	✓ Paradigm Mio
pink tubing x 10 with 10 needles	130.00	TOP	MMT-923
0			IVIIVI 1-923
6 mm teflon cannula; straight insertion; insertion device; 80 cm	100.00	4.00	/ Damadiana Mia
blue tubing x 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
			MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 cm			_
clear tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
			MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 cm			
pink tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
			MMT-925
9 mm teflon cannula; straight insertion; insertion device;			
110 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 cm			
grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 80 cm		. •.	
clear tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
Glocal tubility x 10 will 10 liceules	100.00	1 01	- Faraugii Will

MMT-975

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	•	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 33 -Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription

1 OP	✓ Paradigm Quick-S
1 0P	✔ Paradigm Quick-5
	MMT-398
1 OP	✓ Quick-Set MMT-39
1 OP	✓ Paradigm Quick-S MMT-399
1 OP	✓ Quick-Set MMT-39
1 OP	✓ Paradigm Quick-\$ MMT-387
1 OP	✓ Paradigm Quick-S MMT-396
1 OP	✓ Quick-Set MMT-39
1 OP	✓ Paradigm Quick-S MMT-397
1 OP	✓ Quick-Set MMT-39
1 OP	✓ Paradigm Quick-§ MMT-386

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 packs of reservoir sets will be funded per year.

Syringe and cartridge for 50X pump, 3.0 ml \times 10.....50.00

10 \times luer lock conversion cartridges 1.8 ml for Paradigm pumps50.00 Cartridge 200 U, luer lock \times 10	1 OP 1 OP 1 OP
Cartridge for 7 series pump; 3.0 ml × 1050.00	1 OP

✓ ADR Cartridge 1.8 ✓ Animas Cartridge

✓ Paradigm 1.8 Reservoir

✓ Paradigm 3.0 Reservoir

✓ 50X 3.0 Reservoir

1 OP

_			
	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	\$	Per 🗸	Manufacturer

Digestives Including Enzymes

PANCREATIC ENTYME

PANCREATIC ENZYME			
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase			
10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ Creon 10000
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase,			
1,250 U protease))	94.40	100	✓ Panzytrat
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase			
25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✓ Creon 25000
URSODEOXYCHOLIC ACID - Special Authority see SA1383 below	- Retail phar	macy	
Cap 250 mg - For ursodeoxycholic acid oral liquid formulation	·	•	
refer, page 225	37.95	100	✓ Ursosan
* I U			

⇒SA1383 Special Authority for Subsidy

Initial application — (Alaqille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Fither:
 - 1 Patient has been diagnosed with Alagille syndrome; or
 - 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- All of the following:
 - 1 Patient has chronic severe drug induced cholestatic liver injury; and
 - 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
 - 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
 - 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
 - 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
 - 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
 - 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains

continued...

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
 \$	Per	√	

continued...

appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure -- doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

Faccal Softeners

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	6.05	500 g OP	✓ Bonvit✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry	6.02	500 g OP	
•	(17.32)	Ü	Normacol Plus
	2.41	200 g OP	
	(8.72)	· ·	Normacol Plus

i docal contonor	
DOCUSATE SODIUM	- Only on a prescription

* Tab 50 mg * Tab 120 mg * Enema conc 18%	3.13	100 100 100 ml OP	✓ <u>Coloxyl</u> ✓ <u>Coloxyl</u> ✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with sennosides 8 mg Laxsol to be Sole Supply on 1 July 2018	3.10	200	✓ Laxsol
POLOXAMER – Only on a prescription Not funded for use in the ear. * Oral drops 10%	3.78	30 ml OP	✓ Coloxyl

Opioid Receptor Antagonists - Peripheral

ALTREXONE BROMIDE – Special Au	thority see SA1691 below – Re	tail pharmacy	
ng per 0.6 ml vial	36.00	1	✓ Relistor
	246.00	7	Relistor

⇒SA1691 Special Authority for Subsidy

Initial application — (Opioid induced constipation) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient is receiving palliative care; and
- 2 Either:
 - 2.1 Oral and rectal treatments for opioid induced constipation are ineffective; or
 - 2.2 Oral and rectal treatments for opioid induced constipation are unable to be tolerated.

	(Manufacturer's Pr	ice) Subs Per	sidised Generic Manufacturer
Osmotic Laxatives			
GLYCEROL * Suppos 3.6 g - Only on a prescription LACTULOSE - Only on a prescription	6.50	20	✓ <u>PSM</u>
* Oral liq 10 g per 15 ml	3.18	500 ml	✓ Laevolac
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BI Powder for oral soln 13.125 g with potassium chloride 46.6 n		D SODIUM C	HLORIDE
sodium bicarbonate 178.5 mg and sodium chloride 350.	7 mg6.78	30	✓ Molaxole
SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	- Only on a pres	scription	
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,	, ,	'	
5 ml	26.72	50	✓ Micolette
Stimulant Laxatives			
BISACODYL – Only on a prescription * Tab 5 mg * Suppos 10 mg		200 10	✓ <u>Lax-Tab</u> ✓ Lax-Suppositories
SENNA – Only on a prescription			
* Tab, standardised	2.17	100	
	(6.84)		Senokot
	0.43 (1.72)	20	Senokot

Subsidy

Fully

Brand or

Metabolic Disorder Agents

⇒SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
- 2 Any of the following:
 - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
 - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
 - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
 - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT); and

continued...

Subsidy	Fu	lly	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	/	Manufacturer

continued...

- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
- 5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE - Special Authority see SA1593 below - Retail pharmacy

⇒SA1593 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE - Special Authority see SA1623 below - Retail pharmacy

SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and

continued...

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidi	sed	Generic	
\$	Per	✓	Manufacturer	

continued...

- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and
- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

⇒SA1695 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hurler Syndrome (mucopolysacchardosis I-H); and
- 2 Either
 - 2.1 Diagnosis confirmed by demonstration of alpha-L-iduronidase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts: or
 - 2.2 Detection of two disease causing mutations in the alpha-L-iduronidase gene and patient has a sibling who is known to have Hurler syndrome; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with laronidase would be bridging treatment to transplant; and
- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Laronidase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 post-HSCT) at doses no greater than 100 units/kg every week.

⇒SA1599 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

⇒SA1598 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Gaucher's Disease

Subsidy (Manufacturer's Price) \$ Pe

Fully Subsidised Per

500 ml

15 g OP

Boniela

(6.00)

Brand or Generic Manufacturer

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

Wellington Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE

	(17.01)		Difflam
	3.60	200 ml	
	(8.50)		Difflam
Additional subsidy by endorsement for a patient who has prescription is endorsed accordingly.	s oral mucositis	as a result of tre	eatment for cancer, and the
CARMELLOSE SODIUM WITH GELATIN AND PECTIN			
Paste	17.20	56 g OP	✓ Stomahesive
	4.55	15 g OP	
	(7.90)	-	Orabase
	1.52	5 g OP	
	(3.60)	_	Orabase
Powder	8.48	28 g OP	
	(10.95)	-	Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ healthE

TRIAMCINOLONE ACETONIDE			
Paste 0.1%	.5.33	5 g OP	✓ Kenalog in Orabase

Oropharyngeal Anti-infectives

CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE

* Adhesive gel 8.7% with cetalkonium chloride 0.01%2.06

Lozenges 10 mg	20	✓ Fungilin
MICONAZOLE Oral gel 20 mg per g4.79	40 g OP	✓ <u>Decozol</u>
NYSTATIN Oral liq 100,000 u per ml1.95	24 ml OP	✓ <u>Nilstat</u>

AMPHOTERICIN R

	0.1.1		
	Subsidy (Manufacturer's Pri \$		Fully Brand or dised Generic Manufacturer
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute for HYDROGEN PEROXIDE	ormula refer Stan	dard Formulae	, page 228
$\mbox{\ensuremath{\$}}\$		100 ml	✓ Pharmacy Health
* Compound, BPC	9.15	500 ml	✓ <u>PSM</u>
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg pe 10 drops		10 ml OP	✓ Vitadol C
Vitamin B			
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a PS PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription	602.31	3	✓ <u>Neo-B12</u>
* Tab 25 mg - No patient co-payment payable * Tab 50 mg		90 500	✓ <u>Vitamin B6 25</u> ✓ <u>Apo-Pyridoxine</u>
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	5.62	100	✓ Apo-Thiamine
VITAMIN B COMPLEX * Tab, strong, BPC	7.15	500	✓ <u>Bplex</u>
Vitamin C			
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription			
* Tab 100 mg	8.10	500	✓ <u>Cvite</u>
Vitamin D			
ALFACALCIDOL * Cap 0.25 mcg * Cap 1 mcg * Oral drops 2 mcg per ml CALCITRIOL	87.98 60.68	100 100 20 ml OP	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha
* Cap 0.25 mcg * Cap 0.5 mcg COLECALCIFEROL	18.39	100 100	✓ <u>Calcitriol-AFT</u> ✓ <u>Calcitriol-AFT</u>
* Cap 1.25 mg (50,000 iu) - Maximum of 12 cap per prescripti	on2.50	12	✓ <u>Vit.D3</u>

				_
Su	ubsidy	Fully	Brand or	
(Manufact	cturer's Price) Subs	idised	Generic	
	\$ Per	1	Manufacturer	

Multivitamin Preparations

MULTIVITAMIN RENAL - Special Authority see SA1546 below - Retail pharmacy

30 ✓ Clinicians Renal Vit

⇒SA1546 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis; or
- 2 The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m² body surface area (BSA).

MULTIVITAMINS - Special Authority see SA1036 below - Retail pharmacy

200 q OP ✓ Paediatric Seravit

⇒SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

*	Tab (BPC cap strength)10.50	1,000	✓ Mvite
	Cap (fat soluble vitamins A, D, E, K) – Special Authority see		
	SA1720 below – Retail pharmacy23.40	60	✓ Vitabdeck

⇒SA1720 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome; or
- 3 Patient has severe malabsorption syndrome.

Minerals

Calcium

	CARRONATE	

* Tab eff 1.75 g (1 g elemental) * Tab 1.25 g (500 mg elemental)		10 250	✓ Calsource✓ Arrow-Calcium
CALCIUM GLUCONATE * Inj 10%, 10 ml ampoule	34.24	10	✓ Hospira

Fluoride

SODIUM FLUORIDE

100 ✓ PSM

lodine

POTASSIUM IODATE

90 ✓ NeuroTabs

Subsidy (Manufacturer's Price)	F Subsid	ully	Brand or Generic
\$	Per	1	Manufacturer

Iron

⇒SA1675 Special Authority for Subsidy

Initial application — (serum ferritin less than or equal to 20 mcg/L) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and
- 2 Any of the following:
 - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
 - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
 - 2.3 Rapid correction of anaemia is required.

Renewal — (serum ferritin less than or equal to 20 mcg/L) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient continues to have iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and
- 2 A re-trial with oral iron is clinically inappropriate.

Initial application — (**iron deficiency anaemia**) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia; and
- 2 Any of the following:
 - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
 - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
 - 2.3 Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective; or
 - 2.4 Rapid correction of anaemia is required.

Renewal — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient continues to have iron-deficiency anaemia; and
- 2 A re-trial with oral iron is clinically inappropriate.

, , , ,		
FERROUS FUMARATE		
* Tab 200 mg (65 mg elemental)	100	✓ Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID		_
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	60	✓ Ferro-F-Tabs
Ferro-F-Tabs to be Sole Supply on 1 July 2018		
FERROUS SULPHATE		
* Tab long-acting 325 mg (105 mg elemental)2.06	30	Ferrograd
Ferrograd to be Sole Supply on 1 July 2018		
* Oral liq 30 mg (6 mg elemental) per 1 ml	500 ml	✓ Ferodan
FERROUS SULPHATE WITH FOLIC ACID		
* Tab long-acting 325 mg (105 mg elemental) with folic acid		
350 mcg1.80	30	
(4.29)		Ferrograd F
/= /==// // 200 //200 // // // // // // // // // // // // /		

(Ferrograd F Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg to be delisted 1 September 2018)

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer
IRON POLYMALTOSE * Inj 50 mg per ml, 2 ml ampoule	15.22	5	√ F	errum H
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, pag MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml ampoule		10	✓ <u>D</u>	BL
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	✓ Z	incaps

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic S Per ✓ Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin is less than or equal to 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus: and
 - 3.1.2 Glomerular filtration rate is less than or equal to 30ml/min; or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus; and
 - 3.2.2 Glomerular filtration rate is less than or equal to 45ml/min; or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*: and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority	see SA1469 on the p		ıs page –	
Wastage claimable – see rule 3.3.2 on page 13 Inj 1,000 iu in 0.5 ml, syringe	48.68	6	✓	Eprex
Inj 2,000 iu in 0.5 ml, syringe Inj 3,000 iu in 0.3 ml, syringe		6 6		Eprex Eprex
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	1	Eprex
Inj 5,000 iu in 0.5 ml, syringe Inj 6,000 iu in 0.6 ml, syringe		6 6		Eprex Eprex
Inj 8,000 iu in 0.8 ml, syringe	352.69	6		Eprex
Inj 10,000 iu in 1 ml, syringe Inj 40,000 iu in 1 ml, syringe		6 1		Eprex Eprex
Megaloblastic				

-0		\sim	Λ.		
=OI	ı	ι,	А	U	11)

*	Tab 0.8 mg	20.60	1,000	1	Apo-Folic Acid
	Tab 5 mg		500	1	Apo-Folic Acid
	Oral lig 50 mcg per ml		25 ml OP	1	Biomed

Antifibrinolytics, Haemostatics and Local Sclerosants

ELTROMBOPAG - Special Authority see SA1418 below - Retail pharmacy Wastage claimable - see rule 3.3.2 on page 13.

Tractage claimable coot and close on page			
Tab 25 mg	1,771.00	28	Revolade
Tab 50 mg	3.542.00	28	✓ Revolade

⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy: and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab);
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding: or
 - 3.3 Patient has a platelet count of less than or equal to 10,000 platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemonhilia Management Group

the realistic recomprise management enough			
Inj 1 mg syringe	1,178.30	1	✓ NovoSeven RT
Inj 2 mg syringe	2,356.60	1	✓ NovoSeven RT
Inj 5 mg syringe	5,891.50	1	✓ NovoSeven RT
Inj 8 mg syringe	9,426.40	1	✓ NovoSeven RT

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
FACTOR EIGHT INHIBITOR BYPASSING FRACTION -	[Xpharm]			
For patients with haemophilia, whose funded treatmen		philia	Treaters (Group in conjunction with
the National Haemophilia Management Group.				
Inj 500 U	1,450.00	1	✓	FEIBA NF
Inj 1,000 U	2,900.00	1	✓	FEIBA NF
Inj 2,500 U	7,250.00	1	✓	FEIBA NF
MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] -	[Xpharm]			
Preferred Brand of recombinant factor VIII for patients	with haemophilia from 1 Ma	rch 2	2016 until 2	8 February 2019. Access
to funded treatment is managed by the Haemophilia T				
Management Group.				
Inj 250 iu prefilled syringe	210.00	1	✓	Xyntha
Inj 500 iu prefilled syringe	420.00	1	✓	Xyntha
Inj 1,000 iu prefilled syringe	840.00	1	✓	Xyntha
Inj 2,000 iu prefilled syringe	1,680.00	1	✓	Xyntha
Inj 3,000 iu prefilled syringe	2,520.00	1	✓	Xyntha
NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpha	rml			
For patients with haemophilia, whose funded treatmen		nhilia	Treaters (Group in conjunction with
the National Haemophilia Management Group.	in to managed by the ridemo	pc		on out in conjunction man
Inj 250 iu vial	310.00	1	1	BeneFIX
Ini 500 iu vial		1		BeneFIX
Inj 1,000 iu vial		1		BeneFIX
Inj 2,000 iu vial	•	1		BeneFIX
Inj 3,000 iu vial		1		BeneFIX
NONACOG GAMMA, [RECOMBINANT FACTOR IX] - [X]	•			
For patients with haemophilia, whose funded treatmen		nhilir	Trootore	Group in conjunction with
the National Haemophilia Management Group.	it is managed by the naemo	Prillic	i ilealeis i	aroup in conjunction with
Inj 250 iu vial	287 50	1	1	RIXUBIS
Inj 500 iu vial		1		RIXUBIS
Inj 1,000 iu vial		i		RIXUBIS
Ini 2.000 iu vial		1		RIXUBIS
Inj 3,000 iu vial	,	i		RIXUBIS
• •	·	•	•	Піловіо
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVA				14 1 0040 11
Rare Clinical Circumstances Brand of recombinant fac				
28 February 2019. Access to funded treatment by app		rea	tments Par	nei. Application details may
be obtained from PHARMAC's website http://www.pha	irmac.govt.nz or:			
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption	2	
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@phar	mac.	.govt.nz	
•				
Ini 250 iu vial	207 50	1	./	Advate
Inj 200 iu vial		1		Advate
Inj 1,000 iu vial		1		Advate
Inj 1,500 iu vial	,	1		Advate
Inj 2,000 iu vial	•	1		Advate
Inj 3,000 iu vial		1		Advate
iij 0,000 iu viai		'	•	παναισ

Fully

Brand or

Subsidy

	(Manufacturer's Price)	Subsid Per	dised	Generic Manufacturer	
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGE Second Brand of recombinant factor VIII for patients v funded treatment by application to the Haemophilia Tr PHARMAC's website http://www.pharmac.govt.nz or:	vith haemophilia from 1 Marc				Access to
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption 2			
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881				
Wellington	Email: haemophilia@phai	mac.govt.r	<u>IZ</u>		
Inj 250 iu vial Inj 500 iu vial Inj 1,000 iu vial Inj 2,000 iu vial Inj 3,000 iu vial	475.00 950.00 1,900.00	1 1 1 1	✓ ✓ ✓	Kogenate FS Kogenate FS Kogenate FS Kogenate FS Kogenate FS	
SODIUM TETRADECYL SULPHATE * Inj 3% 2 ml	28.50 (73.00)	5	F	Fibro-vein	
TRANEXAMIC ACID Tab 500 mg	20.67	100	/ <u>(</u>	Cyklokapron	
Vitamin K					
PHYTOMENADIONE Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO		5 5		Konakion MM Konakion MM	
Antithrombotic Agents					
Antiplatelet Agents					
ASPIRIN * Tab 100 mg CLOPIDOGREL * Tab 75 mg – For clopidogrel oral liquid formulation re		990	√ <u>[</u>	Ethics Aspirin	<u>EC</u>
page 225		84	1	Arrow - Clopid	
DIPYRIDAMOLE * Tab long-acting 150 mg		60	✓ <u>I</u>	Pytazen SR	
PRASUGREL - Special Authority see SA1201 below - Re		00	,.	F46' 1	
Tab 5 mg		28 28	_	Effient Effient	
	120.00	_0	- 1		

⇒SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Pr	rice)	Subsidised	Generic	
\$	Per	•	Manufacturer	

continued...

the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALTEPARIN SODIUM – Special Authority see SA1270 below	ow – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	✓ Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe		10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe		10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe		10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe		10	✓ Fragmin

⇒SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

continued...

	Subsidy		Fully	Brand or
(Mai	nufacturer's Price)	Sub	sidised	Generic
	\$	Per	1	Manufacturer

continued...

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1646 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	27.93	10	Clexane
Inj 40 mg in 0.4 ml syringe	37.27	10	Clexane
Inj 60 mg in 0.6 ml syringe		10	Clexane
Inj 80 mg in 0.8 ml syringe		10	✓ Clexane
Inj 100 mg in 1 ml syringe		10	Clexane
Inj 120 mg in 0.8 ml syringe	116.55	10	Clexane
Inj 150 mg in 1 ml syringe	133.20	10	Clexane
, , ,			3.0

⇒SA1646 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 35 ml vial	17.76	1	Hospira
Inj 1,000 iu per ml, 5 ml	13.36	10	✓ Hospira
	61.04	50	✓ Pfizer
	66.80		Hospira
Inj 5,000 iu per ml, 1 ml	14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml	236.60	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Hospira

55

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
HEPARINISED SALINE Inj 10 iu per ml, 5 ml	39.00	50	✓ P	Pfizer
Oral Anticoagulants				
DABIGATRAN Cap 75 mg - No more than 2 cap per day Cap 110 mg Cap 150 mg	76.36	60 60 60	✓ P	Pradaxa Pradaxa Pradaxa
RIVAROXABAN – Special Authority see SA1066 below – Retail p	,	15	✓ X	Carelto

⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	-	6.86	100	✓ Marevan
*	Tab 2 mg	4.31	50	Coumadin
	Tab 3 mg		100	Marevan
	Tab 5 mg		50	Coumadin
	· ·	11.75	100	Marevan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail ph	armacy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	✓ Zarzio
Ini 480 mca per 0.5 ml prefilled syringe	432.00	5	✓ Zarzio

⇒SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5 ×10⁹/L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC $< 0.5 \times 10^9$ /L).

Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*). Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

GLUCOSE [DEXTROSE]			
* Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO	29.50	5	✓ Biomed
* Inj 50%, 90 ml bottle - Up to 5 inj available on a PSO	14.50	1	✓ Biomed
POTASSIUM CHLORIDE			
* Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
SODIUM BICARBONATE			
Inj 8.4%, 50 ml	19.95	1	✓ Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	✓ Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			

SODIUM CHLORIDE

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser use.

Inj 0.9%, bag — Up to 2000 ml available on a PSO	500 ml	✓ Baxter
1.26	1,000 ml	✓ Baxter

Only if prescribed on a prescription for renal dialysis, m	iaternity or post-na	tal care in the	e nome of the patient,
for emergency use. (500 ml and 1,000 ml packs)			
Inj 23.4% (4 mmol/ml), 20 ml ampoule	33.00	5	✓ Biomed
For Sodium chloride oral liquid formulation refer Standa	ard Formulae, page	228	
Inj 0.9%, 5 ml ampoule - Up to 5 inj available on a PSO	7.00	50	✓ InterPharma
			✓ Multichem
Inj 0.9%, 10 ml ampoule - Up to 5 inj available on a PSO	6.63	50	✓ Pfizer
Inj 0.9%, 20 ml ampoule	5.00	20	✓ Multichem
•	7.50	30	✓ InterPharma
OTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-	Specialist		
Infusion	•	1 OP	✓ TPN

WATER

TO

- 1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or
- 2) On a bulk supply order; or
- 3) When used in the extemporaneous compounding of eye drops; or
- 4) When used for the dilution of sodium chloride soln 7% for cystic fibrosis patients only.

Inj 5 ml ampoule – Up to 5 inj available on a PSO7.00	50	✓ InterPharma
Inj 10 ml ampoule – Up to 5 inj available on a PSO6.63	50	✓ Pfizer
Inj 20 ml ampoule – Up to 5 inj available on a PSO5.00	20	✓ Multichem
7.50	30	✓ InterPharma

	Subsidy (Manufacturer's Pr \$		Fully Brand or dised Generic Manufacturer
Oral Administration			
CALCIUM POLYSTYRENE SULPHONATE Powder COMPOUND ELECTROLYTES	169.85	300 g OP	✓ Calcium Resonium
Powder for oral soln — Up to 10 sach available on a PSO	2.30	10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP	✓ Pedialyte - Bubblegum
PHOSPHORUS			
Tab eff 500 mg (16 mmol)	82.50	100	✓ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)		60	
* Tab long-acting 600 mg (8 mmol)	(11.85)	200	Chlorvescent ✓ Span-K
,	1.42	200	▼ Spall-K
SODIUM BICARBONATE Cap 840 mg	8 52	100	✓ Sodibic
- Cap 0+0 mg	0.02	100	✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE			
Powder	84.65	454 g OP	✓ Resonium-A

	Subsidy		Fully	Brand or
	(Manufacturer's Price	a) Sub	sidised	
	\$	Per	Joidioca 🗸	Manufacturer
	<u> </u>			manadator
Alpha Adrenoceptor Blockers				
Alpha Adicilocoptor Blockers				
DOXAZOSIN				
* Tab 2 mg	6.75	500	1	Apo-Doxazosin
* Tab 4 mg		500		Apo-Doxazosin
3		000	•	APO DOXUECOM
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30	/	BNM S29
	216.67	100	✓	Dibenzyline S29
PRAZOSIN				•
	E E0	100	./	Ana Dramasin
* Tab 1 mg		100		Apo-Prazosin
* Tab 2 mg		100		Apo-Prazosin
* Tab 5 mg	11.70	100	•	Apo-Prazosin
TERAZOSIN				
* Tab 1 mg	0.59	28	1	Actavis
* Tab 2 mg		500		Apo-Terazosin
* Tab 5 mg		500		Apo-Terazosin
- Tub 0 mg		000		Apo Teruzoom
Agents Affecting the Renin-Angiotensin System				
Agents Affecting the hellin-Anglotensin System				
AOF lubibitana				
ACE Inhibitors				
CAPTOPRIL				
*‡ Oral liq 5 mg per ml	04.00	95 ml OP	1	Capoten
	34.33	93 IIII OF	•	Сароцен
Oral liquid restricted to children under 12 years of age.				
CILAZAPRIL				
* Tab 0.5 mg	2.00	90	/	Zapril
* Tab 2.5 mg	7.20	200	✓	Apo-Cilazapril
* Tab 5 mg		200		Apo-Cilazapril
ENALAPRIL MALEATE				
	0.00	100		Ethica Englandi
* Tab 5 mg		100		Ethics Enalapril
* Tab 10 mg		100	•	Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation refe	er,			
page 225	1.78	100	✓	Ethics Enalapril
LISINOPRIL				
	1 90	90	J	Ethics Lisinopril
* Tab 10 mg				
* Tab 10 mg		90		Ethics Lisinopril
* Tab 20 mg	2./6	90	•	Ethics Lisinopril
PERINDOPRIL				
* Tab 2 mg	3.75	30	✓	Apo-Perindopril
* Tab 4 mg		30		Apo-Perindopril
· ·		00	-	
QUINAPRIL	4.04		_	
* Tab 5 mg		90		Arrow-Quinapril 5
* Tab 10 mg		90		Arrow-Quinapril 10
* Tab 20 mg	5.97	90	1	Arrow-Quinapril 20

(M	Subsidy lanufacturer's Price) \$	Per	Fully Subsidised	
ACE Inhibitors with Diuretics				
ILAZAPRIL WITH HYDROCHLOROTHIAZIDE Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	•	Apo-Cilazapril/ Hydrochlorothiazide
UINAPRIL WITH HYDROCHLOROTHIAZIDE				
Tab 10 mg with hydrochlorothiazide 12.5 mg Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30		Accuretic 10 Accuretic 20
Angiotensin II Antagonists				
ANDESARTAN CILEXETIL - Special Authority see SA1223 below	/ – Retail pharmac	у		
Tab 4 mg	2.50	90		Candestar
Tab 8 mg		90		Candestar
Tab 16 mg		90		Candestar
Tab 32 mg	10.66	90	/	Candestar
 Patient has persistent ACE inhibitor induced cough that is no inhibitor); or Patient has a history of angioedema. 	·			•
inhibitor); or	from any relevant	prac	titioner. A	approvals valid without
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) rther renewal unless notified where patient is not adequately control DSARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg	from any relevant	prac tolera 84 84 84	titioner. A	approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) rther renewal unless notified where patient is not adequately control OSARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg Tab 50 mg	from any relevant olled on maximum 1.39 1.63 2.00 2.31	prac tolera 84 84 84	ated dose	approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) rther renewal unless notified where patient is not adequately control DSARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg Tab 100 mg Angiotensin II Antagonists with Diuretics DSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE	from any relevant olled on maximum 1.39 1.63 2.00 2.31	prac tolera 84 84 84 84	ated dose	approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) rther renewal unless notified where patient is not adequately control DSARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg Tab 100 mg Angiotensin II Antagonists with Diuretics DSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg Antiarrhythmics Or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthe	from any relevant olled on maximum 1.39 1.63 2.00 2.31	84 84 84 84 84	ated dose	Approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) rther renewal unless notified where patient is not adequately control DSARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg Tab 100 mg Angiotensin II Antagonists with Diuretics DSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg Antiarrhythmics	from any relevant olled on maximum 1.39 1.63 2.00 2.31	84 84 84 84 84	ated dose	Approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) ther renewal unless notified where patient is not adequately control OSARTAN POTASSIUM Tab 12.5 mg Tab 50 mg Tab 50 mg Tab 100 mg Angiotensin II Antagonists with Diuretics OSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg Antiarrhythmics or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthe MIODARONE HYDROCHLORIDE Tab 100 mg — Retail pharmacy-Specialist	from any relevant from any relevant from any relevant from 1.39 from 1.63 from 2.00 from 2.31 from 2.466	84 84 84 84 84	titioner. A	Approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) ther renewal unless notified where patient is not adequately control DSARTAN POTASSIUM Tab 12.5 mg	from any relevant from any relevant from any relevant from the following from the front front front front front front from the front fr	sprace tolera 84 84 84 84 84 84 84 84 84 84 84 84 84	titioner. A	Approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Cordarone-X Cordarone-X
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) ther renewal unless notified where patient is not adequately control OSARTAN POTASSIUM Tab 12.5 mg	from any relevant from any relevant from any relevant from the following from the front front front front front front from the front fr	s prace tolera 84 84 84 84 84 84 84 30	titioner. A	Approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) ther renewal unless notified where patient is not adequately control OSARTAN POTASSIUM Tab 12.5 mg	from any relevant from any relevant from any relevant from the following from the front front front front front front from the front fr	sprace tolera 84 84 84 84 84 84 84 84 84 84 84 84 84	titioner. A	Approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Cordarone-X Cordarone-X
inhibitor); or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) rther renewal unless notified where patient is not adequately control DSARTAN POTASSIUM Tab 12.5 mg Tab 50 mg Tab 50 mg Tab 100 mg Tab 100 mg DSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg Antiarrhythmics or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthe MIODARONE HYDROCHLORIDE Tab 100 mg — Retail pharmacy-Specialist	from any relevant from any relevant from any relevant from the following from the front front front front front front from the front fr	sprace tolera 84 84 84 84 84 84 84 84 84 84 84 84 84	titioner. A	Approvals valid without of an ACE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Cordarone-X Cordarone-X

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Subsi		Generic
	\$	Per		Manufacturer
DIGOXIN				
* Tab 62.5 mcg - Up to 30 tab available on a PSO	6.67	240	1	Lanoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO	14.52	240	1	<u>Lanoxin</u>
*‡ Oral liq 50 mcg per ml	16.60	60 ml	1	Lanoxin
			1	Lanoxin S29 S29
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	23.87	100	1	Rythmodan
FLECAINIDE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg	20.05	60	1	Tambocor
▲ Cap long-acting 100 mg		30		Tambocor CR
▲ Cap long-acting 100 mg		30		Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52 45	5		Tambocor
		Ü	•	rambooor
MEXILETINE HYDROCHLORIDE	160.00	100	./	Mexiletine
▲ Cap 150 mg	102.00	100	•	
				Hydrochloride USP \$29
A Con 050 mg	000.00	100	./	Mexiletine
▲ Cap 250 mg	202.00	100	•	Hydrochloride
				USP \$29
				03F 023
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specia				. .
▲ Tab 150 mg	40.90	50		Rytmonorm
Antihumetensiyee				
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail pha	armacv	•		
Tab 2.5 mg	•	100	1	Gutron
Tab 5 mg		100	1	Gutron

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ATENOLOL			
* Tab 50 mg	4.61	500	✓ Mylan Atenolol
* Tab 100 mg	7.67	500	Mylan Atenolol
Oral liq 25 mg per 5 ml Restricted to children under 12 years of age.	21.25	300 ml OP	✓ Atenolol AFT
BISOPROLOL FUMARATE			
* Tab 2.5 mg		90	✓ Bosvate
* Tab 5 mg	5.15	90	✓ Bosvate
* Tab 10 mg	9.40	90	✓ Bosvate
CARVEDILOL			
* Tab 6.25 mg	2.24	60	✓ Carvedilol Sandoz
* Tab 12.5 mg	2.30	60	✓ Carvedilol Sandoz
* Tab 25 mg - For carvedilol oral liquid formulation refer, p	age 225 2.95	60	✓ Carvedilol Sandoz

[‡] safety cap

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	
ELIPROLOL			
★ Tab 200 mg	21.40	180	✓ Celol
ABETALOL			
₭ Tab 50 mg	8.99	100	✓ Hybloc
★ Tab 100 mg - For labetalol oral liquid formulation refer,			•
page 225	11.36	100	✓ Hybloc
		100	✓ Hybloc
Inj 5 mg per ml, 20 ml ampoule	59.06	5	•
	(88.60)		Trandate
METOPROLOL SUCCINATE			
F Tab long-acting 23.75 mg	1.03	30	✓ Betaloc CR
F Tab long-acting 47.5 mg		30	✓ Betaloc CR
★ Tab long-acting 95 mg		30	✓ Betaloc CR
₭ Tab long-acting 190 mg		30	✓ Betaloc CR
METOPROLOL TARTRATE			
· · · · · · · · · · · · · · · · · · ·	161	100	✓ Apo-Metoprolol
refer, page 225 ★ Tab 100 mg		60	✓ Apo-Metoproioi ✓ Apo-Metoproioi
		28	✓ Apo-Metoproioi ✓ Slow-Lopresor
★ Tab long-acting 200 mg ★ Inj 1 mg per ml, 5 ml vial		5	✓ Slow-Lopresor ✓ Lopresor
, ,	24.00	5	Lopiesoi
IADOLOL			
k Tab 40 mg		100	
← Tab 80 mg	24.70	100	✓ Apo-Nadolol
INDOLOL			
₭ Tab 5 mg	9.72	100	Apo-Pindolol
₭ Tab 10 mg	15.62	100	
₹ Tab 15 mg	23.46	100	Apo-Pindolol
ROPRANOLOL			
★ Tab 10 mg	3.65	100	✓ Apo-Propranolol
·			✓ Apo-Propranolol
			S29 \$29
₭ Tab 40 mg	4.65	100	
			✓ Apo-Propranolol
			\$29 S29
Con long acting 160 mg	10 17	100	
Cap long-acting 160 mg		100	▼ Cardinoi LA
		:00	ol Povene con
Retail pharmacyApo-Propranolol S29 S29 Tab 10 mg to be delisted 1 July 20		500 m	nl V Roxane \$29

(Apo-Propranolol S29 S29 Tab 40 mg to be delisted 1 July 2018)

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Fither:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

* Tab 80 mg - For sotalol oral liquid formulation refer, page 225 * Tab 160 mg		500 100	✓ Mylan ✓ Mylan
* Inj 10 mg per ml, 4 ml ampoule	65.39	5	✓ Sotacor
TIMOLOL		100	✓ Apo-Timol

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

Tab long-acting 20 mg......9.59

Tab long-acting 30 mg......3.14

_	• •		
AMI OF	JIDINE		

* Tab 5 mg – For amlodipine oral liquid formulation refer, page 2253.33 250 * Tab 10 mg	Apo-Amlodipine
* Tab 10 mg4.40 250 FELODIPINE	✓ Apo-Amlodipine
* Tab long-acting 2.5 mg	✓ Plendil ER
* Tab long-acting 5 mg	✓ Plendil ER
* Tab long-acting 10 mg	✓ Plendil ER
ISRADIPINE	
* Cap long-acting 2.5 mg7.50 30	✓ Dynacirc-SRO
* Cap long-acting 5 mg	✓ Dynacirc-SRO
NIFEDIPINE	
* Tab long-acting 10 mg	✓ Adalat 10
	✓ Adefin S29

•		9	g	••	9		
Ot	hei	r Cal	lcium	C	hannel	Block	ere

Tah long-acting 60 mg

DILTIAZEM HYDROCHLORIDE

Othici	Calcium	Onamici	DIOCKC

	Tab 30 mg	4.60	100	✓ Dilzem
*	Tab 60 mg - For diltiazem hydrochloride oral liq	uid formulation		
	refer, page 225	8.50	100	✓ Dilzem
*	Cap long-acting 120 mg	1.91	30	✓ Cardizem CD
		31.83	500	✓ Apo-Diltiazem CD
*	Cap long-acting 180 mg	7.56	30	✓ Cardizem CD
		47.67	500	✓ Apo-Diltiazem CD
*	Cap long-acting 240 mg	10.22	30	✓ Cardizem CD
		63.58	500	✓ Apo-Diltiazem CD
10	ardizam CD Can lang acting 120 mg to be delicted	1 1 Juna 2010)		

(Cardizem CD Cap long-acting 120 mg to be delisted 1 June 2018) (Cardizem CD Cap long-acting 180 mg to be delisted 1 June 2018) (Cardizem CD Cap long-acting 240 mg to be delisted 1 June 2018) 100

100

30

30

 Apo-Amlodipine Δno-Δmlodinine

✓ Nyefax Retard ✓ Adalat Oros

✓ Adalat Oros

[‡] safety cap

	Subsidy		Fully	
(Manufacturer's Price) \$	Per	Subsidised	
PERHEXILINE MALEATE				
* Tab 100 mg	62.90	100	•	Pexsig
/ERAPAMIL HYDROCHLORIDE				
* Tab 40 mg	7.01	100	/	Isoptin
* Tab 80 mg - For verapamil hydrochloride oral liquid				
formulation refer, page 225	11.74	100	/	Isoptin
* Tab long-acting 120 mg		250		Verpamil SR
* Tab long-acting 240 mg		250	_	Verpamil SR
* Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on a				
PSO	25.00	5	•	Isoptin
Centrally-Acting Agents				
CLONIDINE				
★ Patch 2.5 mg, 100 mcg per day – Only on a prescription	7.40	4	/	Mylan
* Patch 5 mg, 200 mcg per day - Only on a prescription*		4	_	Mylan
* Patch 7.5 mg, 300 mcg per day — Only on a prescription*		4	_	Mylan
	12.07	7	•	<u>mylan</u>
CLONIDINE HYDROCHLORIDE	10.50	440		Olamidina DNM
* Tab 25 mcg		112	-	Clonidine BNM Catapres
★ Tab 150 mcg ★ Inj 150 mcg per ml, 1 ml ampoule		100 5		Catapres Catapres
	10.07	5	•	Catapies
METHYLDOPA	15 10	100		Mothyldono Mylon
* Tab 250 mg	15.10	100	•	Methyldopa Mylan
Diuretics Loop Diuretics				
·				
3UMETANIDE ☀ Tab 1 mg	16.36	100	/	Burinex
* Inj 500 mcg per ml, 4 ml vial		5	_	Burinex
		Ū		Durinox
FUROSEMIDE [FRUSEMIDE] * Tab 40 mg - Up to 30 tab available on a PSO	9.00	1 000	_	Diurin 40
★ Tab 40 mg - Up to 30 tab available on a PSO ★ Tab 500 mg		1,000 50	_	<u>Diurin 40</u> Furosemid
		50	•	STADA S29
· · · · · · · · · · · · · · · · · · ·	20.00		.,	Urex Forte
	20.00		•	OIEX FUILE
ů	20.00			
Urex Forte to be Sole Supply on 1 June 2018		0 ml ∩t	, <i>,</i>	Laciv
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml	10.66 3	0 ml OF	_	Lasix
Urex Forte to be Sole Supply on 1 June 2018 #‡ Oral liq 10 mg per ml* Inj 10 mg per ml, 25 ml ampoule	10.66 3	6	•	Lasix
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml	10.66 3	-	•	
Urex Forte to be Sole Supply on 1 June 2018 * ‡ Oral liq 10 mg per ml ★ Inj 10 mg per ml, 25 ml ampoule ★ Inj 10 mg per ml, 2 ml ampoule — Up to 5 inj available on a PS	10.66 3	6	•	Lasix
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml* Inj 10 mg per ml, 25 ml ampoule* Inj 10 mg per ml, 2 ml ampoule — Up to 5 inj available on a PS (Furosemid STADA \$29 Tab 500 mg to be delisted 1 June 2018)	10.66 3	6	•	Lasix
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml. * Inj 10 mg per ml, 25 ml ampoule	10.66 3 57.77 O1.20	6	•	Lasix
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml. * Inj 10 mg per ml, 25 ml ampoule	10.66 357.77 O1.20	6 5		Lasix Frusemide-Claris
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml. * Inj 10 mg per ml, 25 ml ampoule * Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS *Furosemid STADA \$29 Tab 500 mg to be delisted 1 June 2018) *Potassium Sparing Diuretics *AMILORIDE HYDROCHLORIDE * Tab 5 mg	10.66 357.77 O1.20	6 5		Lasix Frusemide-Claris Apo-Amiloride
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml. * Inj 10 mg per ml, 25 ml ampoule — Up to 5 inj available on a PS *Furosemid STADA \$23 Tab 500 mg to be delisted 1 June 2018) *Potassium Sparing Diuretics *AMILORIDE HYDROCHLORIDE * Tab 5 mg — * Oral liq 1 mg per ml — *Apo-Amiloride Tab 5 mg to be delisted 1 January 2019)	10.66 357.77 O1.2015.0030.00 2	6 5		Lasix Frusemide-Claris Apo-Amiloride
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml. * Inj 10 mg per ml, 25 ml ampoule — Up to 5 inj available on a PS *Furosemid STADA \$23 Tab 500 mg to be delisted 1 June 2018) *Potassium Sparing Diuretics *AMILORIDE HYDROCHLORIDE * Tab 5 mg * Oral liq 1 mg per ml */Apo-Amiloride Tab 5 mg to be delisted 1 January 2019) METOLAZONE — Special Authority see SA1678 on the next page	10.66 357.77 O1.2015.0030.00 2 — Retail pharmacy	100 5 ml OF	V V	Lasix Frusemide-Claris Apo-Amiloride Biomed
Urex Forte to be Sole Supply on 1 June 2018 *‡ Oral liq 10 mg per ml. * Inj 10 mg per ml, 25 ml ampoule — Up to 5 inj available on a PS *Furosemid STADA \$23 Tab 500 mg to be delisted 1 June 2018) *Potassium Sparing Diuretics *AMILORIDE HYDROCHLORIDE * Tab 5 mg — * Oral liq 1 mg per ml — *Apo-Amiloride Tab 5 mg to be delisted 1 January 2019)	10.66 357.77 O1.2015.0030.00 2 — Retail pharmacy	6 5		Lasix Frusemide-Claris Apo-Amiloride

		C	CARDIOV	ASC	ULAR SYSTEM
		Subsidy (Manufacturer's Price) \$		Fully lised	Brand or Generic Manufacturer
Ini t	SA1678 Special Authority for Subsidy iial application from any relevant practitioner. Approvals valid following criteria: ner:	without further rene	wal unless i	notified	d for applications meeting
	 Patient has refractory heart failure and is intolerant or has therapy; or Paediatric patient has oedema secondary to nephrotic syn- 	·	•		•
SP * *	IRONOLACTONE Tab 25 mg Tab 100 mg Oral liq 5 mg per ml	11.80	100 100 5 ml OP	✓ S	piractin piractin iomed
P	otassium Sparing Combination Diuretics				
*	ILORIDE HYDROCHLORIDE WITH FUROSEMIDE Tab 5 mg with furosemide 40 mg		28	✓ F	rumil
	IILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZII Tab 5 mg with hydrochlorothiazide 50 mg		50	✓ M	oduretic

Potassium Sparing Combination Diuretics		
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE * Tab 5 mg with furosemide 40 mg8.63 AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZIDE	28 ✓ F	Frumil
* Tab 5 mg with hydrochlorothiazide 50 mg5.00	50 🗸 N	Moduretic
Thiazide and Related Diuretics		
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] * Tab 2.5 mg - Up to 150 tab available on a PSO12.50	500 🗸 <u>A</u>	Arrow- Bendrofluazide
May be supplied on a PSO for reasons other than emergency. * Tab 5 mg20.42	500 🗸 <u>A</u>	Arrow- Bendrofluazide
CHLOROTHIAZIDE		
‡ Oral liq 50 mg per ml	ml OP 🗸 E	Biomed
* Tab 25 mg8.00	50 🗸 F	lygroton
INDAPAMIDE	90 🗸 🖸	Dapa-Tabs
Lipid-Modifying Agents		

CHLOROTHIAZIDE ‡ Oral liq 50 mg per ml CHLORTALIDONE [CHLORTHALIDONE] * Tab 25 mg INDAPAMIDE * Tab 2.5 mg	8.00	25 ml OP 50 90	✓ Biomed✓ Hygroton✓ <u>Dapa-Tabs</u>
Lipid-Modifying Agents			
Fibrates			
BEZAFIBRATE * Tab 200 mg * Tab long-acting 400 mg GEMFIBROZIL * Tab 600 mg	6.78	90 30 60	✓ Bezalip ✓ Bezalip Retard ✓ Lipazil
Other Lipid-Modifying Agents	10.00		- <u>aipuaii</u>
ACIPIMOX			
* Cap 250 mg	18.75	30	✓ Olbetam

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
NICOTINIC ACID * Tab 50 mg * Tab 500 mg		100 100	✓ Apo-Nicotinic Acid ✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE Powder for oral liq 4 g	19.25 (52.68)	50	Questran-Lite
COLESTIPOL HYDROCHLORIDE Grans for oral liq 5 g	28.60	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			
Prescribing Guidelines Treatment with HMG CoA Reductase Inhibitors (statins) is recorded ardiovascular risk of 15% or greater.	mmended for patients	with c	dyslipidaemia and an absolute 5 ye
ATORVASTATIN - See prescribing guideline above * Tab 10 mg	0.20	500	✓ Lorstat
k Tab 10 mgk Tab 20 mg		500	
₭ Tab 40 mg		500	
₹ Tab 80 mg		500	✓ Lorstat
-		000	<u>=0.0.u.</u>
PAVASTATIN – See prescribing guideline above Tab 20 mg	4.70	100	✓ Apo-Pravastatin
r 1ab 20 mg	1.42	30	• Apo-Fravasialiii
	(3.45)	30	Cholvastin
Apo-Pravastatin to be Sole Supply on 1 June 2018	(0.40)		Onorvasiii
* Tab 40 mg	8.06	100	✓ Apo-Pravastatin
	2.42	30	
	(6.36)		Cholvastin
Apo-Pravastatin to be Sole Supply on 1 June 2018	, ,		
Cholvastin Tab 20 mg to be delisted 1 June 2018)			
Cholvastin Tab 40 mg to be delisted 1 June 2018)			
SIMVASTATIN - See prescribing guideline above			
₭ Tab 10 mg	0.95	90	✓ Arrow-Simva 10mg
			Simvastatin Mylan
Simvastatin Mylan to be Sole Supply on 1 June 2018	4.50		40:
★ Tab 20 mg		90	✓ Simvastatin Mylan
Cimuratatin Mulan ta ha Cala Cunniu an 1 Juna 2019	(1.61)		Arrow-Simva 20mg
Simvastatin Mylan to be Sole Supply on 1 June 2018 Tab 40 mg	2.62	90	✓ Simvastatin Mylan
r ab 40 mg	(2.83)	90	Arrow-Simva 40mg
Simvastatin Mylan to be Sole Supply on 1 June 2018	(2.00)		Allow-olliva 40liig
₭ Tab 80 mg	6.00	90	✓ Simvastatin Mylan
	(7.91)	-	Arrow-Simva 80mg
Simvastatin Mylan to be Sole Supply on 1 June 2018	(/		
Arrow-Simva 10mg Tab 10 mg to be delisted 1 June 2018)			
(Arrow-Simva 20mg Tab 20 mg to be delisted 1 June 2018)			
'Arrow-Simva 40mg Tab 40 mg to be delisted 1 June 2018)			
(Array Cimus Come Tab CO me to be delicted 1 lune 2010)			

(Arrow-Simva 80mg Tab 80 mg to be delisted 1 June 2018)

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Por 🗸	Manufacturer

Selective Cholesterol Absorption Inhibitors

EZETIMIBE - Special Authority see SA1045 below - Retail pharm	nacy		
Tab 10 mg	2.00	30	✓ Ezetimibe Sandoz
	(3.35)		Ezemibe

Ezetimibe Sandoz to be Sole Supply on 1 June 2018 (Ezemibe Tab 10 mg to be delisted 1 June 2018)

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 x normal) when treated with one statin: or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atoryastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Fab 10 mg with simvastatin 10 mg5.	.15	30	Zimybe
Tab 10 mg with simvastatin 20 mg6	.15	30	✓ Zimybe
Tab 10 mg with simvastatin 40 mg7	.15	30	✓ Zimybe
Tab 10 mg with simvastatin 80 mg8	.15	30	✓ Zimybe

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to less than or equal to 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully Brand or
	(Manufacturer's		idised Generic
	\$	Per	✓ Manufacturer
Nitrates			
GLYCERYL TRINITRATE			
* Tab 600 mcg - Up to 100 tab available on a PSO	8.00	100 OP	✓ Lycinate
* Oral pump spray, 400 mcg per dose - Up to 250 dose			•
available on a PSO	4 45	250 dose OP	✓ Nitrolingual Pump
		200 0000 01	Spray
W Oval anyour 400 mag new door . I in to 050 door available or			Оргау
* Oral spray, 400 mcg per dose – Up to 250 dose available or		000 de OD	/ Obstalla
PSO		200 dose OP	✓ Glytrin
* Patch 25 mg, 5 mg per day		30	✓ Nitroderm TTS
* Patch 50 mg, 10 mg per day	18.62	30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE			
* Tab 20 mg	18.80	100	✓ Ismo 20
* Tab long-acting 40 mg		30	✓ Ismo 40 Retard
* Tab long-acting 60 mg		90	✓ Duride
* Tab long-acting outing	0.29	90	Duride
O all a minustics			
Sympathomimetics			
ADRENALINE			
	100	_	A Assass Advanctions
Inj 1 in 1,000, 1 ml ampoule - Up to 5 inj available on a PSC		5	✓ Aspen Adrenaline
	5.25	_	✓ Hospira
Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a P		5	✓ Hospira
	49.00	10	✓ Aspen Adrenaline
ISOPRENALINE			
* Inj 200 mcg per ml, 1 ml ampoule	36.80	25	
inj 200 mag per mi, i mi ampoule	(164.20)	23	leuprol
	(104.20)		Isuprel
Vecediletere			
Vasodilators			
AMYL NITRITE			
	60.00	10	
* Liq 98% in 0.3 ml cap		12	Davidan
	(73.40)		Baxter
HYDRALAZINE HYDROCHLORIDE			
* Tab 25 mg - Special Authority see SA1321 below - Retail			
pharmacy	CBS	1	✓ Hydralazine
L		56	✓ Onelink ©29
		84	✓ AMDIPHARM \$29
* Inj 20 mg ampoule	25.90	5	Apresoline
⇒SA1321 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals vali	d without furthe	r renewal unless	notified for applications meetin
the following criteria:	a maioat iaitiio	i ionowai amooo	Thousand for applications modeling
Either:			
1 For the treatment of refractory hypertension; or			
2 For the treatment of heart failure in combination with a nit	rate, in patients	who are intolera	int or have not responded to AC
inhibitors and/or angiotensin receptor blockers.			
MINOXIDIL			
▲ Tab 10 mg	70.00	100	✓ Loniten
-		100	- London
NICORANDIL			_
▲ Tab 10 mg		60	✓ Ikorel
▲ Tab 20 mg	33.28	60	✓ Ikorel

	Subsidy (Manufacturer's Price)	Sub Per	Fully Brand or sidised Generic Manufacturer
PAPAVERINE HYDROCHLORIDE * Inj 12 mg per ml, 10 ml ampoule PENTOXIFYLLINE [OXPENTIFYLLINE] Tab 400 mg		5 50	✓ Hospira✓ Trental 400
Endothelin Receptor Antagonists			
AMBRISENTAN – Special Authority see SA1702 below – Retail Tab 5 mg Tab 10 mg **SA1702** Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensi Notes: Application details may be obtained from PHARMAC's w The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac BOSENTAN – Special Authority see SA1712 below – Retail pha Tab 62.5 mg	4,585.004,585.00 on Panel ebsite http://www.pha	30 30 rmac.gov	✓ Volibris ✓ Volibris vt.nz or: ✓ Mylan-Bosentan ✓ Bosentan-Mylan
Tab 125 mg	375.00	56	✓ Mylan-Bosentan

(Mylan-Bosentan Tab 62.5 mg to be delisted 1 July 2018) (Mylan-Bosentan Tab 125 mg to be delisted 1 July 2018)

⇒SA1712 Special Authority for Subsidy

Initial application only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory physician or cardiologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

401.79

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice) clinical classifications; and
- 3 PAH is at NYHA/WHO functional class II. III. or IV: and
- 4 Any of the following:
 - 4.1 Both:
 - 4.1.1 Bosentan is to be used as PAH monotherapy; and
 - 4.1.2 Either:
 - 4.1.2.1 Patient is intolerant or contraindicated to sildenafil: or
 - 4.1.2.2 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease; or
 - 4.2 Both:
 - 4.2.1 Bosentan is to be used as PAH dual therapy; and
 - 4.2.2 Either:
 - 4.2.2.1 Patient has tried a PAH monotherapy for at least three months and failed to respond; or
 - 4.2.2.2 Patient deteriorated while on a PAH monotherapy; or
 - 4.3 Both:
 - 4.3.1 Bosentan is to be used as PAH triple therapy; and
 - 4.3.2 Any of the following:
 - 4.3.2.1 Patient is on the lung transplant list; or
 - 4.3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or

continued...

60

✓ Bosentan-Mylan

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	dised	Generic
\$	Per	1	Manufacturer

continued...

- 4.3.2.3 Patient is deteriorating rapidly to NYHA/WHO Functional Class IV who may be lung transplant recipients in the future, if their disease is stabilised; or
- 4.3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.

Renewal only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory physician or cardiologist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Bosentan is to be used as PAH monotherapy; and
 - 1.2 Patient is stable or has improved while on bosentan; or
- 2 Both:
 - 2.1 Bosentan is to be used as PAH dual therapy; and
 - 2.2 Patient has tried a PAH monotherapy for at least three months and either failed to respond or later deteriorated; or
- 3 Both:
 - 3.1 Bosentan is to be used as PAH triple therapy; and
 - 3.2 Any of the following:
 - 3.2.1 Patient is on the lung transplant list; or
 - 3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or
 - 3.2.3 Patient is deteriorating rapidly to NYHAWHO Functional Class IV who may be lung transplant recipients in the future, if their disease is stabilised; or
 - 3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.

Phosphodiesterase Type 5 Inhibitors

SILDENAFIL - Special Authority see SA1704 below - Retail pharmacy		
Tab 25 mg0.75	4	✓ <u>Vedafil</u>
Tab 50 mg0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page 2252.75	4	✓ Vedafil

⇒SA1704 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has Ravnaud's Phenomenon*: and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Initial application — (Pulmonary arterial hypertension*) only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory specialist or cardiologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 Any of the following:
 - 2.1 PAH is in Group 1 of the WHO (Venice) clinical classifications; or

continued...

continued...

- 2.2 PAH is in Group 4 of the WHO (Venice) clinical classifications; or
- 2.3 PAH is in Group 5 of the WHO (Venice) clinical classifications; and
- 3 Any of the following:
 - 3.1 PAH is in NYHA/WHO functional class II: or
 - 3.2 PAH is in NYHA/WHO functional class III; or
 - 3.3 PAH is in NYHA/WHO functional class IV: and
- 4 Patient has a pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
- 5 Either:
 - 5.1 Patient has a mean pulmonary artery pressure (PAPm) > 25 mmHg; or
 - 5.2 Patient is peri Fontan repair; and
- 6 Patient has a pulmonary vascular resistance (PVR) of at least 3 Wood Units or at least 240 International Units (dvn s cm-5).

Note: Indications marked with * are Unapproved Indications.

Prostacyclin Analogues

EPOPROSTENOL - Special Authority see SA1696 below -	 Retail pharmacy 		
Inj 500 mcg vial	36.61	1	✓ Veletri
Inj 1.5 mg vial	73.21	1	✓ Veletri
⇒SA1696 Special Authority for Subsidy			
Special Authority approved by the Pulmonary Arterial Hyper	tension Panel		
Notes: Application details may be obtained from PHARMAG	C's website http://www.p	oharmac.go	ovt.nz or:
The Coordinator, PAH Panel			

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz ILOPROST - Special Authority see SA1705 below - Retail pharmacy

30 ✓ Ventavis

⇒SA1705 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC. PO Box 10-254. WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz



Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 101

ADAPAI FNF

- a) Maximum of 30 g per prescription
- b) Only on a prescription

Crm 0.1%	22.89	30 g OP	Differin
Gel 0.1%	22.89	30 g OP	Differin
ISOTRETINOIN - Special Authority see SA1475 below - R	etail pharmacy		
Cap 10 mg	12.47	100	✓ Isotane 10
	14.96	120	Oratane
Cap 20 mg	19.27	100	✓ Isotane 20

⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Fither:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or

23.12

120

Oratane

3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g − Maximum of 50 g per prescription13.90 50 g OP ✓ ReTrieve
ReTrieve to be Sole Supply on 1 July 2018

Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page $101\,$

HYDROGEN PEROXIDE

		L	DERIMA I OLOGICALS
	Subsidy (Manufacturer's Pr \$	rice) Subs Per	Fully Brand or sidised Generic Manufacturer
MUPIROCIN Oint 2%	6.60 (9.26)	15 g OP	Bactroban
a) Only on a prescriptionb) Not in combination			
SODIUM FUSIDATE [FUSIDIC ACID] Crm 2%	2.52	15 g OP	✓ DP Fusidic Acid Cream
a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination Oint 2%	3.45	15 g OP	✓ Foban
SULFADIAZINE SILVER Crm 1%a) Up to 250 g available on a PSO b) Not in combination	10.80	50 g OP	✓ Flamazine
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifung AMOROLFINE a) Only on a prescription b) Not in combination Nail soln 5%	, , , ,	5 ml OP	✓ MycoNail
CICLOPIROX OLAMINE a) Only on a prescription b) Not in combination			<u>, </u>
Nail-soln 8%	6.50	7 ml OP	✓ Apo-Ciclopirox
** Crm 1% a) Only on a prescription b) Not in combination	0.70	20 g OP	✓ <u>Clomazol</u>
* Soln 1%	4.36 (7.55)	20 ml OP	Canesten
a) Only on a prescription b) Not in combination			
ECONAZOLE NITRATE Crm 1% a) Only on a prescription	1.00 (7.48)	20 g OP	Pevaryl
b) Not in combination	0.00	0	

Pevaryl

(17.23)

a) Only on a prescriptionb) Not in combination

Foaming soln 1%, 10 ml sachets......9.89

	Subsidy (Manufacturer's Pr \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
MICONAZOLE NITRATE				
* Crm 2%	0.74	15 g OP	✓ <u>N</u>	<u>Multichem</u>
a) Only on a prescription				
b) Not in combination	4.00	20 ml OD		
* Lotn 2%	(10.03)	30 ml OP	г	Daktarin
a) Only on a prescription	(10.00)		-	Janami
b) Not in combination				
* Tinct 2%	4.36	30 ml OP		
	(12.10)			Daktarin
a) Only on a prescription				
b) Not in combination				
NYSTATIN	1.00	15 ~ OD		
Crm 100,000 u per g	(7.90)	15 g OP	N	Mycostatin
a) Only on a prescription	(7.50)			nyoosiaiiii
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP		100 g		Pharmacy Health
Lotn, BP	12.94	2,000 ml	✓ F	PSM
CROTAMITON				
a) Only on a prescription				
b) Not in combination Crm 10%	3 37	20 g OP	√ 1	tch-Soothe
MENTHOL – Only in combination		20 g O1	· <u>.</u>	ten-oodine
Only in combination Only in combination with a dermatological base or property.	roprietany Topical Co	articostariod -	Dlain	refer dermatological base
page 224	Topricially Topical Of	Jilicosteriou -	i iaiii,	reier dermatological base,
With or without other dermatological galenicals.				
,				
Crystals		25 g		PSM
	6.92	400	_	MidWest
(PSM Crystals to be delisted 1 November 2018)	29.60	100 g	✓ II	MidWest
1 Sivi Crystais to be delisted 1 November 2010)				
Corticosteroids Topical				
For systemic corticosteroids, refer to CORTICOSTEROIDS AN	ND RELATED AGEN	JTS page 90		
	ID TIEENTED TIGET	Tro, page co		
Corticosteroids - Plain				
BETAMETHASONE DIPROPIONATE			_	
Crm 0.05%		15 g OP		Diprosone
Crm 0.05% in propylene glycol base	8.97 4.33	50 g OP		Diprosone Diprosone OV
Oint 0.05% in propylene glycol base		30 g OP 15 g OP		Diprosone OV Diprosone
On it 0.00 /0		10 g O1		•
	8.97	50 g OP	✓ [Diprosone

	Subsidy		Fully	
	(Manufacturer's F	Price) Subs Per	idised	
	\$	Per		Manufacturer
BETAMETHASONE VALERATE			_	
* Crm 0.1%		50 g OP		Beta Cream
★ Oint 0.1%		50 g OP		Beta Ointment
★ Lotn 0.1%	10.05	50 ml OP	/	Betnovate
CLOBETASOL PROPIONATE				
* Crm 0.05%	2.20	30 g OP	1	Dermol
* Oint 0.05%	2.20	30 g OP	1	Dermol
CLOBETASONE BUTYRATE		Ü		
Crm 0.05%	5 38	30 g OP		
0111 0.00 /0	(7.09)	00 g 01		Eumovate
NELLICOPTOLONE VALEBATE	(7.00)			Lumovato
DIFLUCORTOLONE VALERATE	0.07	F0 - OD		
Crm 0.1%		50 g OP		Naviasas
Falls size 0.40/	(15.86)	F0 - OF		Nerisone
Fatty oint 0.1%		50 g OP		
	(15.86)			Nerisone
HYDROCORTISONE				
* Crm 1% - Only on a prescription	1.11	30 g OP	1	DermAssist
	16.25	500 g	1	Pharmacy Health
★ Powder – Only in combination	49.95	25 g	1	ABM
galenicals. Refer, page 224 IYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only				
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN	y on	250 ml	/	DP Lotn HC
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only a prescription	y on 10.57	250 ml	•	DP Lotn HC
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only a prescription	y on 10.57	30 g OP	1	Locoid Lipocream
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only a prescription	y on 10.57 2.30 6.85	30 g OP 100 g OP	1	Locoid Lipocream
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on 10.57 2.30 6.85	30 g OP 100 g OP 100 g OP	111	Locoid Lipocream Locoid Lipocream Locoid
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only a prescription	y on 10.57 2.30 6.85 6.85	30 g OP 100 g OP	111	Locoid Lipocream
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on 10.57 2.30 6.85 6.85	30 g OP 100 g OP 100 g OP	111	Locoid Lipocream Locoid Lipocream Locoid
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP	V V V	Locoid Lipocream Locoid Lipocream Locoid
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP	\ \ \ \ \ \ \ \	Locoid Lipocream Locoid Lipocream Locoid Locoid Crelo
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP	\ \ \ \ \ \ \ \	Locoid Lipocream Locoid Lipocream Locoid Locoid Crelo
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Locoid Lipocream Locoid Lipocream Locoid Locoid Crelo Advantan Advantan Elocon Alcohol Free
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Locoid Lipocream Locoid Lipocream Locoid Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 15 g OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Lipocream Locoid Lipocream Locoid Locoid Crelo Advantan Advantan Elocon Alcohol Free
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Lipocream Locoid Lipocream Locoid Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon
AYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 50 g OP 50 g OP	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 50 g OP 30 ml OP		Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon
AYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 50 g OP 30 ml OP		Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Aristocort
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 50 g OP 30 ml OP		Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon
AYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 50 g OP 30 ml OP		Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Aristocort
AYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 50 g OP 30 ml OP		Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Aristocort
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% — Only a prescription	y on	30 g OP 100 g OP 100 g OP 100 ml OP 15 g OP 15 g OP 50 g OP 50 g OP 30 ml OP		Locoid Lipocream Locoid Lipocream Locoid Crelo Advantan Advantan Elocon Alcohol Free Elocon Alcohol Free Elocon Elocon Elocon Aristocort

DERMATOLOGICALS

	Subsidy (Manufacturer's F \$	Price) Subs	Fully idised	Brand or Generic Manufacturer
ETAMETHASONE VALERATE WITH SODIUM FUSIDATE Crm 0.1% with sodium fusidate (fusidic acid) 2%		15 g OP	F	ucicort
a) Maximum of 15 g per prescriptionb) Only on a prescription				
YDROCORTISONE WITH MICONAZOLE - Only on a pre 6 Crm 1% with miconazole nitrate 2%		15 g OP	✓ <u>N</u>	Nicreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN Crm 1% with natamycin 1% and neomycin sulphate 0.5% Oint 1% with natamycin 1% and neomycin sulphate 0.5%	%2.79	otion 15 g OP 15 g OP	-	Pimafucort Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEON Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.	.5 mg			
and gramicidin 250 mcg per g - Only on a prescript	(6.60)	15 g OP	٧	'iaderm KC
Disinfecting and Cleansing Agents				
HLORHEXIDINE GLUCONATE – Subsidy by endorsemen a) No more than 500 ml per month b) Only if prescribed for a dialysis patient and the presc		cordingly		
Handrub 1% with ethanol 70% Soln 4% wash	4.29	500 ml 500 ml	_	ealthE ealthE
RICLOSAN – Subsidy by endorsement				
a) Maximum of 500 ml per prescription b)				
a) Maximum of 500 ml per prescription b) a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endor b) Only if prescribed for a patient with recurrent St	rsed accordingly; or			
a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endor	rsed accordingly; or taphylococcus aureu		the pre	
b) a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endor b) Only if prescribed for a patient with recurrent St accordingly	rsed accordingly; or taphylococcus aureu	s infection and	the pre	scription is endorsed
b) a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endor b) Only if prescribed for a patient with recurrent St accordingly Soln 1%	rsed accordingly; or taphylococcus aureu	s infection and	the pre	scription is endorsed
b) a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endor b) Only if prescribed for a patient with recurrent St accordingly Soln 1%	rsed accordingly; or taphylococcus aureu	s infection and 500 ml OP	the pre ✓ h	scription is endorsed
b) a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endoub) Only if prescribed for a patient with recurrent Staccordingly Soln 1%	rsed accordingly; or taphylococcus aureus	s infection and 500 ml OP	the pre	scription is endorsed nealthE nealthE Dimethicone 5%
a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endor b) Only if prescribed for a patient with recurrent St accordingly Soln 1%	rsed accordingly; or taphylococcus aureus	s infection and 500 ml OP	the pre	scription is endorsed
a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endoub) Only if prescribed for a patient with recurrent St accordingly Soln 1%	rsed accordingly; or taphylococcus aureus	s infection and 500 ml OP	the pre h h h	scription is endorsed nealthE nealthE Dimethicone 5% nealthE
a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endout b) Only if prescribed for a patient with recurrent Staccordingly Soln 1% Barrier Creams and Emollients Barrier Creams IMETHICONE Crm 5% pump bottle Crm 10% pump bottle	rsed accordingly; or taphylococcus aureus	500 ml OP 500 ml OP 500 ml OP	the pre h h h	scription is endorsed sealthE Dimethicone 5% sealthE Dimethicone 10% Boucher
a) Only if prescribed for a patient identified with M surgery in hospital and the prescription is endoub) Only if prescribed for a patient with recurrent St accordingly Soln 1%	rsed accordingly; or taphylococcus aureus	500 ml OP 500 ml OP 500 ml OP	the pre	scription is endorsed sealthE Dimethicone 5% sealthE Dimethicone 10% Boucher

		_		10200107120
	Subsidy (Manufacturer's \$	Price) Subsi Per	idised	Brand or Generic Manufacturer
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	2.82	500 ml OP	S	armacy Health corbolene with Glycerin
	3.87	1,000 ml OP	✓ Pha	armacy Health Forbolene with Blycerin
EMULSIFYING OINTMENT				
* Oint BP	3.59	500 g	✓ AF	Т
OIL IN WATER EMULSION		· ·		_
* Crm	2.25	500 g	✓ 0/\	V Fatty Emulsion
		9		cream
UREA			_	
* Crm 10%	1.37	100 g OP	✓ hea	althE Urea Cream
WOOL FAT WITH MINERAL OIL - Only on a prescription		3 3		
* Lotn hydrous 3% with mineral oil	5 60	1,000 ml		
25 EST TYGIOGO 575 WAT TIMOTAL SILLING	(11.95)	1,000 1111	DP	Lotion
	1.40	250 ml OP		
	(4.53)		DP	Lotion
	5.60	1,000 ml		
	(20.53)			ha-Keri Lotion
	(23.91)		BK	Lotion
	1.40	250 ml OP	511	
	(7.73)		BK	Lotion
Other Dermatological Bases				
PARAFFIN				
White soft - Only in combination	20.20	2,500 g	✓ IPV	V

White soft - Only in combination	20.20	2,500 g	✓ IPW
•	3.58	500 g	
	(7.78)		IPW
	(8.69)		PSM

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.

DERMATOLOGICALS

(Manusia atomasia Didas) Outsidia at Osmasia	(Manufacturer's Price) \$	Per	ubsidised •	Manufacturer	
	(Manufacturer's Price)		ubsidised •	Generic Manufacturer	

OVIDONE IODINE		
Oint 10%	25 g OP	Betadine
a) Maximum of 100 g per prescription		
b) Only on a prescription		
Antiseptic soln 10%6.20	500 ml	Betadine
		✓ Riodine
1.28	100 ml	
(4.20)		Riodine
(13.27)		Betadine
0.19	15 ml	
(7.41)		Betadine
Skin preparation, povidone iodine 10% with 30% alcohol10.00	500 ml	 Betadine Skin Prep
1.63	100 ml	
(3.48)		Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13	500 ml	
(18.63)		Orion
1.63	100 ml	
(6.04)		Orion

Parasiticidal Preparations

ווט	VIE I	IHI	CC)INE

200 ml OP ✓ healthE Dimethicone 4% Lotion

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg - Up to 100 tab available on a PSO.......17.20 ✓ Stromectol

- 1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- 3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

⇒SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently;
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

, any or ano renoving.

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- Strongyloidiasis.

PERMETHRIN

Crm 5%4.95	30 g OP	 Lyderm
Lotn 5%	30 ml OP	✓ <u>A-Scabies</u>

(Manufacturer's Price)	Subsidised Per 🗸	Generic Manufacturer
Subsidy	Fully	Brand or

PHFNOTHRIN

Psoriasis and Eczema Preparations

ACITRETIN - Special Authority see SA1476 below - Retail pharma	acy		
Cap 10 mg	17.86	60	✓ Novatretin
Cap 25 mg	41.36	60	✓ Novatretin

⇒SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

Gel 500 mcg with calcipotriol 50 mcg per g	26.12	30 g OP	✓ Daivobet
Oint 500 mcg with calcipotriol 50 mcg per g		30 g OP	✓ Daivobet
CALCIPOTRIOL			
Oint 50 mcg per g	45.00	100 g OP	✓ <u>Daivonex</u>
COAL TAR			

- Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod Plain, refer dermatological base, page 224
- 2) With or without other dermatological galenicals.

Soln BP - Only in combination......32.95

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)	•	Egopsoryl TA
	3.43	30 g OP	0 1 7
	(4.35)	Ü	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORESCE	IN - Only o	n a prescription	
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodium	3.86	500 ml	✓ Pinetarsol

200 ml

✓ Midwest

DERMATOLOGICALS |

		DEKIN	ATOLOGICALS
	Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
	\$	Per 🗸	Manufacturer
SALICYLIC ACID			
Powder – Only in combination	18.88	250 g ✓ F	PSM
 Only in combination with a dermatological base or refer dermatological base, page 224 With or without other dermatological galenicals. 	proprietary Topical C	Corticosteroid – PI	ain or collodion flexible,

SUI PHUR

- Only in combination with a dermatological base or proprietary Topical Corticosteroid Plain, refer dermatological base, page 224
- 2) With or without other dermatological galenicals.

Scalp Preparations

BETAMETHASONE VALERATE * Scalp app 0.1%	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE * Scalp app 0.05%	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE Scalp lotn 0.1%	100 ml OP	✓ Locoid
KETOCONAZOLE Shampoo 2%	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescriptionb) Only on a prescription		

Sunscreens

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

Crm	3.30	100 g OP	
	(5.89)	Ü	Hamilton Sunscreen
Lotn,	3.30	100 g OP	✓ Marine Blue Lotion SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion SPF 50+

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 80	0
---	---

l	MI	QU	IM	0)

PODOPHYLLOTOXIN

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

Crm 5%......8.95 20 g OP ✓ **Efudix**

	Subsidy	·	Fully	Brand or
	(Manufacturer's Price)		sidised	Generic
	<u> </u>	Per		Manufacturer
Contraceptives - Non-hormonal				
•				
Condoms				
CONDOMS				
* 49 mm - Up to 144 dev available on a PSO	13.36	144	✓ S	hield 49
* 53 mm - Up to 144 dev available on a PSO	1.11	12	√ G	old Knight
			✓ S	hield Blue
	13.36	144	√ S	hield Blue
* 53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12	√ G	old Knight
	13.36	144	√ G	old Knight
* 53 mm (strawberry) - Up to 144 dev available on a PSO	1.11	12	√ G	old Knight
	13.36	144	√ G	old Knight
* 56 mm - Up to 144 dev available on a PSO	1.11	12	√ G	old Knight

Contraceptive Devices

INTRA-UTERINE DEVICE

- a) Up to 40 dev available on a PSO
- b) Only on a PSO

*	IUD 29.1 mm length × 23.2 mm width	31.60
	IUD 33.6 mm length × 29.9 mm width	

✓ Choice TT380 Short

✓ Durex Extra Safe✓ Gold Knight

✓ Durex Confidence✓ Durex Confidence

✓ Shield XI

✓ Choice

144

12

144

144

TT380 Standard

✓ Choice Load 375

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
 \$	Per	√	

continued...

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	84	
	(19.80)	Mercilon 28

- a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page
- b) Up to 84 tab available on a PSO
- - a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page
 - b) Up to 84 tab available on a PSO

ETHINYLOESTRADIOL WITH LEVONORGESTREL

ET	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tablets -			
	Up to 84 tab available on a PSO	2.18	84	✓ Microgynon 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	9.45	84	 Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authorib) Up to 63 tab available on a PSO	y see SA0500	on the prev	vious page
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tablets -			
	Up to 84 tab available on a PSO	1.77	84	✓ <u>Levlen ED</u>
ET	HINYLOESTRADIOL WITH NORETHISTERONE			
*	Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available			
	on a PSO	6.62	63	✓ Brevinor 1/21
*	Tab 35 mcg with norethisterone 1 mg and 7 inert tab - Up to			
	84 tab available on a PSO	6.62	84	✓ Brevinor 1/28
*	Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab			
	available on a PSO	6.62	63	✓ Brevinor 21
*	Tab 35 mcg with norethisterone 500 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	6.62	84	✓ Norimin

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit: or

continued...

- 1.2 Patient has an income no greater than the benefit; and
 - 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL

LEVIONOBOEOTRE

*	Tab 30 mcg	6.62	84	
		(16.50)		Microlut

- a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page
- b) Up to 84 tab available on a PSO

Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO	106 92	1	✓ Jadelle
MEDROXYPROGESTERONE ACETATE	100.02	'	<u>oudene</u>
* Inj 150 mg per ml, 1 ml syringe - Up to 5 inj available on a PSO	7.25	1	✓ Depo-Provera

NORETHISTERONE

Emergency Contraceptives

ᆫ	VONONGESTREE			
*	Tab 1.5 mg	.4.95	1	✓ Postinor-1

- a) Maximum of 2 tab per prescription
- b) Up to 5 tab available on a PSO
- c) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

★ Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 168 tab available on a PSO.......4.67 168 ✓ Ginet

Gynaecological Anti-infectives ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43 100 g OP (24.00) Aci-Jel CLOTRIMAZOLE * Vaginal cmr 1% with applicators		(Manufacturer's P		idised Generic
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43 100 g OP (24.00) CLOTRIMAZOLE * Vaginal cmm 1% with applicators		\$	Per	✓ Manufacturer
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43 100 g OP (24.00) Aci_Jel CLOTRIMAZOLE * Vaginal crm 1% with applicators	Gynaecological Anti-infectives			
0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43 100 g OP (24.00) CLOTRIMAZOLE * Vaginal crm 1% with applicators	ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC	ACID		
(24.00) CLOTRIMAZOLE * Vaginal crm 1% with applicators	, , , , , , , , , , , , , , , , , , , ,			
CLOTRIMAZOLE * Vaginal crm 1% with applicators	0.025%, glycerol 5% and ricinoleic acid 0.75% with appl		100 g OP	Aci lal
* Vaginal crm 1% with applicators	CLOTRIMAZOLE	(24.00)		Aci-Jei
** Vaginal crm 2% with applicators		1.60	35 g OP	✓ Clomazol
# Vaginal crm 2% with applicator				
NYSTATIN Vaginal cm 100,000 u per 5 g with applicator(s)				_
Waginal crm 100,000 u per 5 g with applicator(s) 4.45 75 g OP ✓ Nilstat Myometrial and Vaginal Hormone Preparations ERGOMETRINE MALEATE Inj 500 mcg per ml, 1 ml ampoule — Up to 5 inj available on a PSO. 105.00 5 ✓ DBL Ergometrine OESTRIOL ** Crm 1 mg per g with applicator. 6.62 15 g OP ✓ Ovestin ** Pessaries 500 mcg. 6.86 15 ✓ Ovestin OXYTOCIN — Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule 4.03 5 ✓ Oxytocin BNM Inj 10 iu per ml, 1 ml ampoule 5.03 5 ✓ Oxytocin Apotex ✓ Oxytocin Apotex Inj 10 iu per ml, 1 ml ampoule to be delisted 1 December 2018) OXYTOCIN WITH ERGOMETRINE MALEATE — Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml 11.13 5 ✓ Syntometrine Pregnancy Tests - hCG Urine PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette 17.60 40 test OP ✓ EasyCheck Urinary Agents For urinary tract Infections refer to INFECTIONS, Antibacterials, page 121 5-Alpha Reductase Inhibitors FINASTERIDE — Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting		3.88	40 g OP	✓ <u>Micreme</u>
Myometrial and Vaginal Hormone Preparations ERGOMETRINE MALEATE Inj 500 mcg per ml, 1 ml ampoule − Up to 5 inj available on a PSO		1 15	75 a OD	✓ Niletat
ERGOMETRINE MALEATE Inj 500 mog per ml, 1 ml ampoule — Up to 5 inj available on a PSO	vaginal criff 100,000 d per 5 g with applicator(s)	4.43	75 y OF	Mistat
Inj 500 mcg per ml, 1 ml ampoule − Up to 5 inj available on a PSO	Myometrial and Vaginal Hormone Preparations			
PSO	ERGOMETRINE MALEATE			
## Crm 1 mg per g with applicator		а		
** Crm 1 mg per g with applicator	PSO	105.00	5	✓ DBL Ergometrine
** Pessaries 500 mcg				4.5
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule				
Inj 5 iu per ml, 1 ml ampoule	· ·		10	- Ovesum
Inj 10 iu per ml, 1 ml ampoule		4.03	5	✓ Oxytocin BNM
OXYTOCIN WITH ERGOMETRINE MALEATE — Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml			5	Oxytocin Apotex
OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	(Ovutocin Anotay Inj 10 ju per ml. 1 ml amnoule to be delicted 1	December 2018)		Oxytocin BNM
Pregnancy Tests - hCG Urine PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette		,		
Pregnancy Tests - hCG Urine PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette	• •		5	✓ Syntometrine
PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette				
a) Up to 200 test available on a PSO b) Only on a PSO Cassette	Pregnancy Tests - hCG Urine			
b) Only on a PSO Cassette	PREGNANCY TESTS - HCG URINE			
Cassette	, ,			
Urinary Agents For urinary tract Infections refer to INFECTIONS, Antibacterials, page 121 5-Alpha Reductase Inhibitors FINASTERIDE − Special Authority see SA0928 below − Retail pharmacy * Tab 5 mg		17.60	40 tost OP	✓ FasyChack
For urinary tract Infections refer to INFECTIONS, Antibacterials, page 121 5-Alpha Reductase Inhibitors FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy * Tab 5 mg	Cassette	17.00	40 tost O1	Lasyoneck
5-Alpha Reductase Inhibitors FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy * Tab 5 mg	Urinary Agents			
FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy * Tab 5 mg	For urinary tract Infections refer to INFECTIONS, Antibacterials,	page 121		
 ★ Tab 5 mg	5-Alpha Reductase Inhibitors			
Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting	•	•	100	✓ Ricit
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting			100	- IIIVIL
the following enterial		id without further	renewal unless	notified for applications meeting

Subsidy

Fully

Brand or

Subsidy	Ful	y Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per •	Manufacturer	

continued...

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

★ Cap 400 mcg13.51 100

✓ Tamsulosin-Rex

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN		
* Tab 5 mg	100	✓ Ditropan S29
8.85	500	✓ Apo-Oxybutynin
* Oral liq 5 mg per 5 ml	473 ml	✓ Apo-Oxybutynin
(Ditropan S29 Tab 5 mg to be delisted 1 December 2018)		
POTASSIUM CITRATE		
Oral liq 3 mmol per ml - Special Authority see SA1083 below -		
Retail pharmacy30.00	200 ml OP	✓ Biomed

⇒SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets	2.34	28	✓ Ural
SOLIFENACIN SUCCINATE - Special Authority see SA0998 below		nacv	
Tab 5 mg		30	✓ Vesicare
Tab 10 mg	37.50	30	✓ Vesicare

⇒SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

TOLTERODINE – Special	Authority see SA1272 on the n	ext page – Retail pharmacy
Tab 1 mg		14.56

Tab 1 mg14.56	56	✓ Arrow-Tolterodine
Tab 2 mg14.56	56	✓ Arrow-Tolterodine

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	✓	Manufacturer

⇒SA1272 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

Detection of Substances in Urine

ORTHO-TOLIDINE			
* Compound diagnostic sticks	7.50	50 test OP	
	(8.25)		Hemastix
TETRABROMOPHENOL			
* Blue diagnostic strips	7.02	100 test OP	
·	(13.92)		Albustix

Subsidy	Ful	lly Brand or	
(Manufacturer's Price)	Subsidise	ed Generic	
\$	Per •	 Manufacturer 	

Calcium Homeostasis

~	~:-		
CAI	וויי	()[II

CINACALCET - Special Authority see SA1618 below - Retail pharmacy

Tab 30 mg − Wastage claimable − see rule 3.3.2 on page 13......403.70 28 ✓ Sensipar

⇒SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
 - 1.2 The patient has persistent hypercalcaemia (serum calcium greater than or equal to 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
 - 1.3 The patient is symptomatic; or
- 2 All of the following:
 - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
 - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium greater than or equal to mmol/L); and
 - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

ZOLEDRONIC ACID

⇒SA1687 Special Authority for Subsidy

Initial application — **(bone metastases)** only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has hypercalcaemia of malignancy: or
- 2 Both:
 - 2.1 Patient has bone metastases or involvement; and
 - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
 - 3.1 Patient has bone metastases or involvement: and
 - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone.

Initial application — **(early breast cancer)** only from an oncologist or medical practitioner on the recommendation of a oncologist. Approvals valid for 2 years for applications meeting the following criteria:

continued...

89

(Manu	Subsidy ufacturer's Price)	Ful Subsidise	,	
<u> </u>	\$ F	Per •	Manufacturer	

continued...

All of the following:

1 Treatment to be used as adjuvant therapy for early breast cancer; and

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE

- 2 Patient has been amenorrhoeic for 12 months or greater, either naturally or induced, with endocrine levels consistent with a postmenopausal state; and
- 3 Treatment to be administered at a minimum interval of 6-monthly for a maximum of 2 years.

Corticosteroids and Related Agents for Systemic Use

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETA	E	
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml19.20	5	
(36.96)		Celestone
		Chronodose
DEXAMETHASONE		
* Tab 0.5 mg - Retail pharmacy-Specialist0.88	30	✓ <u>Dexmethsone</u>
Up to 60 tab available on a PSO		
* Tab 4 mg - Retail pharmacy-Specialist	30	✓ <u>Dexmethsone</u>
Up to 30 tab available on a PSO	05 100	4 D: 1
Oral liq 1 mg per ml – Retail pharmacy-Specialist45.00	25 ml OP	✓ Biomed
Oral liq prescriptions:		
Must be written by a Paediatrician or Paediatric Cardiologist; or		
2) On the recommendation of a Paediatrician or Paediatric Cardiologi	St.	
DEXAMETHASONE PHOSPHATE		
Dexamethasone phosphate injection will not be funded for oral use.		
* Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO14.19	10	✓ Max Health
* Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO25.18	10	✓ Max Health
FLUDROCORTISONE ACETATE		
* Tab 100 mcg14.32	100	✓ Florinef
HYDROCORTISONE		
* Tab 5 mg8.10	100	✓ Douglas
* Tab 20 mg - For hydrocortisone oral liquid formulation refer,		
page 22520.32	100	✓ Douglas
* Inj 100 mg vial	1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO		
b) Only on a PSO		
METHYLPREDNISOLONE - Retail pharmacy-Specialist		
* Tab 4 mg80.00	100	✓ Medrol
* Tab 100 mg	20	✓ Medrol
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retail pharmacy-Spec	ialiet	
Inj 40 mg vial10.50	1	✓ Solu-Medrol
Inj 125 mg vial	1	✓ Solu-Medrol
Inj 500 mg vial	1	✓ Solu-Medrol
Inj 1 g vial16.00	1	✓ Solu-Medrol
METHYLPREDNISOLONE ACETATE	-	<u> </u>
Inj 40 mg per ml, 1 ml vial40.00	5	✓ Depo-Medrol
	3	- Depo-Medioi
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOCAINE]		/ Dama Mardard and
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial9.25	1	✓ <u>Depo-Medrol with</u>
		<u>Lidocaine</u>

	Subsidy		Fully	Brand or
	(Manufacturer's Pr	ice) Subs	idised	Generic
	\$	Per	1	Manufacturer
PREDNISOLONE				
* Oral lig 5 mg per ml - Up to 30 ml available on a PSO	6.00	30 ml OP	1	Redipred
a) Restricted to children under 12 years of age.				
b) Redipred to be Sole Supply on 1 July 2018				
PREDNISONE				
* Tab 1 mg	10.68	500	1	Apo-Prednisone
* Tab 2.5 mg	12.09	500	1	Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	1	Apo-Prednisone
* Tab 20 mg	29.03	500	1	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	1	Synacthen
* Inj 1 mg per ml, 1 ml ampoule		1	1	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	20.80	5	✓	Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule		5	✓]	Kenacort-A 40

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE – Retail pharmacy-Specialist			
Tab 50 mg	15.87	50	✓ Procur
Tab 100 mg		50	✓ Procur
TESTOSTERONE			
Patch 5 mg per day	80.00	30	✓ Androderm
TESTOSTERONE CIPIONATE - Retail pharmacy-Specialist			
Inj 100 mg per ml, 10 ml vial	76.50	1	✓ <u>Depo-Testosterone</u>
TESTOSTERONE ESTERS - Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml	12.98	1	Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Special	list		
Cap 40 mg	16.80	60	 Andriol Testocaps
Inj 250 mg per ml, 4 ml vial	86.00	1	✓ Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Pri	ioo\ Cu	Fully	Brand or Generic
	(Manufacturer's Pri	Per	bsidised •	Manufacturer
Oestrogens				
OESTRADIOL - See prescribing guideline on the previous page				
* Tab 1 mg		28 OP		
•	(11.10)		E	Estrofem
* Tab 2 mg	4.12	28 OP		
	(11.10)			strofem
* Patch 25 mcg per day	6.12	8	✓ <u>E</u>	stradot
 a) No more than 2 patch per week 				
b) Only on a prescription			_	
* Patch 50 mcg per day	7.04	8	✓ <u>E</u>	Estradot 50 mcg
 a) No more than 2 patch per week 				
b) Only on a prescription	_		_	
* Patch 75 mcg per day	7.91	8	✓ <u>E</u>	<u>stradot</u>
 a) No more than 2 patch per week 				
b) Only on a prescription				
* Patch 100 mcg per day	7.91	8	✓ <u>E</u>	<u>stradot</u>
a) No more than 2 patch per weekb) Only on a prescription				
OESTRADIOL VALERATE - See prescribing guideline on the pr	evious page			
* Tab 1 mg		84	✓ F	Progynova
* Tab 2 mg		84		Progynova
OESTROGENS - See prescribing guideline on the previous pag	Δ		_	
* Conjugated, equine tab 300 mcg		28		
The designation of the design	(13.50)	_0	F	Premarin
* Conjugated, equine tab 625 mcg		28	•	
,,,,,,,	(13.50)		F	Premarin
Progestogens				
MEDROXYPROGESTERONE ACETATE - See prescribing guid	leline on the previ	ious page		
* Tab 2.5 mg		30	✓ F	Provera
· ·	7.00	56	✓ F	Provera S29 S29
* Tab 5 mg	14.00	100	✓ F	Provera
* Tab 10 mg	7.15	30	✓ F	Provera
(Provera S29 S29 Tab 2.5 mg to be delisted 1 September 2018)			_	
Progestogen and Oestrogen Combined Prepara	tions			
OESTRADIOL WITH NORETHISTERONE - See prescribing gui	deline on the prev	vious page		
* Tab 1 mg with 0.5 mg norethisterone acetate	•	28 OP		
	(18.10)		k	(liovance
* Tab 2 mg with 1 mg norethisterone acetate		28 OP		- 00122
3	(18.10)		k	(liogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	, ,,,,,			U = = :
oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40	28 OP		
······································	(18.10)		T	risequens
	, ,			•

		Subsidy (Manufacturer's Price) \$	Subsic Per	Fully dised	Brand or Generic Manufacturer
OE	ESTROGENS WITH MEDROXYPROGESTERONE - See pr	escribing guideline on	page 91		
*	Tab 625 mcg conjugated equine with 2.5 mg				
	medroxyprogesterone acetate tab (28)	5.40	28 OP		
	, ,	(22.96)		Р	remia 2.5 Continuous
*	Tab 625 mcg conjugated equine with 5 mg				
	medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Р	remia 5 Continuous

(Premia 2.5 Continuous Tab 625 mcg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28) to be delisted 1 June 2018)

(Premia 5 Continuous Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28) to be delisted 1 June 2018)

Other Oestrogen Preparations

ETHINYLOESTRADIOL * Tab 10 mcg	.17.60	100	✓ NZ Medical and Scientific
OESTRIOL * Tab 2 mg	7.00	30	✓ Ovestin

Other Progestogen Preparations

LEVONORGESTREL

⇒SA1608 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria. **Renewal** only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

*	Tab 100 mg - Retail pharmacy-Specialist	.101.00	100	✓ Provera HD
NO	RETHISTERONE			
*	Tab 5 mg - Up to 30 tab available on a PSO	18.29	100	Primolut N

93

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PROGESTERONE					
Cap 100 mg - Special Authority see SA1609 below - Retail					

30

✓ Utrogestan

⇒SA1609 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Either:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

pharmacy.......16.50

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour*; and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
 - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents

CARBIMAZOLE			•
* Tab 5 mg	10.80	100	✓ AFT
			Carbimazole S29
			✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg	3.89	90	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral liqu			•
* Tab 50 mcg		28	✓ Mercury Pharma
·	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.	,	
* Tab 100 mcg		28	✓ Mercury Pharma
•	4.21	90	✓ Synthroid
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.		
PROPYLTHIOURACIL - Special Authority see SA1199 below -	Retail pharmacy		
Propylthiouracil is not recommended for patients under the a	, ,	lace tha natio	ant is preamant and other
treatments are contraindicated.	ige or to years un	iess lile palie	ent is pregnant and other
Tab 50 mg	35.00	100	✓ PTU S29
⇒SA1199 Special Authority for Subsidy			
Special Authority for Subsidy			

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Trophic Hormones

Growth Hormones

SC	MATROPIN (OMNITROPE) - Special Authority see SA1629 below - Reta	il pharmacy	
*	Inj 5 mg cartridge109.50	. í	Omnitrope
	Inj 10 mg cartridge		 Omnitrope
*	Inj 15 mg cartridge	1	 Omnitrope

⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g., cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 2 Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is greater than or equal to 2 cm per year, calculated over six months; and

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	✓	

continued...

- 3 A current bone age is 14 years or under; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years or under (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR less than or equal to 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months...

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and

 Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic	
(IVIAITUIACIUTEI S FIICE)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 The patient is aged two years or older; and
 - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months; or
 - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

GOSFREI IN

Implant 3.6 mg, syringe	66.48	1	Zoladex
Implant 10.8 mg, syringe	177.50	1	✓ Zoladex
LEUPRORELIN			
Additional subsidy by endorsement where the patient is goserelin and the prescription is endorsed accordingly.	a child or adolescent a	nd is unable	to tolerate administration of
Inj 3.75 mg prefilled dual chamber syringe - Higher sul	osidy of		
\$221.60 per 1 inj with Endorsement	66.48	1	
	(221.60)		Lucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syringe - Higher so	ubsidy		
of \$591.68 per 1 inj with Endorsement	177.50	1	
	(591.68)		Lucrin Depot 3-month

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Vasopressin Agonists

DESI	10PF	RESSIN	ACFT	ΔTF

DE	SMOPRESSIN ACETATE			
	Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy	25.00	30	✓ Minirin
	Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy	54.45	30	✓ Minirin
A	Nasal drops 100 mcg per ml – Retail pharmacy-Specialist Nasal spray 10 mcg per dose – Retail pharmacy-Specialist	39.03	2.5 ml OP 6 ml OP	✓ Minirin ✓ Desmopressin- PH&T
	Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below – Retail pharmacy	67.18	10	✓ Minirin

⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

		Tab 0.5 mg – Maximum of 2 tab per prescription; can be
✓ Dostinex	2	waived by Special Authority see SA1370 below4.75
Dostinex	8	19.00

⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

99

	Subsidy (Manufacturer's Price)	Subs Per	Fully sidised	Brand or Generic Manufacturer
CLOMIFENE CITRATE Tab 50 mg	29.84	10		lylan Clomiphen \$29 erophene
DANAZOL Cap 100 mg Cap 200 mg		100 100	✓ A	zol
METYRAPONE Cap 250 mg - Retail pharmacy-Specialist	520.00	50	✓ N	letopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

Anthelmintics

ALBENDAZOLE - Special Authority see	SA1318 below – Retail pharmacy
-------------------------------------	--------------------------------

⇒SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE - Only on a prescription

Tab 100 mg	24.19	24	✓ De-Worm
Oral liq 100 mg per 5 ml		15 ml	
	(7.17)		Vermox
PRAZIQUANTEL			
Tah 600 mg	68.00	8	✓ Biltricide

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 72
- b) For anti-infective eve preparations, refer to SENSORY ORGANS, page 217

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE	
Can 250 mg	

Cap 250 mg	24.70	100	 Ranbaxy-Cefactor
Grans for oral liq 125 mg per 5 ml - Wastage claimable - see			
rule 3.3.2 on page 13	. 3.53	100 ml	✓ Ranbaxy-Cefactor

CEFALEXIN

Cap 250 mg	3.50	20	✓ Cephalexin ABM
Cap 500 mg	3.95	20	✓ Cephalexin ABM

Grans for oral lig 25 mg per ml – Wastage claimable – see rule

Note: Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispensing.

Grans for oral liq 50 mg per ml - Wastage claimable - see rule

Note: Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispensing.

CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly.

 Inj 500 mg vial
 3.39
 5

 AFT

 Inj 1 g vial
 3.29
 5

 AFT

CEFTRIAXONE - Subsidy by endorsement

- a) Up to 5 ini available on a PSO
- b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

Inj 500 mg vial	1.20	1	✓ DEVA
Inj 1 g vial	0.84	1	✓ DEVA

	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully dised	Brand or Generic Manufacturer
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the pre Tab 250 mg	•	accordingly 50		Zinnat

Macrolides

AZITHROMYCIN – Maximum of 5 days treatment per prescription; can be waived by Special Authority see SA1683 below A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised on Special Authority.

Tab 250 mg	9.00	30	✓ Apo-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO		2	✓ Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) – Wastage			-
claimable – see rule 3.3.2 on page 13	12.50	15 ml	✓ Zithromax

⇒SA1683 Special Authority for Waiver of Rule

Initial application — (bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has received a lung transplant, stem cell transplant, or bone marrow transplant and requires treatment for bronchiolitis obliterans syndrome*; or
- 2 Patient has received a lung transplant and requires prophylaxis for bronchiolitis obliterans syndrome*; or
- 3 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms*; or
- 4 Patient has an atypical Mycobacterium infection.

Note: Indications marked with * are Unapproved Indications.

Initial application — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
 - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
 - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with * are Unapproved Indications.

Renewal — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and
- 3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with * are Unapproved Indications

CLARITHROMYCIN – Maximum of 500 mg per prescription; can be	be waived by Sp	ecial Authority	y see SA1131 on the next page
Tab 250 mg	3.98	14	✓ Apo-Clarithromycin
Grans for oral liq 250 mg per 5 ml - Wastage claimable - see			
rule 3.3.2 on page 13	23.12	50 ml	✓ Klacid

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE			
Tab 400 mg	16.95	100	E-Mycin
a) Up to 20 tab available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP -	- see rule 5.2.6 on page	ge 17	
Grans for oral liq 200 mg per 5 ml	5.00	100 ml	E-Mycin
a) Up to 300 ml available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP -	see rule 5.2.6 on page	ge 17	
c) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	E-Mycin
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13			
ERYTHROMYCIN LACTOBIONATE			
Inj 1 g	16.00	1	✓ Erythrocin IV
FRYTHROMYCIN STEARATE			•
Tab 250 mg - Up to 30 tab available on a PSO	14 95	100	
Tab 200 mg Op to 00 tab available on a 1 00	(22.29)	100	ERA
Tab 500 mg	` ,	100	
	(44.58)		ERA
ROXITHROMYCIN	(/		
Tab disp 50 mg	7 10	10	✓ Rulide D
Restricted to children under 12 years of age.		10	· Hullac B
Tab 150 mg	7.48	50	✓ Arrow-
			Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow-
			Roxithromycin

	Subsidy		Fully	
	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	1	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - se	e rule 5.2.6 on page	17		
Cap 500 mg	16.75	500	1	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – se				
Grans for oral liq 125 mg per 5 ml	1.20	100 m	/	Alphamox 125
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	4.04	400		All
Grans for oral liq 250 mg per 5 ml	1.31	100 m	•	Alphamox 250
a) Up to 300 ml available on a PSO		. 47		
 b) Up to 10 x the maximum PSO quantity for RFPP – se c) Wastage claimable – see rule 3.3.2 on page 13 	ee rule 5.2.6 on page	17		
Inj 250 mg vial	10.67	10	1	Ibiamox
Inj 500 mg vial		10		Ibiamox
Inj 1 g vial – Up to 5 inj available on a PSO		10		Ibiamox
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab				
available on a PSO	1.88	20	1	Augmentin
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25 i		20	•	<u>Augmentin</u>
per ml	•	100 m	· •	Augmentin
a) Up to 200 ml available on a PSO				J
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral lig amoxicillin 50 mg with clavulanic acid 12.5	mg			
per ml - Up to 200 ml available on a PSO	2.20 10	00 ml 0	OP 🗸	Curam
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj				
available on a PSO	315.00	10	1	Bicillin LA
BENZYLPENICILLIN SODIUM [PENICILLIN G]				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a Ps	SO 10.35	10	1	Sandoz
FLUCLOXACILLIN				
Cap 250 mg – Up to 30 cap available on a PSO	18 70	250	1	Staphlex
Cap 500 mg		500		Staphlex
Grans for oral liq 25 mg per ml		100 m	_	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 m	· •	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13			_	
Inj 250 mg vial		10		Flucloxin
Inj 500 mg vial		10		Flucioxin
Inj 1 g vial – Up to 5 inj available on a PSO	5.22	5	•	Flucil

	Subsidy (Manufacturer's Price) \$		Fully dised	Generic
PHENOXYMETHYLPENICILLIN (PENICILLIN V)	*			
Cap 250 mg – Up to 30 cap available on a PSO	2.88	50	1	Cilicaine VK
Cap 500 mg		50		Cilicaine VK
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP – se	ee rule 5.2.6 on page	17		
Grans for oral liq 125 mg per 5 ml		100 ml	1	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	1	AFT
a) Up to 300 ml available on a PSO				_
b) Up to 2 x the maximum PSO quantity for RFPP - se	ee rule 5.2.6 on page	17		
c) Wastage claimable – see rule 3.3.2 on page 13				
PROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSO.	123.50	5	1	Cilicaine
, , , , ,				
Tetracyclines				
DOXYCYCLINE				
* Tab 50 mg - Up to 30 tab available on a PSO	6.00	30	1	Doxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	6.75	250	1	Doxine
MINOCYCI INE HYDROCHI ORIDE				
* Tab 50 mg - Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy	5.79	60		
7.1.000 201011 1.00a. p.la.11.a.y	(12.05)			Mino-tabs
* Cap 100 mg	` ,	100		- /
	(52.04)			Minomycin
⇒SA1355 Special Authority for Manufacturers Price	, ,			•
Initial application from any relevant practitioner. Approvals va	lid without further rene	ewal unless i	notif	ied where the patient has
rosacea.		ui 11000 i		.coro uro patiorit riao
				

TETRACYCLINE - Special Authority see SA1332 below	- Retail pharmacy		
Cap 500 mg	46.00	30	✓ Tetracyclin
			Wolff S29

⇒SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Fully Subsidised	
•	Cipflox Cipflox Cipflox
	Clindamycin ABM
according	ly. ´ Colistin-Link
	Hospira and the prescription is
•	APP Pharmaceuticals \$29
t infection	and the prescription is
	Pfizer and the prescription is
	′ Avelox
•	✓ se special

ı İn

Either:

- 1 Both:
 - 1.1 Active tuberculosis*; and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or

Continued 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medication or 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicate Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions). Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment. Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for application meeting the following criteria: All of the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.
1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medication or 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicate Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions). Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment. Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for application meeting the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient
1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medication or 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicate Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions). Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment. Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for application meeting the following criteria: All of the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien
Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions). Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment. Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for application meeting the following criteria: All of the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien
Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment. Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for application meeting the following criteria: All of the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien
remains appropriate and the patient is benefiting from treatment. Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for application meeting the following criteria: All of the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien
Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for application meeting the following criteria: All of the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien
meeting the following criteria: All of the following: 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien
 2 Has tried and failed to clear infection using azithromycin; and 3 Treatment is only for 7 days. Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patien
Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).
PAROMOMYCIN – Special Authority see SA1689 below – Retail pharmacy
Cap 250 mg126.00 16 ✓ Humatin 529
⇒SA1689 Special Authority for Subsidy
Initial application only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid fo month for applications meeting the following criteria: Either:
Patient has confirmed cryptosporidium infection; or For the eradication of Entamoeba histolyica carriage.
Renewal only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month applications meeting the following criteria: Either:
 Patient has confirmed cryptosporidium infection; or For the eradication of Entamoeba histolyica carriage.
PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy
Tab 25 mg
36.95 50 ✓ Daraprim \$29
⇒SA1328 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications me
the following criteria:
Any of the following:
 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or 2 For pregnant patients for the term of the pregnancy; or
3 For infants with congenital toxoplasmosis until 12 months of age.
SODIUM FUSIDATE [FUSIDIC ACID] Tab 250 mg – Retail pharmacy-Specialist34.50 12 Fucidin

Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist

56

107

✓ Wockhardt S29

SULFADIAZINE SODIUM - Special Authority see SA1331 on the next page - Retail pharmacy

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Sub: Per	sidised	Generic Manufacturer
■ SA1331 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Any of the following: 1 For the treatment of toxoplasmosis in patients with HIV for 2 For pregnant patients for the term of the pregnancy; or	a period of 3 month		s notifie	d for applications meetin
3 For infants with congenital toxoplasmosis until 12 months of	of age.			
TOBRAMYCIN Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and		5 endorsed		obramycin Mylan ngly.
Solution for inhalation 60 mg per ml, 5 ml – Subsidy by endorsement	,	66 dose	✓ T	ОВІ
TRIMETHOPRIM	prescription is endor	seu accor	ungiy.	
* Tab 300 mg - Up to 30 tab available on a PSO	15.00	50	√ <u>T</u>	MP
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMOXA	AZOLE]			
Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – U to 30 tab available on a PSO Oral liq 8 mg sulphamethoxazole 40 mg per ml – Up to 200 n available on a PSO	22.90 nl	500 100 ml		risul Deprim
VANCOMYCIN – Subsidy by endorsement	2.07	100 1111	٠ ي	сріш
Only if prescribed for a dialysis or cystic fibrosis patient or for	prophylaxis of endo	carditis or	for trea	tment of Clostridium
difficile following metronidazole failure and the prescription is				
Inj 500 mg vial	2.37	1	✓ <u>N</u>	<u>lylan</u>
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 73 b) For topical antifungals refer to GENITO URINARY, page 86				
FLUCONAZOLE				
Cap 50 mg - Retail pharmacy-Specialist Cap 150 mg - Subsidy by endorsement		28 1	_	<u>fylan</u> fylan
a) Maximum of 1 cap per prescription; can be waived by b) Patient has vaginal candida albicans and the practition not recommended and the prescription is endorsed accommended.	endorsement - Reta	ail pharma topical im	cy - Spe idazole	ecialist (used intra-vaginally) is

⇒SA1359 Special Authority for Subsidy

Cap 200 mg - Retail pharmacy-Specialist5.08

see SA1359 below – Retail pharmacy.......34.56

Powder for oral suspension 10 mg per ml - Special Authority

Wastage claimable - see rule 3.3.2 on page 13

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

continued...

28

35 ml

98.50

✓ Mylan

✓ Diflucan

✓ Diflucan S29 S29

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

Cap 100 mg - Subsidy by endorsement	2.79	15	✓ <u>Itrazole</u>	
Funded for tinea vesicolor where topical treatment has no	ot been successfi	ul and diagnos	is has been confirmed	l by
mycology, or for tinea unguium where terbinafine has not	been successful	in eradication	or the patient is intole	rant t
terbinafine and diagnosis has been confirmed by mycolog	gy and the prescr	ription is endor	sed accordingly.	
Can be waived by endorsement - Retail pharmacy - Spec	cialist			
Specialist must be an infectious disease physician, clinical	al microbiologist,	clinical immur	ologist or dermatologi	st.
Oral liq 10 mg per ml - Special Authority see SA1322 below	_			
Retail pharmacy	141.80	150 ml OP	✓ Sporanox	

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KFTOCONAZOI F

endorsement	CBS	30	✓ Link Healthcare S29 ✓ Nizoral S29
Prescriptions must be written by, or on the recor	mmendation of an oncole	ogist	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 on t	he next page – Retail ph	armacy	
Tab modified-release 100 mg	869.86	24	✓ Noxafil
Oral lig 40 mg per ml		105 ml OP	✓ Noxafil

Tab 200 mg - PCT - Retail pharmacy-Specialist - Subsidy by

to

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

⇒SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

1 rab 200 mg 1 or torbinalino oral liquid formulation i	0101,		
page 225	1.33	14	✓ Deolate
VORICONAZOLE - Special Authority see SA1273 below	- Retail pharmacy		
Tab 50 mg	130.00	56	✓ Vttack
Tab 200 mg	500.00	56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wastage	claimable		

⇒SA1273 Special Authority for Subsidy

* Tab 250 mg - For terbinatine oral liquid formulation refer

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or

- see rule 3.3.2 on page 13......876.00

- 3.2 Patient has possible invasive aspergillus infection; or
- 3.3 Patient has fluconazole resistant candidiasis: or
- 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

70 ml

✓ Vfend

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic S Per ✓ Manufacturer

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1684 below - Retail pharmacy

Tab 7.5 mg117.00 56 **✓ Primacin №**

SA1684 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has relapsed vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

★ Tab 300 mg61.91 500 **✓ Q 300**

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

METRONIDAZOLE

Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	23.00	10	✓ <u>Arrow-Ornidazole</u>

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

	INFECTIONS - AGENTS FOR SYSTEMIC USI				
		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DA	PSONE - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendati dermatologist	on of, an infectious d	iseas	e physician,	clinical microbiologist or
	Tab 25 mg	268.50	100		Dapsone
	Tab 100 mg	329.50	100	✓ [Dapsone
ETI	HAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialis	t			
	a) No patient co-payment payable				
	 Prescriptions must be written by, or on the recommendati respiratory physician 		iseas	e physician,	clinical microbiologist or
	Tab 100 mg	48.01	56	✓ N	Myambutol S29
		85.73	100	✓ E	MB Fatol S29
	Tab 400 mg	49.34	56	✓ N	Myambutol S29
ISC	NIAZID - Retail pharmacy-Specialist				
	a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati microbiologist, dermatologist or public health physician	on of, an internal med	dicine	physician,	paediatrician, clinical
*	Tab 100 mg	20.00	100	√ F	PSM
*	Tab 100 mg with rifampicin 150 mg	85.54	100	✓ F	Rifinah
*	Tab 150 mg with rifampicin 300 mg	170.60	100	✓ <u>F</u>	Rifinah
PA	RA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Specialist must be an infectious disease specialist, clinica	al microbiologist or res	spirate	ory specialis	st.
	Grans for oral liq 4 g sachet	280.00	30	✓ F	Paser S29
PR	OTIONAMIDE - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Specialist must be an infectious disease specialist, clinical	al microbiologist or res	spirate	ory specialis	st.
	Tab 250 mg	305.00	100	✓ F	Peteha S29
PY	RAZINAMIDE – Retail pharmacy-Specialist				
	a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati respiratory physician		iseas	e physician,	clinical microbiologist or
*	Tab 500 mg - For pyrazinamide oral liquid formulation refer,		400		ET Domesto soulds
	page 225	59.00	100		AFT-Pyrazinamide AFT-Pyrazinamide S29 829
RIF	ABUTIN - Retail pharmacy-Specialist				
	a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati gastroenterologist	on of, an infectious d	iseas	e physician,	respiratory physician or
*	Cap 150 mg - For rifabutin oral liquid formulation refer,				
	page 225	275.00	30	✓ <u>V</u>	<u>Mycobutin</u>

Subs (Manufactur	. ,	Fully lised	Brand or Generic	
\$	Per	1	Manufacturer	

RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement -Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg5	55.75	100	1	Rifadin
	Cap 300 mg11		100	1	Rifadin
*	Oral liq 100 mg per 5 ml	2.00	60 ml	1	Rifadin

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 217

Hepatitis B Treatment

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 x ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load 10 fold or higher over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 x ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load 10 fold or higher over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	/	Manufacturer

⇒SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has a minimum of 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
 of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
 commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
 fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1685 below - Retail pha	ırmacy		
Tab 100 mg	4.20	28	✓ Zetlam
•	6.00		✓ Zeffix
Oral lig 5 mg per ml	270.00	240 ml OP	✓ Zeffix

⇒SA1685 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year where used for the treatment or prevention of hepatitis B.

Renewal from any relevant practitioner. Approvals valid for 2 years where used for the treatment or prevention of hepatitis B.

Herpesvirus Treatments

ACICLOVIR			
* Tab dispersible 200 mg	1.60	25	✓ Lovir
* Tab dispersible 400 mg	5.38	56	Lovir
* Tab dispersible 800 mg	5.98	35	✓ Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
Tab 1,000 mg	12.75	30	✓ Vaclovir
VALGANCICLOVIR - Special Authority see SA1404 on the nex	xt page – Retail pha	rmacv	
Tab 450 mg		60	✓ Valcyte

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

⇒SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis: and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months): and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
 - 1 Patient has undergone a lung transplant; and
 - 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
 - 1 Patient is immunocompromised; and
 - 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

115

Subsidy (Manufacturer's Price) S

Subsidised Per 🗸

Fully

Brand or Generic Manufacturer

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE — Subsidy by endorsement; can be waived by Special Authority see SA1690 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another antiretroviral subsidised under Special Authority SA1651 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

Tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1651, page 119

Tab 300 mg531.00 30 **✓ Viread**

⇒SA1690 Special Authority for Subsidy

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased 10 fold or higher over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Women of child bearing age with active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is HBsAg positive; and
- 2 Either:
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 20 million IU/mL and ALT normal; and
- 3 Any of the following:
 - 3.1 Patient is of child bearing potential and has not yet completed a family; or
 - 3.2 Patient is pregnant; or
 - 3.3 Patient is breastfeeding.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
 - 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased 10 fold or higher over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation: or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Women of child bearing age with active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is HBsAq positive; and
- 2 Fither:
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 20 million IU/mL and ALT normal; and
- 3 Any of the following:
 - 3.1 Patient is of child bearing potential and has not yet completed a family; or
 - 3.2 Patient is pregnant; or
 - 3.3 Patient is breastfeeding.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
 negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 below - [Xpharm]

No patient co-payment payable

Tab 90 mg with sofosbuvir 400 mg......24,363.46 28 **✓ Harvoni**

⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

Subsidy (Manufacturer's Price)

Subsidised Per

Fully

Brand or Generic Manufacturer

HIV Prophylaxis and Treatment

EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement: can be waived by Special Authority see SA1714 below

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if emtricitabine with tenofovir disoproxil fumarate is co-prescribed with another antiretroviral subsidised under Special Authority SA1651 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

Emtricitabine with tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals, and counts as two antiretroviral medications, for the purposes of Special Authority SA1651, page 119

There is an approval process to become a named specialist to prescribe antiretroviral therapy in New Zealand. Further information is available on the PHARMAC website.

Tab 200 mg with tenofovir disoproxil fumarate 300 mg......838.20

30

✓ Truvada

⇒SA1714 Special Authority for Waiver of Rule

Initial application only from a named specialist or medical practitioner on the recommendation of a named specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has tested HIV negative; and
- 2 Fither:
 - 2.1 All of the following:
 - 2.1.1 Patient is male or transgender; and
 - 2.1.2 Patient has sex with men; and
 - 2.1.3 Patient is likely to have multiple episodes of condomless anal intercourse in the next 3 months; and
 - 2.1.4 Any of the following:
 - 2.1.4.1 Patient has had at least one episode of condomless receptive anal intercourse with one or more casual male partners in the last 3 months; or
 - 2.1.4.2 A diagnosis of rectal chlamydia, rectal gonorrhoea, or infectious syphilis within the last 3 months; or
 - 2.1.4.3 Patient has used methamphetamine in the last three months; or
 - 2.2 All of the following:
 - 2.2.1 Patient has a regular partner who has HIV infection; and
 - 2.2.2 Partner is either not on treatment or has a detectable viral load; and
 - 2.2.3 Condoms have not been consistently used.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Applicant has an up to date knowledge of the safety issues and is competent to prescribe pre-exposure prophylaxis; and
- 2 Patient has undergone testing for HIV, syphilis, and a full STI screen in the previous two weeks; and
- 3 Patient has had renal function testing (creatinine, phosphate and urine protein/creatinine ratio) within the last 12 months;
- 4 Patient has received advice regarding the reduction of risk of HIV and sexually transmitted infections and how to reduce those risks: and
- 5 Patient has tested HIV negative; and
- 6 Fither:
 - 6.1 All of the following:
 - 6.1.1 Patient is male or transgender; and
 - 6.1.2 Patient has sex with men; and
 - 6.1.3 Patient is likely to have multiple episodes of condomless anal intercourse in the next 3 months; and
 - 6.1.4 Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 6.1.4.1 Patient has had at least one episode of condomless receptive anal intercourse with one or more casual male partners in the last 3 months; or
- 6.1.4.2 A diagnosis of rectal chlamydia, rectal gonorrhoea, or infectious syphilis within the last 3 months; or
- 6.1.4.3 Patient has used methamphetamine in the last three months; or
- 6.2 All of the following:
 - 6.2.1 Patient has a regular partner who has HIV infection; and
 - 6.2.2 Partner is either not on treatment or has a detectable viral load; and
 - 6.2.3 Condoms have not been consistently used.

Antiretrovirals

⇒SA1651 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:
Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

continued...

ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1651 on the prev	ious page - Retail pha	rmacy	
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE - Special Authority see SA1651 on the pre	vious page – Retail pha	armacy	
Tab 200 mg	770.00	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1651 on the pre	vious page – Retail pha	armacy	
Tab 200 mg	65.00	60	✓ Nevirapine
			<u>Alphapharm</u>
Oral suspension 10 mg per ml	203.55	240 ml	✓ Viramune
			Suspension

Nucleosides Reverse Transcriptase Inhibitors

Tradicoolado Trovordo Trancomplado Infilibiloro			
ABACAVIR SULPHATE - Special Authority see SA1651 on th	e previous page -	Retail pharmad	су
Tab 300 mg	229.00	60	✓ Ziagen
Oral liq 20 mg per ml	256.31	240 ml OP	✓ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE - Special Author	ity see SA1651 on	the previous p	age - Retail pharmacy
Note: abacavir with lamivudine (combination tablets) coun anti-retroviral Special Authority.	ts as two anti-retro	oviral medicatio	ns for the purposes of the
Tab 600 mg with lamivudine 300 mg	427.29	30	✓ Kivexa
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISO	PROXIL FUMARA	TE - Special A	Authority see SA1651 on the
previous page – Retail pharmacy			
Note: Efavirenz with emtricitabine and tenofovir disoproxil	fumarate counts a	s three anti-ret	roviral medications for the
purposes of the anti-retroviral Special Authority			
Tab 600 mg with emtricitabine 200 mg and tenofovir disop	roxil		
fumarate 300 mg	1,313.19	30	✓ Atripla

	Subsidy (Manufacturer's Pri \$		Fully Brand or lised Generic Manufacturer
EMTRICITABINE – Special Authority see SA1651 on page 119 – Cap 200 mg	307.20	30	✓ Emtriva
LAMIVUDINE – Special Authority see SA1651 on page 119 – Re Tab 150 mg		60	✓ Lamivudine Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	✓ 3TC
ZIDOVUDINE [AZT] – Special Authority see SA1651 on page 11 Cap 100 mg Oral lig 10 mg per ml	152.25	cy 100 200 ml OP	✓ <u>Retrovir</u> ✓ Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets the anti-retroviral Special Authority.	SA1651 on page		•
Tab 300 mg with lamivudine 150 mg	33.00	60	✓ <u>Alphapharm</u>
Protease Inhibitors			
ATAZANAVIR SULPHATE - Special Authority see SA1651 on pa	age 119 – Retail p	harmacy	
Cap 150 mg		60 60	✓ Reyataz✓ Reyataz
DARUNAVIR – Special Authority see SA1651 on page 119 – Rei Tab 400 mg Tab 600 mg	tail pharmacy 335.00	60 60	✓ Prezista ✓ Prezista
LOPINAVIR WITH RITONAVIR - Special Authority see SA1651		tail pharmacy	
Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg		60 120	✓ Kaletra✓ Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓ Kaletra
Tab 100 mg	43.31	30 90 ml OP	✓ Norvir ✓ Norvir
Strand Transfer Inhibitors			
DOLUTEGRAVIR – Special Authority see SA1651 on page 119 - Tab 50 mg		30	✓ Tivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1651 of Tab 400 mg		ail pharmacy 60	✓ Isentress

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a

	Subsidy	F	ully	Brand or
(Ma	anufacturer's Price)	Subsidi	sed	Generic
	\$	Per	✓	Manufacturer

continued...

supplementary RIBA test; or

- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (< 2.0 × 10⁹) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

PEGYLATED INTERFERON ALFA-2A - Special Authority see SA1400 below - Retail pharmacy

See prescribing guideline on the previous page

Inj 180 mcg prefilled syringe500.00	4	Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×		
168	1 OP	✓ Pegasys RBV

Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×
112.......1,159.84 1 OP ✓ Pegasys RBV

Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×
168......1,290.00 1 OP ✓ Pegasys RBV

Combination Pack

SSA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post

liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

1 Any of the following:

- 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
- 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and

continued...

Combination Pack

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400.000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and

(Manu	Subsidy	Fully	Brand or
	facturer's Price)	Subsidised	Generic
	\$ P	Per 🗸	Manufacturer

continued...

- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- · Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet quidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE			
* Tab 1 g	18.40	100	
·	(40.01)		Hiprex
NITROFURANTOIN			
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,			
page 225	22.20	100	✓ Nifuran
* Tab 100 mg	37.50	100	✓ Nifuran
NORFLOXACIN			
Tab 400 mg - Subsidy by endorsement	135.00	100	Arrow-Norfloxacin
Only if prescribed for a nationt with an uncomplicated up	inany tract infactio	n that is unr	enoneive to a firet line agent or

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

	Subsidy		Fully Brand or
	(Manufacturer's Price)		Subsidised Generic
	\$	Per	✓ Manufacturer
Anticholinesterases			
NEOSTIGMINE METILSULFATE			
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	✓ <u>AstraZeneca</u>
PYRIDOSTIGMINE BROMIDE			
▲ Tab 60 mg	42.79	100	✓ Mestinon
_ 1405 00 mg			<u></u>
Non-Steroidal Anti-Inflammatory Drugs			
DICLOFENAC SODIUM			
* Tab EC 25 mg		50	✓ Diclofenac Sandoz
* Tab 50 mg dispersible	1.50	20	✓ Voltaren D
* Tab EC 50 mg	1.00	50	 Diclofenac Sandoz
* Tab long-acting 75 mg	15.20	500	✓ Apo-Diclo SR
* Tab long-acting 100 mg	26.20	500	✓ Apo-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule - Up to 5 inj available on a P	SO 13.20	5	✓ Voltaren
* Suppos 12.5 mg	2.04	10	✓ Voltaren
* Suppos 25 mg	2.44	10	✓ Voltaren
* Suppos 50 mg - Up to 10 supp available on a PSO	4.22	10	✓ Voltaren
* Suppos 100 mg		10	✓ Voltaren
IBUPROFEN			
* Tab 200 mg	11 71	1 000	✓ Relieve
		1,000	
* Tab long-acting 800 mg			Brufen SR
*‡ Oral liq 20 mg per ml	2.39	200 m	Fenpaed
KETOPROFEN			
* Cap long-acting 200 mg	12.07	28	Oruvail SR
MEFENAMIC ACID			
* Cap 250 mg	1 25	50	
- Oup 200 mg	(9.16)	00	Ponstan
	0.50	20	1 Olistali
	(5.60)	20	Ponstan
	(5.00)		Folisiali
NAPROXEN			
* Tab 250 mg	18.06	500	✓ Noflam 250
* Tab 500 mg	18.91	250	✓ Noflam 500
* Tab long-acting 750 mg	5.60	28	✓ Naprosyn SR 750
* Tab long-acting 1 g	6.53	28	✓ Naprosyn SR 1000
SULINDAC			
* Tab 100 mg	8.55	50	✓ Aclin
* Tab 200 mg		50	✓ Aclin
3		00	- Aoim
TENOXICAM	40.05	400	4 -
* Tab 20 mg		100	✓ <u>Tilcotil</u>
* Inj 20 mg vial	9.95	1	✓ AFT
NSAIDs Other			
CELECOXIB			
	3 63	60	✓ Celecoxib Pfizer
Cap 100 mg			
Cap 200 mg		30	✓ <u>Celecoxib Pfizer</u>
MELOXICAM - Special Authority see SA1034 on the next page -			_
* Tab 7.5 mg	11.50	30	✓ Arrow-Meloxicam

[‡] safety cap

[▲] Three months supply may be dispensed at one time

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	•	Manufacturer	

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Retail		
pharmacy6.95	25 g OP	✓ Zostrix
9.95	45 g OP	✓ Zostrix

⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

HYDROXYCHLOROQUINE * Tab 200 mg10.50	100	✓ <u>Plaquenil</u>
LEFLUNOMIDE		
Tab 10 mg2.90	30	✓ Apo-Leflunomide
Tab 20 mg2.90	30	✓ Apo-Leflunomide
PENICILLAMINE		
Tab 125 mg67.23	100	✓ D-Penamine
Tab 250 mg110.12	100	✓ D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or

- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
 Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

Subsidy (Manufacturer's Price)	Subsid	Fully lised	Brand or Generic
\$	Per	✓	Manufacturer

continued...

d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALE	NDRONATE SODIUM – Special Authority see SA	.1039 on page 126 – Retail pharr	nacy		
*	Tab 70 mg	4.82	4	1	Fosamax
	NDRONATE SODIUM WITH COLECALCIFEROL			126	- Retail pharmacy
*	Tab 70 mg with colecalciferol 5.600 iu	4.82	4	1	Fosamax Plus

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain: or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM	- Special Authority see SA0949 above - Retail pharmacy		
* Tab 40 mg	133.00	30	✓ Fosamax

Other Treatments

ET	DRONATE DISODIUM – See prescribing guideline I	below		
*	Tab 200 mg	13.50	100	✓ Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	5.98	1	Pamisol
Inj 6 mg per ml, 10 ml vial	15.02	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial	17.05	1	✓ Pamisol
ALOXIFENE HYDROCHLORIDE - Special Authority see	SA1138 below – Retail p	harmacy	

RA

* Tab 60 mg53.76 ✓ Fvista ⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
<u> </u>	Per	/	Manufacturer	

continued...

equal to -2.5) (see Notes); or

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fracility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

Tab 35 mg	3.80	4	✓ Risedronate Sandoz
TERIPARATIDE - Special Authority see SA1139 below -	Retail pharmacy		
Inj 250 mcg per ml, 2.4 ml	490.00	1	✓ Forteo

SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

70I FDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see

⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
- 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Any of the following:

- 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
- 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
- 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPU	JRINOL			
* Tab	100 mg4.	.54	500	✓ DP-Allopurinol
* Tab	300 mg - For allopurinol oral liquid formulation refer,			
	page 22510.	.35	500	✓ DP-Allopurinol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
BENZBROMARONE - Special Authority see SA1537 below - R Tab 100 mg		100	✓	Benzbromaron AL

⇒SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/home/resources-2/

COLCHICINE

* Tab 500 mcg	10.08	100	Colgout
FEBUXOSTAT - Special Authority see SA1538 below - Retail ph	armacy		•
Tab 80 mg	•	28	✓ Adenuric
Tab 120 mg	39.50	28	✓ Adenuric

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or

(Ma	Subsidy anufacturer's Price)	Sub	Fully	Brand or Generic
	\$	Per	•	Manufacturer

continued...

- 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or
- 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

✓ Probenecid-AFT 100

Muscle Relaxants

ACI	\cap		N

*	Tab 10 mg - For baclofen oral liquid formulation refer, page 2253.85	100	✓ Pacifen	
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement11.55	1	✓ Lioresal Intrathecal	
	Subsidised only for use in a programmable pump in patients where oral	antispastic	agents have been ineffective or ha	ave
	caused intolerable side effects and the prescription is endorsed accordi	ngly.		

Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement......209.29 ✓ Lioresal Intrathecal Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

DANTROI FNF

Cap 25 mg	65.00	100	Dantrium
Cap 50 mg	77.00	100	✓ Dantrium
ORPHENADRINE CITRATE			
Tab 100 mg	18.54	100	✓ Norflex
Norflex to be Sole Supply on 1 July 2018			

Subsidy (Manufacturer's Price) Fully Subsidised

Brand or Generic Manufacturer

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents
AMANTADINE HYDROCHLORIDE

▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Movapo
BROMOCRIPTINE MESYLATE			
* Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	28.00	100	✓ Entapone
LEVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg	8.00	100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg	12.50	100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg	17.00	100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg - For levodopa with			
carbidopa oral liquid formulation refer, page 225	17.97	100	✓ Kinson
			✓ Sinemet
Sinemet to be Sole Supply on 1 July 2018			
* Tab long-acting 200 mg with carbidopa 50 mg	37.15	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	32.67	100	✓ Sinemet
(Kinson Tab 100 mg with carbidopa 25 mg to be delisted 1 July 2	2018)		
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
▲ Tab 1 mg	24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	2.78	100	✓ Apo-Ropinirole
▲ Tab 1 mg		100	✓ Apo-Ropinirole
▲ Tab 2 mg	7.72	100	✓ Apo-Ropinirole
▲ Tab 5 mg	16.51	100	✓ Apo-Ropinirole
SELEGILINE HYDROCHLORIDE			· · · -
* Tab 5 mg	22.00	100	✓ Apo-Selegiline
· ·			

Anticholinergics

TOLCAPONE

BENZATROPINE MESYLATE	

Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml	95.00	5	✓ Cogentir
, •	190.00	10	Omega

a) Up to 10 inj available on a PSO

▲ Tab 100 mg132.50

b) Only on a PSO

100

S29 S29

✓ Tasmar

			NERVOUS SYSTEM
	Subsidy (Manufacturer's Price)	Sub:	Fully Brand or sidised Generic Manufacturer
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	✓ Kemadrin
Agents for Essential Tremor, Chorea and Relate	d Disorders		
RILUZOLE – Special Authority see SA1403 below – Retail pharm Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	t. Approvals valid for duration of 5 years of	or less; an	d
5.2 The patient is able to use upper limbs; or 5.3 The patient is able to swallow. Renewal from any relevant practitioner. Approvals valid for 18 m All of the following: 1 The patient has not undergone a tracheostomy; and 2 The patient has not experienced respiratory failure; and 3 Any of the following: 3.1 The patient is ambulatory; or 3.2 The patient is able to use upper limbs; or 3.3 The patient is able to swallow.	onths for applications	s meeting	the following criteria:
TETRABENAZINE			•

Anaesthetics

Local

LIDOCAINE [LIGNOCAINE]

30 ml ✓ Xylocaine 2% Jelly

a) Up to 150 ml available on a PSO

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

Gel 2%, 10 ml urethral syringe - Subsidy by endorsement......81.50 10 ✓ Pfizer ✓ Cathejell 212.50 25

a) Up to 5 each available on a PSO

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

112

✓ Motetis

135

	Subsidy	`	Fully	Brand or
	(Manufacturer's Price \$	e) Subs Per	sidised •	Generic Manufacturer
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (gel) soln 2%	38.00	200 ml	1	Mucosoothe
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	1	Lidocaine-Claris
	17.50	50		
	(35.00)			Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	1	Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	1	Lidocaine-Claris
	12.00	5		
	(20.00)			Xylocaine
Inj 1%, 20 ml vial - Up to 5 inj available on a PSO	12.00	5	1	Lidocaine-Claris
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	1	Lidocaine-Claris
Inj 2%, 20 ml vial - Up to 5 inj available on a PSO	12.00	5	1	Lidocaine-Claris
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –				
Subsidy by endorsement	81.50	10	1	Pfizer
a) Up to 5 each available on a PSO				

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

Topical Local Anaesthetics

⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority se	ee SA0906 above – Retail pharr	nacy	
Crm 4%	5.40	5 g OP	✓ LMX4
	27.00	30 g OP	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE -	- Special Authority see SA0906	above - Reta	ail pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	EMLA

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 125

Non-opioid Analgesics

For aspirin & chloroform application refer Standard Formulae, page 228

* Tab dispersible 300 mg - Up to 30 tab available on a PSO...............3.90

٨	$^{\circ}$	ח	INI

, , ,			
CAPSAICIN - Subsidy by endorsement			
Subsidised only if prescribed for post-herpetic neuralg	ia or diabetic peripheral neu	ropathy and the prescription is er	ndorsed
accordingly.			
Crm 0.075%	12.50 4	5 g OP ✓ Zostrix HP	

ı	NEE		HYDROCHI	
1	NHH	PAIM	HYDRUCH	CHILL

EFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	Acupan

100

✓ Ethics Aspirin

	Subsidy		Fully	Brand or
	(Manufacturer's Pr		sidised	Generic
	\$	Per		Manufacturer
PARACETAMOL				
* Tab 500 mg - blister pack - Up to 30 tab available on a PSC)7.12	1,000	✓	Pharmacare
* Tab 500 mg - bottle pack	6.32	1,000	✓	Pharmacare Pharmacare
*‡ Oral lig 120 mg per 5 ml	5.35	1,000 ml	✓	Paracare
a) Up to 200 ml available on a PSO				
b) Not in combination				
*‡ Oral liq 250 mg per 5 ml	4.35	1,000 ml	✓	Paracare Double
		•		Strength
a) Up to 100 ml available on a PSO				•
b) Not in combination				
* Suppos 125 mg	3.69	10	1	Gacet
* Suppos 250 mg		10		Gacet
* Suppos 500 mg		50	-	Paracare
- Cupped Goo mg	12.00			- uruouro
Opioid Analgesics				
CODEINE PHOSPHATE - Safety medicine; prescriber may dete	ermine disnensina	n frequency		
Tab 15 mg		100	1	PSM
Tab 30 mg		100	-	PSM
Tab 60 mg		100	-	PSM
		100		. <u> </u>
DIHYDROCODEINE TARTRATE	0.55			
Tab long-acting 60 mg	9.55	60	•	DHC Continus
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
 Safety medicine; prescriber may determine dispensing free 	equency			
Inj 50 mcg per ml, 2 ml ampoule		10	-	Boucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10	✓ [Boucher and Muir
Patch 12.5 mcg per hour	2.95	5	✓ [Fentanyl Sandoz
Patch 25 mcg per hour	3.66	5	✓	Fentanyl Sandoz
Patch 50 mcg per hour	6.65	5	✓ [Fentanyl Sandoz
Patch 75 mcg per hour	9.25	5	✓ [Fentanyl Sandoz
Patch 100 mcg per hour	11.40	5	✓ [Fentanyl Sandoz
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fre	aniency			
d) Extemporaneously compounded methadone will only be		rate of the ch	neanes	t form available
(methadone powder, not methadone tablets).	ombarood at tric	, 1410 01 1110 01	Jupos	t totti avallabio
e) For methadone hydrochloride oral liquid refer Standard F	ormulae nage 20	28		
Tab 5 mg		10	√ 1	Methatabs
‡ Oral lig 2 mg per ml		200 ml	-	Biodone
Oral lig 5 mg per ml		200 ml	-	Biodone Forte
Oral liq 3 mg per ml Transport to the first transport tra		200 ml	-	Biodone Extra Forte
Inj 10 mg per ml, 1 ml		10	-	AFT
" 1 1 1 1 1 9 POI 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		10	- '	

	Subsidy	Ol.	Fully	Brand or
	(Manufacturer's P \$	rice) Sub Per	sidised •	Generic Manufacturer
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensi	na freauency			
‡ Oral lig 1 mg per ml		200 ml	✓ R/	A-Morph
‡ Oral lig 2 mg per ml	14.00	200 ml	_	A-Morph
‡ Oral lig 5 mg per ml	18.00	200 ml	✓ R/	A-Morph
‡ Oral lig 10 mg per ml		200 ml	✓ R	A-Morph
MORPHINE SULPHATE				<u> </u>
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensi	na frequency			
Tab immediate-release 10 mg		10	✓ Se	evredol
Tab long-acting 10 mg		10		rrow-Morphine LA
Tab immediate-release 20 mg		10	_	evredol
Tab long-acting 30 mg		10		rrow-Morphine LA
Tab long-acting 60 mg		10		rrow-Morphine LA
Tab long-acting 100 mg		10	_	rrow-Morphine LA
Cap long-acting 10 mg		10		-Eslon
Cap long-acting 30 mg		10	✓ m	-Eslon
Cap long-acting 60 mg		10	✓ m	-Eslon
Cap long-acting 100 mg	6.38	10	✓ m	-Eslon
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available or	a PSO6.27	5	✓ DI	BL Morphine
				Sulphate
Inj 10 mg per ml, 1 ml ampoule - Up to 5 inj available of	on a PSO4.47	5	✓ DI	BL Morphine
			_	Sulphate
Inj 15 mg per ml, 1 ml ampoule - Up to 5 inj available of	on a PSO4.76	5	✓ DI	BL Morphine
, , , , , ,			_	Sulphate
Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available o	on a PSO6.19	5		BL Morphine
ing oo ing poi ini, i iii ampoalo op to o ing avallable o		· ·	_	Sulphate
MORPHINE TARTRATE				
a) Only on a controlled drug form b) No patient as payment payable.				
b) No patient co-payment payablec) Safety medicine; prescriber may determine dispensi	na froguenov			
Inj 80 mg per ml, 1.5 ml ampoule		5	√ DI	BL Morphine
inj od my per mi, 1.5 mi ampoule	42.12	o	▼ 01	or morbillie

Tartrate

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	✓	Manufacturer
OXYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensi	ng frequency			
Tab controlled-release 5 mg	2.63	20	✓	BNM
Tab controlled-release 10 mg	2.76	20	✓	BNM
Tab controlled-release 20 mg	4.72	20	1	BNM
Tab controlled-release 40 mg		20	/	BNM
Tab controlled-release 80 mg		20	_	BNM
· ·		20	_	OxyNorm
Cap immediate-release 5 mg				
Cap immediate-release 10 mg		20		OxyNorm OxyNorm
Cap immediate-release 20 mg		20		OxyNorm
Oral liq 5 mg per 5 ml	11.20	250 m	-	OxyNorm
Inj 10 mg per ml, 1 ml ampoule	8.57	5	✓	<u>OxyNorm</u>
Inj 10 mg per ml, 2 ml ampoule	16.89	5	✓	OxyNorm
Inj 50 mg per ml, 1 ml ampoule	51.00	5	1	OxyNorm
		anain		
PARACETAMOL WITH CODEINE – Safety medicine; preso				
* Tab paracetamol 500 mg with codeine phosphate 8 mg.	18.21	1,000	•	Paracetamol +
				Codeine (Relieve)
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
	f			
c) Safety medicine; prescriber may determine dispensi		40	,	2011
Tab 50 mg		10		PSM
Tab 100 mg		10		<u>PSM</u>
Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available o	n a PSO4.98	5	✓	DBL Pethidine
				Hydrochloride
Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available o	n a PSO 5.12	5	/	DBL Pethidine
, cog po, apos op to o, araasio o		·		Hydrochloride
(DCM Tab 100 mg to be delicted 1 livly 2010)				<u>nyaroomonac</u>
(PSM Tab 100 mg to be delisted 1 July 2018)				
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	1.55	20	✓	Tramal SR 100
Tab sustained-release 150 mg	2.10	20	1	Tramal SR 150
Tab sustained-release 200 mg		20		Tramal SR 200
Cap 50 mg – For tramadol hydrochloride oral liquid forr		_0		Tramar Ort 200
		400		Aware Transactal
refer, page 225	2.25	100	•	Arrow-Tramadol
A 201				
Antidepressants				
Cyclic and Related Agents				
·,· · · · · · · · · · · · · · · · · · ·				
AMITRIPTYLINE - Safety medicine; prescriber may determ	ine dispensing frequency			
Tab 10 mg		100	1	Arrow-Amitriptyline
Tab 25 mg		100		Arrow-Amitriptyline
Tab 50 mg		100		Arrow-Amitriptyline
Tab 50 mg	2.01	100	•	Allow-Alliunptyline

CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Tab 75 mg11.19

100

100

100

100

✓ Apo-Clomipramine

✓ Apo-Clomipramine

✓ Dopress✓ Dopress

[‡] safety cap

[▲] Three months supply may be dispensed at one time

	Subsidy		Fully	
	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
OXEPIN HYDROCHLORIDE - Safety medicine; prescriber r	mav determine dispensi	na fre	auencv	
Cap 10 mg	,	100		Anten
Cap 25 mg		100	1	Anten
Cap 50 mg		100	1	Anten
MIPRAMINE HYDROCHLORIDE – Safety medicine; prescrib		nsino	frequenc	ı
Tab 10 mg		50		, Tofranil
	6.58	60	_	Tofranil s29 S29
	10.96	100		Tofranil
Tab 25 mg		50		Tofranil
APROTILINE HYDROCHLORIDE - Safety medicine; prescr	riber may determine disp	ensi	ng frequer	псу
Tab 25 mg		30		Ludiomil
	12.53 25.06	50 100		Ludiomil Ludiomil
Tab 75 mg		20		Ludiomil
Tab 75 mg	21.01	30		Ludiomil
ORTRIPTYLINE HYDROCHLORIDE - Safety medicine; pre				
Tab 10 mg		100	_	Norpress
Tab 25 mg	7.08	180	•	Norpress
Monoamine-Oxidase Inhibitors (MAOIs) - Non	Selective			
HENELZINE SULPHATE				
F Tab 15 mg	95.00	100	✓	Nardil
RANYLCYPROMINE SULPHATE				
F Tab 10 mg	22.94	50	1	Parnate
Monoamine-Oxidase Type A Inhibitors				
•				
OCLOBEMIDE	05.10	EOO	./	Ana Maalahamida
F Tab 150 mg		500		Apo-Moclobemide
₹ Tab 300 mg	30.70	100	•	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
ITALOPRAM HYDROBROMIDE				
Fab 20 mg	1.79	84	•	PSM Citalopram
SCITALOPRAM				
Tab 10 mg	1.11	28	✓	Escitalopram-
				<u>Apotex</u>
★ Tab 20 mg	1.90	28	•	Escitalopram-
				<u>Apotex</u>
I HOVETINE HYDDOCHI ODIDE				
	0.47	20	./	Arrest Electrica
F Tab dispersible 20 mg, scored - Subsidy by endorsement	t2.47	30	•	Arrow-Fluoxetine
 Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement 				
 Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement 1) When prescribed for a patient who cannot swallong 				
Subsidised by endorsement 1) When prescribed for a patient who cannot swalld accordingly; or	ow whole tablets or cap	sules	and the pi	rescription is endorsed
 Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement When prescribed for a patient who cannot swalld accordingly; or When prescribed in a daily dose that is not a mu 	ow whole tablets or caps	sules	and the po	rescription is endorsed
 Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement When prescribed for a patient who cannot swalld accordingly; or 	ow whole tablets or caps	sules	and the po	rescription is endorsed

	Subsidy (Manufacturer's Price	١	Fully Subsidised	
	\$	Per		Manufacturer
PAROXETINE				
* Tab 20 mg	4.02	90	1	Apo-Paroxetine
SERTRALINE				
* Tab 50 mg		90		Arrow-Sertraline
* Tab 100 mg	5.25	90	•	Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE				
Tab 30 mg		30		Apo-Mirtazapine
Tab 45 mg	3.25	30	•	Apo-Mirtazapine
VENLAFAXINE	0.00	0.4	,	Fulster VD
* Cap 37.5 mg* Cap 75 mg		84 84		Enlafax XR Enlafax XR
* Cap 75 mg*		84		Enlafax XR
		01		Ellidiax Art
Antiepilepsy Drugs				
Agents for Control of Status Epilepticus				
CLONAZEPAM - Safety medicine; prescriber may determine dis			_	
Inj 1 mg per ml, 1 ml		5	•	Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispens	. ,	_	_	
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement	11.83	5	•	Hospira
a) Up to 5 inj available on a PSO b) Only on a PSO				
c) PSO must be endorsed "not for anaesthetic procedure	es".			
Rectal tubes 5 mg – Up to 5 tube available on a PSO		5	1	Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO		5	1	Stesolid
PARALDEHYDE				
* Inj 5 ml	1,500.00	5	1	AFT S29
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a P	SO88.63	5	✓	Hospira
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a				-
PSO	133.92	5	✓	<u>Hospira</u>
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓	Tegretol
* Tab long-acting 200 mg		100		Tegretol CR
* Tab 400 mg		100		Tegretol
* Tab long-acting 400 mg* *‡ Oral lig 20 mg per ml		100 250 n	_	Tegretol CR Tegretol
		200 II		regicioi
CLOBAZAM – Safety medicine; prescriber may determine disper Tab 10 mg		50	J	Frisium
Safety cap for extemporaneously compounded oral liquid		50	•	TIOIMIII
CLONAZEPAM – Safety medicine; prescriber may determine dis				
Trail drops 2.5 mg per ml		0 ml (OP 🗸	Rivotril
· · · · · · · · · · · · · · · · · · ·				

[‡] safety cap

NERVOUS SYSTEM

	Subsidy (Manufacturer's Pric \$	e) Sub Per	Fully sidised	Brand or Generic Manufacturer
ETHOSUXIMIDE				
Cap 250 mg	16.45	100	√ Z	Zarontin
	32.90	200	√ Z	Zarontin
‡ Oral liq 250 mg per 5 ml	13.60	200 ml	√ Z	Zarontin
GABAPENTIN – Special Authority see SA1477 below – Retail p Note: Not subsidised in combination with subsidised pregat Cap 100 mg	palin	100	✓ N	Arrow-Gabapentin Neurontin Nupentin
▲ Cap 300 mg − For gabapentin oral liquid formulation refer, page 225	11.00	100	./ /	Arrow-Gabapentin
▲ Cap 400 mg		100	✓ N	Nrow-Gabaperitii Neurontin Nrow-Gabapentin
				leurontin Iupentin

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Fither:

- 1 The patient has been diagnosed with neuropathic pain; or
- 2 Both:
 - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
 - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — **(Epilepsy)** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
COSAMIDE - Special Authority see SA112	25 below – Retail pharmacy			
▲ Tab 50 mg	25.04	14	✓ \	/impat
▲ Tab 100 mg	50.06	14	✓ \	/impat
•	200.24	56	✓ \	/impat
▲ Tab 150 mg	75.10	14	✓ \	/impat
•	300.40	56	✓ \	/impat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

LAMOTRIGINE

▲ Tab dispersible 2 mg6.74	30	✓ Lamictal
▲ Tab dispersible 5 mg	30	✓ Lamictal
15.00	56	✓ Arrow-Lamotrigine
▲ Tab dispersible 25 mg	56	✓ Logem
20.40	30	✓ Arrow-Lamotrigine
29.09		✓ Lamictal
▲ Tab dispersible 50 mg	56	✓ Logem
34.70	30	✓ Arrow-Lamotrigine
47.89		✓ Arrow-Lamoungine ✓ Lamictal
	56	✓ Logem
▲ Tab dispersible 100 mg	30	· ·
*****		✓ Arrow-Lamotrigine✓ Lamictal
79.16		Lamiciai
LEVETIRACETAM		
Tab 250 mg24.03	60	✓ Everet
Tab 500 mg28.71	60	✓ Everet
Tab 750 mg45.23	60	✓ Everet
Tab 1,000 mg59.12	60	✓ Everet
‡ Oral liq 100 mg per ml44.78	300 ml OP	✓ Levetiracetam-AFT
Levetiracetam-AFT to be Sole Supply on 1 July 2018		
PHENOBARBITONE		
For phenobarbitone oral liquid refer Standard Formulae, page 228		
* Tab 15 mg	500	✓ PSM
	500	✓ PSM
	500	♥ <u>F3W</u>
PHENYTOIN SODIUM		_
* Tab 50 mg50.51	200	Dilantin Infatab
Cap 30 mg22.00	200	Dilantin
Cap 100 mg19.79	200	Dilantin
*‡ Oral liq 30 mg per 5 ml22.03	500 ml	Dilantin

[‡] safety cap

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	
PREGABALIN	<u> </u>			manada or
Note: Not subsidised in combination with subsidised gaba	nentin			
* Cap 25 mg		56	1	Pregabalin Pfizer
Pregabalin Pfizer to be Sole Supply on 1 July 2018				
* Cap 75 mg	2.65	56	1	Pregabalin Pfizer
Pregabalin Pfizer to be Sole Supply on 1 July 2018				ŭ
* Cap 150 mg	4.01	56	✓	Pregabalin Pfizer
Pregabalin Pfizer to be Sole Supply on 1 July 2018				-
* Cap 300 mg	7.38	56	1	Pregabalin Pfizer
Pregabalin Pfizer to be Sole Supply on 1 July 2018				
PRIMIDONE				
* Tab 250 mg	17.25	100	1	Apo-Primidone
SODIUM VALPROATE				•
Tab 100 mg	13.65	100	1	Epilim Crushable
Tab 200 mg EC		100		Epilim
Tab 500 mg EC		100		Epilim
*‡ Oral liq 200 mg per 5 ml		300 n	nl 🗸	Epilim S/F Liquid
			✓	Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	✓	Epilim IV
STIRIPENTOL - Special Authority see SA1330 below - Retail	pharmacv			-
Cap 250 mg		60	1	Diacomit S29
Powder for oral liq 250 mg sachet		60		Diacomit \$29
1 Owder for ording 200 mg sacriet		50	•	Didooiiii

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline. TODIDAMATE

Tab 25 mg	11.07	60	✓ Arrow-Topiramate
·			✓ Topiramate Actavis
	26.04		✓ Topamax
▲ Tab 50 mg	18.81	60	✓ Arrow-Topiramate
			✓ Topiramate Actavis
	44.26		✓ Topamax
▲ Tab 100 mg	31.99	60	✓ Arrow-Topiramate
			✓ Topiramate Actavis
	75.25		✓ Topamax
▲ Tab 200 mg	55.19	60	✓ Arrow-Topiramate
			✓ Topiramate Actavis
	129.85		✓ Topamax
Sprinkle cap 15 mg	20.84	60	✓ Topamax
Sprinkle cap 25 mg	26.04	60	✓ Topamax
IGABATRIN - Special Authority see SA1072 on the		v	•
Tab 500 mg		100	✓ Sabril

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Fither:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Fither:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 125

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
		✓ Cafergot S29 S29
RIZATRIPTAN		
Tab orodispersible 10 mg5.26	30	✓ Rizamelt
SUMATRIPTAN		
Tab 50 mg24.44	100	✓ Apo-Sumatriptan
Tab 100 mg46.23	100	✓ Apo-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen - Maximum of 10 inj per		
prescription42.67	2 OP	✓ Clustran
•		✓ Sun Pharma S29



NERVOUS SYSTEM				
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Prophylaxis of Migraine				
For Beta Adrenoceptor Blockers refer to CARDIOVASCUI	_AR SYSTEM, page 61			
PIZOTIFEN			_	
* Tab 500 mcg	23.21	100		<u>Sandomigran</u>
Antinausea and Vertigo Agents				
For Antispasmodics refer to ALIMENTARY TRACT, page	22			
APREPITANT – Special Authority see SA0987 below – F Cap 2 × 80 mg and 1 × 125 mg Emend Tri-Pack to be Sole Supply on 1 August 2	84.00	3 OP	/	Emend Tri-Pack
Cap 40 mg(Emend Cap 40 mg to be delisted 1 August 2018)		5 OP	•	Emend
Initial application from any relevant practitioner. Approvementogenic chemotherapy and/or anthracycline-based chemotherapy and/or anthracycline-based chemotherapy and/or anthracycline-based chemotherapy and/or anthracycline-based chemotherapy BETAHISTINE DIHYDROCHLORIDE	emotherapy for the treatment or 12 months where the pat	nt of m	nalignancy	
* Tab 16 mg	2.89	84	/	Vergo 16
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.59	20	•	<u>Nauzene</u>
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml	14.95	5	/	Nausicalm
DOMPERIDONE		ŭ		
* Tab 10 mg - For domperidone oral liquid formulation	refer,			
page 225	3.20	100	/	Prokinex
HYOSCINE HYDROBROMIDE * Inj 400 mcg per ml, 1 ml ampoule	46.50	5	1	Hospira
* III] 400 Hieg per IIII, T IIII ampoule	93.00	10		Martindale \$29
Patch 1.5 mg - Special Authority see SA1387 below				
pharmacy	11.95	2	•	Scopoderm TTS
▶SA1387 Special Authority for Subsidy Initial application from any relevant practitioner. Approv Either:	als valid for 1 year for applic	ations	s meeting t	the following criteria:
 Control of intractable nausea, vomiting, or inability where the patient cannot tolerate or does not adeq Control of clozapine-induced hypersalivation where ineffective. 	uately respond to oral anti-r	nausea	a agents; c	or
Renewal from any relevant practitioner. Approvals valid to benefiting from treatment.	or 1 year where the treatme	nt ren	nains appr	opriate and the patient is
METOCLOPRAMIDE HYDROCHLORIDE				
* Tab 10 mg – For metoclopramide hydrochloride oral formulation refer, page 225	•	100	•	Metoclopramide

* Inj 5 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO4.50

10

Actavis 10

✓ Pfizer

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
ONDANSETRON	<u> </u>			
* Tab 4 mg	3 36	50	1	Apo-Ondansetron
* Tab disp 4 mg		10		Ondansetron
* Tab disp + mg		10	• •	ODT-ORLA
* Tab 8 mg	1 77	50	1	Apo-Ondansetron
	4.77		_	
* Tab disp 8 mg	1.43	10	• [Ondansetron ODT-DRLA
PROCHLORPERAZINE				ODI-DILEA
	E 07	EO		
* Tab 3 mg buccal		50		
	(15.00)			Buccastem
* Tab 5 mg - Up to 30 tab available on a PSO		250	-	Nausafix
	9.75	500		Antinaus
Nausafix to be Sole Supply on 1 June 2018				
* Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO (Antinaus Tab 5 mg to be delisted 1 June 2018)	25.81	10	✓ 9	Stemetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20	10		
•	(5.59)		A	Avomine

Antipsychotics

General

AMISULPRIDE - Safety medicine; prescriber may determine	dispensing frequenc	у	
Tab 100 mg	4.56	30	✓ Sulprix
Tab 200 mg	14.75	60	✓ Sulprix
Tab 400 mg	27.70	60	✓ Sulprix
Oral liq 100 mg per ml	65.53	60 ml	✓ Solian
ARIPIPRAZOLE – Special Authority see SA1539 below – Ret Safety medicine; prescriber may determine dispensing fre			
Tab 5 mg - No more than 1 tab per day	123.54	30	Abilify
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg	260.07	30	Abilify

⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:



Subsidy		Fully	Brand or	
(Manufacturer's Price	e)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

Note: Indications marked with * are Unapproved Indications			
CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; pre	escriber may dete	ermine dispen	sing frequency
Tab 10 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO	13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO	30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil
CLOZAPINE – Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing frequency	encv		
Tab 25 mg		50	✓ Clozaril
	6.69		✓ Clopine
	11.36	100	✓ Clozaril
	13.37		✓ Clopine
Tab 50 mg	8.67	50	✓ Clopine
v	17.33	100	✓ Clopine
Tab 100 mg	14.73	50	✓ Clozaril
· ·	17.33		Clopine
	29.45	100	✓ Clozaril
	34.65		Clopine
Tab 200 mg	34.65	50	✓ Clopine
•	69.30	100	✓ Clopine
Suspension 50 mg per ml	17.33	100 ml	✓ Clopine
HALOPERIDOL - Safety medicine; prescriber may determine dis	spensing frequer	ICV	
Tab 500 mcg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Oral lig 2 mg per ml - Up to 200 ml available on a PSO		100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS	SO21.55	10	✓ Serenace
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine; p		tarmina diena	· · · · · · · · · · · · · · · · · · ·
Inj 25 mg per ml, 1 ml ampoule		10	✓ Wockhardt
LEVOMEPROMAZINE MALEATE – Safety medicine; prescriber			
Tab 25 mg		100	✓ Nozinan
Tab 100 mg		100	✓ Nozinan
LITHIUM CARBONATE - Safety medicine; prescriber may deter	1 0	' '	_
Tab 250 mg		500	✓ <u>Lithicarb FC</u>
Tab 400 mg		100	✓ <u>Lithicarb FC</u>
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg	9.42	100	Douglas

	Subsidy	_	Fully	
	(Manufacturer's Price)	Pei	Subsidised	
	Ψ	rei		ivianulaciurer
DLANZAPINE – Safety medicine; prescriber may determine dis				
Tab 2.5 mg		28	_	Zypine
Tab 5 mg		28		Zypine
Tab orodispersible 5 mg		28		Zypine ODT
Tab 10 mg		28		Zypine
Tab orodispersible 10 mg		28	•	Zypine ODT
PERICYAZINE - Safety medicine; prescriber may determine di	ispensing frequency			
Tab 2.5 mg	12.49	100		Neulactil
Tab 10 mg	44.45	100	1	Neulactil
QUETIAPINE - Safety medicine; prescriber may determine dis	pensing frequency			
Tab 25 mg		90	1	Quetapel
Tab 100 mg		90		Quetapel
Tab 200 mg		90		Quetapel
Tab 300 mg		90		Quetapel
ISPERIDONE – Safety medicine; prescriber may determine d				
Tab 0.5 mg		60	1	Actavis
Tab 0.5 flig		60		Actavis
		60	_	Actavis
Tab 2 mg		60	_	Actavis
Tab 4 mg		60		Actavis
Tab 4 mg Oral liq 1 mg per ml		30 m		Risperon
		30 11		nisperon
IPRASIDONE – Safety medicine; prescriber may determine d			_	
Cap 20 mg		60		Zusdone
Cap 40 mg		60		Zusdone
Cap 60 mg		60		Zusdone
Cap 80 mg	39.74	60	•	Zusdone
UCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; pr	escriber may determin	e dis	pensing fre	equency
Tab 10 mg		100		Clopixol
·				•
Depot Injections				
LUPENTHIXOL DECANOATE - Safety medicine; prescriber r	may determine dispens	sing f	requency	
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO	13.14	5	1	Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO	20.90	5	✓	Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	40.87	5	✓	Fluanxol
ALOPERIDOL DECANOATE – Safety medicine; prescriber m	nav determine dispens	ina fr	eguency	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	, ,	9 5	' '	Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO		5		Haldol Concentrate
, sp to o injurandolo on a r oo iii		Ü		Haldol
			•	Decanoas S29
NANTADING Coopiel Authority and CA4400 and the good and	Dotoil reference			Decarious ves
DLANZAPINE - Special Authority see SA1428 on the next pag				
Safety medicine; prescriber may determine dispensing frequency and provided	•	4		Zunrova Balarena
Inj 210 mg vial		1		Zyprexa Relprevv
Inj 300 mg vial		1		Zyprexa Relprevv
Inj 405 mg vial	560.00	1	•	Zyprexa Relprevv

*Three months or six months, as applicable, dispensed all-at-once

149



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing to	frequency		
Inj 25 mg syringe	194.25	1	✓ Invega Sustenna
Inj 50 mg syringe		1	✓ Invega Sustenna
Inj 75 mg syringe		1	✓ Invega Sustenna
Inj 100 mg syringe	435.12	1	✓ Invega Sustenna
Inj 150 mg syringe	435.12	1	✓ Invega Sustenna

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1 ml - Up to 5 inj ava		178.48	10	✓ Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj ava	ilable on a PSO	353.32	10	✓ Piportil

(Piportil Inj 50 mg per ml, 1 ml to be delisted 1 June 2019)

(Piportil Inj 50 mg per ml, 2 ml to be delisted 1 June 2019)

RISPERIDONE – Special Authority see SA1427 on the next page – Retail pharmacy Safety medicine: prescriber may determine dispensing frequency

Inj 25 mg vial	1	Risperdal Consta
Inj 37.5 mg vial178.71	1	✓ Risperdal Consta
Inj 50 mg vial217.56	1	✓ Risperdal Consta

Subsidy (Manufacturer's Price)		Fully ubsidised	Brand or Generic	
\$	Per	/	Manufacturer	

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml − Up to 5 inj available on a PSO.......19.80 5 ✓ Clopixol

Anxiolytic	

BUSPIRONE HYDROCHLORIDE		
* Tab 5 mg23.80	100	✓ Orion
* Tab 10 mg14.96	100	✓ Orion
CLONAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 500 mcg5.64	100	✓ Paxam
Paxam to be Sole Supply on 1 July 2018		
Tab 2 mg10.78	100	✓ Paxam
Paxam to be Sole Supply on 1 July 2018		
DIAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 2 mg15.05	500	✓ Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.	500	/ A Diamon
Tab 5 mg16.18 ‡ Safety cap for extemporaneously compounded oral liquid preparations.	500	✓ <u>Arrow-Diazepam</u>
LORAZEPAM – Safety medicine; prescriber may determine dispensing frequency	050	✓ Ativan
Tab 1 mg10.79 ‡ Safety cap for extemporaneously compounded oral liquid preparations.	250	✓ <u>Ativan</u>
Tab 2.5 mg13.88	100	✓ Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.	100	Auvan
OXAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 10 mg6.17	100	✓ Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.	100	<u> </u>
Tab 15 mg	100	✓ Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		

Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SA1559	on the next page - Retai	pharmacy	
Wastage claimable – see rule 3.3.2 on page 13			
Cap 120 mg	520.00	14	Tecfidera
Cap 240 mg	2,000.00	56	✓ Tecfidera



Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
of the following EDDSS points:

Subsidy (Manufacturer's Price)

Subsidised Per

Fully

Brand or Generic Manufacturer

continued...

- a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0: or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5: or g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28 ✓ Gilenva

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: 04 460 4990 The coordinator Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and



	Subsidy	Fully	Brand or
(Manu	facturer's Price)	Subsidised	Generic
	\$ Pe	er 🗸	Manufacturer

continued...

- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

✓ Tvsabri

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Subsidy (Manufacturer's Price)

Subsidised Per

Fully

Brand or Generic Manufacturer

continued...

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- 9) a) Patient is JC virus negative, or
 - Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
 of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

b) 1.0 to 3.0; or

c) 1.5 to 3.5; or

d) 2.0 to 4.0; or

e) 2.5 to 4.5; or

f) 3.0 to 4.5; or

g) 3.5 to 4.5; or h) 4.0 to 4.5.

11) 4.0 to 4.5.

- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or

Subsidy	Fu	lly	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	/	Manufacturer

continued...

- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide: or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC), Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).



Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic

\$ Per ✓ Manufacturer

continued...

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

Stopping Criteria

Any of the following:

- Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment.
 Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564	on page 157 – [Xpharm]	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	1564 on page 157 – [Xp	oharm]	
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector		4	Avonex Pen
INTERFERON BETA-1-BETA - Special Authority see SA1	564 on page 157 – [Xph	narm]	
Inj 8 million iu per 1 ml	1,322.89	15	✓ Betaferon

Sedatives and Hypnotics

LORMETAZEPAM - Safety medicine; prescriber may deterr	nine dispensing frequer	псу	
Tab 1 mg	3.11	30	
•	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
(Noctamid Tab 1 mg to be delisted 1 December 2018)			
MELATONIN - Special Authority see SA1666 below - Retai	l pharmacy		
Tab modified-release 2 mg - No more than 5 tab per da	v28.22	30	✓ Circadin

⇒SA1666 Special Authority for Subsidy

Initial application only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for



Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged 18 years or under*.

Renewal only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is aged 18 years or under*: and
- 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
- 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
- 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with * are Unapproved Indications.

MIDAZOLAM – Safety medicine; prescriber may determine dispen	sing frequency		
Inj 1 mg per ml, 5 ml ampoule	4.30	10	Midazolam-Claris
Inj 1 mg per ml, 5 ml plastic ampoule – Up to 10 inj available			
on a PSO	10.00	10	✓ Pfizer
On a PSO for status epilepticus use only. PSO must be e	ndorsed for statu	us epilepticu	is use only.
Inj 5 mg per ml, 3 ml ampoule	2.50	5	✓ Midazolam-Claris
Inj 5 mg per ml, 3 ml plastic ampoule - Up to 5 inj available o	n		
a PSO	11.90	5	✓ Pfizer
On a PSO for status epilepticus use only. PSO must be e	ndorsed for statu	us epilepticu	is use only.
NITRAZEPAM - Safety medicine; prescriber may determine dispe	nsing frequency		
Tab 5 mg	5.22	100	✓ Nitrados
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
PHENOBARBITONE SODIUM - Special Authority see SA1386 be	elow – Retail pha	rmacy	
Inj 200 mg per ml, 1 ml ampoule	46.20	10	✓ Martindale \$29
⇒SA1386 Special Authority for Subsidy			

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequer	ncy	
Tab 10 mg1.27	25	Normison
‡ Safety cap for extemporaneously compounded oral liquid preparations		
TRIAZOLAM - Safety medicine; prescriber may determine dispensing frequency	су	
Tab 125 mcg5.10	100	
(9.85)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations		
Tab 250 mcg4.10	100	
(11.20)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations		

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
ZOPICLONE – Safety medicine; prescriber may determine dispertable 7.5 mg	0 1 7	500	√ <u>;</u>	Zopiclone Actavis
Stimulants/ADHD Treatments				
ATOMOXETINE - Special Authority see SA1416 below - Retail	pharmacy			
Cap 10 mg	107.03	28	√ 9	Strattera
Cap 18 mg	107.03	28	✓ 9	Strattera
Cap 25 mg	107.03	28	✓ 9	Strattera
Cap 40 mg	107.03	28	✓ 9	Strattera
Cap 60 mg		28	✓ 9	Strattera
Cap 80 mg	139.11	28	✓ 9	Strattera
Cap 100 mg		28	✓ 9	Strattera

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg17.00 100 ✓ <u>PSM</u>

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the



 Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
 \$	Per	1	

continued...

last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form

 b) Safety medicine; prescriber may determine dispensi 	ng frequency		
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	✓ Ritalin
•			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg	10.95	30	 Rubifen SR
•	50.00	100	Ritalin SR

⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the

✓ Ritalin LA

Subsidy			Brand or	
(Manufacturer's Pric	e)	Subsidised	Generic	
	Per	1	Manufacturer	

continued...

patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency Tab extended-release 18 mg......58.96 30 ✓ Concerta Tab extended-release 27 mg......65.44 30 ✓ Concerta Tab extended-release 36 mg......71.93 30 ✓ Concerta Tab extended-release 54 mg......86.24 30 ✓ Concerta ✓ Ritalin LA 30 ✓ Ritalin LA 30 Cap modified-release 30 mg25.52 30 ✓ Ritalin LA

SA1151 | Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder); and

Cap modified-release 40 mg30.60

- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 on the next page - Retail pharmacy
Tab 100 mg72.50 30 ✓ Modavigil

Subsidy	Subsidy Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	•	Manufacturer

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

X
X

⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- h) Safety medicine: prescriber may determine dispensing frequency

		disperising inequency	b) Calcty medicine, presender may determine disp
Suboxone	28	57.40	Tab sublingual 2 mg with naloxone 0.5 mg
✓ Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

1 Patient is opioid dependent; and

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

continued...

- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health;
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone):
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE Tab modified-release 150 mg......11.00 DISULFIRAM

100 ✓ Antabuse

NALTREXONE HYDROCHLORIDE - Special Authority see SA1408 below - Retail pharmacy

Naltraccord

⇒SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

continued...

Zyban



	Subsidy	F	ully	Brand or
(Ma	anufacturer's Price)	Subsidised		Generic
	\$	Per	✓	Manufacturer

continued...

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

- a) Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.
- b) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.

b) Note: may be provided by a pharmacist under the non-presc	inding Praci	illioners provisior	is in a	Part III of
Patch 7 mg - Up to 28 patch available on a PSO	16.00	28	1	<u>Habitrol</u>
Patch 7 mg for direct distribution only - [Xpharm]	3.94	7	1	<u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	17.59	28	1	<u>Habitrol</u>
Patch 14 mg for direct distribution only - [Xpharm]	4.52	7	1	<u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	20.16	28	1	<u>Habitrol</u>
Patch 21 mg for direct distribution only - [Xpharm]	5.18	7	1	<u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO	16.61	216	1	<u>Habitrol</u>
Lozenge 1 mg for direct distribution only - [Xpharm]	3.20	36	1	<u>Habitrol</u>
Lozenge 2 mg - Up to 216 loz available on a PSO	18.20	216	1	<u>Habitrol</u>
Lozenge 2 mg for direct distribution only - [Xpharm]	3.24	36	1	<u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	33.69	384	1	<u>Habitrol</u>
Gum 2 mg (Fruit) for direct distribution only - [Xpharm]	8.64	96	1	<u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	33.69	384	1	<u>Habitrol</u>
Gum 2 mg (Mint) for direct distribution only - [Xpharm]	8.64	96	1	<u>Habitrol</u>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	38.95	384	1	<u>Habitrol</u>
Gum 4 mg (Fruit) for direct distribution only - [Xpharm]	10.01	96	1	<u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO		384	1	<u>Habitrol</u>
Gum 4 mg (Mint) for direct distribution only - [Xpharm]	10.01	96	✓	<u>Habitrol</u>

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- h) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

b) / / · · · · a · · · · · · · · · · · · ·	oao opoo.a	amont, appro	· a.,o.aago o
Tab 1 mg	67.74	28	Champix
-	135.48	56	✓ Champix
Tab 0.5 mg × 11 and 1 mg × 14	60.48	25 OP	✓ Champix

⇒SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking;
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitorina: and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement
 - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer	
Ψ	1 01		Manadataro	

continued...

- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BENDAMUSTINE HYDROCHLORIDE - PCT only - Specialist - Special Authority see SA1667 below

Inj 25 mg vial	 271.35 1	✓ Ribomustin
Inj 100 mg vial	 1,085.38 1	✓ Ribomustin
Inj 1 mg for ECP	 11.40 1 mg	✓ Baxter

⇒SA1667 Special Authority for Subsidy

Initial application — (treatment naive CLL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Binet stage B or C, or progressive stage A chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is chemotherapy treatment naive; and
- 3 The patient is unable to tolerate toxicity of full-dose FCR; and
- 4 Patient has ECOG performance status 0-2; and
- 5 Patient has a Cumulative Illness Rating Scale (CIRS) score of < 6; and
- 6 Bendamustine is to be administered at a maximum dose of 100 mg/m² on days 1 and 2 every 4 weeks for a maximum of 6 cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL). Chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has indolent low grade NHL requiring treatment; and
- 2 Patient has a WHO performance status of 0-2; and
- 3 Either:
 - 3.1 Both:
 - 3.1.1 Patient is treatment naive; and
 - 3.1.2 Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+); or
 - 3.2 All of the following:
 - 3.2.1 Patient has relapsed refractory disease following prior chemotherapy; and
 - 3.2.2 The patient has not received prior bendamustine therapy; and
 - 3.2.3 Fither:
 - 3.2.3.1 Both:
 - 3.2.3.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
 - 3.2.3.1.2 Patient has had a rituximab treatment-free interval of 12 months or more: or
 - 3.2.3.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Both:

- 1 Patients have not received a bendamustine regimen within the last 12 months; and
- 2 Either:
 - 2.1 Both:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	/	Manufacturer	

- 2.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
- 2.1.2 Patient has had a rituximab treatment-free interval of 12 months or more; or
- 2.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients. Note: 'indolent, low-grade lymphomas' includes follicular, mantle cell, marginal zone and lymphoplasmacytic/ Waldenstrom's macroglobulinaemia.

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	80.25	100	✓ Myleran
CARBOPLATIN – PCT only – Specialist	09.23	100	• Mylerali
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
11) 10 119 por 111, 0 111 val	20.00	•	✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial		1	✓ DBL Carboplatin
, ,	19.50		✓ Carbaccord
	22.50		✓ Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	✓ DBL Carboplatin
	48.50		Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	8	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12 29	1	✓ DBL Cisplatin
, <u></u>	15.00	•	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
, 3, 4	22.46		✓ DBL Cisplatin
Inj 1 mg for ECP	0.28	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		-	
Tab 50 mg - PCT - Retail pharmacy-Specialist	79.00	50	✓ Endoxan S29
	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13			,
Inj 1 g vial - PCT - Retail pharmacy-Specialist	35.03	1	✓ Endoxan
, , , , ,	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist	70.06	1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.04	1 mg	✓ Baxter
IFOSFAMIDE - PCT only - Specialist			
Inj 1 g	96.00	1	✓ Holoxan
lnj 2 g	180.00	1	✓ Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE - PCT - Retail pharmacy-Specialist			
Cap 10 mg	132.59	20	✓ CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist	40.70	25	✓ Alkeran
Inj 50 mg - PCT only - Specialist		1	✓ Alkeran
, , ,			

[‡] safety cap

[▲] Three months supply may be dispensed at one time $\ensuremath{ \divideontimes}$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	
OXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	1	Oxaliccord
Inj 50 mg vial	15.32	1	✓	Oxaliplatin Actavis 50
	55.00		1	Oxaliplatin Ebewe
Inj 100 mg vial	25.01	1		Oxaliplatin Actavis 100
	110.00		1	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial	16.00	1	1	Oxaliccord
Inj 1 mg for ECP	0.18	1 mg	1	Baxter
THIOTEPA - PCT only - Specialist		Ū		
Inj 15 mg vial	CBS	1	1	Bedford \$29
,		•		THIO-TEPA S29
			_	Tepadina S29
Inj 100 mg vial	CBS	1	_	Tepadina S29

Antimetabolites

AZACITIDINE - PCT only - Specialist - Special Authority see SA1467 below	V	
Inj 100 mg vial605.00) 1	✓ Vidaza
Inj 1 mg for ECP	6 1 mg	Baxter

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy		Fully Brand or
(P	Manufacturer's Pric \$	e) : Per	Subsidised Generic Manufacturer
ALCIUM FOLINATE	<u> </u>		
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	✓ DBL Leucovorin
Tab 13 mg = 1 01 = Hetaii phamiacy-opecialist	104.20	10	Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17 10	5	✓ Hospira
Inj 10 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist		1	✓ Calcium Folinate
ing to mg per mi, o mi viai 1 o 1 Tietan phamacy opedianst		'	Sandoz
Inj 50 mg - PCT - Retail pharmacy-Specialist	18 25	5	✓ Calcium Folinate
injoo ing ToT Total plantacy operation	10.20	o	Ebewe
Inj 10 mg per ml, 10 ml vial - PCT only - Specialist	7.30	1	✓ Calcium Folinate
ing to mg por mi, to mi that it or only opposition		•	Sandoz
Inj 100 mg - PCT only - Specialist	7.33	1	✓ Calcium Folinate
ing rooming it or only opposition		•	Ebewe
Inj 300 mg - PCT only - Specialist	22 51	1	✓ Calcium Folinate
ing dod ing it or only opposition		•	Ebewe
Inj 10 mg per ml, 35 ml vial - PCT only - Specialist	20.95	1	✓ Calcium Folinate
ing to mg por mi, oo mi vidi in on only opposition	20.00	•	Sandoz
Inj 1 g - PCT only - Specialist	67.51	1	✓ Calcium Folinate
ing i g i o i only oposition			Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ Baxter
APECITABINE – Retail pharmacy-Specialist			
Tab 150 mg	11 15	60	✓ Brinov
Tab 500 mg		120	✓ Brinov
-	02.20	120	V DIMOV
ADRIBINE – PCT only – Specialist	F 040 70	7	/ Lauratatin
Inj 1 mg per ml, 10 ml		7 10 ma 0	✓ Leustatin
Inj 10 mg for ECP	/49.96	10 mg C	OP ✓ Baxter
TARABINE		_	4.50
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist		5	✓ Pfizer
Inj 100 mg per ml, 10 ml vial – PCT – Retail pharmacy-Special	ist8.83	1	✓ Pfizer
Inj 100 mg per ml, 20 ml vial – PCT – Retail	44.00		/ D#
pharmacy-Specialist		1	✓ Pfizer
Inj 1 mg for ECP – PCT only – Specialist		10 mg	
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist	80.00	100 mg (OP Baxter
fizer Inj 100 mg per ml, 10 ml vial to be delisted 1 October 2018)			
UDARABINE PHOSPHATE	440.00	00	/ Fluidana Anal
Tab 10 mg - PCT - Retail pharmacy-Specialist		20	 ✓ <u>Fludara Oral</u> ✓ Fludarabine Ebewe
Inj 50 mg vial – PCT only – Specialist		5 50 ma 0	
Inj 50 mg for ECP - PCT only - Specialist	105.00	50 mg C	OP ✓ Baxter
UOROURACIL	40.00		/ m
Inj 50 mg per ml, 20 ml vial – PCT only – Specialist		1	✓ Fluorouracil Ebew
Inj 50 mg per ml, 50 ml vial – PCT only – Specialist		1	✓ Fluorouracil Ebew
Inj 50 mg per ml, 100 ml vial – PCT only – Specialist		100 ma	✓ Fluorouracil Ebew
Inj 1 mg for ECP – PCT only – Specialist	0.00	100 mg	g ✓ Baxter
EMCITABINE HYDROCHLORIDE – PCT only – Specialist			
Inj 1 g, 26.3 ml vial		1	✓ DBL Gemcitabine
Inj 1 g		1	✓ Gemcitabine Ebew
lu' 000	349.20		✓ Gemzar
Inj 200 mg		1	✓ Gemcitabine Ebew
laid are for ECD	78.00	4	✓ Gemzar
Inj 1 mg for ECP	0.02	1 mg	✓ Baxter

[‡] safety cap

[▲] Three months supply may be dispensed at one time

	Subsidy (Manufacturer's Prio \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
INOTECAN HYDROCHLORIDE - PCT only - Specialist				
Inj 20 mg per ml, 2 ml vial	11.50	1	•	Irinotecan Actavis 40
	41.00			Camptosar Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	•	Irinotecan Actavis 100
	100.00			Camptosar Irinotecan-Rex
Inj 1 mg for ECP	0.19	1 mg	✓	Baxter
ERCAPTOPURINE - PCT - Retail pharmacy-Specialist				
Tab 50 mg	49.41	25	1	Puri-nethol
ETHOTREXATE				
Tab 2.5 mg - PCT - Retail pharmacy-Specialist		30		Trexate
Tab 10 mg - PCT - Retail pharmacy-Specialist		50		Trexate
Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Speciali		5		Hospira
Inj 7.5 mg prefilled syringe	14.61	1	•	Methotrexate Sandoz
Inj 10 mg prefilled syringe	14.66	1	•	Methotrexate Sandoz
Inj 15 mg prefilled syringe	14.77	1	•	Methotrexate Sandoz
Inj 20 mg prefilled syringe	14.88	1	•	Methotrexate Sandoz
Inj 25 mg prefilled syringe	14.99	1	•	Methotrexate Sandoz
Inj 30 mg prefilled syringe	15.09	1	•	Methotrexate Sandoz
Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Spec	cialist30.00	5	✓]	DBL Methotrexate Onco-Vial
Inj 25 mg per ml, 20 ml vial – PCT – Retail pharmacy-Spe	ecialist45.00	1	✓]	DBL Methotrexate Onco-Vial
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Special Inj 100 mg per ml, 50 ml vial - PCT - Retail	alist25.00	1	•	Methotrexate Ebewe
pharmacy-Specialist	79.99	1	✓	Methotrexate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg		Baxter
Inj 5 mg intrathecal syringe for ECP - PCT only - Special		5 mg O	P 🗸	Baxter
EMETREXED - PCT only - Specialist - Special Authority se				
Inj 100 mg vial		1		Juno Pemetrexed
Inj 500 mg vial		. 1		Juno Pemetrexed
Inj 1 mg for ECP	0.55	1 mg		Baxter

⇒SA1679 Special Authority for Subsidy

Initial application — (mesothelioma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 Patient has been diagnosed with mesothelioma; and
- 2 Pemetrexed to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidis	sed	Generic	
\$	Per	•	Manufacturer	

continued...

maximum of 6 cycles.

Renewal — (mesothelioma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed to be administered at a dose of 500mg/m² every 21 days for a maximum of 6 cycles.

Initial application — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 Patient has locally advanced or metastatic non-squamous non-small cell lung carcinoma; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient has chemotherapy-naïve disease; and
 - 2.1.2 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles; or
 - 2.2 All of the following:
 - 2.2.1 Patient has had first-line treatment with platinum based chemotherapy; and
 - 2.2.2 Patient has not received prior funded treatment with pemetrexed; and
 - 2.2.3 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days for a maximum of 6 cycles.

Renewal — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed is to be administered at a dose of 500mg/m² every 21 days.

THIOGUAININE - POT - Retail pharmacy-Specialist			
Tab 40 mg	126.31	25	✓ Lanvis

Other Cytotoxic Agents		
AMSACRINE - PCT only - Specialist		
Inj 50 mg per ml, 1.5 ml ampoule1,500.00	6	✓ Amsidine S29
Inj 75 mg1,250.00	5	✓ AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmacy-Specialist		
Cap 0.5 mgCBS	100	✓ Agrylin S29
		✓ Teva S29
ARSENIC TRIOXIDE - PCT only - Specialist		
Inj 10 mg4,817.00	10	✓ AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist		
Inj 15,000 iu, vial150.48	1	✓ DBL Bleomycin Sulfate
Inj 1,000 iu for ECP11.64	1,000 iu	✓ Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority see SA1576 on the ne	ext page	
Inj 3.5 mg vial	1	✓ Velcade
Inj 1 mg for ECP594.77	1 mg	✓ Baxter

Subsidy		Fully	Brand or	
(Manufacturer's Price)	;	Subsidised	Generic	
\$	Per	✓	Manufacturer	

⇒SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE (I - ASPARAGINASE) = PCT only = Specialist

102.32	1	✓ Leunase
102.32	10,000 iu OP	✓ Baxter
58.06	1	 DBL Dacarbazine
580.60	10	✓ Dacarbazine APP \$29
58.06	200 mg OP	✓ Baxter
166.75	1	✓ Cosmegen
166.75	0.5 mg OP	✓ Baxter
130.00	1	✓ Pfizer
130.00	20 mg OP	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
OCETAXEL - PCT only - Specialist	· · · · · · · · · · · · · · · · · · ·			
Inj 10 mg per ml, 2 ml vial	12.40	1	✓	DBL Docetaxel
Inj 20 mg		1		Docetaxel Sandoz
Inj 10 mg per ml, 8 ml vial		1	✓	DBL Docetaxel
Inj 80 mg		1	✓	Docetaxel Sandoz
Inj 1 mg for ECP		1 mg	✓	Baxter
OXORUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	10.00	1	✓	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1	✓	Doxorubicin Ebewe
, 31, ,	17.00		1	Arrow-Doxorubicin
Inj 2 mg per ml, 50 ml vial	23.00	1	✓	Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1	✓	Doxorubicin Ebewe
, 01	65.00		1	Arrow-Doxorubicin
Inj 1 mg for ECP	0.25	1 mg	✓	Baxter
PIRUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	25.00	1	✓	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Epirubicin Ebewe
Inj 2 mg per ml, 50 ml vial		1		Epirubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1		Epirubicin Ebewe
Inj 1 mg for ECP		1 mg		Baxter
OPOSIDE		9		
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	✓ 1	Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10		Vepesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Spec		1		Rex Medical
Inj 1 mg for ECP – PCT only – Specialist		1 mg	- 1	Baxter
OPOSIDE PHOSPHATE - PCT only - Specialist		3		
Inj 100 mg (of etoposide base)	40.00	1	/	Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg	_	Baxter
, , ,		i ilig	• .	Daxici
DROXYUREA – PCT – Retail pharmacy-Specialist	01.76	100	./ 1	Lluduaa
Cap 500 mg	31./0	100	•	Hydrea
ARUBICIN HYDROCHLORIDE	405.00			
Inj 5 mg vial – PCT only – Specialist		1	-	Zavedos
Inj 10 mg vial – PCT only – Specialist		. 1	_	Zavedos
Inj 1 mg for ECP - PCT only - Specialist	27.75	1 mg	✓	Baxter
NALIDOMIDE – Retail pharmacy-Specialist – Special Autho Wastage claimable – see rule 3.3.2 on page 13	ority see SA1468 below	l		
Cap 10 mg	6,207.00	21	✓	Revlimid
Cap 15 mg		21	✓	Revlimid
Cap 25 mg		21	✓	Revlimid

⇒SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
- 2.2.2 The patient has experienced severe (grade 3 or higher), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist273.00	50	✓ Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist407.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist161.25	15	✓ Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist370.35	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist2.69	100 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist		
Inj 5 mg vial204.08	1	✓ Arrow
Inj 1 mg for ECP42.04	1 mg	✓ Baxter
MITOZANTRONE - PCT only - Specialist	-	
Inj 2 mg per ml, 10 ml vial97.50	1	✓ Mitozantrone Ebewe
Inj 1 mg for ECP5.51	1 mg	✓ Baxter
PACLITAXEL - PCT only - Specialist	· ·	
Inj 30 mg47.30	5	✓ Paclitaxel Ebewe
Inj 100 mg20.00	1	✓ Paclitaxel Ebewe
91.67		✓ Paclitaxel Actavis
Inj 150 mg26.69	1	✓ Paclitaxel Ebewe
137.50		✓ Anzatax
		✓ Paclitaxel Actavis
Inj 300 mg35.35	1	✓ Paclitaxel Ebewe
275.00		✓ Anzatax
		 Paclitaxel Actavis
Inj 1 mg for ECP0.19	1 mg	✓ Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325 below		
Inj 3,750 IU per 5 ml3,005.00	1	✓ Oncaspar S29

⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid

Subsidy			Brand or
(Manufacturer's Price)	Subsid	ısea	Generic
\$	Per	✓	Manufacturer

continued...

for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist	ODC		/ Nin and 200
Inj 10 mg		ı	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-S	pecialist		
Cap 50 mg	498.00	50	✓ Natulan S29
TEMOZOLOMIDE - Special Authority see SA1616 below - Retail p	oharmacv		
Cap 5 mg		5	✓ Orion
			Temozolomide
Cap 20 mg	18.30	5	✓ Orion
			Temozolomide
			✓ Temizole 20 S29
Cap 100 mg	40.20	5	✓ Orion
			Temozolomide
Cap 140 mg	56.00	5	✓ Orion
			Temozolomide
Cap 250 mg	96.80	5	✓ Orion
,			Temozolomide

⇒SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both
 - 1.1 Patient has glioblastoma multiforme; and
 - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or

Subsic (Manufacture		ully Brand of Generic	
\$	Per	✓ Manufa	acturer

continued...

- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

TRETINOIN

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE - Retail pharmacy-Specialist - Special Aut	thority see SA1124 below		
Cap 50 mg	378.00	28	Thalomid
Cap 100 mg	756.00	28	Thalomid

⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specialist37.29	1	✓ Vinblastina
		Teva S29
186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
(Vinblastina Teva S29 Inj 1 mg per ml, 10 ml vial to be delisted 1 August 2018)		
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml vial - PCT - Retail pharmacy-Specialist74.52	5	✓ DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist85.61	5	✓ DBL Vincristine Sulfate
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist	-	
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP	1 mg	✓ Baxter

60

30

Sprycel

Sprycel

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
Protein-tyrosine Kinase Inhibitors					
DASATINIB – Special Authority see SA0976 below – [Xpharm] Tab 20 mg Tab 50 mg	•	60 60	√ ;	Sprycel Sprycel	

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CMI /GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10, 254 Email: cmlgistcoordinator@pharmac.govt.nz

Tab 70 mg7,692.58

Tab 100 mg6,214.20

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 109/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L. absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases). and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - Retail pharmacy-Specialist - Special Authority se	e SA1653 below		
Tab 100 mg	764.00	30	✓ Tarceva
Tab 150 mg		30	✓ Tarceva

⇒SA1653 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist.

,		Fully ubsidised	Brand or Generic
 (Manufacturer's Frice)	Per	ubsidised ✓	Manufacturer

continued...

Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Either:
 - 3.1 Patient is treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient has discontinued gefitinib due to intolerance; and
 - 3.2.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1654 below

Tab 250 mg1,700.00 30 ✓ Iressa

⇒SA1654 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Fither:
 - 2.1 Patient is treatment naive; or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✓ Glivec
*	Cap 100 mg		60	✓ Imatinib-AFT
*	Cap 400 mg	197.50	30	✓ Imatinib-AFT

⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST – access by application

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE − Special Authority see SA1191 below − Retail pharmacy
Tab 250 mg1,899.00 70 ✓ Tykerb

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

 Wastage claimable – see rule 3.3.2 on page 13

 Cap 150 mg
 4,680.00
 120
 ✓ Tasigna

 Cap 200 mg
 6,532.00
 120
 ✓ Tasigna

⇒SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Either:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB	 Special Authority 	see SA1190 below -	- Retail pharmacy
------------------	---------------------------------------	--------------------	-------------------

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of less than or equal to 70; or
 - 5.6 2 or more sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 on the next page - Retail pharmacy

Cap 12.5 mg2,315	5.38 28	✓ Sutent
Cap 25 mg4,630).77 28	✓ Sutent
Cap 50 mg	.54 28	✓ Sutent

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✓ Manufacturer

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of less than or equal to 70; or
 - 5.6 2 or more sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsi	idised	Generic
\$	Per	1	Manufacturer

continued...

- 1.2 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease); or
- 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 95

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable - see rule 3.3.2 on page 13

Tab 250 mg4,276.19 120 **✓ Zytiga**

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases: and
- 3 Patient's disease is castration resistant; and
- 4 Fither:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

RI	CAI	Ш	TΑ	MI	DF

Tab 50 mg	3.80	28	✓ Binarex
FLUTAMIDE - Retail pharmacy-Specialist			
Tab 250 mg	16.50	30	Flutamide
			Mylan S29
	55.00	100	✓ Flutamin

	Subsidy (Manufacturer's Price)	Per	Fully Brand or Subsidised Generic Manufacturer
MEGESTROL ACETATE - Retail pharmacy-Specialist Tab 160 mg	54.30	30	✓ Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial	30.64	5	✓ DBL Octreotide
Inj 100 mcg per ml, 1 ml vial	18.69	5	✓ DBL Octreotide
Inj 500 mcg per ml, 1 ml ampoule		5	✓ Octreotide MaxRx
Inj 500 mcg per ml, 1 ml vial		5	✓ DBL Octreotide
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special A	Authority see SA1016	belov	w – Retail pharmacy
Inj LAR 10 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓ Sandostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

- Both:
 - 1 IGF1 levels have decreased since starting octreotide; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:

 Subsidy Manufacturer's Price)	S	Fully ubsidised	Brand or Generic
 \$	Per	✓	Manufacturer

continued...

- 2.1 Gastrinoma; and
- 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas: and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

*	Tab 10 mg	. 19.50	100		Genox
*	Tab 20 mg	2.63	30	1	Genox
	-	12.50	100	1	Genox

Aromatase Inhibitors

ANASTROZOLE – Brand switch fee payable (Pharmacode 254	·0959) - see page 2	22 for details	5
* Tab 1 mg	5.04	30	✓ Rolin
EXEMESTANE * Tab 25 mg	14.50	30	✓ Pfizer Exemestane
LETROZOLE Tab 2.5 mg	2.95	30	✓ <u>Letrole</u>

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist			
* Tab 25 mg	9.66	100	✓ <u>Imuran</u>
* Tab 50 mg - For azathioprine oral liquid formulation refer,			
page 225	10.58	100	Imuran
* Inj 50 mg vial	60.00	1	✓ <u>Imuran</u>
MYCOPHENOLATE MOFETIL			
Tab 500 mg	25.00	50	Cellcept
Cap 250 mg	25.00	100	✓ Cellcept
Powder for oral lig 1 g per 5 ml - Subsidy by endorsement	187.25	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
•	Por 🗸	Manufacturer	

Fusion Proteins

ETANERCEPT - Special Authority see SA1620 below - F	Retail pharmacy		
Inj 25 mg	799.96	4	Enbrel
Inj 50 mg autoinjector	1,599.96	4	Enbrel
Ini 50 mg prefilled syringe	1.599.96	4	✓ Enbrel

⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or

2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Fither:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Fither:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sacittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm: Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Por 🗸	Manufacturer

continued...

- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
- 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
- 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Fither:

1.1 Fither:

- 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
- 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992:19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — **(rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✓ Manufacturer	
--	--

continued...

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

- All of the following:
 - 1 Patient has shown clinical improvement; and
 - 2 Patient continues to require treatment: and
 - 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

TUNA 400 (TE OL OBUU NI (EQUINIE)

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

	Immune	Modu	ılators
--	---------------	------	---------

Inj 50 mg per ml, 5 ml		5	✓ ATGAM	
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only	Specialist			
Subsidised only for bladder cancer. Inj 2-8 × 100 million CFU	149.37	1	✓ OncoTICE	

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	idised	Generic
\$	Per	_	Manufacturer

Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA1621 below - Retai	l pharmacy		
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	Humira
Inj 40 mg per 0.8 ml prefilled pen	1,599.96	2	✓ HumiraPen
Ini 40 mg per 0.8 ml prefilled syringe	1 599 96	2	✓ Humira

⇒SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
- 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
- 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

1 Both:

Fither:

- 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with JIA; and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD): or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Fither:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
- 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

CETUXIMAB - PCT only - Specialist - Special Authority see SA1697 on the next page

Inj 5 mg per ml, 20 ml vial	364.00	1	✓ Erbitux
Inj 5 mg per ml, 100 ml vial	1,820.00	1	✓ Erbitux
Inj 1 mg for ECP	3.82	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

⇒SA1697 Special Authority for Subsidy

Initial application only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, non-metastatic, squamous cell cancer of the head and neck; and
- 2 Patient is contraindicated to, or is intolerant of, cisplatin, and
- 3 Patient has good performance status; and
- 4 To be administered in combination with radiation therapy.

OBINUTUZUMAB - PCT only - Specialist - Special Authority see SA1627 below

lnj 25 mg per ml	l, 40 ml vial	5,910.00	1	•	Gazyva
Inj 1 mg for ECF	·	6.21	1 mg	1	Baxter

⇒SA1627 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and</p>
- 4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

* Neutrophil greater than or equal to 1.5×10^9 /L and platelets greater than or equal to 75×10^9 /L.

OMALIZUMAB – Special Authority see SA1490 below – Retail pharmacy
Inj 150 mg vial500.00 1 ✓ Xolair

⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and

✓ Perjeta
✓ Baxter

Subsidy	Full		
 (Manufacturer's Price) \$	Subsidise Per 🗸	d Generic Manufacturer	

continued...

8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

PERTUZUMAB - PCT only - Specialist - Special Authority se	e SA1606 below	
Inj 30 mg per ml, 14 ml vial	3,927.00	1
Ini 1 mg for ECP	9.82	1 ma

⇒SA1606 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 Patient is chemotherapy treatment naïve; or
 - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1686 below

		ranni 12 . C. C. III Operanor Operani rational con Criticol Deleti	
Mabthera	2	nj 100 mg per 10 ml vial	Inj 100 mg per
✓ Mabthera	1	nj 500 mg per 50 ml vial2,688.30	Inj 500 mg per !
✓ Baxter	1 mg	nj 1 mg for ECP	Inj 1 mg for EC

⇒SA1686 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

1 Both:

Subsidy (Manufacturer's Price)	Sub	Fully sidised	Brand or Generic
\$	Per	•	Manufacturer

continued...

- 1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient does not have chromosome 17p deletion CLL; and
- 6 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles; and
- 7 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant

specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer	
 ¥	1 01		Manadada	

continued...

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had an interval of 36 months or more since commencement of initial rituximab treatment; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial	1	✓ Sylvant
Inj 400 mg vial	1	✓ Sylvant

⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTLIZIIMAR - PCT only - Spec	ist - Special Authority see SA1632 on the next page
---------------------------------	---

Inj 150 mg vial	1,350.00	1	Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	1	Manufacturer

⇒SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 2.2 Both:
 - 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:
 - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer: and
 - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and

Subsidy	Fully		/ Brand or	
(Manufacturer's Price)	,	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 3 Any of the following:
 - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 3.2 Both:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; or
 - 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 4 Fither:
 - 4.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 4.2 All of the following:
 - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer: and
 - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
 - 5 Trastuzumab not to be given in combination with lapatinib; and
 - 6 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

		IVOLUMAB - PCT only - Specialist - Special Authority see SA1656 below
Opdivo	1	Inj 10 mg per ml, 4 ml vial
✓ Opdivo	1	Inj 10 mg per ml, 10 ml vial2,629.96
✓ Baxter	1 mg	Inj 1 mg for ECP27.62

⇒SA1656 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
 - 4.1 Patient has not received funded pembrolizumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 5 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

(Manu	Subsidy	Fully	Brand or
	facturer's Price)	Subsidised	Generic
	\$ P	Per 🗸	Manufacturer

continued...

- 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
- 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
- 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB − PCT only − Specialist − Special Authority see SA1657 below
Inj 50 mg vial2,340.00 1 ✓ Keytruda
Inj 1 mg for ECP49.14 1 mg ✓ Baxter

⇒SA1657 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Fither:
 - 4.1 Patient has not received funded nivolumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on nivolumab; and
- 5 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	✓	Manufacturer

continued...

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note); or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg	44.63	50	✓ Neoral
Cap 50 mg	88.91	50	Neoral
Cap 100 mg		50	Neoral
Oral liq 100 mg per ml		50 ml OP	✓ Neoral
EVEROLIMUS - Special Authority see SA1491 below - Retai	l pharmacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 10 mg	6,512.29	30	Afinitor
Tab 5 mg	4,555.76	30	✓ Afinitor

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Authority see SA0866 below - Retail pharmacy

Tab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	✓ Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min: or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- · Leukoencepthalopathy; or
- · Significant malignant disease

TACROLIMUS – Special Authority see SA1540 below – Retail pharmacy

Cap 0.5 mg	85.60	100	Tacrolimus Sandoz
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer,			
page 225	428.00	50	✓ <u>Tacrolimus Sandoz</u>

⇒SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

RESPIRATORY SYSTEM AND ALLERGIES

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

Antiallergy Preparations

Allergic Emergencies

ICATIBANT – Special Authority see SA1558 below – Retail pharmacy
Inj 10 mg per ml, 3 ml prefilled syringe.......2,668.00

1 **✓** Firazyr

⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Maintenance kit - 6 vials 120 mcg freeze dried venom, with

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy

diluent	285.00	1 OP	✓ Venomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see	SA1367 above	- Retail pharr	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil \$29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil \$29

Antihistamines

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	✓ Zista
*‡ Oral liq 1 mg per ml		200 ml	✓ Histaclear
CHLORPHENIRAMINE MALEATE			
* Oral lig 2 mg per 5 ml	8.06	500 ml	Histafen

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy		Fully Brand or	,
	(Manufacturer's Pri	ce) S	Subsidised Generic	
	\$	Per	✓ Manufac	turer
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg	2.02	40		
4 1 ab 2 mg	(8.40)	70	Polaramine	<u> </u>
	1.01	20	1 Oldi di Illi I	•
	(5.99)	20	Polaramine	<u> </u>
*‡ Oral liq 2 mg per 5 ml	` '	100 ml	1 Olaramine	7
*+ Oral liq 2 mg per 5 mi	(10.29)	100 1111	Polaramine	
	(10.29)		i Olarailiili	7
EXOFENADINE HYDROCHLORIDE				
★ Tab 60 mg	4.34	20		
	(8.23)		Telfast	
* Tab 120 mg	4.74	10		
	(8.23)		Telfast	
	14.22	30		
	(26.44)		Telfast	
ORATADINE				
* Tab 10 mg	1 28	100	✓ Lorafix	
* Oral liq 1 mg per ml		120 ml	✓ Lorfast	
	2.10	120 1111	Lonast	
PROMETHAZINE HYDROCHLORIDE	. ==			
* Tab 10 mg		50	✓ <u>Allersooth</u>	_
* Tab 25 mg		50	✓ Allersooth	_
*‡ Oral liq 1 mg per 1 ml		100 ml	✓ Allersooth	<u>ie</u>
* Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on	a PSO 15.54	5	✓ Hospira	
TRIMEPRAZINE TARTRATE				
‡ Oral liq 30 mg per 5 ml	2.79	100 ml O	Р	
	(8.06)		Vallergan I	orte
	,		ű	
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose		200 dose (_	
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose (_	: 50
Aerosol inhaler, 100 mcg per dose		200 dose (
Aerosol inhaler, 100 mcg per dose CFC-free	12.50 2	200 dose (
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 dose (OP 🗸 Beclazone	250
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose (OP Pulmicort	
Toward for initial action, 100 mag per docominiminiminimini		-00 0000 1	Turbuha	ler
Powder for inhalation, 200 mcg per dose	10.00	200 dose (101
1 owder for initialation, 200 mag per dose	19.00 2	200 0036 (Turbuha	lor
Develop for inholotion, 400 man and an	00.00	000 de e e		ilei
Powder for inhalation, 400 mcg per dose	32.00 2	200 dose (
			Turbuha	ier
FLUTICASONE				
Aerosol inhaler, 50 mcg per dose	4.68 1	120 dose (OP 🗸 Floair	
Aerosol inhaler, 50 mcg per dose CFC-free	7.50 1	120 dose (OP / Flixotide	
Powder for inhalation, 50 mcg per dose	7.50	60 dose C	P ✓ Flixotide A	Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose C	P ✓ Flixotide A	Accuhaler
Aerosol inhaler, 125 mcg per dose		120 dose (_	
Aerosol inhaler, 125 mcg per dose CFC-free	13.60	120 dose (
Aerosol inhaler, 250 mcg per dose		120 dose (_	
		120 dose (
Aerosol inhaler, 250 mcg per dose CFC-free	27.20 1	120 0058 1		
Aerosol inhaler, 250 mcg per dose CFC-free		60 dose C		Accuhaler

Fully

Brand or

Subsidy

	(Manufacturer's F		dised Generic Manufacturer
Inhaled Long-acting Beta-adrenoceptor Agonis	· · · · · · · · · · · · · · · · · · ·	1 01	Manufacturer
	เร		
EFORMOTEROL FUMARATE	10.00	00 de e 00	
Powder for inhalation, 6 mcg per dose, breath activated	(16.90)	60 dose OP	Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose devi		60 dose	Oxis Turburialer
Toward for initial ation, 12 mag per adde, and monoadde devi	(35.80)	00 0000	Foradil
INDACATEROL	(,		
Powder for inhalation 150 mcg	61.00	30 dose OP	✓ Onbrez Breezhaler
Powder for inhalation 300 mcg		30 dose OP	✓ Onbrez Breezhaler
SALMETEROL			
Aerosol inhaler CFC-free, 25 mcg per dose	25.00	120 dose OP	✓ Serevent
Aerosol inhaler 25 mcg per dose		120 dose OP	✓ Meterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose OP	 Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	Adrenacent	nr Aanniete	
minated Corticosteroids with Long-Acting Beta-	Adicilocopii	or Agoriists	
BUDESONIDE WITH EFORMOTEROL			
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg		120 dose OP	✓ Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6 r	ncg33.74	120 dose OP	✓ Symbicort Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 dose OP	✓ Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 r	ncg44.08	120 dose OP	✓ Symbicort Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate			
12 mcg – No more than 2 dose per day	44.08	60 dose OP	✓ Symbicort
,			Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL			
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✓ Breo Ellipta
FLUTICASONE WITH SALMETEROL			•
Aerosol inhaler 50 mcg with salmeterol 25 mcg	14.58	120 dose OP	✓ RexAir
· ·	33.74		✓ Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg		120 dose OP	✓ RexAir
	44.08		✓ Seretide
Powder for inhalation 100 mcg with salmeterol 50 mcg - No			40
more than 2 dose per day		60 dose OP	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg — No		CO doos OD	✓ Seretide Accuhaler
more than 2 dose per day	44.08	60 dose OP	Serelide Accunaler
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 400 mcg per ml	2.06	150 ml	✓ Ventolin
Infusion 1 mg per ml, 5 ml		10	
	(130.21)		Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy		Fully	
	(Manufacturer's Pric \$	e) Per	Subsidised •	Generic Manufacturer
Inhaled Beta-Adrenoceptor Agonists				
SALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO	3.80 20	00 dose	-	Respigen SalAir
	(6.00)		•	Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO	3.19	20	✓	<u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO		20	•	<u>Asthalin</u>
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00 20	00 dose	OP 🗸	Bricanyl Turbuhaler
Anticholinergic Agents				
IPRATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dos available on a PSO		00 dose	OP 🗸	Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 ne available on a PSO		20	✓	Univent
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 ne available on a PSO		20	✓	Univent
Inhaled Beta-Adrenoceptor Agonists with Antic	holinergic Age	ents		
SALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg p		00 dose	OB ./	Duolin HFA
dose CFC-free	12.19 20	ou dose	OP V	DUOIIII HFA
vial, 2.5 ml ampoule - Up to 20 neb available on a PSC	3.59	20	✓	<u>Duolin</u>
Long-Acting Muscarinic Antagonists				
GLYCOPYRRONIUM - Subsidy by endorsement				
 a) Inhaled glycopyrronium treatment will not be subsidised i umeclidinium. 	f patient is also rece	eiving tre	eatment w	vith subsidised tiotropium or
 b) Glycopyrronium powder for inhalation 50 mcg per dose is having COPD using spirometry, and the prescription is er 			s who hav	ve been diagnosed as
Powder for inhalation 50 mcg per dose	61.00	0 dose (OP 🗸	Seebri Breezhaler
TIOTROPIUM BROMIDE – Special Authority see SA1568 below Tiotropium treatment will not be subsidised if patient is also rumeclidinium.			sidised in	haled glycopyrronium or
Powder for inhalation, 18 mcg per dose	50.37	30 dose	e 🗸	Spiriva

⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

continued...

✓ Spiriva Respimat

RESPIRATORY SYSTEM AND ALLERGIES

Subsidy	Fu	lly Brand or	
(Manufacturer's F	Price) Subsidis	ed Generic	
\$	Per	 Manufacturer 	

continued...

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV, (litres); and
- 4.2 Predicted FEV, (litres); and
- 4.3 Actual FEV, as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

⇒SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL – Special Authority see SA1584 a	bove – Retail pharmacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP ✓ Ultibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA158	4 above – Retail pharmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00	60 dose OP ✓ Spiolto Respimat

	Subsidy (Manufacturer's Prio \$	Fullyce) Subsidised	d Generic
JMECLIDINIUM WITH VILANTEROL – Special Authority Powder for inhalation 62.5 mcg with vilanterol 25 mcg			pharmacy Anoro Ellipta
Antifibrotics			
PIRFENIDONE - Retail pharmacy-Specialist - Special Au	thority see SA1628 below	N	
Cap 267 mg – Wastage claimable – see rule 3.3.2 on page 13		270	Esbriet
➤SA1628 Special Authority for Subsidy initial application — (idiopathic pulmonary fibrosis) or applications meeting the following criteria: All of the following:	nly from a respiratory spe	cialist. Approvals	valid for 12 months for
 1 Patient has been diagnosed with idiopathic pulmona 2 Forced vital capacity is between 50% and 80% pred 3 Pirfenidone is to be discontinued at disease progres 	dicted; and	by histology, CT of	or biopsy; and
Renewal — (idiopathic pulmonary fibrosis) only from a neeting the following criteria: 3oth:	, ,	pprovals valid for	12 months for applications
 Treatment remains clinically appropriate and patien Pirfenidone is to be discontinued at disease progres 	•	tolerating treatmer	nt; and
Note: disease progression is defined as a decline in perce	ent predicted FVC of 10%	or more within ar	ny 12 month period.

MONTELUKAST

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

*	Tab 4 mg5.25	28	✓ Apo-Montelukast
	Tab 5 mg	28	✓ Apo-Montelukast
	Tab 10 mg5.65	28	✓ Apo-Montelukast

Mast Cell Stabilisers

NEDOCROMIL		
Aerosol inhaler, 2 mg per dose CFC-free28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLICATE		
Aerosol inhaler, 5 mg per dose CFC-free28.07	112 dose OP	✓ Intal Forte CFC Free

Methylxanthines

AM	INC	PHY	′LL	INE
----	-----	-----	-----	-----

Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj available on a	Į.		
PSO	124.37	5	✓ DBL Aminophylline
THEOPHYLLINE			
* Tah long-acting 250 mg	21 51	100	✓ Nuclin-SR

Mucolytics

DORNASE ALFA	- Special Authority see SA0611 on the n	ext page - Retail pharmacy	1	
Nebuliser soln	2.5 mg per 2.5 ml ampoule	250.00	6	✓ Pulmozyme

500 ml

✓ Nuelin

RESPIRATORY SYSTEM AND ALLERGIES

Subsidy (Manufacturer's Price) \$

Subsidised Per 🗸

200 dose OP

Alanase

Alanase

Butacort Aqueous

Butacort Aqueous

Flixonase Hayfever & Allergy

Fully

Brand or Generic Manufacturer

⇒SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHLORIDE

Not funded for use as a nasal drop.

Nasal Preparations

Allergy Prophylactics

BECLOME THASONE DIPROPIONATI	E
Metered aqueous nasal spray, 50	mcg per dose2.35

(5.26) Metered aqueous nasal spray, 100 mcg per dose2.46 200 dose OP

(6.00)

BUDESONIDE

Metered aqueous nasal spray, 50 mcg per dose2.35 200 dose OP (5.26)

Metered aqueous nasal spray, 100 mcg per dose2.61 200 dose OP

(6.00)

FLUTICASONE PROPIONATE

Metered aqueous nasal spray, 50 mcg per dose2.18 120 dose OP

IPRATROPIUM BROMIDE

Respiratory Devices

MASK FOR SPACER DEVICE

- a) Up to 50 dev available on a PSO
- b) Only on a PSO
- c) Only for children aged six years and under

PEAK FLOW METER

- a) Up to 25 dev available on a PSO
- b) Only on a PSO

Normal range......9.54

✓ Mini-Wright AFS

Low Range

✓ Mini-Wright

Standard

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
SPACER DEVICE				
a) Up to 50 dev available on a PSO				
b) Only on a PSO				
220 ml (single patient)	2.95	1	1	e-chamber Turbo
510 ml (single patient)	5.12	1	1	e-chamber La
				Grande
800 ml	6.50	1	1	Volumatic

CAFFEINE	CITRATE
----------	---------

25 ml OP ✓ Biomed

			SENSORY ORGANS	
	Subsidy (Manufacturer's Pric	e) Subs Per	Fully Brand or sidised Generic ✓ Manufacturer	
Ear Preparations				
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BE For Vosol ear drops with hydrocortisone powder refer Stands Ear drops 2% with 1, 2-Propanediol diacetate 3% and		228		
benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol	
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locacorten-Viaform ED's	
			✓ Locorten-Vioform	
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTATIN	1		
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	✓ Kenacomb	
Ear/Eye Preparations				
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and				
gramicidin 50 mcg per ml	4.50 (9.27)	8 ml OP	Sofradex	
FRAMYCETIN SULPHATE	4.10	0 1 OD		
Ear/Eye drops 0.5%	(8.65)	8 ml OP	Soframycin	
Eye Preparations				
Eye preparations are only funded for use in the eye, unless expli	citly stated otherwis	se.		
Anti-Infective Preparations				
ACICLOVIR				
* Eye oint 3%	14.92	4.5 g OP	✓ <u>ViruPOS</u>	
CHLORAMPHENICOL Eve oint 1%	2 48	4 g OP	✓ Chlorsig	
Eye drops 0.5%		10 ml OP	✓ <u>Chlorafast</u>	
CIPROFLOXACIN				

GENTAMICIN SULPHATE

PROPAMIDINE ISETHIONATE

* Eye drops 0.1%......2.97 10 ml OP

Eye drops 0.3% - Subsidy by endorsement......9.99

Note: Indication marked with a * is an Unapproved Indication.

(14.55)

SODIUM FUSIDATE [FUSIDIC ACID]

5 g OP

5 ml OP

5 ml OP

12.43

When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly.

✓ Ciprofloxacin Teva

✓ Ciloxan

✓ Genoptic

Brolene

✓ Fucithalmic

	Subsidy (Manufacturer's Price)	Subs	Fully sidised	Brand or Generic
	\$	Per	1	Manufacturer
OBRAMYCIN				
Eye oint 0.3%	10.45 3	.5 g OP	√ T	obrex
Eye drops 0.3%	11.48 5	ml OP	✓ T	obrex
Continuations and Other Auti In	offers weathers. Dress exetions			
Corticosteroids and Other Anti-Ir	mammatory Preparations			
DEXAMETHASONE				
₭ Eye oint 0.1%	5.86 3	.5 g OP	✓ N	laxidex
★ Eye drops 0.1%		ml OP	✓ N	laxidex

⇒SA1680 Special Authority for Subsidy

Initial application — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has diabetic macular oedema with pseudophakic lens; and

Ocular implant 700 mcg - Special Authority see SA1680 below

- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- Fither
 - 3.1 Patient's disease has progressed despite 3 injections with bevacizumab; or
 - 3.2 Patient is unsuitable or contraindicated to treatment with anti-VEGF agents; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Initial application — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has diabetic macular oedema; and
- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- 3 Patient is of child bearing potential and has not yet completed a family; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Patient is of child bearing potential and has not vet completed a family; and
- 3 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMYXIN B SULPHATE

*	Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6.000 u per q	5.39	3.5 a OP	✓ Maxitrol
*	Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per ml		5 ml OP	✓ Maxitrol
DIC	CLOFENAC SODIUM			
*	Eye drops 0.1%	13.80	5 ml OP	✓ Voltaren Ophtha

✓ Ozurdex

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Subs	idised	Generic
	\$	Per	✓	Manufacturer
FLUOROMETHOLONE				
* Eye drops 0.1%	3.09	5 ml OP	√ <u>F</u>	ML
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71	4 ml OP		
	(10.34)		L	ivostin
LODOXAMIDE				
Eye drops 0.1%	8.71	10 ml OP	√ L	omide
PREDNISOLONE ACETATE				
Eye drops 1%	3.93	10 ml OP	✓ P	rednisolone-AFT
	7.00	5 ml OP	✓ P	red Forte
PREDNISOLONE SODIUM PHOSPHATE - Special Authority	see SA1715 below	– Retail pharr	nacy	
Eye drops 0.5%, single dose (preservative free)		20 dose	•-	linims
· · · · · · · · · · · · · · · · · · ·				Prednisolone

⇒SA1715 Special Authority for Subsidy

Initial application only from an ophthalmologist or optometrist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLICATE

Eve drops 2%	0.85	5 ml OP	✓ Rexacrom
--------------	------	---------	------------

Glaucoma Preparation	ons - Beta Blockers
----------------------	---------------------

BETAXOLOL		
* Eye drops 0.25%11.80	5 ml OP	✓ Betoptic S
* Eye drops 0.5%7.50	5 ml OP	✓ Betoptic
LEVOBUNOLOL		
* Eye drops 0.5%	5 ml OP	✓ Betagan
TIMOLOI		ŭ
* Eye drops 0.25%	5 ml OP	✓ Arrow-Timolol
* Eye drops 0.25%, gel forming	2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%	5 ml OP	✓ Arrow-Timolol
* Eye drops 0.5%, gel forming	2.5 ml OP	✓ Timoptol XE
Tyc drops 6.676, ger forming	2.0 1111 01	· Innoptor XE

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

* Tab 250 mg - For acetazolamide oral liquid formulation refer

ACETAZOLAMIDE

page 22517.03	100	✓ Diamox
BRINZOLAMIDE		
* Eye drops 1%	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE		
* Eye drops 2%	5 ml OP	
(17.44)		Trusopt
DORZOLAMIDE WITH TIMOLOL		
* Eye drops 2% with timolol 0.5%	5 ml OP	✓ Arrow-Dortim

[‡] safety cap

	Subsidy (Manufacturer's F	Price) Subs	Fully	Brand or Generic
	\$	Per	✓	Manufacturer
Glaucoma Preparations - Prostaglandin Analo	gues			
BIMATOPROST * Eye drops 0.03%	3.65	3 ml OP	✓ <u>Bi</u>	imatoprost Actavis
* Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>H</u>	<u>ysite</u>
* Eye drops 0.004%	7.30	5 ml OP	✓ <u>Tr</u>	<u>ravopt</u>
Glaucoma Preparations - Other				
BRIMONIDINE TARTRATE * Eye drops 0.2% BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE	4.29	5 ml OP	✓ <u>A</u> ı	rrow-Brimonidine
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ C	ombigan
# Eye drops 1%	5.35 7.99 ulae. 5	15 ml OP 15 ml OP 15 ml OP 20 dose	✓ Is ✓ Is	opto Carpine opto Carpine opto Carpine inims Pilocarpine e following criteria:
Either: 1 Patient has to use an unpreserved solution due to an al 2 Patient wears soft contact lenses. Note: Minims for a general practice are considered to be "tools Renewal from any relevant practitioner. Approvals valid for 2 y benefiting from treatment.	of trade" and are	not approved a		
Mydriatics and Cycloplegics				
* Eye drops 1%		15 ml OP	✓ <u>Ai</u>	
** Eye drops 1% TROPICAMIDE ** Eye drops 0.5%		15 ml OP		yclogyl ydriacyl
* Eye drops 1%		15 ml OP		ydriacyl

Preparations for Tear Deficiency

For acetylcysteine eye drops refer Standard Formulae, page 228

HYPROMELLOSE	
--------------	--

*	Eye drops 0.5%	2.00	15 ml OP
		(3.92)	

HYPROMELLOSE WITH DEXTRAN

Methopt

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
POLYVINYL ALCOHOL * Eye drops 1.4% Eye drops 3%		15 ml OP 15 ml OP		<u>/istil</u> /istil Forte

Preservative Free Ocular Lubricants

⇒SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye: and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

CARBOMER – Special Authority see SA1388 above – Retail p	harmacy		
Ophthalmic gel 0.3%, 0.5 g	8.25	30	✓ Poly-Gel
MACROGOL 400 AND PROPYLENE GLYCOL - Special Auth	ority see SA1388 a	bove – Retail	pharmacy
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	4.30	24	Systane Unit Dose
SODIUM HYALURONATE [HYALURONIC ACID] - Special Au	uthority see SA1388	above – Reta	ail pharmacy
Eye drops 1 mg per ml	22.00	10 ml OP	✓ Hylo-Fresh
Hylo-Fresh has a 6 month expiry after opening. The P month is not relevant and therefore only the prescribed	•		
month is not relevant and merele only the presented	a doodge to the hea	root or may t	o diaminou.

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%13.60	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin3.63	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.5 g OP	✓ Poly-Visc
RETINOL PALMITATE Eve oint 138 mcg per g	5 a OP	✓ VitA-POS



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per ✓	Manufacturer

Various

PHARMACY SERVICES

May only be claimed once per patient.

* Brand switch fee4.50

✓ BSF CareSens Dual

✓ BSF CareSens N

✓ BSF CareSens N
POP

✓ BSF CareSens N
Premier

✓ BSF Rolin

1 fee

- a) The Pharmacode for BSF CareSens N is 2423138 see also page 28
- b) The Pharmacode for BSF CareSens N POP is 2423154 see also page 28
- c) The Pharmacode for BSF CareSens N Premier is 2535882 see also page 28
- d) The Pharmacode for BSF CareSens Dual is 2535890 see also page 27
- e) The Pharmacode for BSF Rolin is 2540959 see also page 186

(BSF CareSens Dual Brand switch fee to be delisted 1 August 2018)

(BSF CareSens N Brand switch fee to be delisted 1 August 2018)

(BSF CareSens N POP Brand switch fee to be delisted 1 August 2018)

(BSF CareSens N Premier Brand switch fee to be delisted 1 August 2018)

(BSF Rolin Brand switch fee to be delisted 1 July 2018)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYL CVCTEINE

Inj 200 mg per ml, 10 ml ampoule78.34	10	✓ DBL Acetylcysteine
NALOXONE HYDROCHLORIDE		
a) Up to 5 inj available on a PSO		
b) Only on a PSO		
* Inj 400 mcg per ml, 1 ml ampoule48.84	5	✓ Hospira

Removal and Elimination

CHARCOAL

*	Oral liq 50 g per 250 ml	43.50	250 MI OP	•	Carbosorb-X
	a) Up to 250 ml available on a PSO				
	a) Up to 250 ml available on a PSO				

b) Only on a PSO

DEFERASIROX – Special Authority see SA1492 below – Retail pharmacy
Wastage claimable – see rule 3.3.2 on page 13

Tradiago diaminablo doc raio didiz on pago ro			
Tab 125 mg dispersible	276.00	28	Exjade
Tab 250 mg dispersible	552.00	28	Exiade
Tab 500 mg dispersible		28	✓ Exjade
3 - 1 - 1	,		,

⇒SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and

Subsidy (Manufacturer's Price)	Fully Subsidised		Brand or Generic	
\$	Per	1	Manufacturer	

- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis; or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per µL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per uL).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE – Special Authority see SA1480 below – Retail p	harmacy		
Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

⇒SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

The state of the s	51.52	10	✓ <u>Desferal</u>
SODIUM CALCIUM EDETATE * Inj 200 mg per ml, 5 ml	53.31	6	
,	(156.71)	· ·	Calcium Disodium Versenate

SECTION C: EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- · Emulsifying ointment BP
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- · Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored. The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml Carvedilol 1 mg/ml Clopidogrel 5 mg/ml Diltiazem hydrochloride 12 mg/ml

Dipyridamole 10 mg/ml Domperidone 1 mg/ml Enalapril 1 mg/ml Flecainide 20 mg/ml
Gabapentin 100 mg/ml
Hydrocortisone 1 mg/ml
Labetolol 10 mg/ml
Sildenafil 2 mg/ml
Sotalol 5 mg/ml
Sulphasalazine 100 mg/ml
Tacrolimus 1 mg/ml

Levodopa with carbidopa (5 mg levodopa + 1.25 mg carbidopa)/ml Metoclopramide 1 mg/ml Metoprolol tartrate 10 mg/ml Nitrofurantoin 10 mg/ml Pyrazinamide 100 mg/ml Rifabutin 20 mg/ml Terbinafine 25 mg/ml Tramadol 10 mg/ml Ursodeoxycholic acid 50 mg/ml Valganciclovir 60 mg/ml* Verapamil hydrochloride 50 mg/ml

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl
 hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is
 added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.


Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 224) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products). One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid. The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised. The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

Standard Formulae

Standard Formulae			
ACETYLCYSTEINE EYE DROPS		PHENOBARBITONE ORAL LIQUID	
Acetylcysteine inj 200 mg per ml, 10 ml	qs	Phenobarbitone Sodium	1 g
Suitable eye drop base	qs	Glycerol BP	70 ml
Cultuble Cyc Grop Base	40	Water	to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION		Water	10 100 1111
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRIC ORAL	LIQUID (10
Chloroform	to 100 ml	mg per ml)	
		Phenobarbitone Sodium	400 mg
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml)		Glycerol BP	4 ml
Codeine phosphate	60 mg	Water	to 40 ml
Glycerol	40 ml		
Preservative	qs	PILOCARPINE ORAL LIQUID	
Water	to 100 ml	Pilocarpine 4% eye drops	qs
		Preservative	qs
CODEINE LINCTUS DIABETIC (15 mg per 5 ml)		Water	to 500 ml
Codeine phosphate	300 mg	(Preservative should be used if quantity supplied is	for more
Glycerol	40 ml	than 5 days.)	
Preservative	qs		
Water	to 100 ml	SALIVA SUBSTITUTE FORMULA	
EQUINIO MOLITINA QUI		Methylcellulose	5 g
FOLINIC MOUTHWASH	4.1	Preservative	qs
Calcium folinate 15 mg tab	1 tab	Water	to 500 ml
Preservative	qs	(Preservative should be used if quantity supplied is	for more
Water	to 500 ml	than 5 days. Maximum 500 ml per prescription.)	
(Preservative should be used if quantity supplied is	for more	SODIUM CHLORIDE ORAL LIQUID	
than 5 days. Maximum 500 ml per prescription.)		Sodium chloride inj 23.4%, 20 ml	qs
MAGNESIUM HYDROXIDE 8% MIXTURE		Water	qs qs
Magnesium hydroxide paste 29%	275 g	(Only funded if prescribed for treatment of hyponatr	
Methyl hydroxybenzoate	1.5 g	(Only fullded if prescribed for treatment of hyporiation	aema)
Water	to 1 000 m	VANCOMYCIN ORAL SOLUTION (50 mg per ml)	
Tatol	10 1,000 11	Vancomycin 500 mg injection	10 vials
METHADONE MIXTURE		Glycerol BP	40 ml
Methadone powder	qs	Water	to 100 ml
Glycerol	qs	(Only funded if prescribed for treatment of Clostridiu	ım difficile
Water	to 100 ml		
METHYL HYDROXYBENZOATE 10% SOLUTION		VOSOL EAR DROPS	
Methyl hydroxybenzoate	10 g	WITH HYDROCORTISONE POWDER 1%	
Propylene glycol	to 100 ml	Hydrocortisone powder	1%
(Use 1 ml of the 10% solution per 100 ml of oral liqu	iid mixture)	Vosol Ear Drops	to 35 ml
OMEPRAZOLE SUSPENSION			
Omeprazole capules or powder	qs		
Sodium bicarbonate powder BP	8.4 g		
Water	to 100 ml		

to 100 ml

Water

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Per Manufacturer Extemporaneously Compounded Preparations and Galenicals BENZOIN Tincture compound BP......24.42 500 ml (39.90)Pharmacy Health 2.44 50 ml (5.10)Pharmacy Health CHLOROFORM - Only in combination Only in aspirin and chloroform application. 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency Powder - Only in combination......63.09 (90.09)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) \$\preceq\$ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collodion flexible19.30 100 ml ✓ PSM COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. ✓ Midwest 100 ml 34.18 David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. 473 ml ✓ Ora-Sweet SF GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. 473 ml ✓ Ora-Sweet GI YCFROI 500 ml ✓ healthE Glycerol BP Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE ✓ PSM 500 q METHADONE HYDROCHI ORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). 1 g ✓ AFT ‡ Safety cap for extemporaneously compounded oral liquid preparations. METHYL HYDROXYBENZOATE PSM 25 g ✓ Midwest **METHYLCELLULOSE** ✓ MidWest 100 g ✓ Ora-Plus 473 ml METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHARIN - Only in combination 473 ml ✓ Ora-Blend SF

if endorsed "certified exemption" by the prescriber or pharmacist.

[‡] safety cap

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pric		bsidised	Generic
	\$	Per	•	Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl	v in combination			
Suspension		473 ml	10	Ora-Blend
•				2
PHENOBARBITONE SODIUM				
Powder – Only in combination	52.50	10 g	-	/lidWest
	325.00	100 g	✓ N	/lidWest
a) Only in children up to 12 years				
b)‡ Safety cap for extemporaneously compounded oral I	liquid preparations.			
PROPYLENE GLYCOL	1			
Only in extemporaneously compounded methyl hydroxybenz				
Liq	11.25	500 ml	✓ N	/lidwest
SODIUM BICARBONATE				
Powder BP — Only in combination	8 95	500 g	✓ N	/lidwest
Torradi Bi Oring in combination	9.80	000 g		anoot
			_	Souid Crain
0.1.	(29.50)		L	David Craig
Only in extemporaneously compounded omeprazole and	i lansoprazole susp	pension.		
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparation	ons.			
Liq		2,000 ml	✓ N	Midwest
•		<u>_,</u> 000 IIII	٠.,	
WATER				
Tap - Only in combination	0.00	1 ml	✓ T	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and charges to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the Conditions and Guidelines for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Only from a dietitian, relevant specialist or a vocationally registered general Reapplications:

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or vocationally registered

general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive An inability to gain or maintain weight resulting in physiological impairment. Growth deficiency

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition.



Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Fither:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism: or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Carbohydrate And Fat

⇒SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

0.1.1		F "	D 1	
Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	✓	Manufacturer	

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Fat

⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome: or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or



Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	•	Manufacturer

- 10 ascites: or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT – Special Authority see SA1523 on the previous page – Hospital pharmacy [HP3]

Emulsion (neutral)	12.30 200 ml O	P
	30.75 500 ml O	P ✓ Calogen
Emulsion (strawberry)	12.30 200 ml O	P ✓ Calogen
Oil	30.00 500 ml O	P ✓ MCT oil (Nutricia)
Oil, 250 ml	114.92 4 OP	✓ Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT	 Special Authority see SA1524 above – Hospital p 	harmacy [HP3]	
Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
		•	Beneprotein

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Sustagen Diabetic

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Diabetic Products

⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML — Special Authority see SA Liquid		- Hospital pharm 1,000 ml OP	
DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA109	above – Ho	spital pharmacy	[HP3]
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)		200 ml OP	✓ Diasip
, ,	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

(2.10)



Subsidy (Manufacturer's Price)

Fully Subsidised Brand or Generic Manufacturer

Fat Modified Products

⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism: or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults,

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 above - Hospital pharmacy [HP3] 400 g OP Monogen

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

400 a OP ✓ Heparon Junior

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

ENTERAL/ORAL FEED 1KCAL/ML − Special Authority see SA1099 on the previous page − Hospital pharmacy [HP3] Liquid.......54.00 400 g OP ✓ Kindergen

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years: and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority see \$A1379 ab Liquid6.00	ove – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 abov Liquid2.68	ve – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority se Liquid	ee SA1379 above – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED – Special Authority see SA1379 above – Hospital ph Powder (vanilla)28.00 (Pediasure Powder (vanilla) to be delisted 1 July 2018)	armacy [HP3] 850 g OP ✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 above Liquid (strawberry)	 Hospital pharmacy [HP3] 200 ml OP
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA1379 above - Liquid (chocolate)	Hospital pharmacy [HP3] 200 ml OP
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML — Special Authority see S Liquid (chocolate)	200 ml OP
PEPTIDE-BASED ORAL FEED - Special Authority see SA1379 above - Hospitz Powder43.60	al pharmacy [HP3] 400 g OP ✓ Peptamen Junior



Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML – Special Author Liquid	•	Hospital pharm 500 ml OP	,
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority s	ee SA1101 above – Hos	pital pharmacy	[HP3]
Liquid	2.67	220 ml OP	✓ Nepro HP
			(strawberry)
			✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see	SA1101 above – Hospi	tal pharmacy [F	HP3]
Liquid	2.88	237 ml OP	•
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	✓ Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✓ Renilon 7.5

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Brand or

Fully

	(Manufacturer's \$	Price) Subs Per	idised Generic Manufacturer
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Spr pharmacy [HP3] Liquid	,	ee SA1377 on th	e previous page – Hospital Vital
ORAL ELEMENTAL FEED 0.8KCAL/ML — Special Authority sec Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	previous page - 18 OP 18 OP 18 OP	- Hospital pharmacy [HP3] ✓ Elemental 028 Extra ✓ Elemental 028 Extra ✓ Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see Special Autho		revious page – I 80 g OP	Hospital pharmacy [HP3] ✓ Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Autl [HP3] Liquid	•	77 on the previou 1,000 ml OP	us page – Hospital pharmacy ✓ Peptisorb

Subsidy

Paediatric Products For Children With Low Energy Requirements

⇒SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	FEED WITH FIBRE 0.76 KCAL/ML	, ,			Nutrini Low Energy	J
Liquiu		4.00	300 IIII OF	•	Multi Fibre	

Standard Supplements

⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant



Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
 \$	Per	✓	Manufacturer

specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.



Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per ✓	Manufacturer	

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (**Long-term medical condition**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or



Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic
 \$	Per	✓	Manufacturer

- 8 Bowel fistula; or
 - 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm3); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 239 - Liquid7.00	Hospital pharmacy 1,000 ml OP	y [HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML — Special Authority see SA1554 on page 239 — Ho Liquid	ospital pharmacy [250 ml OP 1,000 ml OP	✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 Liquid	on page 239 – Ho 1,000 ml OP	ospital pharmacy [HP3] Nutrison 800 Complete Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA1554 on Liquid	page 239 – Hospi 1,000 ml OP	ital pharmacy [HP3] ✓ Jevity RTH ✓ Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see SA1554 of Liquid	n page 239 – Hosp 250 ml OP 1,000 ml OP	✓ Ensure Plus HN

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	1	Manufacturer	

ORAL FEED (POWDER) - Special Authority see SA1554 on page 239 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$26.00 per 85	50 g		
with Endorsement	26.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(26.00)	•	Sustagen Hospital Formula
	(26.00)		Sustagen Hospital Formula Active

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Powder (vanilla) - Higher subsidy of up to \$26.00 per 850 g			
with Endorsement	8.54	857 g OP	✓ Fortisip
	26.00	850 g OP	Ensure
	9.54	840 g OP	
	(26.00)	·	Sustagen Hospital Formula
	(26.00)		Sustagen Hospital Formula Active

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

(Sustagen Hospital Formula Powder (chocolate) to be delisted 1 October 2018) (Sustagen Hospital Formula Powder (vanilla) to be delisted 1 October 2018)

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 239 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml	, ,		•
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with	, ,		
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml with	, ,		•
Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

	Subsidy		Fully	Brand or	
((Manufacturer's Price)	Subs	sidised	Generic	
	\$	Per	1	Manufacturer	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 239 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with

Endura (criocolate) — Fligher Substay of \$1.20 per 200 mil with	0.70	000! OD	
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

High Calorie Products

⇒SA1195 Special Authority for Subsidy

Initial application — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted: and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 abov	/e – Hospital	pharmacy [HP3]	
Liquid	5.50	500 ml OP	✓ Nutrison
			Concentrated
	11.00	1,000 ml OP	Two Cal HN RTH

Subsidy	Fu	ılly Bı	rand or
(Manufacturer's Price)	Subsidis	ed G	ieneric
\$	Per	✓ M	lanufacturer

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

90) Two Cal HN

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107 Powder	' '	nacy [HP3] 00 g OP	
	(5.15)	Healtheries S Baking Mix	
GLUTEN FREE BREAD MIX - Special Authority see SA1107 a	above – Hospital pharm	acy [HP3]	
Powder	3.93 1,0	00 g OP	
	(7.32)	NZB Low Gl Bread Mix	
	3.51		
	(10.87)	Horleys Brea	ad Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 above		[HP3]	
Powder	5.62 2,0 (18.10)	00 g OP Horleys Flou	ır

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e) Su Per	ıbsidised •	Generic Manufacturer
GLUTEN FREE PASTA - Special Authority see SA1107 on the	previous page – Ho	ospital pha	rmacy [H	P3]
Buckwheat Spirals	2.00	250 g OP		
	(3.11)		C	Orgran
Corn and Vegetable Shells	2.00	250 g OP		
	(2.92)		C	Orgran
Corn and Vegetable Spirals	2.00	250 g OP		
	(2.92)		C	Orgran
Rice and Corn Lasagne Sheets	1.60	200 g OP		
	(3.82)		C	Orgran
Rice and Corn Macaroni	2.00	250 g OP		
	(2.92)		C	Orgran
Rice and Corn Penne	2.00	250 g OP		
	(2.92)		C	Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP		
	(2.92)		C	Orgran
Rice and Millet Spirals	2.00	250 g OP		
	(3.11)		C	Orgran
Rice and corn spaghetti noodles	2.00	375 g OP		
	(2.92)		C	Orgran
Vegetable and Rice Spirals	2.00	250 g OP		
	(2.92)		C	Orgran
Italian long style spaghetti	2.00	220 g OP		
	(3.11)		C	Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital pharmacy [HP3]

Subsidy		Fully	Brand or	Ī
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	1	Manufacturer	

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA1108 on the previous page - Hospita	1
pharmacy [HP3]	

Tabs	99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 36 g sachets		30	✓ PKU Anamix Junior
		400 g OP	✓ PKU Anamix Infant
Infant formula		0	
Powder (orange)		500 g OP	✓ XP Maxamaid
5 1 (" " "	320.00	500 00	✓ XP Maxamum
Powder (unflavoured)		500 g OP	✓ XP Maxamaid
	320.00		XP Maxamum
Liquid (berry)	13.10	125 ml OP	✓ PKU Anamix Junior LQ
Liquid (orange)	13.10	125 ml OP	✓ PKU Anamix Junior LQ
Liquid (unflavoured)	13.10	125 ml OP	✓ PKU Anamix Junior LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	 Easiphen Liquid
Liquid (juicy tropical) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Oral semi-solid (berries) 109 g		36 OP	✓ PKU Lophlex Sensation 20
Liquid (juicy berries) 62.5 ml	939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml		30 OP	✓ PKU Lophlex LQ 20
(PKU Lophlex LQ 20 Liquid (juicy citrus) 125 ml to be delis		00 01	- The Espiller Ed 20
I NO Exprison Ex 20 Elquid Juley citius) 120 III to be delis	sicu i Ociobei 2010)		

Foods

LOW PROTEIN BAKING MIX − Special Authority see SA1108 on the previous page − Hospital pharmacy [HP3]

Powder8.22 500 g OP

Loprofin Mix

LOW PROTEIN PASTA - Special Authority see SA11	08 on the previous page -	Hospital pharm	acy [HP3]
Animal shapes	11.91	500 g OP	✓ Loprofin
Lasagne	5.95	250 g OP	✓ Loprofin
Low protein rice pasta	11.91	500 g OP	✓ Loprofin
Macaroni		250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11.91	500 g OP	✓ Loprofin

Infant Formulae

For Premature Infants

PRETERM POST-DISCHARGE INFANT FORMULA – Special Authority see SA1198 on the next page – Hospital pharmacy [HP3]



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

ΑN

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Gastrointestinal and Other Malabsorptive Problems

MINO ACID FORMULA - Special Authority see SA121	9 below - Hospital phar	macy [HP3]	
Powder	43.60	400 g OP	 Alfamino Junior
	53.00	_	✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
		•	✓ Elecare LCP
			✓ Neocate Gold
			 Neocate Junior Unflavoured
Powder (vanilla)	53.00	400 g OP	✓ Elecare
,		J	✓ Neocate Junior Vanilla

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.



Subsidy (Manufacturer's		Fully lised	Brand or Generic	
\$	Per	•	Manufacturer	

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula: and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

⇒SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption: or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure: or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula; and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.



S	ubsidy	Fully	Brand or
(Manufa	cturer's Price)	Subsidised	Generic
	\$ Per	r 🗸	Manufacturer

Fluid Restricted

PAEDIATRIC ORAL/ENTERAL FEED 1 KCAL/ML - Special Authority see SA1698 below - Hospital pharmacy [HP3] Liquid.......2.35 125 ml OP ✓ Infatrini

⇒SA1698 Special Authority for Subsidy

Initial application only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is fluid restricted or volume intolerant and has been diagnosed with faltering growth; and
- 2 Patient is under the care of a paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
- 3 Patient is under 18 months of age or weighs less than 8 kg.

Note: "Volume intolerant" patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Renewal only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient continues to be fluid restricted or volume intolerant and has faltering growth; and
- 2 Patient is under the care of a hospital paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
- 3 Patient is under 18 months of age or weighs less than 8 kg.

Note: "Volume intolerant" patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Authority see SA1197 above - Retail pharmacy

Powder (unflavoured)35.50	300 g OP	✓ KetoCal 4:1
		✓ Ketocal 3:1
Powder (vanilla)35.50	300 g OP	✓ KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule5	✓ Inj 500 mg vial – Subsidy by endorsement – See
✓ Inj 1 in 10,000, 10 ml ampoule	note on page 1015
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See note
✓ Inj 25 mg per ml, 10 ml ampoule5	on page 1015
	CHARCOAL
AMIODARONE HYDROCHLORIDE	✓ Oral liq 50 g per 250 ml250 ml
✓ Inj 50 mg per ml, 3 ml ampoule5	CHLORPROMAZINE HYDROCHLORIDE
AMOXICILLIN	✓ Tab 10 mg30
✓ Cap 250 mg30	✓ Tab 10 mg
✓ Cap 500 mg30	✓ Tab 100 mg30
✓ Grans for oral liq 125 mg per 5 ml200 ml	✓ Inj 25 mg per ml, 2 ml5
Grans for oral liq 250 mg per 5 ml300 ml	CIPROFLOXACIN
✓ Inj 1 g vial5	✓ Tab 250 mg – See note on page 106
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 500 mg – See note on page 106
✓ Tab 500 mg with clavulanic acid 125 mg30	COMPOUND ELECTROLYTES
✓ Grans for oral liq amoxicillin 25 mg with clavulanic	✓ Powder for oral soln10
acid 6.25 mg per ml200 ml	
✓ Grans for oral liq amoxicillin 50 mg with clavulanic	CONDOMS
acid 12.5 mg per ml200 ml	✓ 49 mm
ASPIRIN	✓ 53 mm
✓ Tab dispersible 300 mg30	✓ 53 mm (chocolate)
ATROPINE SULPHATE	✓ 56 mm
✓ Inj 600 mcg per ml, 1 ml ampoule5	✓ 56 mm, shaped
	✓ 60 mm
AZITHROMYCIN	CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL
✓ Tab 500 mg – See note on page 1028	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	7 inert tabs168
✓ Tab 2.5 mg – See note on page 65150	DEXAMETHASONE
BENZATHINE BENZYLPENICILLIN	✓ Tab 0.5 mg – Retail pharmacy-Specialist60
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe5	✓ Tab 4 mg – Retail pharmacy-Specialist
BENZATROPINE MESYLATE	9 , , , ,
✓ Inj 1 mg per ml, 2 ml10	DEXAMETHASONE PHOSPHATE
BENZYLPENICILLIN SODIUM [PENICILLIN G]	Inj 4 mg per ml, 1 ml ampoule – See note on page 905
✓ Inj 600 mg (1 million units) vial	✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 905
BLOOD KETONE DIAGNOSTIC TEST STRIP	DIAZEPAM
✓ Test strips – Subsidy by endorsement – See note	✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by
on page 2610	endorsement – See note on page 1415
	Rectal tubes 5 mg
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Rectal tubes 10 mg5
✓ Meter with 50 lancets, a lancing device and	DICLOFENAC SODIUM
10 diagnostic test strips – Subsidy by	✓ Inj 25 mg per ml, 3 ml ampoule5
endorsement – See note on page 281	✓ Suppos 50 mg
✓ Meter with 50 × lancets, 10 × diagnostic test	DIGOXIN
strips and a lancing device – Subsidy by	✓ Tab 62.5 mcg30
endorsement – See note on page 281	✓ Tab 250 mcg30
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	DOXYCYCLINE
✓ Test strips – See note on page 2950 test	✓ Tab 50 mg30
BLOOD KETONE DIAGNOSTIC TEST METER	✓ Tab 100 mg30
✓ Meter – See note on page 261	continued

PRACTITIONER'S SUPPLY ORDERS

/ · · · · · · · · · · ·	
(continued) DUAL BLOOD GLUCOSE AND BLOOD KETONE	GLYCOPYRRONIUM B
DIAGNOSTIC TEST METER	✓ Inj 200 mcg per ml, 1
✓ Meter with 50 lancets, a lancing device and	HALOPERIDOL
10 blood glucose diagnostic test strips –	✓ Tab 500 mcg
Subsidy by endorsement – See note on page 271	✓ Tab 1.5 mg
ERGOMETRINE MALEATE	✓ Tab 5 mg
✓ Inj 500 mcg per ml, 1 ml ampoule5	✓ Oral lig 2 mg per ml
ERYTHROMYCIN ETHYL SUCCINATE	✓ Inj 5 mg per ml, 1 ml
✓ Tab 400 mg20	HALOPERIDOL DECAN
✓ Grans for oral liq 200 mg per 5 ml300 ml	✓ Inj 50 mg per ml, 1 m
✓ Grans for oral liq 400 mg per 5 ml200 ml	✓ Inj 100 mg per ml, 1 r
ERYTHROMYCIN STEARATE	HYDROCORTISONE
Tab 250 mg30	✓ Inj 100 mg vial
ETHINYLOESTRADIOL WITH DESOGESTREL	HYDROXOCOBALAMIN
Tab 20 mcg with desogestrel 150 mcg and 7 inert tab 84	✓ Inj 1 mg per ml, 1 ml
Tab 30 mcg with desogestrel 150 mcg and 7 inert tab 84	HYOSCINE BUTYLBRO
ETHINYLOESTRADIOL WITH LEVONORGESTREL	✓ Inj 20 mg, 1 ml
✓ Tab 20 mcg with levonorgestrel 100 mcg and	, .
7 inert tablets84	INTRA-UTERINE DEVIC
✓ Tab 50 mcg with levonorgestrel 125 mcg and	✓ IUD 29.1 mm length >
7 inert tab84	✓ IUD 33.6 mm length >
Tab 30 mcg with levonorgestrel 150 mcg63	✓ IUD 35.5 mm length >
✓ Tab 30 mcg with levonorgestrel 150 mcg and	IPRATROPIUM BROMII
7 inert tablets84	✓ Aerosol inhaler, 20 m
ETHINYLOESTRADIOL WITH NORETHISTERONE	✓ Nebuliser soln, 250 m
✓ Tab 35 mcg with norethisterone 1 mg63	Nebuliser soln, 250 m
✓ Tab 35 mcg with norethisterone 1 mg and 7 inert tab84	IVERMECTIN
✓ Tab 35 mcg with norethisterone 500 mcg63	✓ Tab 3 mg – See note
✓ Tab 35 mcg with norethisterone 500 mcg and	KETONE BLOOD BETA
7 inert tab84	✓ Test strip
FLUCLOXACILLIN	LEVONORGESTREL
✓ Cap 250 mg30	Tab 30 mcg
✓ Grans for oral liq 25 mg per ml200 ml	✓ Tab 1.5 mg – See not
✓ Grans for oral liq 50 mg per ml200 ml	 Subdermal implant (2
✓ Inj 1 g vial5	LIDOCAINE [LIGNOCAI
FLUPENTHIXOL DECANOATE	✓ Gel 2%, tube – Subsi
✓ Inj 20 mg per ml, 1 ml5	note on page 13
✓ Inj 20 mg per ml, 2 ml5	Gel 2%, 10 ml urethra
✓ Inj 100 mg per ml, 1 ml5	endorsement -
FUROSEMIDE [FRUSEMIDE]	LIDOCAINE [LIGNOCAI
✓ Tab 40 mg30	✓ Inj 1%, 5 ml ampoule
✓ Inj 10 mg per ml, 2 ml ampoule5	✓ Inj 2%, 5 ml ampoule
GLUCAGON HYDROCHLORIDE	Inj 1%, 20 ml ampoul
✓ Inj 1 mg syringe kit5	✓ Inj 1%, 20 ml vial
GLUCOSE [DEXTROSE]	✓ Inj 2%, 20 ml ampoul
✓ Inj 50%, 10 ml ampoule5	✓ Inj 2%, 20 ml vial
✓ Inj 50%, 90 ml bottle5	LIDOCAINE [LIGNOCAI
GLYCERYL TRINITRATE	✓ Gel 2% with chlorhex
✓ Tab 600 mcg100	syringes – Subs
✓ Oral pump spray, 400 mcg per dose250 dose	note on page 13
✓ Oral spray, 400 mcg per dose250 dose	

GLYCOPYRRONIUM BROMIDE	
✓ Inj 200 mcg per ml, 1 ml ampoule	10
HALOPERIDOL	
✓ Tab 500 mcg	30
✓ Tab 1.5 mg	30
✓ Tab 5 mg	
✓ Oral liq 2 mg per ml	
✓ Inj 5 mg per ml, 1 ml ampoule	5
HALOPERIDOL DECANOATE	
✓ Inj 50 mg per ml, 1 ml	5
✓ Inj 100 mg per ml, 1 ml	5
HYDROCORTISONE	-
✓ Inj 100 mg vial	5
HYDROXOCOBALAMIN ✓ Inj 1 mg per ml, 1 ml ampoule	6
HYOSCINE BUTYLBROMIDE	b
✓ Inj 20 mg, 1 ml	5
INTRA-UTERINE DEVICE	
✓ IUD 29.1 mm length × 23.2 mm width	40
✓ IUD 33.6 mm length × 29.9 mm width	
✓ IUD 35.5 mm length × 19.6 mm width	
IPRATROPIUM BROMIDE	
✓ Aerosol inhaler, 20 mcg per dose CFC-free	400 dose
✓ Nebuliser soln, 250 mcg per ml, 1 ml ampoule	
✓ Nebuliser soln, 250 mcg per ml, 2 ml ampoule	
IVERMECTIN	
✓ Tab 3 mg – See note on page 78	100
KETONE BLOOD BETA-KETONE ELECTRODES	
✓ Test strip	10
LEVONORGESTREL	
Tab 30 mcg	84
✓ Tab 1.5 mg – See note on page 85	
✓ Subdermal implant (2 × 75 mg rods)	3
LIDOCAINE [LIGNOCAINE]	
✓ Gel 2%, tube – Subsidy by endorsement – See	450 1
note on page 135	150 mi
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	-
endorsement – See note on page 135	5
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	0.5
✓ Inj 1%, 5 ml ampoule ✓ Inj 2%, 5 ml ampoule	25
✓ Inj 1%, 3 ml ampoule	
✓ Inj 1%, 20 ml vial	
✓ Inj 2%, 20 ml ampoule	5
✓ Inj 2%, 20 ml vial	5
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINI	
✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral	
syringes - Subsidy by endorsement - See	
note on page 136	5
CO	ntinued

(continued)	
LOPERAMIDE HYDROCHLORIDE	PEAK FLOW METER
✓ Tab 2 mg30	✓ Low range
✓ Cap 2 mg	✓ Normal range
MASK FOR SPACER DEVICE	PETHIDINE HYDROC
✓ Small – See note on page 21550	✓ Inj 50 mg per ml, 1
MEDROXYPROGESTERONE ACETATE	controlled dru
✓ Inj 150 mg per ml, 1 ml syringe5	✓ Inj 50 mg per ml, 2
METOCLOPRAMIDE HYDROCHLORIDE	controlled drug
✓ Inj 5 mg per ml, 2 ml ampoule	PHENOXYMETHYLPI
METRONIDAZOLE	✓ Cap 250 mg
✓ Tab 200 mg30	✓ Cap 500 mg
MIDAZOLAM	✓ Grans for oral liq 12
✓ Inj 1 mg per ml, 5 ml plastic ampoule – See note	✓ Grans for oral liq 25
on page 16010	PHENYTOIN SODIUM
✓ Inj 5 mg per ml, 3 ml plastic ampoule – See note	✓ Inj 50 mg per ml, 2
on page 1605	✓ Inj 50 mg per ml, 5
MORPHINE SULPHATE	PHYTOMENADIONE
✓ Inj 5 mg per ml, 1 ml ampoule – Only on a	✓ Inj 2 mg per 0.2 ml
controlled drug form5	✓ Inj 10 mg per ml, 1 PIPOTHIAZINE PALM
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a	✓ Inj 50 mg per ml, 1
controlled drug form5	- See note on
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a	✓ Inj 50 mg per ml, 2
controlled drug form5	- See note on
✓ Inj 30 mg per ml, 1 ml ampoule – Only on a	PREDNISOLONE
controlled drug form5	✓ Oral liq 5 mg per m
NALOXONE HYDROCHLORIDE	PREDNISONE
✓ Inj 400 mcg per ml, 1 ml ampoule5	✓ Tab 5 mg
NICOTINE	PREGNANCY TESTS
✓ Patch 7 mg – See note on page 166	✓ Cassette
✓ Patch 14 mg – See note on page 16628	PROCAINE PENICILL
✓ Patch 21 mg – See note on page 16628	✓ Inj 1.5 g in 3.4 ml sy
Lozenge 1 mg – See note on page 166216	PROCHLORPERAZIN
Lozenge 2 mg – See note on page 166216	✓ Tab 5 mg
Gum 2 mg (Fruit) – See note on page 166	✓ Inj 12.5 mg per ml,
✓ Gum 2 mg (Mint) – See note on page 166	PROMETHAZINE HYI
✓ Gum 4 mg (Mint) – See note on page 166	✓ Inj 25 mg per ml, 2
NORETHISTERONE	SALBUTAMOL
✓ Tab 350 mcg84	✓ Inj 500 mcg per ml,
✓ Tab 550 mg	✓ Aerosol inhaler, 100
OXYTOCIN	free
✓ Inj 5 iu per ml, 1 ml ampoule5	✓ Nebuliser soln, 1 m ✓ Nebuliser soln, 2 m
✓ Inj 3 id per mi, 1 mi ampoule	SALBUTAMOL WITH
OXYTOCIN WITH ERGOMETRINE MALEATE	✓ Nebuliser soln, 2.5
✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml5	0.5 mg per via
PARACETAMOL	SODIUM BICARBONA
	✓ Inj 8.4%, 50 ml
✓ Tab 500 mg - blister pack	✓ Inj 8.4%, 100 ml
✓ Oral liq 250 mg per 5 ml	, 5 / 6, 100 111 111

Low range	0.5
Normal range	25
PETHIDINE HYDROCHLORIDE	20
✓ Inj 50 mg per ml, 1 ml ampoule – Only on a	_
controlled drug form	5
✓ Inj 50 mg per ml, 2 ml ampoule – Only on a	_
controlled drug form	5
PHENOXYMETHYLPENICILLIN (PENICILLIN V)	
✓ Cap 250 mg	30
✓ Cap 500 mg	
✓ Grans for oral liq 125 mg per 5 ml	200 ml
✓ Grans for oral liq 250 mg per 5 ml	300 ml
PHENYTOIN SODIUM	
✓ Inj 50 mg per ml, 2 ml ampoule	
✓ Inj 50 mg per ml, 5 ml ampoule	5
PHYTOMENADIONE	
✓ Inj 2 mg per 0.2 ml	5
✓ Inj 10 mg per ml, 1 ml	
PIPOTHIAZINE PALMITATE	
✓ Inj 50 mg per ml, 1 ml – Subsidy by endorsemer	nt
- See note on page 150	
✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsemer	
- See note on page 150	. 5
PREDNISOLONE	
✓ Oral liq 5 mg per ml – See note on page 91	30 ml
PREDNISONE	
✓ Tab 5 mg	30
PREGNANCY TESTS - HCG URINE	00
Cassette	200 toot
PROCAINE PENICILLIN	200 1631
✓ Inj 1.5 g in 3.4 ml syringe	5
PROCHLORPERAZINE	
	00
✓ Tab 5 mg	
Inj 12.5 mg per ml, 1 ml	5
PROMETHAZINE HYDROCHLORIDE	_
Inj 25 mg per ml, 2 ml ampoule	5
SALBUTAMOL	_
✓ Inj 500 mcg per ml, 1 ml	5
✓ Aerosol inhaler, 100 mcg per dose CFC	
free	
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule	
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule	30
SALBUTAMOL WITH IPRATROPIUM BROMIDE	
Nebuliser soln, 2.5 mg with ipratropium bromide	!
0.5 mg per vial, 2.5 ml ampoule	20
SODIUM BICARBONATE	
✓ Inj 8.4%, 50 ml	
✓ Inj 8.4%, 100 ml	5
	continued

PRACTITIONER'S SUPPLY ORDERS

(continued)	
SODIUM CHLORIDE	
✓ Inj 0.9%, bag – See note on page 572000 ml ✓ Inj 0.9%, 5 ml ampoule – See note on page 575	TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMOXAZOLE]
✓ Inj 0.9%, 10 ml ampoule – See note on page 575	✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg30
SPACER DEVICE	✓ Oral liq 8 mg sulphamethoxazole 40 mg per
✓ 220 ml (single patient)50	ml200 ml
✓ 510 ml (single patient)50	VERAPAMIL HYDROCHLORIDE
✓ 800 ml50	✓ Inj 2.5 mg per ml, 2 ml ampoule5 WATER
SULFADIAZINE SILVER	✓ Inj 5 ml ampoule – See note on page 575
✓ Crm 1%250 g	✓ Inj 10 ml ampoule – See note on page 575
	✓ Inj 20 ml ampoule – See note on page 575
TRIMETHOPRIM ✓ Tab 300 mg30	ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND

Northland DHB
Dargaville
Hikurangi
Kaeo
Kaikohe
Kaitaia
Kawakawa
Kerikeri

Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

Waitemata DHB

Helensville
Huapai
Kumeu
Snells Beach
Waimauku
Warkworth
Wellsford

Auckland DHB Great Barrier Island

Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga

Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan
Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi
Whangamata
Whitianga

Whitianga

Bay of Plenty DHB

Edgecumbe

Katikati

Kawerau

Murupara

Opotiki

Taneatua

Te Kaha

Waihi Beach

Whakatane

Lakes DHB

Mangakino

Turangi

Tairawhiti DHB
Ruatoria
Te Araroa
Te Karaka
Te Puia Springs
Tikitiki
Tokomaru Bay
Tolaga Bay

Taranaki DHB Eltham Inglewood Manaia Oakura

Oakura
Okato
Opunake
Patea
Stratford
Waverley

Hawkes Bay DHB Waipawa Waipukurau Wairoa Whanganui DHB Bulls Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB
Dannevirke
Foxton
Levin
Otaki
Pahiatua
Shannon
Woodville

Wairarapa DHB Carteron Featherston Greytown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB Havelock Mapua Motueka Murchison Picton Takaka

Wakefield

West Coast DHB
Dobson
Greymouth
Hokitika
Karamea
Reefton
South Westland
Westport

Canterbury DHB Akaroa Amberley

Whataroa

Amuri Chatham Islands Cheviot

Darfield

Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

South Canterbury DHB Fairlie Geraldine

Geraldine Pleasant Point Temuka Twizel Waimate

Southern DHB Alexandra Ralclutha Cromwell Gore Kurow Lawrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau

Tokonui

Wanaka

Winton

Tuatapere

SECTION F: COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots:
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a *within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area:
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply.
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F: Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE
Tab 100 mg Cordarone-X
Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Cap long-acting Tambocor CR

100 mg

Cap long-acting Tambocor CR

200 mg

MEXILETINE HYDROCHLORIDE

MINOXIDII

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg

Desmopressin-PH&T

per dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SECTION G: SAFETY CAP MEDICINES

Pharmacists should endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the
 particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral liq 30 mg (6 mg

Ferodan

CI OBAZAM Tab 10 mg

Frisium

(Extemporaneously compounded oral liquid preparations)

elemental) per 1 ml

CLONAZEPAM

Oral drops 2.5 mg per ml Rivotril

CARDIOVASCUL AR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed DIAZEPAM Tab 2 mg

Arrow-Diazepam

Tab 5 mg Arrow-Diazepam (Extemporaneously compounded oral liquid preparations)

CAPTOPRIL

Oral lig 5 mg per ml Capoten

ETHOSUXIMIDE

Oral liq 250 mg per 5 ml 7arontin

CHI OROTHIAZIDE

Oral lig 50 mg per ml Biomed

I EVETIRACETAM

Oral liq 100 mg per ml Levetiracetam-AFT

DIGOXIN

Oral lig 50 mcg per ml Lanoxin

Lanoxin S29

I ORAZEPAM

FUROSEMIDE [FRUSEMIDE]

Oral lig 10 mg per ml Lasix Tab 1 mg Ativan Tab 2.5 mg Ativan

SPIRONOLACTONE

I ORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

Oral lig 5 mg per ml

Biomed

(Extemporaneously compounded oral liquid preparations)

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 mcg Synthroid Tab 50 mcg Eltroxin

Mercury Pharma

Synthroid

Eltroxin

Mercury Pharma

Synthroid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

MORPHINE HYDROCHLORIDE

Oral liq 2 mg per ml **Biodone** Oral lig 5 mg per ml Biodone Forte Oral lig 10 mg per ml Biodone Extra Forte

Oral liq 1 mg per ml RA-Morph Oral lig 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph Oral lig 10 mg per ml RA-Morph

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 100 mcg

Tab 300 mg Q 300 (Extemporaneously compounded oral liquid preparations)

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

NITRAZEPAM Tab 5 mg

> Tab 10 mg Ox-Pam Ox-Pam Tab 15 mg

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN

Oral liq 20 mg per ml Fenpaed OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Oral lig 250 mg per 5 ml

Paracare Paracare Double

Nitrados

Strength

NERVOUS SYSTEM

CARBAMAZEPINE

Oral lig 20 mg per ml Tegretol

SAFETY CAP MEDICINES

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VAI PROATE

Oral lig 200 mg per 5 ml

Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHI ORIDE

Oral liq 1 mg per 1 ml Allersoothe

SAI BUTAMOI

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

SECTION I: NATIONAL IMMUNISATION SCHEDULE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients; or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds; or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

Danish strain 1331, live attenuated, vial with diluent.................0.00 10 **✔ BCG Vaccine**

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg

pertussis toxoid, 8 mcg pertussis filamentous

0 ✓ Boostrix

✓ Boostrix

261

	Subsidy (Manufacturer's Price) \$	Per	Fu Subsidis		Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE - Funded for any of the following:	- [Xpharm]				
A single dose for children up to the age of 7 who have of 2) A course of four vaccines is funded for catch up program primary immunisation; or					s) to complete full
3) An additional four doses (as appropriate) are funded for pre- or post splenectomy; pre- or post solid organ trans regimens; or Output Description:					
Five doses will be funded for children requiring solid org	gan transplantation.				
Note: Please refer to the Immunisation Handbook for approp Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe		tch up			s. anrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B A					
[Xpharm] Funded for patients meeting any of the following criteria:					
 Up to four doses for children up to and under the age o An additional four doses (as appropriate) are funded for 10 who are patients post haematopoietic stem cell transpost solid organ transplant, renal dialysis and other sev Up to five doses for children up to and under the age of 	r (re-)immunisation for splantation, or chemo- erely immunosuppres	r child therap ssive	dren up py; pre o regimen	or pos s; or	st splenectomy; pre- or
Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the Improgrammes.					
Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen in 0.5ml syringe	0.00	10		∕ Inf	anrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following:		.0		<u></u>	<u></u>
 For primary vaccination in children; or An additional dose (as appropriate) is funded for (re-)im transplantation, or chemotherapy; functional asplenic; por post cochlear implants, renal dialysis and other seve For use in testing for primary immunodeficiency disease paediatrician. 	re or post splenecton rely immunosuppress	ny; pr sive re	e- or po	st soli ; or	id organ transplant, pre-
Haemophilus Influenzae type B polysaccharide 10 mcg conjugated to tetanus toxoid as carrier protein 20-40 mcg prefilled syringe plus vial 0.5 ml		1	•	/ <u>Hit</u>	<u>perix</u>

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

HEPATITIS A VACCINE - [Xpharm]

Funded for patients meeting any of the following criteria:

- 1) Two vaccinations for use in transplant patients; or
- 2) Two vaccinations for use in children with chronic liver disease; or
- 3) One dose of vaccine for close contacts of known hepatitis A cases.

Inj 1440 ELISA units in 1 ml syringe	0.00	1	✓ Havrix
Inj 720 ELISA units in 0.5 ml syringe	0.00	1	✓ Havrix Junior

PATITIS B RECOMBINANT VACCINE – [Xpharm] Inj 5 mcg per 0.5 ml vial	titis B patients or he antigen (HBsAg) ive who are consider primary course of se; or	, positive lered no	B carrier e; or t to have ation; or	•
Inj 5 mcg per 0.5 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	titis B patients or he antigen (HBsAg) ive who are consider primary course of se; or	epatitis) positive lered no f vaccin	B carrier e; or t to have ation; or	s; or
Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	titis B patients or he antigen (HBsAg) ive who are consider primary course of se; or	epatitis) positive lered no f vaccin	B carrier e; or t to have ation; or	s; or
for household or sexual contacts of known acute hepa for children born to mothers who are hepatitis B surfact for children up to and under the age of 18 years inclust serology and require additional vaccination or require for HIV positive patients; or for hepatitis C positive patients; or for patients following non-consensual sexual intercourty for patients following immunosuppression; or for solid organ transplant patients; or for post-haematopoietic stem cell transplant (HSCT) pull following needle stick injury. Inj 10 mcg per 1 ml vial	te antigen (HBsAg) ive who are consic a primary course o se; or atients; or) positive dered no f vaccin	e; or t to have ation; or	•
2) for children born to mothers who are hepatitis B surfact 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	te antigen (HBsAg) ive who are consic a primary course o se; or atients; or) positive dered no f vaccin	e; or t to have ation; or	•
3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	ive who are consideral primary course of se; or atients; or	dered no f vaccin	t to have ation; or	achieved a positive
serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	a primary course o se; or atients; or	f vaccin	ation; or	аспечеи а розпиче
4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	se; or atients; or			
5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	atients; or	1	√ 11	
for patients following non-consensual sexual intercour for patients following immunosuppression; or for solid organ transplant patients; or for post-haematopoietic stem cell transplant (HSCT) p following needle stick injury. Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: for household or sexual contacts of known acute hepa for children born to mothers who are hepatitis B surfacts for children up to and under the age of 18 years inclusive serology and require additional vaccination or require for HIV positive patients; or	atients; or	1	√ ⊔	
7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	atients; or	1	√ ⊔	
8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	·	1	√ ⊔	
9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	·	1	√ ⊔	
Inj 10 mcg per 1 ml vial	·	1	√ ⊔	
Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	0.00	1	√ ⊔	
Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	0.00	1	√ ⊔	
Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or				IBvaxPRO
 for household or sexual contacts of known acute hepa for children born to mothers who are hepatitis B surfact for children up to and under the age of 18 years inclus serology and require additional vaccination or require for HIV positive patients; or 				
 for children born to mothers who are hepatitis B surfact for children up to and under the age of 18 years inclus serology and require additional vaccination or require for HIV positive patients; or 	titis B natients or h	enatitis	B carrier	s: or
 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 				5, 61
serology and require additional vaccination or require 4) for HIV positive patients; or				achieved a positive
4) for HIV positive patients; or				domovou a poomvo
	a pa., coa.co c		u, o.	
6) for patients following non-consensual sexual intercour	se; or			
7) for patients following immunosuppression; or	•			
8) for solid organ transplant patients; or				
9) for post-haematopoietic stem cell transplant (HSCT) p	atients; or			
10) following needle stick injury.				
Inj 20 mcg per 1 ml prefilled syringe	0.00	1	√ E	ngerix-B
Funded for patients meeting any of the following criteria:				
1) for household or sexual contacts of known acute hepa	titis B patients or h	epatitis	B carrier	s; or
2) for children born to mothers who are hepatitis B surface	e antigen (HBsAg)) positive	e; or	
3) for children up to and under the age of 18 years inclus				achieved a positive
serology and require additional vaccination or require	a primary course o	f vaccin	ation; or	
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
for patients following non-consensual sexual intercour	se; or			
7) for patients following immunosuppression; or				
8) for solid organ transplant patients; or				
for post-haematopoietic stem cell transplant (HSCT) p	atients; or			
10) following needle stick injury.				
Inj 40 mcg per 1 ml vial	0.00	1	✓ H	IBvaxPRO
Funded for any of the following criteria:			_	
1) for dialysis patients; or				
for liver or kidney transplant patient.				

✓ fully subsidised [HP4] refer page 4

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

 $HUMAN\ PAPILLOMAVIRUS\ (6,\ 11,\ 16,\ 18,\ 31,\ 33,\ 45,\ 52\ AND\ 58)\ VACCINE\ [HPV]\ -[Xpharm]$

Any of the following:

- 1) Maximum of two doses for children aged 14 years and under; or
- 2) Maximum of three doses for patients meeting any of the following criteria:
 - 1) People aged 15 to 26 years inclusive; or
 - 2) Either:

People aged 9 to 26 years inclusive

- 1) Confirmed HIV infection; or
- 2) Transplant (including stem cell) patients: or
- 3) Maximum of four doses for people aged 9 to 26 years inclusive post chemotherapy

Subsidy (Manufacturer's Price)	Subsi Per	Fully dised	Brand or Generic Manufacturer
Ψ	1 01		- Iviarialactaroi

INFLUENZA VACCINE

Inj 60 mcg in 0.5 ml syringe (paediatric quadrivalent vaccine) -

[Xpharm]......9.00 1 ✓ Fluarix Tetra

A) INFLUENZA VACCINE – child aged 6 months to 35 months

is available each year for patients aged 6 months to 35 months who meet the following criteria, as set by PHARMAC:

- i) have any of the following cardiovascular diseases
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
- ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
- iii) have diabetes; or
- iv) have chronic renal disease; or
- v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
- vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
- vii) have been hospitalised for respiratory illness or have a history of significant respiratory illness:
- viii) are living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);
- ix) have been displaced from their homes in Edgecumbe and the surrounding region;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine inj 60 mcg in 0.5 ml syringe (paediatric quadrivalent vaccine) to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.

Inj 60 mcg in 0.5 ml syringe (quadrivalent vaccine)......90.00 10 ✓ Influvac Tetra

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

- a) Only on a prescription
- b) No patient co-payment payable

A) INFLUENZA VACCINE - people 3 years and over

is available each year for patients aged 3 years and over who meet the following criteria, as set by PHARMAC:

- a) all people 65 years of age and over; or
- b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease: or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
- c) children aged four years or less (but over three years) who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
- d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board):
- e) People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy.
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm] A maximum of two doses for any patient meeting the following criteria: 1) For primary vaccination in children; or 2) For revaccination following immunosuppression; or 3) For any individual susceptible to measles, mumps or rubella; or 4) A maximum of three doses for children who have had their first dose prior to 12 months. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes. Injection, measles virus 1.000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled 10 Priorix MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE - [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or 4) A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days. Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier Menactra MENINGOCOCCAL C CONJUGATE VACCINE - [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients: or 4) A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days. ✓ Neisvac-C PNEUMOCOCCAL (PCV10) CONJUGATE VACCINE - [Xpharm] Fither: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV13. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Ini 1 mcg of pneumococcal polysaccharide serotypes 1, 5, 6B. 7F, 9V, 14 and 23F; 3 mcg of pneumococcal polysaccharide serotypes 4, 18C and 19F in 0.5 ml 10 Synflorix

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE - [Xpharm]

Any of the following:

- One dose is funded for high risk children (over the age of 17 months and under 18 years) who have previously received four doses of PCV10: or
- 2) Up to an additional four doses (as appropriate) are funded for high risk children aged under 5 years for (re-)immunisation of patients with any of the following:
 - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
 - b) with primary immune deficiencies: or
 - c) with HIV infection; or
 - d) with renal failure, or nephrotic syndrome; or
 - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
 - f) with cochlear implants or intracranial shunts; or
 - g) with cerebrospinal fluid leaks; or
 - h) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
 - i) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
 - j) pre term infants, born before 28 weeks gestation; or
 - k) with cardiac disease, with cyanosis or failure; or
 - I) with diabetes; or
 - m) with Down syndrome; or
 - n) who are pre-or post-splenectomy, or with functional asplenia; or
- 3) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients 5 years and over with HIV, for patients pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- 4) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

svringe		0.00	10	✓ Prevenar 13
5, 6A, 6B, 7F, 9V	', 14, 18C, 19A, 19F and 23F in 0.5ml			
Inj 30.8 mcg of pneum	nococcal polysaccharide serotypes 1, 3, 4,			
Note: please refer to	the Immunisation Handbook for the appropriat	ie schedule foi	r catch up pr	ogrammes

Prevenar 13

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE – Either:	[Xpharm]		
Up to three doses (as appropriate) for patients with H chemotherapy; pre- or post-splenectomy or with funct complement deficiency (acquired or inherited), cochle All of the following:	ional asplenia, pre- or p	oost-solid organ t	ransplant, renal dialysis,
a) Patient is a child under 18 years for (re-)immunib) Treatment is for a maximum of two doses; andc) Any of the following:	sation; and		
i) on immunosuppressive therapy or radiatio immune response; or ii) with primary immune deficiencies; or iii) with HIV infection; or iv) with renal failure, or nephrotic syndrome; or	,,,	nen there is expe	cted to be a sufficient
v) who are immune-suppressed following orgor	an transplantation (incl	uding haematopo	pietic stem cell transplant);
 vi) with cochlear implants or intracranial shun vii) with cerebrospinal fluid leaks; or viii) receiving corticosteroid therapy for more the prednisone of 2 mg/kg per day or greater, 20 mg or greater; or 	nan two weeks, and wh		
 ix) with chronic pulmonary disease (including x) pre term infants, born before 28 weeks ge xi) with cardiac disease, with cyanosis or failu 	station; or	gh-dose corticost	eroid therapy); or
xii) with diabetes; or xiii) with Down syndrome; or xiv) who are pre-or post-splenectomy, or with t	unctional asplenia.		
Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)	0.00	1 ✓ <u>P</u>	neumovax 23
Up to three doses for patients meeting either of the followin 1) For partially vaccinated or previously unvaccinated in 2) For revaccination following immunosuppression.	•		
Note: Please refer to the Immunisation Handbook for appr Inj 80D antigen units in 0.5 ml syringe	0.00	ch-up programm 1 🗸 <u>II</u>	
no vaccination being administered to children aged 24			

Oral susp live attenuated human rotavirus

1,000,000 CCID50 per dose, prefilled oral applicator......0.00

10

✓ Rotarix

Subsidised

Fully

Brand or

Generic

Subsidy

(Manufacturer's Price)

Per Manufacturer VARICELLA VACCINE [CHICKENPOX VACCINE] - [Xpharm] Either: 1) Maximum of one dose for primary vaccination for either: a) Any infant born on or after 1 April 2016; or b) For previously unvaccinated children turning 11 years old on or after 1 July 2017, who have not previously had a varicella infection (chickenpox), or 2) Maximum of two doses for any of the following: a) Any of the following for non-immune patients: i) with chronic liver disease who may in future be candidates for transplantation; or ii) with deteriorating renal function before transplantation; or iii) prior to solid organ transplant; or iv) prior to any elective immunosuppression*, or v) for post exposure prophylaxis who are immune competent inpatients.; or b) For patients at least 2 years after bone marrow transplantation, on advice of their specialist, or c) For patients at least 6 months after completion of chemotherapy, on advice of their specialist, or d) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist, or e) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella, or f) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella, or g) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella. * immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than ✓ Varilrix ✓ Varilrix VARICELLA ZOSTER VIRUS (OKA STRAIN) LIVE ATTENUATED VACCINE [SHINGLES VACCINE] - [Xpharm] Funded for patients meeting either of the following criteria: 1) One dose for all people aged 65 years; or 2) One dose for all people aged between 66 and 80 years inclusive from 1 April 2018 and 31 March 2020. ✓ Zostavax 1 ✓ Zostavax 10 **Diagnostic Agents** TUBERCULIN PPD [MANTOUX] TEST - [Xpharm] Tubersol

- Symbols -	Renin-Angiotensin System 59	Animas Battery Cap3
3TC121	Agents for Parkinsonism and Related	Animas Cartridge3
50X 3.0 Reservoir39	Disorders 134	Animas Vibe3
- A -	Agents Used in the Treatment of	Anoro Ellipta21
A-Scabies79	Poisonings222	Antabuse16
Abacavir sulphate120	Agrylin173	Antacids and Antiflatulants2
Abacavir sulphate with	Alanase215	Anten 14
lamivudine120	Albendazole101	Anthelmintics 10
Abilify147	Albey209	Antiacne Preparations7
Abiraterone acetate184	Albustix88	Antiallergy Preparations20
Acarbose25	Aldurazyme44	Antianaemics5
Accu-Chek Performa29	Alendronate sodium128	Antiandrogen Oral
Accuretic 1060	Alendronate sodium with	Contraceptives8
Accuretic 2060	colecalciferol128	Antiarrhythmics6
Acetazolamide219	Alfacalcidol46	Antibacterials10
Acetic acid with 1, 2- propanediol	Alfamino Junior248	Antibacterials Topical7
diacetate and	Alginic acid20	Anticholinergic Agents21
benzethonium217	Alglucosidase alfa42	Anticholinesterases12
Acetic acid with hydroxyquinoline and	Alkeran 169	Antidepressants13
ricinoleic acid86	Allersoothe210	Antidiarrhoeals2
Acetylcysteine222	Allopurinol131	Antiepilepsy Drugs14
Aci-Jel86	Alpha Adrenoceptor Blockers 59	Antifibrinolytics, Haemostatics and
Aciclovir	Alpha-Keri Lotion77	Local Sclerosants5
Infection114	Alphamox 125104	Antifibrotics21
Sensory217	Alphamox 250104	Antifungals10
Acidex20	Alu-Tab20	Antifungals Topical7
Acipimox65	Aluminium hydroxide20	Antihistamines20
Acitretin80	Amantadine hydrochloride134	Antihypotensives6
Aclasta130	Ambrisentan69	Antimalarials11
Aclin125	Amiloride hydrochloride64	Antimigraine Preparations14
Actinomycin D174	Amiloride hydrochloride with	Antinaus14
Actrapid24	furosemide65	Antinausea and Vertigo Agents 14
Actrapid Penfill24	Amiloride hydrochloride with	Antiparasitics11
Acupan136	hydrochlorothiazide65	Antipruritic Preparations7
Adalat 1063	Aminophylline214	Antipsychotics14
Adalat Oros63	Amiodarone hydrochloride60	Antiretrovirals11
Adalimumab193	Amisulpride147	Antirheumatoid Agents12
Adapalene72	Amitriptyline 139	Antispasmodics and Other Agents
Adefin63	Amlodipine63	Altering Gut Motility2
Adefovir dipivoxil113	Amorolfine73	Antithrombotic Agents5
Adenuric132	Amoxicillin104	Antithymocyte globulin
ADR Cartridge 1.839	Amoxicillin with clavulanic acid104	(equine) 19
Adrenaline68	Amphotericin B45	Antitrichomonal Agents11
ADT Booster261	Amsacrine173	Antituberculotics and
Adult diphtheria and tetanus	AmsaLyo173	Antileprotics11
vaccine261	Amsidine173	Antiulcerants2
Advantan75	Amyl nitrite68	Antivirals11
Advate52	Amzoate44	Anxiolytics15
Afinitor207	Anaesthetics135	Anzatax17
AFT Carbimazole94	Anagrelide hydrochloride173	Apidra2
AFT SLS-free76	Analgesics136	Apidra SoloStar2
AFT-Pyrazinamide112	Anastrozole186	Apo-Amiloride6
AFT-Pyrazinamide S29112	Andriol Testocaps91	Apo-Amlodipine6
Agents Affecting the	Androderm91	Apo-Amoxi10

A A ith i	100	A Chidusests	100	A 7T	101
Apo-Azithromycin		Arrow-Etidronate		AZT	12
Apo-Bromocriptine		Arrow-Fluoxetine		_	0/
Apo-Ciclopirox		Arrow-Gabapentin	142	B-D Micro-Fine	
Apo-Cilazapril	59	Arrow-Lamotrigine	143	B-D Ultra Fine	
Apo-Cilazapril/		Arrow-Losartan &		B-D Ultra Fine II	30
Hydrochlorothiazide	60	Hydrochlorothiazide		Bacillus Calmette-Guerin (BCG)	
Apo-Clarithromycin		Arrow-Meloxicam		vaccine	192
Alimentary	22	Arrow-Morphine LA	138	Bacillus Calmette-Guerin	
Infection	102	Arrow-Norfloxacin	124	vaccine	261
Apo-Clomipramine	139	Arrow-Ornidazole	111	Baclofen	
Apo-Diclo SR	125	Arrow-Quinapril 10	59	Bactroban	73
Apo-Diltiazem CD		Arrow-Quinapril 20	59	Baraclude	113
Apo-Doxazosin	59	Arrow-Quinapril 5		Barrier Creams and Emollients	76
Apo-Folic Acid		Arrow-Roxithromycin		BCG Vaccine	261
Apo-Imiquimod Cream 5%		Arrow-Sertraline		Beclazone 100	
Apo-Leflunomide		Arrow-Simva 10mg		Beclazone 250	210
Apo-Megestrol		Arrow-Simva 20mg		Beclazone 50	
Apo-Metoprolol		Arrow-Simva 40mg		Beclomethasone	
Apo-Mirtazapine		Arrow-Simva 40mg		dipropionate21	0 21
Apo-Moclobemide		Arrow-Timolol		Bee venom allergy treatment	
Apo-Montelukast		Arrow-Tilloor		Bendamustine hydrochloride	
		Arrow-Topiramate		Bendrofluazide	
Apo-Nadolol		•			0
Apo-Nicotinic Acid		Arrow-Tramadol		Bendroflumethiazide	0.0
Apo-Ondansetron		Arsenic trioxide		[Bendrofluazide]	
Apo-Oxybutynin		Asacol		BeneFIX	
Apo-Paroxetine		Asamax		Benzathine benzylpenicillin	104
Apo-Perindopril		Ascorbic acid		Benzatropine mesylate	
Apo-Pindolol		Aspen Adrenaline	68	Benzbromaron AL 100	
Apo-Pravastatin		Aspirin		Benzbromarone	
Apo-Prazosin		Blood		Benzoin	
Apo-Prednisone		Nervous	136	Benztrop	
Apo-Primidone	144	Asthalin	212	Benzydamine hydrochloride	45
Apo-Propranolol	62	Atazanavir sulphate	121	Benzylpenicillin sodium [Penicillin	
Apo-Propranolol S29	62	Atenolol	61	G]	104
Apo-Pyridoxine	46	Atenolol AFT	61	Beta Adrenoceptor Blockers	61
Apo-Ropinirole		ATGAM	192	Beta Cream	75
Apo-Selegiline S29		Ativan	151	Beta Ointment	75
Apo-Sumatriptan		Atomoxetine	161	Beta Scalp	81
Apo-Terazosin		Atorvastatin	66	Beta-Adrenoceptor Agonists	
Apo-Thiamine		Atripla	120	Betadine	
Apo-Timol		Atropine sulphate		Betadine Skin Prep	
Apomorphine hydrochloride		Cardiovascular	60	Betaferon	
Aprepitant		Sensory		Betagan	
Apresoline		Atropt		Betahistine dihydrochloride	
Aptamil Gold+ Pepti Junior		Atrovent		Betaloc CR	
Aqueous cream		Aubagio		Betamethasone dipropionate	
Aripiprazole		Augmentin		Betamethasone dipropionate with	
Aristocort		Avenine		calcipotriol	
Arrow - Clopid		Avonine		Betamethasone sodium phosphat	
Arrow-Amitriptyline		Avonex		with betamethasone acetate	
Arrow-Bendrofluazide		Avonex Pen		Betamethasone valerate	/5, 81
Arrow-Brimonidine		Azacitidine		Betamethasone valerate with	
Arrow-Calcium		Azathioprine		clioquinol	
Arrow-Diazepam	151	Azithromycin		Betamethasone valerate with sodi	
Arrow-Dortim		Azol		fusidate [fusidic acid]	
Arrow-Doxorubicin	175	Azopt	219	Betaxolol	219

Betnovate75	BSF CareSens Dual222	Carboplatin Ebewe169
Betnovate-C75	BSF CareSens N222	Carbosorb-X222
Betoptic219	BSF CareSens N POP222	Cardinol LA62
Betoptic S219	BSF CareSens N Premier222	Cardizem CD63
Bezafibrate65		CareSens29
Bezalip65	Buccastem147	CareSens Dual27
Bezalip Retard65		CareSens II28
Bicalutamide184	Alimentary20	CareSens N28-29
Bicillin LA104	Respiratory210, 215	CareSens N POP28
BiCNU169	Budesonide with eformoterol211	CareSens N Premier28
Bile and Liver Therapy23	Bumetanide64	CareSens PRO29
Biltricide101	Buprenorphine with naloxone164	Carmellose sodium with gelatin and
Bimatoprost220		pectin45
Bimatoprost Actavis220		Carmustine169
Binarex184	Buscopan22	Carvedilol61
Biodone	' '	Carvedilol Sandoz61
Biodone Extra Forte137		Catapres64
Biodone Forte137		Cathejell135
Bisacodyl42	- C -	CeeNU169
Bisoprolol fumarate61		Cefaclor monohydrate101
BK Lotion77	Cafergot145	Cefalexin101
Bleomycin sulphate173		Cefalexin Sandoz101
Blood Colony-stimulating	Caffeine citrate216	Cefazolin101
Factors56		Ceftriaxone101
Blood glucose diagnostic test	Calcipotriol80	Cefuroxime axetil102
meter 28		Celecoxib125
Blood glucose diagnostic test	Calcitriol46	Celecoxib Pfizer125
strip29		Celestone Chronodose90
Blood glucose test strips (visually	Calcium carbonate20, 47	Celiprolol62
impaired)29		Cellcept186
Blood ketone diagnostic test	Calcium Disodium Versenate223	Celol62
meter 26		Centrally-Acting Agents64
Blood Ketone Diagnostic Test	Calcium Folinate Ebewe171	Cephalexin ABM101
Strip 26		Cerezyme44
Bonjela45	· ·	Cetirizine hydrochloride209
Bonvit41		Cetomacrogol76
Boostrix261	, , , ,	Cetomacrogol with glycerol77
Bortezomib173		Cetuximab199
Bosentan69	· ·	Champix 166
Bosentan-Mylan69		Charcoal222
Bosvate61		Chemotherapeutic Agents168
Bplex		Chickenpox vaccine271
Breo Ellipta211		Chlorafast217
Brevinor 1/2184		Chlorambucil169
Brevinor 1/2884		Chloramphenicol217
Brevinor 2184		Chlorhexidine gluconate
Bricanyl Turbuhaler212		Alimentary45
Brilinta54		Dermatological
Brimonidine tartrate		Chloroform229
Brimonidine tartrate with timolol	Captopril59	Chlorothiazide
maleate220		Chlorpheniramine maleate
Brinov		Chlorpromazine hydrochloride148
Brinzolamide219	•	Chlorsig217
Brolene		Chlortalidone [Chlorthalidone]
Bromocriptine mesylate		Chloritalidone
Brufen SR125	Carboplatin169	Chlorvescent58

Choice Load 375	83	Coal tar	80	Cytotec	22
Choice TT380 Short		Coal tar with allantoin, menthol,		Cytoxan	
Choice TT380 Standard	83	phenol and sulphur	80	- D -	
Cholestyramine	66	Coal tar with salicylic acid and		D-Penamine	126
Choline salicylate with cetalkor		sulphur	80	Dabigatran	56
chloride		Coco-Scalp	80	Dacarbazine	
Cholvastin	66	Codeine phosphate		Dacarbazine APP	174
Ciclopirox olamine	73	Extemporaneous	229	Dactinomycin [Actinomycin D]	174
Ciclosporin		Nervous		Daivobet	
Cilazapril		Cogentin	134	Daivonex	
Cilazapril with		Colaspase [L-asparaginase]	174	Daktarin	74
hydrochlorothiazide	60	Colchicine		Dalacin C	106
Cilicaine		Colecalciferol	46	Dalteparin sodium	54
Cilicaine VK	105	Colestid	66	Danazol	
Ciloxan		Colestipol hydrochloride	66	Dantrium	133
Cinacalcet		Colgout		Dantrolene	133
Cipflox	106	Colifoam		Daonil	25
Ciprofloxacin		Colistin sulphomethate		Dapa-Tabs	
Infection	106	Colistin-Link		Dapsone	
Sensory		Collodion flexible		Daraprim	107
Ciprofloxacin Teva		Colloidal bismuth subcitrate		Darunavir	
Circadin		Colofac		Dasatinib	
Cisplatin		Coloxyl		Daunorubicin	
Cisplatin Ebewe		Combigan		DBL Acetylcysteine	
Citalopram hydrobromide		Compound electrolytes		DBL Aminophylline	
Cladribine		Compound hydroxybenzoate		DBL Bleomycin Sulfate	
Clarithromycin		Concerta		DBL Carboplatin	
Alimentary	22	Condoms		DBL Cisplatin	
Infection		Condyline	81	DBL Dacarbazine	
Clexane		Contact-D		DBL Docetaxel	
Clindamycin		Contraceptives - Hormonal		DBL Ergometrine	
Clindamycin ABM		Contraceptives - Non-hormonal		DBL Gemcitabine	
Clinicians Renal Vit		Copaxone		DBL Leucovorin Calcium	
Clobazam		Cordarone-X		DBL Methotrexate Onco-Vial	
Clobetasol propionate		Corticosteroids and Related Age		DBL Morphine Sulphate	
Clobetasone butyrate		for Systemic Use		DBL Morphine Tartrate	
Clofazimine		Corticosteroids Topical		DBL Octreotide	
Clomazol		Cosmegen		DBL Pethidine Hydrochloride	
Dermatological	73	Coumadin		DBL Vincristine Sulfate	
Genito-Urinary		Creon 10000		De-Worm	
Clomifene citrate		Creon 25000		Decozol	
Clomipramine hydrochloride		Crotamiton		Deferasirox	
Clonazepam		Crystaderm		Deferiprone	
Clonidine		Curam		Deolate	
Clonidine BNM		Cvite		Deoxycoformycin	
Clonidine hydrochloride		Cyclizine hydrochloride		Depo-Medrol	
Clopidogrel		Cyclizine lactate		Depo-Medrol with Lidocaine	
Clopine		Cyclogyl		Depo-Provera	
Clopixol		Cyclopentolate hydrochloride		Depo-Testosterone	
Clotrimazole	170, 101	Cyclophosphamide		Deprim	108
Dermatological	73	Cycloserine		DermAssist	
Genito-Urinary		Cyklokapron		Dermol	
Clozapine		Cyproterone acetate		Desferal	
Clozaril		Cyproterone acetate with		Desferrioxamine mesilate	
Clustran		ethinyloestradiol	85	Desmopressin acetate	
Co-trimoxazole		Cytarabine		Desmopressin-PH&T	
ου αππολαζοιό	100	Oytarabirio	1 / 1	Dodinoproddin i Hall	

Detection of Substances in	Diprosone OV74	Easiphen Liquid24
Urine88	Dipyridamole53	EasyCheck80
Dexamethasone	Disinfecting and Cleansing	Econazole nitrate7
Hormone90	Agents 76	Efavirenz12
Sensory218	Disopyramide phosphate61	Efavirenz with emtricitabine and
Dexamethasone phosphate90	Disulfiram165	tenofovir disoproxil
Dexamethasone with framycetin and	Ditropan87	fumarate 12
gramicidin 217	Diuretics64	Effient5
Dexamethasone with neomycin	Diurin 40	Eformoterol fumarate21
sulphate and polymyxin B	Docetaxel175	Efudix8
sulphate218	Docetaxel Sandoz175	Egopsoryl TA8
Dexamfetamine sulfate161	Docusate sodium41	Elaprase4
Dexmethsone90	Docusate sodium with	Elecare24
Dextrochlorpheniramine	sennosides41	Elecare LCP24
maleate210	Dolutegravir121	Elemental 028 Extra23
Dextrose	Domperidone	Elocon
Dextrose with electrolytes58		Elocon Alcohol Free
	Donepezil hydrochloride	
DHC Continus	Donepezil-Rex	Eltrombopag5
Diabetes	Dopress	Eltroxin
Diabetes Management26	Dornase alfa214	EMB Fatol11
Diacomit	Dorzolamide hydrochloride219	Emend14
Diagnostic Agents271	Dorzolamide with timolol219	Emend Tri-Pack14
Diamide Relief20	Dostinex	EMLA130
Diamox219	Dosulepin [Dothiepin]	Emtricitabine12
Diasip235	hydrochloride	Emtricitabine with tenofovir disoproxil
Diason RTH235	Dothiepin	fumarate 11
Diazepam141, 151	Doxazosin59	Emtriva12
Diazoxide24	Doxepin hydrochloride140	Emulsifying ointment7
Dibenzyline59	Doxine105	Enalapril maleate5
Diclofenac Sandoz125	Doxorubicin Ebewe175	Enbrel18
Diclofenac sodium	Doxorubicin hydrochloride175	Endocrine Therapy184
Musculoskeletal125	Doxy-50105	Endoxan16
Sensory218	Doxycycline105	Enerlyte5
Differin72	DP Fusidic Acid Cream73	Engerix-B26
Difflam45	DP Lotion77	Enlafax XR14
Diflucan108	DP Lotn HC75	Enoxaparin sodium5
Diflucan S29108	DP-Allopurinol131	Ensure24
Diflucortolone valerate75	Dr Reddy's Omeprazole23	Ensure Plus24
Digestives Including Enzymes40	Drugs Affecting Bone	Ensure Plus HN24
Digoxin61	Metabolism 126	Ensure Plus RTH24
Dihydrocodeine tartrate137	Dual blood glucose and blood ketone	Entacapone134
Dilantin143	diagnostic test meter27	Entapone13
Dilantin Infatab143	Duocal Super Soluble Powder233	Entecavir11
Diltiazem hydrochloride63	Duolin212	Entocort CIR2
Dilzem63	Duolin HFA212	Epilim14
Dimethicone	Durex Confidence83	Epilim Crushable14
Dimethyl fumarate151	Durex Extra Safe83	Epilim IV14
Dipentum21	Duride	Epilim S/F Liquid14
Diphtheria, tetanus and pertussis	Dynacirc-SRO63	Epilim Syrup14
vaccine261	- E -	Epirubicin Ebewe17
Diphtheria, tetanus, pertussis and	e-chamber La Grande216	Epirubicin Loewe
polio vaccine262	e-chamber Mask215	Epoetin alfa [Erythropoietin alfa]5
Diphtheria, tetanus, pertussis, polio,	e-chamber Turbo216	
hepatitis B and haemophilus	E-Mycin	Epoprostenol
	Ear Preparations217	Entagog alfa [Dagembinant factor
influenzae type B vaccine262		Eptacog alfa [Recombinant factor
Diprosone74	Ear/Eye Preparations217	VIIa]5

ERA	103	Feed Thickener Karicare		Flupenthixol decanoate	149
Erbitux	199	Aptamil	245	Flutamide	184
Ergometrine maleate	86	FEIBA NF	52	Flutamide Mylan	
Ergotamine tartrate with		Felodipine	63	Flutamin	184
caffeine	145	Fenpaed		Fluticasone	
Erlotinib		Fentanyl		Fluticasone furoate with	
Erythrocin IV	103	Fentanyl Sandoz		vilanterol	211
Erythromycin ethyl succinate		Ferinject		Fluticasone propionate	
Erythromycin lactobionate		Ferodan		Fluticasone with salmeterol	
Erythromycin stearate		Ferric carboxymaltose		FML	
Erythropoietin alfa	51	Ferriprox		Foban	
Esbriet		Ferro-F-Tabs		Folic acid	
Escitalopram		Ferro-tab		Food Thickeners	
Escitalopram-Apotex		Ferrograd		Foods And Supplements For Inl	
Eskazole		Ferrograd F		Errors Of Metabolism	
Estradot		Ferrous fumarate		Foradil	
Estradot 50 mcg		Ferrous fumarate with folic acid		Forteo	
Estrofem		Ferrous sulphate		Fortini	
Etanercept		Ferrous sulphate with folic acid		Fortini Multi Fibre	
•					
Ethambutol hydrochloride		Ferrum H		Fortisip	
Ethics Aspirin		Fexofenadine hydrochloride		Fortisip Multi Fibre	
Ethics Aspirin EC		Fibro-vein		Fosamax	
Ethics Enalapril		Filgrastim		Fosamax Plus	
Ethics Lisinopril		Finasteride		Fragmin	54
Ethinyloestradiol	93	Fingolimod		Framycetin sulphate	
Ethinyloestradiol with		Firazyr		Freestyle Optium	
desogestrel	84	Flagyl		Freestyle Optium Ketone	
Ethinyloestradiol with		Flagyl-S		Freestyle Optium Neo	
levonorgestrel	84	Flamazine		Frisium	
Ethinyloestradiol with		Flecainide acetate		Frumil	
norethisterone		Fleet Phosphate Enema		Frusemide	
Ethosuximide		Flixonase Hayfever & Allergy	215	Frusemide-Claris	
Etidronate disodium	128	Flixotide	210	Fucicort	
Etopophos	175	Flixotide Accuhaler	210	Fucidin	107
Etoposide	175	Floair	210	Fucithalmic	217
Etoposide phosphate	175	Florinef		Fungilin	45
Etravirine	120	Fluanxol	149	Furosemid STADA	64
Eumovate	75	Fluarix Tetra	266	Furosemide [Frusemide]	64
Everet	143	Flucil	104	fusidic acid	
Everolimus	207	Flucloxacillin	104	Dermatological	73, 76
Evista	128	Flucloxin	104	Infection	107
Exelon		Fluconazole		Sensory	217
Exemestane	186	Fludara Oral	171	´ - G -	
Exjade	222	Fludarabine Ebewe	171	Gabapentin	142
Extemporaneously Compounded		Fludarabine phosphate		Gacet	
Preparations and		Fludrocortisone acetate		Galsulfase	43
Galenicals	229	Fluids and Electrolytes		Gardasil 9	
Eye Preparations	217	Flumetasone pivalate		Gastrodenol	
Ezemibe		Fluocortolone caproate with		Gaviscon Double Strength	
Ezetimibe		fluocortolone pivalate and		Gaviscon Infant	
Ezetimibe Sandoz		cinchocaine	21	Gazyva	
Ezetimibe sandoz		Fluorometholone		Gefitinib	
- F -	07	Fluorouracil		Gemcitabine Ebewe	
•		Fluorouracil Ebewe		Gemcitabine hydrochloride	
Factor eight inhibitor bypassing fraction		Fluorouracil sodium		Gemfibrozil	
Febuxostat		Fluorouracii sodium Fluoxetine hydrochloride		Gemzar	
I CDUXUSIAI	13∠	Fluoxellile Hyurochlonde	140	GEIIIZai	17

2					
Genoptic		Healtheries Simple Baking Mix		Hylo-Fresh	
Genox	186	Hemastix		Hyoscine butylbromide	
Gentamicin sulphate		Heparin sodium		Hyoscine hydrobromide	
Infection		Heparinised saline		Hypam	
Sensory		Heparon Junior		Hyperuricaemia and Antigout	
Gilenya	153	Hepatitis A vaccine	263	Hypromellose	220
Ginet	85	Hepatitis B recombinant		Hypromellose with dextran	220
Glatiramer acetate	159	vaccine		Hysite	220
Glibenclamide	25	Hepsera	113	-1-	
Gliclazide	25	Herceptin	203	Ibiamox	104
Glipizide	25	Hexamine hippurate		Ibuprofen	12
Glivec	180	Hiberix	262	Icatibant	209
Glizide	25	Hiprex	124	Idarubicin hydrochloride	17
Glucagen Hypokit	24	Histaclear	209	Idursulfase	
Glucagon hydrochloride		Histafen		Ifosfamide	
Glucerna Select		Holoxan		lkorel	68
Glucerna Select RTH		Horleys Bread Mix		lloprost	
Glucobay		Horleys Flour		Imatinib mesilate	
Glucose [Dextrose]		Hormone Replacement Therapy -	= 10	Imatinib-AFT	
Gluten Free Foods		Systemic	91	Imiglucerase	
Glycerin with sodium saccharin		HPV		Imipramine hydrochloride	
Glycerin with sucrose		Humalog		Imiquimod	
Glycerol	. 223	Humalog Mix 25		Immune Modulators	
Alimentary	40	Humalog Mix 50		Immunosuppressants	
Extemporaneous		Human papillomavirus (6, 11, 16,		Imuran	
	.229		10,	Incruse Ellipta	
Glyceryl trinitrate	00	31, 33, 45, 52 and 58) vaccine	OCE	Indacaterol	
Alimentary		[HPV] Humatin			
Cardiovascular				Indapamide	
Glycopyrronium		Humira		Infanrix IPV	
Glycopyrronium bromide	22	HumiraPen		Infanrix-hexa	
Glycopyrronium with	040	Humulin 30/70		Infant Formulae	
indacaterol		Humulin NPH		Infatrini	
Glytrin		Humulin R		Influenza vaccine	
Gold Knight		Hyaluronic acid		Influvac Tetra	
Goserelin		Hybloc		Inhaled Corticosteroids	210
Gutron		Hydralazine		Inhaled Long-acting	
Gynaecological Anti-infectives	86	Hydralazine hydrochloride	68	Beta-adrenoceptor Agonists	
-H-		Hydrea	175	Inset 30	
Habitrol	166	Hydrocortisone		Inset II	
Haemophilus influenzae type B		Dermatological		Insulin aspart	2
vaccine		Hormone		Insulin aspart with insulin aspart	
Haldol	.149	Hydrocortisone acetate	21	protamine	
Haldol Concentrate		Hydrocortisone and paraffin liquid		Insulin glargine	2
Haldol Decanoas	149	and lanolin		Insulin glulisine	2
Haloperidol	.148	Hydrocortisone butyrate	75, 81	Insulin isophane	2
Haloperidol decanoate		Hydrocortisone with cinchocaine		Insulin isophane with insulin	
Hamilton Sunscreen	81	Hydrocortisone with miconazole		neutral	
Harvoni	.117	Hydrocortisone with natamycin and	d	Insulin lispro	2
Havrix	263	neomycin		Insulin lispro with insulin lispro	
Havrix Junior	263	Hydrogen peroxide		protamine	24
HBvaxPRO	264	Alimentary	46	Insulin neutral	
healthE Dimethicone 10%		Dermatological		Insulin pen needles	
healthE Dimethicone 4% Lotion		Hydroxocobalamin		Insulin pump	
healthE Dimethicone 5%		Hydroxychloroquine		Insulin pump accessories	3!
healthE Glycerol BP		Hydroxyurea		Insulin pump infusion set (steel	
healthE Urea Cream		Hygroton		cannula)	36
		, , , , , , , , , , , , , , , , , , , ,			

Insulin pump infusion set (teflon	Kaletra	121	Leflunomide	126
cannula, angle insertion with	Kemadrin	135	Lenalidomide	
insertion device)36	Kenacomb	217	Letrole	186
Insulin pump infusion set (teflon	Kenacort-A 10	91	Letrozole	186
cannula, angle insertion) 37	Kenacort-A 40	91	Leukeran FC	169
Insulin pump infusion set (teflon	Kenalog in Orabase	45	Leukotriene Receptor	
cannula, straight insertion with	Ketocal 3:1	250	Antagonists	214
insertion device)38	KetoCal 4:1	250	Leunase	
Insulin pump infusion set (teflon	Ketoconazole		Leuprorelin	98
cannula, straight insertion) 39	Dermatological	81	Leustatin	171
Insulin pump reservoir39	Infection		Levetiracetam	
Insulin syringes, disposable with	Ketogenic Diet		Levetiracetam-AFT	
attached needle30	Ketone blood beta-ketone		Levlen ED	
Intal Forte CFC Free214	electrodes	26	Levobunolol	
Intelence	Ketoprofen	125	Levocabastine	
Interferon alfa-2a	KetoSens		Levodopa with benserazide	
Interferon alfa-2b122	Ketostix		Levodopa with carbidopa	
Interferon beta-1-alpha159	Keytruda		Levomepromazine	
Interferon beta-1-beta159	Kindergen		hydrochloride	148
Intra-uterine device83	Kinson		Levomepromazine maleate	148
Intron-A	Kivexa		Levonorgestrel	
Invega Sustenna	Klacid		Genito-Urinary	98
IPOL270	Kliogest		Hormone	ar
Ipratropium bromide212, 215	Kliovance		Levothyroxine	
Iressa	Kogenate FS		Lidocaine [Lignocaine]	
Irinotecan Actavis 100	Konakion MM		Lidocaine [Lignocaine]	100–100
Irinotecan Actavis 40			hydrochloride	120
Irinotecan hydrochloride172	Konsyl-D	41	Lidocaine [Lignocaine] with	130
		17/	chlorhexidine	120
Irinotecan-Rex	L-asparaginase Labetalol			130
Iron polymaltose	Lacosamide		Lidocaine [Lignocaine] with prilocaine	120
Isentress	Lactulose		Lidocaine-Claris	
				130
Ismo 40 Retard	Laevolac		Lignocaine	00
Isoniazid112	Lamictal		Hormone	
Isoprenaline	Lamivudine		Nervous	
Isoptin	Lamivudine Alphapharm		Lioresal Intrathecal	
Isopto Carpine220	Lamotrigine		Lipazil	
Isosorbide mononitrate	Lamprene		Lipid-Modifying Agents	00
Isosource Standard242	Lanoxin		Liquigen	234
Isosource Standard RTH242	Lanoxin PG		Lisinopril	
Isotane 10	Lanoxin S29		Lithicarb FC	
Isotane 20	Lansoprazole		Lithium carbonate	
Isotretinoin	Lantus		Livostin	
Ispaghula (psyllium) husk41	Lantus SoloStar		LMX4 Via farma EDIa	
Isradipine63	Lanvis		Locacorten-Viaform ED's	
Isuprel68	Lanzol Relief		Local preparations for Anal an	
Itch-Soothe74	Lapatinib ditosylate		Rectal Disorders	
Itraconazole109	Largactil		Locasol	
Itrazole109	Laronidase		Locoid	75, 81
Ivermectin78	Lasix		Locoid Crelo	
-J-	Latanoprost		Locoid Lipocream	
Jadelle85	Lax-Suppositories	42	Locorten-Vioform	
Jevity HiCal RTH242	Lax-Tab		Lodi	
Jevity RTH242	Laxatives		Lodoxamide	
Juno Pemetrexed172	Laxsol		Logem	
- K -	Ledipasvir with sofosbuvir	117	Lomide	219

Lomustine	169	Mefenamic acid	125	Metyrapone	100
Loniten	68	Megestrol acetate	185	Mexiletine hydrochloride	6
Loperamide hydrochloride	20	Melatonin	159	Mexiletine Hydrochloride USP	6
Lopinavir with ritonavir	121	Meloxicam	125	Miacalcic	8
Lopresor		Melphalan	169	Micolette	42
Loprofin	247	Menactra	268	Miconazole	
Loprofin Mix	247	Meningococcal (groups A, C, Y and	d	Miconazole nitrate	
Lorafix	210	W-135) conjugate vaccine	268	Dermatological	74
Loratadine		Meningococcal C conjugate		Genito-Urinary	
Lorazepam	151	vaccine	268	Micreme	
Lorfast		Menthol	74	Micreme H	76
Lormetazepam	159	Mercaptopurine	172	Microgynon 20 ED	84
Lorstat	66	Mercilon 28	84	Microgynon 30	84
Losartan Actavis	60	Mesalazine		Microgynon 50 ED	84
Losartan potassium	60	Mesna	176	Microlut	8
Losartan potassium with		Mestinon		Midazolam	
hydrochlorothiazide	60	Metabolic Disorder Agents	42	Midazolam-Claris	160
Lovir		Metchek		Midodrine	6
Lucrin Depot 1-month		Meterol		Minerals	
Lucrin Depot 3-month		Metformin hydrochloride	25	Mini-Wright AFS Low Range	
Ludiomil		Metformin Mylan		Mini-Wright Standard	21
Lycinate		Methadone hydrochloride		Minidiab	
Lyderm	79	Extemporaneous	229	Minims Pilocarpine	
- M -		Nervous		Minims Prednisolone	
m-Eslon	138	Methatabs	137	Minirin	9
Mabthera	201	Methopt		Mino-tabs	10
Macrogol 3350 with potassium		Methotrexate		Minocycline hydrochloride	10
chloride, sodium bicarbonate	e and	Methotrexate Ebewe		Minomycin	
sodium chloride		Methotrexate Sandoz	172	Minor Śkin Infections	
Macrogol 400 and propylene		Methyl hydroxybenzoate		Minoxidil	
glycol	221	Methylcellulose		Mirena	9
Madopar 125		Methylcellulose with glycerin and		Mirtazapine	
Madopar 250		sodium saccharin	229	Misoprostol	2
Madopar 62.5		Methylcellulose with glycerin and		Mitomycin C	176
Madopar HBS		sucrose	230	Mitozantrone	
Madopar Rapid		Methyldopa		Mitozantrone Ebewe	
Magnesium hydroxide		Methyldopa Mylan		Mixtard 30	24
Magnesium sulphate		Methylnaltrexone bromide		Moclobemide	
Mantoux		Methylphenidate hydrochloride		Modafinil	163
Maprotiline hydrochloride		Methylphenidate hydrochloride		Modavigil	
Marevan		extended-release	163	Moduretic	
Marine Blue Lotion SPF 50+	81	Methylprednisolone	90	Molaxole	42
Marvelon 28	84	Methylprednisolone (as sodium		Mometasone furoate	
Mask for spacer device	215	succinate)	90	Monogen	236
Mast Cell Stabilisers		Methylprednisolone aceponate		Montelukast	
Maxidex	218	Methylprednisolone acetate		Moroctocog alfa [Recombinant fa	
Maxitrol	218	Methylprednisolone acetate with		VIII]	
MCT oil (Nutricia)	234	lidocaine [Lignocaine]	90	Morphine hydrochloride	
Measles, mumps and rubella		Methylxanthines		Morphine sulphate	
vaccine	268	Metoclopramide Actavis 10		Morphine tartrate	
Mebendazole		Metoclopramide hydrochloride		Motetis	
Mebeverine hydrochloride		Metolazone		Mouth and Throat	
Medrol		Metopirone		Movapo	
Medroxyprogesterone acetate		Metoprolol succinate		Moxifloxacin	
Genito-Urinary	85	Metoprolol tartrate		MSUD Maxamum	
Hormone		Metronidazole		Mucilaginous laxatives with	
				-	

stimulants	41	Nepro HP RTH	238	Noxafil	10
Mucolytics	214	Nerisone	75	Nozinan	148
Mucosoothe	136	Neulactil	149	Nuelin	214
Multiple Sclerosis Treatments	151	Neulastim	56	Nuelin-SR	
Multivitamin renal		Neurontin	142	Nupentin	14
Multivitamins	47	NeuroTabs	47	Nutilis	24
Mupirocin	73	Nevirapine	120	Nutrient Modules	23
Muscle Relaxants		Nevirapine Alphapharm	120	Nutrini Energy Multi Fibre	23
Mvite	47	Nicorandil		Nutrini Energy RTH	23
Myambutol	112	Nicotine	166	Nutrini Low Energy Multi Fibre	
Mycobutin	112	Nicotinic acid	66	Nutrini RTH	
MycoNail		Nifedipine	63	Nutrison 800 Complete Multi	
Mycophenolate mofetil	186	Nifuran		Fibre	24
Mycostatin		Nilotinib	181	Nutrison Concentrated	
Mydriacyl		Nilstat		Nutrison Energy	24
Mylan Atenolol		Alimentary	45	Nutrison Energy Multi Fibre	
Mylan Clomiphen		Genito-Urinary	86	Nutrison Multi Fibre	24
Mylan-Bosentan		Infection	109	Nutrison Standard RTH	24
Myleran		Nipent		Nyefax Retard	
Myocrisin	126	Nitrados	160	Nystatin	
Myometrial and Vaginal Hormo		Nitrates		Alimentary	4
Preparations		Nitrazepam	160	Dermatological	
Myozyme		Nitroderm TTS		Genito-Urinary	8
- N -		Nitrofurantoin	124	Infection	
Nadolol	62	Nitrolingual Pump Spray	68	NZB Low Gluten Bread Mix	24
Naglazyme		Nivolumab		-0-	
Nalcrom	21	Nizoral	109	O/W Fatty Emulsion Cream	7
Naloxone hydrochloride	222	Noctamid	159	Obinutuzumab	
Naltraccord		Nodia	<mark>20</mark>	Octocog alfa [Recombinant facto	r
Naltrexone hydrochloride	165	Noflam 250	125	VIII] (Advate)	
Naphazoline hydrochloride		Noflam 500	125	Octocog alfa [Recombinant facto	
Naphcon Forte		Non-Steroidal Anti-Inflamma	atory	VIII] (Kogenate FS)	
Naprosyn SR 1000		Drugs	•	Octreotide	
Naprosyn SR 750		Nonacog alfa [Recombinant		Octreotide LAR (somatostatin	
Naproxen		IX]		analogue)	18
Nardil		Nonacog gamma, [Recomb		Octreotide MaxRx	
Nasal Preparations	215	Factor IX]		Oestradiol	9
Natalizumab		Norethisterone		Oestradiol valerate	
Natulan		Genito-Urinary	85	Oestradiol with norethisterone	9
Nausafix	147	Hormone	93	Oestriol	
Nausicalm	146	Norflex	133	Genito-Urinary	8
Nauzene		Norfloxacin	124	Hormone	9
Navelbine	178	Noriday 28		Oestrogens	
Nedocromil	214	Norimin		Oestrogens with	
Nefopam hydrochloride		Normacol Plus	41	medroxyprogesterone	9
Neisvac-C		Normison	160	Oil in water emulsion	
Neo-B12		Norpress		Olanzapine	
Neo-Mercazole	94	Nortriptyline hydrochloride		Olbetam	
Neocate Gold		Norvir		Olopatadine	
Neocate Junior Unflavoured		NovaSource Renal		Olsalazine	
Neocate Junior Vanilla		Novatretin		Omalizumab	
Neocate LCP		NovoMix 30 FlexPen		Omeprazole	
Neoral		NovoRapid		Omeprazole actavis 10	2
Neostigmine metilsulfate		NovoRapid FlexPen		Omeprazole actavis 20	
Nepro HP (strawberry)		NovoRapid Penfill		Omeprazole actavis 40	
Nepro HP (vanilla)		NovoSeven RT		Omezol Relief	

Omnitrope	95	Paclitaxel Ebewe	176	with dasabuvir	117
Onbrez Breezhaler	211	Paediatric Seravit	47	Paritaprevir, ritonavir and ombitasv	/ir
Oncaspar	176	Paliperidone	150	with dasabuvir and ribavirin	117
OncoTICE	192	Pamidronate disodium	128	Parnate	
Ondansetron		Pamisol	128	Paromomycin	107
Ondansetron ODT-DRLA	147	Pancreatic enzyme	40	Paroxetine	
Ondansetron ODT-ORLA	147	Pantoprazole		Paser	112
One-Alpha		Panzop Relief		Patanol	
Opdivo		Panzytrat		Paxam	151
Ora-Blend		Papaverine hydrochloride	69	Pazopanib	182
Ora-Blend SF		Para-amino salicylic acid		Peak flow meter	
Ora-Plus		Paracare	137	Pedialyte - Bubblegum	58
Ora-Sweet	229	Paracare Double Strength		Pediasure	
Ora-Sweet SF		Paracetamol		Pediasure RTH	
Orabase	45	Paracetamol + Codeine		Pegaspargase	176
Oral Supplements/Complete Di		(Relieve)	139	Pegasys	
(Nasogastric/Gastrostomy To		Paracetamol with codeine		Pegasys RBV Combination	
Feed)		Paradigm 1.8 Reservoir		Pack	122
Oratane		Paradigm 3.0 Reservoir		Pegfilgrastim	
Orgran		Paradigm 522		Pegylated interferon alfa-2a	
Orion Temozolomide		Paradigm 722		Pembrolizumab	
Ornidazole		Paradigm Mio MMT-921		Pemetrexed	
Orphenadrine citrate	133	Paradigm Mio MMT-923		Penicillamine	
Ortho-tolidine		Paradigm Mio MMT-925		Penicillin G	
Oruvail SR		Paradigm Mio MMT-941		PenMix 30	
Osmolite RTH		Paradigm Mio MMT-943		PenMix 40	
Other Endocrine Agents		Paradigm Mio MMT-945		PenMix 50	
Other Oestrogen Preparations.		Paradigm Mio MMT-965		Pentasa	
Other Progestogen		Paradigm Mio MMT-975		Pentostatin [Deoxycoformycin]	
Preparations	93	Paradigm Quick-Set MMT-386		Pentoxifylline [Oxpentifylline]	
Other Skin Preparations		Paradigm Quick-Set MMT-387		Peptamen Junior	
Ovestin		Paradigm Quick-Set MMT-396		Peptisoothe	
Genito-Urinary	86	Paradigm Quick-Set MMT-397		Peptisorb	
Hormone		Paradigm Quick-Set MMT-398		Perhexiline maleate	64
Ox-Pam		Paradigm Quick-Set MMT-399		Pericyazine	
Oxaliccord	170	Paradigm Silhouette MMT-368		Perindopril	
Oxaliplatin		Paradigm Silhouette MMT-377		Perjeta	201
Oxaliplatin Actavis 100		Paradigm Silhouette MMT-378		Permethrin	79
Oxaliplatin Actavis 50		Paradigm Silhouette MMT-381		Pertuzumab	
Oxaliplatin Ebewe		Paradigm Silhouette MMT-382		Peteha	112
Oxazepam		Paradigm Silhouette MMT-383		Pethidine hydrochloride	139
Oxis Turbuhaler		Paradigm Silhouette MMT-384		Pevaryl	
Oxpentifylline	69	Paradigm Sure-T MMT-864		Pexsig	
Oxybutynin		Paradigm Sure-T MMT-866		Pfizer Exemestane	
Oxycodone hydrochloride		Paradigm Sure-T MMT-874	36	Pharmacare	137
OxyNorm	139	Paradigm Sure-T MMT-876		Pharmacy Health Sorbolene with	
Oxytocin		Paradigm Sure-T MMT-884	36	Glycerin	77
Oxytocin Apotex		Paradigm Sure-T MMT-886		Pharmacy Services	
Oxytocin BNM		Paraffin		Pheburane	
Oxytocin with ergometrine		Paraffin liquid with soft white		Phenelzine sulphate	140
maleate	86	paraffin	221	Phenobarbitone	
Ozurdex		Paraffin liquid with wool fat		Phenobarbitone sodium	
- P -		Paraldehyde	141	Extemporaneous	230
Pacifen	133	Parasidose		Nervous	
Paclitaxel		Parasiticidal Preparations		Phenothrin	
Paclitaxel Actavis		Paritaprevir, ritonavir and ombitasvir		Phenoxybenzamine	
		•		-	

hydrochloride	59	Pred Forte	219	Puri-nethol	17
Phenoxymethylpenicillin (Penic	illin	Prednisolone	91	Pyrazinamide	112
V)	105	Prednisolone acetate	219	Pyridostigmine bromide	12
Phenytoin sodium	141, 143	Prednisolone sodium		Pyridoxine hydrochloride	40
Phlexy 10	247	phosphate		Pyrimethamine	10
Phosphate-Sandoz		Prednisolone-AFT	219	Pytazen SR	5
Phosphorus	58	Prednisone	91	- Q -	
Phytomenadione		Pregabalin	144	Q 300	11
Pilocarpine hydrochloride	220	Pregabalin Pfizer	144	Questran-Lite	
Pimafucort	76	Pregnancy Tests - hCG Urine	86	Quetapel	149
Pindolol	62	Premarin	92	Quetiapine	149
Pine tar with trolamine laurilsulf	ate	Premia 2.5 Continuous	<mark>93</mark>	Quick-Set MMT-390	3
and fluorescein	80	Premia 5 Continuous	<mark>93</mark>	Quick-Set MMT-391	
Pinetarsol	80	Prevenar 13		Quick-Set MMT-392	3
Pioglitazone	25	Prezista	121	Quick-Set MMT-393	
Piportil	150	Priadel	148	Quinapril	5
Pipothiazine palmitate	150	Primacin	111	Quinapril with	
Pirfenidone		Primaquine phosphate	111	hydrochlorothiazide	60
Pizotifen	146	Primidone		Quinine sulphate	
PKU Anamix Infant	247	Primolut N	93	Qvar	210
PKU Anamix Junior	247	Priorix	268	- R -	
PKU Anamix Junior LQ	247	Probenecid	133	RA-Morph	138
PKU Lophlex LQ 10	247	Probenecid-AFT	133	Raloxifene hydrochloride	
PKU Lophlex LQ 20	247	Procaine penicillin	105	Raltegravir potassium	
PKU Lophlex Sensation 20	247	Procarbazine hydrochloride	177	Ramipex	
Plaquenil		Prochlorperazine	147	Ranbaxy-Cefaclor	
Plendil ER	63	Proctosedyl		Ranitidine	2
Pneumococcal (PCV10) conjug	ate	Procur		Ranitidine Relief	
vaccine		Procyclidine hydrochloride	135	Rapamune	20
Pneumococcal (PCV13) conjug	ate	Procytox		Reandron 1000	
vaccine	269	Progesterone		Recombinant factor IX	5
Pneumococcal (PPV23)		Proglicem	24	Recombinant factor VIIa	5
polysaccharide vaccine	270	Proglycem		Recombinant factor VIII	52-5
Pneumovax 23		Progynova		Rectogesic	2
Podophyllotoxin	81	Prokinex		Redipred	
Polaramine	210	Promethazine hydrochloride	210	Refresh Night Time	
Poliomyelitis vaccine		Promethazine theoclate		Relieve	
Poloxamer		Propafenone hydrochloride		Relistor	4 ⁻
Poly-Gel		Propamidine isethionate		Renilon 7.5	
Poly-Tears		Propranolol		Resonium-A	
Poly-Visc	221	Propylene glycol		Resource Beneprotein	
Polycal		Propylthiouracil		Resource Diabetic	
Polyvinyl alcohol		Protaphane		Respigen	21
Ponstan		Protaphane Penfill		Respiratory Devices	
Posaconazole		Protifar		Respiratory Stimulants	
Postinor-1		Protionamide		Retinol palmitate	22
Potassium chloride	57–58	Provera		ReTrieve	
Potassium citrate		Provera HD		Retrovir	
Potassium iodate		Provera S29		Revlimid	17
Povidone iodine		PSM Citalopram		Revolade	
Pradaxa		Psoriasis and Eczema		Rexacrom	
Pramipexole hydrochloride		Preparations	80	RexAir	
Prasugrel		PTU		Reyataz	
Pravastatin		Pulmicort Turbuhaler		Ribomustin	
Praziquantel		Pulmocare		Ricit	
Prazosin		Pulmozyme		Rifabutin	
			- 1 1		

Rifadin	113	Senna	42	Sodium polystyrene sulphonate	58
Rifampicin		Senokot	42	Sodium tetradecyl sulphate	5
Rifaximin	23	Sensipar	89	Sodium valproate	144
Rifinah	112	SensoCard	29	Sofradex	21
Rilutek	135	Serenace	148	Soframycin	217
Riluzole	135	Seretide	211	Solian	
Riodine	78	Seretide Accuhaler	211	Solifenacin succinate	8
Risedronate Sandoz	129	Serevent	211	Solu-Cortef	90
Risedronate sodium	129	Serevent Accuhaler	211	Solu-Medrol	90
Risperdal Consta	150	Serophene	100	Somatropin (Omnitrope)	9
Risperidone	149–150	Sertraline		Sotacor	
Risperon		Sevredol	138	Sotalol	
Ritalin		Sex Hormones Non		Spacer device	216
Ritalin LA	163	Contraceptive	91	Span-K	58
Ritalin SR	162	Shield 49		Spiolto Respimat	
Ritonavir	121	Shield Blue	83	Spiractin	6
Rituximab	201	Shield XL	83	Spiriva	212
Rivaroxaban	56	shingles vaccine	<mark>271</mark>	Spiriva Respimat	212
Rivastigmine		Sildenafil		Spironolactone	6
Rivotril		Silhouette MMT-371	37	Sporanox	
RIXUBIS		Silhouette MMT-373		Sprycel	
Rizamelt	145	Siltuximab	203	Staphlex	
Rizatriptan	145	Simvastatin	66	Stemetil	14
Roferon-A		Simvastatin Mylan	66	Stesolid	
Rolin	186	Sinemet		Stimulants/ADHD Treatments	
Ropinirole hydrochloride		Sinemet CR		Stiripentol	144
Rotarix		Sirolimus	208	Stocrin	120
Rotavirus oral vaccine		Slow-Lopresor		Stomahesive	
Roxane		Sodibic		Strattera	16 ⁻
Alimentary	20	Sodium acid phosphate	42	Stromectol	78
Cardiovascular	62	Sodium alginate		Suboxone	164
Roxithromycin	103	Sodium aurothiomalate		Sucralfate	2
Rubifen		Sodium benzoate	44	Sulfadiazine Silver	
Rubifen SR		Sodium bicarbonate		Sulfadiazine sodium	
Rulide D	103	Blood	57–58	Sulindac	12
Rythmodan		Extemporaneous		Sulphasalazine	
Rytmonorm		Sodium calcium edetate		Sulphur	
· - S -		Sodium chloride		Sulprix	14
S-26 Gold Premgro	247	Blood	57	Sumatriptan	14
Sabril		Respiratory		Sunitinib	
SalAir	212	Sodium citrate with sodium		Sunscreens	8
Salazopyrin		sulphoacetate		Sunscreens, proprietary	8
Salazopyrin EN		Sodium citro-tartrate		Sure-T MMT-863	
Salbutamol	211–212	Sodium cromoglicate		Sure-T MMT-865	36
Salbutamol with ipratropium		Alimentary	<mark>21</mark>	Sure-T MMT-873	36
bromide		Respiratory		Sure-T MMT-875	36
Salicylic acid	81	Sensory		Sure-T MMT-883	36
Salmeterol		Sodium fluoride		Sure-T MMT-885	36
Sandomigran		Sodium Fusidate [fusidic ac	id]	Sustagen Diabetic	
Sandostatin LAR		Dermatological	-	Sustagen Hospital Formula	
Scalp Preparations		Infection		Sustagen Hospital Formula	
Scopoderm TTS		Sensory		Active	243
Sebizole		Sodium hyaluronate [Hyalur		Sustanon Ampoules	9
Sedatives and Hypnotics		acid]		Sutent	
Seebri Breezhaler	212	Sodium nitroprusside		Sylvant	
Selegiline hydrochloride		Sodium phenylbutyrate		Symbicort Turbuhaler 100/6	

Symbicort Turbuhaler 200/6	211	Thyroid and Antithyroid Agents	94	Triazolam	160
Symbicort Turbuhaler 400/12	211	Ticagrelor	54	Trichozole	11°
Symmetrel	134	Tilade	214	Triclosan	7
Sympathomimetics	68	Tilcotil	125	Trimeprazine tartrate	210
Synacthen		Timolol		Trimethoprim	
Synacthen Depot		Cardiovascular	63	Trimethoprim with	
Synflorix		Sensory	219	sulphamethoxazole	
Synthroid		Timoptol XE		[Co-trimoxazole]	10
Syntometrine		Tiotropium bromide		Trisequens	9
Syrup (pharmaceutical grade)		Tiotropium bromide with		Trisul	
Systane Unit Dose		olodaterol	213	Trophic Hormones	9
· - Т -		Tivicay		Tropicamide	
Tacrolimus	208	TMP	108	Trusopt	219
Tacrolimus Sandoz	208	TOBI	108	Truvada	
Tambocor	61	Tobramycin		Tuberculin PPD [Mantoux] test	
Tambocor CR		Infection	108	Tubersol	
Tamoxifen citrate	186	Sensory		Two Cal HN	
Tamsulosin hydrochloride		Tobramycin Mylan		Two Cal HN RTH	
Tamsulosin-Rex		Tobrex		Tykerb	
Tap water		Tofranil		Tysabri	15
Tarceva		Tofranil s29		- U -	
Tasigna		Tolcapone		Ultibro Breezhaler	21
Tasmar		Tolterodine		Ultraproct	2
Tecfidera		Topamax		Umeclidinium	
Tegretol		Topical Products for Joint and		Umeclidinium with vilanterol	
Tegretol CR		Muscular Pain	126	Univent21	
Telfast		Topiramate		Ural	
Temazepam		Topiramate Actavis		Urea	
Temizole 20		Total parenteral nutrition (TPN)		Urex Forte	
Temozolomide		TPN		Urinary Agents	
Tenofovir disoproxil fumarate		Tramadol hydrochloride		Urinary Tract Infections	
Tenoxicam		Tramal SR 100		Uromitexan	
Tepadina		Tramal SR 150		Ursodeoxycholic acid	
Terazosin		Tramal SR 200		Ursosan	
Terbinafine		Trandate		Utrogestan	
Terbutaline sulphate		Tranexamic acid		- V -	
Teriflunomide		Tranylcypromine sulphate		Vaccinations	26
Teriparatide		Trastuzumab		Vaclovir	
Testosterone		Travoprost		Valaciclovir	
Testosterone cipionate		Travopt		Valcyte	
Testosterone esters		Treatments for Dementia		Valganciclovir	114
Testosterone undecanoate		Treatments for Substance		Vallergan Forte	
Tetrabenazine		Dependence	164	Vancomycin	
Tetrabromophenol		Trental 400		Vannair	
Tetracosactrin		Tretinoin		Varenicline tartrate	
Tetracyclin Wolff		Dermatological	72	Varicella vaccine [Chickenpox	
Tetracycline		Oncology		vaccine]	27
Teva		Trexate		Varicella zoster virus (Oka strain)	livo
Thalidomide		Triamcinolone acetonide	172	attenuated vaccine [shingles	IIVC
Thalomid		Alimentary	15	vaccine]	97
Theophylline		Dermatological		Varilrix	
Thiamine hydrochloride		Hormone		Various	
THIO-TEPA		Triamcinolone acetonide with	31	Vasodilators	
Thioguanine		gramicidin, neomycin and nysi	tatin	Vasopressin Agonists	
		Dermatological		Vasopressin Agonisis Vedafil	
Thiotepa Thymol glycerin					
THYMOU GIVERNIT	40	Sensory	217	Velcade	17

Venlafaxine. 141 - X - Vennomil. 209 Xarelto. 56 Ventolin. 211–212 XMET Maxamum 246 Verges. 175 Xolair 200 Vergapamil hydrochloride 64 XP Maxamum 247 Vergon 16 146 XP Maxamum 247 Vergamil SR 64 XP Maxamum 247 Vermox 101 Xylocaine 2% Jelly. 135 Vesacoid. 178 Xylocaine 2% Jelly. 135 Vescarid. 178 Xylocaine 2% Jelly. 135 Vescaroe. 25 Zarlac. 22 2 Vesacone. 25 Zarlac. 22 2 Videndam KC. 76 Zarontin 142 140 Videkra Pak. 117 Zarzoolyn. 64 Vijekira Pak. 117 Zarvoolyn. 64 Vijekira Pak. 117 Zarvoolyn. 64 Vijekira Pak. 117 Zarvoolyn. 16	Veletri71	Wool fat with mineral oil	77
Ventavis. .71 Xifaxan .23 Vertolin. .211–212 XMET Maxamum .246 Verpesid. .175 Xolair .200 Verapamil hydrochloride. .64 XP Maxamum .247 Vergo 16 .16 XP Maxamum .247 Vermox .101 Xylocaine .186 Vesanoid .178 Xyntha .52 Vesacore. .25 Zantac. .22 Vesacore. .25 Zantac. .22 Vfend .110 Zapril. .59 Viaderm KC .76 Zarontin .142 Videria Pak. .170 Zaroxolyn .64 Vielkira Pak. .171 Zavedos .175 Vigabatrin .144 Zeffix .114 Vimpat .13 Zeffix .114 Vinoristine sulphate .178 Zidovudine [AZT] .21 Vinoristine sulphate .178 Zidovudine [AZT] .21 Virorelbine Ebe	Venlafaxine141	- X -	
Ventavis. .71 Xifaxan .23 Vertolin. .211–212 XMET Maxamum .246 Verpesid. .175 Xolair .200 Verapamil hydrochloride. .64 XP Maxamum .247 Vergo 16 .146 XP Maxamum .247 Vermox .101 Xylocaine .186 Vesanoid .178 Xyntha .52 Vesacore. .25 Zantac. .22 Vesacore. .25 Zantac. .22 Vicadra. .10 Zapril. .59 Viaderm KC .76 Zarontin .142 Videxira Pak. .117 Zaroolyn .64 Viekira Pak. .117 Zavedos .175 Vigabatrin .144 Zeffix .114 Vimpat .13 Zeffix .114 Vinoristine sulphate .178 Zidovudine [AZT] .21 Vinoristine sulphate .178 Zidovudine [AZT] .21 Virorelbine E	Venomil209	Xarelto	56
Vepesid. 175 Xolair. 200 Verapamil hydrochloride. .64 XP Maxamaid. 247 Vergo 16. 146 XP Maxamum. 247 Vermox. 101 Xylocaine. 136 Versanoid. 178 Xyntha. 52 Vesaconid. 25 Xyntha. 52 Vesicare. 87 -Z- Vexazone. 25 Zantac. 22 Viaderm KC. 76 Zaroxolyn. 64 Viekira Pak. 117 Zaroxolyn. 64 Viekira Pak. Pak. Pak. 117 Zarozio. 56 Viekira Pak. Pak. Pak. 117 Zavedos. 175 Viekira Pak. Pak. Pak. 117 Zavedos. 175 Virekira Pak. Pak. Pak. 117 Zavedos. 175 Virekira Pak. Pak. Pak. 117 Zarozio. 56 Viekira Pak. Pak. Pak. Pak. Pak. Pak. Pak. Pak	Ventavis71	Xifaxan	23
Verapamil hydrochloride .64 XP Maxamum 247 Vergo 16 .146 XP Maxamum 247 Vermox .101 Xylocaine .136 Versanoid .78 Xyntha .52 Vescarone .25 Zantac .22 Vfend .110 Zapril .59 Viaderm KC .76 Zarontin .142 Videxira Pak .17 Zarosolyn .64 Viekira Pak .17 Zavedos .175 Vigabatrin .144 Zeftix .114 Vimpat .143 Zetlam .114 Vinoristine sulphate .178 Ziagen .20 Vinoristine sulphate .178 Ziagen .20 Viriorelbine .178 Ziagen .21 Viriorelbine bewe .178 Iamivudine .21 Viroristine sulphate .178 Iamivudine .21 Viroriorelbine bewe .178 Iamivudine .21 Viroriorel	Ventolin211–212	XMET Maxamum	246
Verapamil hydrochloride .64 XP Maxamum .247 Vergo 16 .146 XP Maxamum .247 Vermox .101 Xylocaine .136 Versanoid .78 Xyntha .52 Vescarone .25 Zantac .22 Vfend .110 Zapril .59 Viaderm KC .76 Zarontin .142 Videdra .170 Zaroxolyn .64 Viekira Pak .117 Zavedos .175 Vigabatrin .144 Zeffix .114 Vimpat .143 Zetlam .114 Vincristine sulphate .178 Ziagen .20 Vinorelbine .178 Ziagen .20 Viriorelbine Ebewe .178 Iamivudine .21 Virorelbine Ebewe .178 Iamivudine .21 Virual Supension .20 Zinc and castor oil .76 Viriti D3 .46 Zinc sulphate .49 Viruarios	Vepesid175	Xolair	200
Vergo 16 146 XP Maxamum 247 Vermox 101 Xylocaine 136 Verpamil SR 64 Xylocaine 2% Jelly 135 Vesacone 25 Xyntha 52 Vexazone 25 Zantac 22 Vfend 110 Zapril 59 Viaderm KC 76 Zarontin 142 Vidaza 170 Zaroxolyn 64 Viekira Pak 117 Zarzio 56 Viekira Pak-RBV 117 Zavedos 175 Vigabatrin 144 Zeffix 114 Vimpat 143 Zeffix 114 Virinorelbine 178 Zidovudine [AZT] 121 Vinorelbine sulphate 178 Zidovudine [AZT] with 121 Vinorelbine Ebewe 178 Zimuvidine 121 Viriorelbine Ebewe 178 Zimuvidine 121 Viriuroelbine Ebewe 178 Zimuybe 67 Viriada 116 <td>•</td> <td></td> <td></td>	•		
Vermox 101 Xylocaine 136 Vergannil SR 64 Xylocaine 2% Jelly 135 Vesanoid 178 Xyntha 52 Vesacone 25 Zantac 22 Viederm KC 76 Zarontin 142 Vidadram KC 76 Zaroxolyn 64 Viekira Pak 117 Zavedos 175 Viekira Pak-RBV 117 Zavedos 175 Vigabatrin 144 Zeffix 114 Viringat 143 Zetlam 114 Viringbatine sulphate 178 Zidovudine [AZT] 121 Virincristine sulphate 178 Zidovudine [AZT] 121 Virincristine sulphate 178 Zidovudine [AZT] with 121 Virincristine sulphate 178		XP Maxamum	247
Verpamil SR 64 Xylocaine 2% Jelly. 135 Vesacorid. 178 Xyntha 52 Vescarone. 25 Zantac. 22 Véradom. 110 Zapril. 59 Viaderm KC. 76 Zarontin 142 Videlaza. 170 Zaroxolyn. 64 Viekira Pak. 117 Zarodos. 175 Vigabatrin. 144 Zeffix. 114 Vimpat. 143 Zetfix. 114 Viringabatrin. 144 Zetlam. 114 Viringabatrin. 144 Zetlam. 114 Viringabatrin. 178 Ziagen. 120 Virinscribine sulphate. 178 Zidovudine [AZT]. 121 Virinorelbine. 178 Zidovudine [AZT]. 121 Virinorelbine Ebewe. 178 Zimybe 67 Viriramune Suspension 120 Zinc and castor oil. 76 Viread 116 Zinc sulphate. 49		Xylocaine	136
Vesaciorid. 178 Xyntha 52 Vesicare. 87 -Z- Vesazone. 25 Zantac. 22 Viaderm KC 76 Zarontin 142 Vidaza. 170 Zaroxolyn. 64 Viekira Pak. 117 Zarodos. 56 Viekira Pak-RBV. 117 Zavedos. 175 Vigabatrin. 144 Zeffix. 114 Vimpat. 143 Zetlam. 114 Vinblastina Teva. 178 Zidovudine [AZT]. 121 Vincristine sulphate. 178 Zidovudine [AZT]. 121 Vincrelbine. 178 Zidovudine [AZT]. 121 Vincrelbine Ebewe. 178 Zimybe. 67 Viramune Suspension 120 Zinc and castor oil. 76 Viread. 116 Zinc sulphate. 49 Viread. 16 Zinc sulphate. 49 Viread. 221 Ziprasidone. 149 Viread.			
Vesicare. .87 - Z - Vexazone. .25 Zantac. .22 Vifend .110 Zapril. .59 Viaderm KC. .76 Zarontin .142 Vidaza. .170 Zaroxolyn. .64 Viekira Pak .117 Zarzio. .56 Viekira Pak-RBV. .117 Zavedos. .175 Vigabatrin .144 Zeffix. .114 Vimpat .143 Zetlam. .114 Vinolastina Teva. .178 Zidovudine [AZT]. .121 Vincristine sulphate .178 Zidovudine [AZT]. .121 Vincristine sulphate .178 Zidovudine [AZT]. .121 Vincristine sulphate .178 Iamivudine .121 Vincristine sulphate .178 Zidovudine [AZT]. .121 Vincristine sulphate .178 Zindovudine [AZT]. .121 Vincristine sulphate .178 Zindovudine [AZT]. .121 Virocristine sulphate .178 Zindo		Xvntha	52
Vfend 110 Zapril 59 Viaderm KC 76 Zarontin 142 Vidaza 170 Zaroxolyn 64 Viekira Pak 117 Zarzio 56 Viekira Pak-RBV 117 Zavedos 175 Vigabatrin 144 Zeffix 114 Vimpat 143 Zetlam 114 Vimpat 143 Zetlam 114 Vinblastina Teva 178 Zidovudine [AZT] 120 Vinblastine sulphate 178 Zidovudine [AZT] with 121 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vinorelbine 178 Zidovudine [AZT] with 121 Vinorelbine Ebewe 178 Zidovudine [AZT] with 121 Virorelbine 178 Zidovudine [AZT] with 121 Virorelbine 178 Zidovudine [AZT] with 121 Virorelbine 178 Zimpas 221 Virarelbate 178 Zimpas 221	Vesicare87		
Vfend 110 Zapril 59 Viaderm KC 76 Zarontin 142 Vidaza 170 Zaroxolyn 64 Viekira Pak 117 Zarzio 56 Viekira Pak-RBV 117 Zavedos 175 Vigabatrin 144 Zeffix 114 Vimpat 143 Zetlam 114 Vimpat 143 Zetlam 114 Vinblastina Teva 178 Zidovudine [AZT] 120 Vinblastine sulphate 178 Zidovudine [AZT] with 121 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vinorelbine 178 Zidovudine [AZT] with 121 Vinorelbine 178 Zidovudine [AZT] with 121 Virorelbine 178 Zidovudine [AZT] with 121 Virorelbine 178 Zidovudine [AZT] with 121 Virorelbine 178 Zinca and castor oil 76 Viramine Suphate 178 Zinca and castor oil	Vexazone25	Zantac	22
Viaderm KC .76 Zarontin .142 Vidaza .170 Zaroxolyn .64 Viekira Pak .117 Zarzio .56 Viekira Pak-RBV .117 Zavedos .175 Vigabatrin .144 Zeffix .114 Vimpat .143 Zetlam .114 Vinblastina Teva .178 Ziagen .120 Vincristine sulphate .178 Zidovudine [AZT] .121 Vincristine sulphate .178 Zidovudine [AZT] with .121 Vincristine sulphate .178 Zidovudine [AZT] with .121 Vincristine sulphate .178 Zidovudine [AZT] with .121 Vincristine sulphate .178 Zimovudine [AZT] with .121 Vincristine sulphate .178 Zimovudine [AZT] with .121 Virincristine sulphate .182 Zimovudine [AZT] with .121 Viriname Suspension .120 Zinc and castor oil .76 Viriname Suspension .120 Zinc and castor oil .7			
Vidaza 170 Zaroxolyn 64 Viekira Pak 117 Zarzio 56 Viekira Pak-RBV 117 Zavedos 175 Vigabatrin 144 Zeffix 114 Vimpat 143 Zetlam 114 Vinblastina Teva 178 Ziagen 120 Vinblastine sulphate 178 Zidovudine [AZT] 121 Vinorelbine 178 Zidovudine [AZT] 121 Vinorelbine Ebewe 178 Zidovudine [AZT] 121 Vinorelbine Ebewe 178 Zidovudine [AZT] 121 Vinorelbine Ebewe 178 Zimoudine [AZT] 121 Vinorelbine Ebewe 178 Zimoudine [AZT] 121 Vinorelbine Ebewe 178 Zimoudine [AZT] 121 Viramune Suspension 120 Zinc and castor oil 76 Viramine Suspension 120 Zinc and castor oil 76 Vistil 221 Zinat 10 Vitable Comercia 221 Zipra		•	
Viekira Pak 117 Zarzio. 56 Viekira Pak-RBV 117 Zavedos 175 Vigabatrin 144 Zeffix. 114 Vimpat 143 Zetlam 114 Vimpat 120 Zidovudine [AZT] 120 Vinorelbine 178 Zidovudine [AZT] with 121 Vinorelbine Ebewe 178 Zimoudine [AZT] with 121 Virorelbine Ebewe 178 Zimybe 67 Viramine Suspension 120 Zinc and castor oil 76 Viramine Suspension 120 Zinc and castor oil 76 Viread 116 Zinc sulphate 49 Viread 116 Zinc sulphate 49 Viread 217 Zinc sulphate 49 Viread			
Viekira Pak-RBV 117 Zavedos 175 Vigabatrin 144 Zeffix 114 Vimplastina Teva 178 Zidam 114 Vinblastine sulphate 178 Zidovudine [AZT] 121 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vinorelbine 178 Zimybe 67 Viramune Suspension 120 Zinc and castor oil 76 Viruado 116 Zinc sulphate 49 Viruada 116 Zincaps 49 Viruado 120 Zincaps 49 Viruado 121 Zincaps 49 Vistil 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 VitaDOS 221 Zithromax 102 Vitadol C 46 Zoladex 98 Vitadol C 46 Zoledronic acid Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamin B complex		-	
Vigabatrin 144 Zeffix 114 Vimpat 143 Zetlam 114 Vinblastina Teva 178 Zidovudine [AZT] 120 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vincristine sulphate 178 Zinvoudine [AZT] with 121 Vincristine sulphate 178 Zinvoudine [AZT] with 121 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vincristine sulphate 178 Zimoudine 121 Viradual Sulphate 49 221 Zinc and castor oil 76 Viread 116 Zinc and castor oil 76 221 Viread 116 Zinc and castor oil 76 Viread 116 Zinc sulphate 49 Virital 221 Zinnat 102 Vistil 221 Ziprasidone 149<			
Vimpat 143 Zetlam 114 Vinblastina Teva 178 Ziagen 120 Vincristine sulphate 178 Zidovudine [AZT] 121 Vincristine sulphate 178 Zidovudine [AZT] with Vinorelbine 178 Iamivudine 121 Vinorelbine Ebewe 178 Zimybe 67 Viramune Suspension 120 Zinc and castor oil 76 Viraded 116 Zinc sulphate 49 ViruPOS 217 Zincaps 49 Vistil Forte 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 VitLD3 46 Zista 209 Vitabeck 47 Zoladex 98 Vitableck 47 Zoladex 98 Vitadol C 46 Zoledronic acid Vitamin A with vitamins D and C 46 Zoledronic acid Mylan 89 Vitamin B Complex 46 Zoedronic acid Mylan 89 Vitamins 46-47 Zoedronic acid Mylan 89 Vitamin B Com			
Vinblastina Teva 178 Ziagen 120 Vinblastine sulphate 178 Zidovudine [AZT] 121 Vincristine sulphate 178 Zidovudine [AZT] with 121 Vinorelbine 178 Zinoudine [AZT] with 121 Vinorelbine 178 Zimoudine [AZT] with 121 Vinorelbine 178 Zimoudine [AZT] with 121 Vinorelbine 178 Zimoudine [AZT] with 120 Zimoudine 120 Zimoudine [AZT] with 120 Zimoudine 120 Zimoudine [AZT] with 121 Zimoudine 120 Zimoudine [AZT] with 121 Zimoudine 120 Zimoudine [AZT] with 121 Zimoudine 120 221 Zimoudine [AZT] with 66 Zimoudine 120 221 Zimoudine [AZT] with 121 20 67 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20<			
Vinblastine sulphate 178 Zidovudine [AZT] 121 Vincristine sulphate 178 Zidovudine [AZT] with Vinorelbine 178 Lamivudine 121 Vinorelbine Ebewe 178 Zimybe 67 Viramune Suspension 120 Zinc and castor oil 76 Viread 116 Zinc sulphate 49 ViruPOS 217 Zincaps 49 Vistil 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 Vit.D3 46 Zista 209 VitaD 46 Zista 209 VitaDoS 221 Zithromax 102 Vitadol C 46 Zoladex 98 Vitadol C 46 Zoledronic acid Vitamin A with vitamins D and C 46 Musculoskeletal 130 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamin B complex 46 Zouclone 161 Voloriene			
Vincristine sulphate 178 Zidovudine [AZT] with Vinorelbine 178 Iamivudine 121 Vinorelbine Ebewe 178 Zimybe 67 Viramune Suspension 120 Zinc and castor oil 76 Viread 116 Zinc sulphate 49 ViruPOS 217 Zincaps 49 Vistil 221 Zinnat 102 Vistil 221 Ziprasidone 149 Vit.D3 46 Zista 209 VitaPOS 221 Zithromax 102 Vitaboleck 47 Zoladex 98 Vitadol C 46 Zoledronic acid Vitamin A with vitamins D and C 46 Zoledronic acid Mylan 89 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamin B complex 46 Zopiclone 161 Vivonex TEN 239 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Voltaren D </td <td></td> <td>•</td> <td></td>		•	
Vinorelbine 178 lamivudine 121 Vinorelbine Ebewe 178 Zimybe 67 Viramune Suspension 120 Zinc and castor oil 76 Viradd 116 Zinc sulphate 49 ViruPOS 217 Zincaps 49 Vistil 221 Zincaps 49 Vitad 221 Zithromax 102 Vitadol C 46 Zoladex 98 Vitadol C 46 Zoledronic acid Hormone 89 Vitamin A with vitamins D and C 46 Zoledronic			121
Vinorelbine Ebewe 178 Zimybe 67 Viramune Suspension 120 Zinc and castor oil 76 Viread 116 Zinc sulphate 49 ViruPOS 217 Zincaps 49 Vistil 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 Vit.D3 46 Zista 209 VitA-POS 221 Zithromax 102 Vitabdeck 47 Zoladex 98 Vitadol C 46 Zoledronic acid Vital 239 Hormone 89 Vitamin A with vitamins D and C 46 Musculoskeletal 130 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamins 46 Zoneta 89 Vitamins 46 Zopiclone 161 Vivonex TEN 239 Zopiclone 161 Vololibris 69 Zostavax 271 Voltaren 125 Zo	·		101
Viramune Suspension 120 Zinc and castor oil 76 Viread 116 Zinc sulphate 49 ViruPOS 217 Zincaps 49 Vistil 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 Vit.D3 46 Zista 209 VitA-POS 221 Zithromax 102 Vitadolo C 46 Zoladex 98 Vitadol C 46 Zoledronic acid Hormone 89 Vitamin A with vitamins D and C 46 Musculoskeletal 130 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamins B complex 46 Zoneta 89 Vitamins 46–47 Zopiclone 161 Vivorex TEN 239 Zopiclone 161 Volibris 69 Zostavax 271 Voltaren 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151			
Viread 116 Zinc sulphate 49 ViruPOS 217 Zincaps 49 Vistil 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 Vit.D3 46 Zista 209 VitA-POS 221 Zithromax 102 Vitabdeck 47 Zoladex 98 Vitabolo C 46 Zoledronic acid Vital 239 Hormone 89 Vitamin A with vitamins D and C 46 Zoledronic acid Mylan 89 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamin B6 25 46 Zometa 89 Vitamins 46–47 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Volibris 69 Zostavax 271 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol hydrochloride 149 Volumatic 216 Zuc			
ViruPOS. 217 Zincaps 49 Vistil 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 Vit.D3 46 Zista 209 VitA-POS 221 Zithromax 102 Vitabdol C 46 Zoledronic acid Vital 239 Hormone 89 Vitamin A with vitamins D and C 46 Zoledronic acid Mylan 89 Vitamin B complex 46 Zometa 89 Vitamins 46-47 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix 126 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vorticent 182 Zypine 149 Votrient <t< td=""><td>•</td><td></td><td></td></t<>	•		
Vistil 221 Zinnat 102 Vistil Forte 221 Ziprasidone 149 Vit.D3 46 Zista 209 Vitableck 47 Zoladex 98 Vitabolol C 46 Zoledronic acid Vital 239 Hormone 89 Vitamin A with vitamins D and C 46 Musculoskeletal 130 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamins 46–47 Zopiclone 89 Vitamins 46–47 Zopiclone Actavis 161 Vivonex TEN 239 Zopiclone Actavis 161 Voltaren 125 Zostrix 126 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Voriconazole 110 Zusdone 149 Voriconazole 127 Zyban 165 Votrient 182 Zypine 149 Vitack 10 Zypi			
Vistil Forte. 221 Ziprasidone			
Vit.D3			
VitA-POS 221 Zithromax 102 Vitabdeck 47 Zoladex 98 Vitadol C 46 Zoledronic acid 89 Vital 239 Hormone 89 Vitamin A with vitamins D and C 46 Musculoskeletal 130 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamins 46–47 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Volibiris 69 Zostavax 271 Voltaren 125 Zostrix 126 Voltaren Obhtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vitack 10 Zypine 149 Vitack 10 Zypine 149 Vitack 10 Zypine 149 Vitack		'	
Vitabdeck 47 Zoladex 98 Vitadol C 46 Zoledronic acid Vital 239 Hormone 89 Vitamin A with vitamins D and C 46 Musculoskeletal 130 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamins 46 Zometa 89 Vitamins 46-47 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Volibiris 69 Zostavax 271 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Vosol 217 Zyban 165 Votricon 20le 110 Zusdone 149 Votack 120 Zypine 149 Vitack 120 Zypine 149 Vitack 12	Vit.D3		
Vitadol C 46 Zoledronic acid Vital 239 Hormone 89 Vitamin A with vitamins D and C 46 Musculoskeletal 130 Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamins 46-47 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Volibiris 69 Zostavax 271 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vitack 110 Zypine 149 Vitack 10 Zypine 149 Vitack 10 Zypine 149 Vitack 10 Zypine 149 Voriconazole 24	VitA-POS221		
Vital			98
Vitamin A with vitamins D and C .46 Musculoskeletal 130 Vitamin B complex .46 Zoledronic acid Mylan .89 Vitamin B6 25 .46 Zometa .89 Vitamins .46–47 Zopiclone .161 Vivonex TEN .239 Zopiclone Actavis .161 Volibris .69 Zostavax .271 Voltaren .125 Zostrix .126 Voltaren D .125 Zostrix HP .136 Voltaren Ophtha .218 Zuclopenthixol decanoate .151 Volumatic .216 Zuclopenthixol hydrochloride .149 Voriconazole .110 Zusdone .149 Vosol .217 Zyban .165 Votrient .182 Zypine .149 Vttack .10 Zypine ODT .149 Vyrexa Relprevv .149 Vyrexa Relprevv .149 Wart Preparations .81 Wasp venom allergy treatment .209 Water .57	Vitadol C46	Zoledronic acid	
Vitamin B complex 46 Zoledronic acid Mylan 89 Vitamin B6 25 46 Zometa 89 Vitamins 46–47 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Voltaren 125 Zostrix 271 Voltaren D 125 Zostrix 126 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Vydrarin sodium 56 Zyprexa Relprevv 149 Wart Preparations 81 Wasp venom allergy treatment 209 Water Blood 57	Vital239	Hormone	89
Vitamin B6 25 .46 Zometa 89 Vitamins .46–47 Zopiclone 161 Vivonex TEN .239 Zopiclone Actavis 161 Volibris .69 Zostavax .271 Voltaren .125 Zostrix .126 Voltaren D .125 Zostrix HP .136 Voltaren Ophtha .218 Zuclopenthixol decanoate .151 Volumatic .216 Zuclopenthixol hydrochloride .149 Voriconazole .110 Zusdone .149 Vosol .217 Zyban .165 Votrient .182 Zypine .149 Vittack .110 Zypine ODT .149 Vittack .10 Zyprexa Relprevv .149 Variarin sodium .56 Zyprexa Relprevv .149 Wart Preparations .81 Wasp venom allergy treatment .209 Water Blood .57	Vitamin A with vitamins D and C46	Musculoskeletal	130
Vitamins 46–47 Zopiclone 161 Vivonex TEN 239 Zopiclone Actavis 161 Voltaren 125 Zostavax 271 Voltaren D 125 Zostrix 126 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Vyprexa Relprevv 149 Zyprexa Relprevv 149 Warf Preparations 81 Nart Preparations 181 Wasp venom allergy treatment 209 Nater 160 Blood 57 57	Vitamin B complex46	Zoledronic acid Mylan	89
Vivonex TEN 239 Zopiclone Actavis 161 Volibris 69 Zostavax 271 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Vyprexa Relprevv 149 Zyprexa Relprevv 149 Variarin sodium 56 Zypita 184 Wasp venom allergy treatment 209 Variarin sodium 209 Water Blood 57	Vitamin B6 2546	_	
Vivonex TEN 239 Zopiclone Actavis 161 Volibris 69 Zostavax 271 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Vyprexa Relprevv 149 Zyprexa Relprevv 149 Variarin sodium 56 Zypita 184 Wart Preparations 81 Stiga 184 Wasp venom allergy treatment 209 Water Blood 57	Vitamins46–47	Zopiclone	161
Volibris 69 Zostavax 271 Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Vyprexa Relprevv 149 Zyprexa Relprevv 149 Varfarin sodium 56 Zytiga 184 Wasp venom allergy treatment 209 Water Blood 57	Vivonex TEN239		
Voltaren 125 Zostrix 126 Voltaren D 125 Zostrix HP 136 Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Vyprexa Relprevv 149 Zyprexa Relprevv 149 Varfarin sodium 56 Zytiga 184 Wasp venom allergy treatment 209 Water Blood 57	Volibris69		
Voltaren D. 125 Zostrix HP. 136 Voltaren Ophtha 218 Zuclopenthixol decanoate. 151 Volumatic 216 Zuclopenthixol hydrochloride. 149 Voscionazole 110 Zusdone. 149 Vosol 217 Zyban. 165 Votrient 182 Zypine. 149 Vttack 110 Zypine ODT. 149 Zyprexa Relprevv 149 Zyprexa Relprevv 149 Warfarin sodium 56 Zytiga 184 Wasp venom allergy treatment 209 Water Blood 57	Voltaren		
Voltaren Ophtha 218 Zuclopenthixol decanoate 151 Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Zyprexa Relprevv 149 Zyprexa Relprevv 149 Zytiga 184 Wart Preparations 81 Syprexa Relprevv 184 Wasp venom allergy treatment 209 Water Sopremental Sypremental Syprem			
Volumatic 216 Zuclopenthixol hydrochloride 149 Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine 149 Zypine 0DT 149 Zyprexa Relprevv 149 Zyprexa Relprevv 149 Zytiga 184 Wasp venom allergy treatment 209 Water Blood 57			
Voriconazole 110 Zusdone 149 Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Zyprexa Relprevv 149 Warfarin sodium 56 Zytiga 184 Wart Preparations 81 Wasp venom allergy treatment 209 Water Blood 57		'	
Vosol 217 Zyban 165 Votrient 182 Zypine 149 Vttack 110 Zypine ODT 149 Zyprexa Relprevv 149 Warfarin sodium 56 Zytiga 184 Wart Preparations 81 Wasp venom allergy treatment 209 Water Blood 57			
Votrient 182 Zypine 149 Vtack 110 Zypine ODT 149 Zyprexa Relprevv 149 Zyprexa Relprevv 149 Warfarin sodium 56 Zytiga 184 Wart Preparations 81 Wasp venom allergy treatment 209 Water 57			
Vttack 110 Zypine ODT 149 - W - Zyprexa Relprevv 149 Warfarin sodium 56 Zytiga 184 Wart Preparations 81 Wasp venom allergy treatment 209 Water 57			
- W - Zyprexa Relprevv		Zypine	149
Warfarin sodium			
Wart Preparations81 Wasp venom allergy treatment209 Water Blood57	••		
Wasp venom allergy treatment209 Water Blood57		∠ytiga	184
Water Blood57			
	Water		
	Blood57		
	Extemporaneous230		