Pharmaceutical Management Agency

# Section H Update for Hospital Pharmaceuticals

Effective 1 July 2018

Cumulative for April, May, June and July 2018



## **Contents**

Summary of decisions effective 1 July 2018	3
Section H changes to Part II	8
Part III – Optional Pharmaceuticals	45
Index	46

## Summary of decisions EFFECTIVE 1 JULY 2018

- Acarbose (Glucobay) tab 50 mg and 100 mg price decrease and addition of HSS
- Acetylcysteine (DBL Acetylcysteine) inj 200 mg per ml, 10 ml ampoule
   price decrease and addition of HSS
- Aciclovir (Aciclovir-Claris) inj 250 mg vial price decrease and addition of HSS
- Aprepitant (Emend) cap 40 mg delisted 1 July 2018
- Atenolol (Mylan Atenolol) tab 50 mg and 100 mg price decrease and addition of HSS
- Atorvastatin (Lorstat) tab 10 mg, 20 mg, 40 mg and 80 mg price decrease and addition of HSS
- Azithromycin (Apo-Azithromycin) tab 250 mg and 500 mg price decrease and addition of HSS
- Betaine (Cystadane) powder for oral soln, 180 g amended restriction, presentation description and new listing
- Bisacodyl (Lax-Tabs) tab 5 mg addition of HSS
- Bisacodyl (Lax-Suppositories) suppos 10 mg price decrease and addition of HSS
- Buspirone hydrochloride (Orion) tab 5 mg and 10 mg price decrease and addition of HSS
- Cabergoline (Dostinex) tab 0.5 mg, 2 and 8 tablet packs price decrease and addition of HSS
- Candesartan cilexetil (Candestar) tab 4 mg, 8 mg, 16 mg and 32 mg
   price decrease, addition of HSS and restriction removed
- Cefepime (Cefepime-AFT) inj 1 g and 2 g vials price decrease and addition of HSS
- Cetomacrogol (healthE) crm BP, 100 g and 500 g price decrease and addition of HSS
- Ciclopirox olamine (Apo-Ciclopirox) nail soln 8%, 7 ml price decrease and addition of HSS
- Cinacalcet (Sensipar) tab 30 mg price decrease and addition of HSS
- Cisplatin (DBL Cisplatin) inj 1 mg per ml, 100 ml vial price decrease and addition of HSS
- Citalopram hydrobromide (PSM Citalopram) tab 20 mg price decrease and addition of HSS
- Clonazepam (Rivotril) inj 1 mg per ml, 1 ml ampoule price increase

## Summary of decisions - effective 1 July 2018 (continued)

- Crotamiton (Itch-Soothe) crm 10%, 20 g price decrease and addition of HSS
- Denosumab (Prolia) inj 60 mg prefilled syringe new listing
- Dimethicone (healthE Dimethicone 10%) crm 10% pump bottle, 500 ml
   price decrease and addition of HSS
- Dopamine hydrochloride (Max Health Ltd) inj 40 mg per ml, 5 ml ampoule
   new listing and addition of HSS
- Dopamine hydrochloride (DBL Sterile Dopamine Concentrate) inj 40 mg per ml,
   5 ml ampoule to be delisted 1 September 2018
- Efavirenz with emtricitabine and tenofovir disoproxil fumarate (Atripla) tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg price decrease
- Emtricitabine with tenofovir disoproxil fumarate (Truvada) tab 200 mg with tenofovir disoproxil fumarate 300 mg price decrease
- Entacapone (Entapone) tab 200 mg price decrease and addition of HSS
- Eplerenone (Inspra) tab 25 mg new listing and addition of HSS
- Ethinyloestradiol (NZ Medical & Scientific) tab 10 mcg addition of HSS
- Felodipine (Plendil ER) tab long-acting 2.5 mg addition of HSS
- Flucloxacillin (Staphlex) cap 250 mg and 500 mg price decrease and addition of HSS
- Fludarabine phosphate (Fludara Oral) tab 10 mg addition of HSS
- Fluorouracil sodium (Efudix) crm 5%, 20 g price decrease and addition of HSS
- Gentamicin sulphate (DBL Gentamicin) inj 10 mg per ml, 1 ml ampoule
   price increase and amended brand name
- Glycine (B Braun) irrigation soln 1.5%, 3,000 ml bag new listing and addition of HSS
- Glycine (Baxter) irrigation soln 1.5%, bottle, 2,000 ml and 3,000 ml single bag packs – to be delisted 1 September 2018
- Hydrocortisone (Douglas) tab 5 mg and 20 mg addition of HSS
- $\bullet$  Hydrocortisone with miconazole (Micreme H) crm 1% with miconazole nitrate 2%, 15 g addition of HSS
- Hydroxocobalamin (Neo-B12) inj 1 mg per ml, 1 ml ampoule price decrease and addition of HSS
- Hydroxychloroquine (Plaquenil) tab 200 mg price decrease and addition of HSS

## Summary of decisions - effective 1 July 2018 (continued)

- Idarubicin hydrochloride (Zavedos) inj 5 mg and 10 mg vials price decrease and addition of HSS
- Influenza vaccine (Influvac) inj 45 mcg in 0.5 ml syringe (trivalent vaccine)
   new listing and Indication Restriction criteria applies
- Isoniazid with rifampicin (Rifinah) tab 100 mg with rifampicin 150 mg, and tab 150 mg with rifampicin 300 mg addition of HSS
- Ketamine (Biomed) inj 4 mg per ml, 50 ml syringe to be delisted 1 September 2018
- Lamivudine (Zetlam) tab 100 mg HSS delayed until 1 August 2018
- Lamivudine (Zeffix) tab 100 mg delisting delayed until 1 August 2018
- Lansoprazole (Lanzole Relief) cap 15 mg and 30 mg price decrease and addition of HSS
- Levodopa with benserazide (Madopar Rapid) tab dispersible 50 mg with benserazide 12.5 mg – price increase
- Levodopa with benserazide (Madopar 62.5) cap 50 mg with benserazide
   12.5 mg price increase
- Levodopa with benserazide (Madopar 125) cap 100 mg with benserazide 25 mg – price increase
- Levodopa with benserazide (Madopar HBS) cap long-acting 100 mg with benserazide 25 mg price increase
- Levodopa with benserazide (Madopar 250) cap 200 mg with benserazide
   50 mg price increase
- Lorazepam (Ativan) tab 1 mg and 2.5 mg price decrease and addition of HSS
- Metronidazole (Baxter) inj 5 mg per ml, 100 ml bag new listing
- Metronidazole (AFT) inj 5 mg per ml, 100 ml bag to be delisted 1 September 2018
- Miconazole (Decozol) oral gel 20 mg per g, 40 g price decrease and addition of HSS
- Milrinone (Primacor) inj 1 mg per ml, 10 ml ampoule new listing and addition of HSS
- Milrinone (Milrinone Generic Health) inj 1 mg per ml, 10 ml ampoule to be delisted 1 September 2018
- Nevirapine (Nevirapine Alphapharm) tab 200 mg price decrease and addition of HSS
- Norethisterone (Noriday 28) tab 350 mcg addition of HSS
- Oestradiol valerate (Progynova) tab 1 mg and 2 mg addition of HSS

#### Summary of decisions - effective 1 July 2018 (continued)

- Olopatadine (Patanol) eye drops 0.1%, 5 ml price decrease
- Oxycodone hydrochloride (OxyNorm) cap immediate-release 5 mg, 10 mg and 20 mg, inj 10 mg per ml, 1 ml and 2 ml ampoules, and inj 50 mg per ml, 1 ml ampoule – price decrease and addition of HSS
- Pancreatic enzyme cap pancreatin 150 mg (amylase 8,000 PH Eur U, lipase 10,000 Ph Eur U, total protease 600 Ph Eur U) (Creon 10000) and cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase 25,000 Ph Eur U, total protease 1,000 Ph Eur U) (Creon 25000) – addition of HSS
- Paraffin (healthE) white soft, 10 g price decrease and addition of HSS
- Pethidine hydrochloride (PSM) tab 50 mg addition of HSS
- Phenoxymethylpenicillin [penicillin V] cap 250 mg and 500 mg price decrease and addition of HSS
- Pregnancy test HCG urine (Smith BioMed Rapid Pregnancy Test) cassette
   new listing
- Pregnancy test HCG urine (EasyCheck) cassette to be delisted 1 September 2018
- Promethazine hydrochloride (Allersoothe) tab 10 mg and 25 mg
   price decrease and addition of HSS
- Promethazine hydrochloride (Allersoothe) oral liq 1 mg per ml, 100 ml
   price increase and addition of HSS
- Sildenafil (Vedafil) tab 25 mg and 50 mg price decrease and addition of HSS
- Sildenafil (Vedafil) tab 100 mg, 12 tablet pack new listing and addition of HSS
- Sildenafil (Vedafil) tab 100 mg, 4 tablet pack to be delisted 1 September 2018
- Sodium chloride (BD PosiFlush) inj 0.9%, 3 ml, 5 ml, and 10 ml syringes, non-sterile packs – new listing of 480 syringe pack and addition of HSS
- Sodium chloride (BD PosiFlush) inj 0.9%, 3 ml, 5 ml, and 10 ml syringes, non-sterile packs, 30 packs – to be delisted 1 September 2018
- Sodium chloride (InterPharma) irrigation soln 0.9%, 30 ml ampoule

   new listing and addition of HSS
- Sodium chloride (Pfizer) irrigation soln 0.9%, 30 ml ampoule to be delisted
   1 September 2018
- Sodium chloride (B Braun) irrigation soln 0.9%, 3,000 ml bag new listing and addition of HSS
- Sodium chloride (Baxter) irrigation soln 0.9%, bottle, 100 ml, 500 ml, 2,000 ml and 3,000 ml, single packs to be delisted 1 September 2018

#### Summary of decisions – effective 1 July 2018 (continued)

- Sodium polystyrene sulphonate (Resonium A) powder, 454 g addition of HSS
- Sodium valproate (Epilim IV) inj 100 mg per ml, 4 ml vial price decrease and addition of HSS
- Tamsulosin hydrochloride (Tamsulosin-Rex) cap 400 mcg price decrease, addition of HSS and amended chemical name
- Tobramycin (Tobramycin Mylan) inj 40 mg per ml, 2 ml vial addition of HSS
- Tranexamic acid (Tranexamic-AFT) inj 100 mg per ml, 5 ml and 10 ml ampoules new listing and addition of HSS
- Tranexamic acid (Cyklokapron) inj 100 mg per ml, 5 ml ampoule to be delisted 1 September 2018
- Trimeprazine tartrate oral liq 6 mg per ml to be delisted 1 October 2018
- Tropisetron (Tropisetron-AFT) inj 1 mg per ml, 2 ml ampoule addition of HSS
- Valaciclovir (Vaclovir) tab 500 mg and 1,000 mg price decrease and addition of HSS
- Voriconazole (Vttack) tab 50 mg and 200 mg price decrease and addition of HSS
- Water (B Braun) irrigation soln, 3,000 ml bag new listing and addition of HSS
- Water (Baxter) irrigation soln, bottle, 100 ml, 500 ml, 2,000 ml and 3,000 ml, single packs to be delisted 1 September 2018
- Ziprasidone (Zusdone) cap 20 mg, 40 mg, 60 mg and 80 mg price decrease and addition of HSS

Price		Brand or	
(ex man. Excl. 6	GST)	Generic	
\$	Per	Manufacturer	

## **Section H changes to Part II**

Effective 1 July 2018

#### **ALIMENTARY TRACT AND METABOLISM**

15	LANSOPRAZOLE (4 price and addition of HSS)  Cap 15 mg – <b>1% DV Sep-18 to 2021</b>	100 100	Lanzol Relief Lanzol Relief
16	ACARBOSE (\$\perp\$ price and addition of HSS)  Tab 50 mg - 1% DV Sep-18 to 2021	90 90	Glucobay Glucobay
18	PANCREATIC ENZYME (addition of HSS) Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase 10,000 Ph Eur U, total protease 600 Ph Eur U)  - 1% DV Sep-18 to 2021	100	Creon 10000 Creon 25000
20	BISACODYL (addition of HSS) Tab 5 mg – 1% DV Sep-18 to 2021	200 10	Lax-Tabs Lax-Suppositories
21	BETAINE (new listing, amended restriction and presentation description)  → Powder for oral soln	180 g	Cystadane

Initiation

Metabolic physician or metabolic disorders dietician.

Re-assessment required after 12 months.

All of the following:

- 1 The patient has a confirmed diagnosis of homocystinuria; and
- 2 Any of the following:
  - 2.1 a cystathionine beta-synthase (CBS) deficiency; or
  - 2.2 a 5,10-methylene-tetrahydrofolate reductase (MTHFR) deficiency; or
  - 2.3 a disorder of intracellular cobalamin metabolism; and
- 3 An appropriate homocysteine level has not been achieved despite a sufficient trial of appropriate vitamin supplementation.

#### Continuation

Metabolic physician.

Re-assessment required after 12 months

The treatment remains appropriate and the patient is benefiting from treatment.

26	MICONAZOLE (4 price and addition of HSS)  Oral gel 20 mg per g – <b>1% DV Sep-18 to 2021</b> 4.74	40 g	Decozol
27	HYDROXOCOBALAMIN (4 price and addition of HSS) Ini 1 mg per ml. 1 ml ampoule – 1% DV Sep-18 to 2021	3	Neo-B12

Price		Brand or
(ex man. Excl. 0	GST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II – effective 1 July 2018 (continued)

## **BLOOD AND BLOOD FORMING ORGANS**

BLOO	D AND BLOOD FORMING ORGANS		
32	TRANEXAMIC ACID (new listing) Inj 100 mg per ml, 5 ml ampoule – 1% DV Sep-18 to 2021 6.95 Inj 100 mg per ml, 10 ml ampoule – 1% DV Sep-18 to 2021 10.95 Note – Cyklokapron inj 100 mg per ml, 5 ml ampoule to be delisted from	5 5 1 1 September 20	Tranexamic-AFT Tranexamic-AFT 18.
40	SODIUM CHLORIDE (pack size change and addition of HSS)  → Inj 0.9%, 3 ml syringe, non-sterile pack  — 1% DV Sep-18 to 2021	480 480 480 pack, 30 syringe	BD PosiFlush BD PosiFlush BD PosiFlush pack to be delisted
41	SODIUM POLYSTYRENE SULPHONATE (addition of HSS) Powder – 1% DV Sep-18 to 202184.65	454 g	Resonium A
CARD	IOVASCULAR SYSTEM		
43	CANDESARTAN CILEXETIL (‡ price, addition of HSS and restriction remored Tab 4 mg – 1% DV Sep-18 to 2021	90 90 90 90 90	Candestar Candestar Candestar Candestar
	Restricted Initiation — ACE inhibitor intolerance Either:  Patient has persistent ACE inhibitor induced cough that is not resolved ACE inhibitor); or  Patient has a history of angioedema. Initiation — Unsatisfactory response to ACE inhibitor Patient is not adequately controlled on maximum tolerated dose of an ACE	d by ACE inhibito	
45	ATENOLOL (↓ price and addition of HSS)  Tab 50 mg – 1% DV Sep-18 to 2021	500 500	Mylan Atenolol Mylan Atenolol
46	FELODIPINE (addition of HSS) Tab long-acting 2.5 mg – 1% DV Sep-18 to 20211.45	30	Plendil ER

	(ex m	Price (ex man. Excl. GST)		Brand or Generic
	,	\$	Per	Manufacturer
	nges to Section H Part II – effective 1 July 2018 (conf	tinued)		
48	EPLERENONE (new listing)  → Tab 25 mg – 1% DV Sep-18 to 2021	11.87	30	Inspra
	Restricted Initiation			

2.1	Patient is	intolerant to	optimal	dosing of	f spironol	actone; or	
~ ~	B						

2.2 Patient has experienced a clinically significant adverse effect while on optimal dosing of spironolactone.

49	ATORVASTATIN (‡ price and addition of HSS)		
	Tab 10 mg – <b>1% DV Sep-18 to 2021</b>	500	Lorstat
	Tab 20 mg – <b>1% DV Sep-18 to 2021</b>	500	Lorstat
	Tab 40 mg – <b>1% DV Sep-18 to 2021</b> 15.93	500	Lorstat
	Tab 80 mg – <b>1% DV Sep-18 to 2021</b> 27.19	500	Lorstat

DOPAMINE HYDROCHLORIDE (brand change)
Inj 40 mg per ml, 5 ml ampoule – 1% DV Sep-18 to 2021 ...... 29.73
10
Max Health Ltd
Note – DBL Sterile Dopamine Concentrate inj 40 mg per ml, 5 ml ampoule to be delisted from 1 September 2018.

52 MILRINONE (brand change)

2 Either:

Inj 1 mg per ml, 10 ml ampoule – **1% DV Sep-18 to 2021** .......99.00 10 **Primacor** Note – Milrinone Generic Health inj 1 mg per ml, 10 ml ampoule to be delisted from 1 September 2018.

53 SILDENAFIL ( $\downarrow$  price and addition of HSS)

<b>→</b>	Tab 25 mg -	· 1% DV	Sep-18 to	2021	0.64	4	Vedafil
<b>→</b>	Tab 50 mg -	1% DV	Sep-18 to	2021	0.64	4	Vedafil

53 SILDENAFIL (pack size change and addition of HSS)

SILDLIVALIL (pack size change and addition of 1100)		
→ Tab 100 mg – 1% DV Sep-18 to 2021	3.60 12	Vedafil
Note - Vedafil tab 100 mg, 4 tab pack to be delisted from 1 Septemb	ber 2018.	

### **DERMATOLOGICALS**

55	CICLOPIROX OLAMINE (‡ price and addition of HSS) Nail soln 8% – 1% DV Sep-18 to 20215.72	7 ml	Apo-Ciclopirox
56	CROTAMITON (↓ price and addition of HSS)  Crm 10% – 1% DV Sep-18 to 20213.29	20 g	Itch-Soothe
56	DIMETHICONE (4 price and addition of HSS)  Crm 10% pump bottle – 1% DV Sep-18 to 20214.52	500 ml	healthE Dimethicone 10%
57	CETOMACROGOL (‡ price and addition of HSS)  Crm BP, 500 g – <b>1% DV Sep-18 to 2021</b>	500 g 1	healthE healthE

Price		Brand or
(ex man. Excl. GST)		Generic
 ` \$ Per		Manufacturer

	<b>J</b> ,,	,		
57	PARAFFIN (4 price and addition of HSS) White soft – 1% DV Sep-18 to 20210. Note: DV limit applies to pack sizes of 30 g or less, and to both white		0 g in and yell	healthE ow soft paraffin.
59	HYDROCORTISONE WITH MICONAZOLE (addition of HSS) Crm 1% with miconazole nitrate 2% – 1% DV Sep-18 to 2021 2.	00 1	5 g	Micreme H
60	FLUOROURACIL SODIUM (‡ price and addition of HSS) Crm 5% – 1% DV Sep-18 to 20217.	95 2	0 g	Efudix
GENI	TO-URINARY SYSTEM			
62	NORETHISTERONE (addition of HSS) Tab 350 mcg – <b>1% DV Sep-18 to 2021</b> 6.	25 8	34	Noriday 28
64	TAMSULOSIN <b>HYDROCHLORIDE</b> (↓ price, addition of HSS and amen → Cap 400 mcg – <b>1% DV Sep-18 to 2019</b> 11.		cal name) 00	Tamsulosin-Rex
HORI	MONE PREPARATIONS			
66	CINACALCET (↓ price and addition of HSS)  → Tab 30 mg – 1% DV Sep-18 to 2021210.	30 2	28	Sensipar
68	HYDROCORTISONE (addition of HSS)  Tab 5 mg – <b>1% DV Sep-18 to 2021</b> 8.  Tab 20 mg – <b>1% DV Sep-18 to 2021</b> 20.		00 00	Douglas Douglas
68	OESTRADIOL VALERATE (addition of HSS)         Tab 1 mg – 1% DV Sep-18 to 2021       12.         Tab 2 mg – 1% DV Sep-18 to 2021       12.		34 34	Progynova Progynova
69	CABERGOLINE (↓ price and addition of HSS)  → Tab 0.5 mg – 1% DV Sep-18 to 2021		2	Dostinex Dostinex
69	ETHINYLOESTRADIOL (addition of HSS) Tab 10 mcg – <b>1% DV Sep-18 to 2021</b> 17.	60 1	00	NZ Medical & Scientific
INFE	CTIONS			
76	GENTAMICIN SULPHATE († price and amended brand name) Inj 10 mg per ml, 1 ml ampoule25.	00	5	DBL Gentamicin Hospira
76	TOBRAMYCIN (addition of HSS)  → Inj 40 mg per ml, 2 ml vial – 1% DV Sep-18 to 202115.	.00	5	Tobramycin Mylan
77	CEFEPIME (↓ price and addition of HSS)  → Inj 1 g vial – 1% DV Sep-18 to 2021		1	Cefepime-AFT Cefepime-AFT

	(ex man.	ice Excl. GST \$	) Per	Brand or Generic Manufacturer
Cha	nges to Section H Part II – effective 1 July 2018 (continu	ed)		
78	AZITHROMYCIN (↓ price and addition of HSS)  → Tab 250 mg – <b>1% DV Sep-18 to 2021</b>		30 2	Apo-Azithromycin Apo-Azithromycin
80	FLUCLOXACILLIN (‡ price and addition of HSS)  Cap 250 mg – <b>1% DV Sep-18 to 2021</b>		250 500	Staphlex Staphlex
80	PHENOXYMETHYLPENICILLIN [PENICILLIN V] (\$\psi\$ price and addition of Cap 250 mg - 1% DV Sep-18 to 2021	.59	50 50	Cilicaine VK Cilicaine VK
85	VORICONAZOLE (↓ price and addition of HSS)  → Tab 50 mg – 1% DV Sep-18 to 2021		56 56	Vttack Vttack
86	ISONIAZID WITH RIFAMPICIN (addition of HSS)  → Tab 100 mg with rifampicin 150 mg  - 1% DV Sep-18 to 2021		100 100	Rifinah Rifinah
88	METRONIDAZOLE (brand change) Inj 5 mg per ml, 100 ml bag		10 per 2018.	Baxter
89	NEVIRAPINE (↓ price and addition of HSS)  → Tab 200 mg – 1% DV Sep-18 to 202160	.00	60	Nevirapine Alphapharm
90	EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FU     → Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg237		(‡ price) 30	Atripla
94	ACICLOVIR (4 price and addition of HSS) Inj 250 mg vial – 1% DV Sep-18 to 20219	.60	5	Aciclovir-Claris
94	VALACICLOVIR (↓ price and addition of HSS)  Tab 500 mg – <b>1% DV Sep-18 to 2021</b>		30 30	Vaclovir Vaclovir
94	LAMIVUDINE (HSS and delisting delayed) Tab 100 mg – 1% DV <b>Aug</b> Jul-18 to 20204 Note – HSS on Zetlam tab 100 mg delayed until 1 August 2018 and until 1 August 2018.		28 ng of Zeffix	<b>Zetlam</b> tab 100 mg delayed
95	EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE (↓ price → Tab 200 mg with tenofovir disoproxil fumarate 300 mg190	,	30	Truvada

Price (ex man. Excl. (	GST)	Brand or Generic
(ex man. Excl. ( \$	Per	Manufacturer

## Changes to Section H Part II – effective 1 July 2018 (continued)

#### **MUSCULOSKELETAL SYSTEM**

99	Tab 200 mg – <b>1% DV Sep-18 to 2021</b>	7.98	100	Plaquenil
103	DENOSUMAB (new listing)  → Inj 60 mg prefilled syringe	26.00	1	Prolia

Restricted

Initiation

All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 Either:
  - 2.1 The patient is female and postmenopausal; or
  - 2.2 The patient is male or non-binary; and
- 3 Any of the following:
  - 3.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note): or
  - 3.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons; or
  - 3.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 3.4 Documented T-Score less than or equal to -3.0 (see Note); or
  - 3.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 3.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 4 Zoledronic acid is contraindicated because the patient's creatinine clearance is less than 35 mL/min; and
- 5 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes); and
- 6 The patient must not receive concomitant treatment with any other funded antiresorptive agent for this condition or teriparatide.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with denosumab.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

continued...

Price (ex man. Excl. GST) \$ Pe Brand or Generic Manufacturer

## Changes to Section H Part II – effective 1 July 2018 (continued) continued...

ENTAGABONE (I : I IIII (IIIO)

e) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: risedronate sodium tab 35 mg once weekly; alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.

#### **NERVOUS SYSTEM**

110	ENTACAPONE (1 price and addition of HSS)  Tab 200 mg – 1% DV Sep-18 to 2021	22.00	100	Entapone
110	LEVODOPA WITH BENSERAZIDE († price)  Tab dispersible 50 mg with benserazide 12.5 mg	13.75 15.80 22.85	100 100 100 100 100	Madopar Rapid Madopar 62.5 Madopar 125 Madopar HBS Madopar 250
111	KETAMINE (delisting) Inj 4 mg per ml, 50 ml syringe Note – Biomed inj 4 mg per ml, 50 ml syringe to be delisted 1 S		1 )18.	Biomed
115	OXYCODONE HYDROCHLORIDE ( $\downarrow$ price and addition of HSS) Cap immediate-release 5 mg $-$ 1% DV Sep-18 to 2021 Cap immediate-release 10 mg $-$ 1% DV Sep-18 to 2021 Cap immediate-release 20 mg $-$ 1% DV Sep-18 to 2021 Inj 10 mg per ml, 1 ml ampoule $-$ 1% DV Sep-18 to 2021 Inj 10 mg per ml, 2 ml ampoule $-$ 1% DV Sep-18 to 2021 Inj 50 mg per ml, 1 ml ampoule $-$ 1% DV Sep-18 to 2021 Inj 50 mg per ml, 1 ml ampoule $-$ 1% DV Sep-18 to 2021	3.32 5.81 7.28 14.36	20 20 20 5 5	OxyNorm OxyNorm OxyNorm OxyNorm OxyNorm OxyNorm
116	PETHIDINE HYDROCHLORIDE (addition of HSS)  Tab 50 mg – 1% DV Sep-18 to 2021	4.46	10	PSM
117	CITALOPRAM HYDROBROMIDE (\$\pi\text{ price and addition of HSS)} Tab 20 mg - 1% DV Sep-18 to 2021	1.52	84	PSM Citalopram
117	CLONAZEPAM († price) Inj 1 mg per ml, 1 ml ampoule	21.00	5	Rivotril
120	SODIUM VALPROATE (‡ price and addition of HSS) Inj 100 mg per ml, 4 ml vial – 1% DV Sep-18 to 2021	9.98	1	Epilim IV
122	APREPITANT (delisted)  → Cap 40 mg  Note – Emend cap 40 mg delisted from 1 July 2018.	71.43	5	Emend

	Pric (ex man. Ex \$		T) Per	Brand or Generic Manufacturer
Char	nges to Section H Part II – effective 1 July 2018 (continued	l)		
123	TROPISETRON (addition of HSS) Inj 1 mg per ml, 2 ml ampoule – 1% DV Sep-18 to 20218.9	5	1	Tropisetron-AFT
126	ZIPRASIDONE (‡ price and addition of HSS)  Cap 20 mg – <b>1% DV Sep-18 to 2021</b>	0 0	60 60 60	Zusdone Zusdone Zusdone Zusdone
127	BUSPIRONE HYDROCHLORIDE (\$\pirice and addition of HSS)  Tab 5 mg - 1% DV Sep-18 to 202120.2  Tab 10 mg - 1% DV Sep-18 to 202113.1		100 100	Orion Orion
128	LORAZEPAM (4 price and addition of HSS)  Tab 1 mg – <b>1% DV Sep-18 to 2021</b>		250 100	Ativan Ativan
ONC	OLOGY AGENTS AND IMMUNOSUPPRESSANTS			
137	IDARUBICIN HYDROCHLORIDE (4 price and addition of HSS)   Inj 5 mg vial – 1% DV Sep-18 to 2021		1	Zavedos Zavedos
137	FLUDARABINE PHOSPHATE (addition of HSS) Tab 10 mg – <b>1% DV Sep-18 to 2021</b>	0	20	Fludara Oral
142	CISPLATIN (4 price and addition of HSS) Inj 1 mg per ml, 100 ml vial – 1% DV Sep-18 to 202119.7	0	1	DBL Cisplatin
RESF	PIRATORY SYSTEM AND ALLERGIES			
190	PROMETHAZINE HYDROCHLORIDE (1 price and addition of HSS)  Tab 10 mg – <b>1% DV Sep-18 to 2021</b>		50 50	Allersoothe Allersoothe
190	PROMETHAZINE HYDROCHLORIDE († price and addition of HSS) Oral liq 1 mg per ml – 1% DV Sep-18 to 20212.6	9	100 ml	Allersoothe
190	TRIMEPRAZINE TARTRATE (delisting) Oral liq 6 mg per ml Note – Trimeprazine tartrate oral liq 6 mg per ml to be delisted 1 Octob	er 201	8.	
SENS	SORY ORGANS			
198	OLOPATADINE (‡ price) Eye drops 0.1%10.0	0	5 ml	Patanol

Price		Brand or
(ex man. Excl. GST)		Generic
 \$	Per	Manufacturer

## Changes to Section H Part II – effective 1 July 2018 (continued)

## **VARIOUS**

203	ACETYLCYSTEINE ( $\downarrow$ price and addition of HSS) Inj 200 mg per ml, 10 ml ampoule – 1% DV Sep-18 to 2021	58.76	10	DBL Acetylcysteine
209	GLYCINE (new listing) Irrigation soln 1.5%, 3,000 ml bag – 1% DV Sep-18 to 2021	31.20	4	B Braun
209	GLYCINE (delisting) Irrigation soln 1.5%, bottle	22.70	2,000 ml 3,000 ml to be delisted f	Baxter Baxter from 1 September
209	SODIUM CHLORIDE (brand change) Irrigation soln 0.9%, 30 ml ampoule  – 1% DV Sep-18 to 2021 Note – Pfizer irrigation soln 0.9%, 30 ml ampoule to be delisted f		20 tember 2018.	InterPharma
209	SODIUM CHLORIDE (new listing) Irrigation soln 0.9%, 3,000 ml bag – <b>1% DV Sep-18 to 2021</b>	26.80	4	B Braun
209	SODIUM CHLORIDE (delisting) Irrigation soln 0.9%, bottle	6.19 15.11 19.26	100 ml 500 ml 2,000 ml 3,000 ml 000 ml single b	Baxter Baxter Baxter Baxter wag packs to be delisted
209	WATER (new listing) Irrigation soln, 3,000 ml bag – 1% DV Sep-18 to 2021	28.80	4	B Braun
209	WATER (delisting) Irrigation soln, bottle	5.94 16.47 29.21	100 ml 500 ml 2,000 ml 3,000 ml	Baxter Baxter Baxter Baxter
	Note – Baxter irrigation soln, bottle, 100 ml, 500 ml, 2,000 ml ar 1 September 2018.	ıd 3,000 m	l single bottles	to be delisted from

Price		Brand or
(ex man. Excl. GST)		Generic
`\$ Per		Manufacturer

### Changes to Section H Part II - effective 1 July 2018 (continued)

#### **VACCINES**

235 INFLUENZA VACCINE

Restricted

Initiation - People over 65

The patient is 65 years of age or over.

Initiation - cardiovascular disease

Any of the following:

- 1 Ischaemic heart disease: or
- 2 Congestive heart failure; or
- 3 Rheumatic heart disease; or
- 4 Congenital heart disease: or
- 5 Cerebro-vascular disease.

Note: hypertension and/or dyslipidaemia without evidence of end-organ disease is excluded from funding.

Initiation - chronic respiratory disease

Fither:

- 1 Asthma, if on a regular preventative therapy; or
- 2 Other chronic respiratory disease with impaired lung function.

Note: asthma not requiring regular preventative therapy is excluded from funding.

Initiation - Other conditions

Any of the following:

- 1 Any of the following:
  - Ally of the following
  - 1.1 Diabetes; or
  - 1.2 chronic renal disease; or1.3 Any cancer, excluding basal and squamous skin cancers if not invasive; or
  - 1.4 Autoimmune disease; or
  - 1.5 Immune suppression or immune deficiency; or
  - 1.6 HIV: or
  - 1.7 Transplant recipient; or
  - 1.8 Neuromuscular and CNS diseases/ disorders; or
  - 1.9 Haemoglobinopathies: or
  - 1.10 Is a child on long term aspirin; or
  - 1.11 Has a cochlear implant; or
  - 1.12 Errors of metabolism at risk of major metabolic decompensation; or
  - 1.13 Pre and post splenectomy; or
  - 1.14 Down syndrome; or
  - 1.15 Is pregnant; or
  - 1.16 Is a child aged four or less who has been hospitalised for respiratory illness or has a history of significant respiratory illness; or
- 2 Patients in a long-stay inpatient mental health care unit or who are compulsorily detained long-term in a forensic unit within a DHB hospital; or
- 3 People under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board); or
- 4 People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region.

Price		Brand or
(ex man. Excl. GST)		Generic
\$	Per	Manufacturer

## Changes to Section H Part II - effective 1 June 2018

#### **ALIMENTARY TRACT AND METABOLISM**

- 28 ALPHA TOCOPHERYL (new listing)
  - → Oral lig 156 u per ml

Restricted

Initiation - Cystic fibrosis

Both:

- 1 Cystic fibrosis patient; and
- 2 Either:
  - 2.1 Patient has tried and failed the other available funded fat soluble vitamin A,D,E,K supplement (Vitabdeck); or
  - 2.2 The other available funded fat soluble vitamin A,D,E,K supplement (Vitabdeck) is contraindicated or clinically inappropriate for the patient.

Initiation - Osteoradionecrosis

For the treatment of osteoradionecrosis.

Initiation - Other indications

All of the following:

- 1 Infant or child with liver disease or short gut syndrome; and
- 2 Requires vitamin supplementation; and
- 3 Either:
  - 3.1 Patient has tried and failed the other available funded fat soluble vitamin A,D,E,K supplements(Vitabdeck); or
  - 3.2 The other available funded fat soluble vitamin A,D,E,K supplement (Vitabdeck) is contraindicated or clinically inappropriate for patient.

#### **BLOOD AND BLOOD FORMING ORGANS**

35	HEPARIN SODIUM († price) Inj 1,000 iu per ml, 1 ml ampoule	50 50 5 50	Hospira Pfizer Hospira Pfizer
35	HEPARINISED SALINE († price) Inj 10 iu per ml, 5 ml ampoule	50	Pfizer

		Price (ex man. Excl. (	GST) Per	Brand or Generic Manufacturer
Chan	ges to Section H Part II – effective 1 June 201	18 (continued)		
38	GLUCOSE [DEXTROSE] (new listing) Inj 5%, 100 ml bag – 1% DV Aug-18 to 2021 Inj 5%, 250 ml bag – 1% DV Aug-18 to 2021 Inj 5%, 500 ml bag – 1% DV Aug-18 to 2021 Inj 5%, 1,000 ml bag – 1% DV Aug-18 to 2021	52.50 24.00	50 30 20 10	Fresenius Kabi Fresenius Kabi Fresenius Kabi Fresenius Kabi
38	GLUCOSE [DEXTROSE] (delisting) Inj 5%, bag  Note – Baxter inj 5%, bag, 100 ml, 250 ml, 500 ml and 1	1.80 2.84 3.87	500 ml 1,000 ml 100 ml 250 ml to be delisted	Baxter Baxter Baxter Baxter d from 1 August 2018.
DERN	NATOLOGICALS			
60	IMIQUIMOD (new listing) Crm 5%, 250 mg sachet – <b>1% DV Aug-18 to 2020</b> Note – Apo-Imiquimod Cream 5% crm 5%, 250 mg sach		24 rom 1 August	<b>Perrigo</b> 2018.
INFE	CTIONS			
76	AMIKACIN (↓ price and addition of HSS)  → Inj 250 mg per ml, 2 ml vial – 1% DV Aug-18 to 2021	1265.00	5	DBL Amikacin
76	IMIPENEM WITH CILASTATIN († price)  → Inj 500 mg with 500 mg cilastatin vial	60.00	1	Imipenem+Cilastatin RBX
84	DOXYCYCLINE (restriction reinstated)  → Tab 50 mg – Restricted: For continuation only  Note – the continuation restriction was removed from 27	April 2018.		
87	VORICONAZOLE († price)  → Powder for oral suspension 40 mg per ml	1,156.32	70 ml	Vfend
90	MEFLOQUINE (brand delisting)  → Tab 250 mg  Note – Lariam tab 250 mg brand to be delisted from 1 Ja		8 presentation	Lariam will remain listed.

Price		Brand or
(ex man. Excl. G	iST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II - effective 1 June 2018 (continued)

92 **FNTFCAVIR** (restriction removed) Tab 0.5 mg .......400.00 30 Baraclude Restricted Initiation Castroenterologist or infectious disease specialist All of the following: 1 Patient has confirmed Hepatitis B infection (HBsAq positive for more than 6 months); and 2 Patient is Hepatitis B nucleoside analogue treatment-naive: and 3 Entecavir dose 0.5 mg/day: and 4 Fither: 4.1 ALT greater than upper limit of normal: or 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater or moderate fibrosis) on liver histology; and 5 Either: 5.1 HBeAg positive: or 5.2 Patient has greater than or equal to 2.000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology: and 6 No continuing alcohol abuse or intravenous drug use; and 7 Not co-infected with HCV. HIV or HDV: and 8 Neither ALT nor AST greater than 10 times upper limit of normal; and 9 No history of hypersensitivity to entecavir; and 10 No previous documented lamivudine resistance (either clinical or genotypic). 93 TENOFOVIR DISOPROXIL (new listing) Tab 245 mg (300.6 mg as a succinate) 30 Tenofovir Disoproxil Teva 93 TENOFOVIR DISOPROXIL FUMARATE (amended chemical name and presentation, and restriction removed) Viread Restricted Initiation - Confirmed hepatitis B Fither: 1 All of the following: 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and 1.3 HBV DNA greater than 20.000 IU/mL or increased 10-fold or higher over nadir; and 1.4 Any of the following: 1.4.1 Lamivudine resistance - detection of M204I/V mutation; or 1.4.2 Adefovir resistance - detection of A181T/V or N236T mutation; or 1.4.3 Entecavir resistance - detection of relevant mutations including 1169T, L180M T184S/A/I/L/G/ C/M. S202C/G/I. M204V or M250I/V mutation: or 2 Patient is either listed or has undergone liver transplantation for HBV. Initiation - Women of child bearing age with active hepatitis B Limited to 12 months treatment All of the following:

- 1 Patient is HBsAq positive; and
- 2 Either:
  - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
  - 2.2 HBV DNA > 20 million IU/mL and ALT normal: and

continued...

Price		Brand or
(ex man. Excl. G	iST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II - effective 1 June 2018 (continued)

continued...

- 3 Any of the following:
  - 3.1 Patient is of child bearing potential and has not yet completed a family; or
  - 3.2 Patient is pregnant; or
  - 3.3 Patient is breastfeeding.

Initiation - Confirmed HIV

Patient has confirmed HIV infection.

Initiation - Prevention of maternal transmission

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Initiation – Post-exposure prophylaxis following non-occupational exposure to HIV Roth:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initiation - Percutaneous exposure

Patient has percutaneous exposure to blood known to be HIV positive.

Note - Viread tab 245 mg (300 mg as a fumarate) to be delisted from 1 September 2018.

#### **NERVOUS SYSTEM**

109	RILUZOLE (↓ price and addition of HSS)  → Tab 50 mg – 1% DV Aug-18 to 2021130.00	56	Rilutek
112	LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE (new listing) Gel 2%, 10 ml urethral syringe160.00	25	Cathejell
113	PARACETAMOL († price and addition of HSS) Oral liq 250 mg per 5 ml – 20% DV Aug-18 to 2020	1,000 ml	Paracare Double Strength
118	GABAPENTIN (new listing)         Note: Gabapentin not to be given in combination with pregabalin.         Cap 100 mg – 1% DV Aug-18 to 2021       2.65         Cap 300 mg – 1% DV Aug-18 to 2021       4.07         Cap 400 mg – 1% DV Aug-18 to 2021       5.64	100 100 100	Apo-Gabapentin Apo-Gabapentin Apo-Gabapentin

Price		Brand or
(ex man. Excl. G	ST)	Generic
\$	Per	Manufacturer

118	GABAPENTIN (restriction only applies to brands below)  Note: Gabapentin not to be given in combination with pre	egabalin		
	→ Cap 100 mg	7.16	100	Arrow-Gabapentin Neurontin Nupentin
	→ Cap 300 mg	11.00	100	Arrow-Gabapentin Neurontin Nupentin
	→ Cap 400 mg	13.75	100	Arrow-Gabapentin Neurontin Nupentin
	Note – Arrow-Gabapentin, Neurontin and Nupentin capsule 1 August 2018.	100 mg, 300 m	ig and 400 m	ng to be delisted from
124	ARIPIPRAZOLE (new listing)			
	Tab 5 mg – 1% DV Aug-18 to 2021	17.50	30	Aripiprazole Sandoz
	Tab 10 mg – 1% DV Aug-18 to 2021	17.50	30	Aripiprazole Sandoz
	Tab 15 mg - 1% DV Aug-18 to 2021	17.50	30	Aripiprazole Sandoz
	Tab 20 mg - 1% DV Aug-18 to 2021	17.50	30	Aripiprazole Sandoz
	Tab 30 mg – <b>1% DV Aug-18 to 2021</b>	17.50	30	Aripiprazole Sandoz
124	ARIPIPRAZOLE (restriction only applies to brand below)			
	→ Tab 5 mg	123.54	30	Abilify
	→ Tab 10 mg	123.54	30	Abilify
	→ Tab 15 mg	175.28	30	Abilify
	→ Tab 20 mg		30	Abilify
	→ Tab 30 mg		30	Abilify
	Note – Abilify tab 5 mg, 10 mg, 15 mg, 20 mg and 30 mg		om 1 August	,
126	ZIPRASIDONE (HSS suspended)	44.50	20	
	Cap 20 mg – <b>1% DV Jan-16 to <del>2018</del> 31 May 2018</b>	14.56	60	Zusdone
ONC	DLOGY AGENTS AND IMMUNOSUPPRESSANTS			
138	MERCAPTOPURINE (new listing)			
	→ Oral suspension 20 mg per ml	428.00	100 ml	Allmercap
	Restricted			
	Initiation			
	Paediatric haematologist or paediatric oncologist			
	Reassessment required after 12 months			
	The patient requires a total dose of less than one full 50 mg	g tablet per day.		
	Continuation			
	Paediatric haematologist or paediatric oncologist			
	Reassessment required after 12 months			
	The patient requires a total dose of less than one full 50 m	g tablet per day.		
147	CALCIUM FOLINATE (new listing)			
	Inj 10 mg per ml, 100 ml vial	60.00	1	Calcium Folinate
				Sandoz

Price		Brand or
(ex man. Excl. 0	GST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II - effective 1 June 2018 (continued)

151 ETANERCEPT (amended restriction – affected criteria shown only)

→ Inj 25 mg vial	799.96	4	Enbrel
→ Inj 50 mg autoinjector	1,599.96	4	Enbrel
→ Inj 50 mg syringe	1,599.96	4	Enbrel

Restricted

Initiation - rheumatoid arthritis

Rheumatologist

Re-assessment required after 6 months

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold: or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:
    - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initiation - psoriatic arthritis

Rheumatologist

Re-assessment required after 6 months

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or

continued

Price (ex man. Excl. GST) \$ Per Brand or Generic Manufacturer

### Changes to Section H Part II – effective 1 June 2018 (continued)

continued...

- 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine sulfasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application: or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

#### 156 ADALIMUMAB (amended restriction – affected criteria shown only)

→ Inj 20 mg per 0.4 ml syringe	1,599.96	2	Humira
→ Inj 40 mg per 0.8 ml pen	1,599.96	2	HumiraPen
→ Inj 40 mg per 0.8 ml syringe	1,599.96	2	Humira
B 1111			

Restricted

Initiation - rheumatoid arthritis

Rheumatologist

Re-assessment required after 6 months

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold: or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and continued

Price (ex man. Excl. GST) \$ Per Brand or Generic Manufacturer

## Changes to Section H Part II - effective 1 June 2018 (continued)

continued...

- 2.6 Either:
  - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints:or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
  - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application: or
  - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initiation - psoriatic arthritis

Rheumatologist

Re-assessment required after 6 months

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine sulfasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application: or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

163 AFLIBERCEPT (nev	n listing)
----------------------	------------

Restricted

Initiation – Wet Age Related Macular Degeneration

Ophthalmologist

Reassessment required after 3 months

Either:

- 1 All of the following:
  - 1.1 Any of the following:
    - 1.1.1 Wet age-related macular degeneration (wet AMD); or
    - 1.1.2 Polypoidal choroidal vasculopathy; or
    - 1.1.3 Choroidal neovascular membrane from causes other than wet AMD; and
  - 1.2 Either:

continued...

Price (ex man. Excl. GST) \$ Per Brand or Generic Manufacturer

## Changes to Section H Part II – effective 1 June 2018 (continued)

continued...

- 1.2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab; or
- 1.2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart: and
- 1.3 There is no structural damage to the central fovea of the treated eye; and
- 1.4 Patient has not previously been treated with ranibizumab for longer than 3 months; or
- 2 Any of the following:
  - 2.1 Patient has current approval to use ranibizumab for treatment of wAMD and was found to be intolerant to ranibizumab within 3 months; or
  - 2.2 Patient has previously\* (\*before June 2018) received treatment with ranibizumab for wAMD and disease was stable while on treatment; or
  - 2.3 Patient has current approval to use ranibizumab for treatment of wAMD; or
  - 2.4 Patient is currently receiving treatment with aflibercept and has documented previous poor response to bevacizumab.

Note: Criteria 2.3 and 2.4 will be removed from 1 January 2019.

Continuation - Wet Age Related Macular Degeneration

Ophthalmologist

Re-assessment required after 12 months

All of the following:

- 1 Documented benefit must be demonstrated to continue; and
- 2 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 3 There is no structural damage to the central fovea of the treated eye.

Initiation - Diabetic Macular Oedema

Ophthalmologist

Re-assessment required after 4 months

Fither:

- 1 All of the following:
  - 1.1 Patient has centre involving diabetic macular oedema (DMO); and
  - 1.2 Patient's disease is non responsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly; and
  - 1.3 Patient has reduced visual acuity between 6/9 6/36 with functional awareness of reduction in vision; and
  - 1.4 Patient has DMO within central OCT (ocular coherence tomography) subfield >350 micrometers; and
  - 1.5 There is no centre-involving sub-retinal fibrosis or foveal atrophy; or
- 2 Patient is currently receiving treatment with aflibercept and has documented previous poor response to bevacizumab.

Note: Criterion 2 will be removed from 1 January 2019

Continuation - Diabetic Macular Oedema

Ophthalmologist

Re-assessment required after 12 months

All of the following:

- 1 There is stability or two lines of Snellen visual acuity gain; and
- 2 There is structural improvement on OCT scan (with reduction in intra-retinal cysts, central retinal thickness, and sub-retinal fluid); and
- 3 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 4 There is no centre-involving sub-retinal fibrosis or foveal atrophy; and
- 5 After each consecutive 12 months treatment with aflibercept, patient has retrialled with at least one injection of bevacizumab and had no response.

Price Brand or (ex man. Excl. GST) Generic \$ Per Manufacturer

## Changes to Section H Part II - effective 1 June 2018 (continued)

- 172 RANIBIZUMAB (amended restriction)
  - → Inj 10 mg per ml, 0.23 ml vial
  - → Ini 10 mg per ml. 0.3 ml vial

Restricted

Initiation

Re-assessment required after 3 doses

Both:

- 1 Either:
  - 1.1 Age-related macular degeneration; or
  - 1.2 Chorodial neovascular membrane; and
- 2 Any of the following:
  - 2.1 The patient has had a severe ophthalmic inflammatory response following bevacizumab; or
  - 2.2 The patient has had a myocardial infarction or stroke within the last three months; or
  - 2.3 The patient has failed to respond to bevacizumab following three intraocular injections; or
  - 2.4 The patient is of child-bearing potential and has not completed a family.

#### Continuation

Roth:

- 1 Documented benefit after three doses must be demonstrated to continue; and
- 2 In the case of but previous non-response to bevacizumab, a retrial of bevacizumab is required to confirm non-response before continuing with ranibizumab.

#### Initiation – Wet Age Related Macular Degeneration

**Ophthalmologist** 

Re-assessment required after 3 months

Either:

- 1 All of the following:
  - 1.1 Any of the following:
    - 1.1.1 Wet age-related macular degeneration (wet AMD); or
    - 1.1.2 Polypoidal choroidal vasculopathy; or
    - 1.1.3 Choroidal neovascular membrane from causes other than wet AMD; and
  - 12 Fither
    - 1.2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab: or
    - 1.2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart; and
  - 1.3 There is no structural damage to the central fovea of the treated eye; and
  - 1.4 Patient has not previously been treated with aflibercept for longer than 3 months; or
- 2 Patient has current approval to use aflibercept for treatment of wAMD and was found to be intolerant to aflibercept within 3 months.

#### Continuation

Ophthalmologist

Re-assessment required after 12 months

All of the following:

- 1 Documented benefit must be demonstrated to continue; and
- 2 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 3 There is no structural damage to the central fovea of the treated eye.

Price		Brand or
(ex man. Excl. G	ST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II – effective 1 June 2018 (continued)

172 RITUXIMAB (amended restriction – affected criterion only shown)

Restricted

Initiation - rheumatoid arthritis - TNF inhibitors contraindicated

Rheumatologist

Limited to 4 months treatment

All of the following:

- 1 Treatment with a Tumour Necrosis Factor alpha inhibitor is contraindicated; and
- 2 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine sulfasalazine and hydroxychloroguine sulphate (at maximum tolerated doses); and
- 5 Any of the following:
  - 5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
  - 5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold: or
  - 5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leftunomide alone or in combination with oral or parenteral methotrexate; and
- 6 Either
  - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
  - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Fither
  - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months; and
- 8 Either:
  - 8.1 Rituximab to be used as an adjunct to methotrexate or leflunomide therapy; or
  - 8.2 Patient is contraindicated to both methotrexate and leflunomide, requiring rituximab monotherapy to be used: and
- 9 Maximum of two 1.000 mg infusions of rituximab given two weeks apart.

#### RESPIRATORY SYSTEM AND ALLERGIES

192	SALBUTAMOL († price)			
	Oral liq 400 mcg per ml	11.00	150 ml	Ventolin

Price		Brand or
(ex man. Excl. 0	GST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II – effective 1 June 2018 (continued)

## **VARIOUS**

203	NALOXONE HYDROCHLORIDE (4 price, addition of HSS and amended brain Inj 400 mcg per ml, 1 ml ampoule	nd name)	
	– 1% DV Aug-18 to 202122.60	5	<del>Hospira</del> DBL Naloxone Hydrochloride
208	CHLORHEXIDINE WITH CETRIMIDE (new listing) Irrigation soln 0.015% with cetrimide 0.15%, 30 ml ampoule – <b>1% DV Aug-18 to 2021</b>	30	Pfizer
208	CHLORHEXIDINE WITH CETRIMIDE (delisting) Irrigation soln 0.015% with cetrimide 0.15%, bottle	1,000 ml 100 ml 500 ml	Baxter Baxter Baxter
	Irrigation soln 0.05% with cetrimide 0.5%, bottle	100 ml 500 ml	Baxter Baxter
	Irrigation soln 0.1% with cetrimide 1%, bottle	100 ml 500 ml and 1	Baxter ,000 ml bag pack;
209	SODIUM CHLORIDE (new listing) Irrigation soln 0.9%, 250 ml bottle – 1% DV Aug-18 to 2021 17.64	12	Fresenius Kabi
209	WATER (new listing) Irrigation soln, 250 ml bottle – 1% DV Aug-18 to 202117.64	12	Fresenius Kabi
SPEC	IAL FOODS		
218	AMINO ACID FORMULA (WITHOUT PHENYLALANINE) (new listing) Powder 20 g protein, 2.5 g carbohydrate and 0.22 g fibre per 27.8 g sachet		e.g. PKU Lophlex Powder (unflavoured)
VACC	CINES		
233	HEPATITIS A VACCINE (restriction amended)  → Inj 720 ELISA units in 0.5 ml syringe  - 0% DV Sep-17 to 2020	1	Havrix Junior
	→ Inj 1440 ELISA units in 1 ml syringe		
	- 0% DV Sep-17 to 2020	1	Havrix

Price (ex man. Excl. GST) \$ Pe Brand or Generic Manufacturer

## Changes to Section H Part II - effective 1 May 2018

#### **ALIMENTARY TRACT AND METABOLISM**

- 26 MULTIVITAMINS (amended restriction)
  - → Cap vitamin A 2500 u, betacarotene 3 mg, colecalciferol 11 mcg, alpha tocopherol 150 u, phytomenadione 150 mcg, folic acid 0.2 mg, ascorbic acid 100 mg, thiamine 1.5 mg,

pantothenic acid 12 mg, riboflavin 1.7 mg, niacin 20 mg, pyridoxine hydrochloride 1.9 mg, cyanocobalamin 3 mcg,

zinc 7.5 mg and biotin 100 mcg

e.g. Vitabdeck

Restricted

Initiation

#### Either: Any of the following:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short out syndrome: or
- 3 Patient has severe malabsorption syndrome.

#### **CARDIOVASCULAR SYSTEM**

47	VERAPAMIL HYDROCHLORIDE (Pharmacode change) Tab 40 mg7.01 100 Isoptin Note – This is a listing of new Pharmacode, 2535327; 253499 to be delisted from 1 November 2018.
51	GLYCERYL TRINITRATE (pack size change)  Oral spray, 400 mcg per dose
52	AMBRISENTAN (amended restriction)  → Tab 5 mg
	Restricted nitiation

Fither:

- 1 For use in patients with a valid Special Authority approval for ambrisentan **by the** in **P**pulmonary **A**arterial **H**bypertension **Panel**: or
- 2 In-hospital stabilisations in emergency situations.

Price		Brand or
(ex man. Excl. (	GST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II - effective 1 May 2018 (continued)

52 BOSENTAN (amended restriction)

→ Tab 62.5 mg – 1% DV Jan-16 to 2018	401.79	60	Bosentan-Mylan
-	375.00	56	Mylan-Bosentan
→ Tab 125 mg – 1% DV Jan-16 to 2018	401.79	60	Bosentan-Mylan
	375.00	56	Mylan-Bosentan

#### Restricted

Initiation - Pulmonary arterial hypertension

Re-assessment required after 6 months

#### Either:

- 1 All of the following:
  - 1.1 Patient has pulmonary arterial hypertension (PAH); and
  - 1.2 PAH is in Group 1, 4 or 5 of the WHO (Venice) clinical classifications; and
  - 1.3 PAH is at NYHA/WHO functional class II, III, or IV; and
  - 1.4 Any of the following:
    - 1.4.1 Both:
      - 1.4.1.1 Bosentan is to be used as PAH monotherapy; and
      - 1.4.1.2 Either:
        - 1.4.1.2.1 Patient is intolerant or contraindicated to sildenafil: or
          - 1.4.1.2.2 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease: or
    - 1.4.2 Both:
      - 1.4.2.1 Bosentan is to be used as PAH dual therapy; and
      - 1.4.2.2 Either:
        - 1.4.2.2.1 Patient has tried a PAH monotherapy for at least three months and failed to respond; or
        - 1.4.2.2.2 Patient deteriorated while on a PAH monotherapy; or
    - 1.4.3 Both:
      - 1.4.3.1 Bosentan is to be used as PAH triple therapy; and
      - 1.4.3.2 Any of the following:
        - 1.4.3.2.1 Patient is on the lung transplant list; or
        - 1.4.3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or
        - 1.4.3.2.3 Patient is deteriorating rapidly to NYHA/WHO Functional Class IV who may be lung transplant recipients in the future, if their disease is stabilised; or
        - 1.4.3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.
- 2 In-hospital stabilisation in emergency situations.

Continuation – Pulmonary arterial hypertension Re-assessment required after 6 months

Any of the following:

- 1 Both:
  - 1.1 Bosentan is to be used as PAH monotherapy; and
  - 1.2 Patient is stable or has improved while on bosentan; or
- 2 Both:
  - 2.1 Bosentan is to be used as PAH dual therapy; and
  - 2.2 Patient has tried a PAH monotherapy for at least three months and either failed to respond or later deteriorated; or

continued...

Price (ex man. Excl. GST) \$ Pe Brand or Generic Manufacturer

## Changes to Section H Part II – effective 1 May 2018 (continued)

continued...

- 3 Roth
  - 3.1 Bosentan is to be used as PAH triple therapy; and
  - 3.2 Any of the following:
    - 3.2.1 Patient is on the lung transplant list; or
    - 3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or
    - 3.2.3 Patient is deteriorating rapidly to NYHA/WHO Functional Class IV who may be lung transplant recipients in the future. If their disease is stabilised: or
    - 3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.
- 1 For use in patients with a valid Special Authority approval for bosentan in pulmonary arterial hypertension; or 2 In hospital stabilisation in emergency situations.
- 53 SILDENAFIL (amended restriction affected criteria only shown)

  - → Inj 0.8 mg per ml, 12.5 ml vial

Restricted

Initiation - tablets Raynaud's Phenomenon\*

All of the following:

- 1 Patient has Raynaud's phenomenon: and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (proper body insulation, avoidance of cold exposure, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient has persisting severe symptoms despite treatment with calcium channel blockers and nitrates (unless contraindicated or not tolerated).

Initiation – tablets (Pulmonary arterial hypertension)

Any of the following:

- 1 All of the following:
  - 1.1 Patient has pulmonary arterial hypertension (PAH)\*; and
  - 1.2 Any of the following:
    - 1.2.1 PAH is in Group 1 of the WHO (Venice) clinical classifications: or
    - 1.2.2 PAH is in Group 4 of the WHO (Venice) clinical classifications: or
    - 1.2.3 PAH is in Group 5 of the WHO (Venice) clinical classifications; and
  - 1.3 Any of the following:
    - 1.3.1 PAH is in NYHA/WHO functional class II: or
    - 1.3.2 PAH is in NYHA/WHO functional class III; or
    - 1.3.3 PAH is in NYHA/WHO functional class IV; and
  - 1.4 Patient has a pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
  - 1.5 Either:
    - 1.5.1 Patient has a mean pulmonary artery pressure (PAPm) > 25 mmHg; or
    - 1.5.2 Patient is peri Fontan repair; and
  - 1.6 Patient has a pulmonary vascular resistance (PVR) of at least 3 Wood Units or at least 240 International Units (dyn s cm-5); or
- 2 For use in neonatal units for persistent pulmonary hypertension of the newborn (PPHN); or
- 3 In-hospital stabilisation in emergency situations.

Initiation – tablets (other conditions)

Any of the following:

continued...

Price		Brand or
(ex man. Excl.	GST)	Generic
\$	Per	Manufacturer

## Changes to Section H Part II - effective 1 May 2018 (continued)

continued

- 1 For use in weaning patients from inhaled nitric oxide; or
- 2 For perioperative use in cardiac surgery patients; or
- 3 For use in intensive care as an alternative to nitric oxide.

#### Any of the following:

- 1 For use in patients with a valid Special Authority approval for sildenafil in pulmonary arterial hypertension; or
- 2 For use in neonatal units for persistent pulmonary hypertension of the newborn (PPHN); or
- 3 For use in weaning patients from inhaled nitric oxide: or
- 4 For perioperative use in cardiac surgery patients; or
- 5 For use in intensive care as an alternative to nitric oxide; or
- 6 In-hospital stabilisation in emergency situations; or
- 7 All of the following:
  - 7.1 Patient has Raynaud's phenomenon; and
  - 7.2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
  - 7.3 Patient is following lifestyle management (proper body insulation, avoidance of cold exposure, smoking eessation support, avoidance of sympathomimetic drugs); and
  - 7.4 Patient has persisting severe symptoms despite treatment with calcium channel blockers and nitrates-(unless contraindicated or not tolerated).

53 EPOPROSTENOL (amended	restriction)	
--------------------------	--------------	--

→	Inj 500 mcg vial	36.61	1	Veletri
<b>→</b>	Inj 1.5 mg vial	73.21	1	Veletri

#### Restricted

Initiation

#### Either:

- 1 For use in patients with a valid Special Authority approval for epoprostenol by the in Ppulmonary Aarterial Hhypertension Panel; or
- 2 In-hospital stabilisations in emergency situations.
- 53 ILOPROST (amended restriction)

#### Restricted

Initiation

Any of the following:

- 1 For use in patients with a valid Special Authority approval for iloprost by the in Ppulmonary Aarterial Hhypertension Panel; or
- 2 For diagnostic use in catheter laboratories; or
- 3 For use following mitral or tricuspid valve surgery: or
- 4 In-hospital hopsital stabilisation in emergency situations.

### **DERMATOLOGICALS**

		Price (ex man. Excl. 6 \$	SST) Per	Brand or Generic Manufacturer
Cha	nges to Section H Part II – effective 1 May 201	8 (continued)		
56	ZINC AND CASTOR OIL (new listing) Oint – 1% DV Jul-18 to 2020 Note – DV limit applies to pack sizes of greater than 30 g.		500 g	Boucher
57	CETOMACROGOL WITH GLYCEROL (delisting) Crm 90% with glycerol 10%  Note – Pharmacy Health crm 90% with glycerol 10% 100	2.10	100 g rom 1 Octobe	Pharmacy Health Pharmacy Health er 2018.
GEN	ITO-URINARY SYSTEM			
63	OXYTOCIN (HSS suspended) Inj 10 iu per ml, 1 ml ampoule - 1% DV Nov-15 to-2018 30 Apr 18	5.03	5	Oxytocin BNM
INFE	ECTIONS			
93	LAMIVUDINE (brand change)  Tab 100 mg – <b>1% DV Jul-18 to 2020</b> Note – Zeffix tab 100 mg to be delisted from 1 July 2018.		28	Zetlam
96	OSELTAMIVIR (amended note)  Note: The restriction on the use of oseltamivir to hospitalise under Rule 8 of Section H for a new course is not permittinitiated as a hospital inpatient is permitted.  → Tab 75 mg → Powder for oral suspension 6 mg per ml			
96	ZANAMIVIR (amended note)  Note: The restriction on the use of oseltamivir to hospitalised and results and results and results and permitted as a hospital inpatient is permitted.  → Powder for inhalation 5 mg	ted. Supply of a p		
MUS	SCULOSKELETAL SYSTEM			
107	IBUPROFEN (Pharmacode change) Tab long-acting 800 mg – 1% DV Jul-15 to 2018 Note – this is a new listing of a new Pharmacode, 253432		30 e delisted fro	Brufen SR m 1 November 2018.

	(e)	Price ( man. Excl. G	ST)	Brand or Generic
	,	\$	Per	Manufacturer
Char	nges to Section H Part II – effective 1 May 2018 (o	continued)		
NERV	OUS SYSTEM			
118	GABAPENTIN (addition of note) Note – Gabapentin not to be given in combination with pre			
	→ Cap 100 mg	7.16	100	Arrow-Gabapentin Neurontin Nupentin
	→ Cap 300 mg	11.00	100	Arrow-Gabapentin Neurontin Nupentin
	→ Cap 400 mg	13.75	100	Arrow-Gabapentin Neurontin Nupentin
120	PREGABALIN (new listing)  Note – Pregabalin not to be given in combination with gabape  Cap 25 mg – 1% DV Jul-18 to 2021		56	Pregabalin Pfizer
	Cap 75 mg – <b>1% DV Jul-18 to 2021</b>	4.01	56 56 56	Pregabalin Pfizer Pregabalin Pfizer Pregabalin Pfizer
122	APREPITANT ( $\downarrow$ price and addition of HSS) $\rightarrow$ Cap 2 $\times$ 80 mg and 1 $\times$ 125 mg – 1% DV Jul-18 to 202	<b>1</b> 84.00	3	Emend Tri-Pack
VARI	ous			
209	SODIUM CHLORIDE († price) Irrigation soln 0.9%, 30 ml ampoule	27.00	30	Pfizer
Effe	tive 10 April 2018			
ALIM	IENTARY TRACT AND METABOLISM			
28	COLECALCIFEROL (Pharmacode change) Cap 1.25 mg (50,000 iu) – <b>1% DV Oct-17 to 2020</b> Note – this is a listing of a new blister pack Pharmacode, 252 1 October 2018, Pharmacode, 2446154.		12 ttle pack wil	<b>Vit.D3</b> I be delisted from
Effe	ctive 1 April 2018			
ΔΙΙΜ	IENTARY TRACT AND METABOLISM			

20	DOCUSATE SODIUM WITH SENNOSIDES (‡ price and addition of HSS)					
	Tab 50 mg with sennosides 8 mg – 1% DV Jun-18 to 2021 3.10	200	Laxsol			

LEVOCARNITINE (new listing) Oral soln 1,000 mg per 10 ml 23

Price (ex man. Excl. GST) Per \$

Brand or Generic Manufacturer

## Changes to Section H Part II – effective 1 April 2018 (continued)

	2 · · · · · · · · · · · · · · · · · · ·	,					
23	LEVOCARNITINE (delisting) Oral soln 1,100 mg per 15 ml Note – levocarnitine oral soln 1,100 mg per 15 ml to be delisted fro	m 1 Octo	ober 2018.				
24	FERROUS FUMARATE WITH FOLIC ACID (\$\psi\$ price and addition of Head 100 mg (100 mg elemental) with folic acid 350 mcg - 1% DV Jun-18 to 2021	,	60	Ferro-F-Tabs			
24	FERROUS SULPHATE (addition of HSS)  Tab long-acting 325 mg (105 mg elemental)  – 1% DV Jun-18 to 2021	2.06	30	Ferrograd			
BLOOD AND BLOOD FORMING ORGANS							
38	COMPOUND ELECTROLYTES (new listing) Inj sodium 140 mmol/l with potassium 5 mmol/l, magnesium 1.5 mmol/l, chloride 98 mmol/l, acetate 27 mmol/l and gluconate 23 mmol/l, 500 ml bag – 1% DV Jun-18 to 2021		18	Plasma-Lyte 148 Plasma-Lyte 148			
38	COMPOUND ELECTROLYTES (delisting) Inj sodium 140 mmol/l with potassium 5 mmol/l, magnesium 1.5 mmol/l, chloride 98 mmol/l, acetate 27 mmol/l and gluconate 23 mmol/l, bag  Note – Baxter inj sodium 140 mmol/l with potassium 5 mmol/l, mag acetate 27 mmol/l and gluconate 23 mmol/l, bag, 500 ml and 1,000	5.00 gnesium					
38	COMPOUND ELECTROLYTES WITH GLUCOSE (new listing) Inj sodium 140 mmol/l, 5 mmol/l potassium, 1.5 mmol/l magnesium, 98 mmol/l chloride, 27 mmol/l acetate and 23 mmol/l gluconate, glucose 23 mmol/l (5%), 1,000 ml bag – 1% DV Jun-18 to 2021	1.92	12	Plasma-Lyte 148 & 5% glucose			
38	COMPOUND ELECTROLYTES WITH GLUCOSE (delisting)						

Inj glucose 50 g with 140 mmol/l sodium, 5 mmol/l potassium, 1.5 mmol/l magnesium, 98 mmol/l chloride,

27 mmol/l acetate and 23 mmol/l gluconate, bag ......7.00 1,000 ml Baxter

Note - Baxter Inj glucose 50 g with 140 mmol/l sodium, 5 mmol/l potassium, 1.5 mmol/l magnesium, 98 mmol/l chloride, 27 mmol/l acetate and 23 mmol/l gluconate, bag, 1,000 ml pack to be delisted from 1 June 2018.

			Price (ex man. Excl. GST)	
		\$	Per	Manufacturer

### Changes to Section H Part II – effective 1 April 2018 (continued)

38	COMPOUND SODIUM LACTATE [HARTMANN'S SOLUTION] (new listing) Inj sodium 131 mmol/l with potassium 5 mmol/l, calcium 2 mmol/l, bicarbonate 29 mmol/l, chloride 111 mmol/l, 500 ml bag – 1% DV Jun-18 to 2021	Baxter Baxter
38	COMPOUND SODIUM LACTATE [HARTMANN'S SOLUTION] (delisting) Inj sodium 131 mmol/l with potassium 5 mmol/l, calcium 2 mmol/l, bicarbonate 29 mmol/l, chloride 111 mmol/l, bag	arbonate 29 mmol/l,
38	COMPOUND SODIUM LACTATE WITH GLUCOSE (delisting) Inj sodium 131 mmol/I with potassium 5 mmol/I, calcium 2 mmol/I, bicarbonate 29 mmol/I, chloride 111 mmol/I and glucose 5%, bag	arbonate 29 mmol/l,
38	GLUCOSE [DEXTROSE] (new listing) Inj 5%, 50 ml bag – <b>1% DV Jun-18 to 2021</b>	Baxter Glucose 5% Baxter Glucose 10% Baxter Glucose 10% Baxter Glucose 50%
38	GLUCOSE [DEXTROSE] (delisting)  Inj 5%, bag	Baxter
38	GLUCOSE WITH POTASSIUM CHLORIDE (new listing) Inj 10% glucose with 20 mmol/l potassium chloride, 500 ml bag	
38	GLUCOSE WITH POTASSIUM CHLORIDE (delisting) Inj 5% glucose with 20 mmol/l potassium chloride, bag	% glucose with 30 mmol/l

Price	
(ex man. Excl. GST)	
	Per

Brand or Generic Manufacturer

## Changes to Section H Part II – effective 1 April 2018 (continued)

39	GLUCOSE WITH POTASSIUM CHLORIDE AND SODIUM C	HLORIDE (new lis	sting)	
	Inj 4% glucose with potassium chloride 20 mmol/l			
	and sodium chloride 0.18%,1,000 ml bag			
	– 1% DV Jun-18 to 2021	203.40	12	Baxter
	Inj 5% glucose with potassium chloride 20 mmol/l			
	and sodium chloride 0.45%, 1,000 ml bag			
	– 1% DV Jun-18 to 2021	159.96	12	Baxter
	Inj 5% glucose with potassium chloride 20 mmol/l			
	and sodium chloride 0.9%, 1,000 ml bag			
	– 1% DV Jun-18 to 2021	282.72	12	Baxter
39	GLUCOSE WITH POTASSIUM CHLORIDE AND SODIUM C	HLORIDE (delistii	ng)	
	Inj 4% glucose with potassium chloride 20 mmol/l	,	0,	
	and sodium chloride 0.18%, bag	3.45	500 ml	Baxter
	, ,	8.31	1,000 ml	Baxter
	Inj 4% glucose with potassium chloride 30 mmol/l			
	and sodium chloride 0.18%, bag	10.74	1,000 ml	Baxter
	Inj 5% glucose with potassium chloride 20 mmol/l			
	and sodium chloride 0.45%, bag	8.29	1,000 ml	Baxter
	Inj 5% glucose with potassium chloride 20 mmol/l			
	and sodium chloride 0.9%, bag	12.50	1,000 ml	Baxter
	Note - Baxter inj 4% glucose with potassium chloride 20 i	mmol/l and sodiu	m chloride 0.	18%, bag, 500 ml and
	1,000 ml; inj 4% glucose with potassium chloride 30 mm	ol/I and sodium o	hloride 0.18%	b, bag, 1,000 ml; inj 5%
	glucose with potassium chloride 20 mmol/l and sodium c	hloride 0.45%, ba	ag, 1,000 ml a	and inj 5% glucose with
	potassium chloride 20 mmol/l and sodium chloride 0.9%,	bag, 1,000 ml pa	ack to be delis	sted 1 June 2018.
39	GLUCOSE WITH SODIUM CHLORIDE (new listing)			
00	Inj 4% glucose and sodium chloride 0.18%,			
	1,000 ml bag – <b>1% DV Jun-18 to 2021</b>	163.32	12	Baxter
	Inj 5% glucose and sodium chloride 0.45%,			
	1,000 ml bag – <b>1% DV Jun-18 to 2021</b>	163.20	12	Baxter
	Inj 5% glucose and sodium chloride 0.9%,			
	1,000 ml bag – <b>1% DV Jun-18 to 2021</b>	173.40	12	Baxter
	Inj glucose 2.5% with sodium chloride 0.45%, 500 ml b			
39	GLUCOSE WITH SODIUM CHLORIDE (delisting)			
00	Inj glucose 2.5% with sodium chloride 0.45%, bag	8 12	500 ml	Baxter
	Inj glucose 5% with sodium chloride 0.45%, bag		1,000 ml	Baxter
	Inj glucose 5% with sodium chloride 0.9%, bag		1,000 ml	Baxter
	Inj glucose 5% with sodium chloride 0.2%, 500 ml bag		1,000 1111	Dantoi
	Note: Deptaries shares 0.50/ with a disease blood 0.45			Constitution and Communication and an artist and an

Note – Baxter inj glucose 2.5% with sodium chloride 0.45%, bag, 500 ml; inj glucose 5% with sodium chloride 0.45%, bag, 1,000 ml; inj glucose 5% with sodium chloride 0.9%, bag, 1,000 ml and inj glucose 5% with sodium chloride 0.2%, 500 ml bag pack to be delisted from 1 June 2018.

	Price Brand or (ex man. Excl. GST) Generic \$ Per Manufacturer						
Chan	Changes to Section H Part II – effective 1 April 2018 (continued)						
39	POTASSIUM CHLORIDE WITH SODIUM CHLORIDE (new listing) Inj 10 mmol potassium chloride with 0.29% sodium chloride,						
	100 ml bag – <b>1% DV Jun-18 to 2021</b>						
	1,000 ml bag – <b>1% DV Jun-18 to 2021</b>						
	100 ml bag – <b>1% DV Jun-18 to 2021</b>						
	1,000 ml bag – <b>1% DV Jun-18 to 2021</b> 253.32 12 <b>Baxter</b>						
39	POTASSIUM CHLORIDE WITH SODIUM CHLORIDE (delisting) Inj 20 mmol/l potassium chloride with 0.9% sodium chloride,						
	bag7.66 1,000 ml Baxter Inj 30 mmol/l potassium chloride with 0.9% sodium chloride,						
	bag9.40 1,000 ml Baxter Inj 40 mmol/l potassium chloride with 0.9% sodium chloride,						
	bag						
39	Inj 40 mmol potassium chloride with 0.9% sodium chloride, 100 ml bag  Note – Baxter inj 20 mmol/l potassium chloride with 0.9% sodium chloride, bag, 1,000 ml; inj 30 mmol/l  potassium chloride with 0.9% sodium chloride, bag, 1,000 ml; inj 40 mmol/l potassium chloride with 0.9%  sodium chloride, bag, 1,000 ml; inj 10 mmol potassium chloride with 0.29% sodium chloride, 100 ml bag and inj  40 mmol potassium chloride with 0.9% sodium chloride, 100 ml bag to be delisted from 1 June 2018.  RINGER'S SOLUTION (new listing)  Inj sodium 147 mmol/l with potassium 4 mmol/l, calcium 2.2 mmol/l,						
	chloride 156 mmol/l, 1,000 ml bag						
39	RINGER'S SOLUTION (delisting) Inj sodium 147 mmol/I with potassium 4 mmol/I, calcium 2.2 mmol/I, chloride 156 mmol/I, bag						
41	GELATINE, SUCCINYLATED († price and addition of HSS) Inj 4%, 500 ml bag – <b>1% DV Jun-18 to 2021</b> 120.00 10 <b>Gelofusine</b>						
41	HYDROXYETHYL STARCH 130/0.4 WITH MAGNESIUM CHLORIDE, POTASSIUM CHLORIDE, SODIUM ACETATE AND SODIUM CHLORIDE (delisting) Inj 6% with magnesium chloride 0.03%, potassium chloride 0.03%, sodium acetate 0.463% and sodium chloride 0.6%, 500 ml bag						
41	HYDROXYETHYL STARCH 130/0.4 WITH SODIUM CHLORIDE (delisting) Inj 6% with sodium chloride 0.9%, 500 ml bag198.00 20 Voluven Note – Voluven inj 6% with sodium chloride 0.9%, 500 ml bag to be delisted from 1 June 2018.						

Price

Brand or

Price (ex man. Excl. GST) \$ Per Brand or Generic Manufacturer

## Changes to Section H Part II – effective 1 April 2018 (continued)

OADDI		AD C	WOTER
I:VKIII	INVASCIII	VK A	AZIFIM

UAILD	IOVAGOULAN SISILM		
46	PROPRANOLOL (delisting)  Tab 10 mg	100	Apo-Propranolol Apo-Propranolol only applies to
47	DILTIAZEM HYDROCHLORIDE (delisting)  Cap long-acting 120 mg	30 30	Cardizem CD Cardizem CD Cardizem CD June 2018
48	MANNITOL (new listing) Inj 10%, 1,000 ml bag – <b>1% DV Jun-18 to 2021</b>		Baxter Baxter
48	MANNITOL (delisting) Inj 10%, 1,000 ml bag	500 ml	Baxter Baxter 2018.
DERM	IATOLOGICALS		
56	TRETINOIN (new listing) Crm 0.05% – <b>1% DV Jun-18 to 2021</b>	50 g	ReTrieve
HORN	MONE PREPARATIONS		
68	PREDNISOLONE (4 price and addition of HSS) Oral liq 5 mg per ml – 1% DV Jun-18 to 2021	30 ml	Redipred
INFEC	CTIONS		
77	MEROPENEM († price)  → Inj 500 mg vial		DBL Meropenem DBL Meropenem
MUSC	CULOSKELETAL SYSTEM		
106	ATRACURIUM BESYLATE (addition of HSS) Inj 10 mg per ml, 2.5 ml ampoule – 1% DV Jun-18 to 202110.00 Inj 10 mg per ml, 5 ml ampoule – 1% DV Jun-18 to 202112.50		Tracrium Tracrium
106	ORPHENADRINE CITRATE (new listing) Tab 100 mg – <b>1% DV Jun-18 to 2021</b> 18.54	100	Norflex

		Price (ex man. Excl. GS \$	ST) Per	Brand or Generic Manufacturer
Char	nges to Section H Part II – effective 1 April 2018	3 (continued)		
NER	VOUS SYSTEM			
113	PARACETAMOL (delisting)  Tab soluble 500 mg  Note – Paragesic Soluble tab soluble 500 mg to be delisted		20 8.	Paragesic Soluble
116	PETHIDINE HYDROCHLORIDE (delisting) Tab 100 mg – <b>1% DV Nov-15 to 2018</b> Note – PSM tab 100 mg to be delisted from 1 July 2018.	6.25	10	PSM
117	ESCITALOPRAM (amended brand name) Tab 10 mg – 1% DV Dec-17 to 2020	1.11	28	<del>Apo-</del> Escitalopram- Apotex
	Tab 20 mg – <b>1% DV Dec-17 to 2020</b>	1.90	28	Apo-Escitalopram-

116	PETHIDINE HYDROCHLORIDE (delisting) Tab 100 mg – 1% DV Nov-15 to 2018	10	PSM
117	ESCITALOPRAM (amended brand name)  Tab 10 mg – 1% DV Dec-17 to 2020	28	A <del>po-</del> Escitalopra Apotex
	Tab 20 mg – <b>1% DV Dec-17 to 2020</b>	28	A <del>po-</del> Escitalopra Apotex
123	DROPERIDOL (new listing) Inj 2.5 mg per ml, 1 ml ampoule – 1% DV Jun-18 to 2019 35.00	10	Droperidol Panpharma
127	CLONAZEPAM (‡ price and addition of HSS)  Tab 500 mcg – <b>1% DV Jun-18 to 2021</b>	100 100	Paxam Paxam
ONC	DLOGY AGENTS AND IMMUNOSUPPRESSANTS		
137	CYTARABINE († price) Inj 20 mg per ml, 5 ml vial	5	Pfizer
137	CYTARABINE (delisting) Inj 100 mg per ml, 10 ml vial8.83 Note – Pfizer inj 100 mg per ml, 10 ml vial delisted from 1 April 2018.	1	Pfizer
136	DAUNORUBICIN († price) Inj 2 mg per ml, 10 ml vial130.00	1	Pfizer

Price		Brand or
(ex man. Excl. GST)		Generic
\$	Per	Manufacturer

### Changes to Section H Part II - effective 1 April 2018 (continued)

#### **RESPIRATORY SYSTEM AND ALLERGIES**

193 MONTELUKAST (restriction removed)

Tab 4 mg – 1% DV Jan-17 to 2019	5.25	28	Apo-Montelukast
Tab 5 mg - 1% DV Jan-17 to 2019	5.50	28	Apo-Montelukast
Tab 10 mg - 1% DV Jan-17 to 2019	5.65	28	Apo-Montelukast

#### Restricted

Initiation - Pre-school wheeze

#### Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Initiation - Exercise-induced asthma

All of the following:

- 1 Patient has been trialed with maximal asthma therapy, including inhaled corticosteroids and long-acting betaadrenoceptor agonists: and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initiation - Aspirin desensitisation

Clinical immunologist or allergist

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a clinical immunologist or allergists and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

#### SENSORY ORGANS

196	CIPROFLOXACIN (new listing) Eye drops 0.3% – 1% DV Jun-18 to 2020	5 ml	Ciprofloxacin Teva
198	PREDNISOLONE ACETATE (new listing) Eye drops 1%7.00	5 ml	Pred Forte
VARI	ous		
208	CHLORHEXIDINE (delisting)       6.20         Irrigation soln 0.02%, bottle       7.37         Irrigation soln 0.05%, bottle       7.83         Irrigation soln 0.1%, bottle       8.71         Irrigation soln 0.02%, 500 ml bottle	100 ml 500 ml 100 ml 100 ml	Baxter Baxter Baxter Baxter
	Irrigation soln 0.1%, 30 ml ampoule		

Note – Baxter irrigation soln 0.02%, bottle, 100 ml; irrigation soln 0.05%, bottle, 100 ml and 500 ml; irrigation soln 0.1%, bottle, 100 ml; irrigation soln 0.02%, 500 ml bottle and irrigation soln 0.1%, 30 ml ampoule pack to be delisted from 1 June 2018.

	(ex I	Price man. Excl. ( \$	GST) Per	Brand or Generic Manufacturer
Char	nges to Section H Part II – effective 1 April 2018 (co	ontinued)		
209	SODIUM CHLORIDE (new listing) Irrigation soln 0.9%, 1,000 ml bottle - 1% DV Jun-18 to 2021	14.90	10	Baxter Sodium Chloride 0.9%
209	SODIUM CHLORIDE (delisting) Irrigation soln 0.9%, bottle		1,000 ml une 2018.	Baxter
209	WATER (new listing) Irrigation soln, 1,000 ml bottle – 1% DV Jun-18 to 2021	17.30	10	Baxter Water for Irrigation
209	WATER (delisting) Irrigation soln, bottle Note – Baxter Irrigation soln, bottle, 1,000 ml to be delisted from		1,000 ml )18.	Baxter
SPEC	CIAL FOODS			
218	AMINO ACID FORMULA (WITHOUT PHENYLALANINE) (new list  → Semi-solid 18.3 g protein,18.5 g carbohydrate and 0.92 g fibre per 100 g, 109 g pot	ting)		e.g. PKU Lophlex Sensation 20 (berries)
228	ORAL FEED (new listing)  → Powder 23 g protein, 65 g carbohydrate and 2.5 g fat per 100 g, can	26.00	840 g	Sustagen Hospital Formula Active (Chocolate) Sustagen Hospital Formula Active (Vanilla)
	Note: Community subsidy of Sustagen Hospital Formula is sub- manufacturer's surcharge. Higher subsidy by endorsement is a endorsement criteria; fat malabsorption, fat intolerance or chyle	vailable for		ority criteria and a
228	ORAL FEED († price and delisting)  → Powder 23 g protein, 65 g carbohydrate and 2.5 g fat per 100 g, can	26.00	840 g	Sustagen Hospital Formula (Chocolat Sustagen Hospital Formula (Vanilla)

Note: Sustagen Hospital Formula (Chocolate and Vanilla) powder 23 g protein, 65 g carbohydrate and 2.5 g fat per 100 g, can, 840 g to be delisted from 1 June 2018.

Price	Brand or
(ex man. Excl. GST)	Generic
\$ Per	Manufacturer

## Changes to Section H Part II – effective 1 April 2018 (continued)

### **VACCINES**

237	VARICELL	170STFR	VACCINE	ISHINGI FS	VACCINE

Restricted

Initiation - people aged 65 years

Therapy limited to 1 dose

One dose for all people aged 65 years.

Initiation - people aged between 66 and 80 years

Therapy limited to 1 dose

One dose for all people aged between 66 and 80 years inclusive from 1 April 2018 and 31 March 2020.

		Price (ex man. Excl. GST)		Brand or Generic	
		` \$	Per	Manufacturer	
	t III – Optional Pharmaceution tive 1 July 2018	cals			
	•				
240	PREGNANCY TEST - HCG URINE (brand change) Cassette	12.00	40 test	Smith BioMed	

Effective 1 June 2018

A		Cathejell	2
Abilify	22	Cefepime	1
Acarbose	8	Cefepime-AFT	1
Acetylcysteine	16	Cetomacrogol	
Aciclovir	12	Cetomacrogol with glycerol	
Aciclovir-Claris	12	Chlorhexidine	4
Adalimumab	24	Chlorhexidine with cetrimide	
Aflibercept	25	Ciclopirox olamine	1
Allersoothe	15	Cilicaine VK	
Allmercap	22	Cinacalcet	1
Alpha tocopheryl		Ciprofloxacin	4
Ambrisentan		Ciprofloxacin Teva	
Amikacin		Cisplatin	
Amino acid formula (without phenylalanine) 29,		Citalopram hydrobromide	. 1
Apo-Azithromycin		Clonazepam 1	
Apo-Ciclopirox		Colecalciferol	
Apo-Escitalopram		Colofac	
Apo-Gabapentin		Compound electrolytes	
Apo-Montelukast		Compound electrolytes with glucose	
Apo-Propranolol		Compound sodium lactate	0
Aprepitant		[Hartmann's solution]	2
Aripiprazole		Compound sodium lactate with glucose	ა
Aripiprazole Sandoz		Creon 10000	
Arrow-Gabapentin		Creon 25000	
Attenolol		Crotamiton	
Ativan		Cystadane	
Atorvastatin.		Cytarabine	
Atracurium besylate		D	4
		Daunorubicin	1
Atripla			
Azithromycin	12	DBL Acetylcysteine	
B	00	DBL Amikacin	
Baraclude		DBL Cisplatin	
Baxter Glucose 5%		DBL Gentamicin	
Baxter Glucose 10%		DBL Meropenem	
Baxter Glucose 50%		DBL Naloxone Hydrochloride	
Baxter Sodium Chloride 0.9%		Decozol	
Baxter Water for Irrigation		Denosumab	
BD PosiFlush		Dextrose 1	,
Betaine		Diltiazem hydrochloride	
Bisacodyl		Dimethicone	
Bosentan		Docusate sodium with sennosides	
Bosentan-Mylan		Dopamine hydrochloride	
Brufen SR		Dostinex	
Buspirone hydrochloride	15	Doxycycline	
C		Droperidol	
Cabergoline		Droperidol Panpharma	4
Calcium folinate		E	
Calcium Folinate Sandoz		Efavirenz with emtricitabine and	
Candesartan cilexetil		tenofovir disoproxil fumarate	
Candestar	9	Efudix	1
Cardizem CD	40	Emend	1

Emend Tri-Pack		Hydroxychloroquine	13
Emtricitabine with tenofovir disoproxil fumarate		Hydroxyethyl starch 130/0.4 with	
Enbrel		magnesium chloride, potassium chloride,	~
Entacapone		sodium acetate and sodium chloride	39
Entapone		Hydroxyethyl starch 130/0.4 with	
Entecavir		sodium chloride	39
Epilim IV	14	I	
Eplerenone	10	lbuprofen	
Epoprostenol	33	Idarubicin hydrochloride	
Escitalopram	41	lloprost	33
Escitalopram-Apotex	41	Imipenem+Cilastatin RBX	
Etanercept	23	Imipenem with cilastatin	
Ethinyloestradiol	11	Imiquimod	19
Eylea	25	Influenza vaccine	
F		Influvac	17
Felodipine	. 9	Inspra	10
Ferro-F-Tabs		Isoniazid with rifampicin	
Ferrograd	36	Isoptin	
Ferrous fumarate with folic acid		Itch-Soothe	
Ferrous sulphate		K	
Flucloxacillin		Ketamine	14
Fludarabine phosphate		Ketostix	
Fludara Oral		L	
Fluorouracil sodium		Lamivudine	34
G		Lansoprazole	
Gabapentin	35	Lanzol Relief	
Gelatine, succinylated		Lariam	
Gelofusine		Laxsol	
Gentamicin sulphate		Lax-Suppositories	
Glucobay		Lax-Tabs	
Glucose [dextrose]		Levocarnitine	
Glucose with potassium chloride	31	Levodopa with benserazide	
Glucose with potassium chloride and	00	Lidocaine [lignocaine] hydrochloride	
sodium chloride		Lignocaine	
Glucose with sodium chloride		Lorazepam	
Glyceryl trinitrate		Lorstat	10
Glycine		M	
Glytrin	30	Mabthera	
Н		Madopar 62.5	
Hartmann's solution		Madopar 125	
Havrix		Madopar 250	
Havrix Junior		Madopar HBS	
healthE Dimethicone 10%	10	Madopar Rapid	14
Heparinised saline	18	Mannitol	40
Heparin sodium	18	Mebeverine hydrochloride	30
Hepatitis A vaccine	29	Mefloquine	19
Humira	24	Mercaptopurine	22
HumiraPen	24	Meropenem	
Hydrocortisone	11	Metronidazole	12
Hydrocortisone with miconazole	11	Miconazole	. 8
Hydroxocobalamin		Micreme H	
,			-

Milrinone	10	Primacor	10
Montelukast	42	Progynova	11
Multivitamins	30	Prolia	13
Mylan Atenolol	9	Promethazine hydrochloride	15
Mylan-Bosentan	31	Propranolol	40
N		PSM Citalopram	14
Naloxone hydrochloride	29	R	
Neo-B12		Ranibizumab	27
Neurontin		Redipred	40
Nevirapine	12	Relenza Rotadisk	
Nevirapine Alphapharm		Resonium A	
Norethisterone		ReTrieve	
Norflex		Rifinah	
Noriday 28		Rilutek	
Nupentin		Riluzole	
NZ Medical & Scientific		Ringer's solution	
0	11	Rituximab	
	11		14
Olopatadine		S	14
•		Salazopyrin	10
Oral feed			
Orphenadrine citrate		Salazopyrin EN	
Oseltamivir		Salbutamol	
Oxycodone hydrochloride		Sensipar	
OxyNorm		Shingles vaccine	
Oxytocin		Sildenafil	
Oxytocin BNM	34	,	45
P		Sodium chloride	
Pancreatic enzyme		Sodium nitroprusside	
Paracare Double Strength		Sodium polystyrene sulphonate	
Paracetamol21,		Sodium valproate	
Paraffin		Staphlex	
Paragesic Soluble	41	Sulfasalazine	18
			18
Paxam	41	3 1 ( )	43
Penicillin V	12	3 1 \ /	43
Perrigo			43
Pethidine hydrochloride 14,		Sustagen Hospital Formula (Vanilla)	43
Phenoxymethylpenicillin [penicillin V]		T	
PKU Lophlex Powder (unflavoured)	29	Tamsulosin	11
PKU Lophlex Sensation 20 (berries)	43	Tamsulosin hydrochloride	11
Plaquenil	13	Tamsulosin-Rex	
Plasma-Lyte 148	36	Tenofovir disoproxil	20
Plasma-Lyte 148 & 5% glucose		Tenofovir disoproxil fumarate	
Plendil ER		Tenofovir Disoproxil Teva	
Potassium chloride with sodium chloride	39	Tobramycin	
Pred Forte		Tobramycin Mylan	
		Tracrium	
		Tranexamic acid	
Pregabalin		Tranexamic-AFT	
Pregabalin Pfizer		Tretinoin	
Pregnancy test - HCG urine		Trimeprazine tartrate	
i regnancy test - flod unine	JJ	וווווסףומבוווס ומונומנס	10

Tropisetron-AFT	15 15
Truvada	12
V	
Vaclovir	12
Valaciclovir	12
Varicella zoster vaccine [shingles vaccine]	44
Vedafil 10	, 32
Veletri	33
Ventavis	33
Ventolin	28
Verapamil hydrochloride	30
Vfend	19
Viread	20
Vitabdeck	30
V:+ DO	٥٥

Volibris	30 39
Voluven	39
Voriconazole 12,	19
Vttack	12
W	
Water	43
7	
-	
Zanamivir	
ZanamivirZavedos	15
Zanamivir	15 34
Zanamivir Zavedos Zetlam 12, Zinc and castor oil. 33,	15 34 34
Zanamivir         Zavedos         Zetlam       12         Zinc and castor oil       33         Ziprasidone       15	15 34 34 22
Zanamivir Zavedos Zetlam 12, Zinc and castor oil. 33,	15 34 34 22 44

### New Zealand Government

New Zealand Permit No. 478





Email: enquiry@pharmac.govt.nz www.pharmac.govt.nz/medicines/hospital-pharmaceuticals

#### **Pharmaceutical Management Agency**

Level 9, 40 Mercer Street, PO Box 10254, Wellington 6143, New Zealand Phone: 64 4 460 4990 - Fax: 64 4 460 4995 - www.pharmac.govt.nz

ISSN 1179-3694 (Print) - ISSN 1179-3708 (Online)

While care has been taken in compiling this Update, Pharmaceutical Management Agency takes no responsibility for any errors or omissions and shall not be liable to any person for any damages or loss arising out of reliance by that person for any purpose on any of the contents of this Update. Errors and omissions brought to the attention of Pharmaceutical Management Agency will be corrected if necessary by an erratum or otherwise in the next edition of the Update.

If Undelivered, Return To: PO Box 10254, Wellington 6143, New Zealand