July 2018 Volume 25 Number 1

Editors:

Kaye Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and T_EX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

Programmers

Anrik Drenth & John Geering
email: texschedule@pharmac.govt.nz
@Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 4.0 International licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/by/4.0/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section A General Rules 6 Section B Alimentary Tract & Metabolism 20 Blood & Blood Forming Organs 49 Cardiovascular System 58 Dermatologicals 71 Genito Urinary System 32 Hormone Preparations – Systemic Use 99 Musculoskeletal System 121 Nervous System 131 Oncology Agents & Immunosuppressants 166 Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261		_	
Blood & Blood Forming Organs Cardiovascular System Dermatologicals T1 Genito Urinary System Blood & Blood Forming Organs Cardiovascular System Dermatologicals T1 Genito Urinary System Blood & Blood Forming Organs Cardiovascular System Blood & Blood Forming Organs Cardiovascular System Blood & Blood Forming Organs System Blood & Blood Forming Organs Preparations — Systemic Use Preparations — System Maller — Systemic Use Preparations — Systemic Use	6	General Rules	Section A
Cardiovascular System Dermatologicals T1 Genito Urinary System B2 Hormone Preparations – Systemic Infections – Agents For Systemic Use Musculoskeletal System Nervous System Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Sensory Organs Various Section C Extemporaneous Compounds (ECPs) Section D Special Foods Section E Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	20	Alimentary Tract & Metabolism	Section B
Dermatologicals Genito Urinary System B2 Hormone Preparations – Systemic Infections – Agents For Systemic Use Musculoskeletal System Nervous System Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Sensory Organs Various Section C Extemporaneous Compounds (ECPs) Section D Special Foods Section E Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines Section I National Immunisation Schedule 261	49	Blood & Blood Forming Organs	
Genito Urinary System Hormone Preparations – Systemic Infections – Agents For Systemic Use Musculoskeletal System Nervous System 121 Nervous System 131 Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	58	Cardiovascular System	
Hormone Preparations – Systemic Infections – Agents For Systemic Use 99 Musculoskeletal System 121 Nervous System 131 Oncology Agents & Immunosuppressants 166 Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	71	Dermatologicals	
Infections – Agents For Systemic Use Musculoskeletal System Nervous System Nervous System 131 Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	82	Genito Urinary System	
Musculoskeletal System Nervous System 131 Oncology Agents & Immunosuppressants 166 Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	88	Hormone Preparations – Systemic	
Nervous System 131 Oncology Agents & Immunosuppressants 166 Respiratory System & Allergies 209 Sensory Organs 217 Various 222 Section C Extemporaneous Compounds (ECPs) 224 Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	99	Infections – Agents For Systemic Use	
Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Various Section C Extemporaneous Compounds (ECPs) Section D Special Foods Section E Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines Section I National Immunisation Schedule 209 220 221 222 224 225 226 227 228 229 229 220 220 221 221 222 224 225 226 227 228 229 229 220 220 221 221 222 224 225 226 227 228 229 229 220 220 221 221 221 222 222	121	Musculoskeletal System	
Respiratory System & Allergies Sensory Organs Various 222 Section C Extemporaneous Compounds (ECPs) Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule	131	Nervous System	
Section C Extemporaneous Compounds (ECPs) Section D Special Foods Section E Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines Section I National Immunisation Schedule 224 224 225 226 227 228 229 229 220 220 221 221 221 222 224 225 226 227 228 229 220 220 220 221 221 221 221	166	Oncology Agents & Immunosuppressants	
Section C Extemporaneous Compounds (ECPs) Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	209	Respiratory System & Allergies	
Section C Extemporaneous Compounds (ECPs) Section D Special Foods Section E Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines Section I National Immunisation Schedule 224 231 231 251 Rural Areas 255 256 Section G Safety Cap Medicines 258	217	Sensory Organs	
Section D Special Foods 231 Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	222	Various	
Section E Practitioner's Supply Orders Rural Areas 255 Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	224	Extemporaneous Compounds (ECPs)	Section C
Rural Areas Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule	231	Special Foods	Section D
Section F Dispensing Period Exemptions 256 Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	251	Practitioner's Supply Orders	Section E
Section G Safety Cap Medicines 258 Section I National Immunisation Schedule 261	255	Rural Areas	
Section I National Immunisation Schedule 261	256	Dispensing Period Exemptions	Section F
reational minimum cation confidence	258	Safety Cap Medicines	Section G
Index 273	261	National Immunisation Schedule	Section I
	273	Index	

Introducing PHARMAC

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply:
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gramkilograminternational unit	kg		mg	millimoleunit	
Abbreviations					
Ampoule	Amp	Gelatinous	Gel	Solution	Soln
Capsule	Cap	Granules	Gran	Suppository	Supp
Cream	Crm	Infusion	Inf	Tablet	Tab
Device	Dev	Injection	Inj	Tincture	Tinc
Dispersible	Disp	Liquid	Liq	Trans Dermal Delivery	
Effervescent	Eff	Long Acting	LA	System	TDDS
Emulsion	Emul	Ointment	Oint	•	
Enteric Coated	EC	Sachet	Sach		

BSO Bulk Supply Order. CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

ΩP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.

* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once,

unless the medicine meets the Dispensing Frequency Rule criteria.

Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.

Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the

patient a manufacturer's surcharge.

S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.

HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy

Variation (for Clozapine Services).

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a 🗸 in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor:
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to whole-salers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 July 2018 and is to be referred to as the Pharmaceutical Schedule Volume 25 Number 1, 2018. Distribution will be from 20 July 2018. This Schedule comes into force on 1 July 2018.

PARTI

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment:
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area;
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
 - "Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

- "Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.
- "Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.
- "Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).
- "Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.
- "Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.
- "Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.
- "DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.
- "DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.
- "Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.
- "Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.
- "DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit. "DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:
 - a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
 - b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.
- "Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the Prescriber. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the Prescriber writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.
- "Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.
- "GST", means goods and services tax under the Goods and Services Tax Act 1985.
- "Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.
- "Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.
- "Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Prescriber.
- "Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:
 - a) on a Prescription signed by a Specialist, or
 - b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Prescriber which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Prescriber, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
 - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an

Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month". means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

- "Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines
- "Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule
- "Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)
- "Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.
- "PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.
- "PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.
- "Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.
- "Pharmaceutical Benefits", means the right of:
 - a) a person; and
 - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.
- "Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.
- "Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.
- "Practitioner", means a Prescriber or any of the following: Quitcard Provider, a Pharmacist, or a Vaccinator as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order", means a written order made by a Prescriber on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Prescriber, which the Prescriber requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescriber", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.
- "Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Prescriber.
- "Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984. "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.
- "Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.
- "Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

- "Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984. "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

 - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
 - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Prescriber, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Prescriber of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [Prescriber]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written:
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.
- "Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

- "Safety Medicine". means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.
- "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.
- "Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:
 - a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine;
 - b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
 - c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
 - d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Prescribers of pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

"Vaccinator", means either:

- a) a pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health; or
- b) any other person who is authorised by the Director-General of Health or a Medical Officer of Health to administer vaccines in accordance with this Section 44A of the Medicines Regulations 1984.
- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Prescribers Prescriptions and provision of pharmaceuticals by other Practitioners (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Prescriber and provision of pharmaceuticals by other Practitioners unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Prescriber and 3.1.7 for an Optometrist, where a Prescriber has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity
 prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had
 been dispensed in a Monthly Lot;
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - b) both:
 - the Prescriber endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Prescriber's own handwriting, or signed or initialled by the Prescriber; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eliqible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Prescriber has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Prescriber for an oral contraceptive:

3.2.1 The Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eliqible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Prescriber prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
 - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
 - an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
 - any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Prescriber in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Prescriber in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed or ordered by the Prescriber is less than 10% (eq; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed or ordered by the Prescriber.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
 - b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

3.6 Non-prescribing Practitioners

- 3.6.1 Dispensing on the authority of a Quitcard will only be subsidised where it is:
 - a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
 - b) written on a Quitcard.
- 3.6.2 Provision of vaccines by Vaccinators

Vaccines will only be valid for subsidy in accordance with an agreement between the Contractor and the DHB, and only for direct administration of a vaccine to a patient.

3.6.3 Provision of a Community Pharmaceutical by a Pharmacist Except where pursuant to a prescription, Quitcard or supply order, provision of a community pharmaceutical by a pharmacist will only be subsidised where specifically indicated in Section B of the Pharmaceutical Schedule.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;

4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility:

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the Prescriber or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the Prescriber has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial": and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:

- i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
- ii) initialled the annotation in their own handwriting; and
- iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note -- no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Prescriber may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Prescriber may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Prescriber's care if:
 - a) the Prescriber's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Prescriber is a locum for a Prescriber whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Prescriber may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:

- i) is personally signed and dated by the Prescriber; and
- ii) sets out the Prescriber's address; and
- iii) sets out the Community Pharmaceuticals and quantities, and;
- b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Prescriber specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Prescriber working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral lig 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the Prescriber must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.2;

- c) clauses 3.1 to 3.4; and
- d) clause 5.4.
- of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Prescribers of Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Prescribers of unapproved Pharmaceuticals

Prescribers should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Prescribers are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Prescribers should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Prescribers obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect
 to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Prescribers should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Prescriber has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$) Su Per	Fully bsidised	Brand or Generic Manufacturer
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 m sachet	• •	30	√ G	aviscon Infant
SODIUM ALGINATE * Tab 500 mg with sodium bicarbonate 267 mg and calciur carbonate 160 mg - peppermint flavour		60	G	aviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and cale carbonate 160 mg per 10 ml		500 ml	A	cidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE * Tab 600 mg CALCIUM CARBONATE	12.56	100	✓ A	lu-Tab
Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) - Subsidy by endorsement Only when prescribed for children under 12 years of endorsed accordingly.	39.00	500 ml nate bindi		oxane and the prescription is
Antidiarrhoeals				
Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE - Up to 30 cap available * Tab 2 mg* * Cap 2 mg	10.75	400 400		odia iamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE Cap 3 mg — Special Authority see SA1155 below — Reta pharmacy	166.50	90 alid for 6		ntocort CIR or applications meeting

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	26.55	21.1 g OP	✓ Colifoam
MESALAZINE			
Tab 400 mg	49.50	100	✓ Asacol
Tab EC 500 mg		100	✓ Asamax
Tab long-acting 500 mg		100	✓ Pentasa
Tab 800 mg	85.50	90	✓ Asacol
Modified release granules, 1 g	141.72	120 OP	✓ Pentasa
Enema 1 g per 100 ml	41.30	7	✓ Pentasa
Suppos 500 mg		20	✓ Asacol
Suppos 1 g	54.60	30	✓ Pentasa
OLSALAZINE			
Tab 500 mg	93.37	100	✓ Dipentum
Cap 250 mg		100	✓ Dipentum
SODIUM CROMOGLICATE			
Cap 100 mg	92.91	100	✓ Nalcrom
SULFASALAZINE			
* Tab 500 mg - For sulfasalazine oral liquid formulation refer,			
page 225	14.00	100	Salazopyrin
* Tab EC 500 mg	13.50	100	✓ Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cinchocaine hydrochloride 5 mg per g6.35	30 g OP	✓ Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg2.66	12	✓ Ultraproct
HYDROCORTISONE WITH CINCHOCAINE Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00 Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90	30 g OP 12	✓ Proctosedyl✓ Proctosedyl

ALIMENTARY TRACT AND METABOLISM Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Management of Anal Fissures GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy 30 q OP ✓ Rectogesic ⇒SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks. Antispasmodics and Other Agents Altering Gut Motility **GLYCOPYRRONIUM BROMIDE** Inj 200 mcg per ml, 1 ml ampoule - Up to 10 inj available on a 10 ✓ Max Health HYOSCINE BUTYLBROMIDE * Tab 10 mg8.75 100 ✓ Buscopan * Inj 20 mg, 1 ml - Up to 5 inj available on a PSO......9.57 5 ✓ Buscopan MEBEVERINE HYDROCHLORIDE 90 ✓ Colofac **Antiulcerants** Antisecretory and Cytoprotective **MISOPROSTOL** * Tab 200 mcg.......41.50 120 ✓ Cytotec Helicobacter Pylori Eradication CLARITHROMYCIN Tab 500 mg - Subsidy by endorsement......10.40 ✓ Apo-Clarithromycin a) Maximum of 14 tab per prescription b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly. Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole. **H2 Antagonists** RANITIDINE - Only on a prescription 500 Ranitidine Relief 500 ✓ Ranitidine Relief ✓ Peptisoothe * Oral liq 150 mg per 10 ml5.14 300 ml ✓ Zantac

Lanzol Relief to be Sole Supply on 1 October 2018

Proton Pump Inhibitors

LANSOPRAZOLE

✓ Lanzol Relief

✓ Lanzol Relief

100

100

		Subsidy		Fully Brand or
		(Manufacturer's Price) \$	Per	Subsidised Generic r • Manufacturer
M	EPRAZOLE			
	For omeprazole suspension refer Standard Formulae, page	228		
*	Cap 10 mg		90	✓ Omeprazole actavis 10
*	Cap 20 mg	1.96	90	_ _
*	Cap 40 mg	3.12	90	
*	Powder – Only in combinationOnly in extemporaneously compounded omeprazole sus		5 g	<u></u>
*	Inj 40 mg ampoule with diluent		5	✓ <u>Dr Reddy's</u> <u>Omeprazole</u>
*	NTOPRAZOLE Tab EC 20 mg Tab EC 40 mg		100 100	<u> </u>
	ite Protective Agents			
CO	LLOIDAL BISMUTH SUBCITRATE Tab 120 mg	14.51	50	✓ Gastrodenol S29
SU	CRALFATE			
	Tab 1 g	35.50 (48.28)	120) Carafate
В	ile and Liver Therapy			
RIF	AXIMIN - Special Authority see SA1461 below - Retail phar Tab 550 mg	,	56	✓ <u>Xifaxan</u>
nit nep ole Rei	SA1461 Special Authority for Subsidy ial application only from a gastroenterologist, hepatologist or atologist. Approvals valid for 6 months where the patient has rated doses of lactulose. newal only from a gastroenterologist, hepatologist or Practitio atologist. Approvals valid without further renewal unless notilefiting from treatment.	s hepatic encephalopa ner on the recommen	athy d	despite an adequate trial of maximon of a gastroenterologist or

Hyperglycaemic Agents

DIAZOXIDE - Special Authority see SA1320 below - Re	tail pharmacy		
Cap 25 mg	110.00	100	✓ Proglicem S29
Cap 100 mg	280.00	100	✓ Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	✓ Proglycem S29

⇒SA1320 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

GLUCAGON HYDROCHLORIDE

Inj 1 mg syringe kit - Up to 5 kit available on a PSO......32.00 ✓ Glucagen Hypokit

[‡] safety cap

[▲] Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Subs	,	Generic
	\$	Per		Manufacturer
	Ψ	1 (1		Widifuldotal Ci
nsulin - Short-acting Preparations				
nount - Onort-acting r reparations				
SULIN NEUTRAL				
Inj human 100 u per ml	25.26	10 ml OP	✓ Act	rapid
,				nulin R
Inj human 100 u per ml, 3 ml	42 66	5		rapid Penfill
ing naman 100 a por mi, o mi		o		nulin R
			• Hui	IIUIIII N
sulin - Intermediate-acting Preparations				
SULIN ASPART WITH INSULIN ASPART PROTAMINE				
Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✓ Nov	oMix 30 FlexPen
ULIN ISOPHANE				
Inj human 100 u per ml	17 69	10 ml OP	√ ⊔	nulin NPH
iiij iiuiiiaii 100 u pei iiii	17.00	10 1111 0P		
		_		taphane
Inj human 100 u per ml, 3 ml	29.86	5		nulin NPH
			✓ Pro	taphane Penfill
SULIN ISOPHANE WITH INSULIN NEUTRAL				
Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✓ H···	mulin 30/70
ing numan with neutral insulin 100 ti per mi	25.20	10 1111 01		tard 30
lai buwaan with mantual insulin 100 u namad 0 ml	40.00	_		
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5		mulin 30/70
				nMix 30
			Per	nMix 40
			Per	nMix 50
SULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
Inj lispro 25% with insulin lispro protamine 75% 100 u per ml				
3 ml		5	✓ Hui	nalog Mix 25
Inj lispro 50% with insulin lispro protamine 50% 100 u per ml	,			
3 ml	,	5	✓ Hui	malog Mix 50
				.5
nsulin - Long-acting Preparations				
SULIN GLARGINE				
Inj 100 u per ml, 10 ml	63.00	1	✓ Lar	itue
		5	✓ Lar	
Inj 100 u per ml, 3 ml				
Inj 100 u per ml, 3 ml disposable pen	94.50	5	✓ Lar	itus SoloStar
sulin - Rapid Acting Preparations				
, ,				
SULIN ASPART		_		
Inj 100 u per ml, 10 ml		1		oRapid/
Inj 100 u per ml, 3 ml	51.19	5	✓ Nov	oRapid Penfill
Inj 100 u per ml, 3 ml syringe	51.19	5	✓ Nov	oRapid FlexPen
SULIN GLULISINE				•
	07.00			ala
Inj 100 u per ml, 10 ml		1	✓ Api	
Inj 100 u per ml, 3 ml		5	Api	
Inj 100 u per ml, 3 ml disposable pen	46.07	5	✓ Api	dra SoloStar
SULIN LISPRO			•	
	04.00	10 00	./ 11	malan
Inj 100 u per ml, 10 ml		10 ml OP	✓ Hui	•
Inj 100 u per ml, 3 ml	59.52	5	✓ Hui	naiog

	Subsidy (Manufacturer's Price) \$	Subsid Per	Fully lised	Brand or Generic Manufacturer
Alpha Glucosidase Inhibitors				
ACARBOSE * Tab 50 mg Glucobay to be Sole Supply on 1 October 2018	3.50	90	✓ G	lucobay
* Tab 100 mg	6.40	90	√ G	lucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE * Tab 5 mg	5.00	100	✓ D	aonil
* Tab 80 mg	10.29	500	✓ <u>G</u>	lizide
GLIPIZIDE * Tab 5 mg	2.85	100	✓ M	linidiab
METFORMIN HYDROCHLORIDE * Tab immediate-release 500 mg * Tab immediate-release 850 mg		1,000 500		letchek letformin Mylan
PIOGLITAZONE * Tab 15 mg * Tab 30 mg	5.06	90 90	✓ V	exazone exazone
* Tab 45 mg	7.10	90	✓ V	exazone

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST STRIP - Subsidy by endorsement

- a) Not on a BSO
- b) Maximum of 20 strip per prescription
- c) Up to 10 strip available on a PSO
- d) Patient has any of the following:
 - 1) type 1 diabetes; or
 - 2) permanent neonatal diabetes; or
 - 3) undergone a pancreatectomy; or
 - 4) cystic fibrosis-related diabetes; or
 - 5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.

The prescription must be endorsed accordingly.

Relocens to be cole cupply of 1 August 2016

BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter available on a PSO

Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis and is at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.

(Freestyle Optium Neo Meter to be delisted 1 August 2018)

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO	15.50 1	0 strip (OP ✔	Freestyle Optium Ketone

(Freestyle Optium Ketone Test strip to be delisted 1 August 2018)

SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription

★ Test strip - Not on a BSO.......22.00 50 strip OP ✓ Ketostix

Dual Blood Glucose and Blood Ketone Testing

DUAL BLOOD GLUCOSE AND BLOOD KETONE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.
- d) A dual blood glucose and blood ketone diagnostic test meter is subsidised for a patient who has:
 - 1) type 1 diabetes; or
 - 2) permanent neonatal diabetes: or
 - 3) undergone a pancreatectomy; or
 - 4) cystic fibrosis-related diabetes, or
 - 5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.

The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Only 1 meter per patient will be subsidised (no repeat prescriptions).

For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

From 1 February 2018 – 31 July 2018 patients who have used a CareSens II blood glucose diagnostic meter and associated strips, as their only blood glucose diagnostic testing meter and strips, are eligible for a new CareSens meter provided they meet the funding criteria.

Meter with 50 lancets, a lancing device and 10 blood glucose

- a) Brand switch fee payable (Pharmacode 2535890) see page 222 for details
 b) No patient co-payment payable
- c) CareSens Dual to be Sole Supply on 1 August 2018

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.
- d) A diagnostic blood glucose test meter is subsidised for a patient who:
 - 1) is receiving insulin or sulphonylurea therapy; or
 - 2) is pregnant with diabetes; or
 - 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
 - 4) has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and metabolic syndrome.

The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Only one CareSens meter per patient will be subsidised (no repeat prescriptions).

Patients already using the CareSens N POP meter and CareSens N meter are not eligible for a new meter, unless they meet the criteria for a dual blood glucose and blood ketone diagnostic test meter.

For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

From 1 February 2018 - 31 July 2018 patients who have used a CareSens II blood glucose diagnostic meter and associated strips, as their only blood glucose diagnostic testing meter and strips, are eligible for a new CareSens meter provided they meet the funding criteria.

Meter with 50 lancets, a lancing device and 10 diagnostic test

strips - Note differing brand requirements below - No ✓ CareSens N 1 OP ✓ CareSens N POP 20.00 ✓ CareSens N Premier

- a) CareSens N brand: Brand switch fee payable (Pharmacode 2423138) see page 222 for details
- b) CareSens N POP brand: Brand switch fee payable (Pharmacode 2423154) see page 222 for details
- c) CareSens N Premier brand: Brand switch fee payable (Pharmacode 2535882) see page 222 for details
- d) Note: Only 1 meter available per PSO
- e) CareSens N to be Sole Supply on 1 August 2018
- f) CareSens N POP to be Sole Supply on 1 August 2018
- g) CareSens N Premier to be Sole Supply on 1 August 2018

Meter with 50 x lancets, 10 x diagnostic test strips and a

1 OP ✓ CareSens II

(CareSens II Meter with 50 x lancets, 10 x diagnostic test strips and a lancing device to be delisted 1 August 2018)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the
 prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO
- d) CareSens N to be Sole Supply on 1 August 2018
- e) CareSens PRO to be Sole Supply on 1 August 2018

(CareSens Test strips to be delisted 1 August 2018)

(Accu-Chek Performa Test strips to be delisted 1 August 2018)

(Freestyle Optium Test strips to be delisted 1 August 2018)

⇒SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788
Wellington Email: bgstrips@pharmac.govt.nz

⇒SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788
Wellington Email: bgstrips@pharmac.govt.nz

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the
 prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Subsidy	y	Fully	Brand or	
(Manufacturer	's Price) Su	bsidised	Generic	
\$	Per	1	Manufacturer	

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INSULIN PEN NEEDLES :	 Maximum of 100 dev per prescription

IIVO	OLINI LININELDELO MAXIMUM OF TOO GEV PET PRESCRIPTION			
*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
	31 g × 6 mm		100	✓ ABM
	31 g × 8 mm		100	✓ B-D Micro-Fine
*	32 g × 4 mm		100	✓ B-D Micro-Fine
INS	ULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 100	dev per pre	scription
*	Syringe 0.3 ml with 29 g x 12.7 mm needle	13.00	100	✓ B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g x 12.7 mm needle	13.00	100	✓ B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g x 12.7 mm needle	13.00 [°]	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle		100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II

Insulin Pumps

INSULIN PUMP - Special Authority see SA1603 on the next page - Retail pharmacy

a) Maximum of 1 dev per prescription

a)			
b) Only on a prescription			
c) Maximum of 1 insulin pump per patient each four y	ear period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour		1	Animas Vibe
Min basal rate 0.05 U/h; blue colour		1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	✓ Paradigm 522
.,			✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
., ,			✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722

[‡] safety cap

[▲] Three months supply may be dispensed at one time

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1603 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and

Subsidy (Manufacturer's Price)	s	Fully	Brand or Generic	
\$	Per	✓	Manufacturer	

continued...

- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1: and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or

Subsidy		Fully	Brand or	
(Manufacturer's Pric	e)	Subsidised	Generic	
\$	Per	•	Manufacturer	

continued...

- 8.2 The pump is due for replacement; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol fromthe time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Fither:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Either:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsid	dised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist: or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist: or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — **(HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	9	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 32 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

1 ✓ Animas Battery Cap Battery cap32.00

✓ Paradigm Sure-T

MMT-866

✓ Sure-T MMT-865

✓ Paradigm Sure-T MMT-874

✓ Sure-T MMT-873

✓ Paradigm Sure-T MMT-876

✓ Contact-D

✓ Contact-D

1 OP

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 32 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 10 mm steel needle: 29 G: manual insertion: 60 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-884 10 mm steel needle: 29 G: manual insertion: 60 cm tubing x ✓ Sure-T MMT-883 1 OP 10 mm steel needle: 29 G: manual insertion: 80 cm tubing x 1 OP ✓ Paradigm Sure-T MMT-886 10 mm steel needle: 29 G: manual insertion: 80 cm tubing x ✓ Sure-T MMT-885 1 OP 6 mm steel cannula; straight insertion; 60 cm grey line × 10 with 1 OP ✓ Contact-D 6 mm steel needle: 29 G: manual insertion: 60 cm tubing x ✓ Paradigm Sure-T 1 OP MMT-864 6 mm steel needle: 29 G: manual insertion: 60 cm tubing x 1 OP ✓ Sure-T MMT-863 6 mm steel needle: 29 G: manual insertion: 80 cm tubing x

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

6 mm steel needle: 29 G: manual insertion: 80 cm tubing x

8 mm steel cannula; straight insertion; 110 cm grey line ×

8 mm steel needle; 29 G; manual insertion; 60 cm tubing x

8 mm steel needle: 29 G: manual insertion: 60 cm tubing x

8 mm steel needle; 29 G; manual insertion; 80 cm tubing x

8 mm steel needle; 29 G; manual insertion; 80 cm tubing x

8 mm steel cannula: straight insertion: 60 cm grev line × 10 with

13 mm tetion cannula; angle insertion; insertion device; 110 cm			
grey line × 10 with 10 needles1	40.00	1 OP	✓ Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm			
grey line × 10 with 10 needles1	40.00	1 OP	✓ Inset 30

35

Subsidy		Fully	Brand or	
(Manufacturer's Pric	e)	Subsidised	Generic	
\$	Per	1	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 32 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

c) Maximum of 13 infusion sets will be funded per year.13 mm teflon cannula; angle insertion; 120 cm line × 10 with			
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-382
13 mm teflon cannula; angle insertion; 45 cm line x 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-368
13 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-381
13 mm teflon cannula; angle insertion; 80 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-383
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-377
17 mm teflon cannula; angle insertion; 110 cm line x 10 with 10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-378
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-384

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 32 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription

c) Maximum of 13 infusion sets will be funded per year.			
6 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 45 cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
ŭ	100.00	. 0.	MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
			MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
			MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 60 cm	100.00	4.00	C Daniellania Mila
pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80 cm	100.00	1 OP	-/ Davadiam Mia
blue tubing × 10 with 10 needles	130.00	TOP	✓ Paradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing × 10 with 10 needles	120.00	1 OP	✓ Paradigm Mio
clear tubing x 10 with 10 needles	130.00	TOF	MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
prik tubing × 10 with 10 needles	100.00	101	MMT-925
9 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles	140 00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 cm			
grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
o min tonon camidia, chaight moortion, moortion acvice, or on			_

1 OP

✓ Paradigm Mio MMT-975

37

clear tubing × 10 with 10 needles......130.00

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsid	dised	Generic	
\$	Per	/	Manufacturer	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) – Special Authority see SA1604 on page 32 – Retail pharmacy

a)	Maximum	of 3 s	ets per	prescription
----	---------	--------	---------	--------------

L I	O-1			scription	
n	ı ()mıv	/ nn	a nre	scrintion	

	b) Only on a prescription			
	c) Maximum of 13 infusion sets will be funded per year.			
	6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with			
	10 needles	120.00	1 OP	✓ Paradigm Quick-Set
	To fleedles	130.00	I OF	
				MMT-398
	6 mm teflon cannula; straight insertion; 110 cm tubing \times 10 with			
	10 needles; luer lock	130.00	1 OP	Quick-Set MMT-391
	6 mm teflon cannula; straight insertion; 60 cm tubing × 10 with			
	10 needles	130.00	1 OP	✓ Paradigm Quick-Set
	10 1100dilo0	100.00	1 01	MMT-399
	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			WIW 1-399
	6 mm teflon cannula; straight insertion; 60 cm tubing × 10 with			
	10 needles; luer lock	130.00	1 OP	Quick-Set MMT-393
	6 mm teflon cannula; straight insertion; 80 cm tubing × 10 with			
	10 needles	130.00	1 OP	✓ Paradigm Quick-Set
				MMT-387
	9 mm teflon cannula; straight insertion; 106 cm tubing \times 10 with			
	10 needles	120.00	1 OP	✓ Paradigm Quick-Set
	To fleedles	130.00	I OF	
				MMT-396
	9 mm teflon cannula; straight insertion; 110 cm tubing \times 10 with			
	10 needles; luer lock	130.00	1 OP	Quick-Set MMT-390
	9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with			
	10 needles	130.00	1 OP	✓ Paradigm Quick-Set
	10 1100dilo0	100.00	1 01	MMT-397
	O man to floor account of a trainful time of the OO and to be in the OO and the O			WIW 1-397
	9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with			
	10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-392
	9 mm teflon cannula; straight insertion; 80 cm tubing × 10 with			
	10 needles	130.00	1 OP	Paradigm Quick-Set
				MMT-386
INIC	NULIN DUMD DECEDIOR Chariel Authority and CA1604 on no	~~ 00 Date	منا ما محمد ما ا	
IIV	SULIN PUMP RESERVOIR – Special Authority see SA1604 on pa	ige 32 – Reia	ali priarmacy	
	a) Maximum of 3 sets per prescription			
	b) Only on a prescription			
	c) Maximum of 13 packs of reservoir sets will be funded per year	r.		
	10 × luer lock conversion cartridges 1.8 ml for Paradigm pumps	50.00	1 OP	✓ ADR Cartridge 1.8
	Cartridge 200 U, luer lock × 10	50.00	1 OP	✓ Animas Cartridge
	Cartridge for 5 and 7 series pump; 1.8 ml × 10		1 OP	✓ Paradigm
		50.00		1.8 Reservoir
	Contrides for 7 series number 0.0 ml 10	E0 00	1 OD	✓ Paradigm
	Cartridge for 7 series pump; 3.0 ml × 10	30.00	1 OP	· ·
				3.0 Reservoir

Syringe and cartridge for 50X pump, 3.0 ml × 10......50.00

1 OP

√ 50X 3.0 Reservoir

100

Eully.

Drand or

Ursosan

	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer	
Digestives Including Enzymes					
PANCREATIC ENZYME					
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase 10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ (Creon 10000	
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase 1,250 U protease))	*	100	√	Panzytrat	
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase 25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✓ (Creon 25000	
URSODEOXYCHOLIC ACID – Special Authority see SA1383 be Cap 250 mg – For ursodeoxycholic acid oral liquid formulation	•	у			

Cubaidy

⇒SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner.

Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6

continued...

Subsidy (Manufacturer's Price)	Sub	Fully	Brand or Generic	
\$	Per	1	Manufacturer	

continued...

months where the patient continues to benefit from treatment.

ISPAGHULA (PSYLLIUM) HUSK - Only on a prescription

Renewal — (**Pregnancy/Cirrhosis**) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure -- doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

* Powder for oral soln	6.05	500 g OP	✓ Bonvit ✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry	6.02	500 g OP	
·	(17.32)	-	Normacol Plus
	2.41	200 g OP	
	(8.72)	-	Normacol Plus

Faecal Softeners

DOCUSATE SODIUM - Only on a prescription			
* Tab 50 mg	2.31	100	Coloxyl
* Tab 120 mg	3.13	100	✓ Coloxyl
* Enema conc 18%		100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			-
* Tab 50 mg with sennosides 8 mg	3.10	200	✓ <u>Laxsol</u>
POLOXAMER - Only on a prescription			
Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl

Opioid Receptor Antagonists - Peripheral

METHYLNALTREXONE BROMIDE - Special Authority s	see SA1691 below – Retail p	harmacy	
Inj 12 mg per 0.6 ml vial	36.00	1	✓ Relistor
	246.00	7	Relistor

⇒SA1691 Special Authority for Subsidy

Initial application — (Opioid induced constipation) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

- 1 The patient is receiving palliative care; and
- 2 Either:
 - 2.1 Oral and rectal treatments for opioid induced constipation are ineffective; or
 - 2.2 Oral and rectal treatments for opioid induced constipation are unable to be tolerated.

	Subsidy) O. I.	Fully	Brand or
	(Manufacturer's Price \$	Per Sub	sidised •	Generic Manufacturer
Osmotic Laxatives				
GLYCEROL				
* Suppos 3.6 g – Only on a prescription	6.50	20	✓ P	SM
LACTULOSE – Only on a prescription				
* Oral liq 10 g per 15 ml		500 ml	_	<u>aevolac</u>
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BIO		SODIUM C	HLORI	DE
Powder for oral soln 13.125 g with potassium chloride 46.6 m				
sodium bicarbonate 178.5 mg and sodium chloride 350.7	mg6.78	30	✓ <u>M</u>	<u>lolaxole</u>
SODIUM ACID PHOSPHATE - Only on a prescription				
Enema 16% with sodium phosphate 8%	2.50	1	✓ F	leet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	- Only on a prescr	iption		
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml.	, ,			
5 ml	26.72	50	✓ M	licolette
Stimulant Laxatives				
BISACODYL – Only on a prescription				
* Tab 5 mg	5.99	200	√ L	ax-Tab
Lax-Tab to be Sole Supply on 1 October 2018				
* Suppos 10 mg	3.74	10	✓ L	ax-Suppositories
Lax-Suppositories to be Sole Supply on 1 October 2018				
SENNA - Only on a prescription				
* Tab, standardised	2.17	100		
	(6.84)		S	enokot
	0.43	20	•	
	(1.72)		S	enokot

Metabolic Disorder Agents

ALGLUCOSIDASE ALFA − Special Authority see SA1622 below − Retail pharmacy
Inj 50 mg vial1,142.60 1 ✓ Myozyme

⇒SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
- 2 Any of the following:
 - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
 - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
 - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
 - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT); and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
- 5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT: and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

BETAINE - Special Authority see SA1727 below - Retail pharmacy

⇒SA1727 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has a confirmed diagnosis of homocystinuria; and
- 2 Any of the following:
 - 2.1 A cystathionine beta-synthase (CBS) deficiency; or
 - 2.2 A 5,10-methylene-tetrahydrofolate reductase (MTHFR) deficiency; or
 - 2.3 A disorder of intracellular cobalamin metabolism; and
- 3 An appropriate homocysteine level has not been achieved despite a sufficient trial of appropriate vitamin supplementation.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

GALSULFASE – Special Authority see SA1593 below – Retail pharmacy

⇒SA1593 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication

continued...

Subsidy (Manufacturer's Price)	Fully Subsidise		
\$	Per 🗸	Manufacturer	

continued...

and/or adjustment of infusion rates; and

- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

⇒SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Fither:
 - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and
- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

LARONIDASE − Special Authority see SA1695 below − Retail pharmacy
Inj 100 U per ml, 5 ml vial......1,335.16

1 ✓ Aldurazyme

⇒SA1695 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hurler Syndrome (mucopolysacchardosis I-H); and
- 2 Fither:
 - 2.1 Diagnosis confirmed by demonstration of alpha-L-iduronidase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations in the alpha-L-iduronidase gene and patient has a sibling who is known to have Hurler syndrome; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with laronidase would be bridging treatment to transplant; and
- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Laronidase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 post-HSCT) at doses no greater than 100 units/kg every week.

than 100 units/kg every week.

SODIUM BENZOATE – Special Authority see SA1599 below – Retail pharmacy

⇒SA1599 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE − Special Authority see SA1598 on the next page − Retail pharmacy
Grans 483 mg per g......1,920.00 174 g OP ✓ Pheburane

100 ml

✓ Amzoate \$29

Soln 100 mg per mlCBS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
\$ Per ✓ Manufacturer

⇒SA1598 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Gaucher's Disease

		SA0473 below – Retail pharmacy	IMIGLUCERASE – Special Authority see SAC
Cerezyme	1	1,072.00	Inj 40 iu per ml, 200 iu vial
✓ Cerezyme	1	2,144.00	Inj 40 iu per ml, 400 iu vial

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990

PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

В

Agents Used in Mouth Ulceration

EINZ I DAIVIINE II I DIOCULUNIDI	NE HYDROCHLORIDE
----------------------------------	------------------

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with			
Endorsement	9.00	500 ml	
	(17.01)		Difflam
	3.60	200 ml	
	(8.50)		Difflam

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

CARMELLOSE SODIUM WITH GELATIN AND PECTIN

OATIMEELOOL GODIOW WITH GELATIN AND I LOTIN			
Paste	17.20	56 g OP	Stomahesive
	4.55	15 g OP	
	(7.90)	Ü	Orabase
	1.52	5 g OP	0.0000
	(3.60)	0 9 01	Orabase
Powder	` '	28 g OP	Olabase
rowdei		20 y OF	Ctomobooius
	(10.95)		Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ healthE
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
· ·	(6.00)	J	Bonjela
TRIAMCINOLONE ACETONIDE			
Paste 0.1%	5.33	5 g OP	✓ Kenalog in Orabas

	Subsidy	ioo) Cul	Fully Brand or
(Ma	nufacturer's Pr \$	rice) Subs Per	idised Generic Manufacturer
Oropharyngeal Anti-infectives			
AMPHOTERICIN B Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE Oral gel 20 mg per g Decozol to be Sole Supply on 1 October 2018	4.74	40 g OP	✓ Decozol
NYSTATIN Oral liq 100,000 u per ml	1.95	24 ml OP	✓ <u>Nilstat</u>
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute form	ula refer Star	ndard Formula	e, page 228
★ Soln 3% (10 vol) — Maximum of 200 ml per prescription	1.40	100 ml	✓ Pharmacy Health
Compound, BPC	9.15	500 ml	✓ PSM
Vitamins			
Vitamin A			
/ITAMIN A WITH VITAMINS D AND C ★ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	4.50	10 ml OP	✓ Vitadol C
Vitamin B			
HYDROXOCOBALAMIN ★ Inj 1 mg per ml, 1 ml ampoule — Up to 6 inj available on a PSO Neo-B12 to be Sole Supply on 1 October 2018 PYRIDOXINE HYDROCHLORIDE	1.89	3	✓ Neo-B12
a) No more than 100 mg per doseb) Only on a prescription			
* Tab 25 mg — No patient co-payment payable * Tab 50 mg		90 500	✓ <u>Vitamin B6 25</u> ✓ <u>Apo-Pyridoxine</u>
THIAMINE HYDROCHLORIDE → Only on a prescription ★ Tab 50 mg //TAMIN B COMPLEX	5.62	100	✓ Apo-Thiamine
* Tab, strong, BPC	7.15	500	✓ <u>Bplex</u>
Vitamin C			
ASCORBIC ACID			
a) No more than 100 mg per dose b) Only on a prescription	0.45	500	.
* Tab 100 mg	8.10	500	✓ <u>Cvite</u>

	Subsidy (Manufacturer's Price \$		Fully Brand or ised Generic Manufacturer
Vitamin D			
ALFACALCIDOL * Cap 0.25 mcg * Cap 1 mcg * Oral drops 2 mcg per ml CALCITRIOL * Cap 0.25 mcg * Cap 0.5 mcg COLECALCIFEROL * Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescripti		100 100 20 ml OP 100 100	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha ✓ Calcitriol-AFT ✓ Calcitriol-AFT ✓ Vit.D3
Multivitamin Preparations			
MULTIVITAMIN RENAL — Special Authority see SA1546 below → * Cap SA1546 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria:	6.49	30 ewal unless r	✓ Clinicians Renal Vit notified for applications meeting
Either: 1 The patient has chronic kidney disease and is receiving ei 2 The patient has chronic kidney disease grade 5, defined a 15 ml/min/1.73 m² body surface area (BSA).			
MULTIVITAMINS – Special Authority see SA1036 below – Retail * Powder	d without further ren		·
approval for multivitamins. VITAMINS * Tab (BPC cap strength)		1,000	✓ Mvite
Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1720 below – Retail pharmacy		60	✓ Vitabdeck
■ SA1720 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Any of the following: 1 Patient has cystic fibrosis with pancreatic insufficiency; or 2 Patient is an infant or child with liver disease or short gut s 3 Patient has severe malabsorption syndrome.	d without further ren	ewal unless r	notified for applications meeting
Minerals			
Calcium			
CALCIUM CARBONATE			

10

250

✓ Calsource

✓ Arrow-Calcium

* Tab eff 1.75 g (1 g elemental)2.07

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Sul	bsidised	Generic
	\$	Per	✓	Manufacturer
CALCIUM GLUCONATE				
* Inj 10%, 10 ml ampoule	34.24	10	✓ H	ospira
, , , , , , , , , , , , , , , , , , , ,				
Fluoride				
SODIUM FLUORIDE				
* Tab 1.1 mg (0.5 mg elemental)	5.00	100	✓ P:	SM
lodine				
POTASSIUM IODATE				
* Tab 253 mcg (150 mcg elemental iodine)	4.69	90	✓ N	euroTabs
Iron				
FERRIC CARBOXYMALTOSE – Special Authority see \$A1675		acy		
lnj 50 mg per ml, 10 ml	150.00	1	✓ F	erinject
⇒SA1675 Special Authority for Subsidy				
Initial application — (serum ferritin less than or equal to 20 n	ncg/L) from any med	lical prac	titioner.	Approvals valid for 3

- 1 Patient has been diagnosed with iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and
- 2 Any of the following:
 - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
 - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
 - 2.3 Rapid correction of anaemia is required.

months for applications meeting the following criteria:

Renewal — (serum ferritin less than or equal to 20 mcg/L) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

Both:

- 1 Patient continues to have iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and
- 2 A re-trial with oral iron is clinically inappropriate.

Initial application — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia; and
- 2 Any of the following:
 - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
 - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
 - 2.3 Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective; or
 - 2.4 Rapid correction of anaemia is required.

Renewal — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient continues to have iron-deficiency anaemia; and
- 2 A re-trial with oral iron is clinically inappropriate.

FERROUS FUMARATE

100 ✓ Ferro-tab

,	Subsidy Manufacturer's Price	\ Qub	Fully sidised	Brand or Generic
(\$	Per	siuiseu •	Manufacturer
FERROUS FUMARATE WITH FOLIC ACID				
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	4.68	60	√ <u>F</u>	erro-F-Tabs
FERROUS SULPHATE				
* Tab long-acting 325 mg (105 mg elemental)		30		errograd
*‡ Oral liq 30 mg (6 mg elemental) per 1 ml	10.80	500 ml	√ <u>F</u>	<u>erodan</u>
FERROUS SULPHATE WITH FOLIC ACID				
* Tab long-acting 325 mg (105 mg elemental) with folic acid				
350 mcg		30	_	
(F	(4.29)			errograd F
(Ferrograd F Tab long-acting 325 mg (105 mg elemental) with folic	acia 350 mcg to b	e aeiistea	1 Septe	mber 2018)
RON POLYMALTOSE	45.00	_		
* Inj 50 mg per ml, 2 ml ampoule	15.22	5	✓ F	errum H
Magnesium				
magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page	228			
MAGNESIUM SULPHATE				
* Inj 2 mmol per ml, 5 ml ampoule	10.21	10	✓ 🖸)BL
Zinc				
ZINC SULPHATE				
* Cap 137.4 mg (50 mg elemental)	11.00	100	✓ Z	incaps

Subsidy (Manufacturer's Price) Su \$ Per

Fully Subsidised Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA1469 Special Authority for Subsidy

Initial application — **(chronic renal failure)** from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin is less than or equal to 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus: and
 - 3.1.2 Glomerular filtration rate is less than or equal to 30ml/min; or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus: and
 - 3.2.2 Glomerular filtration rate is less than or equal to 45ml/min; or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*: and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
EPOETIN ALFA [ERYTHROPOIETIN ALFA] – Special Authority Wastage claimable – see rule 3.3.2 on page 13	see SA1469 on the	orevio	us page –	Retail pharmacy
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	/	Eprex
Inj 2,000 iu in 0.5 ml, syringe		6	1	Eprex
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	1	Eprex
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	1	Eprex
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	1	Eprex
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	✓	Eprex
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	1	Eprex
Inj 10,000 iu in 1 ml, syringe	395.18	6	1	Eprex
Inj 40,000 iu in 1 ml, syringe		1	•	Eprex

Megaloblastic

H	IJL	IC	A	CI	D
		_			

*	Tab 0.8 mg	1,000	Apo-Folic Acid
	Tab 5 mg	500	✓ Apo-Folic Acid
	Oral lig 50 mcg per ml	25 ml OP	✓ Biomed

Antifibrinolytics, Haemostatics and Local Sclerosants

ELTROMBOPAG - Special Authority see SA1418 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13		
Tab 25 mg	28	Revolade
Tab 50 mg3,542.00	28	✓ Revolade

⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab);
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of less than or equal to 10,000 platelets per microlitre.

Initial application — (**idiopathic thrombocytopenic purpura - preparation for splenectomy**) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30.000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1	✓ NovoSeven RT
Inj 2 mg syringe	1	✓ NovoSeven RT
Inj 5 mg syringe	1	✓ NovoSeven RT
Inj 8 mg syringe	1	✓ NovoSeven RT

	BLOOD AND	BLOO	D FO	RMING ORGANS
	Subsidy (Manufacturer's Price) \$	Su Per	Fully ibsidised	Generic
FACTOR EIGHT INHIBITOR BYPASSING FRACTION -	[Xpharm]			
For patients with haemophilia, whose funded treatment	nt is managed by the Haemo	philia Ti	reaters	Group in conjunction with
the National Haemophilia Management Group.				
Inj 500 U	1,450.00	1	/	FEIBA NF
Inj 1,000 U	2,900.00	1	/	FEIBA NF
Inj 2,500 U	7,250.00	1	✓	FEIBA NF
OROCTOCOG ALFA [RECOMBINANT FACTOR VIII] -	- [Xpharm]			
Preferred Brand of recombinant factor VIII for patients		rch 201	6 until 2	28 February 2019. Acces
to funded treatment is managed by the Haemophilia T				
Management Group.				
Inj 250 iu prefilled syringe	210.00	1	✓	Xyntha
Inj 500 iu prefilled syringe	420.00	1	✓	Xyntha
Inj 1,000 iu prefilled syringe	840.00	1	/	Xyntha
Inj 2,000 iu prefilled syringe		1		Xyntha
Inj 3,000 iu prefilled syringe		1		Xyntha
IONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpha				•
For patients with haemophilia, whose funded treatment		nhilia Ti	reaters	Group in conjunction with
the National Haemophilia Management Group.	in to managed by the ridemo	prima ri	outoro	Group in conjunction tha
Inj 250 iu vial	310.00	1	1	BeneFIX
Inj 500 iu vial		i		BeneFIX
Inj 1,000 iu vial		i		BeneFIX
Inj 2,000 iu vial	,	i		BeneFIX
Inj 3,000 iu vial	,	i		BeneFIX
• •	•	•	_	201101 174
IONACOG GAMMA, [RECOMBINANT FACTOR IX] – [X		- India T		O
For patients with haemophilia, whose funded treatmen	nt is managed by the Haemo	pnilia i i	reaters	Group in conjunction with
the National Haemophilia Management Group.	007.50		,	DIVUDIO
Inj 250 iu vial		1		RIXUBIS
Inj 500 iu vial		1		RIXUBIS
Inj 1,000 iu vial	,	1		RIXUBIS
Inj 2,000 iu vial		1		RIXUBIS
Inj 3,000 iu vial		ı	•	RIXUBIS
CTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVA				
Rare Clinical Circumstances Brand of recombinant fac				
28 February 2019. Access to funded treatment by ap		Treatme	ents Pa	nel. Application details n
be obtained from PHARMAC's website http://www.pha	armac.govt.nz or:			
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption 2		
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@phai	mac go	vt nz	
Womington	Email. <u>Haemophilia@phal</u>	mac.go	<u>v t.11Z</u>	
Inj 250 iu vial	287.50	1	1	Advate
Inj 500 iu vial		1	✓	Advate
Inj 1,000 iu vial	1,150.00	1	✓	Advate
Ini 1 FOO in viol		4	./	Advata

1

1

✓ Advate✓ Advate

✓ Advate

Inj 2,000 iu vial......2,300.00

	Subsidy (Manufacturer's Price) \$	Subsid Per	Fully Brand (ised Generic Manufa	C
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGEN Second Brand of recombinant factor VIII for patients wit funded treatment by application to the Haemophilia Tre-PHARMAC's website http://www.pharmac.govt.nz or:	h haemophilia from 1 Marc			
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 C	ption 2		
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@phai	mac.govt.nz	<u>z</u>	
Inj 250 iu vial	237.50	1	✓ Kogenate	e FS
Inj 500 iu vial		1	✓ Kogenate	
Inj 1,000 iu vial		1	✓ Kogenate	
Inj 2,000 iu vial		1	✓ Kogenate	
Inj 3,000 iu vial	2,850.00	1	✓ Kogenate	e F5
SODIUM TETRADECYL SULPHATE		_		
* Inj 3% 2 ml		5		
	(73.00)		Fibro-veir	1
TRANEXAMIC ACID			_	
Tab 500 mg	20.67	100	Cyklokar	<u>oron</u>
Vitamin K				
PHYTOMENADIONE				
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5	✓ Konakior	n MM
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Konakior	n MM
Antithrombotic Agents				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	12.50	990	✓ Ethics As	spirin EC
CLOPIDOGREL				
* Tab 75 mg – For clopidogrel oral liquid formulation refe	r.			
page 225		84	✓ Arrow - 0	Clopid
DIPYRIDAMOLE				

⇒SA1201 Special Authority for Subsidy

* Tab long-acting 150 mg......11.52

PRASUGREL - Special Authority see SA1201 below - Retail pharmacy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where

continued...

60

28

28

Pytazen SR

✓ Effient

✓ Effient

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic
\$	Per	✓	Manufacturer

continued...

the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

★ Tab 90 mg90.00 56 **✓ Brilinta**

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 below - Retail pharmacy

Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	✓ Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe		10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe		10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe		10	✓ Fragmin

⇒SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

Renewal — (**Pregnancy or Malignancy**) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1646 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	27.93	10	Clexane
Inj 40 mg in 0.4 ml syringe	37.27	10	Clexane
Inj 60 mg in 0.6 ml syringe	56.18	10	Clexane
Inj 80 mg in 0.8 ml syringe		10	Clexane
Inj 100 mg in 1 ml syringe	93.80	10	Clexane
Inj 120 mg in 0.8 ml syringe	116.55	10	Clexane
Inj 150 mg in 1 ml syringe	133.20	10	Clexane

⇒SA1646 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

i / ii ii v GODIOW			
Inj 1,000 iu per ml, 35 ml vial	24.15	1	Hospira
Inj 1,000 iu per ml, 5 ml	13.36	10	✓ Hospira
	66.80	50	✓ Hospira
	99.50		✓ Pfizer
Inj 5,000 iu per ml, 1 ml	28.40	5	Hospira
Inj 5,000 iu per ml, 5 ml	341.89	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	19.00	5	Hospira

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	53.40	30	✓ B	D PosiFlush S29
	56.94	50	✓ P ¹	fizer
(BD PosiFlush S29 Inj 10 iu per ml, 5 ml to be delisted 1 Decem	ber 2018)			

Oral Anticoagulants

DABIGATRAN			
Cap 75 mg - No more than 2 cap per day	.76.36	60	Pradaxa
Cap 110 mg	.76.36	60	Pradaxa
Cap 150 mg	.76.36	60	Pradaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail pharm	асу		
Tab 10 mg	153.00	15	✓ Xarelto

⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	•	6.86	100	✓ Marevan
*	Tab 2 mg	4.31	50	Coumadin
	Tab 3 mg		100	✓ Marevan
	Tab 5 mg		50	Coumadin
	·	11.75	100	Marevan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail pha	armacy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	✓ Zarzio
Ini 480 mca per 0.5 ml prefilled syringe	432.00	5	✓ Zarzio

⇒SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5 ×10⁹/L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5 ×10⁹/L).

Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PEGFILGRASTIM – Special Authority see SA1384 below – Reta Inj 6 mg per 0.6 ml syringe		1	✓ N	eulastim
⇒SA1384 Special Authority for Subsidy				

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*). Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

GLUCOSE [DEXTROSE]		
* Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO29.50	5	✓ Biomed
* Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO14.50	1	✓ Biomed
POTASSIUM CHLORIDE		
* Inj 75 mg per ml, 10 ml55.00	50	✓ AstraZeneca
SODIUM BICARBONATE		
Inj 8.4%, 50 ml19.95	1	✓ Biomed
a) Up to 5 inj available on a PSO		
b) Not in combination		
Inj 8.4%, 100 ml20.50	1	✓ Biomed
a) Up to 5 inj available on a PSO		
b) Not in combination		
SODIUM CHLORIDE		
Not funded for use as a nasal drop. Only funded for nebuliser use when in o	conjunction with	an antibiotic intended for
nebuliser use.		
Inj 0.9%, bag - Up to 2000 ml available on a PSO1.23	500 ml	✓ Baxter
1.26	1,000 ml	✓ Baxter
Only if prescribed on a prescription for renal dialysis, maternity or post-n for emergency use. (500 ml and 1,000 ml packs)	natal care in the	home of the patient, or on a PSO
Inj 23.4% (4 mmol/ml), 20 ml ampoule33.00	5	✓ Biomed
For Sodium chloride oral liquid formulation refer Standard Formulae, page	ge 228	
Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO7.00	50	✓ InterPharma
		✓ Multichem
Inj 0.9%, 10 ml ampoule – Up to 5 inj available on a PSO6.63	50	✓ <u>Pfizer</u>
Inj 0.9%, 20 ml ampoule5.00	20	✓ Multichem
7.50	30	✓ InterPharma
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Specialist		
InfusionCBS	1 OP	✓ TPN

Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic	
`	Per	✓	Manufacturer	

WATER

- 1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or
- 2) On a bulk supply order; or
- 3) When used in the extemporaneous compounding of eye drops; or
- 4) When used for the dilution of sodium chloride soln 7% for cystic fibrosis patients only.

Inj 5 ml ampoule – Up to 5 inj available on a PSO7.00	50	✓ InterPharma
Inj 10 ml ampoule – Up to 5 inj available on a PSO	50	✓ Pfizer
Inj 20 ml ampoule – Up to 5 inj available on a PSO5.00	20	✓ Multichem
7.50	30	✓ InterPharma

Oral Administration		
CALCIUM POLYSTYRENE SULPHONATE Powder169.85	300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES	40	/ Familia
Powder for oral soln — Up to 10 sach available on a PSO2.30	10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES Soln with electrolytes (2 × 500 ml)	1,000 ml OP	✓ Pedialyte - Bubblegum
PHOSPHORUS		
Tab eff 500 mg (16 mmol)82.50	100	Phosphate-Sandoz
POTASSIUM CHLORIDE		
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	60	
(11.85)		Chlorvescent
* Tab long-acting 600 mg (8 mmol)7.42	200	✓ Span-K
SODIUM BICARBONATE		
Cap 840 mg8.52	100	✓ Sodibic
		✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE		
Powder84.65	454 g OP	✓ Resonium-A
Resonium-A to be Sole Supply on 1 October 2018	-	

	Subsidy		Fully Brand or
	(Manufacturer's Price		sidised Generic
	\$	Per	✓ Manufacturer
Alpha Adrenoceptor Blockers			
Alpha Adienocoptor Biookers			
DOXAZOSIN			
* Tab 2 mg	6.75	500	✓ Apo-Doxazosin
* Tab 4 mg	9.09	500	✓ Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE			
* Cap 10 mg	65.00	30	✓ BNM S29
	216.67	100	✓ Dibenzyline S29
PRAZOSIN			•
* Tab 1 mg	5 53	100	✓ Apo-Prazosin
* Tab 2 mg		100	✓ Apo-Prazosin
* Tab 5 mg		100	✓ Apo-Prazosin
TERAZOSIN			
* Tab 1 mg	0.50	28	✓ Actavis
* Tab 1 mg* * Tab 2 mg		20 500	✓ Actavis ✓ Apo-Terazosin
* Tab 5 mg		500	✓ Apo-Terazosin
* Tab 5 Hig	10.90	300	▼ Apo-Terazosiii
Agents Affecting the Renin-Angiotensin System	1		
ACE Inhibitors			
CAPTOPRIL			
*‡ Oral liq 5 mg per ml	94.99	95 ml OP	✓ Capoten
Oral liquid restricted to children under 12 years of age.			·
CILAZAPRIL			
* Tab 0.5 mg	2 00	90	✓ Zapril
* Tab 2.5 mg		200	✓ Apo-Cilazapril
* Tab 5 mg		200	✓ Apo-Cilazapril
ENALAPRIL MALEATE		200	- <u>Mpo Gilazapini</u>
* Tab 5 mg	0.06	100	✓ Ethics Enalapril
•		100	✓ Ethics Enalapril
* Tab 20 mg For applantil malasta and liquid formulation rel		100	• Ettiles Ettalaptii
* Tab 20 mg – For enalapril maleate oral liquid formulation ref page 225	•	100	✓ Ethics Enalapril
	1.70	100	• Ettiles Ettalaptii
LISINOPRIL			4
* Tab 5 mg		90	✓ Ethics Lisinopril
* Tab 10 mg		90	✓ Ethics Lisinopril
* Tab 20 mg	2.76	90	Ethics Lisinopril
PERINDOPRIL			
* Tab 2 mg	3.75	30	✓ Apo-Perindopril
* Tab 4 mg	4.80	30	✓ Apo-Perindopril
QUINAPRIL			
* Tab 5 mg	4.31	90	✓ Arrow-Quinapril 5
* Tab 10 mg		90	✓ Arrow-Quinapril 10
* Tab 20 mg	5.97	90	✓ Arrow-Quinapril 20
			•

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
	<u> </u>		
ACE Inhibitors with Diuretics			
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE			
★ Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	✓ Apo-Cilazapril/
1			Hydrochlorothiazide
			-
QUINAPRIL WITH HYDROCHLOROTHIAZIDE			
* Tab 10 mg with hydrochlorothiazide 12.5 mg		30	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.78	30	✓ Accuretic 20
Angiotensin II Antagonists			
CANDESARTAN CILEXETIL			
* Tab 4 mg	1.90	90	✓ Candestar
Candestar to be Sole Supply on 1 October 2018			
* Tab 8 mg	2.28	90	✓ Candestar
Candestar to be Sole Supply on 1 October 2018			
★ Tab 16 mg	3.67	90	Candestar
Candestar to be Sole Supply on 1 October 2018			
₭ Tab 32 mg	6.39	90	Candestar
Candestar to be Sole Supply on 1 October 2018			
OSARTAN POTASSIUM			
★ Tab 12.5 mg		84	Losartan Actavis
₭ Tab 25 mg		84	Losartan Actavis
k Tab 50 mg		84	✓ Losartan Actavis
★ Tab 100 mg	2.31	84	✓ Losartan Actavis
Angiotensin II Antagonists with Diuretics			
OSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE			
Tab 50 mg with hydrochlorothiazide 12.5 mg	15.25	30	✓ Arrow-Losartan &
			Hydrochlorothiazide
Antiarrhythmics			
or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anae	esthetics, Local, page	131	
MIODARONE HYDROCHLORIDE			
Tab 100 mg - Retail pharmacy-Specialist	4.66	30	✓ Cordarone-X
Tab 200 mg - Retail pharmacy-Specialist	7.63	30	✓ Cordarone-X
Inj 50 mg per ml, 3 ml ampoule - Up to 5 inj available on a	PSO9.98	5	✓ <u>Lodi</u>
TROPINE SULPHATE			
★ Inj 600 mcg per ml, 1 ml ampoule - Up to 5 inj available on	а		
PSO		50	✓ AstraZeneca
DIGOXIN			
★ Tab 62.5 mcg – Up to 30 tab available on a PSO	6.67	240	✓ Lanoxin PG
★ Tab 250 mcg – Up to 30 tab available on a PSO	14.52	240	✓ Lanoxin
k‡ Oral liq 50 mcg per ml		60 ml	✓ Lanoxin
			✓ Lanoxin S29 S29
DISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	23.87	100	✓ Rythmodan
= - 			,

[‡] safety cap

[▲] Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	•	Manufacturer
LECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	38.95	60	/	Tambocor
Cap long-acting 100 mg		30	✓	Tambocor CR
Cap long-acting 200 mg		30	✓	Tambocor CR
Inj 10 mg per ml, 15 ml ampoule		5	✓	Tambocor
MEXILETINE HYDROCHLORIDE				
Cap 150 mg	162.00	100	✓	Mexiletine Hydrochloride USP \$29
Cap 250 mg	202.00	100	•	Mexiletine Hydrochloride USP \$29
ROPAFENONE HYDROCHLORIDE - Retail pharmacy-Speci	alist			
Tab 150 mg		50	✓	Rytmonorm
Antihypotensives				
IIDODRINE - Special Authority see SA1474 below - Retail ph	armacy			
Tab 2.5 mg	•	100	1	Gutron
Tab 5 mg		100	/	Gutron

⇒SA1474 Special Authority for Subsidy

Reta Adrenacentor Blockers

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers		
ATENOLOL		
* Tab 50 mg4.26	500	Mylan Atenolol
Mylan Atenolol to be Sole Supply on 1 October 2018	F00	/ Mulan Atanalal
* Tab 100 mg7.30 Mylan Atenolol to be Sole Supply on 1 October 2018	500	✓ Mylan Atenolol
* Oral liq 25 mg per 5 ml21.25	300 ml OP	✓ Atenolol AFT
Restricted to children under 12 years of age.		
BISOPROLOL FUMARATE		
* Tab 2.5 mg	90	✓ Bosvate
* Tab 5 mg5.15	90	✓ Bosvate
* Tab 10 mg9.40	90	✓ Bosvate
CARVEDILOL		
* Tab 6.25 mg2.24	60	✓ Carvedilol Sandoz
* Tab 12.5 mg2.30	60	✓ Carvedilol Sandoz
* Tab 25 mg - For carvedilol oral liquid formulation refer, page 225 2.95	60	✓ Carvedilol Sandoz
CELIPROLOL		
* Tab 200 mg21.40	180	✓ Celol

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
ABETALOL	<u> </u>		
* Tab 50 mg	8.99	100	✓ Hybloc
★ Tab 100 mg – For labetalol oral liquid formulation refer,			,
page 225	11.36	100	✓ Hybloc
★ Tab 200 mg		100	✓ Hybloc
k Inj 5 mg per ml, 20 ml ampoule		5	,
, , , , , , , , , , , , , , , , , , , ,	(88.60)		Trandate
METOPROLOL SUCCINATE	, ,		
★ Tab long-acting 23.75 mg	1.03	30	✓ Betaloc CR
₹ Tab long-acting 47.5 mg		30	✓ Betaloc CR
₭ Tab long-acting 95 mg	1.99	30	✓ Betaloc CR
K Tab long-acting 190 mg	3.00	30	✓ Betaloc CR
METOPROLOL TARTRATE			
* Tab 50 mg - For metoprolol tartrate oral liquid formulation			
refer, page 225	4.64	100	✓ Apo-Metoprolol
₭ Tab 100 mg		60	✓ Apo-Metoprolol
★ Tab long-acting 200 mg		28	✓ Slow-Lopresor
lk Inj 1 mg per ml, 5 ml vial		5	✓ Lopresor
IADOLOL			
* Tab 40 mg	16.05	100	✓ Apo-Nadolol
k Tab 80 mg		100	✓ Apo-Nadolol
•	24.70	100	• Apo-Nadoloi
PINDOLOL K. Tab F ma	0.70	100	✓ Apo-Pindolol
k Tab 5 mg			
≰ Tab 10 mg		100	✓ Apo-Pindolol
★ Tab 15 mg	23.40	100	✓ Apo-Pindolol
PROPRANOLOL			_
★ Tab 10 mg		100	✓ Apo-Propranolol
★ Tab 40 mg		100	✓ Apo-Propranolol
Cap long-acting 160 mg		100	Cardinol LA
★ Oral liq 4 mg per ml - Special Authority see SA1327 below			
Retail pharmacy	CBS 5	500 m	ol ✓ Roxane S29

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

* Tab 80 mg - For sotalol oral liquid formulation refer, page 22539.53 * Tab 160 mg	3 100	✓ <u>Mylan</u> ✓ <u>Mylan</u> ✓ Sotacor
TIMOLOL	5 100	✓ Apo-Timol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Calcium Channel Blockers				
Dihydropyridine Calcium Channel Blockers				
AMLODIPINE				
* Tab 2.5 mg		100	1	Apo-Amlodipine
* Tab 5 mg – For amlodipine oral liquid formulation refer, page		250		Apo-Amlodipine
* Tab 10 mg	4.40	250	•	Apo-Amlodipine
FELODIPINE				
* Tab long-acting 2.5 mg	1.45	30	•	Plendil ER
Plendil ER to be Sole Supply on 1 October 2018				
* Tab long-acting 5 mg		30		Plendil ER
* Tab long-acting 10 mg	2.30	30	•	Plendil ER
SRADIPINE				
* Cap long-acting 2.5 mg	7.50	30	1	Dynacirc-SRO
* Cap long-acting 5 mg	7.85	30	✓	Dynacirc-SRO
NIFEDIPINE				
* Tab long-acting 10 mg	10.63	60	1	Adalat 10
			1	Adefin S29
* Tab long-acting 20 mg	9.59	100		Nyefax Retard
* Tab long-acting 30 mg		30		Adalat Oros
* Tab long-acting 60 mg	5.67	30	✓	Adalat Oros
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg	4.60	100	1	Dilzem
* Tab 60 mg - For diltiazem hydrochloride oral liquid formulation				
refer, page 225		100	1	Dilzem
* Cap long-acting 120 mg		500		Apo-Diltiazem CD
* Cap long-acting 180 mg	47.67	500	1	Apo-Diltiazem CD
* Cap long-acting 240 mg	63.58	500	1	Apo-Diltiazem CD
PERHEXILINE MALEATE				
* Tab 100 mg	62.90	100	1	Pexsig
/ERAPAMIL HYDROCHLORIDE				· onoig
* Tab 40 mg	7.01	100	1	Isoptin
•	7.01	100	•	isoptiii
* Tab 80 mg – For verapamil hydrochloride oral liquid formulation refer, page 225	11 7/	100	.1	Isoptin
* Tab long-acting 120 mg		250		Verpamil SR
* Tab long-acting 120 mg* * Tab long-acting 240 mg		250		Verpamil SR
 Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a 	20.00	200	•	rospanni on
PSOPSO	25.00	5	J	Isoptin
1 00	25.00	J	•	iaohiiii

* Patch 2.5 mg, 100 mcg per day - Only on a prescription................7.40

* Patch 5 mg, 200 mcg per day - Only on a prescription......10.04

4

4

✓ Mylan

✓ Mylan

Mylan

CLONIDINE

		/ANL	JIOVAS	COLAN SISILIVI
(Ma	Subsidy anufacturer's Price) \$	Per	Fully Subsidised	Generic
CLONIDINE HYDROCHLORIDE * Tab 25 mcg * Tab 150 mcg * Inj 150 mcg per ml, 1 ml ampoule METHYLDOPA * Tab 250 mg Diuretics Loop Diuretics	34.32 16.07	112 100 5 100	<i>y</i>	Clonidine BNM Catapres Catapres Methyldopa Mylan
BUMETANIDE * Tab 1 mg * Inj 500 mcg per ml, 4 ml vial FUROSEMIDE [FRUSEMIDE] * Tab 40 mg – Up to 30 tab available on a PSO * Tab 500 mg	8.00 25.00 10.66 30	100 5 1,000 50 0 ml C 6 5		Burinex Burinex Diurin 40 Urex Forte Lasix Lasix Frusemide-Claris
Potassium Sparing Diuretics				
AMILORIDE HYDROCHLORIDE * Tab 5 mg		100		Apo-Amiloride

* Tab 5 mg	15.00	100	✓ Apo-Amiloride
‡ Oral lig 1 mg per ml		25 ml OP	✓ Biomed
(Apo-Amiloride Tab 5 mg to be delisted 1 January 2019)			
EPLERENONE - Special Authority see SA1728 below - Retail	pharmacy		
Tab 25 mg	11.87	30	✓ Inspra

⇒SA1728 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has heart failure with ejection fraction less than 40%; and
- 2 Either:
 - 2.1 Patient is intolerant to optimal dosing of spironolactone; or
 - 2.2 Patient has experienced a clinically significant adverse effect while on optimal dosing of spironolactone.

METOLAZONE - Special Authority see SA1678 below - Retail pharmacy

Tab 5 mg	CBS	1	✓ Metolazone S29
		50	✓ Zaroxolvn S29

⇒SA1678 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has refractory heart failure and is intolerant or has not responded to loop diuretics and/or loop-thiazide combination therapy; or
- 2 Paediatric patient has oedema secondary to nephrotic syndrome that has not responded to loop diuretics.

63

	Subsidy (Manufacturer's Pric	e) Subs Per	Fully idised	Brand or Generic Manufacturer
PIRONOLACTONE				
F Tab 25 mg		100		Spiractin
* Tab 100 mg		100		Spiractin
Oral liq 5 mg per ml	30.00	25 ml OP	•	Biomed
Potassium Sparing Combination Diuretics				
MILORIDE HYDROCHLORIDE WITH FUROSEMIDE				
Fab 5 mg with furosemide 40 mg	8.63	28	√	Frumil
MILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZI	DE			
Fab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓	Moduretic
Thiazide and Related Diuretics				
ENDROFLUMETHIAZIDE [BENDROFLUAZIDE]				
Fab 2.5 mg - Up to 150 tab available on a PSO	12.50	500	•	Arrow-
				<u>Bendrofluazide</u>
May be supplied on a PSO for reasons other than emerg	jency.			
€ Tab 5 mg	20.42	500	1	Arrow-
				<u>Bendrofluazide</u>
HLOROTHIAZIDE				
Oral liq 50 mg per ml	26.00	25 ml OP	✓	Biomed
HLORTALIDONE [CHLORTHALIDONE]				
← Tab 25 mg	8.00	50	✓	Hygroton
NDAPAMIDE				
F Tab 2.5 mg	2.60	90	✓ [Dapa-Tabs
Lipid-Modifying Agents				
Fibrates				
EZAFIBRATE				
F Tab 200 mg		90	_	Bezalip
Fab long-acting 400 mg	6.78	30	✓	Bezalip Retard
EMFIBROZIL				
F Tab 600 mg	19.56	60	•	<u>Lipazil</u>
Other Lipid-Modifying Agents				
CIPIMOX	40 ==			.
← Cap 250 mg	18.75	30		Olbetam
ICOTINIC ACID	_		_	
F Tab 50 mg		100		Apo-Nicotinic Acid
€ Tab 500 mg	17.89	100	•	Apo-Nicotinic Acid
Resins				
HOLESTYRAMINE				
Douglay for availing 4 a	10 25	50		
Powder for oral liq 4 g	(52.68)	00		Questran-Lite

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
COLESTIPOL HYDROCHLORIDE Grans for oral liq 5 g	28.60	30	✓ C	olestid

HMG CoA Reductase Inhibitors (Statins)

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

ATORVASTATIN - See prescribing guideline above			
* Tab 10 mg	6.96	500	✓ Lorstat
Lorstat to be Sole Supply on 1 October 2018			
* Tab 20 mg	9.99	500	✓ Lorstat
Lorstat to be Sole Supply on 1 October 2018			
* Tab 40 mg	15.93	500	✓ Lorstat
Lorstat to be Sole Supply on 1 October 2018			
* Tab 80 mg	27.19	500	✓ Lorstat
Lorstat to be Sole Supply on 1 October 2018			
PRAVASTATIN - See prescribing guideline above			
* Tab 20 mg	4.72	100	✓ Apo-Pravastatin
* Tab 40 mg		100	✓ Apo-Pravastatin
SIMVASTATIN - See prescribing guideline above			
* Tab 10 mg	0.95	90	Simvastatin Mylan
* Tab 20 mg		90	✓ Simvastatin Mylan
* Tab 40 mg	2.63	90	✓ Simvastatin Mylan
* Tab 80 mg		90	✓ Simvastatin Mylan

Selective Cholesterol Absorption Inhibitors

EZETIMIBE - Special Authority see SA1045 below - Retain	l pharmacy		
* Tab 10 mg		30	✓ Ezetimibe Sandoz

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 x normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA104	46 below – Retail pha	ırmac	у		
Tab 10 mg with simvastatin 10 mg	5.15	30	1	Zimybe	
Tab 10 mg with simvastatin 20 mg	6.15	30	✓ :	Zimybe	
Tab 10 mg with simvastatin 40 mg		30	✓ :	Zimybe	
Tab 10 mg with simvastatin 80 mg		30	✓ :	Zimybe	

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to less than or equal to 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

GLYCERYL TRINITRATE		
* Tab 600 mcg - Up to 100 tab available on a PSO8.00	100 OP	✓ Lycinate
* Oral pump spray, 400 mcg per dose - Up to 250 dose		_,
available on a PSO	250 dose OP	✓ Nitrolingual Pump Spray
* Oral spray, 400 mcg per dose - Up to 250 dose available on a		
PSO4.45	200 dose OP	✓ Glytrin
* Patch 25 mg, 5 mg per day15.73	30	✓ Nitroderm TTS
* Patch 50 mg, 10 mg per day	30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE		
* Tab 20 mg	100	✓ Ismo 20
* Tab long-acting 40 mg7.50	30	✓ Ismo 40 Retard
* Tab long-acting 60 mg8.29	90	✓ <u>Duride</u>
Sympathomimetics		
ADRENALINE		
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO4.98	5	✓ Aspen Adrenaline
5.25	Ü	✓ Hospira
Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO27.00	5	✓ Hospira
49.00	10	✓ Aspen Adrenaline
ISOPRENALINE		•
* Inj 200 mcg per ml, 1 ml ampoule	25	
(164.20)		Isuprel

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Vasodilators	ψ	FEI		ivianulaciurei
AMYL NITRITE ☀ Liq 98% in 0.3 ml cap	62 92	12		
	(73.40)		В	axter
HYDRALAZINE HYDROCHLORIDE				
* Tab 25 mg - Special Authority see SA1321 below - Reta	il			
pharmacy	CBS	1	✓ H	ydralazine
		56	√ 0	nelink \$29
		84	✓ A	MDIPHARM \$29
* Inj 20 mg ampoule	25.90	5	✓ A	presoline
Initial application from any relevant practitioner. Approvals whe following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a				
the following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL	nitrate, in patients who			
the following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL	nitrate, in patients who		tolerant or ha	
he following criteria: ither: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg	nitrate, in patients who	are in	tolerant or ha	ave not responded to AC
he following criteria: ither: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg	nitrate, in patients who70.0027.95	are in 100 60	tolerant or ha	ave not responded to AC oniten corel
he following criteria: ither: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg Tab 20 mg Tab 20 mg	nitrate, in patients who70.0027.95	are in	tolerant or ha	ave not responded to AC oniten corel
he following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg	nitrate, in patients who70.0027.9533.28	100 60 60	tolerant or ha Lo Lo Lo Lo Lo Lo Lo Lo Lo Lo	ave not responded to AC oniten corel
he following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg Tab 10 mg Tab 20 mg PAPAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule	nitrate, in patients who70.0027.9533.28	are in 100 60	tolerant or ha Lo Lo Lo Lo Lo Lo Lo Lo Lo Lo	ave not responded to AC oniten corel
he following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg Tab 20 mg PAPAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule PENTOXIFYLLINE [OXPENTIFYLLINE]	nitrate, in patients who70.0027.9533.28	100 60 60 5	tolerant or ha	oniten oorel oospira
he following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg Tab 10 mg Tab 20 mg PAPAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule	nitrate, in patients who70.0027.9533.28	100 60 60	tolerant or ha	ave not responded to AC oniten corel
he following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg Tab 20 mg PAPAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule PENTOXIFYLLINE [OXPENTIFYLLINE]	nitrate, in patients who70.0027.9533.28	100 60 60 5	tolerant or ha	oniten oorel oospira
the following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg Tab 10 mg Tab 20 mg PAPAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule PENTOXIFYLLINE [OXPENTIFYLLINE] Tab 400 mg Endothelin Receptor Antagonists	nitrate, in patients who70.0027.9533.28217.9042.26	100 60 60 5	tolerant or ha	oniten oorel oospira
the following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers. MINOXIDIL Tab 10 mg Tab 10 mg Tab 20 mg PAPAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule PENTOXIFYLLINE [OXPENTIFYLLINE] Tab 400 mg	nitrate, in patients who70.0027.9533.28217.9042.26	100 60 60 5	tolerant or ha	oniten oorel oospira

PHARMAC, PO Box 10-254, WELLINGTON

The Coordinator, PAH Panel

⇒SA1702 Special Authority for Subsidy

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

Special Authority approved by the Pulmonary Arterial Hypertension Panel

BOSENTAN - Special Authority see SA1712 below - Retail pharmacy

Tab 62.5 mg	401.79	60	✓ Bosentan-Mylan
Tab 125 mg	401.79	60	✓ Bosentan-Mylan

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

⇒SA1712 Special Authority for Subsidy

Initial application only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory physician or cardiologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

continued...

	Subsidy	Full	/ Brand or
Λ)	Manufacturer's Price)	Subsidise	d Generic
	\$	Per 🗸	Manufacturer

continued...

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice) clinical classifications; and
- 3 PAH is at NYHA/WHO functional class II, III, or IV: and
- 4 Any of the following:
 - 4.1 Both:
 - 4.1.1 Bosentan is to be used as PAH monotherapy; and
 - 4.1.2 Either
 - 4.1.2.1 Patient is intolerant or contraindicated to sildenafil: or
 - 4.1.2.2 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease; or
 - 4.2 Both:
 - 4.2.1 Bosentan is to be used as PAH dual therapy; and
 - 4.2.2 Either:
 - 4.2.2.1 Patient has tried a PAH monotherapy for at least three months and failed to respond; or
 - 4.2.2.2 Patient deteriorated while on a PAH monotherapy; or
 - 4.3 Both:
 - 4.3.1 Bosentan is to be used as PAH triple therapy; and
 - 4.3.2 Any of the following:
 - 4.3.2.1 Patient is on the lung transplant list; or
 - 4.3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or
 - 4.3.2.3 Patient is deteriorating rapidly to NYHA/WHO Functional Class IV who may be lung transplant recipients in the future, if their disease is stabilised; or
 - 4.3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.

Renewal only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory physician or cardiologist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Bosentan is to be used as PAH monotherapy; and
 - 1.2 Patient is stable or has improved while on bosentan; or
- 2 Roth:
 - 2.1 Bosentan is to be used as PAH dual therapy; and
 - 2.2 Patient has tried a PAH monotherapy for at least three months and either failed to respond or later deteriorated; or
- 3 Roth
 - 3.1 Bosentan is to be used as PAH triple therapy; and
 - 3.2 Any of the following:
 - 3.2.1 Patient is on the lung transplant list; or
 - 3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or
 - 3.2.3 Patient is deteriorating rapidly to NYHAWHO Functional Class IV who may be lung transplant recipients in the future, if their disease is stabilised: or
 - 3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Phosphodiesterase Type 5 Inhibitors

CILDENIAEII Cassial Authority and CA4704 halous Datail abarresses			
SILDENAFIL – Special Authority see SA1704 below – Retail pharmacy			
Tab 25 mg	0.64	4	Vedafil
Vedafil to be Sole Supply on 1 October 2018			
Tab 50 mg	0.64	4	✓ Vedafil
Vedafil to be Sole Supply on 1 October 2018			
Tab 100 mg - For sildenafil oral liquid formulation refer, page 225	2.75	4	✓ Vedafil
	6.60	12	✓ Vedafil

⇒SA1704 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Initial application — (Pulmonary arterial hypertension*) only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory specialist or cardiologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 Any of the following:
 - 2.1 PAH is in Group 1 of the WHO (Venice) clinical classifications; or
 - 2.2 PAH is in Group 4 of the WHO (Venice) clinical classifications; or
 - 2.3 PAH is in Group 5 of the WHO (Venice) clinical classifications; and
- 3 Any of the following:
 - 3.1 PAH is in NYHA/WHO functional class II: or
 - 3.2 PAH is in NYHA/WHO functional class III; or
 - 3.3 PAH is in NYHA/WHO functional class IV: and
- 4 Patient has a pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
- 5 Either:
 - 5.1 Patient has a mean pulmonary artery pressure (PAPm) > 25 mmHg; or
 - 5.2 Patient is peri Fontan repair; and
- 6 Patient has a pulmonary vascular resistance (PVR) of at least 3 Wood Units or at least 240 International Units (dvn s cm-5).

Note: Indications marked with * are Unapproved Indications.

Prostacyclin Analogues

EPOPROSTENOL - Special Authority see SA1696 below - Re	tail pharmacy		
Inj 500 mcg vial	36.61	1	✓ Veletri
Inj 1.5 mg vial	73.21	1	✓ Veletri

⇒SA1696 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

ILOPROST – Special Authority see SA1705 below – Retail pharmacy

⇒SA1705 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 99

ADAPALENE

- a) Maximum of 30 g per prescription
- b) Only on a prescription

			2) 2) 2 a p. 222p
Differin	30 g OP	22.89	Crm 0.1%
✓ Differin	30 g OP	22.89	Gel 0.1%
		75 below – Retail pharmacy	ISOTRETINOIN - Special Authority see SA
✓ Isotane 10	100	12.47	Cap 10 mg
Oratane	120	14.96	, ,
✓ Isotane 20	100	19.27	Cap 20 mg
Oratane	120	23.12	

⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin: and
- 3 Fither:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

✓ ReTrieve 50 g OP

Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 99

HYDROGEN PEROXIDE

15 g OP Crystaderm

DERMATOLOGICALS

	Subsidy (Manufacturer's F		Fully	Brand or Generic
	\$	Per		Manufacturer
MUPIROCIN	0.00	45 OD		
Oint 2%		15 g OP		actroban
a) Only on a preservintion	(9.26)			actropan
a) Only on a prescriptionb) Not in combination				
,				
SODIUM FUSIDATE [FUSIDIC ACID] Crm 2%	2.52	15 g OP	√ Γ	P Fusidic Acid
OIII 2/0		13 9 01	٠.	Cream
a) Maximum of 15 g per prescription				
b) Only on a prescription				
c) Not in combination				
Oint 2%	3.45	15 g OP	√ F	oban
 a) Maximum of 15 g per prescription 				
b) Only on a prescription				
c) Not in combination				
SULFADIAZINE SILVER				
Crm 1%	10.80	50 g OP	✓ <u>F</u>	lamazine
a) Up to 250 g available on a PSO				
b) Not in combination				
Antifungals Topical				
Antifuligais Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, pa	ge 106			
AMOROLFINE	_			
a) Only on a prescription				
b) Not in combination				
Nail soln 5%	15.95	5 ml OP	✓ N	/lycoNail
CICLOPIROX OLAMINE				
a) Only on a prescription				
b) Not in combination				
Nail-soln 8%	5.72	7 ml OP	✓ A	po-Ciclopirox
Apo-Ciclopirox to be Sole Supply on 1 October 2018				
CLOTRIMAZOLE				
* Crm 1%	0.70	20 g OP	√ <u>C</u>	Clomazol
a) Only on a prescription				
b) Not in combination				
* Soln 1%	4.36	20 ml OP		
	(7.55)		C	Canesten
a) Only on a prescription				
b) Not in combination				
ECONAZOLE NITRATE				
Crm 1%		20 g OP	_	
	(7.48)		P	evaryl
a) Only on a prescription				
b) Not in combination	2.22	^		
Foaming soln 1%, 10 ml sachets		3	_	lavamil
a) Och an a massadati	(17.23)		۲	evaryl
a) Only on a prescription Net in combination				
b) Not in combination				

		•	/LI 11VI	ATOLOGICALO
	Subsidy (Manufacturer's F \$	Price) Subs	Fully sidised	Brand or Generic Manufacturer
MICONAZOLE NITRATE				
* Crm 2%	0.74	15 g OP	✓ <u>I</u>	<u>Multichem</u>
a) Only on a prescription b) Not in combination	4.00	00 100		
* Lotn 2%		30 ml OP	-	Daktarin
a) Only on a prescription b) Not in combination * Tinct 2%	(10.03)	30 ml OP	L	Jaktaiii
* TIICL 2 /6	(12.10)	30 IIII OF	г	Daktarin
a) Only on a prescriptionb) Not in combination	(12.10)			Jakami
NYSTATIN Crm 100,000 u per g	1.00 (7.90)	15 g OP	N	Луcostatin
a) Only on a prescriptionb) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination	4 40	400	,.	N
Crm, aqueous, BP Lotn. BP.		100 g 2.000 ml		Pharmacy Health PSM
CROTAMITON	12.07	2,000 1111	٠,	OIII
a) Only on a prescription				
b) Not in combination				
Crm 10% Itch-Soothe to be Sole Supply on 1 October 2018	3.29	20 g OP	√	tch-Soothe
MENTHOL - Only in combination				
 Only in combination with a dermatological base or propage 224 	oprietary Topical C	Corticosteriod –	Plain,	refer dermatological base
2) With or without other dermatological galenicals.				
Crystals	6.50	25 g	✓ F	PSM

100 g

6.92 29.60 ✓ MidWest

✓ MidWest

(PSM Crystals to be delisted 1 November 2018)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 89

Corticosteroids - Plain

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	Diprosone OV
Oint 0.05%	2.96	15 g OP	Diprosone
	8.97	50 g OP	Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%	3.15	50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	2.20	30 g OP	✓ Dermol
* Oint 0.05%	2.20	30 g OP	✓ Dermol
CLOBETASONE BUTYRATE		Ü	
Crm 0.05%	5 38	30 g OP	
OIII 0.00 /0	(7.09)	00 g 01	Eumovate
DIFLUCORTOLONE VALERATE	(7.00)		Zamovato
Crm 0.1%	0.07	50 g OP	
OIII 0.1%		50 g OF	Nerisone
Fatty oint 0.1%	(15.86)	50 g OP	Nensone
ratty offit 0.1 /6	(15.86)	50 g OF	Nerisone
LIVERGOODTIGONE	(13.00)		Nelisone
HYDROCORTISONE	4.44	00 = 00	/ Dawn Assist
* Crm 1% – Only on a prescription	16.25	30 g OP	✓ <u>DermAssist</u>
* Powder – Only in combination		500 g 25 q	 ✓ Pharmacy Health ✓ ABM
Up to 5% in a dermatological base (not proprietary Topical			
galenicals. Refer, page 224	Corticosterio	u – Fiaili) Willi C	or without other definatological
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only on			
a prescription	10.57	250 ml	✓ DP Lotn HC
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2.30	30 g OP	✓ Locoid Lipocream
,	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%	6.85	100 ml OP	✓ Locoid Crelo
METHYLPREDNISOLONE ACEPONATE			
Crm 0.1%	4.95	15 g OP	✓ Advantan
Oint 0.1%		15 g OP	✓ Advantan
		9	

	Subsidy		Fully Brand or
	(Manufacturer's Pr		idised Generic
	\$	Per	✓ Manufacturer
MOMETASONE FUROATE			
Crm 0.1%	1.51	15 g OP	 Elocon Alcohol Free
	2.90	50 g OP	 Elocon Alcohol Free
Oint 0.1%	1.51	15 g OP	✓ Elocon
	2.90	50 g OP	✓ Elocon
Lotn 0.1%	7.35	30 ml OP	✓ Elocon
TRIAMCINOLONE ACETONIDE			
Crm 0.02%	6.30	100 g OP	✓ Aristocort
Oint 0.02%		100 g OP	✓ Aristocort
Olit 0.02 /6	0.55	100 g Oi	Alistocolt
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only of	on a prescription		
Crm 0.1% with clioquinol 3%		15 g OP	
OIIII 0.1 /6 Willi Giloquiiloi 0 /6	(4.90)	13 9 01	Betnovate-C
DETAMETUA COME MALEDATE MUTU CODUINA ELICIDATE (F	, ,		Delilovate-C
BETAMETHASONE VALERATE WITH SODIUM FUSIDATE [F		45 00	
Crm 0.1% with sodium fusidate (fusidic acid) 2%		15 g OP	
	(10.45)		Fucicort
 a) Maximum of 15 g per prescription 			
b) Only on a prescription			
HYDROCORTISONE WITH MICONAZOLE - Only on a presc	ription		
* Crm 1% with miconazole nitrate 2%	•	15 g OP	✓ Micreme H
Micreme H to be Sole Supply on 1 October 2018		- 3 -	
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN -	Only on a prescrip	tion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%.		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%.		15 g OP	✓ Pimafucort
, , ,		•	Fillialucoit
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMY		IN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5			
and gramicidin 250 mcg per g - Only on a prescription	n3.49	15 g OP	
	(6.60)		Viaderm KC
Disinfestion and Olegansian Avanta			
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescrip	tion is endorsed ac	cordingly	
* Handrub 1% with ethanol 70%		500 ml	✓ healthE
* Soln 4% wash		500 ml	✓ healthE
		000 1111	· House
TRICLOSAN – Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
b)			
 a) Only if prescribed for a patient identified with Meth 		phylococcus a	ureus (MRSA) prior to elective
surgery in hospital and the prescription is endorse	0,7		
 b) Only if prescribed for a patient with recurrent Star 	hylococcus aureus	infection and	the prescription is endorsed
accordingly			_
Soln 1%	5.90	500 ml OP	✓ healthE

75

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic S Per ✔ Manufacturer

Barrier Creams and Emollients

Barrier Creams

ZINC AND CASTOR OIL * Oint		✓ Boucher✓ Multichem
healthE Dimethicone 10% to be Sole Supply on 1 Oc		Dimethicone 10%
* Crm 10% pump bottle	4.52 500 ml OP	<u>Dimethicone 5%</u> ✓ healthE
DIMETHICONE * Crm 5% pump bottle	4.59 500 ml OP	✓ <u>healthE</u>

Boucher to be Sole Supply on 1 October 2018 (Multichem Oint to be delisted 1 October 2018)

Emollients

Elliolileilis			
AQUEOUS CREAM			
Crm	1.99	500 g	✓ AFT SLS-free
			✓ Home Essentials
CETOMACROGOL			
* Crm BP	2.48	500 g	✓ healthE
healthE to be Sole Supply on 1 October 2018			
CETOMACROGOL WITH GLYCEROL			
Crm 90% with glycerol 10%	2.82	500 ml OP	✓ Pharmacy Health
			Sorbolene with Glycerin
	3.87	1.000 ml OP	✓ Pharmacy Health
	5.07	1,000 1111 01	Sorbolene with
			Glycerin
EMULSIFYING OINTMENT			
* Oint BP	3.59	500 g	✓ AFT
OIL IN WATER EMULSION		3	
* Crm	2.25	500 g	✓ O/W Fatty Emulsion
		· ·	Cream
UREA			
* Crm 10%	1.37	100 g OP	✓ <u>healthE Urea Cream</u>
WOOL FAT WITH MINERAL OIL - Only on a prescription			
* Lotn hydrous 3% with mineral oil	5.60	1,000 ml	
	(11.95)		DP Lotion
	1.40	250 ml OP	
	(4.53)	1 000 ml	DP Lotion
	5.60 (20.53)	1,000 ml	Alpha-Keri Lotion
	(23.91)		BK Lotion
	1.40	250 ml OP	DIT LOUGH
	(7.73)		BK Lotion
	` ,		

Subsidy (Manufacturer's Price)	Fully Subsidised		Brand or Generic	
\$	Per	√	Manufacturer	

Other Dermatological Bases

PARAFFIN

White soft - Only in combination	20.20	2,500 g	✓ IPW
·	3.58	500 g	
	(7.78)	_	IPW
	(8.69)		PSM

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid - Plain.

Minor Skin Infections

POVIDONE IODINE			
Oint 10%	3.27	25 g OP	✓ Betadine
a) Maximum of 100 g per prescription			
b) Only on a prescription			
Antiseptic soln 10%	6.20	500 ml	✓ Betadine
•			✓ Riodine
	1.28	100 ml	
	(4.20)		Riodine
	(13.27)		Betadine
	0.19	15 ml	
	(7.41)		Betadine
Skin preparation, povidone iodine 10% with 30% alcohol	10.00	500 ml	✓ Betadine Skin Prep
	1.63	100 ml	
	(3.48)		Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol	8.13	500 ml	
	(18.63)		Orion
	1.63	100 ml	
	(6.04)		Orion

Parasiticidal Preparations

DIMETHICONE

*	Lotn 4%	200 ml OP	✓ <u>healthE</u>
			Dimethicone 4%
			Lotion

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg − Up to 100 tab available on a PSO......17.20 4 ✓ Stromectol

- PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

⇒SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Por 🗸	Manufacturer

continued...

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

- Any of the following:
 - 1 Filaricides; or
 - 2 Cutaneous larva migrans (creeping eruption); or
 - 3 Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community: and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

DERMATOLOGICALS

Subsidy		Fully	Brand or	
(Manufacturer's Price)	;	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

PERMETHRIN

Crm 5% Lotn 5%	3 -	✓ <u>Lyderm</u> ✓ <u>A-Scabies</u>
HENOTHRIN		

PΗ

200 ml OP Parasidose

Psoriasis and Eczema Preparations

ACITRETIN - Special Authority see SA1476 below - Retail pharmacy		
Cap 10 mg17.86	60	Novatretin
Cap 25 mg	60	✓ Novatretin

⇒SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment: or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CAI CIPOTRIOL

Gel 500 mcg with calcipotriol 50 mcg per g26.12 Oint 500 mcg with calcipotriol 50 mcg per g26.12	30 g OP 30 g OP	✓ Daivobet✓ Daivobet
CALCIPOTRIOL Oint 50 mcg per g45.00	100 g OP	✓ <u>Daivonex</u>
COAL TAR Soln BP - Only in combination32.95	200 ml	✓ Midwest

- 1) Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod Plain, refer dermatological base, page 224
- 2) With or without other dermatological galenicals.

DERMATOLOGICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pr		idised	Generic
	\$	Per	1	Manufacturer
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULI	PHUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and	d			
allantoin crm 2.5%	6.59	75 g OP		
	(8.00)	J	Е	gopsoryl TA
	3.43	30 g OP		01 7
	(4.35)	3 -	Е	gopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR				
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ 0	Coco-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORE	SCEIN - Only on	a prescription	ı	
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodium	,	500 ml		Pinetarsol
SALICYLIC ACID				
Powder – Only in combination	18.88	250 g	✓ P	PSM
Only in combination with a dermatological base or	proprietary Topica	al Corticostero	id – Pla	ain or collodion flexible.
refer dermatological base, page 224				
2) With or without other dermatological galenicals.				
,				
SULPHUR				
Precipitated – Only in combination	6.35	100 g	✓ N	/lidwest
Only in combination with a dermatological base or	proprietary Topica	al Corticostero	id – Pla	ain refer dermatological
base, page 224	p. opiotaly ropiot		110	a, . c.or dominatorogical
2) With or without other dermatological galenicals.				
=, or marout out or dominatorogradi galorilodio.				

C I	p Pre	 	
STORE	0 27	11[0]	

BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75	100 ml OP	✓ Beta Scalp	
CLOBETASOL PROPIONATE				
* Scalp app 0.05%	6.96	30 ml OP	✓ Dermol	
HYDROCORTISONE BUTYRATE				
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid	
KETOCONAZOLE				
Shampoo 2%	2.99	100 ml OP	✓ Sebizole	
a) Maximum of 100 ml per prescription				
b) Only on a prescription				
, , ,				

Sunscreens

Only if prescribed for a patient with severe photosensitivity second endorsed accordingly.	ondary to a de	efined clinical co	ondition and the prescription is
Crm	3.30	100 g OP	
	(5.89)	•	Hamilton Sunscreen
Lotn,	3.30 [′]	100 g OP	✓ Marine Blue Lotion SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion SPF 50+

SUNSCREENS, PROPRIETARY - Subsidy by endorsement

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Generic Subsidised Per Manufacturer

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 79

IMIQUIMOD

Crm 5%, 250 mg sachet......17.98 ✓ Apo-Imiquimod Cream 5%

> 21.72 24

✓ Perrigo

PODOPHYLLOTOXIN

✓ Condyline 3.5 ml OP

a) Maximum of 3.5 ml per prescription

b) Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

✓ Efudix 20 g OP

Efudix to be Sole Supply on 1 October 2018

Contraceptives - Non-hormonal

Condoms

CO	NI		71/	c
() ()	IV	ıλ	ЛV	הו

*	49 mm - Up to 144 dev available on a PSO13.36	144	✓ Shield 49
*	53 mm - Up to 144 dev available on a PSO	12	✓ Gold Knight
	·		✓ Shield Blue
	13.36	144	✓ Shield Blue
*	53 mm (chocolate) – Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
*	53 mm (strawberry) - Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
*	56 mm - Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Durex Extra Safe
			✓ Gold Knight
*	56 mm, shaped - Up to 144 dev available on a PSO1.11	12	✓ Durex Confidence
	13.36	144	✓ Durex Confidence
*	60 mm - Up to 144 dev available on a PSO	144	✓ Shield XL

Contraceptive Devices

INTRA-UTERINE DEVICE

- a) Up to 40 dev available on a PSO
- b) Only on a PSO

*	IUD 29.1 mm length × 23.2 mm width	31.60	1	•	Choice TT380 Short
*	IUD 33.6 mm length × 29.9 mm width	31.60	1	1	Choice
	•				TT380 Standard

※ IUD 35.5 mm length × 19.6 mm width.................31.60 1 **✓ Choice Load 375**

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

			GEN	IITO-URI	NARY SYSTEM
		Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
The the Spe	ntinued e additional subsidy will fund Mercilon and Marvelon up to the of Schedule at 1 November 1999. ecial Authorities approved before 1 November 1999 remain value are still either: on a Social Welfare benefit; or have an income no greater than the benefit.	·			
cor	e approval numbers of Special Authorities approved before 1 Nnined oral contraceptives and progestogen-only contraceptive HINYLOESTRADIOL WITH DESOGESTREL				
	Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	6.62 (19.80)	84	N	lercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authb) Up to 84 tab available on a PSO	nority see SA0500 or	the p	revious pag	je
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62 (19.80)	84	N	larvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Autb) Up to 84 tab available on a PSO	nority see SA0500 or	the p	revious pag	ge
	HINYLOESTRADIOL WITH LEVONORGESTREL				
	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tablets - Up to 84 tab available on a PSO	2.18	84	✓ <u>N</u>	licrogynon 20 ED
	to 84 tab available on a PSO	9.45	84 63	✓ N	licrogynon 50 ED
~	Tab 30 fileg with levellorgestrer 130 fileg	(16.50)	00	N	licrogynon 30
	A) Higher subsidy of \$15.00 per 63 tab with Special Auth b) Up to 63 tab available on a PSO	·	the p	revious pag	ge
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tablets - Up to 84 tab available on a PSO		84	✓ <u>L</u>	evlen ED
ET	HINYLOESTRADIOL WITH NORETHISTERONE				

*	Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available on a PSO	6.62	63	✓ Brevinor 1/21
*	Tab 35 mcg with norethisterone 1 mg and 7 inert tab — Up to 84 tab available on a PSO	6.62	84	✓ Brevinor 1/28
*	Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab available on a PSO	6.62	63	✓ Brevinor 21
*	Tab 35 mcg with norethisterone 500 mcg and 7 inert tab - Up	6 62	84	✓ Norimin

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

1.1 Patient is on a Social Welfare benefit; or

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
continued			
1.2 Patient has an income no greater than the benefi	t: and		
2 Has tried at least one of the fully funded options and has		te it.	
Renewal from any medical practitioner. Approvals valid for 2 ye			ng criteria:
Either:		ŭ	
1 Patient is on a Social Welfare benefit; or			
2 Patient has an income no greater than the benefit.			
Notes: The approval numbers of Special Authorities approved	after 1 November 1999	are interchange	able between Mercilon and
Marvelon.	nanufaaturaria ariaa	for each of these	areduste as identified as
The additional subsidy will fund Mercilon and Marvelon up to the the Schedule at 1 November 1999.	e manufacturer's price	for each of these	products as identified on
Special Authorities approved before 1 November 1999 remain v	alid until the expiry dat	te and can be rer	ewed providing that
women are still either:	and arm are expris au		onou promaing man
 on a Social Welfare benefit; or 			
 have an income no greater than the benefit. 			
The approval numbers of Special Authorities approved before 1		•	•
combined oral contraceptives and progestogen-only contracepti	ves groups, except Lo	ette and Microgyi	non 20 ED
LEVONORGESTREL			
* Tab 30 mcg		84	Microbut
a) Higher subsidy of \$12.90 per 94 tob with Special Au	(16.50)		/licrolut
a) Higher subsidy of \$13.80 per 84 tab with Special Atb) Up to 84 tab available on a PSO	•	i trie previous pag	ge
Subdermal implant (2 x 75 mg rods) – Up to 3 pack availated on a PSO		1 🗸 <u>J</u>	adelle
MEDROXYPROGESTERONE ACETATE			
★ Inj 150 mg per ml, 1 ml syringe - Up to 5 inj available on a	PSO7.25	1 🗸 🖺	Depo-Provera
NORETHISTERONE			
* Tab 350 mcg - Up to 84 tab available on a PSO Noriday 28 to be Sole Supply on 1 October 2018	6.25	84 🗸 N	loriday 28
Emergency Contraceptives			
LEVONORGESTREL			
* Tab 1.5 mg	4.95	1 🗸 F	Postinor-1
a) Maximum of 2 tab per prescription		-	
b) Up to 5 tab available on a PSO			
c) Note: may be provided by a pharmacist under the	non-prescribing Practiti	ioners provisions	in Part III of Section A.
Authorities and Control Control			
Antiandrogen Oral Contraceptives			
Prescribers may code prescriptions "contraceptive" (code "O") v	hen used as indicated	for contraception	n. The period of supply
and prescription charge will be as per other contraceptives, as f		•	1 117
 \$5.00 prescription charge (patient co-payment) will apply. 			
 prescription may be written for up to six months supply. 			
Prescriptions coded in any other way are subject to the non con		charges, and the	non-contraceptive period
of supply. ie. Prescriptions may be written for up to three mont	ns supply.		
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL			
* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs - I	Jp 4.67	168 🗸 (2inat

to 168 tab available on a PSO......4.67

✓ Ginet

168

	Subsidy	Orion) Cubo	Fully Brand or
	(Manufacturer's F \$	Per Per	idised Generic ✓ Manufacturer
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC	ACID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulpha		100 = OD	
0.025%, glycerol 5% and ricinoleic acid 0.75% with app	(24.00)	100 g OP	Aci-Jel
CLOTRIMAZOLE	(=)		
* Vaginal crm 1% with applicators		35 g OP	✓ Clomazol
* Vaginal crm 2% with applicators	2.10	20 g OP	✓ <u>Clomazol</u>
MICONAZOLE NITRATE * Vaginal crm 2% with applicator	3 88	40 g OP	✓ Micreme
NYSTATIN		40 g Oi	<u> wilcreille</u>
Vaginal crm 100,000 u per 5 g with applicator(s)	4.45	75 g OP	✓ <u>Nilstat</u>
Myometrial and Vaginal Hormone Preparations	3		
ERGOMETRINE MALEATE			
Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on	a		
PSO	105.00	5	✓ DBL Ergometrine
OESTRIOL	0.00	45 00	
* Crm 1 mg per g with applicator * Pessaries 500 mcg		15 g OP 15	✓ Ovestin✓ Ovestin
OXYTOCIN – Up to 5 inj available on a PSO		10	<u> </u>
Inj 5 iu per ml, 1 ml ampoule	4.03	5	✓ Oxytocin BNM
Inj 10 iu per ml, 1 ml ampoule	5.03	5	✓ Oxytocin Apotex
(Oxytocin Apotex Inj 10 iu per ml, 1 ml ampoule to be delisted 1	December 2018))	✓ Oxytocin BNM
OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj ava			
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml		5	✓ Syntometrine
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSOb) Only on a PSO			
Cassette	12.00	40 test OP	✓ Smith BioMed Rapid
	17.00		Pregnancy Test
	17.60		✓ EasyCheck
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antibacterials,	page 118		
5-Alpha Reductase Inhibitors			
FINASTERIDE - Special Authority see SA0928 on the next page	•	•	4 D
* Tab 5 mg	4.81	100	✓ <u>Ricit</u>

ubsidy cturer's Price) Subs	Fully	Brand or Generic
 \$ Per	•	Manufacturer

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Fither:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE − Special Authority see SA1032 below − Retail pharmacy

* Cap 400 mcg11.25 100

✓ Tamsulosin-Rex

Tamsulosin-Rex to be Sole Supply on 1 October 2018

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN		
* Tab 5 mg	100	✓ Ditropan S29
8.85	500	✓ Apo-Oxybutynin
* Oral lig 5 mg per 5 ml	473 ml	✓ Apo-Oxybutynin
(Ditropan S29 Tab 5 mg to be delisted 1 December 2018)		
POTASSIUM CITRATE		
Oral lig 3 mmol per ml - Special Authority see SA1083 below -		
Retail pharmacy30.00	200 ml OP	✓ Biomed
OA 1000 On a stall A subscribe for Oak state		

⇒SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE ★ Grans eff 4 g sachets 2.34 28 ✓ Ural SOLIFENACIN SUCCINATE – Special Authority see SA0998 below – Retail pharmacy 37.50 30 ✓ Vesicare Tab 5 mg 37.50 30 ✓ Vesicare Tab 10 mg 37.50 30 ✓ Vesicare

⇒SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

	Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic
	\$	Per	1	Manufacturer
TOLTERODINE - Special Authority see SA1272 below - Retail	pharmacy			
Tab 1 mg	14.56	56	✓ A	rrow-Tolterodine
Tab 2 mg	14.56	56	✓ A	rrow-Tolterodine

⇒SA1272 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

Detection of Substances in Urine

ORTHO-TOLIDINE			
* Compound diagnostic sticks	7.50	50 test OP	
	(8.25)		Hemastix
TETRABROMOPHENOL			
* Blue diagnostic strips	7.02	100 test OP	
	(13.92)		Albustix

87

	Subsidy	Fu	,	Brand or
(Manuf	facturer's Price)	Subsidis	ed	Generic
	\$	Per	/	Manufacturer

Calcium Homeostasis

CALCITONIN

CINACALCET - Special Authority see SA1618 below - Retail pharmacy

Tab 30 mg — Wastage claimable – see rule 3.3.2 on page 13......210.30 28 ✓ Sensipar Sensipar to be Sole Supply on 1 October 2018

⇒SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
 - 1.2 The patient has persistent hypercalcaemia (serum calcium greater than or equal to 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
 - 1.3 The patient is symptomatic; or
- 2 All of the following:
 - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
 - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium greater than or equal to mmol/L); and
 - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

ZOLEDRONIC ACID

Inj 4 mg per 5 ml, vial – Special Authority see SA1687 below –
Retail pharmacy.......84.50 1 Zoledronic acid
Mylan

550.00 Zometa

⇒SA1687 Special Authority for Subsidy

Initial application — **(bone metastases)** only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
 - 2.1 Patient has bone metastases or involvement: and
 - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
 - 3.1 Patient has bone metastases or involvement: and
 - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone.

Initial application — (early breast cancer) only from an oncologist or medical practitioner on the recommendation of a

			_
Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Por 🗸	Manufacturer	

continued...

oncologist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

1 Treatment to be used as adjuvant therapy for early breast cancer; and

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE

- 2 Patient has been amenorrhoeic for 12 months or greater, either naturally or induced, with endocrine levels consistent with a postmenopausal state; and
- 3 Treatment to be administered at a minimum interval of 6-monthly for a maximum of 2 years.

Corticosteroids and Related Agents for Systemic Use

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA			
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5	Calastona
	(36.96)		Celestone Chronodose
DEVAMETHACONE			Chionodose
DEXAMETHASONE * Tab 0.5 mg – Retail pharmacy-Specialist	0.00	30	✓ Dexmethsone
Up to 60 tab available on a PSO	0.00	30	Dexilienisone
* Tab 4 mg – Retail pharmacy-Specialist	1.84	30	✓ Dexmethsone
Up to 30 tab available on a PSO		•	20
Oral liq 1 mg per ml - Retail pharmacy-Specialist	45.00	25 ml OP	✓ Biomed
Oral liq prescriptions:			
1) Must be written by a Paediatrician or Paediatric Car	diologist; or		
2) On the recommendation of a Paediatrician or Paed	atric Cardiologi	st.	
DEXAMETHASONE PHOSPHATE			
Dexamethasone phosphate injection will not be funded for ora	al use.		
* Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS		10	Max Health
* Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS	O25.18	10	Max Health
FLUDROCORTISONE ACETATE			
* Tab 100 mcg	14.32	100	✓ Florinef
HYDROCORTISONE			
* Tab 5 mg	8.10	100	✓ Douglas
Douglas to be Sole Supply on 1 October 2018			_
* Tab 20 mg - For hydrocortisone oral liquid formulation refer,			
page 225	20.32	100	Douglas
Douglas to be Sole Supply on 1 October 2018			
* Inj 100 mg vial	5.30	1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
METHYLPREDNISOLONE – Retail pharmacy-Specialist	22.22	100	
* Tab 4 mg		100	✓ Medrol
* Tab 100 mg		20	✓ Medrol
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retail			
Inj 40 mg vial		1	✓ Solu-Medrol
Inj 125 mg vial		1 1	✓ Solu-Medrol✓ Solu-Medrol
Inj 500 mg vial Inj 1 g vial		1	✓ Solu-Medrol
. •	10.00	•	- Join-Media
METHYLPREDNISOLONE ACETATE Inj 40 mg per ml, 1 ml vial	40.00	5	✓ Depo-Medrol
iiij 40 iiig pei iiii, i iiii viai	40.00	J	- Deho-Medioi

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e) Sub	sidised	Generic
	\$	Per	1	Manufacturer
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNO	OCAINE]			
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	9.25	1	•	Depo-Medrol with Lidocaine
PREDNISOLONE				
Yoral liq 5 mg per ml - Up to 30 ml available on a PSO Restricted to children under 12 years of age.	6.00	30 ml OP	✓	Redipred
PREDNISONE				
* Tab 1 mg	10.68	500	1	Apo-Prednisone
* Tab 2.5 mg	12.09	500	1	Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	1	Apo-Prednisone
* Tab 20 mg	29.03	500	1	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	1	Synacthen
* Inj 1 mg per ml, 1 ml ampoule	690.00	1	1	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	20.80	5	1	Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule		5	✓	Kenacort-A 40

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE - Retail pharmacy-Specialist			
Tab 50 mg	15.87	50	✓ Procur
Tab 100 mg	30.40	50	✓ Procur
TESTOSTERONE			
Patch 5 mg per day	80.00	30	✓ Androderm
TESTOSTERONE CIPIONATE - Retail pharmacy-Specialist			
Inj 100 mg per ml, 10 ml vial	76.50	1	✓ Depo-Testosterone
TESTOSTERONE ESTERS - Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml	12.98	1	Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist			
Cap 40 mg	16.80	60	Andriol Testocaps
Inj 250 mg per ml, 4 ml vial		1	✓ Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Price	e) Suh	Fully sidised	Brand or Generic
	\$	Per	✓	Manufacturer
Oestrogens				
DESTRADIOL - See prescribing guideline on the previous page				
* Tab 1 mg		28 OP	_	
* Tab 2 mg	(11.10) 4.12	28 OP		Estrofem
•	(11.10)		Е	strofem
★ Patch 25 mcg per day	6.12	8	✓ <u>E</u>	stradot
a) No more than 2 patch per week				
b) Only on a prescription * Patch 50 mcg per day	7.04	8	√ F	stradot 50 mcg
a) No more than 2 patch per week	7.04	U	• •	.strauot 30 mcg
b) Only on a prescription				
* Patch 75 mcg per day	7.91	8	√ E	stradot
a) No more than 2 patch per week		-	=	
b) Only on a prescription				
* Patch 100 mcg per day	7.91	8	✓ E	stradot
a) No more than 2 patch per week				
b) Only on a prescription				
DESTRADIOL VALERATE – See prescribing guideline on the pro-	evious page			
* Tab 1 mg	12.36	84	✓ P	Progynova
Progynova to be Sole Supply on 1 October 2018	40.00	0.4		
* Tab 2 mg Progynova to be Sole Supply on 1 October 2018	12.36	84	V P	Progynova
OESTROGENS – See prescribing guideline on the previous page		00		
* Conjugated, equine tab 300 mcg	(13.50)	28		Premarin
* Conjugated, equine tab 625 mcg		28	'	Temanii
Conjugatou, oquino tab 025 mog	(13.50)		Р	Premarin
Progestogens	, ,			
MEDROXYPROGESTERONE ACETATE - See prescribing guid	eline on the previo	us page		
* Tab 2.5 mg		30	√ P	rovera
·	7.00	56	✓ P	Provera S29 S29
* Tab 5 mg	14.00	100	✓ <u>P</u>	Provera
* Tab 10 mg	7.15	30	✓ P	rovera
(Provera S29 S29 Tab 2.5 mg to be delisted 1 September 2018)				
Progestogen and Oestrogen Combined Prepara	tions			
OESTRADIOL WITH NORETHISTERONE - See proceeding qui	dolino on the provi	oue pege		
OESTRADIOL WITH NORETHISTERONE - See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate		28 OP		
Tab Ting will 0.0 mg nordinatorone accide	(18.10)	20 01	K	(liovance
* Tab 2 mg with 1 mg norethisterone acetate	` '	28 OP	, ,	
g	(18.10)		K	(liogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	. ,			-
oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40	28 OP		
	(18.10)		Т	risequens
	(18.10)		Т	risequens

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	✓	Manufacturer

Other Oestrogen Preparations

ETHINYLOESTRADIOL * Tab 10 mcg17.60	100	✓ NZ Medical and Scientific
NZ Medical and Scientific to be Sole Supply on 1 October 2018		
OESTRIOL	30	✓ Ovestin

Other Progestogen Preparations

LEVONORGESTREL

★ Intra-uterine system 20 mcg per day – Special Authority see SA1608 below – Retail pharmacy269.50 1 ✓ Mirena

⇒SA1608 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria. **Renewal** only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

* Tab 100 mg - Retail pharmacy-Specialist101.00	100	✓ Provera HD
NORETHISTERONE		
* Tab 5 mg - Up to 30 tab available on a PSO18.29	100	✓ Primolut N
PROGESTERONE		
Cap 100 mg - Special Authority see SA1609 below - Retail		
pharmacy16.50	30	Utrogestan

⇒SA1609 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Fither:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or

	Subsidy		Fully	Brand or
(Ma	anufacturer's Price)	5	Subsidised	Generic
	\$	Per	✓	Manufacturer

continued...

2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour*: and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Fither:
 - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents

CARBIMAZOLE			
* Tab 5 mg	10.80	100	✓ AFT
			Carbimazole S29
			✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg	3.89	90	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral li	quid preparations.		•
* Tab 50 mcg	1.71	28	✓ Mercury Pharma
•	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral li	quid preparations.		
* Tab 100 mcg	1.78	28	Mercury Pharma
	4.21	90	Synthroid
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral li	quid preparations.		
PROPYLTHIOURACIL - Special Authority see SA1199 below	– Retail pharmacy		
Propylthiouracil is not recommended for patients under the	e age of 18 years un	less the pation	ent is pregnant and other
treatments are contraindicated.			
Tab 50 mg	35.00	100	✓ PTU S29
SA1100 Special Authority for Subsidy			

SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

50	MATROPIN (OMNITROPE) – Specia	I Authority see SA1629 on the next pa	ige – Hetaii pr	narmacy
*	Inj 5 mg cartridge	109.50	1	Omnitrope
	Inj 10 mg cartridge		1	✓ Omnitrope
*	Inj 15 mg cartridge	328.50	1	✓ Omnitrope

Subsidy		Fully	Brand or
(Manufacturer's Price)	D	Subsidised	Generic
\$	Per		Manutacturer

⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or</p>
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 2 Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (**Turner syndrome**) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is greater than or equal to 2 cm per year, calculated over six months; and
- 3 A current bone age is 14 years or under; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

Subsidy	Fu	lly Brand or	
(Manufacturer's Price)	Subsidise	ed Generic	
\$	Per	 Manufacturer 	

continued...

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years or under (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease: and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR less than or equal to 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) \times 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred;
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria;
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon: and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 The patient is aged two years or older; and
 - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months; or
 - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

	Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
	\$	Per 🗸	Manufacturer

continued...

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

GOSERELIN			
Implant 3.6 mg, syringe	66.48	1	✓ Zoladex
Implant 10.8 mg, syringe	177.50	1	✓ Zoladex

LEUPRORELIN

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly.

inj 3.75 mg premied duai chamber synnge – night	er subsidy of
\$221.60 per 1 inj with Endorsement	66.48
, ,	

(221.60) Lucrin Depot 1-month

Inj 11.25 mg prefilled dual chamber syringe — Higher subsidy of \$591.68 per 1 inj with Endorsement.......177.50

(591.68) Lucrin Depot 3-month

Vasopressin Agonists

DESMOPRESSIN ACETATE

	Tab 100 mcg — Special Authority see SA1401 on the next page — Retail pharmacy	.25.00	30	✓ Minirin
A	Tab 200 mcg — Special Authority see SA1401 on the next page — Retail pharmacy Nasal drops 100 mcg per ml — Retail pharmacy-Specialist Nasal spray 10 mcg per dose — Retail pharmacy-Specialist	.39.03	30 2.5 ml OP 6 ml OP	✓ Minirin ✓ Minirin ✓ Desmopressin- PH&T
	Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 on the next page – Retail pharmacy	.67.18	10	✓ Minirin

Subsidy		Fully	Brand or
(Manufacturer's Price)	Dax	Subsidised	Generic
	Per		Manufacturer

⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- - 1 The patient has cranial diabetes insipidus; and
 - 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOI INF

		Tab 0.5 mg - Maximum of 2 tab per prescription; can be	- 1
Dostinex	2	waived by Special Authority see SA1370 below3.75	
Dostinex	8	15.20	

Dostinex to be Sole Supply on 1 October 2018

⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

CLOMIFFNE CITRATE

Tab 50 mg29.84	10	✓ Mylan Clomiphen S29 ✓ Serophene
DANAZOL		
Cap 100 mg68.33	100	✓ Azol
Cap 200 mg97.83		✓ Azol
METYRAPONE		
Cap 250 mg - Retail pharmacy-Specialist	50	✓ Metopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Anthelmintics

60 Fskazole S29

⇒SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE - Only on a prescription

Tab 100 mg	24.19	24	De-Worm
Oral liq 100 mg per 5 ml		15 ml	
	(7.17)		Vermox
PRAZIQUANTEL			
Tab 600 mg	68.00	8	 Biltricide

Antibacterials

CEFACI OR MONOHYDRATE

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 71
- b) For anti-infective eve preparations, refer to SENSORY ORGANS, page 217

Cephalosporins and Cephamycins

OL: / IOLO! I III	0110111101111111			
Cap 250 m	g	24.70	100	

Grans for oral lig 125 mg per 5 ml - Wastage claimable - see 100 ml ✓ Ranbaxy-Cefaclor

CEEAL EXIN

CLI ALLAIN			
Cap 250 mg	3.50	20	✓ Cephalexin ABM
0 500	0.05	00	/ Combolovin ADM

Cap 500 mg......3.95 20 Cephalexin ABM Grans for oral lig 25 mg per ml - Wastage claimable - see rule

100 ml ✓ Cefalexin Sandoz 3.3.2 on page 13......8.00

Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing. Grans for oral lig 50 mg per ml - Wastage claimable - see rule

3.3.2 on page 13......11.00 100 ml ✓ Cefalexin Sandoz

Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing.

CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly.

CEFTRIAXONE - Subsidy by endorsement

- a) Up to 5 ini available on a PSO
- b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin. and the prescription or PSO is endorsed accordingly.

Inj 500 mg vial	1.20	1	✓ DEVA
Inj 1 g vial	0.84	1	✓ DEVA

Ranbaxy-Cefaclor

	Subsidy (Manufacturer's Price) \$	Subs	Fully sidised	Brand or Generic Manufacturer	
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the pre	scription is endorsed	according	ıly.		
Tab 250 mg	•	50		innat	
Manualidae					

Macrolides

⇒SA1683 Special Authority for Waiver of Rule

Initial application — (bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has received a lung transplant, stem cell transplant, or bone marrow transplant and requires treatment for bronchiolitis obliterans syndrome*; or
- 2 Patient has received a lung transplant and requires prophylaxis for bronchiolitis obliterans syndrome*; or
- 3 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms*; or
- 4 Patient has an atypical Mycobacterium infection.

Note: Indications marked with * are Unapproved Indications.

Initial application — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
 - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
 - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with * are Unapproved Indications.

Renewal — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and
- 3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with * are Unapproved Indications

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE			
Tab 400 mg	16.95	100	E-Mycin
a) Up to 20 tab available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP -	- see rule 5.2.6 on pa	ge 17	
Grans for oral liq 200 mg per 5 ml	5.00	100 ml	E-Mycin
a) Up to 300 ml available on a PSO			•
b) Up to 2 x the maximum PSO quantity for RFPP -	- see rule 5.2.6 on pa	ge 17	
c) Wastage claimable – see rule 3.3.2 on page 13	•		
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	E-Mycin
a) Up to 200 ml available on a PSO			•
b) Wastage claimable – see rule 3.3.2 on page 13			
ERYTHROMYCIN LACTOBIONATE			
Inj 1 g	16.00	1	✓ Erythrocin IV
ERYTHROMYCIN STEARATE			- <u> </u>
	14.05	100	
Tab 250 mg – Up to 30 tab available on a PSO		100	ERA
Tab 500 mg	(22.29)	100	ENA
Tab 500 mg		100	ERA
	(44.58)		ENA
ROXITHROMYCIN			
Tab disp 50 mg	7.19	10	✓ Rulide D
Restricted to children under 12 years of age.	7.40		
Tab 150 mg	7.48	50	✓ Arrow- Roxithromycin
			HOAIUIIOIIIYCIII
Tab 300 mg	14.40	50	✓ Arrow-
-			Roxithromycin

101

	Cubaidu		Fully	Brand or
	Subsidy (Manufacturer's Price)	Subs	idised	Generic
	\$	Per	1	Manufacturer
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	1	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – s	see rule 5.2.6 on page	17		
Cap 500 mg	16.75	500	✓ <u>I</u>	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – s			_	
Grans for oral liq 125 mg per 5 ml	1.20	100 ml		Alphamox 125
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1.31	100 ml	1	Alphamox 250
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – s	see rule 5.2.6 on page	17		
c) Wastage claimable – see rule 3.3.2 on page 13	10.07	10		h!a
Inj 250 mg vial Inj 500 mg vial		10 10	-	<u>biamox</u> biamox
Inj 1 g vial – Up to 5 inj available on a PSO		10	-	biamox
	17.23	10	• 1	biailiox
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab	4.00	00		
available on a PSO		20	• 1	<u>Augmentin</u>
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25		4001	,	
per ml	3.83	100 ml	•	Augmentin
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq amoxicillin 50 mg with clavulanic acid 12.5		00 ml OP		····
per ml – Up to 200 ml available on a PSO	2.20 10	JU IIII UP	• [<u>Curam</u>
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj				
available on a PSO	315.00	10	•	Bicillin LA
BENZYLPENICILLIN SODIUM [PENICILLIN G]				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a I	PSO 10.35	10	√ §	<u>Sandoz</u>
FLUCLOXACILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	16.83	250	✓ 9	Staphlex
Staphlex to be Sole Supply on 1 October 2018				
Cap 500 mg	56.61	500	√ 9	Staphlex
Staphlex to be Sole Supply on 1 October 2018			_	
Grans for oral liq 25 mg per ml	2.29	100 ml		AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	1001		.
Grans for oral liq 50 mg per ml	3.08	100 ml		AFI
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	10	./ 1	Elugiovin
Inj 250 mg vial Inj 500 mg vial		10	_	<u>Flucloxin</u> Flucloxin
Inj 1 g vial — Up to 5 inj available on a PSO		5	-	Flucil
ing i g viai Op to 5 ing available on a i 50		J	• [INVII

	Subsidy (Manufacturer's Price)) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
PHENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap 250 mg - Up to 30 cap available on a PSO	2.59	50	✓ Cilicaine VK
Cilicaine VK to be Sole Supply on 1 October 2018			
Cap 500 mg	4.26	50	Cilicaine VK
a) Up to 20 cap available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP - see	e rule 5.2.6 on page	17	
c) Cilicaine VK to be Sole Supply on 1 October 2018			
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	✓ <u>AFT</u>
 a) Up to 200 ml available on a PSO 			
b) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	✓ <u>AFT</u>
 a) Up to 300 ml available on a PSO 			
b) Up to 2 x the maximum PSO quantity for RFPP – see	e rule 5.2.6 on page	17	
c) Wastage claimable – see rule 3.3.2 on page 13			
PROCAINE PENICILLIN			
Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSO	123.50	5	✓ Cilicaine
Tetracyclines			
OOXYCYCLINE			
★ Tab 50 mg - Up to 30 tab available on a PSO	2.90	30	
	(6.00)		Doxy-50
★ Tab 100 mg – Up to 30 tab available on a PSO	0.57	21	✓ Doxylin 100
	6.75	250	Doxine
Doxylin 100 Tab 100 mg to be delisted 1 September 2018)			
MINOCYCLINE HYDROCHLORIDE			
★ Tab 50 mg - Additional subsidy by Special Authority see			
SA1355 below – Retail pharmacy	5.79	60	
,,	(12.05)		Mino-tabs
★ Cap 100 mg		100	
	(52.04)		Minomycin
⇒SA1355 Special Authority for Manufacturers Price	• •		•
nitial application from any relevant practitioner. Approvals valid	d without further rene	ewal unles	s notified where the patient h
••			
osacea.			
osacea. 'ETRACYCLINE – Special Authority see SA1332 below – Retail	l pharmacy		
	,	30	✓ Tetracyclin

⇒SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

103

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
Other Antibiotics				
or topical antibiotics, refer to DERMATOLOGICALS, page 71				
IPROFLOXACIN Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant psi ii) prostatitis; or iii) pyelonephritis; or iv) gonorrhoea.	eudomonas infection;	or		
Tab 250 mg - Up to 5 tab available on a PSO	1.45	28	/	Cipflox
Tab 500 mg – Up to 5 tab available on a PSO Tab 750 mg		28 28		Cipflox Cipflox
LINDAMYCIN				
Cap hydrochloride 150 mg - Maximum of 4 cap per prescription; can be waived by endorsement - Retail pharmacy - Specialist	4.10	16	✓	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule – Retail pharmacy-Specialist		10		Dalacin C
OLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - S			•	<u>Daiaciii O</u>
Only if prescribed for dialysis or cystic fibrosis patient and th			according	ly.
Inj 150 mg	65.00	1	•	Colistin-Link
ENTAMICIN SULPHATE		_		
Inj 10 mg per ml, 1 ml ampoule — Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient endorsed accordingly.	25.00 or complicated urinary	5 / trac		DBL Gentamicin and the prescription is
Inj 10 mg per ml, 2 ml – Subsidy by endorsement	175.10	25	•	APP Pharmaceuticals S29
Only if prescribed for a dialysis or cystic fibrosis patient endorsed accordingly.	or complicated urinary	/ trac	t infection	and the prescription is
Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient endorsed accordingly.		10 / trac		Pfizer and the prescription is
OXIFLOXACIN – Special Authority see SA1358 below – Retai No patient co-payment payable	,			
Tab 400 mg	52.00	5	•	Avelox
SA1358 Special Authority for Subsidy litial application — (Tuberculosis) only from a respiratory sport applications meeting the following criteria: ither:	ecialist or infectious d	iseas	se speciali	st. Approvals valid for 1

1 Both:

- 1.1 Active tuberculosis*; and
- 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or

					INFEC	TIONS - A	GENT	S FOR	SYSTEMIC USE
					(Manu	Subsidy facturer's Price)	S Per	Fully Subsidised	Brand or Generic Manufacturer
continued									
	1.2.4	Significan	pre-existing	considered to liver disease of I intolerance a	or hepatotoxic	city from tuber	rculosis		ns; or I of first-line medications
Note: Indica Renewal only remains app Initial applications meeting the	tions m y from ropriate ation - followir	narked with a respirator and the pa	are Unappro specialist or ient is benefi	ved Indication infectious dise ting from treat	ns (refer to Int ease speciali ment.	erpretations a st. Approvals	and Defi valid fo	initions). or 1 year w	rapy is contraindicated.*. there the treatment month for applications
2 Has t	nucleic ried an		ear infection ι	AAT) confirmed using azithrom		a genitalium*;	; and		
Initial applic	ation -	— (Penetrate following a	ing eye injur penetrating e	ry) only from a eye injury and eved Indication	treatment is f	or 5 days only	y .		onth where the patient
PAROMOM'	CIN -	Special Au	hority see SA	1689 below -	Retail pharm	nacy			
	•				1	26.00	16	✓ F	lumatin S29
month for ap Either: 1 Patie	eation of plication of the plication of the plication of the place of	only from an	infectious dis the following of yptosporidium			crobiologist or	gastro	enterologis	t. Approvals valid for 1
	y from	an infectiou	s disease spe	, ,		st or gastroen	terologi	st. Appro	vals valid for 1 month for
				n infection; or olyica carriage	э.				
PYRIMETHA	MINE	- Special A	uthority see S	A1328 below	- Retail phar	macy			
Tab 25 r	ng					26.14 36.95	30 50		Oaraprim S29 Oaraprim S29
the following Any of the fo 1 For th 2 For p	cation for criterial crite	rom any release : ment of toxo t patients fo	evant practition plasmosis in the term of the	ner. Approval patients with he pregnancy; posis until 12 m	ls valid witho HIV for a peri ; or	ut further rene	ewal un		d for applications meetin
SODIUM FU	SIDAT	E [FUSIDIC Retail pharn	ACID] nacy-Specialis	st		34.50	.12	✓ <u>F</u>	ucidin

56

✓ Wockhardt S29

SULFADIAZINE SODIUM - Special Authority see SA1331 on the next page - Retail pharmacy

Tab 500 mg543.20

Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist

INFECTIONS - AGENTS FOR SYSTEMIC US	SE			
	Subsidy (Manufacturer's Price) \$) Sub Per	Fully sidised	Brand or Generic Manufacturer
Initial application from any relevant practitioner. Approvals vanthe following criteria: Any of the following: 1 For the treatment of toxoplasmosis in patients with HIV for pregnant patients for the term of the pregnancy; or 3 For infants with congenital toxoplasmosis until 12 month	or a period of 3 month		s notifie	d for applications meeting
TOBRAMYCIN Inj 40 mg per ml, 2 ml vial — Subsidy by endorsement a) Only if prescribed for dialysis or cystic fibrosis patie b) Tobramycin Mylan to be Sole Supply on 1 October Solution for inhalation 60 mg per ml, 5 ml — Subsidy by endorsement	nt and the prescription 2018	5 n is endors 56 dose		· ·
 a) Wastage claimable – see rule 3.3.2 on page 13 b) Only if prescribed for a cystic fibrosis patient and th TRIMETHOPRIM Tab 300 mg – Up to 30 tab available on a PSO 		rsed accor	rdingly.	MP
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMO * Tab trimethoprim 80 mg and sulphamethoxazole 400 mg - to 30 tab available on a PSO* * Oral liq 8 mg sulphamethoxazole 40 mg per ml - Up to 200	- Up 22.90	500	✓ T	risul
available on a PSO VANCOMYCIN — Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or f difficile following metronidazole failure and the prescription Inj 500 mg vial	or prophylaxis of endo		for treat	eprim tment of Clostridium
Antifungals		•	=	,,,,,,,,
 a) For topical antifungals refer to DERMATOLOGICALS, page b) For topical antifungals refer to GENITO URINARY, page 85 FLUCONAZOLE 	72			
Cap 50 mg — Retail pharmacy-Specialist	0.33 by endorsement - Ret tioner considers that a	topical im	✓ <u>N</u> acy - Spe nidazole	(used intra-vaginally) is
Specialist. Cap 200 mg — Retail pharmacy-Specialist Powder for oral suspension 10 mg per ml — Special Author see SA1359 below — Retail pharmacy	rity	28 35 ml	✓ D	lylan iflucan S29 S29 iflucan
Wastage claimable – see rule 3.3.2 on page 13	30.30		• 0	mucuil

⇒SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications

	INFECTIONS - AGENTS FOR SYSTEMIC USE				
	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🗸	Brand or Generic Manufacturer		
continued meeting the following criteria: Both:					
 Patient requires prophylaxis for, or treatment of syster Patient is unable to swallow capsules. 	nic candidiasis; and				

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised: and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

Cap 100 mg - Subsidy by endorsement	2.79	15	✓ <u>Itrazole</u>	
Funded for tinea vesicolor where topical treatment has not be	been successfu	I and diagno	osis has been confirmed by	
mycology, or for tinea unguium where terbinafine has not be	een successful	in eradicatio	on or the patient is intolerant	t to
terbinafine and diagnosis has been confirmed by mycology	and the prescri	ption is end	orsed accordingly.	
Can be waived by endorsement - Retail pharmacy - Special	list		• •	
Specialist must be an infectious disease physician, clinical r	microbiologist.	clinical immu	unologist or dermatologist.	

Oral lig 10 mg per ml - Special Authority see SA1322 below -

Retail pharmacy......141.80 ✓ Sporanox 150 ml OP

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KFTOCONAZOI F

Tab 200 mg - PCT - Retail pharmacy-Specialist - Subsidy by endorsement	CBS	30	✓ Link Healthcare \$29 ✓ Nizoral \$29
Prescriptions must be written by, or on the recommendation	of an oncologi	st	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 on the next page	- Retail phan	macy	
Tab modified-release 100 mg		24	✓ Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

[‡] safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)	5	Subsidised	Generic	
\$	Per	✓	Manufacturer	

⇒SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg - For terbinafine oral liquid formulation refer,		
page 2251.33	14	✓ Deolate
VORICONAZOLE - Special Authority see SA1273 below - Retail pharmacy		
Tab 50 mg91.00	56	✓ Vttack
Vttack to be Sole Supply on 1 October 2018		
Tab 200 mg350.00	56	✓ Vttack
Vttack to be Sole Supply on 1 October 2018		
Powder for oral suspension 40 mg per ml - Wastage claimable		
<u>see rule 3.3.2 on page 131,156.32</u>	70 ml	✓ Vfend

⇒SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
(Manuacturer's Frice)		oubsidised	Generic	
\$	Per	/	Manufacturer	

continued...

- 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
- 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
- 3.3 Patient has fluconazole resistant candidiasis; or
- 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1684 below - Retail pharmacy

⇒SA1684 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has relapsed vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QU	JININE SULFRATE			
*	Tab 300 mg	61.91	500	✓ Q 300

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

METRONIDAZOI E

C

Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg - Up to 15 tab available on a PSO	18.15	100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	23.00	10	✓ Arrow-Ornidazole

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

	Subsidy (Manufacturer's Price)	Q ₁	Fully	Brand or Generic
	(Manufacturer's Frice)	Per	√	Manufacturer
CYCLOSERINE - Retail pharmacy-Specialist				
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati respiratory physician. 	ion of, an infectious d	lisease p	hysician	, clinical microbiologist o
Cap 250 mg	1,294.50	100	✓	King S29
DAPSONE - Retail pharmacy-Specialist				
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati dermatologist 	ion of, an infectious d	lisease p	hysician	, clinical microbiologist o
Tab 25 mg	268.50	100	✓	Dapsone
Tab 100 mg	329.50	100	✓	Dapsone
ETHAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialis	st			
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati respiratory physician 		lisease p	hysician	, clinical microbiologist o
Tab 100 mg	48.01	56		Myambutol S29
	85.73	100		EMB Fatol S29
Tab 400 mg	49.34	56	✓	Myambutol S29
 SONIAZID – Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati microbiologist, dermatologist or public health physician 	ion of, an internal me	dicine pl	nysician,	paediatrician, clinical
* Tab 100 mg	20.00	100	✓	PSM
SONIAZID WITH RIFAMPICIN - Retail pharmacy-Specialist				
a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati microbiologist, dermatologist or public health physician		dicine pł	nysician,	paediatrician, clinical
Tab 100 mg with rifampicin 150 mgRifinah to be Sole Supply on 1 October 2018	85.54	100	√	Rifinah
Tab 150 mg with rifampicin 300 mgRifinah to be Sole Supply on 1 October 2018	170.60	100	✓	Rifinah
PARA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist				
a) No patient co-payment payableb) Specialist must be an infectious disease specialist, clinical	al microbiologist or re	spiratory	speciali	st.
Grans for oral liq 4 g sachet	280.00	30	✓	Paser S29
PROTIONAMIDE - Retail pharmacy-Specialist				
a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinica Tab 250 mg	-	spiratory		st. Peteha 829
ů .		100	•	Cleria 323
DVD A ZINIA MIDE Datail planners of Consists				
PYRAZINAMIDE – Retail pharmacy-Specialist				
PYRAZINAMIDE — Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendati respiratory physician ★ Tab 500 mg — For pyrazinamide oral liquid formulation refer,		lisease p	hysician	, clinical microbiologist o

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	✓	Manufacturer

RIFABUTIN - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist
- * Cap 150 mg For rifabutin oral liquid formulation refer,

page 225......275.00 30 **✓ Mycobutin**

RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly, can be waived by endorsement -Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg55.75	100	✓ Rifadin
	Cap 300 mg116.25		✓ Rifadin
*	Oral liq 100 mg per 5 ml12.00	60 ml	✓ Rifadin

Antivirals

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 217

Hepatitis B Treatment

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 x ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load 10 fold or higher over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 x ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load 10 fold or higher over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

	Subsidy (Manufacturer's Prio \$	ce) Sub Per	Fully sidised	Brand or Generic Manufacturer
ENTECAVIR * Tab 0.5 mg	400.00	30	√ E	Baraclude
LAMIVUDINE - Special Authority see SA1685 below - Retail ph	armacy			
Tab 100 mg		28	_	Zetlam
Oral lia E ma nor ml	6.00	040 OD	_	leffix Leffix
Oral liq 5 mg per ml	270.00	240 ml OP	• 2	Leilix

⇒SA1685 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year where used for the treatment or prevention of hepatitis B.

Renewal from any relevant practitioner. Approvals valid for 2 years where used for the treatment or prevention of hepatitis B. TENOFOVIR DISOPROXII

Tenofovir disoproxil prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1651., page 115

*	Tab 245 mg (300 mg as a fumarate)	531.00	30	✓ Viread
*	Tab 245 mg (300.6 mg as a succinate)	38.10	30	✓ Tenofovir Disoproxil
				Teva

Herpesvirus Treatments

ACICLOVIR		
* Tab dispersible 200 mg	25	✓ Lovir
* Tab dispersible 400 mg5.38	56	✓ Lovir
* Tab dispersible 800 mg5.98	35	✓ Lovir
VALACICLOVIR		
Tab 500 mg5.75	30	✓ Vaclovir
Vaclovir to be Sole Supply on 1 October 2018		
Tab 1,000 mg11.35	30	✓ Vaclovir
Vaclovir to be Sole Supply on 1 October 2018		
VALGANCICLOVIR - Special Authority see SA1404 below - Retail pharmacy		
Tab 450 mg1,050.00	60	✓ Valcyte

⇒SA1404 Special Authority for Subsidy

Initial application — **(transplant cytomegalovirus prophylaxis)** only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis C Treatment

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 below - [Xpharm]

No patient co-payment payable

Tab 90 mg with sofosbuvir 400 mg......24,363.46 28 **✓ Harvoni**

⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

HIV Prophylaxis and Treatment

EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1714 below

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if emtricitabine with tenofovir disoproxil fumarate is co-prescribed with another antiretroviral subsidised under Special Authority SA1651 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Emtricitabine with tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals, and counts as two antiretroviral medications, for the purposes of Special Authority SA1651, page 115

There is an approval process to become a named specialist to prescribe antiretroviral therapy in New Zealand. Further information is available on the PHARMAC website.

Tab 200 mg with tenofovir disoproxil fumarate 300 mg......190.02 30 ✓ Truvada

⇒SA1714 Special Authority for Waiver of Rule

Initial application only from a named specialist or medical practitioner on the recommendation of a named specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tested HIV negative; and
- 2 Either:
 - 2.1 All of the following:
 - 2.1.1 Patient is male or transgender; and
 - 2.1.2 Patient has sex with men; and
 - 2.1.3 Patient is likely to have multiple episodes of condomless anal intercourse in the next 3 months; and
 - 2.1.4 Any of the following:
 - 2.1.4.1 Patient has had at least one episode of condomless receptive anal intercourse with one or more casual male partners in the last 3 months; or
 - 2.1.4.2 A diagnosis of rectal chlamydia, rectal gonorrhoea, or infectious syphilis within the last 3 months; or
 - 2.1.4.3 Patient has used methamphetamine in the last three months; or
 - 2.2 All of the following:
 - 2.2.1 Patient has a regular partner who has HIV infection; and
 - 2.2.2 Partner is either not on treatment or has a detectable viral load; and
 - 2.2.3 Condoms have not been consistently used.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Applicant has an up to date knowledge of the safety issues and is competent to prescribe pre-exposure prophylaxis; and
- 2 Patient has undergone testing for HIV, syphilis, and a full STI screen in the previous two weeks; and
- 3 Patient has had renal function testing (creatinine, phosphate and urine protein/creatinine ratio) within the last 12 months; and
- 4 Patient has received advice regarding the reduction of risk of HIV and sexually transmitted infections and how to reduce those risks; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 5 Patient has tested HIV negative; and
 - 6 Fither:
 - 6.1 All of the following:
 - 6.1.1 Patient is male or transgender; and
 - 6.1.2 Patient has sex with men; and
 - 6.1.3 Patient is likely to have multiple episodes of condomless anal intercourse in the next 3 months; and
 - 6.1.4 Any of the following:
 - 6.1.4.1 Patient has had at least one episode of condomless receptive anal intercourse with one or more casual male partners in the last 3 months; or
 - 6.1.4.2 A diagnosis of rectal chlamydia, rectal gonorrhoea, or infectious syphilis within the last 3 months; or
 - 6.1.4.3 Patient has used methamphetamine in the last three months; or
 - 6.2 All of the following:
 - 6.2.1 Patient has a regular partner who has HIV infection; and
 - 6.2.2 Partner is either not on treatment or has a detectable viral load; and
 - 6.2.3 Condoms have not been consistently used.

Antiretrovirals

⇒SA1651 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

- Either:
 - 1 Prevention of maternal foetal transmission; or
 - 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per		Manufacturer

continued...

- 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
- 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
- 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

- Both:
 - 1 Treatment course to be initiated within 72 hours post exposure; and
 - 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

Tab 50 mg	63.38	30	✓ Stocrin \$29
Tab 200 mg		90	✓ Stocrin
Tab 600 mg		30	✓ Stocrin
Oral liq 30 mg per ml		180 ml OP	✓ Stocrin S29
TRAVIRINE - Special Authority see SA1651 on the prev	vious page – Retail pha	armacy	
Tab 200 mg	770.00	60	✓ Intelence
EVIRAPINE - Special Authority see SA1651 on the prev	vious page – Retail pha	armacy	
Tab 200 mg	60.00	60	✓ Nevirapine Alphapharm
Nevirapine Alphapharm to be Sole Supply on 1 O	ctober 2018		
Oral suspension 10 mg per ml	203.55	240 ml	✓ Viramune Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE – Special Authority see SA1651	on the previous page	 Retail pharmacy 	
Tab 300 mg	229.00	60	✓ Ziagen
Oral liq 20 mg per ml	256.31	240 ml OP	✓ Ziagen

	Subsidy (Manufacturer's Pric		dised Ger	nd or neric nufacturer
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: abacavir with lamivudine (combination tablets) counts anti-retroviral Special Authority.				
Tab 600 mg with lamivudine 300 mg	427.29	30	✓ Kivexa	1
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPF page 115 – Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil furpurposes of the anti-retroviral Special Authority	marate counts as t			
Tab 600 mg with emtricitabine 200 mg and tenofovir disopros fumarate 300 mg		30	✓ Atripla	1
EMTRICITABINE – Special Authority see SA1651 on page 115 - Cap 200 mg		30	✓ Emtriv	ra .
LAMIVUDINE – Special Authority see SA1651 on page 115 – Re Tab 150 mg		60	✓ Lamiv	udine napharm
Oral liq 10 mg per ml	102.50	240 ml OP	✓ 3TC	арпатт
ZIDOVUDINE [AZT] – Special Authority see SA1651 on page 11 Cap 100 mg Oral liq 10 mg per ml	152.25	0y 100 200 ml OP	✓ Retrov	
ZIDOVUDINE [AZT] WITH LAMIVUDINE — Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets the anti-retroviral Special Authority.) counts as two an		,	or the purposes of
Tab 300 mg with lamivudine 150 mg	33.00	60	✓ <u>Alpha</u>	<u>pharm</u>
Protease Inhibitors				
ATAZANAVIR SULPHATE – Special Authority see SA1651 on p Cap 150 mg Cap 200 mg	568.34	harmacy 60 60	✓ Reyata	
DARUNAVIR - Special Authority see SA1651 on page 115 - Re Tab 400 mg Tab 600 mg	335.00	60 60	✓ <u>Prezis</u> ✓ <u>Prezis</u>	
LOPINAVIR WITH RITONAVIR – Special Authority see SA1651 Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml	183.75 463.00	tail pharmacy 60 120 300 ml OP	✓ Kaletr	<u>a</u>
RITONAVIR — Special Authority see SA1651 on page 115 — Reta Tab 100 mg	43.31	30 90 ml OP	✓ Norvir	
Strand Transfer Inhibitors				
DOLUTEGRAVIR – Special Authority see SA1651 on page 115 - Tab 50 mg		30	✓ Tivica	у
RALTEGRAVIR POTASSIUM – Special Authority see SA1651 o Tab 400 mg		il pharmacy 60	✓ Isentre	ess

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (< 2.0 × 10⁹) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

Inj 18 m iu, 1.2 ml multidose pen	206.71	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen	344.52	1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen	689.04	1	✓ Intron-A

PEGYLATED INTERFERON ALFA-2A - Special Authority see SA1400 on the next page - Retail pharmacy

See prescribing guideline above Inj 180 mcg prefilled syringe	500.00	4	✓ Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168	1,975.00	1 OP	✓ Pegasys RBV
Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112	1.159.84	1 OP	Combination Pack ✓ Pegasys RBV
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times	,	1.00	Combination Pack
168	1,290.00	1 OP	✓ Pegasys RBV Combination Pack

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- of the following.
- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Fither
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist.

Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive: or
 - 5.2 serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Urinary Tract Infections

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	S	ubsidised	Generic
	\$	Per	✓	Manufacturer
Anticholinesterases				
NEOCTIONAINE METHICIH FATE				
NEOSTIGMINE METILSULFATE	00.00	50		A - t7
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	•	<u>AstraZeneca</u>
PYRIDOSTIGMINE BROMIDE				
▲ Tab 60 mg	42.79	100	/	Mestinon
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM			_	
* Tab EC 25 mg		50		Diclofenac Sandoz
* Tab 50 mg dispersible	1.50	20	_	Voltaren D
* Tab EC 50 mg	1.00	50	/	Diclofenac Sandoz
* Tab long-acting 75 mg	15.20	500	•	Apo-Diclo SR
* Tab long-acting 100 mg	26.20	500	•	Apo-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a P	SO 13.20	5	1	Voltaren
* Suppos 12.5 mg	2.04	10	1	Voltaren
* Suppos 25 mg	2.44	10	1	Voltaren
* Suppos 50 mg - Up to 10 supp available on a PSO	4.22	10	1	Voltaren
* Suppos 100 mg		10	1	Voltaren
IBUPROFEN				
* Tab 200 mg	11 71	1,000	1	Relieve
• • .		30		Brufen SR
		200 ml	_	
*‡ Oral liq 20 mg per ml	2.39	200 1111	•	Fenpaed
KETOPROFEN				
* Cap long-acting 200 mg	12.07	28	/	Oruvail SR
MEFENAMIC ACID				
* Cap 250 mg	1.25	50		
·	(9.16)			Ponstan
	0.50	20		
	(5.60)	_0		Ponstan
NARROVEN	(0.00)			Tonotan
NAPROXEN	40.00	500	,	N - fl 050
* Tab 250 mg		500		Noflam 250
* Tab 500 mg		250		Noflam 500
* Tab long-acting 750 mg		28		Naprosyn SR 750
* Tab long-acting 1 g	6.53	28	•	Naprosyn SR 1000
SULINDAC				
* Tab 100 mg	8.55	50	1	Aclin
* Tab 200 mg	15.10	50	1	Aclin
TENOXICAM				
* Tab 20 mg	10.05	100	1	Tilcotil
· · · · · · · · · · · · · · · · · · ·		1	_	AFT
* Inj 20 mg vial		'		AFI
NSAIDs Other				
CELECOXIB				
Cap 100 mg	3.63	60	1	Celecoxib Pfizer
Cap 200 mg		30		Celecoxib Pfizer
			-	
MELOXICAM – Special Authority see SA1034 on the next page –	, ,	20		Aurou Molovicom
* Tab 7.5 mg	11.50	30	•	Arrow-Meloxicam

[‡] safety cap

[▲] Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy		Fully	Brand or
(M	anufacturer's Price)	Subs	idised	Generic
	\$	Per	✓	Manufacturer

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Retail		
pharmacy	25 g OP	✓ Zostrix
9.95	45 g OP	✓ Zostrix

⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

7.98	100	✓ Plaquenil
2.90	30	✓ Apo-Leflunomide
2.90	30	✓ Apo-Leflunomide
	100	✓ D-Penamine
110.12	100	✓ D-Penamine
76.87	10	✓ Myocrisin
113.17	10	✓ Myocrisin
217.23	10	✓ Myocrisin
	7.98 2.90 67.23 110.12 76.87 113.17 217.23	2.90 30 2.90 30 67.23 100 110.12 100 76.87 10 113.17 10

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or

			=
Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The not
 - 1 The patient is receiving systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
 - 2 Any of the following:
 - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note): or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
 Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

fall from a standing height or less.

d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Other Treatments

DENOSUMAB − Special Authority see SA1730 below − Retail pharmacy
Inj 60 mg prefilled syringe......326.00 1 ✓ Prolia

⇒SA1730 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 Either:
 - 2.1 The patient is female and postmenopausal; or
 - 2.2 The patient is male or non-binary; and
- 3 Any of the following:
 - 3.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
 - 3.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons; or
 - 3.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 3.4 Documented T-Score less than or equal to -3.0 (see Note); or

Subsidy (Manufacturer's Pr	rice)	Fully Subsidised	Brand or Generic	
\$	Per	1	Manufacturer	

continued...

- 3.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 3.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 4 Zoledronic acid is contraindicated because the patient's creatinine clearance is less than 35 mL/min; and
- 5 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes); and
- 6 The patient must not receive concomitant treatment with any other funded antiresorptive agent for this condition or teriparatide.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with denosumab
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body
- e) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: risedronate sodium tab 35 mg once weekly; alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy

ETIDRONATE DISODIUM - See prescribing guideline below 100 ✓ Arrow-Ftidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	5.98	1	Pamisol
Inj 6 mg per ml, 10 ml vial	15.02	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial	17.05	1	✓ Pamisol
BALOXIFENE HYDROCHLORIDE - Special Authority see SA11	38 below – Retail r	oharmacy	

✓ Evista

⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or egual to -2.5) (see Notes); or

Subsidy (Manufacturer's Price)	Sub	Fully	Brand or Generic
 ` \$	Per	✓	Manufacturer

continued...

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
 Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per Manufacturer

70I FDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see

⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or

(Manu	Subsidy	Fully	Brand or
	facturer's Price)	Subsidised	Generic
	\$ P	Per 🗸	Manufacturer

continued...

- 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
- 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).
 Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL			
* Tab 100 mg4.54	500	✓ DP-Allopurinol	
* Tab 300 mg - For allopurinol oral liquid formulation refer,			
page 22510.35	500	✓ DP-Allopurinol	

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer	
BENZBROMARONE – Special Authority see SA1537 below – R Tab 100 mg	' '	100	✓ B	enzbromaron AL	

⇒SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/home/resources-2/

COLCHICINE

* Tab 500 mcg	10.08	100	Colgout
FEBUXOSTAT - Special Authority see SA1538 below -	Retail pharmacy		-
Tab 80 mg	39.50	28	✓ Adenuric
Tab 120 mg	39.50	28	Adenuric

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or

MUSCULOSKELETAL SYSTEM				
	Subsidy Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer	
continued				
The patient has experienced intolerable side effects and serum urate remains greater than 0.36 mmol/l d maximum tolerated dose; or The patient has renal impairment such that probene remains greater than 0.36 mmol/l despite optimal tree.	espite use of probe	necid at doses of d or likely to be ir inol (see Note).	up to 2 g per day or neffective and serum urate	
Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.				
Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.				
PROBENECID * Tab 500 mg	55.00	100 ~ P	robenecid-AFT	

Muscle Relaxants		
BACLOFEN		·
* Tab 10 mg - For baclofen oral liquid formulation refer, page 2253.85	100	✓ Pacifen
Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement11.55	1	Lioresal Intrathecal
Subsidised only for use in a programmable pump in patients where oral caused intolerable side effects and the prescription is endorsed according	, ,	ents have been ineffective or have
Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement209.29 Subsidised only for use in a programmable pump in patients where oral caused intolerable side effects and the prescription is endorsed according		✓ Lioresal Intrathecal ents have been ineffective or have
DANTROLENE		
Cap 25 mg65.00	100	✓ Dantrium
· •		✓ Dantrium S29 S29
Cap 50 mg77.00	100	✓ Dantrium
ORPHENADRINE CITRATE		
Tab 100 mg	100	✓ Norflex

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Agents for Parkinsonism and Related Disorders

J			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE		_	•
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Movapo
BROMOCRIPTINE MESYLATE			
* Tab 2.5 mg	32.08	100	Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	22.00	100	Entapone
Entapone to be Sole Supply on 1 October 2018			
EVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	13.25	100	Madopar Rapid
★ Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
★ Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
Cap 200 mg with benserazide 50 mg	26.25	100	✓ Madopar 250
EVODOPA WITH CARBIDOPA			
★ Tab 100 mg with carbidopa 25 mg - For levodopa with			
carbidopa oral liquid formulation refer, page 225		100	✓ Sinemet
★ Tab long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
★ Tab 250 mg with carbidopa 25 mg	32.67	100	✓ <u>Sinemet</u>
RAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
Tab 1 mg	24.39	100	✓ Ramipex
OPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg		100	✓ Apo-Ropinirole
▲ Tab 1 mg	5.00	100	✓ Apo-Ropinirole
Tab 2 mg		100	✓ Apo-Ropinirole
Tab 5 mg	16.51	100	✓ Apo-Ropinirole
ELEGILINE HYDROCHLORIDE			
€ Tab 5 mg	22.00	100	✓ Apo-Selegiline
			S29 S29
OLCAPONE			
▲ Tab 100 mg	132.50	100	✓ <u>Tasmar</u>
Anticholinergics			
BENZATROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml	95.00	5	✓ Cogentin
	190.00	10	✓ Omega
a) Up to 10 inj available on a PSO			
b) Only on a PSO			
PROCYCLIDINE HYDROCHLORIDE			
Tab 5 mg	7.40	100	✓ Kemadrin

[‡] safety cap

[▲] Three months supply may be dispensed at one time



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

Agents for Essential Tremor, Chorea and Related Disorders

RILUZOLE - Special Authority see SA1403 below - Retail pharmacy Wastage claimable – see rule 3.3.2 on page 13

56 ✓ Rilutek

Rilutek to be Sole Supply on 1 September 2018

⇒SA1403 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs; or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or
 - 3.3 The patient is able to swallow.

TETRABENAZINE

112 ✓ Motetis

Anaesthetics

Local

LIDOCAINE [LIGNOCAINE]

30 ml ✓ Xylocaine 2% Jelly a) Up to 150 ml available on a PSO

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

10 ✓ Pfizer

a) Up to 5 each available on a PSO

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

25

✓ Catheiell

	Subsidy		Fully	Brand or
	(Manufacturer's Price		Subsidised	
	\$	Per	✓	Manufacturer
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (gel) soln 2%	38.00	200 m	✓	Mucosoothe
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓	Lidocaine-Claris
	17.50	50		
	(35.00)			Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓	Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓	Lidocaine-Claris
	12.00	5		
	(20.00)			Xylocaine
Inj 1%, 20 ml vial - Up to 5 inj available on a PSO	12.00 [°]	5	✓	Lidocaine-Claris
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓	Lidocaine-Claris
Inj 2%, 20 ml vial - Up to 5 inj available on a PSO	12.00	5	✓	Lidocaine-Claris
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –				
Subsidy by endorsement	81.50	10	1	Pfizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical	administration and th	ne pres	cription is	endorsed accordingly.

Topical Local Anaesthetics

⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDUCAINE [LIGNOCAINE] - Special Authority see SA0906 and	ve – Retali pnar	macy	
Crm 4%	5.40	5 g OP	✓ LMX4
	27.00	30 g OP	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Author	ority see SA0906	above – Reta	il pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	✓ EMLA

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 121

Non-opioid Analgesics

For aspirin & chloroform application refer Standard Formulae, page 228

ΔSPI	I A I

* Tab dispersible 300 mg - Up to 30 tab available on a PSO	3.90	100	✓ Ethics Aspirin
CAPSAICIN - Subsidy by endorsement			
Subsidised only if prescribed for post-herpetic neuralgia or diabet	ic peripheral	neuropathy ar	nd the prescription is endorsed
accordingly.			
Crm 0.075%	12.50	45 g OP	✓ Zostrix HP
NEFOPAM HYDROCHLORIDE			

90

✓ Acupan

	Fully Brand or
,	sidised Generic
Per	✓ Manufacturer
1,000	✓ Pharmacare
1,000	✓ Pharmacare
1,000 ml	✓ Paracare
1,000 ml	✓ Paracare Double
•	Strength
	· ·
10	✓ Gacet
10	✓ Gacet
50	✓ Paracare
	- Turuouro
ng frequency	
100	✓ PSM
100	✓ PSM
100	✓ PSM
	<u> </u>
00	/ DUO Continue
60	✓ <u>DHC Continus</u>
	_
10	Boucher and Muir
10	Boucher and Muir
5	✓ Fentanyl Sandoz
5	Fentanyl Sandoz
e rate of the ch	eapest form available
	- Sp set term a randoro
228	
10	✓ Methatabs
200 ml	✓ Biodone
	✓ Biodone Forte
	✓ Biodone Extra Forte
	✓ AFT
	200 ml 200 ml 200 ml 10

NERVOUS SYSTEM

Tartrate

	Subsidy (Manufacturer's Pri	aa) Cub	Fully Brand or sidised Generic
	(Manufacturer's Pri	Per Sub	✓ Manufacturer
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing f	requency		
‡ Oral lig 1 mg per ml	8.84	200 ml	✓ RA-Morph
‡ Oral lig 2 mg per ml	14.00	200 ml	✓ RA-Morph
‡ Oral lig 5 mg per ml	18.00	200 ml	✓ RA-Morph
‡ Oral liq 10 mg per ml		200 ml	✓ RA-Morph
MORPHINE SULPHATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing f	requency		
Tab immediate-release 10 mg	2.80	10	✓ Sevredol
Tab long-acting 10 mg		10	✓ Arrow-Morphine LA
Tab immediate-release 20 mg		10	✓ Sevredol
Tab long-acting 30 mg		10	✓ Arrow-Morphine LA
Tab long-acting 60 mg		10	✓ Arrow-Morphine LA
Tab long-acting 100 mg		10	✓ Arrow-Morphine LA
Cap long-acting 10 mg		10	✓ m-Eslon
Cap long-acting 30 mg		10	✓ m-Eslon
Cap long-acting 60 mg		10	✓ m-Eslon
Cap long-acting 100 mg		10	✓ m-Eslon
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a F		5	✓ DBL Morphine
,			Sulphate
Inj 10 mg per ml, 1 ml ampoule - Up to 5 inj available on a	PSO 4.47	5	✓ DBL Morphine
,g p, ap		•	Sulphate
Inj 15 mg per ml, 1 ml ampoule - Up to 5 inj available on a	PSO 4.76	5	✓ DBL Morphine
ing to mg por mi, i mi amposito — op to o mg available on a		Ü	Sulphate
Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available on a	PSO 6 10	5	✓ DBL Morphine
ing of mg per mi, i mi ampodie op to 5 mj available on a	1 000.13	3	Sulphate
MODDI IINE TARTRATE			<u>ouipiiato</u>
MORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing f		_	4 DD1 14 11
Inj 80 mg per ml, 1.5 ml ampoule	42.72	5	✓ <u>DBL Morphine</u>

		Subsidy (Manufacturer's Price) :	Fully Brand or Subsidised Generic
		\$	Per	✓ Manufacturer
YXC	CODONE HYDROCHLORIDE			
	a) Only on a controlled drug form			
	b) No patient co-payment payable			
	c) Safety medicine; prescriber may determine dispensing f	requency		
	Tab controlled-release 5 mg	2.63	20	✓ BNM
	Tab controlled-release 10 mg	2.76	20	✓ BNM
	Tab controlled-release 20 mg	4.72	20	✓ BNM
	Tab controlled-release 40 mg	7.69	20	✓ BNM
	Tab controlled-release 80 mg	14.11	20	✓ BNM
	Cap immediate-release 5 mg	1.88	20	OxyNorm
	OxyNorm to be Sole Supply on 1 October 2018			•
	Cap immediate-release 10 mg	3.32	20	✓ OxyNorm
	OxyNorm to be Sole Supply on 1 October 2018			•
	Cap immediate-release 20 mg	5.81	20	✓ OxyNorm
	OxyNorm to be Sole Supply on 1 October 2018			,
‡	Oral lig 5 mg per 5 ml	11.20	250 ml	✓ OxyNorm
	Inj 10 mg per ml, 1 ml ampoule		5	✓ OxyNorm
	OxyNorm to be Sole Supply on 1 October 2018		•	,
	Inj 10 mg per ml, 2 ml ampoule	14.36	5	✓ OxyNorm
	OxyNorm to be Sole Supply on 1 October 2018		·	
	Inj 50 mg per ml, 1 ml ampoule	30.60	5	✓ OxyNorm
	OxyNorm to be Sole Supply on 1 October 2018			<i>-n</i> ,
*	ACETAMOL WITH CODEINE – Safety medicine; prescribe Tab paracetamol 500 mg with codeine phosphate 8 mg		1,000	
	HIDINE HYDROCHLORIDE			
	a) Only on a controlled drug form			
	a) Only on a controlled drug form b) No patient co-payment payable			
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f			
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg		10	✓ PSM
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg PSM to be Sole Supply on 1 October 2018	4.46		-
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	4.46	10 5	✓ DBL Pethidine
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg PSM to be Sole Supply on 1 October 2018	4.46		✓ <u>DBL Pethidine</u> <u>Hydrochloride</u>
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg PSM to be Sole Supply on 1 October 2018	PSO4.98		✓ DBL Pethidine
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mgPSM to be Sole Supply on 1 October 2018 Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on a	PSO4.98	5	✓ <u>DBL Pethidine</u> <u>Hydrochloride</u>
	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mgPSM to be Sole Supply on 1 October 2018 Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on a	PSO4.98	5	✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>DBL Pethidine</u>
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	PSO5.12	5	✓ <u>DBL Pethidine</u> <u>Hydrochloride</u> ✓ <u>DBL Pethidine</u> <u>Hydrochloride</u>
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	PSO5.12	5	✓ <u>DBL Pethidine</u> <u>Hydrochloride</u> ✓ <u>DBL Pethidine</u> <u>Hydrochloride</u> ✓ <u>Tramal SR 100</u>
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	PSO5.12 	5 5 20 20	✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>Tramal SR 100</u> ✓ <u>Tramal SR 150</u>
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	4.46 PSO4.98 PSO5.121.552.102.75	5 5 20	✓ <u>DBL Pethidine</u> <u>Hydrochloride</u> ✓ <u>DBL Pethidine</u> <u>Hydrochloride</u> ✓ <u>Tramal SR 100</u>
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	4.46 PSO4.98 PSO5.121.552.102.75 ttion	5 5 20 20 20	✓ DBL Pethidine Hydrochloride ✓ DBL Pethidine Hydrochloride ✓ Tramal SR 100 ✓ Tramal SR 150 ✓ Tramal SR 200
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	4.46 PSO4.98 PSO5.121.552.102.75 ttion	5 5 20 20	✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>Tramal SR 100</u> ✓ <u>Tramal SR 150</u>
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	4.46 PSO4.98 PSO5.121.552.102.75 ttion	5 5 20 20 20	✓ DBL Pethidine Hydrochloride ✓ DBL Pethidine Hydrochloride ✓ Tramal SR 100 ✓ Tramal SR 150 ✓ Tramal SR 200
TRA	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	4.46 PSO4.98 PSO5.121.552.102.75 ttion	5 5 20 20 20	✓ DBL Pethidine Hydrochloride ✓ DBL Pethidine Hydrochloride ✓ Tramal SR 100 ✓ Tramal SR 150 ✓ Tramal SR 200
TRA Ar Cy	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg	4.46 PSO4.98 PSO5.121.552.102.75 .ttion2.25	5 5 20 20 20 20	✓ DBL Pethidine Hydrochloride ✓ DBL Pethidine Hydrochloride ✓ Tramal SR 100 ✓ Tramal SR 150 ✓ Tramal SR 200
Ar Cy AMI	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg		5 5 20 20 20 100	✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>Tramal SR 100</u> ✓ <u>Tramal SR 150</u> ✓ <u>Tramal SR 200</u> ✓ <u>Arrow-Tramadol</u>
Ar Cy AMI	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg		5 5 20 20 20 100	✓ DBL Pethidine Hydrochloride ✓ DBL Pethidine Hydrochloride ✓ Tramal SR 100 ✓ Tramal SR 150 ✓ Tramal SR 200 ✓ Arrow-Tramadol
Ar Cy AMI	a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f Tab 50 mg		5 5 20 20 20 100	✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>DBL Pethidine</u> Hydrochloride ✓ <u>Tramal SR 100</u> ✓ <u>Tramal SR 150</u> ✓ <u>Tramal SR 200</u> ✓ <u>Arrow-Tramadol</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescr	iber may determine d	ispens	sing frequ	ency
Tab 10 mg Tab 25 mg	12.60	100 100	1	Apo-Clomipramine Apo-Clomipramine
DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE - Safety medicii		etermir		•
Tab 75 mg		100		Dopress
Cap 25 mg	6.45	100	1	Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine; prescriber ma	y determine dispensi	ng fred		
Cap 10 mg	6.30	100		Anten
Cap 25 mg		100		Anten
Cap 50 mg	8.55	100	/	Anten
IMIPRAMINE HYDROCHLORIDE - Safety medicine; prescriber	may determine dispe	nsing	frequency	/
Tab 10 mg	5.48	50	/	Tofranil
	6.58	60		Tofranil s29 S29
	10.96	100		Tofranil
Tab 25 mg	8.80	50	•	Tofranil
MAPROTILINE HYDROCHLORIDE - Safety medicine; prescribe	,		•	,
Tab 25 mg		30		Ludiomil
	12.53	50		Ludiomil
Tob 75 mg	25.06	100		Ludiomil Ludiomil
Tab 75 mg	21.01	20 30		Ludiomil
NORTHER VILLE LIVEROCUL ORDE Cofety modification				
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; presc Tab 10 mg	•	ıspen 100		Norpress
Tab 10 flig		180		Norpress
		100	•	Norpress
Monoamine-Oxidase Inhibitors (MAOIs) - Non S	elective			
PHENELZINE SULPHATE				
* Tab 15 mg	95.00	100	1	Nardil
TRANYLCYPROMINE SULPHATE				
* Tab 10 mg	22.94	50	1	Parnate
Monoamine-Oxidase Type A Inhibitors				
••				
MOCLOBEMIDE				
* Tab 150 mg		500		Apo-Moclobemide
* Tab 300 mg	30.70	100	•	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	1.52	84	1	PSM Citalopram
PSM Citalopram to be Sole Supply on 1 October 2018	-	-		p -
ESCITALOPRAM				
* Tab 10 mg	1.11	28	1	Escitalopram-
•		-		Apotex
			_	
* Tab 20 mg	1.90	28	/	Escitalopram-
				<u>Apotex</u>

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised •	
	\$	Per		Manufacturer
FLUOXETINE HYDROCHLORIDE			_	
* Tab dispersible 20 mg, scored – Subsidy by endorsement	2.47	30	•	Arrow-Fluoxetine
Subsidised by endorsement				
When prescribed for a patient who cannot swallow	whole tablets or caps	ules a	nd the pi	rescription is endorsed
accordingly; or 2) When prescribed in a daily dose that is not a multip	nle of 20 mg in which	t aser	na nrasci	rintion is deemed to be
endorsed. Note: Tablets should be combined with				
	. Jupouio to tuomitato			,g acces.
* Cap 20 mg	1.99	90	1	Arrow-Fluoxetine
PAROXETINE				
* Tab 20 mg	4.02	90	1	Apo-Paroxetine
SERTRALINE				<u> </u>
* Tab 50 mg	3.05	90	1	Arrow-Sertraline
* Tab 100 mg		90		Arrow-Sertraline
J				
Other Antidepressants				
MIRTAZAPINE				
Tab 30 mg	2.55	30	1	Apo-Mirtazapine
Tab 45 mg		30		Apo-Mirtazapine Apo-Mirtazapine
VENLAFAXINE		00	_	The militarapine
* Cap 37.5 mg	6 38	84	1	Enlafax XR
* Cap 75 mg		84		Enlafax XR
* Cap 150 mg		84		Enlafax XR
Antiepilepsy Drugs				
Agents for Control of Status Epilepticus				
CLONAZEPAM - Safety medicine; prescriber may determine dis	spensing frequency			
Inj 1 mg per ml, 1 ml		5	1	Rivotril
DIAZEPAM - Safety medicine; prescriber may determine disper				
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement		5	1	Hospira
a) Up to 5 inj available on a PSO				•
b) Only on a PSO				
 c) PSO must be endorsed "not for anaesthetic procedu 				
Rectal tubes 5 mg - Up to 5 tube available on a PSO		5		Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO	40.87	5	/	Stesolid
PARALDEHYDE				
* Inj 5 ml	1,500.00	5	✓	AFT S29
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a F	PSO 88.63	5	✓	Hospira
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a				
PSO	133.92	5	✓	Hospira

	Subsidy (Manufacturer's Price \$) Sub	Fully sidised	Brand or Generic Manufacturer
Control of Epilepsy	Ψ	1 01	-	Wandactarer
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	1	Tegretol .
* Tab long-acting 200 mg.		100		Tegretol CR
* Tab 400 mg		100		Tegretol
* Tab long-acting 400 mg.		100		Tegretol CR
*‡ Oral liq 20 mg per ml		250 ml		Tegretol
CLOBAZAM - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 10 mg	9.12	50	✓ F	Frisium
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
CLONAZEPAM - Safety medicine; prescriber may determine dis	spensing frequency			
Oral drops 2.5 mg per ml	7.38 1	0 ml OP	✓ [Rivotril
ETHOSUXIMIDE				
Cap 250 mg	16.45	100	1	Zarontin
	32.90	200	1	Zarontin
‡ Oral liq 250 mg per 5 ml	13.60	200 ml	1	Zarontin
GABAPENTIN				
Note: Not subsidised in combination with subsidised pregab	alin			
▲ Cap 100 mg - Note differing brand requirements below		100	1	Apo-Gabapentin
	7.16			Arrow-Gabapentin
			1	Neurontin .
			√ 1	Nupentin
 a) Nupentin brand: Special Authority see SA1477 belo b) Arrow-Gabapentin brand: Special Authority see SA1 c) Neurontin brand: Special Authority see SA1477 belo 	477 below – Retail pow – Retail pharmac	oharmacy		
▲ Cap 300 mg – Note differing brand requirements below – Fo				
gabapentin oral liquid formulation refer, page 225		100		Apo-Gabapentin
	11.00			Arrow-Gabapentin
				Neurontin
a) Nupentin brand: Special Authority see SA1477 belov	u Dotail pharmacu		• 1	Nupentin
b) Arrow-Gabapentin brand: Special Authority see SA1				
c) Neurontin brand: Special Authority see SA1477 belo				
▲ Cap 400 mg − Note differing brand requirements below		100	1	Apo-Gabapentin
Cup 400 mg Note amoning brand requirements below	13.75	100		Arrow-Gabapentin
	10.70			Neurontin
				Nupentin
 a) Nupentin brand: Special Authority see SA1477 belo b) Arrow-Gabapentin brand: Special Authority see SA1 c) Neurontin brand: Special Authority see SA1477 belo 	477 below - Retail	oharmacy		•

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
` c ′	Por 🗸	Manufacturer

continued...

other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Either:

- 1 The patient has been diagnosed with neuropathic pain; or
- 2 Both:
 - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
 - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

I ACOSAMIDE	Snecial	Authority see	SA1125 I	helow –	Retail nharmacy

	Tab 50 mg		14	✓ Vimpat
lack	Tab 100 mg	50.06	14	Vimpat
		200.24	56	Vimpat
\blacktriangle	Tab 150 mg	75.10	14	Vimpat
		300.40	56	Vimpat
\blacktriangle	Tab 200 mg	400.55	56	✓ Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's F	Prica) (Fully Subsidised	
	(Wallulacturer 3 i	Per		Manufacturer
MOTRIGINE				
Tab dispersible 2 mg	6.74	30	1	Lamictal
Tab dispersible 5 mg		30		Lamictal
3	15.00	56	/	Arrow-Lamotrigine
Tab dispersible 25 mg	19.38	56		Logem
	20.40			Arrow-Lamotrigine
	29.09			Lamictal
Tab dispersible 50 mg		56	_	Logem
	34.70			Arrow-Lamotrigine
	47.89		_	Lamictal
Tab dispersible 100 mg		56		Logem
Tab diopoloible 100 mg	59.90	00		Arrow-Lamotrigine
	79.16			Lamictal
VETIDACETAM	75.10		•	Lamotai
VETIRACETAM Tab 250 mg	34.03	60	1	Everet
Tab 500 mg		60		Everet
· ·				Everet
Tab 750 mg		60		
Tab 1,000 mg		60		Everet
Oral liq 100 mg per ml	44./8	300 ml C)P 🗸	Levetiracetam-AF
ENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formula	e, page 228			
Tab 15 mg	30.00	500	✓	PSM
Tab 30 mg	31.00	500	✓	PSM
ENYTOIN SODIUM				
Tab 50 mg	50.51	200	1	Dilantin Infatab
Cap 30 mg		200		Dilantin
Cap 100 mg		200		Dilantin
Foral liq 30 mg per 5 ml		500 ml		Dilantin
	22.00	000 1111	•	Dilaitiii
EGABALIN	achanantin			
Note: Not subsidised in combination with subsidised of	•	EC	./	Dranchalin Oficer
Cap 25 mg		56 50	_	Pregabalin Pfizer
Cap 75 mg		56		Pregabalin Pfizer
Cap 150 mg		56		Pregabalin Pfizer
Cap 300 mg		56	•	Pregabalin Pfizer
IMIDONE				
Tab 250 mg	17.25	100	✓	Apo-Primidone
DIUM VALPROATE				
Tab 100 mg	13.65	100	1	Epilim Crushable
Tab 200 mg EC		100		Epilim
Tab 500 mg EC		100		Epilim
F Oral lig 200 mg per 5 ml		300 ml		Epilim S/F Liquid
- Oral ing 200 mg por 5 mil	20.40	500 1111		Epilim Syrup
	41.50	1		Epilim IV
Ini 100 ma ner ml 4 ml			•	-PIIIII IV
				•
		acy		•
Inj 100 mg per ml, 4 ml IRIPENTOL – Special Authority see SA1330 on the ne: Cap 250 mg	xt page – Retail pharm	acy 60	/	Diacomit S29



Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	lised	Generic
\$	Per	/	Manufacturer

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

lack	Tab 25 mg	11.07	60	✓ Arrow-Topiramate
	Ç			✓ Topiramate Actavis
		26.04		✓ Topamax
\blacktriangle	Tab 50 mg	18.81	60	✓ Arrow-Topiramate
	-			✓ Topiramate Actavis
		44.26		✓ Topamax
\blacktriangle	Tab 100 mg	31.99	60	✓ Arrow-Topiramate
ŭ	•			✓ Topiramate Actavis
		75.25		✓ Topamax
\blacktriangle	Tab 200 mg	55.19	60	✓ Arrow-Topiramate
	· ·			✓ Topiramate Actavis
		129.85		✓ Topamax
\blacktriangle	Sprinkle cap 15 mg	20.84	60	✓ Topamax
	<u> </u>		60	✓ Topamax
VIG	ABATRIN - Special Authority see SA1072 below - R	etail pharmacy		
A	Tab 500 mg	119.30	100	✓ Sabril

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Fither:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. **Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

continued...

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 121

Acute	Migra	ine Tı	reatment
-------	-------	--------	----------

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
			✓ Cafergot S29 S29
RIZATRIPTAN			
Tab orodispersible 10 mg	5.26	30	✓ <u>Rizamelt</u>
SUMATRIPTAN			
Tab 50 mg	24.44	100	✓ Apo-Sumatriptan
Tab 100 mg	46.23	100	✓ Apo-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen - Maximum of 10 inj per			
prescription	42.67	2 OP	✓ Clustran
			✓ Sun Pharma S29

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 60

PIZOTIFEN

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 22

APREPITANT – Special Authority see SA0987 below – Retail pharmacy				
Cap 2 × 80 mg and 1 × 125 mg	84.00	3 OP	✓ Emend Tri-Pack	
Emend Tri-Pack to be Sole Supply on 1 August 2018				
Cap 40 mg	71.43	5 OP	✓ Emend	
, ,				

(Emend Cap 40 mg to be delisted 1 August 2018)

⇒SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE

★ Tab 16 mg2.89 84 ✓ <u>Vergo 16</u>

NERVOUS SYSTEM

	Subsidy (Manufactured Price)		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.59	20	1	Nauzene
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	1	Nausicalm
DOMPERIDONE				
* Tab 10 mg - For domperidone oral liquid formulation refer,				
page 225	3.20	100	1	Prokinex
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml ampoule	46.50	5	✓	Hospira
	93.00	10	✓	Martindale \$29
Patch 1.5 mg - Special Authority see SA1387 below - Retai	I			
pharmacy	11.95	2	/	Scopoderm TTS

⇒SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE

*	Tab 10 mg - For metoclopramide hydrochloride oral liquid			_
	formulation refer, page 225	1.30	100	✓ <u>Metoclopramide</u>
				Actavis 10
*	Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO.	4.50	10	✓ Pfizer
ON	DANSETRON			
*	Tab 4 mg	3.36	50	✓ Apo-Ondansetron
*	Tab disp 4 mg		10	✓ Ondansetron
				ODT-ORLA
*	Tab 8 mg	4.77	50	✓ Apo-Ondansetron
*	Tab disp 8 mg		10	✓ Ondansetron
	, -			ODT-DRLA
PR	OCHLORPERAZINE			
*	Tab 3 mg buccal	5.97	50	
		(15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	` '	250	✓ Nausafix
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO		10	✓ Stemetil
PR	OMETHAZINE THEOCLATE			
*		1.20	10	
*	Tab 25 mg		10	According
		(5.59)		Avomine

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	/	Manufacturer

Antipsychotics

General

AMISULPRIDE - Safety medicine; prescriber may determine disper	nsing frequency		
Tab 100 mg	4.56	30	✓ Sulprix
Tab 200 mg	14.75	60	✓ Sulprix
Tab 400 mg	27.70	60	✓ Sulprix
Oral liq 100 mg per ml	65.53	60 ml	✓ Solian
ARIPIPRAZOLE - Safety medicine; prescriber may determine dispe	ensing frequency	٧	
Tab 5 mg		30	Aripiprazole Sandoz
Tablet 5 mg - Special Authority (Abilify brand only) see			
SA1539 below – Retail pharmacy – No more than 1 tab			
per day	123.54	30	✓ Abilify
Tab 10 mg - Special Authority (Abilify brand only) see SA1539			
below - Retail pharmacy	17.50	30	Aripiprazole Sandoz
	123.54		✓ Abilify
Tab 15 mg - Special Authority (Abilify brand only) see SA1539			
below - Retail pharmacy	17.50	30	Aripiprazole Sandoz
	175.28		✓ Abilify
Tab 20 mg - Special Authority (Abilify brand only) see SA1539			
below - Retail pharmacy	17.50	30	Aripiprazole Sandoz
	213.42		✓ Abilify
Tab 30 mg - Special Authority (Abilify brand only) see SA1539			
below - Retail pharmacy	17.50	30	Aripiprazole Sandoz
	260.07		✓ Abilify

⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Fither:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

145

	Subsidy		Fully	
	(Manufacturer's Price)		Subsidised	
	\$	Per		Manufacturer
CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; p	rescriber may determ	ine dis	pensing fr	equency
Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	1	Largactil
Tab 25 mg - Up to 30 tab available on a PSO	13.02	100	1	Largactil
Tab 100 mg - Up to 30 tab available on a PSO	30.61	100	1	Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓	Largactil
CLOZAPINE - Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing frequency	uencv			
Tab 25 mg	•	50	✓	Clozaril
· ·	6.69		1	Clopine
	11.36	100	1	Clozaril
	13.37		1	Clopine
Tab 50 mg	8.67	50		Clopine
•	17.33	100	1	Clopine
Tab 100 mg	14.73	50	✓	Clozaril
	17.33		✓	Clopine
	29.45	100	✓	Clozaril
	34.65		1	Clopine
Tab 200 mg	34.65	50	1	Clopine
	69.30	100	1	Clopine
Suspension 50 mg per ml	17.33	100 m	ıl 🗸	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine of	lispensing frequency			
Tab 500 mcg - Up to 30 tab available on a PSO		100	1	Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO		100		Serenace
Tab 5 mg - Up to 30 tab available on a PSO		100		Serenace
Oral lig 2 mg per ml - Up to 200 ml available on a PSO		100 m	ıl 🗸	Serenace
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a F		10	1	Serenace
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine;	nrescriber may deter	nina d	lienaneina	frequency
Inj 25 mg per ml, 1 ml ampoule		10		Wockhardt
, , , , , , , , , , , , , , , , , , , ,				
LEVOMEPROMAZINE MALEATE – Safety medicine; prescribe Tab 25 mg	,	ensing 100		/ Nozinan
Tab 100 mg		100		Nozinan
· ·				NOZIIIaii
LITHIUM CARBONATE – Safety medicine; prescriber may dete				
Tab 250 mg		500		Lithicarb FC
Tab 400 mg		100		Lithicarb FC
Tab long-acting 400 mg		100		Priadel
Cap 250 mg		100	•	Douglas
OLANZAPINE - Safety medicine; prescriber may determine dis				
Tab 2.5 mg		28		Zypine
Tab 5 mg		28		Zypine
Tab orodispersible 5 mg		28		Zypine ODT
Tab 10 mg		28		Zypine
Tab orodispersible 10 mg	2.05	28	•	Zypine ODT
PERICYAZINE - Safety medicine; prescriber may determine di	spensing frequency			
Tab 2.5 mg	10.49	84	1	Neulactil S29 S29
J	12.49	100		Neulactil
Tab 10 mg	37.34	84	1	Neulactil S29 S29
	44.45	100		Neulactil

	Subsidy		Fully	
	(Manufacturer's Price)		Subsidised	
	\$	Per		Manufacturer
UETIAPINE - Safety medicine; prescriber may determine of	dispensing frequency			
Tab 25 mg	1.79	90	1	Quetapel
Tab 100 mg	3.45	90	/	Quetapel
Tab 200 mg	5.75	90	✓	Quetapel
Tab 300 mg	9.60	90	1	Quetapel
RISPERIDONE - Safety medicine; prescriber may determine	e dispensing frequency			
Tab 0.5 mg	1.86	60	✓	<u>Actavis</u>
Tab 1 mg	2.06	60	/	Actavis
Tab 2 mg	2.29	60	1	Actavis
Tab 3 mg	2.50	60	/	Actavis
Tab 4 mg	3.43	60	/	Actavis
Oral liq 1 mg per ml	7.66	30 ml	1	Risperon
ZIPRASIDONE - Safety medicine; prescriber may determine	dispensing frequency			
Cap 20 mg		60	/	Zusdone
	14.56		/	Zeldox
Zusdone to be Sole Supply on 1 October 2018				
Cap 40 mg	24.70	60	/	Zusdone
Zusdone to be Sole Supply on 1 October 2018				
Cap 60 mg	33.80	60	1	Zusdone
Zusdone to be Sole Supply on 1 October 2018				
Cap 80 mg	39.70	60	1	Zusdone
Zusdone to be Sole Supply on 1 October 2018				
ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine;	nrescriber may determin	a dien	ancina fra	allenev
Tab 10 mg		100	-	Clopixol
Tab 10 mg	31.43	100	•	Ciopixoi
Depot Injections				
Depot injections				
FLUPENTHIXOL DECANOATE - Safety medicine; prescribe	er may determine dispen	sing fre	equency	
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO		5		Fluanxol
ing 20 mg per mi, i mi op to 3 mg available on a 1 00	10.14	J	•	i iuuiixoi

FLUPENTHIXOL DECANOATE - Safety medicine; prescriber m	ay determine disp	ensing freq	uency
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO	13.14	5	✓ Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO	20.90	5	✓ Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	40.87	5	✓ Fluanxol
HALOPERIDOL DECANOATE - Safety medicine; prescriber ma	y determine dispe	ensing frequ	ency
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39	5	✓ Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	55.90	5	 Haldol Concentrate
, , ,			✓ Haldol
			Decanoas \$29
OLANZAPINE - Special Authority see SA1428 below - Retail ph	armacy		
Safety medicine; prescriber may determine dispensing frequency	ency		
Inj 210 mg vial	280.00	1	✓ Zyprexa Relprevv
Inj 300 mg vial	460.00	1	✓ Zyprexa Relprevv
Inj 405 mg vial	560.00	1	✓ Zyprexa Relprevv

⇒SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and



	Subsidy Fully (Manufacturer's Price) Subsidised		r
(Manufact		sed Generic	
	\$ Per	 Manufac 	turer

continued...

2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency ✓ Invega Sustenna ✓ Invega Sustenna Inj 75 mg syringe357.42 ✓ Invega Sustenna ✓ Invega Sustenna Inj 100 mg syringe435.12 ✓ Invega Sustenna

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Ini 50 mg per ml. 1 ml - Up to 5 ini available on a PSO......178.48 ✓ Piportil ✓ Piportil 10

(Piportil Inj 50 mg per ml, 1 ml to be delisted 1 June 2019) (Piportil Ini 50 ma per ml. 2 ml to be delisted 1 June 2019)

RISPERIDONE - Special Authority see SA1427 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency ✓ Risperdal Consta ✓ Risperdal Consta ✓ Risperdal Consta Inj 50 mg vial217.56

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Δ	nx	0	νt	ics

BUSPIRONE HYDROCHLORIDE			
* Tab 5 mg	20.23	100	✓ Orion
Orion to be Sole Supply on 1 October 2018			
* Tab 10 mg	13.16	100	✓ Orion
Orion to be Sole Supply on 1 October 2018			
CLONAZEPAM - Safety medicine; prescriber may determine dispe	ensing frequency		
Tab 500 mcg	5.64	100	✓ Paxam
Tab 2 mg	10.78	100	✓ Paxam
DIAZEPAM - Safety medicine; prescriber may determine dispensir	g frequency		
Tab 2 mg		500	✓ Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid p	•		
Tab 5 mg		500	✓ Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid p	oreparations.		
LORAZEPAM – Safety medicine; prescriber may determine dispen			
Tab 1 mg		250	✓ Ativan
a)‡ Safety cap for extemporaneously compounded oral liqu	iid preparations.		
b) Ativan to be Sole Supply on 1 October 2018	10.50	400	4 4 11
Tab 2.5 mg		100	✓ Ativan
a)‡ Safety cap for extemporaneously compounded oral liqu	lid preparations.		
b) Ativan to be Sole Supply on 1 October 2018			
OXAZEPAM – Safety medicine; prescriber may determine dispensi			
Tab 10 mg		100	✓ <u>Ox-Pam</u>
‡ Safety cap for extemporaneously compounded oral liquid p	•	100	/ Ou Daw
Tab 15 mg		100	✓ <u>Ox-Pam</u>
‡ Safety cap for extemporaneously compounded oral liquid p	neparations.		

Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SAT	559 on the next page – Retail	pnarmacy	
Wastage claimable – see rule 3.3.2 on page 13			
Cap 120 mg	520.00	14	✓ Tecfidera
Cap 240 mg	2.000.00	56	✓ Tecfidera



Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
of the following EDDSS points:

Subsidy (Manufacturer's Price) \$

Subsidised Per

Fully

Brand or Generic Manufacturer

continued...

- a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

Cap 0.5 mg.......2,650.00 28 **✓ Gilenya**

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (helow).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and



	Subsidy	Fully	Brand or
(Manu	facturer's Price)	Subsidised	Generic
	\$ Pe	er 🗸	Manufacturer

continued...

- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

✓ Tvsabri

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Subsidy (Manufacturer's Price) \$

Subsidised Per

Fully

Brand or Generic Manufacturer

continued...

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- 9) a) Patient is JC virus negative, or
 - Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
 of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or

Brand or Generic Manufacturer

continued...

b) 1.0 to 3.0; or

c) 1.5 to 3.5; or

d) 2.0 to 4.0; or

e) 2.5 to 4.5: or

f) 3.0 to 4.5; or

g) 3.5 to 4.5; or

h) 4.0 to 4.5.

- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or

Subsidy		Fully	Drand or	_
Subsidy		. ,	Brand or	
(Manufacturer's Price)	Subsi	dised	Generic	
\$	Per	✓	Manufacturer	

continued...

- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide: or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC), Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the
 past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

Subsi	sidy Fu	illy Brand or	
(Manufacture	er's Price) Subsidis	ed Generic	
\$	Per	 Manufacture 	r

continued...

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5: or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's linterferon beta-1-beta or interferon beta-1-alphal to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564 (on page 155 – [Xpharm	1]	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	1564 on page 155 – [X ₁	oharm]	
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector		4	Avonex Pen
INTERFERON BETA-1-BETA - Special Authority see SA15	564 on page 155 – [Xph	narm]	
Inj 8 million iu per 1 ml	1,322.89	15	✓ Betaferon

Sedatives and Hypnotics

LORMETAZEPAM - Safety medicine; prescriber may deterr	nine dispensing frequer	псу	
Tab 1 mg	3.11	30	
•	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
(Noctamid Tab 1 mg to be delisted 1 December 2018)			
MELATONIN - Special Authority see SA1666 below - Retai	l pharmacy		
Tab modified-release 2 mg - No more than 5 tab per da	v28.22	30	✓ Circadin

⇒SA1666 Special Authority for Subsidy

Initial application only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for



Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
	Per	✓	Manufacturer	

continued...

applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged 18 years or under*.

Renewal only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is aged 18 years or under*: and
- 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
- 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
- 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with * are Unapproved Indications.

MIDAZOLAM – Safety medicine; prescriber may determine dispen	sing frequency		
Inj 1 mg per ml, 5 ml ampoule	4.30	10	✓ Midazolam-Claris
Inj 1 mg per ml, 5 ml plastic ampoule - Up to 10 inj available			
on a PSO	14.90	10	✓ Pfizer
On a PSO for status epilepticus use only. PSO must be el	ndorsed for stat	us epilepticu	is use only.
Inj 5 mg per ml, 3 ml ampoule	2.50	5	✓ Midazolam-Claris
Inj 5 mg per ml, 3 ml plastic ampoule - Up to 5 inj available of	n		
a PSO		5	✓ Pfizer
On a PSO for status epilepticus use only. PSO must be el	ndorsed for stat	us epilepticu	ıs use only.
NITRAZEPAM - Safety medicine; prescriber may determine dispe	nsing frequency	,	
Tab 5 mg	5.22	100	✓ Nitrados
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
PHENOBARBITONE SODIUM - Special Authority see SA1386 be	low – Retail pha	armacy	
Inj 200 mg per ml, 1 ml ampoule	46.20	10	✓ Martindale S29
⇒SA1386 Special Authority for Subsidy			

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

TEMAZEPAM – Safety medicine; prescriber may determine Tab 10 mg	1.27	25	✓ <u>Normison</u>
TRIAZOLAM - Safety medicine; prescriber may determine d	ispensing frequency		
Tab 125 mcg	5.10	100	
•	(9.85)		Hypam
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
Tab 250 mcg	4.10	100	
•	(11.20)		Hypam
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		- '

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	✓	Manufacturer
ZOPICLONE - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 7.5 mg	8.99	500	✓ :	Zopiclone Actavis
Stimulants/ADHD Treatments				
ATOMOVETINE Special Authority and SA1416 holey. Betail	aharmaay			
ATOMOXETINE – Special Authority see SA1416 below – Retail	•			.
Cap 10 mg	107.03	28	✓ ;	Strattera
Cap 18 mg	107.03	28	✓ 9	Strattera
Cap 25 mg	107.03	28	✓ 9	Strattera
Cap 40 mg	107.03	28	✓ 9	Strattera
Cap 60 mg	107.03	28	✓ ;	Strattera
Cap 80 mg	139.11	28	√ ;	Strattera

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or

28

✓ Strattera

- 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
- 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
- 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg17.00 100 ✓ PSM

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the



 Subsidy Manufacturer's Price)	٤	Fully Subsidised	Brand or Generic
 \$	Per	1	Manufacturer

continued...

last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form

requency		
3.20	30	Rubifen
3.00	30	✓ Ritalin
		Rubifen
7.85	30	Rubifen
10.95	30	Rubifen SR
50.00	100	Ritalin SR
	3.20 3.00 7.85 10.95	3.20 30 3.00 30 7.85 30 10.95 30

⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the

Subsidy	Subsid	-ully	Brand or
(Manufacturer's Price)		ised	Generic
\$	Per	1	Manufacturer

continued...

patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency Tab extended-release 18 mg......58.96 Tab extended-release 27 mg......65.44

Tab extended-release 36 mg......71.93

Tab extended-release 54 mg......86.24

30 ✓ Concerta ✓ Concerta 30 30 ✓ Concerta ✓ Ritalin LA 30

✓ Concerta

30

✓ Ritalin LA 30 Cap modified-release 30 mg25.52 30 ✓ Ritalin LA Cap modified-release 40 mg30.60 ✓ Ritalin LA

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Fither:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 on the next page - Retail pharmacy 30 ✓ Modavigil

	,	ully Brand or	
(Manufact	turer's Price) Subsidi	sed Generic	
	\$ Per	 Manufac 	turer

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

(
<u> </u>
X

⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- h) Safety medicine: prescriber may determine dispensing frequency

		dispensing nequency	b) Salety medicine, prescriber may determine disp
Suboxone	28	57.40	Tab sublingual 2 mg with naloxone 0.5 mg
✓ Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

1 Patient is opioid dependent; and

Subsidy (Manufacturer's Pric	ce)	Fully Subsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

continued...

- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Tab modified-release 150 mg	11.00	30	✓ Zyban
DISULFIRAM Tab 200 mg	44.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority	see SA1408 below - Retai	pharmacy	
Tab 50 mg	112.55	30	✓ Naltraccord

⇒SA1408 Special Authority for Subsidy

BLIDDODIONI HADDOCHI ODIDE

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.



	Subsidy	Full	/ Brand or
(Manu	ufacturer's Price)	Subsidise	d Generic
	\$ F	Per 🗸	Manufacturer

continued...

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

- a) Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.
- b) Note: may be provided by a pharmacist under the non-prescribing Practitioners provisions in Part III of Section A.

b) Note: may be provided by a pharmacist under the non-prescribing Pra	actitioners provisions in Part III of
Patch 7 mg - Up to 28 patch available on a PSO16.00	28 Habitro
Patch 7 mg for direct distribution only - [Xpharm]3.94	7 ✓ Habitro
Patch 14 mg - Up to 28 patch available on a PSO17.59	28 Habitro
Patch 14 mg for direct distribution only - [Xpharm]4.52	7 ✓ Habitro
Patch 21 mg - Up to 28 patch available on a PSO20.16	28 Habitro
Patch 21 mg for direct distribution only - [Xpharm]5.18	7 ✓ Habitro
Lozenge 1 mg - Up to 216 loz available on a PSO16.61	216 Habitro
Lozenge 1 mg for direct distribution only - [Xpharm]3.20	36 ✓ Habitro
Lozenge 2 mg - Up to 216 loz available on a PSO18.20	216 Habitro
Lozenge 2 mg for direct distribution only - [Xpharm]	36 ✓ Habitro l
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO33.69	384 ✓ Habitro l
Gum 2 mg (Fruit) for direct distribution only - [Xpharm]8.64	96 ✓ <u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO33.69	384 ✓ Habitro l
Gum 2 mg (Mint) for direct distribution only - [Xpharm]8.64	96 ✓ Habitro l
Gum 4 mg (Fruit) – Up to 384 piece available on a PSO38.95	384 ✓ Habitro l
Gum 4 mg (Fruit) for direct distribution only - [Xpharm]10.01	96 Habitro
Gum 4 mg (Mint) - Up to 384 piece available on a PSO38.95	384 ✓ Habitro l
Gum 4 mg (Mint) for direct distribution only - [Xpharm]10.01	96 ✓ <u>Habitrol</u>

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

✓ Champix	28	Tab 1 mg67.74
✓ Champix	56	135.48
✓ Champix	25 OP	Tab 0.5 mg × 11 and 1 mg × 14

⇒SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer	
Ψ	1 01		Manadataro	

continued...

- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking;
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this: and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

165

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BENDAMUSTINE HYDROCHLORIDE - PCT only - Specialist - Special Authority see SA1667 below

Inj 25 mg vial	271.35	1	✓ Ribomustin
Inj 100 mg vial	1,085.38	1	✓ Ribomustin
Inj 1 mg for ECP	11.40	1 mg	✓ Baxter

⇒SA1667 Special Authority for Subsidy

Initial application — (treatment naive CLL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Binet stage B or C, or progressive stage A chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is chemotherapy treatment naive; and
- 3 The patient is unable to tolerate toxicity of full-dose FCR; and
- 4 Patient has ECOG performance status 0-2; and
- 5 Patient has a Cumulative Illness Rating Scale (CIRS) score of < 6; and
- 6 Bendamustine is to be administered at a maximum dose of 100 mg/m² on days 1 and 2 every 4 weeks for a maximum of 6 cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL). Chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has indolent low grade NHL requiring treatment; and
- 2 Patient has a WHO performance status of 0-2; and
- 3 Either:
 - 3.1 Both:
 - 3.1.1 Patient is treatment naive; and
 - 3.1.2 Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+); or
 - 3.2 All of the following:
 - 3.2.1 Patient has relapsed refractory disease following prior chemotherapy; and
 - 3.2.2 The patient has not received prior bendamustine therapy; and
 - 3.2.3 Fither:
 - 3.2.3.1 Both:
 - 3.2.3.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
 - 3.2.3.1.2 Patient has had a rituximab treatment-free interval of 12 months or more: or
 - 3.2.3.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Both:

- 1 Patients have not received a bendamustine regimen within the last 12 months; and
- 2 Either:
 - 2.1 Both:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
· · · · · ·	Dor		Manufacturor	

- 2.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
- 2.1.2 Patient has had a rituximab treatment-free interval of 12 months or more; or
- 2.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.
 Note: 'indolent, low-grade lymphomas' includes follicular, mantle cell, marginal zone and lymphoplasmacytic/ Waldenstrom's macroglobulinaemia.

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran	
CARBOPLATIN - PCT only - Specialist			•	
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin	
, , ,	20.00		✓ Carboplatin Ebew	<i>ı</i> е
Inj 10 mg per ml, 15 ml vial	14.05	1	✓ DBL Carboplatin	
	19.50		 Carbaccord 	
	22.50		 Carboplatin Ebew 	/e
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin	
	48.50		Carbaccord	
	50.00		 Carboplatin Ebew 	<i>i</i> e
Inj 1 mg for ECP		1 mg	✓ Baxter	
CARMUSTINE - PCT only - Specialist				
Inj 100 mg vial	532.00	1	✓ BiCNU	
Inj 100 mg for ECP		100 mg OP	✓ Baxter	
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	29.06	25	✓ Leukeran FC	
CISPLATIN - PCT only - Specialist				
Inj 1 mg per ml, 50 ml vial	12.20	1	✓ DBL Cisplatin	
inj i mg per mi, 50 mi viai	15.00	ı	✓ Cisplatin Ebewe	
Inj 1 mg per ml, 100 ml vial		1	✓ DBL Cisplatin	
inj i mg per mi, 100 mi viai	21.00	•	✓ Cisplatin Ebewe	
Inj 1 mg for ECP		1 mg	✓ Baxter	
CYCLOPHOSPHAMIDE		9	24	
	70.00	50	✓ Endoxan S29	
Tab 50 mg - PCT - Retail pharmacy-Specialist				
Western debughts are mile 0.00 an man 40	158.00	100	✓ Procytox S29	
Wastage claimable – see rule 3.3.2 on page 13	25.02	4	✓ Endoxan	
Inj 1 g vial – PCT – Retail pharmacy-Specialist	35.03	1 6		
Inj 2 g vial - PCT only - Specialist		1	✓ Cytoxan✓ Endoxan	
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter	
	0.04	ring	Daxiei	
IFOSFAMIDE – PCT only – Specialist	00.00	4	∠ Halawan	
Inj 1 g		1	✓ Holoxan	
Inj 2 g		1	✓ Holoxan	
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter	
LOMUSTINE – PCT – Retail pharmacy-Specialist				
Cap 10 mg		20	✓ CeeNU	
Cap 40 mg	399.15	20	✓ CeeNU	
MELPHALAN				
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	✓ Alkeran	
Inj 50 mg - PCT only - Specialist	67.80	1	✓ Alkeran	

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	oubsidised ✓	Manufacturer
DXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	✓	Oxaliccord
Inj 50 mg vial		1	•	Oxaliplatin Actavis 50
	55.00		1	Oxaliplatin Ebewe
Inj 100 mg vial	25.01	1	•	Oxaliplatin Actavis 100
	110.00		1	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial	16.00	1	/	Oxaliccord .
Inj 1 mg for ECP		1 mg	✓	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	1	Bedford S29
, - 3			1	THIO-TEPA S29
			_	Tepadina S29
Inj 100 mg vial	CBS	1		Tepadina S29

Antimetabolites

		AZACITIDINE - PCT only - Specialist - Special Authority see SA1467 below
✓ Vidaza	1	Inj 100 mg vial605.00
✓ Baxter	1 mg	Inj 1 mg for ECP6.66

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy		Fully	Brand or
(I	Manufacturer's Pric		Subsidised	I Generic
	\$	Per		Manufacturer
CALCIUM FOLINATE Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	•	DBL Leucovorin
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	/	Hospira
Inj 10 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialist		1		Calcium Folinate Sandoz
Inj 50 mg - PCT - Retail pharmacy-Specialist	18.25	5	•	Calcium Folinate Ebewe
Inj 10 mg per ml, 10 ml vial - PCT only - Specialist	7.30	1	•	Calcium Folinate Sandoz
Inj 100 mg - PCT only - Specialist	7.33	1	•	Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	•	Calcium Folinate Ebewe
Inj 10 mg per ml, 35 ml vial - PCT only - Specialist	20.95	1	•	Calcium Folinate Sandoz
Inj 1 g - PCT only - Specialist	67.51	1	•	Calcium Folinate Ebewe
Inj 10 mg per ml, 100 ml vial - PCT only - Specialist	60.00	1	•	Calcium Folinate Sandoz
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓	Baxter
CAPECITABINE - Retail pharmacy-Specialist				
Tab 150 mg		60	1	<u>Brinov</u>
Tab 500 mg	62.28	120	/	Brinov
CLADRIBINE - PCT only - Specialist				
Inj 1 mg per ml, 10 ml	•	7		Leustatin
Inj 10 mg for ECP	749.96	10 mg C)P 🗸	Baxter
CYTARABINE				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist		5		Pfizer
Inj 100 mg per ml, 10 ml vial – PCT – Retail pharmacy-Special Inj 100 mg per ml, 20 ml vial – PCT – Retail	list8.83	1	•	Pfizer
pharmacy-Specialist	41.36	1	1	Pfizer
Inj 1 mg for ECP - PCT only - Specialist		10 mg		Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist (Pfizer Inj 100 mg per ml, 10 ml vial to be delisted 1 October 2018)		100 mg (Baxter
FLUDARABINE PHOSPHATE				
Tab 10 mg - PCT - Retail pharmacy-Specialist Fludara Oral to be Sole Supply on 1 October 2018	412.00	20	•	Fludara Oral
Inj 50 mg vial - PCT only - Specialist	525.00	5	✓	Fludarabine Ebewe
Inj 50 mg for ECP - PCT only - Specialist		50 mg C)P 🗸	Baxter
FLUOROURACIL				
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist		1	✓	Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1		Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial - PCT only - Specialist		1		Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.66	100 mg	·	Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	. :	Subsidised	
	\$	Per	1	Manufacturer
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist				
Inj 1 g, 26.3 ml vial	62.50	1	/	DBL Gemcitabine
Inj 1 g		1	/	Gemcitabine Ebewe
• •	349.20		/	Gemzar
Inj 200 mg	8.36	1	/	Gemcitabine Ebewe
•	78.00		/	Gemzar
Inj 1 mg for ECP	0.02	1 mg	1	Baxter
IRINOTECAN HYDROCHLORIDE - PCT only - Specialist				
Inj 20 mg per ml, 2 ml vial	11.50	1	✓	Irinotecan Actavis 40
	41.00			Camptosar Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1		Irinotecan Actavis
	100.00			Camptosar
				Irinotecan-Rex
Inj 1 mg for ECP	0.19	1 mg	•	Baxter
MERCAPTOPURINE				
Tab 50 mg - PCT - Retail pharmacy-Specialist	49.41	25	1	Puri-nethol
Oral suspension 20 mg per ml - Retail pharmacy-Specialist	: -			
Special Authority see SA1725 below	428.00 10	00 ml C)P 🗸	Allmercap

⇒SA1725 Special Authority for Subsidy

Initial application only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months where the patient requires a total dose of less than one full 50 mg tablet per day.

Renewal only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months where patient still requires a total dose of less than one full 50 mg tablet per day.

	Subsidy		Fully	Brand or
	(Manufacturer's Price) Su Per	bsidised	Generic Manufacturer
	\$	Per		Manulacturer
METHOTREXATE				
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist		30		Trexate
* Tab 10 mg - PCT - Retail pharmacy-Specialist		50		Trexate
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist .		5		Hospira
* Inj 7.5 mg prefilled syringe	14.61	1		Methotrexate Sandoz
* Inj 10 mg prefilled syringe	14.66	1	✓	Methotrexate Sandoz
* Inj 15 mg prefilled syringe	14.77	1	✓	Methotrexate Sandoz
* Inj 20 mg prefilled syringe	14.88	1	✓	Methotrexate Sandoz
* Inj 25 mg prefilled syringe	14.99	1	✓	Methotrexate Sandoz
* Inj 30 mg prefilled syringe	15.09	1	✓	Methotrexate Sandoz
* Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Special	ist30.00	5	✓	DBL Methotrexate Onco-Vial
* Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-Specia	alist45.00	1	✓	DBL Methotrexate Onco-Vial
 Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialis Inj 100 mg per ml, 50 ml vial - PCT - Retail 	t25.00	1	✓	Methotrexate Ebewe
pharmacy-Specialist	79.99	1	1	Methotrexate Ebewe
* Inj 1 mg for ECP - PCT only - Specialist		1 mg		Baxter
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist		5 mg ÖP	1	Baxter
PEMETREXED - PCT only - Specialist - Special Authority see		Ū		
Inj 100 mg vial		1	1	Juno Pemetrexed
Inj 500 mg vial		1		Juno Pemetrexed
Inj 1 mg for ECP		1 mg		Baxter

⇒SA1679 Special Authority for Subsidy

Initial application — (mesothelioma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 Patient has been diagnosed with mesothelioma; and
- 2 Pemetrexed to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles.

Renewal — (mesothelioma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed to be administered at a dose of 500mg/m² every 21 days for a maximum of 6 cycles.

Initial application — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 Patient has locally advanced or metastatic non-squamous non-small cell lung carcinoma; and
- 2 Fither:

Subsidy		Fully	Brand or	_
(Manufacturer's Price))	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2.1 Both:
 - 2.1.1 Patient has chemotherapy-naïve disease; and
 - 2.1.2 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles; or
- 2.2 All of the following:
 - 2.2.1 Patient has had first-line treatment with platinum based chemotherapy; and
 - 2.2.2 Patient has not received prior funded treatment with pemetrexed; and
 - 2.2.3 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days for a maximum of 6 cycles.

Renewal — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed is to be administered at a dose of 500mg/m² every 21 days.

THIOGUANINE – PCT – Retail pharmacy-Specialist			
Tab 40 mg	126.31	25	Lanvis

Other	Cytotoxic	Agents
-------	-----------	--------

AMSACRINE - PCT only - Specialist			
Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	✓ Amsidine S29
Inj 75 mg	1,250.00	5	✓ AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharm	nacy-Specialist		
Cap 0.5 mg	CBS	100	✓ Agrylin S29
			✓ Teva S29
ARSENIC TRIOXIDE - PCT only - Specialist			
Inj 10 mg	4,817.00	10	✓ AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist			
Inj 15,000 iu, vial	150.48	1	✓ DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	✓ Baxter
BORTEZOMIB - PCT only - Specialist - Special Authorit	ty see SA1576 below		
Inj 3.5 mg vial	1,892.50	1	✓ Velcade
Inj 1 mg for ECP	594.77	1 mg	✓ Baxter

⇒SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
 - 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
 - 3 The patient has not had prior publicly funded treatment with bortezomib; and
 - 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

COLASPASE (L-ASPARAGINASE) - PCT only - Specialist

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

U	OLASPASE [L-ASPARAGINASE] - POT Only - Specialist			
	Inj 10,000 iu		1	✓ Leunase
	Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter
D	ACARBAZINE - PCT only - Specialist			
	Inj 200 mg vial	58.06	1	✓ DBL Dacarbazine
	, ,	580.60	10	 Dacarbazine
				APP S29
	Inj 200 mg for ECP	58.06	200 mg OP	✓ Baxter
D	ACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
٠,	Inj 0.5 mg vial	166.75	1	✓ Cosmegen
	Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
П				
וט	AUNORUBICIN – PCT only – Specialist	120.00	1	✓ Pfizer
	Inj 2 mg per ml, 10 mlInj 20 mg for ECP		20 mg OP	✓ Baxter
_	, ,	130.00	20 mg Oi	Daxiei
D	OCETAXEL - PCT only - Specialist			
	Inj 10 mg per ml, 2 ml vial		1	✓ DBL Docetaxel
	Inj 20 mg		1	✓ Docetaxel Sandoz
	Inj 10 mg per ml, 8 ml vial		1	✓ DBL Docetaxel
	Inj 80 mg		. 1	✓ Docetaxel Sandoz
	Inj 1 mg for ECP	0.55	1 mg	✓ Baxter
D	OXORUBICIN HYDROCHLORIDE - PCT only - Specialist			
	Inj 2 mg per ml, 5 ml vial	10.00	1	Doxorubicin Ebewe
	Inj 2 mg per ml, 25 ml vial	11.50	1	 Doxorubicin Ebewe
		17.00		Arrow-Doxorubicin
	Inj 2 mg per ml, 50 ml vial	23.00	1	Doxorubicin Ebewe
	Inj 2 mg per ml, 100 ml vial	46.00	1	Doxorubicin Ebewe
		65.00		Arrow-Doxorubicin
	Inj 1 mg for ECP	0.25	1 mg	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	•	Manufacturer
EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	25.00	1	1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial	30.00	1	1	Epirubicin Ebewe
Inj 2 mg per ml, 50 ml vial	32.50	1	✓	Epirubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1	✓	Epirubicin Ebewe
Inj 1 mg for ECP		1 mg	1	Baxter
ETOPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	1	Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10		Vepesid
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specia		1		Rex Medical
Inj 1 mg for ECP - PCT only - Specialist		1 mg	1	Baxter
ETOPOSIDE PHOSPHATE - PCT only - Specialist		·		
Inj 100 mg (of etoposide base)	40.00	1	/	Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg	_	Baxter
HYDROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	1	Hydrea
		100	•	riyurca
IDARUBICIN HYDROCHLORIDE	00.00			7aadaa
Inj 5 mg vial – PCT only – Specialist		1		Zavedos
Inj 10 mg vial – PCT only – Specialist		_ I	_	Zavedos
Inj 1 mg for ECP - PCT only - Specialist		1 mg	•	Baxter
LENALIDOMIDE – Retail pharmacy-Specialist – Special Authori	ty see SA1468 below	1		
Wastage claimable – see rule 3.3.2 on page 13			_	
Cap 10 mg		21		Revlimid
Cap 15 mg		21		Revlimid
Cap 25 mg	7,627.00	21	/	Revlimid

⇒SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade 3 or higher), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

	Subsidy		Fully	Brand or
	(Manufacturer's Price	e) :	Subsidised	
	\$	Per	1	Manufacturer
MESNA				
Tab 400 mg - PCT - Retail pharmacy-Specialist	273.00	50	✓	Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist	407.50	50	✓	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist	161.25	15	✓	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist	370.35	15	✓	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist		100 mg	1	Baxter
ITOMYCIN C - PCT only - Specialist		·		
Inj 5 mg vial	204.08	1	/	Arrow
Inj 1 mg for ECP	42 04	1 mg		Baxter
	42.04	9	•	Duxto
IITOZANTRONE – PCT only – Specialist	07.50		,	M24
Inj 2 mg per ml, 10 ml vial		1		Mitozantrone Ebewe
Inj 1 mg for ECP	5.51	1 mg	•	Baxter
ACLITAXEL - PCT only - Specialist				
Inj 30 mg	47.30	5	✓	Paclitaxel Ebewe
Inj 100 mg	20.00	1	✓	Paclitaxel Ebewe
	91.67		✓	Paclitaxel Actavis
Inj 150 mg	26.69	1	✓	Paclitaxel Ebewe
	137.50		✓	Anzatax
			✓	Paclitaxel Actavis
Inj 300 mg	35.35	1	✓	Paclitaxel Ebewe
	275.00		✓	Anzatax
			✓	Paclitaxel Actavis
Inj 1 mg for ECP	0.19	1 mg	1	Baxter
EGASPARGASE - PCT only - Special Authority see SA1325	below			
Inj 3,750 IU per 5 ml		1	1	Oncaspar S29
		•		

⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specia	list		
Inj 10 mg	CBS	1	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmac	cy-Specialist		
Cap 50 mg	498.00	50	✓ Natulan S29

175

	Subsidy (Manufacturer's Price)	Per	Fully Brand or Subsidised Generic r ✓ Manufacturer
	Ψ	rei	i wanuacturer
TEMOZOLOMIDE - Special Authority see SA1616 below - Reta	ail pharmacy		
Cap 5 mg	10.20	5	✓ Orion
Cap 20 mg		5	Temozolomide ✓ Orion Temozolomide
			✓ Temizole 20 S29
Cap 100 mg	40.20	5	✓ Orion
•			Temozolomide
Cap 140 mg	56.00	5	✓ Orion
			Temozolomide
Cap 250 mg	96.80	5	✓ <u>Orion</u> <u>Temozolomide</u>

⇒SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has glioblastoma multiforme; and
 - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE - Retail pharmacy-Specialist - Special Aut	thority see SA1124 on th	e next page	
Cap 50 mg	378.00	28	Thalomid
Cap 100 mg	756.00	28	Thalomid

				_
Su	ubsidy	Fully	Brand or	
(Manufact	cturer's Price) Subs	idised	Generic	
	\$ Per	1	Manufacturer	

⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
		/ Windstarting
Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist37.29	1	✓ Vinblastina Teva S29
186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
(Vinblastina Teva 29 Inj 1 mg per ml, 10 ml vial to be delisted 1 August 2018) VINCRISTINE SULPHATE	J	
Inj 1 mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist74.52	5	DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist85.61	5	DBL Vincristine Sulfate
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Ini 1 mg for FCP 0.90	1 ma	✓ Baxter

Protein-tyrosine Kinase Inhibitors

DASATINIB – Special Authority see SA0976 below – [Xp	harm]		
Tab 20 mg	3,774.06	60	Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6,214.20	30	✓ Sprycel

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 x 10⁹/L, platelets > 100 x 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 x 10⁹/L, platelets > 20 x 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB – Retail pharmacy-Specialist – Special Authority	see SA1653 below		
Tab 100 mg	764.00	30	✓ Tarceva
Tab 150 mg	1,146.00	30	✓ Tarceva

⇒SA1653 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Fither
 - 3.1 Patient is treatment naive: or
 - 3.2 Both:
 - 3.2.1 The patient has discontinued gefitinib due to intolerance; and
 - 3.2.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer	
GEFITINIB – Retail pharmacy-Specialist – Special Authority see SA1654 below					
Tab 250 mg	1,700.00	30	✓ Ire	essa	

⇒SA1654 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Either:
 - 2.1 Patient is treatment naive; or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

	Tab 100 mg - Special Authority see SA1460 below	-		
	[Xpharm]	2,400.00	60	✓ Glivec
*	Cap 100 mg	98.00	60	✓ Imatinib-AFT
	Cap 400 mg		30	✓ Imatinib-AFT

⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST – access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharm	nacy	
Tab 250 mg1,899.00	70	Tykerb

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

	Subsidy	Fu	,	Brand or
(Manuf	acturer's Price) \$ I	Subsidis Per	ed ✔	Generic Manufacturer

continued...

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 150 mg	4,680.00	120	Tasigna
Cap 200 mg	6,532.00	120	Tasigna

⇒SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Fither:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB - Special Authority see SA1190 on the next page	 Retail nharmacy
---	-------------------------------------

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive: or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of less than or equal to 70; or
 - 5.6 2 or more sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg2,315.	38 28	Sutent
Cap 25 mg4,630.	77 28	✓ Sutent
Cap 50 mg9,261.	54 28	✓ Sutent

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and

continued...

- 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of less than or equal to 70; or
 - 5.6 2 or more sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease): or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 93

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable – see rule 3.3.2 on page 13

Tab 250 mg4,276.19 120 ✓ Zytiga

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

DICALLITAMIDE

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

Tab 50 mm	0.00	00	√ Dimensu
Tab 50 mg	3.80	28	✓ Binarex
FLUTAMIDE – Retail pharmacy-Specialist			
Tab 250 mg	16.50	30	✓ Flutamide
-			Mylan S29
	55.00	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist			
Tab 160 mg	54.30	30	✓ Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial	30.64	5	✓ DBL Octreotide
Inj 100 mcg per ml, 1 ml vial	18.69	5	✓ DBL Octreotide
Inj 500 mcg per ml, 1 ml vial	72.50	5	✓ DBL Octreotide
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Sp.		016 on the n	ext page – Retail pharmacy
Inj LAR 10 mg prefilled syringe	1,772.50	1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe	2,358.75	1	 Sandostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	Sandostatin LAR

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:
Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery: or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Fither:
 - 2.2.1 Patient has failed surgery: or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas: and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
TAMOXIFEN CITRATE				
* Tab 10 mg	19.50	100	✓	Genox
* Tab 20 mg	2.63	30	✓	Genox
	12.50	100	/	Genox
Aromatase Inhibitors				
ANASTROZOLE				
* Tab 1 mg	5.04	30	✓	Rolin
EXEMESTANE				
* Tab 25 mg	14.50	30	1	Pfizer Exemestane
LETROZOLE				
Tab 2.5 mg	2.95	30	1	Letrole
v	5.90	60	1	Letromyl
(Letromyl Tab 2.5 mg to be delisted 1 November 2018)				•

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist			
* Tab 25 mg	9.66	100	✓ <u>Imuran</u>
* Tab 50 mg - For azathioprine oral liquid formulation refer,			
page 225	10.58	100	✓ <u>Imuran</u>
* Inj 50 mg vial	60.00	1	✓ <u>Imuran</u>
MYCOPHENOLATE MOFETIL			
Tab 500 mg	25.00	50	✓ Cellcept
Cap 250 mg	25.00	100	✓ Cellcept
Powder for oral liq 1 g per 5 ml - Subsidy by endorsement	187.25	165 ml OP	✓ Cellcept
Mycophenolate powder for oral liquid is subsidised only for	or patients unal	ole to swallow ta	ablets and capsules, and when

Fusion Proteins

ETANERCEPT - Special Authority see SA1620 below - Retail ph	narmacy		
Inj 25 mg	799.96	4	Enbrel
Inj 50 mg autoinjector	1,599.96	4	Enbrel
Inj 50 mg prefilled syringe	1,599.96	4	Enbrel

⇒SA1620 Special Authority for Subsidy

the prescription is endorsed accordingly.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	idised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Fither:

Subsidy (Manufacturer's	Price) Subs	Fully	Brand or Generic	
\$	Per	✓	Manufacturer	

continued...

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
 - 12 Fither
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroillitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing

Subsidy (Manufacturer's Price)	F Subsidis	ully	Brand or Generic	
\$	Per	1	Manufacturer	

continued...

at least 3 months of a regular exercise regimen for ankylosing spondylitis; and

- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm
- 75-5-64 years Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulfasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✓ Manufacturer
--

continued...

- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plague psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

Subsidy		Fully	Brand or
(Manufacturer's Price	e)	Subsidised	Generic
<u> </u>	Per	1	Manufacturer

continued...

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

- 2 Fither:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer.	
Inj 2-8 × 100 million CFU149.37 1 ✓ OncoTICE	

Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA1621 below -	Retail pharmacy		
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	Humira
Inj 40 mg per 0.8 ml prefilled pen	1,599.96	2	✓ HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96	2	Humira

⇒SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

Subsidy (Manufacturer's Price)	s	Fully	Brand or Generic
 \$	Per	1	Manufacturer

continued...

- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease: and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or

2 All of the following:

- 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
 - 1.2 Either
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulfasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with JIA; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Fither:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).
- Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and

Subsidy (Manufacturer's Price)	Full Subsidise		
\$	Per 🗸	Manufacturer	

continued...

2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (**rheumatoid arthritis**) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Fither:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab;
 - 2.1.2 CDAI score is 150 or less: or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
•	Por 🗸	Manufacturor

continued...

- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

⇒SA1726 Special Authority for Subsidy

Initial application — (wet age related macular degeneration) only from an ophthalmologist. Approvals valid for 3 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 Any of the following:
 - 1.1.1 Wet age-related macular degeneration (wet AMD); or
 - 1.1.2 Polypoidal choroidal vasculopathy; or
 - 1.1.3 Choroidal neovascular membrane from causes other than wet AMD; and
 - 1.2 Fither:
 - 1.2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab: or

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

- 1.2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart: and
- 1.3 There is no structural damage to the central fovea of the treated eye; and
- 1.4 Patient has not previously been treated with ranibizumab for longer than 3 months; or
- 2 Any of the following:
 - 2.1 Patient has current approval to use ranibizumab for treatment of wAMD and was found to be intolerant to ranibizumab within 3 months: or
 - 2.2 Patient has previously* (*before June 2018) received treatment with ranibizumab for wAMD and disease was stable while on treatment: or
 - 2.3 Patient has current approval to use ranibizumab for treatment of wAMD; or
 - 2.4 Patient is currently receiving treatment with aflibercept and has documented previous poor response to bevacizumab.

Note: Criteria 2.3 and 2.4 will be removed from 1 January 2019.

Initial application — (diabetic macular oedema) only from an ophthalmologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has centre involving diabetic macular oedema (DMO); and
 - 1.2 Patient's disease is non responsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly; and
 - 1.3 Patient has reduced visual acuity between 6/9 6/36 with functional awareness of reduction in vision; and
 - 1.4 Patient has DMO within central OCT (ocular coherence tomography) subfield > 350 micrometers; and
 - 1.5 There is no centre-involving sub-retinal fibrosis or foveal atrophy; or
- 2 Patient is currently receiving treatment with aflibercept and has documented previous poor response to bevacizumab.

Note: Criterion 2 will be removed from 1 January 2019.

Renewal — (wet age related macular degeneration) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Documented benefit must be demonstrated to continue; and
- 2 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 3 There is no structural damage to the central fovea of the treated eye.

Renewal — (diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 There is stability or two lines of Snellen visual acuity gain; and
- 2 There is structural improvement on OCT scan (with reduction in intra-retinal cysts, central retinal thickness, and sub-retinal
- 3 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 4 There is no centre-involving sub-retinal fibrosis or foveal atrophy; and
- 5 After each consecutive 12 months treatment with [2nd line anti-VEGF agent], patient has retrialled with at least one injection of bevacizumab and had no response.

CETUXIMAB - PCT only - Specialist - Special Authority see SA1697 on the next page

Inj 5 mg per ml, 20 ml vial	364.00	1	Erbitux
Inj 5 mg per ml, 100 ml vial	1,820.00	1	Erbitux
Inj 1 mg for ECP	3.82	1 mg	Baxter

199

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

⇒SA1697 Special Authority for Subsidy

Initial application only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, non-metastatic, squamous cell cancer of the head and neck; and
- 2 Patient is contraindicated to, or is intolerant of, cisplatin, and
- 3 Patient has good performance status; and
- 4 To be administered in combination with radiation therapy.

OBINUTUZUMAB - PCT only - Specialist - Special Authority see SA1627 below

lnj 25 mg per ml	l, 40 ml vial	5,910.00	1	•	Gazyva
Inj 1 mg for ECF	·	6.21	1 mg	1	Baxter

⇒SA1627 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and</p>
- 4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

* Neutrophil greater than or equal to 1.5×10^9 /L and platelets greater than or equal to 75×10^9 /L.

OMALIZUMAB – Special Authority see SA1490 below – Retail pharmacy
Inj 150 mg vial500.00 1 ✓ Xolair

⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and

✓ Perjeta
✓ Baxter

Subsidy	Full		
 (Manufacturer's Price) \$	Subsidise Per 🗸	d Generic Manufacturer	

continued...

8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

PERTUZUMAB - PCT only - Specialist - Special Authority se	e SA1606 below	
Inj 30 mg per ml, 14 ml vial	3,927.00	1
Ini 1 mg for ECP	9.82	1 ma

⇒SA1606 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 Patient is chemotherapy treatment naïve; or
 - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1686 below

		are criminal and comprehensive operation of the control of the con
Mabthera	2	Inj 100 mg per 10 ml vial
✓ Mabthera	1	Inj 500 mg per 50 ml vial2,688.30
✓ Baxter	1 mg	Inj 1 mg for ECP

⇒SA1686 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

1 Both:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles: or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy: and
- 4 The patient has good performance status; and
- 5 The patient does not have chromosome 17p deletion CLL; and
- 6 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles; and
- 7 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2. Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant

specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Subsidy		Fully	Brand or
(Manufacturer's Price)	_	Subsidised	Generic
\$	Per		Manufacturer

continued...

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had an interval of 36 months or more since commencement of initial rituximab treatment; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial	770.57	1	Sylvant
Ini 400 mg vial	3.082.33	1	✓ Sylvant

⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1632 on the next page

Inj 150 mg vial	1,350.00	1	Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

Subsidy	y Full	/ Brand or
(Manufacturer's	s Price) Subsidise	d Generic
\$	Per 🗸	Manufacturer

⇒SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 2.2 Both:
 - 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:
 - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer: and
 - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and

Su	Subsidy	Fully	Brand or
(Manufac	cturer's Price) Subsi	dised	Generic
	\$ Per	1	Manufacturer

continued...

- 3 Any of the following:
 - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 3.2 Both:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; or
 - 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 4 Fither:
 - 4.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 4.2 All of the following:
 - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer: and
 - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

		I only – Specialist – Special Authority see SA1656 below	IIVOLUMAB – PC
Opdivo	1	ıl, 4 ml vial1,051.98	Inj 10 mg per m
✓ Opdivo	1	ıl, 10 ml vial2,629.96	Inj 10 mg per m
✓ Baxter	1 mg	P27.62	Inj 1 mg for ECI

⇒SA1656 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
 - 4.1 Patient has not received funded pembrolizumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 5 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

S	Subsidy	Fully	Brand or
(Manufa	acturer's Price) Subs	sidised	Generic
(\$ Per	1	Manufacturer

continued...

- 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
- 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
- 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB − PCT only − Specialist − Special Authority see SA1657 below
Inj 50 mg vial2,340.00 1 ✓ Keytruda
Inj 1 mg for ECP49.14 1 mg ✓ Baxter

⇒SA1657 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Fither:
 - 4.1 Patient has not received funded nivolumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on nivolumab; and
- 5 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

Subsidy	Fully Subsidised		Brand or
(Manufacturer's Price)			Generic
\$	Per	✓	Manufacturer

continued...

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note); or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN		
Cap 25 mg	.44.63 50	✓ Neoral
Cap 50 mg		✓ Neoral
Cap 100 mg1	177.81 50	✓ Neoral
Oral liq 100 mg per ml1		OP Neoral
EVEROLIMUS - Special Authority see SA1491 below - Retail pharmac	СУ	
Wastage claimable – see rule 3.3.2 on page 13		
Tab 10 mg6,5	512.29 30	✓ Afinitor
Tab 5 mg4,5	555.76 30	✓ Afinitor

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Authority see SA0866 below - Retail pharmacy

Tab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min: or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- · Leukoencepthalopathy; or
- · Significant malignant disease

TACROLIMUS – Special Authority see SA1540 below – Retail pharmacy

Cap 0.5 mg	85.60	100	✓ Tacrolimus Sandoz
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer,			
page 225	428.00	50	✓ Tacrolimus Sandoz

⇒SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

Antiallergy Preparations

Allergic Emergencies

ICATIBANT – Special Authority see SA1558 below – Retail pharmacy Inj 10 mg per ml, 3 ml prefilled syringe.......2,668.00

1 **✓** Firazyr

⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Maintenance kit - 6 vials 120 mcg freeze dried venom, with

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy

alluent	285.00	1 0P	✓ venomii S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see \$	SA1367 above	- Retail pharn	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil \$29

Antihistamines

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	✓ Zista
*‡ Oral liq 1 mg per ml		200 ml	✓ Histaclear
CHLORPHENIRAMINE MALEATE			
* Oral lig 2 mg per 5 ml	8.06	500 ml	 Histafen

	Subsidy		Fully	Brand or
	(Manufacturer's Pr	rice) Subsi Per	dised	Generic Manufacturer
EXTROCHLORPHENIRAMINE MALEATE	*			
₭ Tab 2 mg	2.02	40		
r Tab 2 mg	(8.40)	40		Polaramine
	1.01	20	'	Olaranine
		20		Polaramine
k+ 0 0	(5.99)	400	ı	Polaramine
🗱 Oral liq 2 mg per 5 ml		100 ml		
	(10.29)		ŀ	Polaramine
EXOFENADINE HYDROCHLORIDE				
★ Tab 60 mg	4.34	20		
9	(8.23)		-	Telfast
₹ Tab 120 mg		10		
	(8.23)		7	Telfast
	14.22	30		· ondot
	(26.44)	30	-	Telfast
	(20.44)			ı c ııası
ORATADINE				
★ Tab 10 mg	1.28	100	√ <u>I</u>	<u> Lorafix</u>
Oral liq 1 mg per ml	2.15	120 ml	✓ <u>I</u>	Lorfast
ROMETHAZINE HYDROCHLORIDE			-	
€ Tab 10 mg	1.60	50	1	Allersoothe
Allersoothe to be Sole Supply on 1 October 2018	1.00	50	• ,	AllerSouthe
	1.00	50		Allawaaakka
Fab 25 mg	1.89	50	•	Allersoothe
Allersoothe to be Sole Supply on 1 October 2018				
k‡ Oral liq 1 mg per 1 ml	2.69	100 ml		Allersoothe
Allersoothe to be Sole Supply on 1 October 2018				
Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a I	PSO 15.54	5	✓ <u>I</u>	Hospira
RIMEPRAZINE TARTRATE				
Oral liq 30 mg per 5 ml	2 79	100 ml OP		
Oral liq oo ring por o rill	(8.06)	100 1111 01	١	Vallergan Forte
Vallergan Forte Oral liq 30 mg per 5 ml to be delisted 1 Februar				valicigan i onc
railergan i one Oral liq 30 mg per 3 mi to be delisted i i ebidar	y 2013)			
Inhaled Corticosteroids				
illiaica corticosterolas				
ECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose	9.30	200 dose OP	1	Qvar
Aerosol inhaler, 50 mcg per dose CFC-free	8.54	200 dose OP		Beclazone 50
Aerosol inhaler, 100 mcg per dose		200 dose OP	_	Qvar
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP		Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free		200 dose OP		Beclazone 250
	22.01	200 dose OP	• [Deciazone 200
UDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓	Pulmicort
				Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ [Pulmicort
				Turbuhaler

Powder for inhalation, 400 mcg per dose......32.00

200 dose OP

✓ Pulmicort Turbuhaler

			_	
	Subsidy		Full	,
	(Manufacturer's	Price) Pe	Subsidise	
FLUTICASONE	<u> </u>			manada a a
Aerosol inhaler, 50 mcg per dose	160	120 dos	. ∩P •	' Floair
Aerosol inhaler, 50 mcg per dose CFC-free		120 dos	· •.	' Flixotide
Powder for inhalation, 50 mcg per dose		60 dose		Flixotide Accuhaler
Powder for inhalation, 30 mcg per dose		60 dose		Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose		120 dos	-	Floair
Aerosol inhaler, 125 mcg per dose CFC-free		120 dos		' Flixotide
Aerosol inhaler, 250 mcg per dose		120 dos		' Floair
Aerosol inhaler, 250 mcg per dose CFC-free		120 dos		Flixotide
Powder for inhalation, 250 mcg per dose		60 dose		Flixotide Accuhaler
, 5.145, 15aia.io., 255g pc. 4555		00 000	, . .	- IIII Oliuo 7100 uliulo.
Inhaled Long-acting Beta-adrenoceptor Agonist	S			
EFORMOTEROL FUMARATE	10.00	CO 4	OD.	
Powder for inhalation, 6 mcg per dose, breath activated		60 dose	e UP	Oute Touleask - L- ::
December for the letters 40 means are decembered as a few and as a section of the letters.	(16.90)	00 -1-		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose device		60 do	se	Farradii
	(35.80)			Foradil
INDACATEROL				
Powder for inhalation 150 mcg		30 dose		Onbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 dose	OP 🗸	Onbrez Breezhaler
SALMETEROL				
Aerosol inhaler CFC-free, 25 mcg per dose	25.00	120 dos	e OP 🗸	' Serevent
Aerosol inhaler 25 mcg per dose		120 dos	e OP 🗸	Meterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose	OP 🗸	Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	Adrenocept	tor Agor	nists	
BUDESONIDE WITH EFORMOTEROL				
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	18 23	120 dos	e OP ✓	' Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6 m		120 dos		' Symbicort
To the order to th		0 000	· ·	Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21 40	120 dos	ΔOP ✓	' Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 m		120 dos		' Symbicort
Toward for initial and it 200 may with old micror fundament of it	.og 11.00	120 000	0 01	Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate				
12 mcg - No more than 2 dose per day	44 08	60 dose	OP 🗸	Symbicort
12 mag 110 mare adde per day		00 0000	, 0,	Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL				
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.09	30 dose	.∩p .	Breo Ellipta
c c	44.00	50 uose	, OI •	Dieo Lilipia
FLUTICASONE WITH SALMETEROL	44.50	400 1	00 4	(D. A.)
Aerosol inhaler 50 mcg with salmeterol 25 mcg		120 dos		RexAir
A constitution 405 constitution to a local of	33.74	400 -1		Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg		120 dos		RexAir
Decides for inhelation 400 many with a decided 50	44.08		•	Seretide
Powder for inhalation 100 mcg with salmeterol 50 mcg – No	00.74	CO 4	OD 4	Canatida Assubal:
more than 2 dose per day	33./4	60 dose	OP 🗸	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg – No	44.00	CO 4	OD 4	Countido Acombolos
more than 2 dose per day	44.08	60 dose	OP 🗸	Seretide Accuhaler

	Subsidy		Fully	Brand or
	(Manufacturer's		idised	Generic
	\$	Per		Manufacturer
Beta-Adrenoceptor Agonists				
SALBUTAMOL				
‡ Oral liq 400 mcg per ml	11.00	150 ml	1	Ventolin
Infusion 1 mg per ml, 5 ml		10		
31. 7.	(130.21)		,	Ventolin
Inj 500 mcg per ml, 1 ml $$ – Up to 5 inj available on a PSO	12.90	5	1	Ventolin
Inhaled Beta-Adrenoceptor Agonists				
SALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000				
dose available on a PSO	3.80	200 dose OP	1	Respigen
4000 available on a 1 00		200 0000 01		SalAir
	(6.00)			Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb	, ,			VOITOIIII
available on a PSO		20	1	Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb		20	•	Astrialiii
available on a PSO		20	1	Asthalin
	3.29	20	•	ASUIAIIII
TERBUTALINE SULPHATE				
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP		Bricanyl Turbuhaler
A CLARK A A CLARK				
Anticholinergic Agents				
IPRATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dos	20			
available on a PSO		200 dose OP	1	Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 n		200 0000 01		Auovone
available on a PSO		20	1	Univent
		20	•	<u>omvent</u>
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 no available on a PSO		20	./	Univent
available on a P50	3.5∠	20	•	Univent
Inhaled Beta-Adrenoceptor Agonists with Antic	halinaraia /	\ aanta		
illialed beta-Adrenoceptor Agonists with Antic	monnergic F	Agents		
SALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg	per			
dose CFC-free		200 dose OP	1	Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per				
vial, 2.5 ml ampoule – Up to 20 neb available on a PSC		20	1	Duolin
viai, 2.0 mi ampoulo op to 20 mos avallasio on a roc	,	20		
Long-Acting Muscarinic Antagonists				
OLYGORY/DRONIII IM Och c'i bekenn den senten				
GLYCOPYRRONIUM – Subsidy by endorsement				
a) Inhaled glycopyrronium treatment will not be subsidised	if patient is also	receiving treatm	ent wi	th subsidised tiotropium oi
umeclidinium.	a anda atalia a di cili		_	
b) Glycopyrronium powder for inhalation 50 mcg per dose is			o nav	e been diagnosed as
having COPD using spirometry, and the prescription is e				Cooksi Ducorbalas
Powder for inhalation 50 mcg per dose	01.10	30 dose OP	•	Seebri Breezhaler

Subsidy	Full	y Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per 🗸	 Manufacturer 	

TIOTROPIUM BROMIDE - Special Authority see SA1568 below - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.

⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV, (litres); and
- 4.2 Predicted FEV, (litres); and
- 4.3 Actual FEV, as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

⇒SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

	Subsidy (Manufacturer's Price) \$	Sub:	Fully sidised	Brand or Generic Manufacturer	
continued	Approvals valid for 2 years for applications m	ooting the	followi	na criteria:	

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 on the previous page - Retail pharmacy ✓ Ultibro Breezhaler Powder for Inhalation 50 mcg with indacaterol 110 mcg......81.00 30 dose OP TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584 on the previous page - Retail pharmacy Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00 60 dose OP ✓ Spiolto Respimat UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 on the previous page - Retail pharmacy Powder for inhalation 62.5 mcg with vilanterol 25 mcg77.00 30 dose OP ✓ Anoro Ellipta

Antifibrotics

PIRFENIDONE - Retail pharmacy-Specialist - Special Authority see SA1628 below

Cap 267 mg - Wastage claimable - see rule 3.3.2 on

270 Esbriet

⇒SA1628 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis as confirmed by histology, CT or biopsy; and
- 2 Forced vital capacity is between 50% and 80% predicted; and
- 3 Pirfenidone is to be discontinued at disease progression (See Notes).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Pirfenidone is to be discontinued at disease progression (See Notes).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

Leukotriene Receptor Antagonists

MONTELUKAST			
Tab 4 mg	5.25	28	✓ Apo-Montelukast
Tab 5 mg	5.50	28	✓ Apo-Montelukast
Tab 10 mg	5.65	28	✓ Accord S29
•			Apo-Montelukast

Mast Cell Stabilisers

NEDOCHOMIL			
Aerosol inhaler, 2 mg per dose CFC-free28.07	112 dose OP	✓ Tilade	
SODILIM CROMOGLICATE			

✓ Intal Forte CFC Free 112 dose OP

Methylxanthines

AMINOPHYLLINE

* Ini 25 mg per ml. 10 ml ampoule - Up to 5 ini available on a PSO......124.37 ✓ DBL Aminophylline

	(Manufacturer's Price \$	Per	sidised •	Generic Manufacturer
THEOPHYLLINE				
* Tab long-acting 250 mg	21.51	100	✓ N	luelin-SR
*‡ Oral liq 80 mg per 15 ml	15.50	500 ml	✓ N	luelin

DORNASE ALFA - Special Authority see SA0611 below - Retail pharmacy

Nebuliser soln, 2.5 mg per 2.5 ml ampoule......250.00 ✓ Pulmozvme

⇒SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571 Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHLORIDE

Not funded for use as a nasal drop.

✓ Biomed 90 ml OP

Nasal Preparations

Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE		
Metered aqueous nasal spray, 50 mcg per dose2.35	200 dose OP	
(5.26	6)	Alanase
Metered aqueous nasal spray, 100 mcg per dose2.46	200 dose OP	
(6.00))	Alanase
BUDESONIDE		
Metered aqueous nasal spray, 50 mcg per dose2.35	200 dose OP	
(5.26	6)	Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose2.61	200 dose OP	
(6.00))	Butacort Aqueous
FLUTICASONE PROPIONATE		
Metered aqueous nasal spray, 50 mcg per dose2.18	120 dose OP	✓ Flixonase Hayfever & Allergy
IPRATROPIUM BROMIDE		
Aqueous nasal spray, 0.03%4.61	15 ml OP	✓ <u>Univent</u>

Respiratory Devices

MASK FOR SPACER DEVICE

- a) Up to 50 dev available on a PSO
- b) Only on a PSO
- c) Only for children aged six years and under

e-chamber Mask

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
PEAK FLOW METER				
a) Up to 25 dev available on a PSO				
b) Only on a PSO				
Low range	9.54	1	/	Mini-Wright AFS
Newselmon	0.54		,	Low Range
Normal range	9.54	1	•	Mini-Wright Standard
SPACER DEVICE				
a) Up to 50 dev available on a PSO				
b) Only on a PSO				
220 ml (single patient)		1	1	e-chamber Turbo
510 ml (single patient)	5.12	1	✓	e-chamber La
				Grande
800 ml	6.50	1	✓	Volumatic
Respiratory Stimulants				
CAFFEINE CITRATE				
Oral liq 20 mg per ml (10 mg base per ml)	14.85 2	5 ml (OP 🗸	Biomed

			_
Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

ns
11

ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, pag	ge 228	
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	35 ml OP	✓ Vosol
FLUMETASONE PIVALATE		
Ear drops 0.02% with clioquinol 1%4.46	7.5 ml OP	✓ Locacorten-Viaform ED's
		✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATI Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate	N	
2.5 mg and gramicidin 250 mcg per g5.16	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations		
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN		

Eye Preparations

ACICLOVIR

FRAMYCETIN SULPHATE

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

gramicidin 50 mcg per ml4.50

Ear/Eye drops 0.5%......4.13

Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and

Anti-Ir	nfective	Preparat	ions
---------	----------	----------	------

* Eye oint 3%	14.92	4.5 g OP	✓ <u>ViruPOS</u>
CHLORAMPHENICOL			
Eye oint 1%	2.48	4 g OP	✓ Chlorsig
Eye drops 0.5%	0.98	10 ml OP	✓ Chlorafast
Funded for use in the ear*.			
Indications marked with * are Unapproved Indications.			
CIPROFLOXACIN			
Eye drops 0.3% - Subsidy by endorsement	9.99	5 ml OP	✓ Ciprofloxacin Teva
	(12.43)		Ciloxan
 a) When prescribed for the treatment of bacterial kera or for the second line treatment of chronic suppurat accordingly. 		,	

b) Ciprofloxacin Teva to be Sole Supply on 1 September 2018

Note: Indication marked with a * is an Unapproved Indication.

(Ciloxan Eye drops 0.3% to be delisted 1 September 2018)

(Choxan Eye drops 6.6% to be denoted 1 deptember 201	0)		
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	Genoptic
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%	2.97	10 ml OP	
	(14.55)		Brolene

8 ml OP

8 ml OP

Sofradex

Soframycin

(9.27)

	Subsidy Manufacturer's P	rice) Sub	Fully sidised	Brand or Generic
	\$	Per	1	Manufacturer
SODIUM FUSIDATE [FUSIDIC ACID]				
Eye drops 1%	4.50	5 g OP	√ F	ucithalmic
FOBRAMYCIN				
Eye oint 0.3%	10.45	3.5 g OP	√ T	obrex
Eye drops 0.3%	11.48	5 ml OP	✓ T	obrex
Couting store ide and Other Anti Inflormation, Dra	navationa			
Corticosteroids and Other Anti-Inflammatory Pre	parations			
DEXAMETHASONE				
Eye oint 0.1%	5.86	3.5 g OP	✓ N	laxidex
Eye drops 0.1%	4.50	5 ml OP	✓ N	laxidex

Initial application — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has diabetic macular oedema with pseudophakic lens: and

Ocular implant 700 mcg - Special Authority see SA1680 below

- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- 3 Either:
 - 3.1 Patient's disease has progressed despite 3 injections with bevacizumab; or
 - 3.2 Patient is unsuitable or contraindicated to treatment with anti-VEGF agents; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Initial application — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has diabetic macular oedema: and
- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- 3 Patient is of child bearing potential and has not yet completed a family; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Patient is of child bearing potential and has not yet completed a family; and
- 3 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMYXIN B SULPHATE

*	Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin b		
	sulphate 6,000 u per g5.39	3.5 g OP	Maxitrol
*	Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin		
	b sulphate 6,000 u per ml4.50	5 ml OP	Maxitrol

Ozurdex

✓ Rexacrom

5 ml OP

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Subs	idised	Generic
	\$	Per	✓	Manufacturer
DICLOFENAC SODIUM				
* Eye drops 0.1%	13.80	5 ml OP	✓ V	oltaren Ophtha
FLUOROMETHOLONE				
* Eye drops 0.1%	3.09	5 ml OP	√ F	ML
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71	4 ml OP		
	(10.34)		L	ivostin
LODOXAMIDE				
Eye drops 0.1%	8.71	10 ml OP	✓ L	.omide
PREDNISOLONE ACETATE				
Eye drops 1%	3.93	10 ml OP	✓ P	rednisolone-AFT
	7.00	5 ml OP	✓ P	red Forte
PREDNISOLONE SODIUM PHOSPHATE - Special Authority se	e SA1715 below	– Retail pharr	nacy	
Eye drops 0.5%, single dose (preservative free)		20 dose		linims Prednisolone

⇒SA1715 Special Authority for Subsidy

Initial application only from an ophthalmologist or optometrist. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
 - 1 Patient has severe inflammation; and
 - 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLICATE

Glaucoma Preparations - Beta Blockers		
BETAXOLOL		
* Eye drops 0.25%11.80	5 ml OP	✓ Betoptic S
* Eye drops 0.5%	5 ml OP	✓ Betoptic
LEVOBUNOLOL		
* Eye drops 0.5%7.00	5 ml OP	✓ Betagan
TIMOLOL		
* Eye drops 0.25%1.43	5 ml OP	✓ Arrow-Timolol
* Eye drops 0.25%, gel forming	2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%	5 ml OP	✓ Arrow-Timolol
* Eye drops 0.5%, gel forming	2.5 ml OP	✓ Timoptol XE

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

*	Tab 250 mg - For acetazolamide oral liquid formulation refer,			
	page 225	17.03	100	✓ Diamox
BR	NZOLAMIDE			
*	Eye drops 1%	9.77	5 ml OP	✓ Azopt
DO	RZOLAMIDE HYDROCHLORIDE			
*	Eye drops 2%	9.77	5 ml OP	
		(17.44)		Trusopt

[‡] safety cap

ACETAZOLAMIDE

	Subsidy (Manufacturer's F \$	Price) Subs	Fully Brand or sidised Generic Manufacturer	
DORZOLAMIDE WITH TIMOLOL * Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ Arrow-Dortim	
Glaucoma Preparations - Prostaglandin Analog	lues			
BIMATOPROST * Eye drops 0.03%LATANOPROST	3.65	3 ml OP	✓ Bimatoprost Actavi	is
* Eye drops 0.005%	1.50	2.5 ml OP	✓ Hysite	
* Eye drops 0.004%	7.30 19.50	5 ml OP 2.5 ml OP	✓ <u>Travopt</u> ✓ Travatan	
Glaucoma Preparations - Other				
BRIMONIDINE TARTRATE * Eye drops 0.2% BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE	4.29	5 ml OP	✓ <u>Arrow-Brimonidine</u>	
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan	
* Eye drops 1% * Eye drops 2% * Eye drops 4%	5.35	15 ml OP 15 ml OP 15 ml OP	✓ Isopto Carpine✓ Isopto Carpine✓ Isopto Carpine	
Subsidised for oral use pursuant to the Standard Formu * Eye drops 2% single dose – Special Authority see SA0895		13 1111 01	- 130pto outpille	
below – Retail pharmacy	31.95	20 dose	✓ Minims Pilocarpine	!

⇒SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics	Mydriatics	and C	yclop	legics
-----------------------------	------------	-------	-------	--------

ATROPINE SULPHATE		
* Eye drops 1%	15 ml OP	✓ <u>Atropt</u>
CYCLOPENTOLATE HYDROCHLORIDE		
* Eye drops 1%	15 ml OP	✓ Cyclogyl
TROPICAMIDE		
* Eye drops 0.5%7.15	15 ml OP	✓ Mydriacyl
* Eye drops 1%8.66	15 ml OP	✓ Mydriacyl

Preparations for Tear Deficiency

For acetylcysteine eye drops refer Standard Formulae, page 228

HYPROMELLOSE

15 ml OP (3.92)

Methopt

	Subsidy (Manufacturer's Pri \$	ce) Subs	Fully sidised	Brand or Generic Manufacturer
HYPROMELLOSE WITH DEXTRAN * Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	√ P	oly-Tears
POLYVINYL ALCOHOL * Eye drops 1.4% * Eye drops 3%		15 ml OP 15 ml OP	_	istil istil Forte

Preservative Free Ocular Lubricants

⇒SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

CARBOMER - Special Authority see SA1388 above - Retail	pharmacy		
Ophthalmic gel 0.3%, 0.5 g	8.25	30	✓ Poly-Gel
MACROGOL 400 AND PROPYLENE GLYCOL - Special Aut	thority see SA1388 at	ove – Retail p	pharmacy
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	4.30	24	Systane Unit Dose
SODIUM HYALURONATE [HYALURONIC ACID] - Special A	Authority see SA1388	above – Reta	il pharmacy
Eye drops 1 mg per ml	22.00	10 ml OP	✓ Hylo-Fresh

Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%10.00	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.5 g OP	✓ Poly-Visc
RETINOL PALMITATE Eve oint 138 mcg per g	5 a OP	✓ VitA-POS



Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidis	sed	Generic	
\$	Per	/	Manufacturer	

Various

PHA	RMA	CY	SFR\	/ICES

May only be claimed once per patient.

* Brand switch fee4.50

✓ BSF CareSens Dual

✓ BSF CareSens N

1 fee

✓ BSF CareSens N
POP

✓ BSF CareSens N
Premier

a) The Pharmacode for BSF CareSens N is 2423138 - see also page 27

b) The Pharmacode for BSF CareSens N POP is 2423154 - see also page 27

c) The Pharmacode for BSF CareSens N Premier is 2535882 - see also page 27

d) The Pharmacode for BSF CareSens Dual is 2535890 - see also page 26

(BSF CareSens Dual Brand switch fee to be delisted 1 August 2018)

(BSF CareSens N Brand switch fee to be delisted 1 August 2018)

(BSF CareSens N POP Brand switch fee to be delisted 1 August 2018)

(BSF CareSens N Premier Brand switch fee to be delisted 1 August 2018)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE	- Retail pharmacy-Sp	ecialist
----------------	----------------------	----------

DBL Acetylcysteine to be Sole Supply on 1 October 2018

NALOXONE HYDROCHLORIDE

a) Up to 5 inj available on a PSO

b) Only on a PSO

DBL Naloxone Hydrochloride to be Sole Supply on 1 September 2018

Removal and Elimination

CHARCOAL

a) Up to 250 ml available on a PSO

b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

 Tab 125 mg dispersible
 276.00
 28
 ✓ Exjade

 Tab 250 mg dispersible
 552.00
 28
 ✓ Exjade

 Tab 500 mg dispersible
 1,105.00
 28
 ✓ Exjade

⇒SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis; or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per µL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per uL).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE - Special Authority see SA1480 below - Re	etail pharmacy		
Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

⇒SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

The state of the s	51.52	10	✓ Desferal
SODIUM CALCIUM EDETATE * Inj 200 mg per ml, 5 ml	53.31	6	
,	(156.71)	J	Calcium Disodium Versenate

223

SECTION C: EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- · Emulsifying ointment BP
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- · Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored. The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml Carvedilol 1 mg/ml Clopidogrel 5 mg/ml Diltiazem hydrochloride 12 mg/ml

Dipyridamole 10 mg/ml Domperidone 1 mg/ml Enalapril 1 mg/ml Flecainide 20 mg/ml Gabapentin 100 mg/ml Hydrocortisone 1 mg/ml Labetolol 10 mg/ml Levodopa with carbidopa (5 mg levodopa

Levodopa with carbidopa (5 mg + 1.25 mg carbidopa)/ml
Metoclopramide 1 mg/ml
Metoprolol tartrate 10 mg/ml
Nitrofurantoin 10 mg/ml
Pyrazinamide 100 mg/ml
Rifabutin 20 mg/ml

Sildenafil 2 mg/ml Sotalol 5 mg/ml Sulfasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml Tramadol 10 mg/ml

Ursodeoxycholic acid 50 mg/ml Valganciclovir 60 mg/ml* Verapamil hydrochloride 50 mg/ml

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl
 hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is
 added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.


Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 224) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products). One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid. The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised. The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

Standard Formulae

Standard Formulae			
ACETYLCYSTEINE EYE DROPS		PHENOBARBITONE ORAL LIQUID	
Acetylcysteine inj 200 mg per ml, 10 ml	qs	Phenobarbitone Sodium	1 g
Suitable eye drop base	qs	Glycerol BP	70 ml
Cultuble Cyc Grop Base	40	Water	to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION		Water	10 100 1111
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRIC ORAL	LIQUID (10
Chloroform	to 100 ml	mg per ml)	
		Phenobarbitone Sodium	400 mg
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml)		Glycerol BP	4 ml
Codeine phosphate	60 mg	Water	to 40 ml
Glycerol	40 ml		
Preservative	qs	PILOCARPINE ORAL LIQUID	
Water	to 100 ml	Pilocarpine 4% eye drops	qs
		Preservative	qs
CODEINE LINCTUS DIABETIC (15 mg per 5 ml)		Water	to 500 ml
Codeine phosphate	300 mg	(Preservative should be used if quantity supplied is	for more
Glycerol	40 ml	than 5 days.)	
Preservative	qs		
Water	to 100 ml	SALIVA SUBSTITUTE FORMULA	
EQUINIO MOLITINA QUI		Methylcellulose	5 g
FOLINIC MOUTHWASH	4.1	Preservative	qs
Calcium folinate 15 mg tab	1 tab	Water	to 500 ml
Preservative	qs	(Preservative should be used if quantity supplied is	for more
Water	to 500 ml	than 5 days. Maximum 500 ml per prescription.)	
(Preservative should be used if quantity supplied is	for more	SODIUM CHLORIDE ORAL LIQUID	
than 5 days. Maximum 500 ml per prescription.)		Sodium chloride inj 23.4%, 20 ml	qs
MAGNESIUM HYDROXIDE 8% MIXTURE		Water	qs qs
Magnesium hydroxide paste 29%	275 g	(Only funded if prescribed for treatment of hyponatr	
Methyl hydroxybenzoate	1.5 g	(Only fullded if prescribed for treatment of hyporiation	aema)
Water	to 1 000 m	VANCOMYCIN ORAL SOLUTION (50 mg per ml)	
Tatol	10 1,000 11	Vancomycin 500 mg injection	10 vials
METHADONE MIXTURE		Glycerol BP	40 ml
Methadone powder	qs	Water	to 100 ml
Glycerol	qs	(Only funded if prescribed for treatment of Clostridiu	ım difficile
Water	to 100 ml		
METHYL HYDROXYBENZOATE 10% SOLUTION		VOSOL EAR DROPS	
Methyl hydroxybenzoate	10 g	WITH HYDROCORTISONE POWDER 1%	
Propylene glycol	to 100 ml	Hydrocortisone powder	1%
(Use 1 ml of the 10% solution per 100 ml of oral liqu	iid mixture)	Vosol Ear Drops	to 35 ml
OMEPRAZOLE SUSPENSION			
Omeprazole capules or powder	qs		
Sodium bicarbonate powder BP	8.4 g		
Water	to 100 ml		

to 100 ml

Water

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Per Manufacturer Extemporaneously Compounded Preparations and Galenicals BENZOIN Tincture compound BP......24.42 500 ml (39.90)Pharmacy Health 2.44 50 ml (5.10)Pharmacy Health CHLOROFORM - Only in combination Only in aspirin and chloroform application. 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency Powder - Only in combination......63.09 (90.09)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) \$\preceq\$ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collodion flexible19.30 100 ml ✓ PSM COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. ✓ Midwest 100 ml 34.18 David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. 473 ml ✓ Ora-Sweet SF GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. 473 ml ✓ Ora-Sweet GI YCFROI 500 ml ✓ healthE Glycerol BP Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE ✓ PSM 500 q METHADONE HYDROCHI ORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). 1 g ✓ AFT ‡ Safety cap for extemporaneously compounded oral liquid preparations. METHYL HYDROXYBENZOATE PSM 25 g ✓ Midwest **METHYLCELLULOSE** ✓ MidWest 100 g ✓ Ora-Plus 473 ml METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHARIN - Only in combination 473 ml ✓ Ora-Blend SF

if endorsed "certified exemption" by the prescriber or pharmacist.

[‡] safety cap

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl	v in combination			
Suspension		473 m	/	Ora-Blend
PHENOBARBITONE SODIUM				
	50.50	40	,	
Powder – Only in combination		10 g	_	MidWest
	325.00	100 g	/	MidWest
a) Only in children up to 12 years				
b)‡ Safety cap for extemporaneously compounded oral li	iquid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz				
Liq	11.25	500 m		Midwest
SODIUM BICARBONATE				
Powder BP — Only in combination	8 05	500 g		Midwest
Towaer bi — Only in combination		300 g	•	Midwest
	9.80			5
	(29.50)			David Craig
Only in extemporaneously compounded omeprazole and	ł lansoprazole susp	ension.		
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparation	ne			
Lig		2.000 r	ml ./	Midwest
шү	21./3	2,000 I	III •	MIUMEST
WATER				
Tap - Only in combination	0.00	1 ml	✓	Tap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the Conditions and Guidelines for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Only from a dietitian, relevant specialist or a vocationally registered general Reapplications:

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or vocationally registered

general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive An inability to gain or maintain weight resulting in physiological impairment. Growth deficiency

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition.



Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Fither:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism: or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Carbohydrate And Fat

⇒SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

0.1.1		F "	D 1	
Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	✓	Manufacturer	

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Fat

⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome: or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or



Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	•	Manufacturer

- 10 ascites: or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT – Special Authority see SA1523 on the previous page – Hospital pharmacy [HP3]

Emulsion (neutral)	12.30 200 ml O	P
	30.75 500 ml O	P ✓ Calogen
Emulsion (strawberry)	12.30 200 ml O	P ✓ Calogen
Oil	30.00 500 ml O	P ✓ MCT oil (Nutricia)
Oil, 250 ml	114.92 4 OP	✓ Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT	 Special Authority see SA1524 above – Hospital p 	harmacy [HP3]	
Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
		•	Beneprotein

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Sustagen Diabetic

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Diabetic Products

⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML — Special Authority see SA Liquid		- Hospital pharm 1,000 ml OP	
DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA109	above – Ho	spital pharmacy	[HP3]
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)		200 ml OP	✓ Diasip
, ,	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

(2.10)



Subsidy (Manufacturer's Price)

Fully Subsidised Brand or Generic Manufacturer

Fat Modified Products

⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism: or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults,

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 above - Hospital pharmacy [HP3] 400 g OP Monogen

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

400 a OP ✓ Heparon Junior

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy	Fully Subsidised		Brand or	
(Manufacturer's Price)			Generic	
\$	Per	✓	Manufacturer	

ENTERAL/ORAL FEED 1KCAL/ML − Special Authority see SA1099 on the previous page − Hospital pharmacy [HP3] Liquid.......54.00 400 g OP ✓ Kindergen

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1379 at Liquid6.00	oove – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 abo	ve – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority s Liquid6.00	ee SA1379 above – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 above Liquid (strawberry)	- Hospital pharmacy [HP3] 200 ml OP ✓ Fortini 200 ml OP ✓ Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA1379 above - Liquid (chocolate)	Hospital pharmacy [HP3] 200 ml OP
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see S Liquid (chocolate)	200 ml OP ✓ Fortini Multi Fibre 200 ml OP ✓ Fortini Multi Fibre 200 ml OP ✓ Fortini Multi Fibre
PEPTIDE-BASED ORAL FEED – Special Authority see SA1379 above – Hospit Powder	ai pharmacy [HP3] 400 g OP ✓ Peptamen Junior



Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML – Special Author Liquid	•	Hospital pharm 500 ml OP	,
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority se	ee SA1101 above – Hos	pital pharmacy	[HP3]
Liquid	2.67	220 ml OP	✓ Nepro HP
			(strawberry)
			✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see	SA1101 above – Hospi	tal pharmacy [F	HP3]
Liquid	2.88	237 ml OP	•
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	✓ Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✓ Renilon 7.5

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Brand or

Fully

	(Manufacturer's \$	Price) Subs Per	idised Generic ✓ Manufacturer
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML — Spe pharmacy [HP3] Liquid	•	ee SA1377 on th	ne previous page – Hospital Vital
ORAL ELEMENTAL FEED 0.8KCAL/ML — Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	previous page - 18 OP 18 OP 18 OP	- Hospital pharmacy [HP3] ✓ Elemental 028 Extra ✓ Elemental 028 Extra ✓ Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see S Powder (unflavoured)		revious page – I 80 g OP	Hospital pharmacy [HP3] ✓ Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Autl [HP3] Liquid	•	77 on the previous	us page − Hospital pharmacy ✓ Peptisorb

Subsidy

Paediatric Products For Children With Low Energy Requirements

⇒SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML – S	Special Authority	see SA1196 abov	e – Hosp	ital pharmacy [HP3]
Liquid	4.00	500 ml OP	✓ Nutri	ni Low Energy
			Mu	lti Fibre

Standard Supplements

⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result: or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (**Long-term medical condition**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or



Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic
 \$	Per	✓	Manufacturer

- 8 Bowel fistula; or
 - 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm3); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 239 - Liquid7.00	Hospital pharmacy 1,000 ml OP	y [HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML — Special Authority see SA1554 on page 239 — Ho Liquid	ospital pharmacy [250 ml OP 1,000 ml OP	✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 Liquid	on page 239 – Ho 1,000 ml OP	ospital pharmacy [HP3] Nutrison 800 Complete Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA1554 on Liquid	page 239 – Hospi 1,000 ml OP	ital pharmacy [HP3] ✓ Jevity RTH ✓ Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see SA1554 of Liquid	n page 239 – Hosp 250 ml OP 1,000 ml OP	✓ Ensure Plus HN

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

ORAL FEED (POWDER) - Special Authority see SA1554 on page 239 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$26.00 per 85	50 g		
with Endorsement	26.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(26.00)	•	Sustagen Hospital Formula
	(26.00)		Sustagen Hospital Formula Active

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Powder (vanilla) - Higher subsidy of up to \$26.00 per 850 g			
with Endorsement	8.54	857 g OP	✓ Fortisip
	26.00	850 g OP	Ensure
	9.54	840 g OP	
	(26.00)	·	Sustagen Hospital Formula
	(26.00)		Sustagen Hospital Formula Active

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

(Sustagen Hospital Formula Powder (chocolate) to be delisted 1 October 2018) (Sustagen Hospital Formula Powder (vanilla) to be delisted 1 October 2018)

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 239 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml	, ,		•
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with	, ,		
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml with	, ,		•
Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

	Subsidy		Fully	Brand or			
((Manufacturer's Price)	Subsidised		rer's Price) Subsidised Generic		Generic	
	\$	Per	1	Manufacturer			

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 239 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with

Endura (criocolate) — Fligher Substay of \$1.20 per 200 mil with	0.70	000! OD	
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

High Calorie Products

⇒SA1195 Special Authority for Subsidy

Initial application — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted: and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 abov	/e – Hospital	pharmacy [HP3]	
Liquid	5.50	500 ml OP	✓ Nutrison
			Concentrated
	11.00	1,000 ml OP	✓ Two Cal HN RTH

Subsidy		Fully	Brand or
(Manufacturer's Price)	:	Subsidised	Generic
\$	Per	✓	Manufacturer

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

) Two Cal HN

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1729 Special Authority for Subsidy

Initial application — (all patients) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

Initial application — (paediatric patients diagnosed by ESPGHAN criteria) only from a paediatric gastroenterologist. Approvals valid without further renewal unless notified where the paediatric patient fulfils ESPGHAN criteria for biopsy free diagnosis of coeliac disease.

GLUTEN FREE BAKING MIX – Special Authority see SA	1 <mark>729 above –</mark> Hospital pharmacy [H	P3]
Powder	2.81 1,000 g OF	•
	(5.15)	Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1	729 above – Hospital pharmacy [HF	P3]
Powder	3.93 1,000 g OF	o
	(7.32)	NZB Low Gluten Bread Mix
	3.51	
	(10.87)	Horleys Bread Mix

	0.1		F.II. D. I
	Subsidy (Manufacturaria Bria		Fully Brand or dised Generic
	(Manufacturer's Pric	e) Subsid Per	dised Generic ✓ Manufacturer
GLUTEN FREE FLOUR - Special Authority see SA1729 on	the previous page – H	enital pharms	acv [HD3]
Powder		2.000 a OP	acy [i ii o]
1 OWOGI	(18.10)	-,000 g Oi	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1729 on	the previous page - Ho	spital pharma	acv [HP3]
Buckwheat Spirals	1 0	250 g OP	, []
	(3.11)	3	Orgran
Corn and Vegetable Shells	' '	250 g OP	- 3
Ç .	(2.92)	3 -	Orgran
Corn and Vegetable Spirals	2.00 [′]	250 g OP	· ·
•	(2.92)	Ü	Orgran
Rice and Corn Lasagne Sheets	1.60	200 g OP	•
•	(3.82)		Orgran
Rice and Corn Macaroni	2.00	250 g OP	-
	(2.92)		Orgran
Rice and Corn Penne	2.00	250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals	2.00	250 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles	2.00	375 g OP	
	(2.92)		Orgran
Vegetable and Rice Spirals	2.00	250 g OP	
	(2.92)		Orgran
Italian long style spaghetti	2.00	220 g OP	
	(3.11)		Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital pharmacy [HP3]

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacture

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

i		
Tabs99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 27.8 g sachets936.00	30	✓ PKU Lophlex
		Powder
Powder (unflavoured) 36 g sachets393.00	30	✓ PKU Anamix Junior
Infant formula174.72	400 g OP	✓ PKU Anamix Infant
Powder (orange)221.00	500 g OP	✓ XP Maxamaid
320.00	3 -	✓ XP Maxamum
Powder (unflavoured)	500 g OP	✓ XP Maxamaid
320.00	222 9 23	✓ XP Maxamum
Liquid (berry)	125 ml OP	✓ PKU Anamix Junior
		LQ
Liquid (orange)13.10	125 ml OP	✓ PKU Anamix Junior
<u> </u>	120 1111 01	LQ
Liquid (unflavoured)13.10	125 ml OP	✓ PKU Anamix Junior
Liquid (dimidvodiod)	120 1111 01	LQ
Liquid (forest berries), 250 ml carton540.00	18 OP	✓ Easiphen Liquid
Liquid (juicy tropical) 125 ml	30 OP	✓ PKU Lophlex LQ 20
	36 OP	✓ PKU Lophlex
Oral semi-solid (berries) 109 g	36 OF	Sensation 20
Liquid (juicy berries) 62.5 ml939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml936.00	30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml936.00	30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml	30 OP	✓ PKU Lophlex LQ 20
KU Lophlex LQ 20 Liquid (juicy citrus) 125 ml to be delisted 1 October 2018,		

Foods

LOW PROTEIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

LOVI I TO I EIN I NO IN Openia Nationly se	o or ti roo on the previous page	1 loopital priam	iacy [i ii o]
Animal shapes	11.91	500 g OP	Loprofin
Lasagne	5.95	250 g OP	✓ Loprofin
Low protein rice pasta	11.91	500 g OP	✓ Loprofin
Macaroni		250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11.91	500 a OP	✓ Loprofin



Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per ✓ Manufacturer

Infant Formulae

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA - Special Authority see SA1110 above - Hospital pharmacy [HP3]
Powder44.40 400 g OP ✓ Locasol

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA - Special Authority see SA	1219 below - Hospital phari	macy [HP3]	
Powder	43.60	400 g OP	 Alfamino Junior
	53.00	•	✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
		•	✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
			 Neocate Junior Unflavoured
Powder (vanilla)	53.00	400 g OP	✓ Elecare
,		· ·	✓ Neocate Advance
			Neocate Junior Vanilla

(Neocate Advance Powder (unflavoured) to be delisted 1 September 2018) (Neocate Advance Powder (vanilla) to be delisted 1 September 2018)

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:



Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

⇒SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome: or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure: or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula; and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Fluid Restricted



Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	sidised	Generic
\$	Per	1	Manufacturer

⇒SA1698 Special Authority for Subsidy

Initial application only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is fluid restricted or volume intolerant and has been diagnosed with faltering growth; and
- 2 Patient is under the care of a paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
- 3 Patient is under 18 months of age or weighs less than 8 kg.

Note: "Volume intolerant" patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Renewal only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient continues to be fluid restricted or volume intolerant and has faltering growth; and
- 2 Patient is under the care of a hospital paediatrician or dietitian who has recommended treatment with a high energy infant formula: and
- 3 Patient is under 18 months of age or weighs less than 8 kg.

Note: "Volume intolerant" patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Ketogenic Diet

SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Authority see SA1197 above - Retail pharmacy

Powder (unflavoured)35.50	300 g OP	✓ KetoCal 4:1
		✓ Ketocal 3:1
Powder (vanilla)35.50	300 g OP	✓ KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

· ·	• • •
ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule✓ Inj 1 in 10,000, 10 ml ampoule	
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See note
✓ Inj 25 mg per ml, 10 ml ampoule	on page 995
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule	✓ Oral liq 50 g per 250 ml250 ml
	CHLORPROMAZINE HYDROCHLORIDE
AMOXICILLIN	✓ Tab 10 mg30
✓ Cap 250 mg	.30 ✓ Tab 25 mg
✓ Cap 500 mg	\ • Tab 100 Hig
Grans for oral liq 125 mg per 5 ml	^{7 [III]} ✓ Ini 25 mg per ml. 2 ml
✓ Grans for oral liq 250 mg per 5 ml	
	✓ Tab 250 mg – See note on page 104
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 500 mg – See note on page 104
✓ Tab 500 mg with clavulanic acid 125 mg	.30 COMPOUND ELECTROLYTES
✓ Grans for oral liq amoxicillin 25 mg with clavulanic	✓ Powder for oral soln10
acid 6.25 mg per ml200	OMI CONDOMS
✓ Grans for oral liq amoxicillin 50 mg with clavulanic	√ 49 mm144
acid 12.5 mg per ml200	^{0 mi} ✓ 53 mm144
ASPIRIN	✓ 53 mm (chocolate)
✓ Tab dispersible 300 mg	.30 🗸 53 mm (strawberry)144
ATROPINE SULPHATE	✓ 56 mm144
✓ Inj 600 mcg per ml, 1 ml ampoule	5 🗸 56 mm, shaped144
AZITHROMYCIN	✓ 60 mm144
✓ Tab 500 mg – See note on page 100	8 CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
✓ Tab 2.5 mg – See note on page 64	150 7 inert tabs168
BENZATHINE BENZYLPENICILLIN	DEXAMETHASONE
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe	√ Tab 0.5 mg – Retail pharmacy-Specialist60
	Tab 4 mg − Retail pharmacy-Specialist30
BENZATROPINE MESYLATE	DEXAMETHASONE PHOSPHATE
✓ Inj 1 mg per ml, 2 ml	✓ Inj 4 mg per ml, 1 ml ampoule – See note on page 895
BENZYLPENICILLIN SODIUM [PENICILLIN G]	✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 895
✓ Inj 600 mg (1 million units) vial	··· ⁵ DIAZEPAM
BLOOD KETONE DIAGNOSTIC TEST STRIP	✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by
✓ Test strips – Subsidy by endorsement – See note	endorsement – See note on page 1385
on page 25	.10 ✓ Rectal tubes 5 mg5
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Rectal tubes 10 mg5
✓ Meter with 50 lancets, a lancing device and	DICLOFENAC SODIUM
10 diagnostic test strips – Subsidy by	✓ Inj 25 mg per ml, 3 ml ampoule5
endorsement – See note on page 27	1 Suppos 50 mg10
✓ Meter with 50 × lancets, 10 × diagnostic test	DIGOXIN
strips and a lancing device – Subsidy by	✓ Tab 62.5 mcg30
endorsement – See note on page 27	1 🗸 Tab 250 mcg30
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	DOXYCYCLINE
✓ Test strips – See note on page 2850	test Tab 50 mg30
BLOOD KETONE DIAGNOSTIC TEST METER	✓ Tab 100 mg30
✓ Meter – See note on page 25	•
. •	

PRACTITIONER'S SUPPLY ORDERS

(continued)		
DUAL BLOOD GLUCOSE AND BLOOD KETONE		GLYCOPYRRONIUM BROMII
DIAGNOSTIC TEST METER		✓ Inj 200 mcg per ml, 1 ml am
 Meter with 50 lancets, a lancing device and 		HALOPERIDOL
10 blood glucose diagnostic test strips –		✓ Tab 500 mcg
Subsidy by endorsement – See note on pag	e 261	✓ Tab 1.5 mg
ERGOMETRINE MALEATE		✓ Tab 5 mg
✓ Inj 500 mcg per ml, 1 ml ampoule	5	✓ Oral lig 2 mg per ml
ERYTHROMYCIN ETHYL SUCCINATE		✓ Inj 5 mg per ml, 1 ml ampou
✓ Tab 400 mg	20	HALOPERIDOL DECANOATE
✓ Grans for oral liq 200 mg per 5 ml		✓ Inj 50 mg per ml, 1 ml
✓ Grans for oral liq 400 mg per 5 ml		✓ Inj 100 mg per ml, 1 ml
ERYTHROMYCIN STEARATE		
Tab 250 mg	30	HYDROCORTISONE
ETHINYLOESTRADIOL WITH DESOGESTREL		✓ Inj 100 mg vial
Tab 20 mcg with desogestrel 150 mcg and 7 inert	toh 01	HYDROXOCOBALAMIN
		✓ Inj 1 mg per ml, 1 ml ampou
Tab 30 mcg with desogestrel 150 mcg and 7 inert		HYOSCINE BUTYLBROMIDE
ETHINYLOESTRADIOL WITH LEVONORGESTREI	_	✓ Inj 20 mg, 1 ml
✓ Tab 20 mcg with levonorgestrel 100 mcg and		INTRA-UTERINE DEVICE
7 inert tablets	84	✓ IUD 29.1 mm length × 23.2
✓ Tab 50 mcg with levonorgestrel 125 mcg and		✓ IUD 33.6 mm length × 29.9
7 inert tab	84	✓ IUD 35.5 mm length × 19.6
Tab 30 mcg with levonorgestrel 150 mcg	63	IPRATROPIUM BROMIDE
✓ Tab 30 mcg with levonorgestrel 150 mcg and		
7 inert tablets	84	✓ Aerosol inhaler, 20 mcg per
ETHINYLOESTRADIOL WITH NORETHISTERONE		✓ Nebuliser soln, 250 mcg pe
✓ Tab 35 mcg with norethisterone 1 mg	63	✓ Nebuliser soln, 250 mcg per
✓ Tab 35 mcg with norethisterone 1 mg and 7 inert		IVERMECTIN
✓ Tab 35 mcg with norethisterone 500 mcg		✓ Tab 3 mg – See note on page
✓ Tab 35 mcg with norethisterone 500 mcg and		KETONE BLOOD BETA-KETO
7 inert tab	84	✓ Test strip
FLUCLOXACILLIN		LEVONORGESTREL
	20	Tab 30 mcg
✓ Cap 250 mg ✓ Grans for oral lig 25 mg per ml		✓ Tab 1.5 mg – See note on p
✓ Grans for oral liq 50 mg per ml		✓ Subdermal implant (2 × 75 i
Ini 1 a viol	200 1111	LIDOCAINE [LIGNOCAINE]
✓ Inj 1 g vial		✓ Gel 2%, tube – Subsidy by
FLUPENTHIXOL DECANOATE	_	note on page 132
✓ Inj 20 mg per ml, 1 ml		
✓ Inj 20 mg per ml, 2 ml		✓ Gel 2%, 10 ml urethral syrin
✓ Inj 100 mg per ml, 1 ml	5	endorsement – See no
FUROSEMIDE [FRUSEMIDE]		LIDOCAINE [LIGNOCAINE] H
✓ Tab 40 mg	30	✓ Inj 1%, 5 ml ampoule
✓ Inj 10 mg per ml, 2 ml ampoule	5	✓ Inj 2%, 5 ml ampoule
GLUCAGON HYDROCHLORIDE		✓ Inj 1%, 20 ml ampoule
✓ Inj 1 mg syringe kit	5	✓ Inj 1%, 20 ml vial
GLUCOSE [DEXTROSE]		✓ Inj 2%, 20 ml ampoule
✓ Inj 50%, 10 ml ampoule	5	✓ Inj 2%, 20 ml vial
✓ Inj 50%, 90 ml bottle		LIDOCAINE [LIGNOCAINE] W
GLYCERYL TRINITRATE	-	✓ Gel 2% with chlorhexidine 0
✓ Tab 600 mcg	100	syringes – Subsidy by
✓ Oral pump spray, 400 mcg per dose	250 dose	note on page 133
✓ Oral spray, 400 mcg per dose		
- Orar spray, Too may per aose	. 200 0030	

JLYCOPYRRONIUM BROMIDE
✓ Inj 200 mcg per ml, 1 ml ampoule10
HALOPERIDOL
✓ Tab 500 mcg30
✓ Tab 1.5 mg30
✓ Tab 5 mg30
✓ Oral liq 2 mg per ml200 ml
Inj 5 mg per ml, 1 ml ampoule5
HALOPERIDOL DECANOATE
Inj 50 mg per ml, 1 ml5
Inj 100 mg per ml, 1 ml
HYDROCORTISONE
Inj 100 mg vial5
HYDROXOCOBALAMIN
✓ Inj 1 mg per ml, 1 ml ampoule6
HYOSCINE BUTYLBROMIDE
/ Inj 20 mg, 1 ml5
NTRA-UTERINE DEVICE
✓ IUD 29.1 mm length × 23.2 mm width40
/ IUD 33.6 mm length × 29.9 mm width40
✓ IUD 35.5 mm length × 19.6 mm width
PRATROPIUM BROMIDE
Aerosol inhaler, 20 mcg per dose CFC-free 400 dose
Nebuliser soln, 250 mcg per ml, 1 ml ampoule40
Nebuliser soln, 250 mcg per ml, 2 ml ampoule40
VERMECTIN
Tab 3 mg – See note on page 77100
KETONE BLOOD BETA-KETONE ELECTRODES
Test strip10
LEVONORGESTREL
Tab 30 mcg84
✓ Tab 1.5 mg – See note on page 845
Subdermal implant (2 × 75 mg rods)3
LIDOCAINE [LIGNOCAINE]
Gel 2%, tube – Subsidy by endorsement – See
note on page 132150 ml
Gel 2%, 10 ml urethral syringe – Subsidy by
endorsement – See note on page 1325
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE
Inj 1%, 5 ml ampoule25
✓ Inj 1%, 5 ml ampoule5
Inj 1%, 20 ml ampoule5
/ Inj 1%, 20 ml vial5
Inj 2%, 20 ml ampoule
Inj 2%, 20 ml vial
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE
Gel 2% with chlorhexidine 0.05%, 10 ml urethral
syringes – Subsidy by endorsement – See
note on page 1335
continued

(continued)		
LOPERAMIDE HYDROCHLORIDE		PEAK FLOW METER
✓ Tab 2 mg	30	✓ Low range2
✓ Cap 2 mg	30	✓ Normal range2
MASK FOR SPACER DEVICE		PETHIDINE HYDROCHLORIDE
✓ Small – See note on page 215	50	✓ Inj 50 mg per ml, 1 ml ampoule – Only on a
MEDROXYPROGESTERONE ACETATE		controlled drug form
✓ Inj 150 mg per ml, 1 ml syringe	5	✓ Inj 50 mg per ml, 2 ml ampoule – Only on a
METOCLOPRAMIDE HYDROCHLORIDE		controlled drug form
✓ Inj 5 mg per ml, 2 ml ampoule	5	PHENOXYMETHYLPENICILLIN (PENICILLIN V)
METRONIDAZOLE		✓ Cap 250 mg3
✓ Tab 200 mg	30	✓ Cap 500 mg2
✓ Tab 400 mg		✓ Grans for oral liq 125 mg per 5 ml200 m
MIDAZOLAM		✓ Grans for oral liq 250 mg per 5 ml300 m
✓ Inj 1 mg per ml, 5 ml plastic ampoule – See note		PHENYTOIN SODIUM
on page 158	10	✓ Inj 50 mg per ml, 2 ml ampoule
	10	✓ Inj 50 mg per ml, 5 ml ampoule
✓ Inj 5 mg per ml, 3 ml plastic ampoule – See note	-	PHYTOMENADIONE
on page 158	5	✓ Inj 2 mg per 0.2 ml
MORPHINE SULPHATE		✓ Inj 10 mg per ml, 1 ml
✓ Inj 5 mg per ml, 1 ml ampoule – Only on a	_	PIPOTHIAZINE PALMITATE
controlled drug form	5	
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a		✓ Inj 50 mg per ml, 1 ml – Subsidy by endorsement
controlled drug form	5	- See note on page 148
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a		✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement
controlled drug form	5	- See note on page 148
✓ Inj 30 mg per ml, 1 ml ampoule – Only on a		PREDNISOLONE
controlled drug form	5	✓ Oral liq 5 mg per ml – See note on page 9030 m
NALOXONE HYDROCHLORIDE		PREDNISONE
✓ Inj 400 mcg per ml, 1 ml ampoule	5	✓ Tab 5 mg
NICOTINE		PREGNANCY TESTS - HCG URINE
✓ Patch 7 mg – See note on page 164	28	✓ Cassette
✓ Patch 14 mg – See note on page 164	28	PROCAINE PENICILLIN
✓ Patch 21 mg – See note on page 164	28	✓ Inj 1.5 g in 3.4 ml syringe
✓ Lozenge 1 mg – See note on page 164	216	PROCHLORPERAZINE
✓ Lozenge 2 mg – See note on page 164	216	✓ Tab 5 mg3
✓ Gum 2 mg (Fruit) – See note on page 164	384	✓ Inj 12.5 mg per ml, 1 ml
✓ Gum 2 mg (Mint) – See note on page 164		PROMETHAZINE HYDROCHLORIDE
✓ Gum 4 mg (Fruit) – See note on page 164		✓ Inj 25 mg per ml, 2 ml ampoule
✓ Gum 4 mg (Mint) – See note on page 164	384	SALBUTAMOL
NORETHISTERONE		✓ Inj 500 mcg per ml, 1 ml
✓ Tab 350 mcg		✓ Aerosol inhaler, 100 mcg per dose CFC
✓ Tab 5 mg	30	free
OXYTOCIN		✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule3
✓ Inj 5 iu per ml, 1 ml ampoule	5	✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule3
✓ Inj 10 iu per ml, 1 ml ampoule		SALBUTAMOL WITH IPRATROPIUM BROMIDE
OXYTOCIN WITH ERGOMETRINE MALEATE	-	✓ Nebuliser soln, 2.5 mg with ipratropium bromide
✓ Inj 5 iu with ergometrine maleate 500 mcg per ml,	1 ml5	0.5 mg per vial, 2.5 ml ampoule2
PARACETAMOL		SODIUM BICARBONATE
✓ Tab 500 mg - blister pack	30	✓ Inj 8.4%, 50 ml
✓ Oral liq 120 mg per 5 ml		✓ Inj 8.4%, 100 ml
✓ Oral lig 250 mg per 5 ml		continued.
		Continuou

PRACTITIONER'S SUPPLY ORDERS

(continued)	
SODIUM CHLORIDE	
✓ Inj 0.9%, bag – See note on page 56	TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMOXAZOLE]
✓ Inj 0.9%, 10 ml ampoule – See note on page 565	✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg30
SPACER DEVICE	✓ Oral liq 8 mg sulphamethoxazole 40 mg per
✓ 220 ml (single patient)50	ml200 ml
✓ 510 ml (single patient)50	VERAPAMIL HYDROCHLORIDE
✓ 800 ml50	✓ Inj 2.5 mg per ml, 2 ml ampoule5 WATER
SULFADIAZINE SILVER	✓ Inj 5 ml ampoule – See note on page 575
✓ Crm 1%250 q	✓ Inj 10 ml ampoule – See note on page 575
	✓ Inj 20 ml ampoule – See note on page 575
TRIMETHOPRIM ✓ Tab 300 mg30	ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND

Northland DHB
Dargaville
Hikurangi
Kaeo
Kaikohe
Kaitaia
Kawakawa
Kerikeri

Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

Waitemata DHB

Helensville
Huapai
Kumeu
Snells Beach
Waimauku
Warkworth
Wellsford

Auckland DHB Great Barrier Island

Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga

Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan
Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi
Whangamata
Whitianga

Whitianga

Bay of Plenty DHB

Edgecumbe

Katikati

Kawerau

Murupara

Opotiki

Taneatua

Te Kaha

Waihi Beach

Whakatane

Lakes DHB

Mangakino

Turangi

Tairawhiti DHB
Ruatoria
Te Araroa
Te Karaka
Te Puia Springs
Tikitiki
Tokomaru Bay
Tolaga Bay

Taranaki DHB Eltham Inglewood Manaia Oakura

Oakura
Okato
Opunake
Patea
Stratford
Waverley

Hawkes Bay DHB Waipawa Waipukurau Wairoa Whanganui DHB Bulls Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB
Dannevirke
Foxton
Levin
Otaki
Pahiatua
Shannon
Woodville

Wairarapa DHB Carteron Featherston Greytown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB Havelock Mapua Motueka Murchison Picton Takaka

Wakefield

West Coast DHB
Dobson
Greymouth
Hokitika
Karamea
Reefton
South Westland
Westport

Canterbury DHB Akaroa Amberley

Whataroa

Amuri Chatham Islands Cheviot

Darfield

Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

South Canterbury DHB Fairlie Geraldine

Geraldine Pleasant Point Temuka Twizel Waimate

Southern DHB Alexandra Ralclutha Cromwell Gore Kurow Lawrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau

Tokonui

Wanaka

Winton

Tuatapere

SECTION F: COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots:
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a *within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area:
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply.
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F: Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE
Tab 100 mg Cordarone-X
Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Cap long-acting Tambocor CR

100 mg

Cap long-acting Tambocor CR

200 mg

MEXILETINE HYDROCHLORIDE

MINOXIDII

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg

Desmopressin-PH&T

per dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SECTION G: SAFETY CAP MEDICINES

Pharmacists should endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the
 particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral liq 30 mg (6 mg

Ferodan

CLOBAZAM Tab 10 mg

Frisium

(Extemporaneously compounded oral liquid preparations)

elemental) per 1 ml

CLONAZEPAM

Oral drops 2.5 mg per ml Rivotril

CARDIOVASCUL AR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed DIAZEPAM Tab 2 mg

Arrow-Diazepam

Tab 5 mg Arrow-Diazepam (Extemporaneously compounded oral liquid preparations)

CAPTOPRIL

Oral lig 5 mg per ml Capoten

ETHOSUXIMIDE

Oral liq 250 mg per 5 ml 7arontin

CHI OROTHIAZIDE

Oral lig 50 mg per ml Biomed

I EVETIRACETAM

Oral liq 100 mg per ml Levetiracetam-AFT

DIGOXIN

Oral lig 50 mcg per ml Lanoxin

Lanoxin S29

I ORAZEPAM

FUROSEMIDE [FRUSEMIDE]

Oral lig 10 mg per ml Lasix Tab 1 mg Ativan Tab 2.5 mg Ativan

SPIRONOLACTONE

I ORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

Oral lig 5 mg per ml

Biomed

(Extemporaneously compounded oral liquid preparations)

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 mcg Synthroid Tab 50 mcg Eltroxin

Mercury Pharma

Synthroid

Eltroxin

Mercury Pharma

Synthroid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

MORPHINE HYDROCHLORIDE

Oral liq 2 mg per ml **Biodone** Oral lig 5 mg per ml Biodone Forte Oral lig 10 mg per ml Biodone Extra Forte

Oral liq 1 mg per ml RA-Morph Oral lig 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph Oral lig 10 mg per ml RA-Morph

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 100 mcg

Tab 300 mg Q 300 (Extemporaneously compounded oral liquid preparations)

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

NITRAZEPAM Tab 5 mg

> Tab 10 mg Ox-Pam Ox-Pam Tab 15 mg

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN

Oral liq 20 mg per ml Fenpaed OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Oral lig 250 mg per 5 ml

Paracare Paracare Double

Nitrados

Strength

NERVOUS SYSTEM

CARBAMAZEPINE

Oral lig 20 mg per ml Tegretol

SAFETY CAP MEDICINES

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VAI PROATE

Oral lig 200 mg per 5 ml

Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHI ORIDE

Oral liq 1 mg per 1 ml Allersoothe

SAI BUTAMOI

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

SECTION I: NATIONAL IMMUNISATION SCHEDULE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients; or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds; or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

Danish strain 1331, live attenuated, vial with diluent.................0.00 10 **✔ BCG Vaccine**

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg

pertussis toxoid, 8 mcg pertussis filamentous

0 ✓ Boostrix

✓ Boostrix

261

	Subsidy (Manufacturer's Price) \$	Per	Fu Subsidis		Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE - Funded for any of the following:	- [Xpharm]				
A single dose for children up to the age of 7 who have of 2) A course of four vaccines is funded for catch up program primary immunisation; or					s) to complete full
3) An additional four doses (as appropriate) are funded for pre- or post splenectomy; pre- or post solid organ trans regimens; or Output Description:					
Five doses will be funded for children requiring solid org	gan transplantation.				
Note: Please refer to the Immunisation Handbook for approp Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe		tch up			s. anrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B A					
[Xpharm] Funded for patients meeting any of the following criteria:					
 Up to four doses for children up to and under the age o An additional four doses (as appropriate) are funded for 10 who are patients post haematopoietic stem cell transpost solid organ transplant, renal dialysis and other sev Up to five doses for children up to and under the age of 	r (re-)immunisation for splantation, or chemo- erely immunosuppres	r child therap ssive	dren up py; pre o regimen	or pos s; or	st splenectomy; pre- or
Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the Improgrammes.					
Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen in 0.5ml syringe	0.00	10		∕ Inf	anrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following:		.0		<u></u>	<u></u>
 For primary vaccination in children; or An additional dose (as appropriate) is funded for (re-)im transplantation, or chemotherapy; functional asplenic; por post cochlear implants, renal dialysis and other seve For use in testing for primary immunodeficiency disease paediatrician. 	re or post splenecton rely immunosuppress	ny; pr sive re	e- or po	st soli ; or	id organ transplant, pre-
Haemophilus Influenzae type B polysaccharide 10 mcg conjugated to tetanus toxoid as carrier protein 20-40 mcg prefilled syringe plus vial 0.5 ml		1	•	/ <u>Hit</u>	<u>perix</u>

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

HEPATITIS A VACCINE - [Xpharm]

Funded for patients meeting any of the following criteria:

- 1) Two vaccinations for use in transplant patients; or
- 2) Two vaccinations for use in children with chronic liver disease; or
- 3) One dose of vaccine for close contacts of known hepatitis A cases.

Inj 1440 ELISA units in 1 ml syringe	0.00	1	✓ Havrix
Inj 720 ELISA units in 0.5 ml syringe	0.00	1	✓ Havrix Junior

PATITIS B RECOMBINANT VACCINE – [Xpharm] Inj 5 mcg per 0.5 ml vial	titis B patients or he antigen (HBsAg) ive who are consider primary course of se; or	, positive lered no	B carrier e; or t to have ation; or	•
Inj 5 mcg per 0.5 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	titis B patients or he antigen (HBsAg) ive who are consider primary course of se; or	epatitis) positive lered no f vaccin	B carrier e; or t to have ation; or	s; or
Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	titis B patients or he antigen (HBsAg) ive who are consider primary course of se; or	epatitis) positive lered no f vaccin	B carrier e; or t to have ation; or	s; or
for household or sexual contacts of known acute hepa for children born to mothers who are hepatitis B surfact for children up to and under the age of 18 years inclust serology and require additional vaccination or require for HIV positive patients; or for hepatitis C positive patients; or for patients following non-consensual sexual intercourty for patients following immunosuppression; or for solid organ transplant patients; or for post-haematopoietic stem cell transplant (HSCT) pull following needle stick injury. Inj 10 mcg per 1 ml vial	te antigen (HBsAg) ive who are consic a primary course o se; or atients; or) positive dered no f vaccin	e; or t to have ation; or	•
2) for children born to mothers who are hepatitis B surfact 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	te antigen (HBsAg) ive who are consic a primary course o se; or atients; or) positive dered no f vaccin	e; or t to have ation; or	•
3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	ive who are consideral primary course of se; or atients; or	dered no f vaccin	t to have ation; or	achieved a positive
serology and require additional vaccination or require 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	a primary course o se; or atients; or	f vaccin	ation; or	аспечеи а розпиче
4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	se; or atients; or			
5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercour 7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	atients; or	1	√ 11	
for patients following non-consensual sexual intercour for patients following immunosuppression; or for solid organ transplant patients; or for post-haematopoietic stem cell transplant (HSCT) p following needle stick injury. Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: for household or sexual contacts of known acute hepa for children born to mothers who are hepatitis B surfacts for children up to and under the age of 18 years inclusive serology and require additional vaccination or require for HIV positive patients; or	atients; or	1	√ ⊔	
7) for patients following immunosuppression; or 8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	atients; or	1	√ ⊔	
8) for solid organ transplant patients; or 9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	·	1	√ ⊔	
9) for post-haematopoietic stem cell transplant (HSCT) p 10) following needle stick injury. Inj 10 mcg per 1 ml vial	·	1	√ ⊔	
Inj 10 mcg per 1 ml vial	·	1	√ ⊔	
Inj 10 mcg per 1 ml vial Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	0.00	1	√ ⊔	
Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or	0.00	1	√ ⊔	
Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepa 2) for children born to mothers who are hepatitis B surfac 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or				IBvaxPRO
 for household or sexual contacts of known acute hepa for children born to mothers who are hepatitis B surfact for children up to and under the age of 18 years inclus serology and require additional vaccination or require for HIV positive patients; or 				
 for children born to mothers who are hepatitis B surfact for children up to and under the age of 18 years inclus serology and require additional vaccination or require for HIV positive patients; or 	titis B natients or h	enatitis	B carrier	s: or
 3) for children up to and under the age of 18 years inclus serology and require additional vaccination or require 4) for HIV positive patients; or 				5, 61
serology and require additional vaccination or require 4) for HIV positive patients; or				achieved a positive
4) for HIV positive patients; or				domovou a poomvo
	a pa., coa.co c		u, o.	
6) for patients following non-consensual sexual intercour	se; or			
7) for patients following immunosuppression; or	•			
8) for solid organ transplant patients; or				
9) for post-haematopoietic stem cell transplant (HSCT) p	atients; or			
10) following needle stick injury.				
Inj 20 mcg per 1 ml prefilled syringe	0.00	1	√ E	ngerix-B
Funded for patients meeting any of the following criteria:				
1) for household or sexual contacts of known acute hepa	titis B patients or h	epatitis	B carrier	s; or
2) for children born to mothers who are hepatitis B surface	e antigen (HBsAg)) positive	e; or	
3) for children up to and under the age of 18 years inclus				achieved a positive
serology and require additional vaccination or require	a primary course o	f vaccin	ation; or	
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
for patients following non-consensual sexual intercour	se; or			
7) for patients following immunosuppression; or				
8) for solid organ transplant patients; or				
for post-haematopoietic stem cell transplant (HSCT) p	atients; or			
10) following needle stick injury.				
Inj 40 mcg per 1 ml vial	0.00	1	✓ H	IBvaxPRO
Funded for any of the following criteria:			_	
1) for dialysis patients; or				
for liver or kidney transplant patient.				

✓ fully subsidised [HP4] refer page 4

Subsidy Fully Brand or (Manufacturer's Price) Generic Subsidised \$ Per Manufacturer

HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 58) VACCINE [HPV] - [Xpharm]

Any of the following:

- 1) Maximum of two doses for children aged 14 years and under; or
- 2) Maximum of three doses for patients meeting any of the following criteria:
 - 1) People aged 15 to 26 years inclusive; or
 - 2) Either:

People aged 9 to 26 years inclusive

- 1) Confirmed HIV infection; or
- 2) Transplant (including stem cell) patients: or
- 3) Maximum of four doses for people aged 9 to 26 years inclusive post chemotherapy

10 ✓ Gardasil 9

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
INFLUENZA VACCINE Inj 45 mcg in 0.5 ml syringe (trivalent vaccine)	90.00	10	√ Ir	nfluvac

- a) Only on a prescription
- b) No patient co-payment payable

С

- A) is available each year for patients who meet the following criteria, as set by PHARMAC, for use if a funded quadrivalent influenza vaccine is not available:
 - a) all people 65 years of age and over; or
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease: or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV. or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - i) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
 - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
 - d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);
 - e) People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region:

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

inj od mog in 0.5 mi synnge (paediamo quaditvalem va	accine) –		
[Xpharm]	9.00	1	✓ Fluarix Tetra

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

A) INFLUENZA VACCINE - child aged 6 months to 35 months

is available each year for patients aged 6 months to 35 months who meet the following criteria, as set by PHARMAC:

- i) have any of the following cardiovascular diseases
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
- ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
- iii) have diabetes; or
- iv) have chronic renal disease: or
- v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
- vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - i) pre and post splenectomy, or
 - k) down syndrome, or
- vii) have been hospitalised for respiratory illness or have a history of significant respiratory illness;
- viii) are living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);
- ix) have been displaced from their homes in Edgecumbe and the surrounding region;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine inj 60 mcg in 0.5 ml syringe (paediatric quadrivalent vaccine) to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.

Inj 60 mcg in 0.5 ml syringe (quadrivalent vaccine)......90.00 10 ✓ Influvac Tetra

267

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

- a) Only on a prescription
- b) No patient co-payment payable

С

A) INFLUENZA VACCINE - people 3 years and over

is available each year for patients aged 3 years and over who meet the following criteria, as set by PHARMAC:

- a) all people 65 years of age and over; or
- b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease: or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders. or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
- c) children aged four years or less (but over three years) who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
- d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board):
- e) People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy.
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm] A maximum of two doses for any patient meeting the following criteria: 1) For primary vaccination in children; or 2) For revaccination following immunosuppression: or 3) For any individual susceptible to measles, mumps or rubella; or 4) A maximum of three doses for children who have had their first dose prior to 12 months. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes. Injection, measles virus 1.000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled 10 Priorix MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE - [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or 2) One dose for close contacts of meningococcal cases: or 3) A maximum of two doses for bone marrow transplant patients; or 4) A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days. Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier Menactra MENINGOCOCCAL C CONJUGATE VACCINE - [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or 4) A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days. ✓ Neisvac-C PNEUMOCOCCAL (PCV10) CONJUGATE VACCINE - [Xpharm] Fither: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV13. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Ini 1 mcg of pneumococcal polysaccharide serotypes 1, 5, 6B. 7F, 9V, 14 and 23F; 3 mcg of pneumococcal polysaccharide serotypes 4, 18C and 19F in 0.5 ml 10 Synflorix

Subsidy (Manufacturer's Price)	Fully Subsidised		
\$	Per 🗸	Manufacturer	

PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE - [Xpharm]

Any of the following:

- One dose is funded for high risk children (over the age of 17 months and under 18 years) who have previously received four doses of PCV10: or
- 2) Up to an additional four doses (as appropriate) are funded for high risk children aged under 5 years for (re-)immunisation of patients with any of the following:
 - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
 - b) with primary immune deficiencies; or
 - c) with HIV infection; or
 - d) with renal failure, or nephrotic syndrome; or
 - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
 - f) with cochlear implants or intracranial shunts; or
 - g) with cerebrospinal fluid leaks; or
 - h) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
 - i) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
 - j) pre term infants, born before 28 weeks gestation; or
 - k) with cardiac disease, with cyanosis or failure; or
 - I) with diabetes; or
 - m) with Down syndrome; or
 - n) who are pre-or post-splenectomy, or with functional asplenia; or
- 3) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients 5 years and over with HIV, for patients pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- 4) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Inj 30.8 mcg of pneumococcal polysaccharide serotypes 1, 3, 4,	
5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml syringe) ✓ Prevenar

13

✓ Prevenar 13

NATIONAL IMMUNISATION SCHEDULE Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm] Either: 1) Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy; pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 2) All of the following: a) Patient is a child under 18 years for (re-)immunisation; and b) Treatment is for a maximum of two doses; and c) Any of the following: i) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or ii) with primary immune deficiencies: or iii) with HIV infection; or iv) with renal failure, or nephrotic syndrome; or v) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); vi) with cochlear implants or intracranial shunts; or vii) with cerebrospinal fluid leaks; or viii) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or ix) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or x) pre term infants, born before 28 weeks gestation; or xi) with cardiac disease, with cyanosis or failure; or xii) with diabetes: or xiii) with Down syndrome; or xiv) who are pre-or post-splenectomy, or with functional asplenia. Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each Pneumovax 23 POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. Inj 80D antigen units in 0.5 ml syringe......0.00 ✓ IPOL ROTAVIRUS ORAL VACCINE - [Xpharm] Maximum of two doses for patients meeting the following: 1) first dose to be administered in infants aged under 14 weeks of age; and 2) no vaccination being administered to children aged 24 weeks or over. Oral susp live attenuated human rotavirus

10

Rotarix

1,000,000 CCID50 per dose, prefilled oral applicator................0.00

	Subsidy (Manufacturer's Brice) Cı	Fully	Brand or
	(Manufacturer's Price	Per	ibsidised •	
VARICELLA VACCINE [CHICKENPOX VACCINE] – [Xpharm] Either: 1) Maximum of one dose for primary vaccination for either a) Any infant born on or after 1 April 2016; or b) For previously unvaccinated children turning 11 yearicella infection (chickenpox), or 2) Maximum of two doses for any of the following: a) Any of the following for non-immune patients: i) with chronic liver disease who may in future ii) with deteriorating renal function before tran iii) prior to solid organ transplant; or iv) prior to any elective immunosuppression*, v) for post exposure prophylaxis who are imm b) For patients at least 2 years after bone marrow t c) For patients at least 6 months after completion of the following in the properties of the pro	er: years old on or after be be candidates for tr isplantation; or or nune competent inpat ransplantation, on a f chemotherapy, on a ld or moderate immu risk of major metabol to are immunocompre act has no clinical history ve no clinical history	Per 1 July 20 ransplanta ients.; or lvice of the advice of nosuppre ic decomplete dec	eir specia their spec ssion on a pensation or undergo ricella, or la and wh	alist, or ialist, or advice of HIV specialist, or , with no clinical history of oing a procedure leading to o are severely
* immunosuppression due to steroid or other immunosuppre 28 days		oe for a tr	eatment p	period of greater than
Inj 2000 PFU prefilled syringe plus vial	0.00	1 10		'arilrix 'arilrix
VARICELLA ZOSTER VIRUS (OKA STRAIN) LIVE ATTENUAT Funded for patients meeting either of the following criteria: 1) One dose for all people aged 65 years; or 2) One dose for all people aged between 66 and 80 year				
Inj 19,400 PFU prefilled syringe plus vial	0.00	1 10		ostavax ostavax
Diagnostic Agents				
TUBERCULIN PPD [MANTOUX] TEST - [Xpharm] Inj 5 TU per 0.1 ml, 1 ml vial	0.00	1	✓ <u>T</u>	ubersol

- Symbols -		AFT-Pyrazinamide S29110 Anastrozole	185
3TC	117	Agents Affecting the Andriol Testocaps	90
50X 3.0 Reservoir	38	Renin-Angiotensin System 58 Androderm	90
- A -		Agents for Parkinsonism and Related Animas Battery Cap	
A-Scabies	79	Disorders	
Abacavir sulphate	116	Agents Used in the Treatment of Animas Vibe	
Abacavir sulphate with		Poisonings 222 Anoro Ellipta	
lamivudine	117	Agrylin172 Antabuse	
Abilify		Alanase215 Antacids and Antiflatulants	
Abiraterone acetate		Albendazole99 Anten	
Acarbose		Albey209 Anthelmintics	
Accord		Albustix	
Accu-Chek Performa		Aldurazyme43 Antiallergy Preparations	
Accuretic 10		Alendronate sodium	
Accuretic 20		Alendronate sodium with Antiandrogen Oral	
Acetazolamide		colecalciferol124 Contraceptives	8/
Acetic acid with 1, 2- propanedic		Alfacalcidol	
diacetate and	Л	Alfamino Junior248 Antibacterials	
benzethonium	217	Alginic acid	
Acetic acid with hydroxyquinoline		Alglucosidase alfa	
ricinoleic acid		Alkeran	
Acetylcysteine		Allersoothe	
Aci-Jel	85	Allmercap	
Aciclovir	440	Allopurinol	
Infection		Alpha Adrenoceptor Blockers58 Antifibrinolytics, Haemostatics and	
Sensory		Alpha-Keri Lotion	
Acidex		Alphamox 125102 Antifibrotics	
Acipimox		Alphamox 250102 Antifungals	
Acitretin		Alu-Tab20 Antifungals Topical	
Aclasta		Aluminium hydroxide20 Antihistamines	
Aclin	121	Amantadine hydrochloride131 Antihypotensives	
Actinomycin D	173	Ambrisentan67 Antimalarials	
Actrapid	24	Amiloride hydrochloride63 Antimigraine Preparations	143
Actrapid Penfill	24	Amiloride hydrochloride with Antinausea and Vertigo Agents	143
Acupan	133	furosemide	109
Adalat 10	62	Amiloride hydrochloride with Antipruritic Preparations	73
Adalat Oros	62	hydrochlorothiazide64 Antipsychotics	14
Adalimumab	191	Aminophylline214 Antiretrovirals	118
Adapalene	71	Amiodarone hydrochloride59 Antirheumatoid Agents	122
Adefin	62	Amisulpride145 Antispasmodics and Other Agents	
Adefovir dipivoxil	111	Amitriptyline	22
Adenuric	129	Amlodipine62 Antithrombotic Agents	
ADR Cartridge 1.8	38	Amorolfine72 Antithymocyte globulin	
Adrenaline	66	Amoxicillin102 (equine)	191
ADT Booster	261	Amoxicillin with clavulanic acid102 Antitrichomonal Agents	
Adult diphtheria and tetanus		Amphotericin B45 Antituberculotics and	
vaccine	261	Amsacrine172 Antileprotics	109
Advantan		AmsaLyo	
Advate		Amsidine	
Afinitor		Amyl nitrite	
Aflibercept		Amzoate	
AFT Carbimazole		Anaesthetics	
AFT SLS-free		Anagrelide hydrochloride	
AFT-Pyrazinamide		Analgesics	
j.uzuu		7. 100 7 The 7 Tillion 100	

Apo-Amlodipine	62	Arrow-Diazepam	149	- B -	
Apo-Amoxi		Arrow-Dortim		B-D Micro-Fine	29
Apo-Azithromycin		Arrow-Doxorubicin		B-D Ultra Fine	
Apo-Bromocriptine		Arrow-Etidronate		B-D Ultra Fine II	29
Apo-Ciclopirox		Arrow-Fluoxetine	138	Bacillus Calmette-Guerin (BCG)	
Apo-Cilazapril		Arrow-Gabapentin		vaccine	191
Apo-Cilazapril/		Arrow-Lamotrigine		Bacillus Calmette-Guerin	
Hydrochlorothiazide	59	Arrow-Losartan &		vaccine	261
Apo-Clarithromycin		Hydrochlorothiazide	59	Baclofen	
Alimentary	22	Arrow-Meloxicam		Bactroban	
Infection		Arrow-Morphine LA		Baraclude	
Apo-Clomipramine		Arrow-Norfloxacin		Barrier Creams and Emollients	
Apo-Diclo SR		Arrow-Ornidazole		BCG Vaccine	
Apo-Diltiazem CD		Arrow-Quinapril 10		BD PosiFlush	
Apo-Doxazosin		Arrow-Quinapril 20		Beclazone 100	
Apo-Folic Acid		Arrow-Quinapril 5		Beclazone 250	
Apo-Gabapentin		Arrow-Roxithromycin		Beclazone 50	
		Arrow-Sertraline		Beclomethasone	210
Apo-Imiquimod Cream 5% Apo-Leflunomide		Arrow-Timolol		dipropionate21	0.215
		Arrow-Tillool			
Apo-Megestrol				Bee venom allergy treatment	
Apo-Metoprolol		Arrow-Topiramate		Bendamustine hydrochloride Bendrofluazide	
Apo-Mirtazapine		Arrow-Tramadol			64
Apo-Moclobemide		Arsenic trioxide		Bendroflumethiazide	
Apo-Montelukast		Asacol		[Bendrofluazide]	
Apo-Nadolol		Asamax		BeneFIX	
Apo-Nicotinic Acid		Ascorbic acid		Benzathine benzylpenicillin	
Apo-Ondansetron		Aspen Adrenaline	66	Benzatropine mesylate	
Apo-Oxybutynin		Aspirin		Benzbromaron AL 100	
Apo-Paroxetine		Blood		Benzbromarone	
Apo-Perindopril		Nervous		Benzoin	
Apo-Pindolol		Asthalin		Benztrop	
Apo-Pravastatin		Atazanavir sulphate		Benzydamine hydrochloride	44
Apo-Prazosin		Atenolol	60	Benzylpenicillin sodium [Penicillin	
Apo-Prednisone	90	Atenolol AFT	60	G]	
Apo-Primidone		ATGAM	191	Beta Adrenoceptor Blockers	60
Apo-Propranolol	61	Ativan	149	Beta Cream	74
Apo-Pyridoxine		Atomoxetine	159	Beta Ointment	
Apo-Ropinirole	131	Atorvastatin	65	Beta Scalp	
Apo-Selegiline S29		Atripla	117	Beta-Adrenoceptor Agonists	212
Apo-Sumatriptan		Atropine sulphate		Betadine	77
Apo-Terazosin	58	Cardiovascular	59	Betadine Skin Prep	
Apo-Thiamine	45	Sensory	220	Betaferon	
Apo-Timol		Atropt		Betagan	219
Apomorphine hydrochloride	131	Atrovent		Betahistine dihydrochloride	143
Aprepitant		Aubagio		Betaine	
Apresoline		Augmentin		Betaloc CR	
Aptamil Gold+ Pepti Junior		Avelox		Betamethasone dipropionate	
Aqueous cream		Avomine		Betamethasone dipropionate with	
Aripiprazole		Avonex		calcipotriol	70
Aripiprazole Sandoz		Avonex Pen		Betamethasone sodium phosphate	
Aristocort		Azacitidine		with betamethasone acetate	
Arrow - Clopid		Azathioprine		Betamethasone valerate	
Arrow-Amitriptyline		Azithromycin		Betamethasone valerate with	, , , oc
Arrow-Bendrofluazide				clioquinol	70
Arrow-Bendrolldazide		Azol Azopt		Betamethasone valerate with sodi	
		- P -			
Arrow-Calcium	40	AZT	117	fusidate [fusidic acid]	/5

Betaxolol	219	Brufen SR	121	Carboplatin Ebewe	
Betnovate	74	BSF CareSens Dual	222	Carbosorb-X	222
Betnovate-C	75	BSF CareSens N	222	Cardinol LA	61
Betoptic	219	BSF CareSens N POP	222	CareSens	28
Betoptic S		BSF CareSens N Premier	222	CareSens Dual	26
Bezafibrate	64	Buccastem	144	CareSens II	27
Bezalip	64	Budesonide		CareSens N	.27-28
Bezalip Retard		Alimentary	20	CareSens N POP	
Bicalutamide	183	Respiratory	.210, 215	CareSens N Premier	27
Bicillin LA		Budesonide with eformoterol		CareSens PRO	
BiCNU	167	Bumetanide	63	Carmellose sodium with gelatin a	nd
Bile and Liver Therapy	23	Buprenorphine with naloxone	162	pectin	44
Biltricide		Bupropion hydrochloride	163	Carmustine	167
Bimatoprost		Burinex		Carvedilol	
Bimatoprost Actavis		Buscopan		Carvedilol Sandoz	
Binarex		Buspirone hydrochloride		Catapres	
Biodone		Busulfan		Cathejell	132
Biodone Extra Forte		Butacort Aqueous		CeeNU	
Biodone Forte		- C -		Cefaclor monohydrate	
Bisacodyl		Cabergoline	98	Cefalexin	
Bisoprolol fumarate		Cafergot		Cefalexin Sandoz	
BK Lotion		Cafergot S29		Cefazolin	
Bleomycin sulphate		Caffeine citrate	216	Ceftriaxone	
Blood Colony-stimulating		Calamine		Cefuroxime axetil	
Factors	55	Calcipotriol		Celecoxib	
Blood glucose diagnostic test		Calcitonin		Celecoxib Pfizer	
meter	27	Calcitriol		Celestone Chronodose	
Blood glucose diagnostic test		Calcitriol-AFT		Celiprolol	
strip	28	Calcium carbonate		Cellcept	
Blood glucose test strips (visua		Calcium Channel Blockers		Celol	
impaired)	•	Calcium Disodium Versenate		Centrally-Acting Agents	
Blood ketone diagnostic test		Calcium folinate		Cephalexin ABM	90
meter	25	Calcium Folinate Ebewe		Cerezyme	
Blood Ketone Diagnostic Test		Calcium Folinate Sandoz		Cetirizine hydrochloride	209
Strip	25	Calcium gluconate		Cetomacrogol	
Bonjela		Calcium Homeostasis		Cetomacrogol with glycerol	
Bonvit		Calcium polystyrene sulphonat		Cetuximab	
Boostrix		Calcium Resonium		Champix	
Bortezomib		Calogen		Charcoal	222
Bosentan		Calsource		Chemotherapeutic Agents	
Bosentan-Mylan		Camptosar		Chickenpox vaccine	
Bosvate		Candesartan cilexetil		Chlorafast	
Bplex		Candestar		Chlorambucil	
Breo Ellipta		Canesten		Chloramphenicol	
Brevinor 1/21		Capecitabine		Chlorhexidine gluconate	
Brevinor 1/28		Capoten		Alimentary	44
Brevinor 21		Capsaicin		Dermatological	
Bricanyl Turbuhaler		Musculoskeletal	122	Chloroform	229
Brilinta		Nervous		Chlorothiazide	
Brimonidine tartrate		Captopril		Chlorpheniramine maleate	209
Brimonidine tartrate with timolo		Carafate		Chlorpromazine hydrochloride	
maleate		Carbaccord		Chlorsig	
Brinov		Carbamazepine		Chlortalidone [Chlorthalidone]	
Brinzolamide		Carbimazole		Chlorthalidone	
Brolene		Carbomer		Chlorvescent	
Bromocriptine mesylate		Carboplatin		Choice Load 375	

Choice TT380 Short82	phenol and sulphur80	Cytoxan	167
Choice TT380 Standard82	Coal tar with salicylic acid and	- D -	
Cholestyramine64	sulphur80	D-Penamine	122
Choline salicylate with cetalkonium	Coco-Scalp80	Dabigatran	55
chloride44	Codeine phosphate	Dacarbazine	
Ciclopirox olamine72	Extemporaneous229	Dacarbazine APP	173
Ciclosporin207	Nervous134	Dactinomycin [Actinomycin D]	173
Cilazapril58	Cogentin 131	Daivobet	79
Cilazapril with	Colaspase [L-asparaginase]173	Daivonex	
hydrochlorothiazide59	Colchicine 129	Daktarin	73
Cilicaine103	Colecalciferol46	Dalacin C	104
Cilicaine VK103	Colestid65	Dalteparin sodium	
Ciloxan217	Colestipol hydrochloride65	Danazol	98
Cinacalcet88	Colgout129	Dantrium	130
Cipflox104	Colifoam21	Dantrium S29	130
Ciprofloxacin	Colistin sulphomethate104	Dantrolene	130
Infection104	Colistin-Link104	Daonil	25
Sensory217	Collodion flexible229	Dapa-Tabs	
Ciprofloxacin Teva217	Colloidal bismuth subcitrate23	Dapsone	110
Circadin157	Colofac22	Daraprim	105
Cisplatin167	Coloxyl40	Darunavir	117
Cisplatin Ebewe167	Combigan220	Dasatinib	177
Citalopram hydrobromide 137	Compound electrolytes57	Daunorubicin	
Cladribine	Compound hydroxybenzoate229	DBL Acetylcysteine	
Clarithromycin	Concerta161	DBL Aminophylline	214
Alimentary22	Condoms82	DBL Bleomycin Sulfate	
Infection100	Condyline81	DBL Carboplatin	167
Clexane54	Contact-D35	DBL Cisplatin	
Clindamycin104	Contraceptives - Hormonal82	DBL Dacarbazine	173
Clindamycin ABM104	Contraceptives - Non-hormonal82	DBL Docetaxel	
Clinicians Renal Vit46	Copaxone 157	DBL Ergometrine	
Clobazam139	Cordarone-X59	DBL Gemcitabine	
Clobetasol propionate74, 80	Corticosteroids and Related Agents	DBL Gentamicin	
Clobetasone butyrate74	for Systemic Use89	DBL Leucovorin Calcium	
Clofazimine109	Corticosteroids Topical74	DBL Methotrexate Onco-Vial	171
Clomazol	Cosmegen 173	DBL Morphine Sulphate	
Dermatological72	Coumadin55	DBL Morphine Tartrate	
Genito-Urinary85	Creon 1000039	DBL Naloxone Hydrochloride	222
Clomifene citrate98	Creon 2500039	DBL Octreotide	183
Clomipramine hydrochloride137	Crotamiton73	DBL Pethidine Hydrochloride	
Clonazepam138–139, 149	Crystaderm71	DBL Vincristine Sulfate	
Clonidine62	Curam102	De-Worm	
Clonidine BNM63	Cvite45	Decozol	
Clonidine hydrochloride63	Cyclizine hydrochloride144	Deferasirox	
Clopidogrel52	Cyclizine lactate144	Deferiprone	
Clopine146	Cyclogyl220	Denosumab	
Clopixol147, 149	Cyclopentolate hydrochloride220	Deolate	
Clotrimazole	Cyclophosphamide167	Deoxycoformycin	175
Dermatological72	Cycloserine110	Depo-Medrol	89
Genito-Urinary85	Cyklokapron52	Depo-Medrol with Lidocaine	
Clozapine146	Cyproterone acetate90	Depo-Provera	84
Clozaril146	Cyproterone acetate with	Depo-Testosterone	
Clustran 143	ethinyloestradiol84	Deprim	
Co-trimoxazole106	Cystadane42	DermAssist	74
Coal tar79	Cytarabine 169	Dermol	,
Coal tar with allantoin, menthol,	Cytotec22	Desferal	223

			_
Desferrioxamine mesilate223	hepatitis B and haemophilus	e-chamber Turbo2	10
Desmopressin acetate97	influenzae type B vaccine 262	E-Mycin1	0
Desmopressin-PH&T97	Diprosone74	Ear Preparations2	1
Detection of Substances in	Diprosone OV74	Ear/Eye Preparations2	1
Urine87	Dipyridamole52	Easiphen Liquid2	4
Dexamethasone	Disinfecting and Cleansing	EasyCheck	
Hormone89	Agents75	Econazole nitrate	7:
Sensory218	Disopyramide phosphate59	Efavirenz1	
Dexamethasone phosphate89	Disulfiram163	Efavirenz with emtricitabine and	
Dexamethasone with framycetin and	Ditropan86	tenofovir disoproxil	
gramicidin 217	Diuretics63	fumarate 1	1
Dexamethasone with neomycin	Diurin 4063	Effient	
sulphate and polymyxin B	Docetaxel173	Eformoterol fumarate2	1
sulphate218	Docetaxel Sandoz173	Efudix	
Dexamfetamine sulfate159	Docusate sodium40	Egopsoryl TA	
Dexmethsone89	Docusate sodium with	Elaprase	
Dextrochlorpheniramine	sennosides40	Elecare2	
maleate210	Dolutegravir117	Elecare LCP2	
Dextrose	Domperidone	Elemental 028 Extra2	
Dextrose with electrolytes57	Donepezil hydrochloride162	Elocon	
DHC Continus	Donepezil-Rex162	Elocon Alcohol Free	
Diabetes	Dopress	Eltrombopag	
Diabetes Management	Dornase alfa215	Eltroxin	ď
Diacomit141	Dorzolamide hydrochloride219	EMB Fatol1	
Diagnostic Agents272	Dorzolamide with timolol220	Emend1	
Diamide Relief20	Dostinex98	Emend Tri-Pack1	
Diamox219	Dosulepin [Dothiepin]	EMLA1	
Diasip		Emtricitabine1	
	hydrochloride	Emtricitabine with tenofovir disoproxil	1.
Diason RTH	Dothiepin 137 Doxazosin 58	fumarate1	4.
Diazepam		Emtriva1	
Diazoxide 23	Doxepin hydrochloride137		
Dibenzyline	Doxine	Emulsifying ointment	
Diclofenac Sandoz121	Doxorubicin Ebewe	Enalapril maleate	
Diclofenac sodium	Doxorubicin hydrochloride	Enbrel1	
Musculoskeletal121	Doxy-50	Endocrine Therapy1	
Sensory219	Doxycycline103	Endoxan1	
Differin71	Doxylin 100103	Enerlyte	
Difflam44	DP Fusidic Acid Cream72	Engerix-B2	
Diflucan106	DP Lotion	Enlafax XR1	
Diflucan S29 106	DP Lotn HC74	Enoxaparin sodium	
Diflucortolone valerate74	DP-Allopurinol128	Ensure2	
Digestives Including Enzymes39	Dr Reddy's Omeprazole23	Ensure Plus2	
Digoxin59	Drugs Affecting Bone	Ensure Plus HN2	
Dihydrocodeine tartrate134	Metabolism 122	Ensure Plus RTH2	
Dilantin141	Dual blood glucose and blood ketone	Entacapone1	
Dilantin Infatab141	diagnostic test meter26	Entapone1	3
Diltiazem hydrochloride62	Duocal Super Soluble Powder233	Entecavir1	12
Dilzem62	Duolin212	Entocort CIR	
Dimethicone76–77	Duolin HFA212	Epilim1	
Dimethyl fumarate149	Durex Confidence82	Epilim Crushable1	4
Dipentum21	Durex Extra Safe82	Epilim IV1	4
Diphtheria, tetanus and pertussis	Duride66	Epilim S/F Liquid1	4
vaccine 261	Dynacirc-SRO62	Epilim Syrup1	
Diphtheria, tetanus, pertussis and	.E-	Epirubicin Ebewe1	
polio vaccine	e-chamber La Grande216	Epirubicin hydrochloride1	
Diphtheria, tetanus, pertussis, polio,	e-chamber Mask215	Eplerenone	

Epoetin alfa [Erythropoietin alfa]	50	Ezetimibe with simvastatin	66	Fluorometholone	219
Epoprostenol	69	-F-		Fluorouracil	169
Eprex		Factor eight inhibitor bypassing		Fluorouracil Ebewe	169
Eptacog alfa [Recombinant factor	or	fraction	51	Fluorouracil sodium	8
VIIa]		Febuxostat	129	Fluoxetine hydrochloride	
ERA	101	Feed Thickener Karicare		Flupenthixol decanoate	
Erbitux	199	Aptamil	245	Flutamide	183
Ergometrine maleate	85	FEIBA NF		Flutamide Mylan	
Ergotamine tartrate with		Felodipine	62	Flutamin	
caffeine	143	Fenpaed		Fluticasone	
Erlotinib		Fentanyl		Fluticasone furoate with	
Erythrocin IV		Fentanyl Sandoz		vilanterol	21 ⁻
Erythromycin ethyl succinate		Ferinject		Fluticasone propionate	
Erythromycin lactobionate		Ferodan		Fluticasone with salmeterol	
Erythromycin stearate		Ferric carboxymaltose		FML	
Erythropoietin alfa		Ferriprox		Foban	
Esbriet		Ferro-F-Tabs		Folic acid	
Escitalopram		Ferro-tab		Food Thickeners	
Escitalopram-Apotex		Ferrograd		Foods And Supplements For Inl	
Eskazole		Ferrograd F		Errors Of Metabolism	
Estradot		Ferrous fumarate		Foradil	
		Ferrous furnarate with folic acid		Forteo	
Estradot 50 mcg Estrofem				Fortini	
		Ferrous sulphate with falia acid			
Etanercept		Ferrous sulphate with folic acid		Fortini Multi Fibre	
Ethambutol hydrochloride		Ferrum H		Fortisip	24
Ethics Aspirin		Fexofenadine hydrochloride		Fortisip Multi Fibre	
Ethics Aspirin EC		Fibro-vein		Fosamax	
Ethics Enalapril		Filgrastim		Fosamax Plus	
Ethics Lisinopril		Finasteride		Fragmin	
Ethinyloestradiol	92	Fingolimod		Framycetin sulphate	
Ethinyloestradiol with		Firazyr		Freestyle Optium	
desogestrel	83	Flagyl		Freestyle Optium Ketone	
Ethinyloestradiol with		Flagyl-S	109	Freestyle Optium Neo	
levonorgestrel	83	Flamazine	72	Frisium	
Ethinyloestradiol with		Flecainide acetate	60	Frumil	
norethisterone	83	Fleet Phosphate Enema	41	Frusemide	6
Ethosuximide	139	Flixonase Hayfever & Allergy	215	Frusemide-Claris	6
Etidronate disodium	125	Flixotide	211	Fucicort	7
Etopophos	174	Flixotide Accuhaler	211	Fucidin	10
Etoposide	174	Floair	211	Fucithalmic	218
Etoposide phosphate	174	Florinef	89	Fungilin	4
Etravirine		Fluanxol	147	Furosemide [Frusemide]	6
Eumovate	74	Fluarix Tetra	266	fusidic acid	
Everet	141	Flucil	102	Dermatological	72, 7
Everolimus	207	Flucloxacillin	102	Infection	10
Evista	125	Flucloxin	102	Sensory	
Exelon		Fluconazole		- G -	
Exemestane		Fludara Oral		Gabapentin	139
Exjade		Fludarabine Ebewe		Gacet	134
Extemporaneously Compounded		Fludarabine phosphate		Galsulfase	
Preparations and	-	Fludrocortisone acetate		Gardasil 9	
Galenicals	229	Fluids and Electrolytes		Gastrodenol	
Eye Preparations		Flumetasone pivalate		Gaviscon Double Strength	
Eylea		Fluocortolone caproate with	417	Gaviscon Infant	
Ezetimibe		fluocortolone pivalate and		Gazyva	
Ezetimibe Sandoz		cinchocaine	91	Gefitinib	
LECTIVIDE GALIAUE	00	on to totalite	41	GOILLING	1/3

Gemcitabine Ebewe	170	healthE Dimethicone 4% Lotion	77	Hydroxocobalamin	//
Gemcitabine hydrochloride		healthE Dimethicone 5%		Hydroxychloroquine	
Gemfibrozil					
Gemzar		healthE Glycerol BPhealthE Urea Cream		Hydroxyurea Hygroton	
				, 0	
Genoptic		Healtheries Simple Baking Mix		Hylo-Fresh	
Genox	185	Hemastix		Hyoscine butylbromide	22
Gentamicin sulphate	404	Heparin sodium		Hyoscine hydrobromide	
Infection		Heparinised saline		Hypam	
Sensory		Heparon Junior		Hyperuricaemia and Antigout	
Gilenya		Hepatitis A vaccine	263	Hypromellose	220
Ginet		Hepatitis B recombinant		Hypromellose with dextran	
Glatiramer acetate		vaccine		Hysite	220
Glibenclamide		Hepsera		-1-	
Gliclazide		Herceptin		Ibiamox	
Glipizide		Hexamine hippurate		Ibuprofen	
Glivec		Hiberix		Icatibant	
Glizide		Hiprex		Idarubicin hydrochloride	174
Glucagen Hypokit	23	Histaclear	209	Idursulfase	43
Glucagon hydrochloride	23	Histafen	209	Ifosfamide	167
Glucerna Select		Holoxan	167	Ikorel	67
Glucerna Select RTH	235	Horleys Bread Mix	245	lloprost	70
Glucobay	25	Horleys Flour	246	Imatinib mesilate	179
Glucose [Dextrose]	56	Hormone Replacement Therapy -		Imatinib-AFT	179
Gluten Free Foods		Systemic	. 90	Imiglucerase	44
Glycerin with sodium saccharin	229	HPV	265	Imipramine hydrochloride	137
Glycerin with sucrose		Humalog	.24	Imiquimod	
Glycerol		Humalog Mix 25		Immune Modulators	
Alimentary	41	Humalog Mix 50		Immunosuppressants	
Extemporaneous		Human papillomavirus (6, 11, 16, 18,		Imuran	
Glyceryl trinitrate		31, 33, 45, 52 and 58) vaccine		Incruse Ellipta	
Alimentary	22	[HPV]	265	Indacaterol	
Cardiovascular		Humatin		Indapamide	
Glycopyrronium		Humira		Infanrix IPV	
Glycopyrronium bromide		HumiraPen		Infanrix-hexa	
Glycopyrronium with		Humulin 30/70		Infant Formulae	
indacaterol	214	Humulin NPH		Infatrini	
Glytrin		Humulin R		Influenza vaccine	
Gold Knight		Hyaluronic acid		Influvac	
Goserelin		Hybloc		Influvac Tetra	
Gutron		Hydralazine		Inhaled Corticosteroids	
Gynaecological Anti-infectives		Hydralazine hydrochloride		Inhaled Long-acting	
- H -		Hydrea		Beta-adrenoceptor Agonists	211
Habitrol	164	Hydrocortisone	174	Inset 30	
Haemophilus influenzae type B	104	Dermatological	74	Inset II	
vaccine	262	Hormone		Inspra	
Haldol		Hydrocortisone acetate		Insulin aspart	
Haldol Concentrate		Hydrocortisone and paraffin liquid	21	Insulin aspart with insulin aspart	
Haldol Decanoas		and lanolin	74	protamine	2/
Haloperidol		Hydrocortisone butyrate74			
Haloperidol decanoate		Hydrocortisone with cinchocaine		Insulin glargine Insulin glulisine	24
Hamilton Sunscreen		Hydrocortisone with miconazole			
			10	Insulin isophaneInsulin isophane with insulin	24
Harvoni Havrix		Hydrocortisone with natamycin and	7F		0.
		neomycin	. 10	neutral	
Havrix Junior		Hydrogen peroxide	AF.	Insulin lispro	24
HBvaxPROhealthF Dimethicone 10%		Alimentary Dermatological		Insulin lispro with insulin lispro protamine	0
HEARTE DIMERNICONE 10%	/b	Dematological	/ 1	ororamine	24

Insulin neutral	24	Ivermectin	77	Latanoprost	220
Insulin pen needles		- J -		Lax-Suppositories	
Insulin pump	29	Jadelle	84	Lax-Tab	41
Insulin pump accessories	34	Jevity HiCal RTH	242	Laxatives	40
Insulin pump infusion set (steel		Jevity RTH	242	Laxsol	40
cannula)	35	Juno Pemetrexed	171	Ledipasvir with sofosbuvir	113
Insulin pump infusion set (teflon		- K -		Leflunomide	122
cannula, angle insertion with		Kaletra	117	Lenalidomide	
insertion device)	35	Kemadrin	131	Letrole	
Insulin pump infusion set (teflon		Kenacomb	217	Letromyl	185
cannula, angle insertion)	36	Kenacort-A 10	90	Letrozole	185
Insulin pump infusion set (teflon		Kenacort-A 40	90	Leukeran FC	167
cannula, straight insertion with		Kenalog in Orabase	44	Leukotriene Receptor	
insertion device)	37	Ketocal 3:1	250	Antagonists	214
Insulin pump infusion set (teflon		KetoCal 4:1	250	Leunase	
cannula, straight insertion)		Ketoconazole		Leuprorelin	
Insulin pump reservoir	38	Dermatological	80	Leustatin	
Insulin syringes, disposable with		Infection	107	Levetiracetam	141
attached needle	29	Ketogenic Diet	250	Levetiracetam-AFT	
Intal Forte CFC Free	.214	Ketone blood beta-ketone		Levlen ED	83
Intelence	.116	electrodes	26	Levobunolol	219
Interferon alfa-2a	.118	Ketoprofen	121	Levocabastine	219
Interferon alfa-2b	.118	KetoSens		Levodopa with benserazide	131
Interferon beta-1-alpha	. 157	Ketostix	26	Levodopa with carbidopa	131
Interferon beta-1-beta	. 157	Keytruda	206	Levomepromazine	
Intra-uterine device	82	Kindergen		hydrochloride	146
Intron-A	.118	Kivexa	117	Levomepromazine maleate	146
Invega Sustenna	.148	Klacid	100	Levonorgestrel	
IPOL		Kliogest	91	Genito-Urinary	<mark>8</mark> 4
Ipratropium bromide212	, 215	Kliovance	91	Hormone	92
Iressa	.179	Kogenate FS	52	Levothyroxine	93
Irinotecan Actavis 100	.170	Konakion MM	52	Lidocaine [Lignocaine]	
Irinotecan Actavis 40	.170	Konsyl-D	40	Lidocaine [Lignocaine]	
Irinotecan hydrochloride	.170	-L-		hydrochloride	133
Irinotecan-Rex	.170	L-asparaginase	173	Lidocaine [Lignocaine] with	
Iron polymaltose		Labetalol	61	chlorhexidine	133
Isentress	.117	Lacosamide	140	Lidocaine [Lignocaine] with	
Ismo 20	66	Lactulose	41	prilocaine	133
Ismo 40 Retard	66	Laevolac	41	Lidocaine-Claris	133
Isoniazid	. 110	Lamictal	141	Lignocaine	
Isoniazid with rifampicin	. 110	Lamivudine	112, 117	Hormone	
Isoprenaline	66	Lamivudine Alphapharm	117	Nervous	132-133
Isoptin	62	Lamotrigine	141	Lioresal Intrathecal	130
Isopto Carpine	.220	Lamprene	109	Lipazil	64
Isosorbide mononitrate	66	Lanoxin	59	Lipid-Modifying Agents	64
Isosource Standard	.242	Lanoxin PG	59	Liquigen	2 <mark>3</mark> 4
Isosource Standard RTH	.242	Lanoxin S29	59	Lisinopril	58
Isotane 10	71	Lansoprazole	22	Lithicarb FC	
Isotane 20	71	Lantus	<mark>24</mark>	Lithium carbonate	146
Isotretinoin	71	Lantus SoloStar	<mark>24</mark>	Livostin	219
Ispaghula (psyllium) husk	40	Lanvis	172	LMX4	133
Isradipine		Lanzol Relief	22	Locacorten-Viaform ED's	217
lsuprel	66	Lapatinib ditosylate	179	Local preparations for Anal an	ıd
Itch-Soothe		Largactil		Rectal Disorders	21
ltraconazole		Laronidase		Locasol	248
ltrazole	. 107	Lasix	63	Locoid	

Locoid Crelo	74	vaccine	269	Metoclopramide Actavis 10	144
Locoid Lipocream	74	Mebendazole	99	Metoclopramide hydrochloride	144
Locorten-Vioform	217	Mebeverine hydrochloride	22	Metolazone	63
Lodi	59	Medrol	89	Metopirone	98
Lodoxamide	219	Medroxyprogesterone acetate		Metoprolol succinate	61
Logem	141	Genito-Urinary	84	Metoprolol tartrate	61
Lomide		Hormone		Metronidazole	
Lomustine	167	Mefenamic acid		Metyrapone	
Loniten	67	Megestrol acetate	183	Mexiletine hydrochloride	
Loperamide hydrochloride	20	Melatonin		Mexiletine Hydrochloride USP	
Lopinavir with ritonavir	117	Meloxicam	121	Miacalcic	
Lopresor		Melphalan	167	Micolette	41
Loprofin		Menactra	269	Miconazole	45
Loprofin Mix		Meningococcal (groups A, C, Y a	and	Miconazole nitrate	
Lorafix	210	W-135) conjugate vaccine		Dermatological	73
Loratadine		Meningococcal C conjugate		Genito-Urinary	
Lorazepam		vaccine	269	Micreme	
Lorfast		Menthol		Micreme H	
Lormetazepam		Mercaptopurine		Microgynon 20 ED	
Lorstat		Mercilon 28		Microgynon 30	
Losartan Actavis		Mesalazine		Microgynon 50 ED	
Losartan potassium		Mesna		Microlut	
Losartan potassium with		Mestinon		Midazolam	
hydrochlorothiazide	59	Metabolic Disorder Agents		Midazolam-Claris	
Lovir		Metchek		Midodrine	
Lucrin Depot 1-month		Meterol		Minerals	
Lucrin Depot 3-month		Metformin hydrochloride		Mini-Wright AFS Low Range	
Ludiomil		Metformin Mylan		Mini-Wright Standard	
Lycinate		Methadone hydrochloride		Minidiab	
Lyderm		Extemporaneous	229	Minims Pilocarpine	
- M -		Nervous		Minims Prednisolone	
m-Eslon	135	Methatabs		Minirin	
Mabthera		Methopt		Mino-tabs	
Macrogol 3350 with potassium		Methotrexate		Minocycline hydrochloride	
chloride, sodium bicarbonat		Methotrexate Ebewe		Minomycin	
sodium chloride		Methotrexate Sandoz		Minor Skin Infections	
Macrogol 400 and propylene		Methyl hydroxybenzoate		Minoxidil	
glycol	221	Methylcellulose		Mirena	
Madopar 125		Methylcellulose with glycerin and		Mirtazapine	
Madopar 250		sodium saccharin		Misoprostol	
Madopar 62.5	131	Methylcellulose with glycerin and		Mitomycin C	
Madopar HBS		sucrose		Mitozantrone	
Madopar Rapid		Methyldopa		Mitozantrone Ebewe	
Magnesium hydroxide		Methyldopa Mylan		Mixtard 30	
Magnesium sulphate		Methylnaltrexone bromide		Moclobemide	
Mantoux		Methylphenidate hydrochloride		Modafinil	
Maprotiline hydrochloride		Methylphenidate hydrochloride		Modavigil	
'			161	Moduretic	
Marevan Marine Blue Lotion SPF 50+		extended-release Methylprednisolone		Molaxole	
Marvelon 28		Methylprednisolone (as sodium	03	Mometasone furoate	
Mask for spacer device		succinate)	80	Monogen	
Mast Cell Stabilisers		Methylprednisolone aceponate		Montelukast	
Maxidex		Methylprednisolone acetate		Moroctocog alfa [Recombinant fac	
Maxitrol		Methylprednisolone acetate with		VIII]	
MCT oil (Nutricia)		lidocaine [Lignocaine]		Morphine hydrochloride	
Measles, mumps and rubella	204	Methylxanthines		Morphine sulphate	
modoloo, mampo ana rabella		1710 d 1 y 1/2 d 1 t 1 1 1 1 1 1 0 0		morprinio odipridio	100

Morphine tartrate	135	Neocate Junior Unflavoured	248	Norvir	117
Motetis	132	Neocate Junior Vanilla	248	NovaSource Renal	238
Mouth and Throat	44	Neocate LCP	248	Novatretin	<mark>7</mark> 9
Movapo	131	Neoral	207	NovoMix 30 FlexPen	24
Moxifloxacin		Neostigmine metilsulfate	121	NovoRapid	24
MSUD Maxamum	246	Nepro HP (strawberry)	238	NovoRapid FlexPen	
Mucilaginous laxatives with		Nepro HP (vanilla)		NovoRapid Penfill	
stimulants	40	Nepro HP RTH	238	NovoSeven RT	
Mucolytics	215	Nerisone	74	Noxafil	
Mucosoothe	133	Neulactil	146	Nozinan	146
Multiple Sclerosis Treatments	149	Neulactil S29		Nuelin	215
Multivitamin renal	46	Neulastim	<u>56</u>	Nuelin-SR	215
Multivitamins		Neurontin	139	Nupentin	139
Mupirocin	72	NeuroTabs	47	Nutilis	245
Muscle Relaxants	130	Nevirapine	116	Nutrient Modules	232
Mvite		Nevirapine Alphapharm		Nutrini Energy Multi Fibre	237
Myambutol		Nicorandil		Nutrini Energy RTH	
Mycobutin		Nicotine		Nutrini Low Energy Multi Fibre	
MycoNail		Nicotinic acid		Nutrini RTH	
Mycophenolate mofetil		Nifedipine	62	Nutrison 800 Complete Multi	
Mycostatin		Nifuran		Fibre	242
Mydriacyl		Nilotinib	180	Nutrison Concentrated	
Mylan Atenolol		Nilstat		Nutrison Energy	242
Mylan Clomiphen		Alimentary	45	Nutrison Energy Multi Fibre	
Myleran		Genito-Urinary		Nutrison Multi Fibre	
Myocrisin		Infection		Nutrison Standard RTH	
Myometrial and Vaginal Hormon		Nipent		Nyefax Retard	62
Preparations		Nitrados		Nystatin	
Myozyme		Nitrates	66	Alimentary	45
- N -		Nitrazepam	158	Dermatological	
Nadolol	61	Nitroderm TTS	66	Genito-Urinary	
Naglazyme		Nitrofurantoin	120	Infection	107
Nalcrom		Nitrolingual Pump Spray	66	NZB Low Gluten Bread Mix	245
Naloxone hydrochloride		Nivolumab		- 0 -	
Naltraccord		Nizoral		O/W Fatty Emulsion Cream	76
Naltrexone hydrochloride		Noctamid	157	Obinutuzumab	
Naphazoline hydrochloride		Nodia	20	Octocog alfa [Recombinant factor	
Naphcon Forte		Noflam 250		VIII] (Advate)	
Naprosyn SR 1000		Noflam 500	121	Octocog alfa [Recombinant factor	
Naprosyn SR 750		Non-Steroidal Anti-Inflammato		VIII] (Kogenate FS)	
Naproxen		Drugs		Octreotide	
Nardil		Nonacog alfa [Recombinant fa		Octreotide LAR (somatostatin	
Nasal Preparations	215	IX]		analogue)	183
Natalizumab		Nonacog gamma, [Recombina		Oestradiol	
Natulan	175	Factor IX]	51	Oestradiol valerate	91
Nausafix	144	Norethisterone		Oestradiol with norethisterone	91
Nausicalm	144	Genito-Urinary	84	Oestriol	
Nauzene	144	Hormone	92	Genito-Urinary	85
Navelbine	177	Norflex	130	Hormone	92
Nedocromil		Norfloxacin		Oestrogens	91
Nefopam hydrochloride		Noriday 28		Oil in water emulsion	
Neisvac-C		Norimin		Olanzapine14	
Neo-B12		Normacol Plus		Olbetam	
Neo-Mercazole		Normison		Olopatadine	
Neocate Advance		Norpress		Olsalazine	
Neocate Gold		Nortriptyline hydrochloride		Omalizumab	

Omeprazole	23	- P -		Paraldehyde	138
Omeprazole actavis 10		Pacifen	130	Parasidose	
Omeprazole actavis 20	23	Paclitaxel	175	Parasiticidal Preparations	77
Omeprazole actavis 40	23	Paclitaxel Actavis	175	Paritaprevir, ritonavir and ombitas	vir
Omnitrope		Paclitaxel Ebewe	175	with dasabuvir	113
Onbrez Breezhaler		Paediatric Seravit		Paritaprevir, ritonavir and ombitas	
Oncaspar	175	Paliperidone	148	with dasabuvir and ribavirin	
OncoTICE		Pamidronate disodium		Parnate	
Ondansetron		Pamisol		Paromomycin	
Ondansetron ODT-DRLA		Pancreatic enzyme		Paroxetine	
Ondansetron ODT-ORLA	144	Pantoprazole		Paser	110
One-Alpha	46	Panzop Relief		Patanol	221
Opdivo	205	Panzytrat		Paxam	149
Ora-Blend		Papaverine hydrochloride		Pazopanib	180
Ora-Blend SF	229	Para-amino salicylic acid		Peak flow meter	
Ora-Plus	229	Paracare		Pedialyte - Bubblegum	57
Ora-Sweet		Paracare Double Strength	134	Pediasure	237
Ora-Sweet SF	229	Paracetamol		Pediasure RTH	237
Orabase	44	Paracetamol + Codeine		Pegaspargase	175
Oral Supplements/Complete D	iet	(Relieve)	136	Pegasys	
(Nasogastric/Gastrostomy T		Paracetamol with codeine		Pegasys RBV Combination	
Feed)		Paradigm 1.8 Reservoir		Pack	118
Oratane		Paradigm 3.0 Reservoir		Pegfilgrastim	
Orgran	246	Paradigm 522		Pegylated interferon alfa-2a	
Orion Temozolomide		Paradigm 722		Pembrolizumab	
Ornidazole	109	Paradigm Mio MMT-921		Pemetrexed	
Orphenadrine citrate	130	Paradigm Mio MMT-923		Penicillamine	122
Ortho-tolidine	87	Paradigm Mio MMT-925		Penicillin G	
Oruvail SR		Paradigm Mio MMT-941		PenMix 30	
Osmolite RTH		Paradigm Mio MMT-943		PenMix 40	
Other Endocrine Agents		Paradigm Mio MMT-945		PenMix 50	
Other Oestrogen Preparations		Paradigm Mio MMT-965		Pentasa	
Other Progestogen		Paradigm Mio MMT-975		Pentostatin [Deoxycoformycin]	
Preparations	92	Paradigm Quick-Set MMT-386		Pentoxifylline [Oxpentifylline]	
Other Skin Preparations	81	Paradigm Quick-Set MMT-387	38	Peptamen Junior	
Ovestin		Paradigm Quick-Set MMT-396	38	Peptisoothe	
Genito-Urinary	85	Paradigm Quick-Set MMT-397		Peptisorb	239
Hormone		Paradigm Quick-Set MMT-398		Perhexiline maleate	
Ox-Pam	149	Paradigm Quick-Set MMT-399		Pericyazine	146
Oxaliccord	168	Paradigm Silhouette MMT-368	36	Perindopril	
Oxaliplatin	168	Paradigm Silhouette MMT-377	36	Perjeta	
Oxaliplatin Actavis 100	168	Paradigm Silhouette MMT-378	36	Permethrin	79
Oxaliplatin Actavis 50		Paradigm Silhouette MMT-381	36	Perrigo	
Oxaliplatin Ebewe		Paradigm Silhouette MMT-382	36	Pertuzumab	201
Oxazepam		Paradigm Silhouette MMT-383	36	Peteha	110
Oxis Turbuhaler		Paradigm Silhouette MMT-384	36	Pethidine hydrochloride	136
Oxpentifylline	67	Paradigm Sure-T MMT-864	35	Pevaryl	
Oxybutynin		Paradigm Sure-T MMT-866	35	Pexsig	62
Oxycodone hydrochloride		Paradigm Sure-T MMT-874		Pfizer Exemestane	185
OxyNorm		Paradigm Sure-T MMT-876		Pharmacare	134
Oxytocin	85	Paradigm Sure-T MMT-884		Pharmacy Health Sorbolene with	
Oxytocin Apotex	85	Paradigm Sure-T MMT-886		Glycerin	7 6
Oxytocin BNM	85	Paraffin		Pharmacy Services	222
Oxytocin with ergometrine		Paraffin liquid with soft white		Pheburane	43
maleate	85	paraffin	221	Phenelzine sulphate	
Ozurdex		Paraffin liquid with wool fat	221	Phenobarbitone	

Phenobarbitone sodium	Pradaxa	55	Preparations	79
Extemporaneous230	Pramipexole hydrochloride	131	PTU	93
Nervous158	Prasugrel	52	Pulmicort Turbuhaler	
Phenothrin79	Pravastatin		Pulmocare	235
Phenoxybenzamine	Praziquantel	99	Pulmozyme	
hydrochloride58	Prazosin		Puri-nethol	
Phenoxymethylpenicillin (Penicillin	Pred Forte	219	Pyrazinamide	110
V)103	Prednisolone	90	Pyridostigmine bromide	121
Phenytoin sodium138, 141	Prednisolone acetate	219	Pyridoxine hydrochloride	45
Phlexy 10247	Prednisolone sodium		Pyrimethamine	
Phosphate-Sandoz57	phosphate	219	Pytazen SR	52
Phosphorus57	Prednisolone-AFT		_Q-	
Phytomenadione52	Prednisone	90	Q 300	109
Pilocarpine hydrochloride220	Pregabalin	141	Questran-Lite	64
Pimafucort75	Pregabalin Pfizer		Quetapel	147
Pindolol61	Pregnancy Tests - hCG Urine		Quetiapine	
Pine tar with trolamine laurilsulfate	Premarin		Quick-Set MMT-390	
and fluorescein80	Prevenar 13		Quick-Set MMT-391	
Pinetarsol80	Prezista		Quick-Set MMT-392	
Pioglitazone25	Priadel		Quick-Set MMT-393	
Piportil148	Primacin		Quinapril	
Pipothiazine palmitate148	Primaquine phosphate		Quinapril with	
Pirfenidone214	Primidone		hydrochlorothiazide	50
Pizotifen143	Primolut N		Quinine sulphate	
PKU Anamix Infant247	Priorix		Qvar	
PKU Anamix Junior247	Probenecid		- R -	210
PKU Anamix Junior LQ247	Probenecid-AFT		RA-Morph	125
PKU Lophlex LQ 10247			Raloxifene hydrochloride	
	Procaine penicillin		•	
PKU Lophlex LQ 20247	Procarbazine hydrochloride		Raltegravir potassium	
PKU Lophlex Powder	Prochlorperazine		Ramipex	۱۵۱
PKU Lophlex Sensation 20247	Proctosedyl		Ranbaxy-Cefaclor	
Plaquenil 122	Procur		Ranitidine	
Plendil ER62	Procyclidine hydrochloride		Ranitidine Relief	
Pneumococcal (PCV10) conjugate	Procytox		Rapamune	
vaccine	Progesterone		Reandron 1000	
Pneumococcal (PCV13) conjugate	Proglicem		Recombinant factor IX	
vaccine270	Proglycem		Recombinant factor VIIa	
Pneumococcal (PPV23)	Progynova		Recombinant factor VIII	
polysaccharide vaccine271	Prokinex		Rectogesic	
Pneumovax 23271	Prolia		Redipred	90
Podophyllotoxin81	Promethazine hydrochloride		Refresh Night Time	
Polaramine210	Promethazine theoclate		Relieve	
Poliomyelitis vaccine271	Propafenone hydrochloride	60	Relistor	
Poloxamer40	Propamidine isethionate		Renilon 7.5	
Poly-Gel221	Propranolol	61	Resonium-A	57
Poly-Tears221	Propylene glycol		Resource Beneprotein	234
Poly-Visc221	Propylthiouracil	93	Resource Diabetic	235
Polycal232	Protaphane		Respigen	212
Polyvinyl alcohol221	Protaphane Penfill		Respiratory Devices	215
Ponstan 121	Protifar		Respiratory Stimulants	216
Posaconazole107	Protionamide		Retinol palmitate	221
Postinor-184	Provera		ReTrieve	
Potassium chloride56–57	Provera HD		Retrovir	
Potassium citrate86	Provera S29		Revlimid	
Potassium iodate	PSM Citalopram		Revolade	
Povidone iodine	Psoriasis and Eczema		Rexacrom	

RexAir	211	Sebizole	80	Infection	10!
Reyataz		Sedatives and Hypnotics		Sensory	
Ribomustin		Seebri Breezhaler		Sodium hyaluronate [Hyaluronic	2 11
Ricit		Selegiline hydrochloride		acid]	22
Rifabutin		Senna		Sodium nitroprusside	
Rifadin		Senokot		Sodium phenylbutyrate	
Rifampicin		Sensipar		Sodium polystyrene sulphonate	
Rifaximin		SensoCard		Sodium tetradecyl sulphate	
Rifinah		Serenace			
Rilutek		Seretide		Sodium valproate Sofradex	
Riluzole				Soframycin	
		Seretide Accuhaler			
Riodine		SereventSerevent Accuhaler		Solian	
Risedronate Sandoz				Solifenacin succinate	
Risedronate sodium		Serophene	98	Solu-Cortef	
Risperdal Consta		Sertraline		Solu-Medrol	
Risperidone		Sevredol	135	Somatropin (Omnitrope)	
Risperon		Sex Hormones Non		Sotacor	
Ritalin		Contraceptive		Sotalol	
Ritalin LA		Shield 49		Spacer device	
Ritalin SR		Shield Blue		Span-K	5
Ritonavir		Shield XL		Spiolto Respimat	214
Rituximab		shingles vaccine		Spiractin	
Rivaroxaban		Sildenafil		Spiriva	
Rivastigmine	162	Silhouette MMT-371		Spiriva Respimat	
Rivotril	138–139	Silhouette MMT-373		Spironolactone	
RIXUBIS		Siltuximab		Sporanox	10
Rizamelt		Simvastatin		Sprycel	17
Rizatriptan		Simvastatin Mylan	65	Staphlex	
Roferon-A	118	Sinemet	131	Stemetil	14
Rolin	185	Sinemet CR	131	Stesolid	13
Ropinirole hydrochloride	131	Sirolimus	208	Stimulants/ADHD Treatments	
Rotarix	271	Slow-Lopresor	61	Stiripentol	14
Rotavirus oral vaccine	271	Smith BioMed Rapid Pregnancy		Stocrin	
Roxane		Test	85	Stomahesive	
Alimentary	20	Sodibic	57	Strattera	15
Cardiovascular	61	Sodium acid phosphate	41	Stromectol	
Roxithromycin	101	Sodium alginate		Suboxone	16
Rubifen	160	Sodium aurothiomalate		Sucralfate	2
Rubifen SR	160	Sodium benzoate	43	Sulfadiazine Silver	7
Rulide D	101	Sodium bicarbonate		Sulfadiazine sodium	10
Rythmodan	59	Blood	. 56–57	Sulfasalazine	2
Rytmonorm		Extemporaneous	230	Sulindac	
- S -		Sodium calcium edetate		Sulphur	8
Sabril	142	Sodium chloride		Sulprix	14
SalAir	212	Blood	56	Sumatriptan	14
Salazopyrin	21	Respiratory		Sunitinib	
Salazopyrin EN		Sodium citrate with sodium lauryl		Sunscreens	8
Salbutamol		sulphoacetate		Sunscreens, proprietary	
Salbutamol with ipratropium		Sodium citro-tartrate		Sure-T MMT-863	3
bromide	212	Sodium cromoglicate		Sure-T MMT-865	
Salicylic acid		Alimentary	21	Sure-T MMT-873	
Salmeterol		Respiratory		Sure-T MMT-875	
Sandomigran		Sensory		Sure-T MMT-883	3!
Sandostatin LAR	183	Sodium fluoride		Sure-T MMT-885	3
Scalp Preparations		Sodium Fusidate [fusidic acid]		Sustagen Diabetic	
Scopoderm TTS		Dermatological	79	Sustagen Hospital Formula	24
		20111lato10g10a1	/		2-10

Sustagen Hospital Formula		Thalomid		Triamcinolone acetonide	
Active		Theophylline		Alimentary	
Sustanon Ampoules	90	Thiamine hydrochloride	45	Dermatological	
Sutent		THIO-TEPA	168	Hormone	90
Sylvant	203	Thioguanine	172	Triamcinolone acetonide with	
Symbicort Turbuhaler 100/6	211	Thiotepa	168	gramicidin, neomycin and nyst	atin
Symbicort Turbuhaler 200/6	211	Thymol glycerin	45	Dermatological	7
Symbicort Turbuhaler 400/12	211	Thyroid and Antithyroid Agents		Sensory	
Symmetrel		Ticagrelor	53	Triazolam	
Sympathomimetics		Tilade		Trichozole	
Synacthen		Tilcotil		Triclosan	
Synacthen Depot		Timolol		Trimeprazine tartrate	
Synflorix		Cardiovascular	61	Trimethoprim	
Synthroid		Sensory		Trimethoprim with	
Syntometrine		Timoptol XE		sulphamethoxazole	
					100
Syrup (pharmaceutical grade)		Tiotropium bromide	213	[Co-trimoxazole]	
Systane Unit Dose	221	Tiotropium bromide with	04.4	Trisequens	
-T-		olodaterol		Trisul	
Tacrolimus		Tivicay		Trophic Hormones	
Tacrolimus Sandoz	208	TMP	106	Tropicamide	
Tambocor	60	TOBI	106	Trusopt	
Tambocor CR	60	Tobramycin		Truvada	114
Tamoxifen citrate	185	Infection	106	Tuberculin PPD [Mantoux] test	272
Tamsulosin hydrochloride	86	Sensory	218	Tubersol	272
Tamsulosin-Rex		Tobramycin Mylan		Two Cal HN	24
Tap water		Tobrex		Two Cal HN RTH	24
Tarceva		Tofranil		Tykerb	
Tasigna		Tofranil s29		Tysabri	
1 dolgi da					
		Tolcanone	131		
Tasmar	131	Tolcapone		- U -	
Tasmar Tecfidera	131 149	Tolterodine	87	- U - Ultibro Breezhaler	214
Tasmar	131 149 139	Tolterodine Topamax	87	- U - Ultibro Breezhaler Ultraproct	214
Tasmar Tecfidera Tegretol Tegretol CR	131 149 139 139	Tolterodine Topamax Topical Products for Joint and	87 142	- U - Ultibro BreezhalerUltraproct Umeclidinium	214 2
Tasmar Tecfidera Tegretol Tegretol CR Telfast	131 149 139 139 210	Tolterodine Topamax Topical Products for Joint and Muscular Pain	87 142 122	- U - Ultibro BreezhalerUltraproct Umeclidinium Umeclidinium with vilanterol	214 21 216
Tasmar Tecfidera Tegretol Tegretol CR Telfast Temazepam.	131 149 139 139 210 210	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate	87 142 122 142	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214 21 216 214 12, 218
Tasmar Tecfidera Tegretol Tegretol CR Telfast Temazepam Temizole 20	131 149 139 139 210 158 176	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis	87 142 122 142	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214 216 214 12, 218
Tasmar	131 149 139 210 158 176	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN)	87 142 122 142 142	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214 215 214 12, 215 86
Tasmar	131 149 139 210 158 176 176	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN)	87 142 122 142 142 56 56	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214215214 12, 21586
Tasmar	131 149 139 210 158 176 176	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN)	87 142 122 142 142 56 56	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214215214 12, 215867666
Tasmar	131 149 139 210 158 176 176 176 112	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN)	87 142 142 142 56 56 136	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214215214 12, 21586766565
Tasmar	131149139210158176176176112112	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN) TPN Tramadol hydrochloride	87 142 142 142 56 56 136	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214215214 12, 21586766565
Tasmar	131149139210158176176112112121168	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN) TPN Tramadol hydrochloride Tramal SR 100 Tramal SR 150	871421421421425656136136	Ultibro Breezhaler	214213214 12, 215 12, 215867685120
Tasmar	131 149 139 210 158 176 176 112 112 112 168 58	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN) TPN Tramadol hydrochloride Tramal SR 100	871421421421425656136136136	- U - Ultibro Breezhaler Ultraproct Umeclidinium Umeclidinium with vilanterol Univent	214213214 12, 218867665126179
Tasmar	13114913913921015817617611211212116858108	Tolterodine Topamax Topical Products for Joint and Muscular Pain Topiramate Topiramate Actavis Total parenteral nutrition (TPN) TPN Tramadol hydrochloride Tramal SR 100 Tramal SR 150 Tramal SR 200 Trandate	871421421421421425656136136136136	Ultibro Breezhaler	214215214 12, 215866512017535
Tasmar	13114913913921015817617611212112116858108212	Tolterodine	871421421421425656136136136136136	Ultibro Breezhaler	214215214 12, 215866512017535
Tasmar	13114913915817617611211211216858108154	Tolterodine	871421421421425656136136136136137	Ultibro Breezhaler	214215214 12, 215661261753392
Tasmar	13114913915817617611211211216858108154126	Tolterodine	8714214214214256136136136136137203	Ultibro Breezhaler	21421214 12, 214 12, 215666312017538
Tasmar	1311491391581761761121121121685810815412690	Tolterodine	8714214214214256136136136136136	Ultibro Breezhaler	214211211211211211211211211211211211211211211211211211
Tasmar	1311491391581761761121211685810821215412690	Tolterodine	8714214214214256136136136136137203220	Ultibro Breezhaler	214 213 214 112, 219 66 88 120 179 33 33 39 92
Tasmar	131149139139158176176112112112168581081541269090	Tolterodine	871421421421425656136136136	Ultibro Breezhaler	214 213 214 2112, 21112,
Tasmar	13114913913921015817617211212116858108108108109154154	Tolterodine	871421421421425656136136136	Ultibro Breezhaler	2142112, 211
Tasmar	13114913913915817611211212116858108124124154158	Tolterodine	87142142142	Ultibro Breezhaler	214 2112, 2114 212 214 215 214 215 215 215 215 215 215 215 215 215 215
Tasmar	131149139139158176112112121168581082121541269090909090	Tolterodine	871421421425656136136136136137202220220	Ultibro Breezhaler	
Tasmar	1311491391391581761121121211685810821215412690909090909090	Tolterodine	871421421425656136136136136137202220220	Ultibro Breezhaler	
Tasmar	131149139139158176176112121121168581082121541269090909090	Tolterodine	87142142142145156136136136137203220220162162	Ultibro Breezhaler	
Tasmar	131149139139158176176112112121168581082121541269090909090901328790103	Tolterodine	87142142142142	Ultibro Breezhaler	
Tasmar	131149139139158176176112112121168581082121541269090909090901328790103	Tolterodine	8714214214214256136136136137203220220162162177	Ultibro Breezhaler	

attenuated vaccine [shingles	Vttack
vaccine] 272	- W -
Varilrix272	Warfarin sodium55
Various222	Wart Preparations81
Vasodilators67	Wasp venom allergy treatment209
Vasopressin Agonists97	Water
Vedafil69	Blood57
Velcade172	Extemporaneous230
Veletri69	Wool fat with mineral oil76
Venlafaxine138	-X-
Venomil209	Xarelto55
Ventavis70	Xifaxan23
Ventolin212	XMET Maxamum246
Vepesid174	Xolair200
Verapamil hydrochloride62	XP Maxamaid247
Vergo 16143	XP Maxamum247
Vermox	Xylocaine
Verpamil SR62	Xylocaine 2% Jelly132
Vesanoid177	Xyntha51
Vesicare86	-Z-
Vexazone25	Zantac22
Vfend108	Zapril58
Viaderm KC75	Zarontin
Vidaza168	Zaroxolyn63
Viekira Pak113	Zarzio55
Viekira Pak-RBV114	Zavedos
Vigabatrin142	Zeffix112
Vimpat140	Zeldox147
Vinblastina Teva177	Zetlam112
Vinblastine sulphate177	Ziagen116
Vincristine sulphate177	Zidovudine [AZT]117
Vinorelbine177	Zidovudine [AZT] with
Vinorelbine Ebewe177	lamivudine117
Viramune Suspension116	Zimybe66
Viread112	Zinc and castor oil76
ViruPOS217	Zinc sulphate48
Vistil221	Zincaps48
Vistil Forte221	Zinnat100
Vit.D346	Ziprasidone147
VitA-POS221	Zista209
Vitabdeck46	Zithromax100
Vitadol C45	Zoladex97
Vital239	Zoledronic acid
Vitamin A with vitamins D and C45	Hormone88
Vitamin B complex45	Musculoskeletal127
Vitamin B6 2545	Zoledronic acid Mylan88
Vitamins45–46	Zometa88
Vivonex TEN239	Zopiclone
Volibris67	Zopiclone Actavis159
Voltaren121	Zostavax272
Voltaren D121	Zostrix122
Voltaren Ophtha219	Zostrix HP133
Volumatic216	Zuclopenthixol decanoate149
Voriconazole108	Zuclopenthixol hydrochloride147
Vosol217	Zusdone147

Zypine	146
Zypine ODT	
Zyprexa Relprevv	
Zytiga	

