2

Octo	ber	2018	,
Volume	25 N	lumber	2

Editors:

Kaye Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April. August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.


Production

Typeset automatically from XML and T_FX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

Programmers

Anrik Drenth & John Geering

email: texschedule@pharmac.govt.nz



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 4.0 International licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/bv/4.0/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section A	General Rules	5
Section B	Alimentary Tract & Metabolism	6
	Blood & Blood Forming Organs	35
	Cardiovascular System	45
	Dermatologicals	59
	Genito Urinary System	70
	Hormone Preparations – Systemic	76
	Infections – Agents For Systemic Use	88
	Musculoskeletal System	110
	Nervous System	120
	Oncology Agents & Immunosuppressants	153
	Respiratory System & Allergies	198
	Sensory Organs	206
	Various	211
Section C	Extemporaneous Compounds (ECPs)	213

Special Foods	216
National Immunisation Schedule	235
	· · ·

Index 246

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A to D and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram g	
kilogram kg	
international unit iu	

Abbreviations

Capsule Cream Device Dispersible Effervescent Emulsion	Amp Cap Crm Dev Disp Eff Emul EC
Enteric Coated	EC

microgram me	cg
milligramn	ng
millilitreı	ml

millimole	mmol
unit	u

Gelatinous	Gel	SolutionSoln
Granules	Gran	SuppositorySupp
Infusion	Inf	TabletTab
Injection	Inj	Tincture Tinc
Liquid	Liq	Trans Dermal Delivery
Long Acting	LA	SystemTDDS
Ointment	Oint	-
Sachet	Sach	

General Rules for the Pharmaceutical Schedule are located on the PHARMAC website.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$) Per	Fully Subsidised	
Antacids and Antiflatulents				
Antacids and Reflux Barrier Agents				
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg p sachet SODIUM ALGINATE		30	v	Gaviscon Infant
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60		Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calciur carbonate 160 mg per 10 ml		500 m	I	Acidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE * Tab 600 mg CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement Only when prescribed for children under 12 years of age endorsed accordingly.		100 500 m nate bir	🗸	Alu-Tab Roxane nt and the prescription is
Antidiarrhoeals Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on	a PSO			
* Tab 2 mg * Cap 2 mg	10.75	400 400		<u>Nodia</u> Diamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE Cap 3 mg – Special Authority see SA1155 below – Retail pharmacy		90 valid for		Entocort CIR
the following criteria: Both:				
 Mild to moderate ileal, ileocaecal or proximal Crohn's dise Any of the following: 2.1 Diabetes; or 2.2 Cushingoid habitus; or 	ease; and			
2.3 Osteoporosis where there is significant risk of frac	ture; or			
				continued.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

2.4 Severe acne following treatment with conventional corticosteroid therapy; or

2.5 History of severe psychiatric problems associated with corticosteroid treatment; or

2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or

2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an unapproved indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)2	6.55 21	.1 g OP 🖌	Colifoam
MESALAZINE			
Tab 400 mg4	9.50	100 🖌	Asacol
Tab EC 500 mg4	9.50	100 🗸	Asamax
Tab long-acting 500 mg5	9.05	100 🖌	Pentasa
Tab 800 mg	5.50	90 🖌	Asacol
Modified release granules, 1 g14	1.72 1	20 OP 🖌 🖌	Pentasa
Enema 1 g per 100 ml4	1.30	7 🖌	Pentasa
Suppos 500 mg2		20 🖌	Asacol
Suppos 1 g5	4.60	30 🖌	Pentasa
OLSALAZINE			
Tab 500 mg9	3.37	100 🖌	Dipentum
Cap 250 mg5		100 🗸	Dipentum
SODIUM CROMOGLICATE			
Cap 100 mg	2.91	100 🖌	Nalcrom
SULFASALAZINE			
* Tab 500 mg	4.00	100 🗸	Salazopyrin
* Tab EC 500 mg1			Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and		
cinchocaine hydrochloride 5 mg per g6.35	30 g OP	 Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and		
cinchocaine hydrochloride 1 mg2.66	12	 Ultraproct
HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	 Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g	12	 Proctosedyl

	Subsidy	F	ully Brand or
	(Manufacturer's Price) \$	Subsidis Per	,
Management of Anal Fissures			
GLYCERYL TRINITRATE – Special Authority see SA1329 below * Oint 0.2%		0 g OP	✓ Rectogesic
► SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid chronic anal fissure that has persisted for longer than three week		wal unless no	ptified where the patient has a
Antispasmodics and Other Agents Altering Gut	Motility		
GLYCOPYRRONIUM BROMIDE Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available on PSO		10	✓ Max Health
HYOSCINE BUTYLBROMIDE		10	
Tab 10 mg Tab 10 mg			✓ <u>Buscopan</u> ✓ Buscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg		90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL * Tab 200 mcg	41.50	120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription	10.40	14	✓ <u>Apo-Clarithromycin</u>
 b) Subsidised only if prescribed for helicobacter pylori e Note: the prescription is considered endorsed if clari inhibitor and either amoxicillin or metronidazole. 			0,
H2 Antagonists			
RANITIDINE – Only on a prescription * Tab 150 mg		500 300 ml	 <u>Ranitidine Relief</u> <u>Ranitidine Relief</u> <u>Peptisoothe</u> Zantac
Proton Pump Inhibitors			
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg			 ✓ Lanzol Relief ✓ Lanzol Relief

Xifaxan

56

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
OMEPRAZOLE			
For omeprazole suspension refer Standard Formulae, pag	e 213		
* Cap 10 mg	1.98	90	 <u>Omeprazole actavis</u> 10
* Cap 20 mg	1.96	90	✓ Omeprazole actavis 20
* Cap 40 mg	3.12	90	✓ Omeprazole actavis 40
* Powder – Only in combination		5 g	✓ Midwest
Only in extemporaneously compounded omeprazole s		Ũ	
* Inj 40 mg ampoule with diluent		5	✓ <u>Dr Reddy's</u> <u>Omeprazole</u>
PANTOPRAZOLE			
* Tab EC 20 mg		100	
* Tab EC 40 mg	3.35	100	Panzop Relief
Site Protective Agents			
COLLOIDAL BISMUTH SUBCITRATE			
Tab 120 mg		50	 Gastrodenol S29
SUCRALFATE			
Tab 1 g	35 50	120	
1 au 1 y	(48.28)	120	Carafate

RIFAXIMIN – Special Authority see SA1461 below – Retail pharmacy	
Tab 550 mg	

➡SA1461 Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Diabetes

Hyperglycaemic Agents

armacy		
	100	 Proglicem S29
	100	 Proglicem S29
620.00	30 ml OP	 Proglycem S29
id for 12 months	where used for	the treatment of confirmed
t further renewal	unless notified	where the treatment remains
	1	 Glucagen Hypokit

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully idised	Brand or Generic Manufacturer
Insulin - Short-acting Preparations				
NSULIN NEUTRAL ▲ Inj human 100 u per ml	25.26	10 ml OP		ctrapid
▲ Inj human 100 u per ml, 3 ml	42.66	5	🗸 A	umulin R ctrapid Penfill umulin R
Insulin - Intermediate-acting Preparations				
NSULIN ASPART WITH INSULIN ASPART PROTAMINE		5	🗸 N	ovoMix 30 FlexPen
NSULIN ISOPHANE ▲ Inj human 100 u per ml		10 ml OP		umulin NPH
Inj human 100 u per ml, 3 ml	29.86	5	🗸 Н	rotaphane umulin NPH rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		umulin 30/70 lixtard 30
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ H ✓ P ✓ P	umulin 30/70 enMix 30 enMix 40 enMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,			• •	enività 50
3 ml Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml		5 5		umalog Mix 25
		5	• п	umalog Mix 50
Insulin - Long-acting Preparations				
Inj 100 u per ml, 10 ml	63.00 94.50	1 5		antus antus
Inj 100 u per ml, 3 ml disposable pen		5		antus SoloStar
Insulin - Rapid Acting Preparations				
NSULIN ASPART Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml Inj 100 u per ml, 3 ml syringe	51.19	1 5 5	🗸 N	ovoRapid ovoRapid Penfill ovoRapid FlexPen
NSULIN GLULISINE Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml		1 5		pidra pidra
Inj 100 u per ml, 3 ml disposable pen NSULIN LISPRO		5		pidra SoloStar
 Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml 		10 ml OP 5		umalog umalog

10

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	
Alpha Glucosidase Inhibitors				
ACARBOSE * Tab 50 mg * Tab 100 mg		90 90		<u>Glucobay</u> <u>Glucobay</u>
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE * Tab 5 mg Daonil to be Sole Supply on 1 November 2018	6.00	100	1	Daonil
GLICLAZIDE * Tab 80 mg	10.29	500	1	Glizide
GLIPIZIDE * Tab 5 mg Minidiab to be Sole Supply on 1 January 2019	3.27	100	~	Minidiab
METFORMIN HYDROCHLORIDE * Tab immediate-release 500 mg	8.63 9.59	1,000		Apotex Metchek
* Tab immediate-release 850 mg		500		Metformin Mylan
PIOGLITAZONE * Tab 15 mg Vexazone to be Sole Supply on 1 November 2018	3.47	90	1	Vexazone
* Tab 30 mg Vexazone to be Sole Supply on 1 November 2018	5.06	90	1	Vexazone
* Tab 45 mg Vexazone to be Sole Supply on 1 November 2018	7.10	90	1	Vexazone
VILDAGLIPTIN Tab 50 mg	40.00	60	1	Galvus
VILDAGLIPTIN WITH METFORMIN HYDROCHLORIDE Tab 50 mg with 1,000 mg metformin hydrochloride Tab 50 mg with 850 mg metformin hydrochloride		60 60		Galvumet Galvumet

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST STRIP - Subsidy by endorsement

- a) Not on a BSO
- b) Maximum of 20 strip per prescription
- c) Up to 10 strip available on a PSO
- d) Patient has any of the following:
 - 1) type 1 diabetes; or
 - 2) permanent neonatal diabetes; or
 - 3) undergone a pancreatectomy; or
 - 4) cystic fibrosis-related diabetes; or

5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic special	ist.
e prescription must be endorsed accordingly.	

Test strips	10 strip OP	 KetoSens
-------------	-------------	------------------------------

Blood Glucose Testing BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO c) A diagnostic blood glucose test meter is subsidised for a patient who: 1) is receiving insulin or sulphonylurea therapy; or 2) is pregnant with diabetes; or 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or 4) has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and n syndrome. The prescription must be endorsed accordingly. Only one CareSens meter per patient will be subsidised (no r prescriptions). Patients already using the CareSens N POP meter and CareSens N meter are not eligible for r meter, unless they have: 1) type 1 diabetes; or 2) permanent neonatal diabetes; or 3) undergone a pancreatectomy; or 4) cystic fibrosis-related diabetes. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are effunded CareSens meter. Meter with 50 lancets, a lancing device and 10 diagnostic test strips		Subsidy (Manufacturer's P \$	rice) Subsi Per	Fully Brand or idised Generic ✓ Manufacturer	
 DUAL BLOOD GLUCOSE AND BLOOD KETONE DIAGNOSTIC TEST METER - Subsidy by endorsement a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO c) A dual blood glucose and blood ketone diagnostic test meter is subsidised for a patient who has: 1) type 1 diabetes; or 2) permanent neonatal diabetes; or 3) undergone a pancreatectomy; or 4) cystic fibrosis-related diabetes; or 5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist. The prescription must be endorsed accordingly. Only 1 meter per patient will be subsidised (no repeat prescription diagnostic test strips	* Test strip – Not on a BSO		50 strip OP	✓ Ketostix	
 a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO c) A dual blood glucose and blood ketone diagnostic test meter is subsidised for a patient who has: type 1 diabetes; or permanent neonatal diabetes; or undergone a pancreatectomy; or cystic fibrosis-related diabetes; or undergone a pancreatectory; or the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligit funded CareSens meter. Blood Glucose Testing BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endorsement a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO A diagnostic blood glucose test meter is subsidised for a patient who: is receiving insulin or sulphonylurea therapy; or is on home TPN at risk of hypoglycaemia or hyperglycaemia; or is on home TPN at risk of hypoglycaemia or hyperglycaemia; or has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and n syndrome. the prescriptions must be endorsed accordingly. Only one CareSens meter per patient will be subsidised for meter, unless they have: type 1 diabetes; or undergone a pancreatectomy; or yper 1 diabetes; or undergone a pancreatectomy; or yper 1 diabetes; or undergone a pancreatectomy; or yper 1 diabetes; or permanent meonatal diabetes; or undergone a pancreatectomy; or yperatin theonatal diabetes; or undergone a pancreatectomy; or	Dual Blood Glucose and Blood Ketone Testing				
 BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endorsement a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO c) A diagnostic blood glucose test meter is subsidised for a patient who: is receiving insulin or sulphonylurea therapy; or is pregnant with diabetes; or is on home TPN at risk of hypoglycaemia or hyperglycaemia; or 4) has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and n syndrome. The prescription must be endorsed accordingly. Only one CareSens meter per patient will be subsidised (no in prescriptions). Patients already using the CareSens N POP meter and CareSens N meter are not eligible for a meter, unless they have: type 1 diabetes; or undergone a pancreatectomy; or cystic fibrosis-related diabetes. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are effunded CareSens meter. Meter with 50 lancets, a lancing device and 10 diagnostic test strips	 a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO c) A dual blood glucose and blood ketone diagnostic test met type 1 diabetes; or permanent neonatal diabetes; or undergone a pancreatectomy; or cystic fibrosis-related diabetes; or metabolic disease or epilepsy under the care of a pa The prescription must be endorsed accordingly. Only 1 m the avoidance of doubt patients who have previously recei funded CareSens meter. Meter with 50 lancets, a lancing device and 10 blood glucose 	er is subsidised ediatrician, neur eter per patient ved a funded m	l for a patient w rologist or meta will be subsidis eter, other than	rho has: bolic specialist. ed (no repeat prescription	
 a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO c) A diagnostic blood glucose test meter is subsidised for a patient who: is receiving insulin or sulphonylurea therapy; or is pregnant with diabetes; or is on home TPN at risk of hypoglycaemia or hyperglycaemia; or has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and n syndrome. The prescription must be endorsed accordingly. Only one CareSens meter per patient will be subsidised (no transcriptions). Patients already using the CareSens N POP meter and CareSens N meter are not eligible for a meter, unless they have: type 1 diabetes; or undergone a pancreatectomy; or cystic fibrosis-related diabetes. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are effunded CareSens meter. Meter with 50 lancets, a lancing device and 10 diagnostic test strips	Blood Glucose Testing				
	 a) Maximum of 1 pack per prescription b) Up to 1 pack available on a PSO c) A diagnostic blood glucose test meter is subsidised for a p is receiving insulin or sulphonylurea therapy; or is pregnant with diabetes; or is on home TPN at risk of hypoglycaemia or hypergly 4) has a genetic or an acquired disorder of glucose hon syndrome. The prescription must be endorsed accordingly. Only one prescriptions). Patients already using the CareSens N PO meter, unless they have: type 1 diabetes; or permanent neonatal diabetes; or undergone a pancreatectomy; or cystic fibrosis-related diabetes. For the avoidance of doubt patients who have previously refunded CareSens meter. 	atient who: caemia; or neostasis, exclu CareSens mete P meter and Ca eceived a funde	er per patient w areSens N mete	than CareSens, are eligible	t v e for a
Note: Only 1 meter available per PSO	Note: Only 1 meter available per PSO	20.00		 CareSens N Premie 	r

	Subsidy		Fully	Brand or
	(Manufacturer's Pr \$	rice) Subs Per	sidised ✓	Generic Manufacturer
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP – Up to 50 f	est available on a PS	0		
The number of test strips available on a prescription is re				
1) Prescribed for a patient on insulin or a sulphonylure	ea and endorsed acco	ordingly. Phar	rmacists i	may annotate the
prescription as endorsed where there exists a reco				
 Prescribed on the same prescription as insulin or a endorsed; or 	sulphonylurea in whi	ch case the p	rescriptio	n is deemed to be
3) Prescribed for a pregnant woman with diabetes and				
4) Prescribed for a patient on home TPN at risk of hyp				
 Prescribed for a patient with a genetic or an acquire 2 diabetes and metabolic syndrome and endorsed 		e homeostasis	excludin	g type 1 or type
	accordingly.			
Test strips		50 test OP		<u>reSens N</u> reSens PRO
BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)				
The number of test strips available on a prescription is re	estricted to 50 unless:			
1) Prescribed for a patient on insulin or a sulphonylure				
prescription as endorsed where there exists a reco				
 Prescribed on the same prescription as insulin or a endorsed; or 	suipnonyiurea in whi	ch case the pi	rescriptio	n is deemed to be
 Prescribed for a pregnant woman with diabetes and 	d endorsed according	lv: or		
 Prescribed for a patient on home TPN at risk of hyp 			d endorse	ed accordingly; or
5) Prescribed for a patient with a genetic or an acquire		e homeostasis	excludin	g type 1 or type
2 diabetes and metabolic syndrome and endorsed	accordingly.			
Blood glucose test strips		50 test OP	🗸 Se	nsoCard
Insulin Syringes and Needles				
Subsidy is available for disposable insulin syringes, needles,	and pen needles if pr	rescribed on th	ne same i	form as the one used f
he supply of insulin or when prescribed for an insulin patient				
nnotate the prescription as endorsed where there exists a re	ecord of prior dispens	ing of insulin.	0.	•
NSULIN PEN NEEDLES - Maximum of 100 dev per prescri	ption			
₭ 29 g × 12.7 mm		100		D Micro-Fine
₭ 31 g × 5 mm		100	✓ B-	D Micro-Fine

- * 31 g × 6 mm
 10.50

 * 31 g × 8 mm
 10.50

 * 32 g × 4 mm
 10.50
- B-D Micro-Fine
 B-D Micro-Fine
 ABM
 B-D Micro-Fine

100

100

100

✓ B-D Micro-Fine

_		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	E – Maximum of 100	dev	per prescri	ption
*	Syringe 0.3 ml with 29 g × 12.7 mm needle		100	· 🗸	B-D Ultra Fine
		1.30	10		
		(1.99)			B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle		100	1	B-D Ultra Fine II
		1.30	10		
		(1.99)			B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g × 12.7 mm needle		100	✓	B-D Ultra Fine
		1.30	10		
		(1.99)			B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle		100	1	B-D Ultra Fine II
		1.30	10		
		(1.99)			B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle		100	1	B-D Ultra Fine
		1.30	10		
		(1.99)			B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle		100	✓	B-D Ultra Fine II
		1.30	10		
		(1.99)			B-D Ultra Fine II

Insulin Pumps

INSULIN PUMP - Special Authority see SA1603 below - Retail pharmacy

a)	Maximum of	1 dev	per prescri	ption
----	------------	-------	-------------	-------

b) Only on a prescription

Min basal rate 0.025 U/h; black colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; blue colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; blue colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; green colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; green colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; green colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; blue colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.05 U/h; blue colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U/h; clear colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U/h; smoke colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U	c) Maximum of 1 insulin pump per patient each four ye	ar period.		
Min basal rate 0.025 U/h; green colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; pink colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; silver colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.025 U/h; blue colour 4,500.00 1 ✓ Animas Vibe Min basal rate 0.05 U/h; blue colour 4,400.00 1 ✓ Paradigm 522 Min basal rate 0.05 U/h; clear colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; pink colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; purple colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; smoke colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; smoke colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.05 U/h; smoke colour 4,400.00 1 ✓ Paradigm 722 Min basal rate 0.0	Min basal rate 0.025 U/h; black colour		1	 Animas Vibe
Min basal rate 0.025 U/h; pink colour	Min basal rate 0.025 U/h; blue colour		1	 Animas Vibe
Min basal rate 0.025 U/h; silver colour	Min basal rate 0.025 U/h; green colour		1	 Animas Vibe
Min basal rate 0.025 U/h; silver colour	Min basal rate 0.025 U/h; pink colour	4,500.00	1	 Animas Vibe
Min basal rate 0.05 U/h; clear colour			1	 Animas Vibe
Min basal rate 0.05 U/h; clear colour	Min basal rate 0.05 U/h; blue colour	4,400.00	1	Paradigm 522
Min basal rate 0.05 U/h; pink colour 4,400.00 1 • Paradigm 722 Min basal rate 0.05 U/h; purple colour 4,400.00 1 • Paradigm 722 Min basal rate 0.05 U/h; purple colour 4,400.00 1 • Paradigm 522 Min basal rate 0.05 U/h; smoke colour 4,400.00 1 • Paradigm 722 Min basal rate 0.05 U/h; smoke colour 4,400.00 1 • Paradigm 522				Paradigm 722
Min basal rate 0.05 U/h; pink colour 1 Paradigm 522 Paradigm 722 Min basal rate 0.05 U/h; purple colour 4,400.00 Paradigm 522 Paradigm 722 Min basal rate 0.05 U/h; purple colour 4,400.00 1 Paradigm 722 Paradigm 722 Min basal rate 0.05 U/h; smoke colour 4,400.00 Paradigm 522 Paradigm 522 	Min basal rate 0.05 U/h; clear colour		1	Paradigm 522
Min basal rate 0.05 U/h; purple colour				Paradigm 722
Min basal rate 0.05 U/h; purple colour	Min basal rate 0.05 U/h; pink colour		1	Paradigm 522
Min basal rate 0.05 U/h; smoke colour4,400.00 1 ✓ Paradigm 722		,		Paradigm 722
Min basal rate 0.05 U/h; smoke colour4,400.00 1 ✓ Paradigm 722	Min basal rate 0.05 U/h; purple colour		1	Paradigm 522
.		,		Paradigm 722
.	Min basal rate 0.05 U/h; smoke colour		1	Paradigm 522
✓ Paradigm /22		,		Paradigm 722

⇒SA1603 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

14

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

education from an appropriate health professional); and

- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and

8 Either:

- 8.1 Applicant is a relevant specialist; or
- 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and

3 Either:

- 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
- 3.2 The pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	bsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and

3 Either:

- 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
- 3.2 The pump is due for replacement; and

4 Either:

- 4.1 Applicant is a relevant specialist; or
- 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 8.2 The pump is due for replacement; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

16

	Subsidy	F	ully	Brand or
(Ma	anufacturer's Price)	Subsidi	sed	Generic
	\$	Per	✓	Manufacturer

continued...

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Either:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidi	sed	Generic	
\$	Per	✓	Manufacturer	

continued...

7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and

8 Either:

8.1 Applicant is a relevant specialist; or

8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and

3 Either:

- 3.1 Applicant is a relevant specialist; or
- 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

18

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating

Subsidy	Fu	ly Brand or	
(Manufacturer's Price)	Subsidise	ed Generic	
\$	Per	 Manufacturer 	

continued...

pump therapy; and

- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and

8 Either:

- 8.1 Applicant is a relevant specialist; or
- 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 17 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

)

1

Animas Battery Cap

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	1	Manufacturer
INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special A	uthority see SA160	4 on n	age 17 – [Retail pharmacy
a) Maximum of 3 sets per prescription		i on p	ago II I	iotali phamaoy
b) Only on a prescription				
, , , , , ,				
c) Maximum of 13 infusion sets will be funded per year.				
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			_	
10 with 10 needles	130.00	1 OP	~	Paradigm Sure-T
				MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×				
10 with 10 needles; luer lock	130.00	1 OP	✓	Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×				
10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T
				MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing $ imes$				
10 with 10 needles; luer lock	130.00	1 OP		Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line × 10 w		101	•	
• • • •		4 00		Comtact D
10 needles	130.00	1 OP	•	Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing \times			_	
10 with 10 needles	130.00	1 OP	~	Paradigm Sure-T
				MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×				
10 with 10 needles; luer lock	130.00	1 OP	✓	Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×				
10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T
				MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×				
10 with 10 needles; luer lock	130.00	1 OP	1	Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line \times		101	•	
10 with 10 needles	100.00	1 00		Contact-D
		1 OP	•	Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line × 10 w				
10 needles	130.00	1 OP	v	Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing \times				
10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T
				MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×				
10 with 10 needles; luer lock	130.00	1 OP	✓	Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×				
10 with 10 needles	130.00	1 OP	1	Paradigm Sure-T
				MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×				
10 with 10 needles; luer lock	130.00	1 OP	1	Sure-T MMT-875
		-		
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	SERTION WITH IN	SERT	ION DEVI	CE) – Special Authority see
SA1604 on page 17 – Retail pharmacy				
 a) Maximum of 3 sets per prescription 				
 b) Only on a prescription 				
c) Maximum of 13 infusion sets will be funded per year.				
13 mm teflon cannula; angle insertion; insertion device; 110 c	m			
grey line × 10 with 10 needles		1 OP	✓	Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm				
grey line × 10 with 10 needles		1 OP	1	Inset 30

20

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Su Per	bsidised ✓	Generic Manufacturer
	T			
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE II	NSERTION) – Speci	al Autho	rity see S	A1604 on page 17 –
Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
13 mm teflon cannula; angle insertion; 120 cm line × 10 with	400.00	4.00		••••••
10 needles		1 OP	• •	aradigm Silhouette MMT-382
40 mm toffen annuale angle in article 45 mm line - 40 millio				IVIIVI I -302
13 mm teflon cannula; angle insertion; 45 cm line × 10 with	100.00	1 00		anadiana Cilla susta
10 needles		1 OP	• •	aradigm Silhouette MMT-368
40 mm toffen annuale angle in article .00 mm line .40 milli				IVIIVI I -300
13 mm teflon cannula; angle insertion; 60 cm line × 10 with	100.00	1 00		anadiana Cilla susta
10 needles		1 OP	• •	aradigm Silhouette MMT-381
10 mm toffen commules engle incentions 00 cm lines s 10 with				101101 1-301
13 mm teflon cannula; angle insertion; 80 cm line × 10 with 10 needles	100.00	1 OP	./ D	erediem Cilheuette
TO needles		TUP	• •	aradigm Silhouette MMT-383
17 mm taflan cannulai angla incartiani 110 cm lina 10 with				101011-303
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles	120.00	1 OP	. – –	aradigm Silhouette
TO fieldles		TOP	• •	MMT-377
17 mm teflon cannula; angle insertion; 110 cm line \times 10 with				WIWIT-377
10 needles; luer lock	120.00	1 OP	10	ilhouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm line \times 10 with		TOF	• 3	
10 needles	120.00	1 OP	. D	aradigm Silhouette
To needles		TOF	• •	MMT-378
17 mm teflon cannula; angle insertion; 60 cm line \times 10 with				WIWIT-570
10 needles; luer lock	130.00	1 OP	.	ilhouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line × 10 with		1 01	- 3	
10 needles	130.00	1 OP	~ ¤	aradigm Silhouette
		I UF	• F	MMT-384

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	IT INSERTION WITH	IINSE	RTION DE	VICE) - Special Authority
see SA1604 on page 17 – Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; insertion device;				
110 cm grey line × 10 with 10 needles		1 OP	✓ II	nset II
6 mm teflon cannula; straight insertion; insertion device; 45 c				
blue tubing × 10 with 10 needles		1 OP	✓ F	Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 c				
pink tubing × 10 with 10 needles	130.00	1 OP	✓ F	Paradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 c				
blue tubing × 10 with 10 needles	130.00	1 OP	✓ F	Paradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60 c	m			
grey line × 10 with 10 needles	140.00	1 OP	🗸 II	nset II
6 mm teflon cannula; straight insertion; insertion device; 60 c	m			
pink tubing × 10 with 10 needles	130.00	1 OP	✓ F	Paradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80 c	m			
blue tubing × 10 with 10 needles		1 OP	✓ F	Paradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 c	m			
clear tubing × 10 with 10 needles	130.00	1 OP	✓ F	Paradigm Mio MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 c	m			
pink tubing × 10 with 10 needles	130.00	1 OP	✓ F	Paradigm Mio MMT-925
9 mm teflon cannula; straight insertion; insertion device;				
110 cm grey line × 10 with 10 needles	140.00	1 OP	🗸 II	nset II
9 mm teflon cannula; straight insertion; insertion device; 60 c				
grey line × 10 with 10 needles	140.00	1 OP	🗸 li	nset II
9 mm teflon cannula; straight insertion; insertion device; 80 c	m			
clear tubing × 10 with 10 needles	130.00	1 OP	✓ F	Paradigm Mio MMT-975

	Subsidy		Fully	Brand or
	(Manufacturer's Pr		sidised	Generic
	\$	Per		Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	IT INSERTION)	 Special Au 	thority se	e SA1604 on page 17 -
Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w				
10 needles		1 OP	✓ Pa	aradigm Quick-Set
				MMT-398
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w		4.00		
10 needles; luer lock		1 OP	v Q	uick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing \times 10 wit		4.00		
10 needles		1 OP	✓ Pa	aradigm Quick-Set
	1.			MMT-399
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit 10 needles: luer lock		1 OP		uick-Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing × 10 wit		TOP	v Q	uick-Set MMT-393
10 needles		1 OP		aradigm Quick-Set
To needles		TUP		MMT-387
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 w	vith			WWW1-507
10 needles		1 OP	V P	aradigm Quick-Set
		101		MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing $ imes$ 10 w	vith			
10 needles; luer lock		1 OP	v 0	uick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing \times 10 wit		1 01		
10 needles		1 OP	🗸 Pa	aradigm Quick-Set
				MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 10 wit	th			
10 needles; luer lock		1 OP	✓ Q	uick-Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing \times 10 wit	th			
10 needles		1 OP	🖌 Pa	aradigm Quick-Set
				MMT-386
INSULIN PUMP RESERVOIR - Special Authority see SA1604 o	n page 17 – Reta	il pharmacy		
a) Maximum of 3 sets per prescription	1.0			
b) Only on a prescription				
c) Maximum of 13 packs of reservoir sets will be funded per	year.			
10 × luer lock conversion cartridges 1.8 ml for Paradigm pum	ps50.00	1 OP	🗸 A	DR Cartridge 1.8
Cartridge 200 U, luer lock × 10		1 OP		nimas Cartridge
Cartridge for 5 and 7 series pump; 1.8 ml × 10		1 OP		aradigm
				1.8 Reservoir
Cartridge for 7 series pump; 3.0 ml × 10	50.00	1 OP		aradigm
				3.0 Reservoir
Syringe and cartridge for 50X pump, 3.0 ml × 10	50.00	1 OP	✓ 50	0X 3.0 Reservoir

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
Digestives Including Enzymes					
PANCREATIC ENZYME					
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase					
10,000 Ph Eur U, total protease 600 Ph Eur U)		100	✓ <u>C</u>	reon 10000	
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase,					
1,250 U protease))	94.40	100	🗸 P	anzytrat	
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase					
25,000 Ph Eur U, total protease 1,000 Ph Eur U)		100	✓ <u>C</u>	reon 25000	
URSODEOXYCHOLIC ACID - Special Authority see SA1739 bel	ow – Retail pharmad	v			
Cap 250 mg		, 100	🗸 U	Irsosan	
			_		

⇒SA1739 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner.

Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Primary biliary cholangitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cholangitis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

24

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Primary biliary cholangitis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure -- doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	6.05	500 g OP	 ✓ Bonvit ✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS * Dry	6.02 (17.32) 2.41 (8.72)	500 g OP 200 g OP	Normacol Plus Normacol Plus

Faecal Softeners

DOCUSATE SODIUM – Only on a prescription * Tab 50 mg * Tab 120 mg * Enema conc 18% (Coloxyl Enema conc 18% to be delisted 1 April 2019)	3.13	100 100 100 ml OP	✓ <u>Coloxyl</u> ✓ <u>Coloxyl</u> ✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with sennosides 8 mg	3.10	200	✓ Laxsol
POLOXAMER – Only on a prescription Not funded for use in the ear. * Oral drops 10%	3.78	30 ml OP	✓ <u>Coloxyl</u>

Opioid Receptor Antagonists - Peripheral

METHYLNALTREXONE BROMIDE - Special	Authority see SA1691 below – Retail pl	narmacy	
Inj 12 mg per 0.6 ml vial		1	Relistor
	246.00	7	Relistor

⇒SA1691 Special Authority for Subsidy

Initial application — (Opioid induced constipation) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient is receiving palliative care; and
- 2 Either:
 - 2.1 Oral and rectal treatments for opioid induced constipation are ineffective; or
 - 2.2 Oral and rectal treatments for opioid induced constipation are unable to be tolerated.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Osmotic Laxatives				
GLYCEROL				
Suppos 3.6 g – Only on a prescription PSM to be Sole Supply on 1 November 2018	9.25	20	✓ P	PSM
ACTULOSE – Only on a prescription ₭ Oral liq 10 g per 15 ml	3.18	500 ml	✓ L	aevolac
ACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BI Powder for oral soln 13.125 g with potassium chloride 46.6 n		SODIUM C	HLORI	DE
sodium bicarbonate 178.5 mg and sodium chloride 350.	0.	30	✓ №	<u>lolaxole</u>
SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✔ F	leet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,		iption		
5 ml		50	🗸 N	licolette
Stimulant Laxatives				
BISACODYL - Only on a prescription				
₭ Tab 5 mg ₭ Suppos 10 mg		200 10	-	. <u>ax-Tab</u> .ax-Suppositories
Senna – Only on a prescription		10	• ⊑	ax-suppositories
Chiva → Chiva prescription ★ Tab. standardised	2.17	100		
	(6.84)		S	Senokot
	0.43	20		anakat
	(1.72)		5	Senokot
Metabolic Disorder Agents				

ALGLUCOSIDASE ALFA – Special Authority see SA1622 below – Retail pharmacy		
Inj 50 mg vial1,142.60	1	🗸 Myozyme

➡SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
- 2 Any of the following:
 - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
 - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
 - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
 - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy

continued...

26

Subsidy (Manufacturer's Price)	S	Fully Subsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

continued...

- (ERT); and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
- 5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

BETAINE - Special Authority see SA1727 below - Retail pharmacy

➡SA1727 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has a confirmed diagnosis of homocystinuria; and
- 2 Any of the following:
 - 2.1 A cystathionine beta-synthase (CBS) deficiency; or
 - 2.2 A 5,10-methylene-tetrahydrofolate reductase (MTHFR) deficiency; or
 - 2.3 A disorder of intracellular cobalamin metabolism; and

3 An appropriate homocysteine level has not been achieved despite a sufficient trial of appropriate vitamin supplementation.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

GALSULFASE - Special Authority see SA1593 below - Retail pharmacy

⇒SA1593 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and

continued...

75.00 180 g OP

Cvstadane

Naglazyme

(М:	Subsidy anufacturer's Price	Sub	Fully sidised	Brand or Generic
	\$	Per	 ✓ 	Manufacturer
continued				
 Patient has not developed another life threatening or severe c influenced by Enzyme Replacement Therapy (ERT); and Patient has not developed another medical condition that mig ERT. 		Ū		
IDURSULFASE – Special Authority see SA1623 below – Retail phar Inj 2 mg per ml, 3 ml vial		1	√ E	laprase
■ SA1623 Special Authority for Subsidy Initial application only from a metabolic physician. Approvals valid All of the following:	for 24 weeks for	applicatior	ns meeti	ing the following criteria:
 The patient has been diagnosed with Hunter Syndrome (muce 2 Either: 	opolysaccharidos	sis II); and		
 Diagnosis confirmed by demonstration of iduronate 2-s assay in cultured skin fibroblasts; or 			e blood (cells by either enzyme
2.2 Detection of a disease causing mutation in the idurona3 Patient is going to proceed with a haematopoietic stem cell tra	Ũ	-	next 3 r	nonths and treatment with
 idursulfase would be bridging treatment to transplant; and Patient has not required long-term invasive ventilation for resp (ERT); and 	piratory failure pr	ior to starti	ng Enzy	vme Replacement Therapy
 5 Idursulfase to be administered for a total of 24 weeks (equival greater than 0.5 mg/kg every week. 	lent to 12 weeks	pre- and 1	2 weeks	s post-HSCT) at doses no
LARONIDASE – Special Authority see SA1695 below – Retail pharm Inj 100 U per ml, 5 ml vial		1	✓ A	Idurazyme
► SA1695 Special Authority for Subsidy Initial application only from a metabolic physician. Approvals valid All of the following:	for 24 weeks for	applicatior	ns meeti	ing the following criteria:
1 The patient has been diagnosed with Hurler Syndrome (muco 2 Either:	polysacchardosi	s I-H); and		
 Diagnosis confirmed by demonstration of alpha-L-idure assay in cultured skin fibroblasts; or 		•		
2.2 Detection of two disease causing mutations in the alph to have Hurler syndrome; and		-		-
3 Patient is going to proceed with a haematopoietic stem cell tra laronidase would be bridging treatment to transplant; and				
4 Patient has not required long-term invasive ventilation for resp (ERT); and	biratory failure pr	ior to starti	ng Enzy	me Replacement Therapy
5 Laronidase to be administered for a total of 24 weeks (equival than 100 units/kg every week.	lent to 12 weeks	pre- and 1	2 post-ł	HSCT) at doses no greater
SODIUM BENZOATE – Special Authority see SA1599 below – Reta Soln 100 mg per ml		100 ml	✓ A	mzoate S29
SA1599 Special Authority for Subsidy Initial application only from a metabolic physician. Approvals valid		nere the pa	atient ha	is a diagnosis of a urea
cycle disorder. Renewal only from a metabolic physician. Approvals valid for 12 mo	onths where the t	reatment r	emains	appropriate and the
patient is benefiting from treatment.		atail		
SODIUM PHENYLBUTYRATE – Special Authority see SA1598 on ti Grans 483 mg per g		letail pharr 74 g OP		heburane

28

	Subsidy (Manufacturer's Price) \$	Su Per	Fully Ibsidised	Brand or Generic Manufacturer
	hosphate synthetase, ornithine transc	carbamy	ylase or a	rgininosuccinate
Gaucher's Disease				
MIGLUCERASE – Special Authority see SA0473 Inj 40 iu per ml, 200 iu vial Inj 40 iu per ml, 400 iu vial (Cerezyme Inj 40 iu per ml, 200 iu vial to be delist (Cerezyme Inj 40 iu per ml, 400 iu vial to be delist ⇒SA0473 Special Authority for Subsidy Special Authority approved by the Gaucher's Trea Notes: Subject to a budgetary cap. Applications Application details may be obtained from PHARM			✓ C unding av	erezyme erezyme railability.
The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254 Wellington	Phone: (04) 460 4990 Facsimile: (04) 916 7571 Email: gaucherpanel@pharmac.g			
TALIGLUCERASE ALFA – Special Authority see Inj 200 unit vial	1,072.00	1 rmac.go		lelyso
The Co-ordinator, Gaucher's Treatment Panel PHARMAC PO Box 10 254	Phone: 04 460 4990 Facsimile: 04 916 7571			

AL IMENITA DV TRACT AND METADOLION

Completed application forms must be sent to the coordinator for Gaucher's Treatment Panel and will be considered by Gaucher's Treatment Panel at the next practicable opportunity.

Notification of Gaucher's Treatment Panel's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Access Criteria

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- The patient has a diagnosis of symptomatic type 1 or type 3* Gaucher disease confirmed by the demonstration of specific deficiency of glucocerebrosidase in leukocytes or cultured skin fibroblasts, and genotypic analysis; and
- 2) Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by taliglucerase alfa or might be reasonably expected to compromise a response to therapy with taliglucerase alfa; and
- Taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units), unless otherwise agreed by PHARMAC; and
- 4) Supporting clinical information including test reports, MRI whole body STIR, serum glucosylsphingosine, haematological data, and other relevant investigations, are submitted to the Gaucher Panel for assessment; and
- 5) Any of the following:

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued... 6) 1

- Patient has haematological complications such as haemoglobin less than 95 g/l, symptomatic anaemia, thrombocytopenia; at least two episodes of severely symptomatic splenic infarcts confirmed with imagery; or massive symptomatic splenomegaly; or
 - 2) Patient has skeletal complications such as acute bone crisis requiring hospitalisation or major pain management strategies; radiological MRI Evidence of incipient destruction of any major joint (e.g. hips or shoulder); spontaneous fractures or vertebral collapse; chronic bone pain not controlled by other pharmaceuticals; or
 - 3) Patient has significant liver dysfunction or hepatomegaly attributable to Gaucher disease; or
 - Patient has reduced vital capacity from clinically significant or progressive pulmonary disease due to Gaucher disease; or
 - 5) Patient is a child and has experienced growth failure with significant decrease in percentile linear growth over a 6-12 month period.

*Unapproved indication

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1) Patient has demonstrated a symptomatic improvement or no deterioration in the main symptom for which therapy was initiated; and
- 2) Patient has demonstrated a clinically objective improvement or no deterioration in haemoglobin levels, platelet counts and liver and spleen size; and
- Radiological (MRI) signs of bone activity performed at one year and two years since initiation of treatment begins, and two to three yearly thereafter, demonstrate no deterioration shown by the MRI, compared with MRI taken immediately prior to commencement of therapy or adjusted dose; and
- 4) Serum glucosylsphingosine levels taken at least 6 to 12 monthly show a decrease compared with baseline; and
- 5) Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 6) Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 7) Patient is compliant with regular treatment and taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units), unless otherwise agreed by PHARMAC; and
- Supporting clinical information including test reports, MRI whole body STIR, serum glucosylsphingosine, haematological data, and other relevant investigations are submitted to the Gaucher Panel for assessment as required.

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE

Soln 0.15% – Higher subsidy of up to \$17.01 per 500 ml with

Endorsement		500 ml	
	(17.01)	Difflam
	3.60	200 ml	
	(8.50)	Difflam

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

CARMELLOSE SODIUM WITH GELATIN AND PECTIN

Paste		56 g OP	 Stomahesive
	4.55	15 g OP	
	(7.90)	-	Orabase
	1.52	5 g OP	
	(3.60)		Orabase
Powder	8.48	28 g OP	
	(10.95)		Stomahesive

S29 Unapproved medicine supplied under Section 29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ CHI ORHEXIDINE GI UCONATE 200 ml OP ✓ healthF CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE * Adhesive gel 8.7% with cetalkonium chloride 0.01%2.06 15 g OP (6.00)Boniela TRIAMCINOLONE ACETONIDE 5 g OP Kenalog in Orabase **Oropharyngeal Anti-infectives** AMPHOTERICIN B 20 Fungilin MICONAZOLE Oral gel 20 mg per g......4.74 40 g OP Decozol NYSTATIN 24 ml OP Nilstat **Other Oral Agents** For folinic mouthwash, pilocarpine oral liquid or saliva substitute formula refer Standard Formulae, page 213 HYDROGEN PEROXIDE 100 ml Pharmacy Health THYMOL GLYCERIN * Compound, BPC......9.15 500 ml PSM Vitamins Vitamin A VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 ml OP Vitadol C (Vitadol C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops to be delisted 1 August 2019) Vitamin B **HYDROXOCOBALAMIN** * Inj 1 mg per ml, 1 ml ampoule - Up to 6 inj available on a PSO1.89 3 ✓ Neo-B12 PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription Vitamin B6 25 90 500 Apo-Pvridoxine THIAMINE HYDROCHLORIDE - Only on a prescription * Tab 50 mg4.89 100 ✓ Max Health 5.62 Apo-Thiamine VITAMIN B COMPLEX 500 Bplex

ALIMENTARY TRACT AND METABOLISM

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

_		Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
Vita	amin C				
a b	DRBIC ACID a) No more than 100 mg per dose b) Only on a prescription Tab 100 mg	8.10	500	J	<u>Cvite</u>
Vita	amin D				
* () * () CAL() * () * () COLE	NCALCIDOL Cap 0.25 mcg Dap 1 mcg Dral drops 2 mcg per ml CITRIOL Cap 0.25 mcg Cap 0.5 mcg ECALCIFEROL Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescrip		100 100 20 ml C 100 100 12	v v v	One-Alpha One-Alpha One-Alpha Calcitriol-AFT Calcitriol-AFT Vit.D3
	Itivitamin Preparations		12	•	<u>VILD3</u>
★ C →SA Initia the fo Eithe 1 2	The patient has chronic kidney disease and is receiving 6 The patient has chronic kidney disease grade 5, defined 15 ml/min/1.73 m ² body surface area (BSA).	id without further ren id without further ren either peritoneal dialy as patient with an es	/sis or ł	nless notif naemodial	ysis; or
★ F ★ F	TIVITAMINS – Special Authority see SA1036 below – Reta Powder A1036 Special Authority for Subsidy I application from any relevant practitioner. Approvals val n errors of metabolism. Approvals valid without boal form any relevant practitioner. Approvals valid without boal for multivitamins.	id without further ren		nless notif	•
VITAI * T	MINS Fab (BPC cap strength) Cap (fat soluble vitamins A, D, E, K) – Special Authority se	e	1,000		<u>Mvite</u>
Initia the fo Any c	SA1720 below – Retail pharmacy A1720 Special Authority for Subsidy I application from any relevant practitioner. Approvals value billowing criteria: of the following: Patient has cystic fibrosis with pancreatic insufficiency; of Patient has cystic insufficiency; of Patient has cystic fibrosis with pancreatic insufficiency; of Patient has cystic insufficiency; of Patient has cystic insufficiency; of Patient has cystic insufficiency; of Patient has cy	id without further ren r	60 newal ui		Vitabdeck

- 2 Patient is an infant or child with liver disease or short gut syndrome; or
- 3 Patient has severe malabsorption syndrome.

32

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
Minerals				
Calcium				
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental) * Tab 1.25 g (500 mg elemental) CALCIUM GLUCONATE * Inj 10%, 10 ml ampoule	7.52	10 250 10	✓ <u>A</u>	alsource . <u>rrow-Calcium</u> lospira
Fluoride				
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)	5.75	100	✓ P	SM
lodine				
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	4.69	90	🗸 N	leuroTabs
Iron				
FERRIC CARBOXYMALTOSE – Special Authority see SA1675 Inj 50 mg per ml, 10 ml		acy 1	✔ F	erinject
■ SA1675 Special Authority for Subsidy Initial application — (serum ferritin less than or equal to 20 m months for applications meeting the following criteria:	ncg/L) from any mec	lical practi	tioner.	Approvals valid for 3

Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and
- 2 Any of the following:
 - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
 - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
 - 2.3 Rapid correction of anaemia is required.

Renewal — (serum ferritin less than or equal to 20 mcg/L) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient continues to have iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L; and

2 A re-trial with oral iron is clinically inappropriate.

Initial application — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia; and
- 2 Any of the following:
 - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
 - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
 - 2.3 Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective; or

(Subsidy (Manufacturer's Price) \$	Subsid Per	Fully dised	Brand or Generic Manufacturer
continued				
2.4 Rapid correction of anaemia is required. Renewal — (iron deficiency anaemia) only from an internal medical practitioner on the recommendation of a internal medicine Approvals valid for 3 months for applications meeting the following Both:	physician, obstetric			
 Patient continues to have iron-deficiency anaemia; and A re-trial with oral iron is clinically inappropriate. 				
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)	2.89	100	✔ Fe	erro-tab
FERROUS FUMARATE WITH FOLIC ACID * Tab 310 mg (100 mg elemental) with folic acid 350 mcg	4.68	60	✓ <u>F</u> e	erro-F-Tabs
FERROUS SULPHATE * Tab long-acting 325 mg (105 mg elemental) * Oral liq 30 mg (6 mg elemental) per 1 ml		30 500 ml		errograd erodan
IRON POLYMALTOSE * Inj 50 mg per ml, 2 ml ampoule (Ferrum H Inj 50 mg per ml, 2 ml ampoule to be delisted 1 April 20		5	🖌 Fe	errum H
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page a MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml ampoule		10	✓ DI	BL
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	✓ Zi	ncaps

BLOOD AND BLOOD FORMING ORGANS

Subsidised

Per

Fully

Subsidy (Manufacturer's Price) \$ Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

➡SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure; and
- 2 Haemoglobin is less than or equal to 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus; and
 - 3.1.2 Glomerular filtration rate is less than or equal to 30ml/min; or

3.2 Both:

- 3.2.1 Patient has diabetes mellitus; and
- 3.2.2 Glomerular filtration rate is less than or equal to 45ml/min; or
- 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*; and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an unapproved indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an unapproved indication

BLOOD AND BLOOD FORMING ORGANS

	Subsidy (Manufacturer's Price) \$) Per	Fully Subsidised				
EPOETIN ALFA [ERYTHROPOIETIN ALFA] – Special Authority see SA1469 on the previous page – Retail pharmacy Wastage claimable							
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	1	Eprex			
Inj 2,000 iu in 0.5 ml, syringe		6		Eprex			
Inj 3,000 iu in 0.3 ml, syringe		6		Eprex			
Inj 4,000 iu in 0.4 ml, syringe		6		Eprex			
Inj 5,000 iu in 0.5 ml, syringe		6		Eprex			
Inj 6,000 iu in 0.6 ml, syringe		6		Eprex			
Inj 8,000 iu in 0.8 ml, syringe		6		Eprex			
Inj 10,000 iu in 1 ml, syringe		6		Eprex			
Inj 40,000 iu in 1 ml, syringe		1		Eprex			
Megaloblastic FOLIC ACID							
 Tab 0.8 mg Apo-Folic Acid to be Sole Supply on 1 November 2018 	21.84	1,000) 🗸	Apo-Folic Acid			
* Tab 5 mg Apo-Folic Acid to be Sole Supply on 1 November 2018	12.12	500	1	Apo-Folic Acid			
Oral liq 50 mcg per ml	24.00 2	25 ml C	DP 🗸	Biomed			
Antifibrinolytics, Haemostatics and Local Scler	osants						
ELTROMBOPAG – Special Authority see SA1743 below – Retai Wastage claimable	l pharmacy						
Tab 25 mg	1,550.00	28	✓	Revolade			
Tab 50 mg		28	1	Revolade			
SA1743 Special Authority for Subsidy							

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of less than or equal to 10,000 platelets per microlitre.
- **Initial application** (idiopathic thrombocytopenic purpura preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Initial application — (idiopathic thrombocytopenic purpura contraindicated to splenectomy) only from a haematologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a significant and well-documented contraindication to splenectomy for clinical reasons; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Either:

36

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 3.1 Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microliter; or
- 3.2 Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding.

Initial application — (severe aplastic anaemia) only from a haematologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Two immunosuppressive therapies have been trialled and failed after therapy of at least 3 months duration; and
- 2 Either:
 - 2.1 Patient has severe aplastic anaemia with a platelet count of less than or equal to 20,000 platelets per microliter; or
 - 2.2 Patient has severe aplastic anaemia with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

Renewal — (idiopathic thrombocytopenic purpura contraindicated to splenectomy) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's significant contraindication to splenectomy remains; and
- 2 The patient has obtained a response from treatment during the initial approval period; and
- 3 Patient has maintained a platelet count of at least 50,000 platelets per microlitre on treatment; and
- 4 Further treatment with eltrombopag is required to maintain response.

Renewal — (severe aplastic anaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has obtained a response from treatment of at least 20,000 platelets per microlitre above baseline during the initial approval period; and
- 2 Platelet transfusion independence for a minimum of 8 weeks during the initial approval period.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe1,178.30	1	NovoSeven RT
Inj 2 mg syringe2,356.60	1	NovoSeven RT
Inj 5 mg syringe5,891.50	1	NovoSeven RT
Inj 8 mg syringe9,426.40	1	NovoSeven RT

FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 500 U	1,450.00	1	🖌 FEIBA NF
Inj 1,000 U	2,900.00	1	🖌 FEIBA NF
Inj 2,500 U	7,250.00	1	🗸 FEIBA NF

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised		
IOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] -					
Preferred Brand of recombinant factor VIII for patients					Access
to funded treatment is managed by the Haemophilia 1	Freaters Group in conjunction	n with	n the Nation	nal Haemophilia	
Management Group.					
Inj 250 iu prefilled syringe		1		Xyntha	
Inj 500 iu prefilled syringe		1		Xyntha Xymtha	
Inj 1,000 iu prefilled syringe		1		Xyntha Xyntha	
Inj 3,000 iu prefilled syringe		1		Xyntha	
, , , , ,		1	•	лупина	
IONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpha			T	.	
For patients with haemophilia, whose funded treatment	nt is managed by the Haemo	opnilla	a Treaters	Group in conjunct	ion with
the National Haemophilia Management Group. Ini 250 iu vial	210.00	1		BeneFIX	
Inj 500 iu vial		1		BeneFIX	
Inj 1,000 iu vial		1		BeneFIX	
Inj 2,000 iu vial		1		BeneFIX	
Inj 3,000 iu vial	,	1		BeneFIX	
	,		•	Benerik	
NONACOG GAMMA, [RECOMBINANT FACTOR IX] – [X				Outring the second second	:
For patients with haemophilia, whose funded treatment the National Haemophilia Management Group.	nt is managed by the Haemo	phille	a Treaters	Group in conjunct	ion with
Inj 250 iu vial	287 50	1	1	RIXUBIS	
Inj 500 iu vial		1		RIXUBIS	
Inj 1,000 iu vial		1		RIXUBIS	
Ini 2.000 iu vial	,	1		RIXUBIS	
Inj 3,000 iu vial	,	1		RIXUBIS	
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVA		•			
Rare Clinical Circumstances Brand of recombinant fa		monl	hilia fram 1	March 0016 until	
28 February 2019. Access to funded treatment by ap					
be obtained from PHARMAC's website http://www.ph		nea	unents ra	nei. Application u	
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 C		12		
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881				
Wellington	Email: <u>haemophilia@pha</u>	rmac.	.govt.nz		
Inj 250 iu vial		1	1	Advate	
,		1	1	Advate	
Inj 500 iu vial			1	Advate	
Inj 500 iu vial Inj 1,000 iu vial		1	•	Auvulo	
	1,150.00	1 1		Advate	
lnj 1,000 iu vial	1,150.00 1,725.00	•	✓		

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer	
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGEN Second Brand of recombinant factor VIII for patients wit funded treatment by application to the Haemophilia Trea PHARMAC's website http://www.pharmac.govt.nz or:	h haemophilia from 1 Ma				Access t
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588	Option 2			
PHARMAC PO Box 10 254	Facsimile: (04) 974 488	81			
Wellington	Email: <u>haemophilia@ph</u>	armac.go	vt.nz		
Inj 250 iu vial		1		ogenate FS	
Inj 500 iu vial		1		Kogenate FS	
Inj 1,000 iu vial		1		Cogenate FS	
Inj 2,000 iu vial Inj 3,000 iu vial		1		Cogenate FS	
SODIUM TETRADECYL SULPHATE				togonato i o	
★ Inj 3% 2 ml		5			
	(73.00)		F	ibro-vein	
FRANEXAMIC ACID					
Tab 500 mg	20.67	100	✓ 0	Syklokapron	
Vitamin K					
PHYTOMENADIONE Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5		Conakion MM Conakion MM	
Antithrombotic Agents					
Antiplatelet Agents					
ASPIRIN					
₭ Tab 100 mg		990	✓ <u>E</u>	thics Aspirin	EC
CLOPIDOGREL					
₭ Tab 75 mg	5.44	84	✓ <u>A</u>	Arrow - Clopid	
DIPYRIDAMOLE		•			
* Tab long-acting 150 mg		60	✓ P	ytazen SR	
PRASUGREL – Special Authority see SA1201 below – Ret				<i></i>	
Tab 5 mg		28 28	_	Effient Effient	
Tab 10 mg SA1201 Special Authority for Subsidy	120.00	20	* C		

⇒SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*. **Initial application** — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidoarel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Si Per	Fully ubsidised	Brand or Generic Manufacturer
continued clopidogrel-allergic*.				
Renewal — (drug eluting stent) from any relevant practitioner.		2 mont	hs where	had a drug-eluting cardiac
stent inserted in the previous 4 weeks and is clopidogrel-allergic* Note: * Clopidogrel allergy is defined as a history of anaphylaxis		d rash c	or asthma	(in non-asthmatic patients)
developing soon after clopidogrel is started and is considered unl	ikely to be caused by	any oth	ner treatm	ent.
TICAGRELOR - Special Authority see SA1382 below - Retail pl	narmacy			
* Tab 90 mg	90.00	56	🗸 В	rilinta

➡SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 below - Retail pharmacy

Inj 2,500 iu per 0.2 ml prefilled syringe1	9.97 1	0 🖌	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	9.94 1	0 🖌	Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe6	0.03 1	0 🖌	Fragmin
Inj 10,000 iu per 1 ml graduated syringe7		0 🖌	Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe9	9.96 1	0 🖌	Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe12	0.05 1	0 🖌	Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe15	8.47 1	0 🖌	Fragmin

➡SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal - (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)			Generic	
\$	Per	<u> </u>	Manufacturer	

continued...

following criteria:

Either:

1 Low molecular weight heparin treatment is required during a patient's pregnancy; or

2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1646 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	27.93	10	 Clexane
Inj 40 mg in 0.4 ml syringe		10	Clexane
Inj 60 mg in 0.6 ml syringe		10	 Clexane
Inj 80 mg in 0.8 ml syringe		10	 Clexane
Inj 100 mg in 1 ml syringe		10	Clexane
Inj 120 mg in 0.8 ml syringe		10	 Clexane
Inj 150 mg in 1 ml syringe		10	 Clexane

⇒SA1646 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 35 ml vial	24.15	1	🗸 Hospira
Inj 1,000 iu per ml, 5 ml ampoule		10	 Hospira
	58.57	50	 Pfizer
	66.80		🗸 Hospira
Inj 5,000 iu per ml, 1 ml		5	 Hospira
Inj 5,000 iu per ml, 5 ml ampoule		50	 Pfizer
Pfizer to be Sole Supply on 1 December 2018			
Inj 25,000 iu per ml, 0.2 ml		5	🗸 Hospira
(Hospira Inj 1,000 iu per ml, 35 ml vial to be delisted 1 Februa	ary 2019)		

(Ma	Subsidy anufacturer's Price) \$	S Per	Fully ubsidised	
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	53.40	30		BD PosiFlush S29
	56.94	50	✓	Pfizer
BD PosiFlush 🚥 Inj 10 iu per ml, 5 ml to be delisted 1 March 201	9)			
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg – No more than 2 cap per day	76.36	60	✓	Pradaxa
Cap 110 mg	76.36	60	✓	Pradaxa
Cap 150 mg		60	✓	Pradaxa
RIVAROXABAN				
Tab 10 mg - No more than 1 tab per day	83.10	30	-	Xarelto
Tab 15 mg		28	✓	Xarelto
Tab 20 mg		28	✓	Xarelto
NARFARIN SODIUM				
Note: Marevan and Coumadin are not interchangeable.				
* Tab 1 mg	3.46	50	1	Coumadin
	6.86	100	1	Marevan
* Tab 2 mg	4.31	50	✓	Coumadin
* Tab 3 mg		100	~	Marevan
* Tab 5 mg		50	~	Coumadin
-	11.75	100	✓	Marevan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail phar	macy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	 Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	432.00	5	 Zarzio

➡SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < $0.5 \times 10^{9}/L$); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^{9} /L).

Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM – Special Authority see SA1384 below – Retail pharmacy

Inj 6 mg per 0.6 ml syringe1,080.00

Neulastim

► SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*). Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

42

1

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
GLUCOSE [DEXTROSE]				
 Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO 		5 1		Biomed Biomed
POTASSIUM CHLORIDE	14.50	I	•	bioineu
* Inj 75 mg per ml, 10 ml	55.00	50	1	AstraZeneca
SODIUM BICARBONATE				
lnj 8.4%, 50 ml	19.95	1	1	Biomed
a) Up to 5 inj available on a PSO				
b) Not in combinationInj 8.4%, 100 ml	20 50	1	1	Biomed
a) Up to 5 inj available on a PSO			-	Diomed
b) Not in combination				
SODIUM CHLORIDE				
Not funded for use as a nasal drop. Only funded for nebulise nebuliser use.	er use when in conji	unction	with an an	tibiotic intended for
Inj 0.9%, bag – Up to 2000 ml available on a PSO	1.23	500 m	nl 🗸	Baxter
		1,000 r		Baxter
Only if prescribed on a prescription for renal dialysis, ma	ternity or post-natal	l care ir	n the home	of the patient, or on a PSO
for emergency use. (500 ml and 1,000 ml packs) Inj 23.4% (4 mmol/ml), 20 ml ampoule		5	1	Biomed
For Sodium chloride oral liquid formulation refer Standar	d Formulae, page 2			
Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO	7.00	50		InterPharma
Inj 0.9%, 10 ml ampoule – Up to 5 inj available on a PSO	6.63	50		Multichem Pfizer
Inj 0.9%, 20 ml ampoule		20		Multichem
	7.50	30	1	InterPharma
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-S		4.00		
	CBS	1 OP	•	TPN
 WATER 1) On a prescription or Practitioner's Supply Order only w Schedule requiring a solvent or diluent; or 2) On a bulk supply order; or 3) When used in the extemporaneous compounding of ey 4) When used for the dilution of sodium chloride soln 7% 	e drops; or			listed in the Pharmaceutical
Inj 5 ml ampoule – Up to 5 inj available on a PSO	7.00	50	1	InterPharma
Inj 10 ml ampoule – Up to 5 inj available on a PSO		50	-	Pfizer
Inj 20 ml ampoule – Up to 5 inj available on a PSO		20		Multichem
	7.50	30	1	InterPharma
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE	100.05	200 - 0		
	169.85	300 g C	JP ✔	Calcium Resonium
COMPOUND ELECTROLYTES Powder for oral soln – Up to 10 sach available on a PSO	2.30	10	1	<u>Enerlyte</u>

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's P \$	Price) Subsi Per	Fully dised	Brand or Generic Manufacturer
COMPOUND ELECTROLYTES WITH GLUCOSE [DEXTROSE] Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP	✔ P	edialyte - Bubblegum
Pedialyte - Bubblegum to be Sole Supply on 1 Decembe	er 2018			
PHOSPHORUS Tab eff 500 mg (16 mmol) POTASSIUM CHLORIDE		100	✓ P	hosphate-Sandoz
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (11.85)	60	C	Chlorvescent
* Tab long-acting 600 mg (8 mmol) Span-K to be Sole Supply on 1 November 2018	8.90	200	✓ s	pan-K
SODIUM BICARBONATE				
Cap 840 mg	8.52	100	-	odibic odibic
SODIUM POLYSTYRENE SULPHONATE Powder		454 g OP	✓ <u>R</u>	lesonium-A

	Subsidy		Fully	Brand or
	(Manufacturer's Price		Subsidised	Generic
	\$	Per		Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg	6.75	500	~	Apo-Doxazosin
* Tab 4 mg	9.09	500	✓	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
	05.00	00		DNM 200
* Cap 10 mg		30		BNM S29
	216.67	100	~	Dibenzyline S29
PRAZOSIN				
* Tab 1 mg	5 53	100	1	Apo-Prazosin
		100		Apo-Prazosin
5			-	•
* Tab 5 mg		100	•	Apo-Prazosin
TERAZOSIN				
* Tab 1 mg	0.59	28	✓	Actavis
* Tab 2 mg	7.50	500	✓	Apo-Terazosin
* Tab 5 mg		500		Apo-Terazosin
· ····· · ···· · ··· · ···· · ····· · ····				
Agents Affecting the Renin-Angiotensin System				
Agents Anceang the nemin-Anglotensin bystem				
ACE Inhibitors				
CAPTOPRIL				
	04.00	05	~ /	0
* Oral liq 5 mg per ml	94.99	95 ml Ol	•	Capoten
Oral liquid restricted to children under 12 years of age.				
CILAZAPRIL				
* Tab 0.5 mg		90	✓	Zapril
* Tab 2.5 mg		200		Apo-Cilazapril
* Tab 5 mg		200		Apo-Cilazapril
-	12.00	200	•	Apo-oliazapili
ENALAPRIL MALEATE			-	
* Tab 5 mg	0.96	100	~	Ethics Enalapril
* Tab 10 mg	1.24	100	✓	Ethics Enalapril
* Tab 20 mg	1.78	100	✓	Ethics Enalapril
LISINOPRIL				•
	0.07	00		
* Tab 5 mg	2.07	90	•	Ethics Lisinopril
Ethics Lisinopril to be Sole Supply on 1 January 2019				
* Tab 10 mg	2.36	90	~	Ethics Lisinopril
Ethics Lisinopril to be Sole Supply on 1 January 2019				
* Tab 20 mg	3.17	90	✓	Ethics Lisinopril
Ethics Lisinopril to be Sole Supply on 1 January 2019				
PERINDOPRIL				
	0.75	20	./	Ano Devindenvil
* Tab 2 mg		30		Apo-Perindopril
* Tab 4 mg	4.80	30	v	Apo-Perindopril
QUINAPRIL				
* Tab 5 mg	6.01	90	✓	Arrow-Quinapril 5
Arrow-Quinapril 5 to be Sole Supply on 1 December 201				
* Tab 10 mg		90	1	Arrow-Quinapril 10
Arrow-Quinapril 10 to be Sole Supply on 1 December 20			-	
		90		Arrow-Quinapril 20
		90	•	Anow-Quinapin 20
Arrow-Quinapril 20 to be Sole Supply on 1 December 20	10			

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	•	Apo-Cilazapril/ Hydrochlorothiazide
QUINAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 10 mg with hydrochlorothiazide 12.5 mg Accuretic 10 to be Sole Supply on 1 January 2019	3.83	30	v ,	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg Accuretic 20 to be Sole Supply on 1 January 2019	4.92	30	 Image: A second s	Accuretic 20
Angiotensin II Antagonists				
CANDESARTAN CILEXETIL				
* Tab 4 mg		90		Candestar
* Tab 8 mg		90		Candestar
* Tab 16 mg		90		Candestar
* Tab 32 mg	6.39	90	•	Candestar
	1.00	04		Lasardan Astaula
* Tab 12.5 mg * Tab 25 mg		84 84		<u>Losartan Actavis</u> Losartan Actavis
 * Tab 25 mg * Tab 50 mg 		84 84		Losartan Actavis
* Tab 30 mg		84 84		Losartan Actavis
Angiotensin II Antagonists with Diuretics				
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	15.25	30	v ,	Arrow-Losartan & Hydrochlorothiazide
Angiotensin II Antagonists with Neprilysin Inhib	nitore			

Angiotensin II Antagonists with Neprilysin Inhibitors

SACUBITRIL WITH VALSARTAN - Special Authority see SA1751 be	low – Reta	il pharmacy	
Note: Due to the angiotensin II receptor blocking activity of sacub	itril with va	Isartan it should	I not be co-administered with an
ACE inhibitor or another ARB.			
Tab 24.3 mg with valsartan 25.7 mg	190.00	56	 Entresto 24/26

Tab 48.6 mg with valsartan 51.4 mg		56	 Entresto 49/51
Tab 97.2 mg with valsartan 102.8 mg	190.00	56	 Entresto 97/103

⇒SA1751 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Patient has heart failure; and
- 2 Any of the following:
 - 2.1 Patient is in NYHA/WHO functional class II; or
 - 2.2 Patient is in NYHA/WHO functional class III; or
 - 2.3 Patient is in NYHA/WHO functional class IV; and
- 3 Patient has a documented left ventricular ejection fraction (LVEF) of less than or equal to 35%; and
- 4 Patient is receiving concomitant optimal standard chronic heart failure treatments.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

46

0	Subsidy Manufacturer's Price)		Fully Subsidised	
	\$	Per	1	Manufacturer
Antiarrhythmics				
For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesth	netics, Local, page	120		
AMIODARONE HYDROCHLORIDE				
Tab 100 mg – Retail pharmacy-Specialist	4.66	30	1	Cordarone-X
Tab 200 mg – Retail pharmacy-Specialist		30	1	Cordarone-X
Inj 50 mg per ml, 3 ml ampoule – Up to 5 inj available on a PS	O9.98	5	1	Lodi
ATROPINE SULPHATE				
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a				
PSO	12.07	10	1	Martindale
	60.35	50		
	(71.00)			AstraZeneca
Martindale to be Sole Supply on 1 January 2019				
(AstraZeneca Inj 600 mcg per ml, 1 ml ampoule to be delisted 1 Ja	nuary 2019)			
DIGOXIN				
* Tab 62.5 mcg – Up to 30 tab available on a PSO		240		Lanoxin PG
* Tab 250 mcg – Up to 30 tab available on a PSO		240		Lanoxin
* Oral liq 50 mcg per ml		60 ml		Lanoxin
			~	Lanoxin S29 S29
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	23.87	100	1	Rythmodan
FLECAINIDE ACETATE – Retail pharmacy-Specialist				
▲ Tab 50 mg		60	1	Tambocor
Cap long-acting 100 mg		30		Tambocor CR
Cap long-acting 200 mg		30		Tambocor CR
Inj 10 mg per ml, 15 ml ampoule		5	~	Tambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	162.00	100	1	Mexiletine
				Hydrochloride
				USP S29
▲ Cap 250 mg	202.00	100	~	Mexiletine
				Hydrochloride USP S29
				UJF 329
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specialis		50		Dutmonorm
▲ Tab 150 mg		50	~	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail pharm				
Tab 2.5 mg		100	-	Gutron
Tab 5 mg	79.00	100	1	Gutron
■SA1474 Special Authority for Subsidy				

► SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Subs	sidised	Generic
	\$	Per	1	Manufacturer
Beta Adrenoceptor Blockers				
ATENOLOL				
* Tab 50 mg	4 26	500	1	Mylan Atenolol
0				
* Tab 100 mg		500		Mylan Atenolol
* Oral liq 25 mg per 5 ml	21.25	300 ml OP	~	Atenolol AFT
Restricted to children under 12 years of age.				
BISOPROLOL FUMARATE				
* Tab 2.5 mg	3 53	90	1	Bosvate
* Tab 5 mg		90	-	Bosvate
* Tab 10 mg	9.40	90	~	Bosvate
CARVEDILOL				
* Tab 6.25 mg	2 24	60	1	Carvedilol Sandoz
* Tab 12.5 mg		60	-	Carvedilol Sandoz
			-	
* Tab 25 mg	2.90	60	v	Carvedilol Sandoz
CELIPROLOL				
* Tab 200 mg	21.40	180	-	Celol
-				
LABETALOL		400		
* Tab 50 mg		100	-	Hybloc
* Tab 100 mg	11.36	100	~	Hybloc
* Tab 200 mg	29.74	100	✓	Hybloc
* Inj 5 mg per ml, 20 ml ampoule		5		-
	(88.60)			Trandate
	(00.00)			Tranduco
METOPROLOL SUCCINATE			-	
* Tab long-acting 23.75 mg	1.03	30	-	Betaloc CR
* Tab long-acting 47.5 mg	1.25	30	✓	Betaloc CR
* Tab long-acting 95 mg.		30	1	Betaloc CR
* Tab long-acting 190 mg		30		Betaloc CR
METOPROLOL TARTRATE				
* Tab 50 mg	5.66	100	-	Apo-Metoprolol
Apo-Metoprolol to be Sole Supply on 1 November 2018				
* Tab 100 mg	7.55	60	1	Apo-Metoprolol
Apo-Metoprolol to be Sole Supply on 1 November 2018				
	22.40	28	1	Slow-Lopresor
5 5 5			-	•
* Inj 1 mg per ml, 5 ml vial		5		Lopresor
	29.50		•	Metroprolol IV
				Mylan
(Lopresor Inj 1 mg per ml, 5 ml vial to be delisted 1 February 201	9)			
NADOLOL	,			
	40.00	100	,	A
* Tab 40 mg		100	•	Apo-Nadolol
Apo-Nadolol to be Sole Supply on 1 November 2018				
* Tab 80 mg	26.43	100	-	Apo-Nadolol
Apo-Nadolol to be Sole Supply on 1 November 2018				
PINDOLOL	40.00	400		An a Dividada (
* Tab 5 mg		100	~	Apo-Pindolol
Apo-Pindolol to be Sole Supply on 1 November 2018				
* Tab 10 mg	23.12	100	✓	Apo-Pindolol
Apo-Pindolol to be Sole Supply on 1 November 2018				
* Tab 15 mg		100	1	Apo-Pindolol
Apo-Pindolol to be Sole Supply on 1 November 2018				

fully subsidised Sole Subsidised Supply

48

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROPRANOLOL				
* Tab 10 mg	4.64	100	I	Apo-Propranolol
Apo-Propranolol to be Sole Supply on 1 November 2018				
* Tab 40 mg		100	I	Apo-Propranolol
Apo-Propranolol to be Sole Supply on 1 November 2018				
Cap long-acting 160 mg		100	✓ (Cardinol LA
* Oral liq 4 mg per ml – Special Authority see SA1327 below – Retail pharmacy		500 m	nl 🖌 F	Roxane S29

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

* Tab 80 mg	500	✓ <u>Mylan</u>
* Tab 160 mg	100	✓ <u>Mylan</u>
TIMOLOL * Tab 10 mg	 100	🗸 Apo-Timol

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

AMLODIPINE

* Tab 2.5 mg	1.72	100	Apo-Amlodipine
* Tab 5 mg		250	Apo-Amlodipine
* Tab 10 mg		250	Apo-Amlodipine
FELODIPINE			
* Tab long-acting 2.5 mg	1.45	30	Plendil ER
* Tab long-acting 5 mg		30	Plendil ER
	3.93	90	Felo 5 ER
* Tab long-acting 10 mg	2.30	30	Plendil ER
5 5 5	4.32	90	 Felo 10 ER
ISRADIPINE			
* Cap long-acting 2.5 mg	7.50	30	Dynacirc-SRO
* Cap long-acting 5 mg	7.85	30	 Dynacirc-SRO
(Dynacirc-SRO Cap long-acting 2.5 mg to be delisted 1 Fe	ebruary 2019)		
(Dunacire-SBO Can long-acting 5 mg to be deligted 1 Feb	ruany 2010)		

(Dynacirc-SRO Cap long-acting 5 mg to be delisted 1 February 2019)

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per	1	Manufacturer
NIFEDIPINE				
* Tab long-acting 10 mg		60	✓	Adalat 10
			✓	Adefin S29
* Tab long-acting 20 mg	9.59	100	✓	Nyefax Retard
* Tab long-acting 30 mg	3.14	30		Adalat Oros
				Adefin XL
* Tab long-acting 60 mg	5.67	30	~	Adalat Oros
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg	4.60	100	1	Dilzem
* Tab 60 mg		100		Dilzem
* Cap long-acting 120 mg		500	1	Apo-Diltiazem CD
Apo-Diltiazem CD to be Sole Supply on 1 November				
* Cap long-acting 180 mg		500	✓	Apo-Diltiazem CD
Apo-Diltiazem CD to be Sole Supply on 1 November				•
* Cap long-acting 240 mg		500	✓	Apo-Diltiazem CD
Apo-Diltiazem CD to be Sole Supply on 1 November	er 2018			
PERHEXILINE MALEATE				
₩ Tab 100 mg	62.90	100	1	Pexsig
-	02.00	100		<u>i okoig</u>
	7.01	100		loontin
* Tab 40 mg		100		Isoptin
K Tab 80 mg		100 250		Isoptin Verpamil SR
 Tab long-acting 120 mg. Tab long acting 240 mg 		250		Verpamil SR
★ Tab long-acting 240 mg		200	•	verpairin on
Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available of PSO		F		loontin
PS0	25.00	5	•	Isoptin
Centrally-Acting Agents				
CLONIDINE				
Patch 2.5 mg, 100 mcg per day – Only on a prescription	n7.40	4	1	Mylan
✤ Patch 5 mg, 200 mcg per day – Only on a prescription.		4	-	Mylan
k Patch 7.5 mg, 300 mcg per day − Only on a prescription		4		Mylan
k Tab 25 mcg	8 75	112	1	Clonidine BNM
Clonidine BNM to be Sole Supply on 1 November 2		112	•	olomanic Brin
₭ Tab 150 mcg		100	1	Catapres
 Inj 150 mcg per ml, 1 ml ampoule 		10		Medsurge
	12.98	5	-	
	(16.07)	-		Catapres
Medsurge to be Sole Supply on 1 January 2019	()			· · · · · · · · · · · · · · · · · · ·
Catapres Inj 150 mcg per ml, 1 ml ampoule to be delisted 1	January 2019)			
METHYLDOPA				
* Tab 250 mg		100	1	Methyldopa Mylan
· · · · · · · · · · · · · · · · · · ·			•	

	Subsidy (Manufacturer's Price) \$) Sub Per	Fully sidised	Brand or Generic Manufacturer
Diuretics				
Loop Diuretics				
BUMETANIDE * Tab 1 mg * Inj 500 mcg per ml, 4 ml vial FUROSEMIDE [FRUSEMIDE] * Tab 40 mg – Up to 30 tab available on a PSO * Tab 500 mg * Oral liq 10 mg per ml * Inj 10 mg per ml, 25 ml ampoule * Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS	7.95 8.00 25.00 10.66 3 57.77	100 5 1,000 50 0 ml OP 6 5	✓ B ✓ D ✓ U ✓ La ✓ La	
Potassium Sparing Diuretics				
AMILORIDE HYDROCHLORIDE * Tab 5 mg Oral liq 1 mg per ml (Apo-Amiloride Tab 5 mg to be delisted 1 January 2019)		100 5 ml OP		po-Amiloride iomed
EPLERENONE – Special Authority see SA1728 below – Retail ph Tab 50 mg Inspra to be Sole Supply on 1 January 2019		30	🗸 In	spra
Tab 25 mg		30 ewal unles	✓ <u>In</u> s notified	- -
 Patient has heart failure with ejection fraction less than 40% Either: 2.1 Patient is intolerant to optimal dosing of spironolactor 2.2 Patient has experienced a clinically significant advertised 	one; or	optimal do	sing of s	pironolactone.
IETOL AZONE - Special Authority see SA1678 below - Betail ph			5.0	

Tab 5 mgCB	S 1	 Metolazone S29
	50	Zaroxolvn S29

➡SA1678 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has refractory heart failure and is intolerant or has not responded to loop diuretics and/or loop-thiazide combination therapy; or
- 2 Paediatric patient has oedema secondary to nephrotic syndrome that has not responded to loop diuretics.

SPIRONOLACTONE

*	Tab 25 mg4.38	100	 Spiractin
	Tab 100 mg	100	✓ Spiractin
	Oral liq 5 mg per ml	25 ml OP	✓ Biomed

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully Brand or
	(Manufacturer's Price \$	e) Subs Per	sidised Generic Manufacturer
	¥		
Potassium Sparing Combination Diuretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE * Tab 5 mg with furosemide 40 mg		28	✓ Frumil
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZI * Tab 5 mg with hydrochlorothiazide 50 mg		50	✓ Moduretic
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] * Tab 2.5 mg – Up to 150 tab available on a PSO	12.50	500	✓ <u>Arrow-</u> Bendrofluazide
May be supplied on a PSO for reasons other than emerg * Tab 5 mg		500	✓ <u>Arrow-</u> Bendrofluazide
CHLOROTHIAZIDE Oral liq 50 mg per ml		25 ml OP	 Biomed
CHLORTALIDONE [CHLORTHALIDONE] * Tab 25 mg	8.00	50	✓ Hygroton
INDAPAMIDE * Tab 2.5 mg	2.60	90	✓ Dapa-Tabs
Lipid-Modifying Agents			
Fibrates			
BEZAFIBRATE * Tab 200 mg Bezalip to be Sole Supply on 1 January 2019		90	✓ Bezalip
 * Tab long-acting 400 mg Bezalip Retard to be Sole Supply on 1 January 2019 	12.89	30	 Bezalip Retard
GEMFIBROZIL * Tab 600 mg		60	✓ Lipazil
Other Lipid-Modifying Agents			
ACIPIMOX * Cap 250 mg		30	 Olbetam
NICOTINIC ACID * Tab 50 mg * Tab 500 mg		100 100	 ✓ <u>Apo-Nicotinic Acid</u> ✓ Apo-Nicotinic Acid
Resins		100	
CHOLESTYRAMINE			
Powder for oral liq 4 g	19.25 (52.68)	50	Questran-Lite
COLESTIPOL HYDROCHLORIDE Grans for oral liq 5 g		30	✓ Colestid

52 fully subsidised Sole Subsidised Supply (\$29) Unapproved medicine supplied under Section 29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per - Manufacturer
--

HMG CoA Reductase Inhibitors (Statins)

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

ATORVASTATIN – See prescribing guideline above			
* Tab 10 mg	6.96	500	 Lorstat
* Tab 20 mg	9.99	500	 Lorstat
* Tab 40 mg		500	 Lorstat
* Tab 80 mg	27.19	500	 Lorstat
PRAVASTATIN – See prescribing guideline above			
* Tab 20 mg	4.72	100	Apo-Pravastatin
* Tab 40 mg	8.06	100	 Apo-Pravastatin
SIMVASTATIN – See prescribing guideline above			
* Tab 10 mg	0.95	90	Simvastatin Mylan
* Tab 20 mg	1.52	90	Simvastatin Mylan
* Tab 40 mg	2.63	90	 Simvastatin Mylan
* Tab 80 mg		90	 Simvastatin Mylan

Selective Cholesterol Absorption Inhibitors

EZETIMIBE – Special Authority see SA1045 below – Retail pharmacy

*	Tab 10 mg	2.00	30	1	Ezetimibe Sandoz
---	-----------	------	----	---	------------------

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:

×

- 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
- 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
- 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy. If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 on the next page - Retail pharmacy

Tab 10 mg with simvastatin 10 mg5.1	15 30	 Zimybe
Tab 10 mg with simvastatin 20 mg6.1		 Zimybe
Tab 10 mg with simvastatin 40 mg7.1		 Zimybe
Tab 10 mg with simvastatin 80 mg8.1		 Zimybe

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer
--

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to less than or equal to 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be

performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrates

GLYCERYL TRINITRATE		
* Tab 600 mcg – Up to 100 tab available on a PSO8.00	100 OP	 Lycinate
* Oral pump spray, 400 mcg per dose – Up to 250 dose		-
available on a PSO4.45	250 dose OP	 Nitrolingual Pump Spray
✤ Oral spray, 400 mcg per dose – Up to 250 dose available on a		
PSO4.45	200 dose OP	🗸 Glytrin
* Patch 25 mg, 5 mg per day 15.73	30	 Nitroderm TTS
* Patch 50 mg, 10 mg per day18.62	30	 Nitroderm TTS
ISOSORBIDE MONONITRATE		
* Tab 20 mg	100	🗸 Ismo 20
* Tab long-acting 40 mg7.50	30	✓ Ismo 40 Retard
* Tab long-acting 60 mg8.29	90	✓ Duride
Sympathomimetics ADRENALINE Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO4.98 5.25	5	 ✓ Aspen Adrenaline ✓ Hospira
Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO27.00	5	✓ Hospira
49.00	10	 Aspen Adrenaline
ISOPRENALINE [ISOPROTERENOL]		
* Inj 200 mcg per ml, 1 ml ampoule	25	Isuprel
Vasodilators		
AMYL NITRITE		
* Liq 98% in 0.3 ml cap	12	
(73.40)		Baxter
(101.0)		

54

	Subsidy (Manufacturor's Price)		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	Manufacturer
IYDRALAZINE HYDROCHLORIDE	· · ·			
Tab 25 mg – Special Authority see SA1321 below – Retail				
pharmacy	CBS	1	1	Hydralazine
phamacy		56		Onelink \$29
		84		AMDIPHARM S29
		• •		
k Inj 20 mg ampoule	25.00	100 5		Onelink ^{S29} Apresoline
		5	•	Apresolille
SA1321 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid ne following criteria: iither:	l without further rene	wal u	nless noti	fied for applications meetir
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitr inhibitors and/or angiotensin receptor blockers. 	ate, in patients who a	are int	tolerant o	r have not responded to A0
/INOXIDIL				
Tab 10 mg		100	~	Loniten
IICORANDIL				
Tab 10 mg		60	1	Ikorel
Tab 20 mg		60	1	Ikorel
 Inj 12 mg per ml, 10 ml ampoule 	217 90	5	1	Hospira
		U	•	noophu
PENTOXIFYLLINE [OXPENTIFYLLINE]	10.06	50		Trental 400
Tab 400 mg		50	•	Trental 400
Endothelin Receptor Antagonists				
MDDICENTAN Creation Authority and CA1700 holow Datail	ah a rm a ai r			
MBRISENTAN – Special Authority see SA1702 below – Retail Tab 5 mg		30		Volibris
Tab 5 mg	,	30 30		Volibris
SA1702 Special Authority for Subsidy pecial Authority approved by the Pulmonary Arterial Hypertensic lotes: Application details may be obtained from PHARMAC's we	on Panel			
he Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON		mau	<u>govi.nz</u> 0	
el: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac	.govt.nz			
OSENTAN – Special Authority see SA1712 below – Retail phar	macy			
Tab 62.5 mg		60	1	Bosentan Dr Reddy's
	401.79		1	Bosentan-Mylan
Tab 125 mg		60		Bosentan Dr Reddy's
	401.79		1	Bosentan-Mylan
				· · · · · · · · · · · · · · · · · · ·

⇒SA1712 Special Authority for Subsidy

Initial application only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory physician or cardiologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
\$	Per	1	Manufacturer

continued...

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice) clinical classifications; and
- 3 PAH is at NYHA/WHO functional class II, III, or IV; and
- 4 Any of the following:
 - 4.1 Both:
 - 4.1.1 Bosentan is to be used as PAH monotherapy; and
 - 4.1.2 Either:
 - 4.1.2.1 Patient is intolerant or contraindicated to sildenafil; or
 - 4.1.2.2 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease; or
 - 4.2 Both:
 - 4.2.1 Bosentan is to be used as PAH dual therapy; and
 - 4.2.2 Either:
 - 4.2.2.1 Patient has tried a PAH monotherapy for at least three months and failed to respond; or
 - 4.2.2.2 Patient deteriorated while on a PAH monotherapy; or
 - 4.3 Both:
 - 4.3.1 Bosentan is to be used as PAH triple therapy; and
 - 4.3.2 Any of the following:
 - 4.3.2.1 Patient is on the lung transplant list; or
 - 4.3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or
 - 4.3.2.3 Patient is deteriorating rapidly to NYHA/WHO Functional Class IV who may be lung transplant recipients in the future, if their disease is stabilised; or
 - 4.3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.

Renewal only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory physician or cardiologist. Approvals valid for 2 years for applications meeting the following criteria:

- Any of the following:
 - 1 Both:
 - 1.1 Bosentan is to be used as PAH monotherapy; and
 - 1.2 Patient is stable or has improved while on bosentan; or
 - 2 Both:
 - 2.1 Bosentan is to be used as PAH dual therapy; and
 - 2.2 Patient has tried a PAH monotherapy for at least three months and either failed to respond or later deteriorated; or
 - 3 Both:
 - 3.1 Bosentan is to be used as PAH triple therapy; and
 - 3.2 Any of the following:
 - 3.2.1 Patient is on the lung transplant list; or
 - 3.2.2 Patient is presenting acutely with idiopathic pulmonary arterial hypertension (IPAH) in New York Heart Association/World Health Organization (NYHA/WHO) Functional Class IV; or
 - 3.2.3 Patient is deteriorating rapidly to NYHA/WHO Functional Class IV who may be lung transplant recipients in the future, if their disease is stabilised; or
 - 3.2.4 Patient has PAH associated with the scleroderma spectrum of diseases (APAHSSD) who have no major morbidities and are deteriorating despite combination therapy.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Phosphodiesterase Type 5 Inhibitors				
SILDENAFIL – Special Authority see SA1738 below – Retail ph Tab 25 mg Tab 50 mg Tab 100 mg Vedafil to be Sole Supply on 1 December 2018	0.64 0.64	4 4 12	✓ <u>v</u>	<u>'edafil</u> ' <u>edafil</u> 'edafil
SA1738 Special Authority for Subsidy Initial application — (Raynaud's Phenomenon*) from any rel notified for applications meeting the following criteria: All of the following:	evant practitioner. Ap	prova	als valid with	out further renewal unless
 Patient has Raynaud's Phenomenon*; and Patient has severe digital ischaemia (defined as severe p ulceration; digital ulcers; or gangrene); and Patient is following lifestyle management (avoidance of c avoidance of sympathomimetic drugs); and 				0

4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Initial application — (**Pulmonary arterial hypertension***) only from a respiratory specialist, cardiologist or medical practitioner on the recommendation of a respiratory specialist or cardiologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 Any of the following:
 - 2.1 PAH is in Group 1 of the WHO (Venice) clinical classifications; or
 - 2.2 PAH is in Group 4 of the WHO (Venice) clinical classifications; or
 - 2.3 PAH is in Group 5 of the WHO (Venice) clinical classifications; and
- 3 Any of the following:
 - 3.1 PAH is in NYHA/WHO functional class II; or
 - 3.2 PAH is in NYHA/WHO functional class III; or
 - 3.3 PAH is in NYHA/WHO functional class IV; and
- 4 Either:
 - 4.1 All of the following:

4.1.1 Patient has a pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and

4.1.2 Either:

4.1.2.1 Patient has a mean pulmonary artery pressure (PAPm) > 25 mmHg; or

- 4.1.2.2 Patient is peri Fontan repair; and
- 4.1.3 Patient has a pulmonary vascular resistance (PVR) of at least 3 Wood Units or at least 240 International Units (dyn s cm-5); or
- 4.2 Testing for PCWP, PAPm, or PVR cannot be performed due to the patient's young age.

Note: Indications marked with * are unapproved indications.

Prostacyclin Analogues

EPOPROSTENOL - Special Authority see SA1696 on the new	xt page – Retail pharm	nacy	
Inj 500 mcg vial		1	🗸 Veletri
Inj 1.5 mg vial	73.21	1	🗸 Veletri

	Subsidy (Manufacturer's Price) \$	Sub: Per	Fully sidised	Brand or Generic Manufacturer
SA1696 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertension Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac	ebsite <u>http://www.pha</u>	rmac.gov	<u>t.nz</u> or:	
ILOPROST – Special Authority see SA1705 below – Retail phan Nebuliser soln 10 mcg per ml, 2 ml	macy	30	✓ V	/entavis
Special Authority approved by the Pulmonary Arterial Hypertension Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7561, Fax: (04) 974 4858, Email: <u>PAH@pharmac</u>	ebsite <u>http://www.pha</u>	rmac.gov	<u>t.nz</u> or:	

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 88			
ADAPALENE				
a) Maximum of 30 g per prescription				
 b) Only on a prescription 				
Crm 0.1%		30 g OP	-	Differin
Gel 0.1%		30 g OP	✓ [Differin
ISOTRETINOIN - Special Authority see SA1475 below - Retail	pharmacy			
Cap 5 mg	8.14	60	✓ (Oratane
Oratane to be Sole Supply on 1 November 2018				
Cap 10 mg	13.34	120	✓ (Oratane
	11.12	100		
	(12.47)			sotane 10
Oratane to be Sole Supply on 1 January 2019	17.00	100		
Cap 20 mg		100	•	sotane 20
Oratane to be Sole Supply on 1 January 2019	20.49	120	• (Dratane

(Isotane 10 Cap 10 mg to be delisted 1 January 2019)

(Isotane 20 Cap 20 mg to be delisted 1 January 2019)

⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g - Maximum of 50 g per prescription	13.90	50 g OP	✓ <u>ReTrieve</u>
---	-------	---------	-------------------

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
Antibacterials Topical			
For systemic antibacterials, refer to INFECTIONS, Antibacterial	s, page 88		
HYDROGEN PEROXIDE			
* Crm 1%	8.56	15 g OP	 Crystaderm
MUPIROCIN	0.00		
Oint 2%		15 g OP	Bactroban
a) Only on a prescription	(0.20)		Dactioball
b) Not in combination			
SODIUM FUSIDATE [FUSIDIC ACID]			
Crm 2%	2.52	15 g OP	✓ DP Fusidic Acid
a) Maximum of 15 g per prescriptionb) Only on a prescriptionc) Not in combination			Cream
Oint 2%	3.45	15 g OP	 Foban
a) Maximum of 15 g per prescriptionb) Only on a prescriptionc) Not in combination		Ū	
SULFADIAZINE SILVER			
Crm 1%	10.80	50 g OP	 Flamazine
a) Up to 250 g available on a PSOb) Not in combination			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals, pa	ge 95		
AMOROLFINE	30.00		
a) Only on a prescription			
b) Not in combination			
Nail soln 5%	15.95	5 ml OP	✓ MycoNail
a) Only on a prescriptionb) Not in combination			
Nail-soln 8%		7 ml OP	Apo-Ciclopirox
			<u></u>
* Crm 1%	0.70	20 g OP	✓ Clomazol
a) Only on a prescription		-	
b) Not in combination	4.00	00	
* Soln 1%	4.36 (7.55)	20 ml OP	Canesten
a) Only on a prescription	(7.00)		ounotion
b) Not in combination			

b) Not in combination

60

	Subsidy		Fully	Brand or
	(Manufacturer's F \$	rice) Sub Per	sidised	Generic Manufacturer
	Ŷ	. 01	-	
ECONAZOLE NITRATE	1.00	20 a OP		
Crm 1%		20 g OP	De	(ond
	(7.48)		Pe	varyl
a) Only on a prescription				
b) Not in combination Foaming soln 1%, 10 ml sachets	0.00	3		
Foaming som 1%, to mi sachets	9.89 (17.23)	3	Po	varyl
a) Only on a pressuintion	(17.23)		гe	varyi
a) Only on a prescriptionb) Not in combination				
,				
MICONAZOLE NITRATE			<i>.</i>	
* Crm 2%	0.74	15 g OP	✓ <u>Mu</u>	ltichem
a) Only on a prescription				
b) Not in combination				
* Lotn 2%		30 ml OP	D .	14
	(10.03)		Da	ktarin
a) Only on a prescription				
b) Not in combination	4.00			
* Tinct 2%		30 ml OP	De	Interview
	(12.10)		Da	ktarin
a) Only on a prescription				
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g		15 g OP		
	(7.90)		My	costatin
 a) Only on a prescription 				
b) Not in combination				
Antion with Deservations				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP	1.26	100 g	🖌 he	althE Calamine
		loo g		queous Cream
				SP
	1.49			armacy Health
Lotn, BP		2,000 ml	✓ PS	
CROTAMITON		,		
a) Only on a prescription				
b) Not in combination				
Crm 10%	3 20	20 g OP	🖌 Itol	n-Soothe
	0.23	20 9 01	• 110	
MENTHOL – Only in combination				
 Only in combination with a dermatological base or pr 	oprietary Topical C	orticosteriod -	- Plain	
With or without other dermatological galenicals.				
Crystals		25 g	✓ PS	
	6.92			dWest
	29.60	100 g	🗸 Mie	dWest
(PSM Crystals to be delisted 1 November 2018)				

	Subsidy		Fully	Brand or
	(Manufacturer's Pric		idised	Generic
	\$	Per	1	Manufacturer
Corticosteroids Topical				
For systemic corticosteroids, refer to CORTICOSTEROIDS AND	RELATED AGEN	S, page 77		
Corticosteroids - Plain				
BETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96	15 g OP	√ [Diprosone
	8.97	50 g OP	✓ [Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ [Diprosone OV
Oint 0.05%		15 g OP	✓ [Diprosone
	8.97	50 g OP	√ [Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	√ [Diprosone OV
BETAMETHASONE VALERATE				
* Cm 0.1%	2.45	50 a OB		Beta Cream
		50 g OP	• •	Sela Cream
Beta Cream to be Sole Supply on 1 November 2018	0.45	50 ~ OD		Poto Ointmont
* Oint 0.1%	3.45	50 g OP	•	Beta Ointment
Beta Ointment to be Sole Supply on 1 November 2018	40.00	50 OD		
* Lotn 0.1%		50 ml OP	•	Betnovate
Betnovate to be Sole Supply on 1 January 2019				
CLOBETASOL PROPIONATE				
* Crm 0.05%	2.20	30 g OP	✓ [Dermol
* Oint 0.05%	2.20	30 g OP	√ [Dermol
CLOBETASONE BUTYRATE		0	-	
Crm 0.05%	5 29	30 g OP		
CIII 0.05 /6	(7.09)	30 y OF		Eumovate
	(7.09)			Lumovale
DIFLUCORTOLONE VALERATE				
Crm 0.1%	8.97	50 g OP		
	(15.86)		1	Verisone
Fatty oint 0.1%	8.97	50 g OP		
	(15.86)		1	Verisone
HYDROCORTISONE				
* Crm 1% – Only on a prescription	1.11	30 g OP	√ [DermAssist
	16.25	500 g	-	Pharmacy Health
* Powder – Only in combination		25 g		ABM
Up to 5% in a dermatological base (not proprietary Topic		0		
galenicals		i iaiii) wiui c		ui oinei dennaiologicai
C C				
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN				
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% – Only c	on			
a prescription		250 ml	✓ [OP Lotn HC
HYDROCORTISONE BUTYRATE				
Lipocream 0.1%		30 g OP	√ I	_ocoid Lipocream
· ····	6.85	100 g OP		_ocoid Lipocream
Oint 0.1%		100 g OP		_ocoid
Milky emul 0.1%		100 ml OP		_ocoid Crelo
-	0.00			
METHYLPREDNISOLONE ACEPONATE	4.05	15 - 00		Advantan
Crm 0.1%		15 g OP	-	Advantan
Oint 0.1%	4.95	15 g OP	✓ /	Advantan

	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ice) Subs Per	sidised Generic Manufacturer
	Ψ		
	1 5 1	15 ~ OD	Clearn Alashal Erras
Crm 0.1%	2.50	15 g OP 50 g OP	 Elocon Alcohol Free Elocon Alcohol Free
Elocon Alcohol Free to be Sole Supply on 1 December 2		50 Y OF	
Oint 0.1%		15 g OP	 Elocon
	2.90	50 g OP	✓ Elocon
Elocon to be Sole Supply on 1 December 2018		Ū	
Lotn 0.1%	6.30	30 ml OP	 Elocon
Elocon to be Sole Supply on 1 December 2018			
RIAMCINOLONE ACETONIDE			
Crm 0.02%	6.30	100 g OP	 Aristocort
Oint 0.02%	6.35	100 g OP	 Aristocort
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on	a prescription		
Crm 0.1% with clioquinol 3%		15 g OP	
·	(4.90)	Ū	Betnovate-C
BETAMETHASONE VALERATE WITH SODIUM FUSIDATE [FU	SIDIC ACIDI		
Crm 0.1% with sodium fusidate (fusidic acid) 2%	-	15 g OP	
	(10.45)	Ū	Fucicort
a) Maximum of 15 g per prescription			
b) Only on a prescription			
HYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	tion		
Crm 1% with miconazole nitrate 2%		15 g OP	 Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - O	nly on a prescripti	ion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	 Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	 Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI	N AND NYSTATI	N	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg			
and gramicidin 250 mcg per g - Only on a prescription .		15 g OP	
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescriptio	n is endorsed acc	cordingly.	
₭ Handrub 1% with ethanol 70%		500 ml	✓ healthE
Soln 4% wash	3.98	500 ml	✓ healthE
RICLOSAN – Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
b)			
a) Only if prescribed for a patient identified with Methic	illin-resistant Stap	hylococcus a	ureus (MRSA) prior to electiv
surgery in hospital and the prescription is endorsed	0.7		
b) Only if prescribed for a patient with recurrent Staphy	lococcus aureus	infection and	the prescription is endorsed
accordingly			e
Soln 1%	5 90	500 ml OP	✓ healthF

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

 ${\color{black}{\bigstar}} Three \text{ months or six months, as applicable, dispensed all-at-once}$

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or sidised Generic ✓ Manufacturer
Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE			
* Crm 5% pump bottle	4.59	500 ml OP	 <u>healthE</u> Dimethicone 5%
* Crm 10% pump bottle	4.52	500 ml OP	✓ <u>healthE</u> Dimethicone 10%
ZINC AND CASTOR OIL	4.05	500	
* Oint	4.25	500 g	✓ <u>Boucher</u>
Emollients			
AQUEOUS CREAM * Crm	1.92 1.99	500 g	 ✓ Boucher ✓ AFT SLS-free ✓ Home Essentials
(Home Essentials Crm to be delisted 1 December 2018)			
CETOMACROGOL <pre>% Crm BP</pre>	2.48	500 g	✓ <u>healthE</u>
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	2.82	500 ml OP	✓ <u>Pharmacy Health</u> <u>Sorbolene with</u> Glycerin
	3.87	1,000 ml OP	
EMULSIFYING OINTMENT Oint BP	2.50	500 a	✔ AFT
OIIT BF OIL IN WATER EMULSION		500 g	
* Crm	2.25	500 g	 O/W Fatty Emulsion Cream
UREA * Crm 10%	1.37	100 g OP	✓ healthE Urea Cream
WOOL FAT WITH MINERAL OIL – Only on a prescription * Lotn hydrous 3% with mineral oil		1,000 ml	
,	(11.95)		DP Lotion
	1.40 (4.53)	250 ml OP	DP Lotion
	5.60	1,000 ml	
	(20.53) (23.91)		Alpha-Keri Lotion BK Lotion
	1.40 (7.73)	250 ml OP	BK Lotion

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully Brand or idised Generic Manufacturer
Other Dermatological Bases	· ·		
ABAFFIN			
White soft – Only in combination	20.20	2,500 g	✓ IPW
,	3.58	500 g	
	(7.78)	•	IPW
	(8.69)		PSM
Only in combination with a dermatological galenical or	as a diluent for a pr	roprietary Top	ical Corticosteroid – Plain.
Minor Skin Infections			
OVIDONE IODINE			
Oint 10%	3.27	25 g OP	 Betadine
a) Maximum of 100 g per prescription			
 b) Only on a prescription 			
Antiseptic soln 10%	6.20	500 ml	 Betadine
			 Riodine
	1.28	100 ml	
	(4.20)		Riodine
	(13.27)	45	Betadine
	0.19	15 ml	Betadine
Skin preparation, povidone iodine 10% with 30% alcohol	(7.41)	500 ml	Betadine Skin Prep
	1.63	100 ml	• Detaume Skin Frep
	(3.48)	100 111	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		500 ml	Detadine Okin Prop
	(18.63)	000	Orion
	1.63	100 ml	
	(6.04)		Orion
Parasiticidal Preparations			
rarasiliciuai Preparations			
METHICONE			
Lotn 4%	4.98	200 ml OP	✓ <u>healthE</u> <u>Dimethicone 4%</u> <u>Lotion</u>
ERMECTIN – Special Authority see SA1225 below – Retail p			_
Tab 3 mg – Up to 100 tab available on a PSO	17.20	4	 Stromectol
 PSO for institutional use only. Must be endorsed a valid Special Authority for patient of that instituti lvermectin available on BSO provided the BSO in 	ion.		

For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price	e) :	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

continued...

66

	Subsidy (Manufacturer's Price \$	e) Subs Per	Fully idised	Brand or Generic Manufacturer
 continued Note: Ivermectin is no more effective than topical therapy Renewal — (Other parasitic infections) only from an ir Approvals valid for 1 month for applications meeting the f Any of the following: Filaricides; or Cutaneous larva migrans (creeping eruption); or Strongyloidiasis. 	fectious disease specialist,			gist or dermatologist.
PERMETHRIN Crm 5% Lotn 5%		30 g OP 30 ml OP		<u>yderm</u> -Scabies
PHENOTHRIN Shampoo 0.5%		00 ml OP	✔ P	arasidose
Psoriasis and Eczema Preparations ACITRETIN – Special Authority see SA1476 below – Re Cap 10 mg Cap 25 mg		60 60	_	<u>ovatretin</u> ovatretin
SA1476 Special Authority for Subsidy nitial application from any relevant practitioner. Approv Il of the following:	vals valid for 1 year for appli	cations mee	eting the	e following criteria:
 Applicant is a vocationally registered dermatologis working in a relevant scope of practice; and Applicant has an up to date knowledge of the safe Either: 	, , , , , ,	•		·
 3.1 Patient is female and has been counselled pregnancy and the applicant has ensured i commencement of the treatment and that i treatment and for a period of two years after 3.2 Patient is male. 	that the possibility of pregnation has the patient is informed that s	incy has be she must no	en exclu	uded prior to the
Renewal from any relevant practitioner. Approvals valid Either:		-		-
1 Patient is female and has been counselled and un				

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Gel 500 mcg with calcipotriol 50 mcg per g Oint 500 mcg with calcipotriol 50 mcg per g Daivobet to be Sole Supply on 1 January 2019		60 g OP 30 g OP	DaivobetDaivobet
CALCIPOTRIOL Oint 50 mcg per g	45.00	100 g OP	✓ <u>Daivonex</u>
COAL TAR Soln BP – Only in combination	32.95	200 ml	✓ Midwest
1) I in to 100/ only in combination with a dermotal scient	haaa ar propr	intony Toninal C	Continentariad Dia

Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod – Plain
 With or without other dermatological galenicals.

	Subsidy	-) Out-		Brand or
	(Manufacturer's Price \$	e) Subs Per		Generic Manufacturer
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULF	PHUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and				
allantoin crm 2.5%		75 g OP	_	. – .
	(8.00)	00 - 00	Ego	opsoryl TA
	3.43 (4.35)	30 g OP	For	opsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR	(4.00)		Lyc	
Soln 12% with salicylic acid 2% and sulphur 4% oint	7 95	40 g OP		co-Scalp
		Ū		lo-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORE * Soln 2.3% with trolamine laurilsulfate and fluorescein sodium		500 ml		etarsol
SALICYLIC ACID	1	500 m	• <u></u>	etaisoi
Powder – Only in combination	18.88	250 g	🗸 PS	м
1) Only in combination with a dermatological base or		0		
2) With or without other dermatological galenicals.	proprietary ropical	Conticosteri	nu – Fiair	
SULPHUR				
Precipitated – Only in combination		100 g	🗸 Mic	lwest
1) Only in combination with a dermatological base or		-	nid – Plain	
2) With or without other dermatological galenicals.	proprietary ropical	00110001010		
_,				
Scalp Preparations				
BETAMETHASONE VALEBATE				
* Scalp app 0.1%		100 ml OP	🗸 Bei	a Scalp
Beta Scalp to be Sole Supply on 1 November 2018				
CLOBETASOL PROPIONATE				
* Scalp app 0.05%	6.96	30 ml OP	🗸 Dei	mol
HYDROCORTISONE BUTYRATE				
Scalp lotn 0.1%		100 ml OP	🖌 Loo	oid
, KETOCONAZOLE				
Shampoo 2%		100 ml OP	🗸 Sel	pizole
a) Maximum of 100 ml per prescription				
b) Only on a prescription				
			_	
Sunscreens				
NINCORFENS BROBBIETARY Subsidy by and reamont				

SUNSCREENS, PROPRIETARY - Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

Crm		Р
	(5.89)	Hamilton Sunscreen
Lotn,	3.30 100 g O	P Marine Blue Lotion SPF 50+
	5.10 200 g O	P Marine Blue Lotion SPF 50+

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully osidised	Brand or Generic Manufacturer
Wart Preparations				
For salicylic acid preparations refer to PSORIASIS AND ECZEM IMIQUIMOD	A PREPARATIONS,	page 67		
Crm 5%, 250 mg sachet	21.72 10.86 (17.98)	24 12		Perrigo
Perrigo to be Sole Supply on 1 November 2018	(17.30)		~	Cream 5%
(Apo-Imiquimod Cream 5% Crm 5%, 250 mg sachet to be delisti PODOPHYLLOTOXIN	ed 1 November 2018,)		
a) Maximum of 3.5 ml per prescription b) Only on a prescription	33.60 3.	.5 ml OP	✓ (Condyline
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%	7.95 2	20 g OP	✓ <u>E</u>	fudix

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
CONDOMS				
# 49 mm – Up to 144 dev available on a PSO		144	√ S	Shield 49
* 53 mm – Up to 144 dev available on a PSO	1.11	12		Gold Knight Shield Blue
	13.36	144	√ S	Shield Blue
* 53 mm (chocolate) – Up to 144 dev available on a PSO	1.11	12	✓ (old Knight
	13.36	144	✓ (old Knight
# 53 mm (strawberry) – Up to 144 dev available on a PSO.		12		old Knight
	13.36	144		Gold Knight
* 56 mm – Up to 144 dev available on a PSO		12		old Knight
	13.36	144	-	Ourex Extra Safe Gold Knight
✤ 56 mm, shaped – Up to 144 dev available on a PSO	1.11	12	✓ [Ourex Confidence
	13.36	144	✓ [Ourex Confidence
✤ 60 mm – Up to 144 dev available on a PSO	13.36	144	√ s	Shield XL
Contraceptive Devices				
NTRA-UTERINE DEVICE a) Up to 40 dev available on a PSO b) Only on a PSO				
 IUD 29.1 mm length × 23.2 mm width 	31.60	1		Choice TT380 Short
 IUD 33.6 mm length × 29.9 mm width 		1	-	Choice TT380 Standard
# IUD 35.5 mm length × 19.6 mm width		1	√ (Choice Load 375
Contraceptives - Hormonal				

Combined Oral Contraceptives

➡SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

70

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✔	Generic
continued			
The additional subsidy will fund Mercilon and Marvelon up to the	e manufacturer's price f	or each of the	se products as identified on
the Schedule at 1 November 1999.			
Special Authorities approved before 1 November 1999 remain v	alid until the expiry dat	e and can be re	enewed providing that
women are still either:			
 on a Social Welfare benefit; or have an income no greater than the benefit. 			
The approval numbers of Special Authorities approved before 1	November 1000 are in	tarchangaahla	for products within the
combined oral contraceptives and progestogen-only contracepti			
ETHINYLOESTRADIOL WITH DESOGESTREL			Iynon zo zb
 Tab 20 mcg with desogestrel 150 mcg and 7 inert tab 	6.62	84	
	(19.80)	01	Mercilon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Au	thority see SA0500 on	the previous p	age
b) Up to 84 tab available on a PSO	,		Ŭ
* Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
	(19.80)		Marvelon 28
 a) Higher subsidy of \$13.80 per 84 tab with Special Au b) Up to 84 tab available on a PSO 	thority see SA0500 on	the previous p	age
ETHINYLOESTRADIOL WITH LEVONORGESTREL			
* Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tablets	-		
Up to 84 tab available on a PSO	2.18	84 🗸	Microgynon 20 ED
* Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - I			
to 84 tab available on a PSO			Microgynon 50 ED
* Tab 30 mcg with levonorgestrel 150 mcg		63	
	(16.50)		Microgynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special Au	ithority see SA0500 on	the previous p	age
b) Up to 63 tab available on a PSO			
* Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tablets Up to 84 tab available on a PSO		84 🗸	Levlen ED
		U-1 V	
ETHINYLOESTRADIOL WITH NORETHISTERONE * Tab 35 mcg with norethisterone 1 mg – Up to 63 tab availa	blo		
* Tab 35 mcg with norethisterone 1 mg – Up to 63 tab availa on a PSO		63 🗸	Brevinor 1/21
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up t		•	
84 tab available on a PSO		84 🗸	Brevinor 1/28
* Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab			
available on a PSO	6.62	63 🗸	Brevinor 21
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab $-$			
to 84 tab available on a PSO	6.62	84 🗸	Norimin

Progestogen-only Contraceptives

► SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

1.1 Patient is on a Social Welfare benefit; or

continued...

GENITO-URINARY SYSTEM

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
(M	anufacturer's Price)	Subsi	dised	Generic
	\$	Per	1	Manufacturer

continued...

1.2 Patient has an income no greater than the benefit; and

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED LEVONORGESTREL

* Tab 30 mcg		84	Misusha
 a) Higher subsidy of \$13.80 per 84 tab with Special Authors b) Up to 84 tab available on a PSO 	(16.50) ority see SA0500) on the prev	Microlut vious page
 Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO 	106.92	1	✓ Jadelle
MEDROXYPROGESTERONE ACETATE Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS	O7.25	1	✓ Depo-Provera
NORETHISTERONE * Tab 350 mcg – Up to 84 tab available on a PSO	6.25	84	✓ Noriday 28
Emergency Contraceptives			
LEVONORGESTREL * Tab 1.5 mg	4.95	1	✓ Postinor-1

a) Maximum of 2 tab per prescription

- b) Up to 5 tab available on a PSO
- c) Note: Direct Provision by a pharmacist permitted under the provisions in Part I of Section A.

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

*	Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up		
	to 168 tab available on a PSO4.67	168	 Ginet

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC	ACID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulpha			
0.025%, glycerol 5% and ricinoleic acid 0.75% with app	(24.00) (24.00)	100 g OP	Aci-Jel
CLOTRIMAZOLE	(21.00)		
* Vaginal crm 1% with applicators		35 g OP	✓ <u>Clomazol</u>
* Vaginal crm 2% with applicators MICONAZOLE NITRATE	2.10	20 g OP	✓ <u>Clomazol</u>
* Vaginal crm 2% with applicator	3.88	40 g OP	✓ <u>Micreme</u>
NYSTATIN	4.45	75 - 00	. Niletet
Vaginal crm 100,000 u per 5 g with applicator(s)	4.45	75 g OP	✓ <u>Nilstat</u>
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on PSO		5	✓ DBL Ergometrine
OESTRIOL	105.00	5	• DBL Ergometime
* Crm 1 mg per g with applicator		15 g OP	✓ <u>Ovestin</u>
* Pessaries 500 mcg	6.86	15	✓ <u>Ovestin</u>
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule	3.98	5	 Oxytocin BNM
Oxytocin BNM to be Sole Supply on 1 December 2018		_	-
Inj 10 iu per ml, 1 ml ampoule	4.98 5.03	5	 Oxytocin BNM Oxytocin Apotex
Oxytocin BNM to be Sole Supply on 1 December 2018			
(Oxytocin Apotex Inj 10 iu per ml, 1 ml ampoule to be delisted 1 OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj ava			
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml		5	 Syntometrine
Syntometrine to be Sole Supply on 1 November 2018			-
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO			
b) Only on a PSO Cassette	12.00	40 test OP	 Smith BioMed Rapid
	12.00	40 1001 01	Pregnancy Test
Smith DiaMad Danid Dragnonay Tast to be Cale Symply	(17.60)	0010	EasyCheck
Smith BioMed Rapid Pregnancy Test to be Sole Supply (EasyCheck Cassette to be delisted 1 December 2018)	on i December	2010	
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antibacterials,	page 107		
5-Alpha Reductase Inhibitors			
FINASTERIDE – Special Authority see SA0928 on the next pag * Tab 5 mg		acy 100	✓ <u>Ricit</u>
▲Three months supply may be dispensed at one time if endorsed "certii	ied exemption" by t	he prescriber or p	harmacist.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

SA0928 Special Authority for Subsidy				Manufacturer
initial application from any relevant practitioner. Approvals valid w he following criteria: Both:	vithout further	renewal unless	notifie	ed for applications meeting
 Patient has symptomatic benign prostatic hyperplasia; and Either: 2.1 The patient is intolerant of non-selective alpha blocket 	ars or these are	contraindicate	ad: or	
2.2 Symptoms are not adequately controlled with non-sel Note: Patients with enlarged prostates are the appropriate candida	lective alpha b	lockers.		
Alpha-1A Adrenoreceptor Blockers				
TAMSULOSIN HYDROCHLORIDE – Special Authority see SA1033 * Cap 400 mcg		il pharmacy 100	•]	<u>Famsulosin-Rex</u>
initial application from any relevant practitioner. Approvals valid w the following criteria: Both:	vithout further	renewal unless	notifie	ed for applications meeting
 Patient has symptomatic benign prostatic hyperplasia; and The patient is intolerant of non-selective alpha blockers or th 	nese are contra	indicated.		
Other Urinary Agents				
DXYBUTYNIN				
* Tab 5 mg	1.77 8.85	100 500	-	Ditropan ^(S29) A <u>po-</u> Oxybutynin ^(S29)
* Oral liq 5 mg per 5 ml	60.40	473 ml	~	Apo-Oxybutynin
Ditropan 529 Tab 5 mg to be delisted 1 February 2019)			-	<u> </u>
POTASSIUM CITRATE				
Oral liq 3 mmol per ml – Special Authority see SA1083 below – Retail pharmacy Biomed to be Sole Supply on 1 November 2018		200 ml OP	✓ I	Biomed
SA1083 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid for Both:	or 12 months f	or applications	meetii	ng the following criteria:
 The patient has recurrent calcium oxalate urolithiasis; and The patient has had more than two renal calculi in the two yet 	ears prior to th	e application.		
Renewal from any relevant practitioner. Approvals valid for 2 years penefitting from the treatment.	s where the tre	atment remains	s appr	opriate and the patient is
	0.04	00		lual
₭ Grans eff 4 g sachets	2.34	28		Jral
SOLIFENACIN SUCCINATE	0.00	00		
Tab 5 mg		30	✓ 9	Solifenacin Mylan
Tablet 5 mg – Special Authority see SA0998 on the next page				/
	07 50			
- Retail pharmacy		30		/esicare
	5.50	30 30		Vesicare Solifenacin Mylan

GENITO-URINARY SYSTEM

Albustix

	Subsidy (Manufacturer's Pric \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
■SA0998 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid overactive bladder and a documented intolerance of, or is non-res			nless notifie	ed where the patient has
TOLTERODINE – Special Authority see SA1272 below – Retail g Tab 1 mg Tab 2 mg			1	Arrow-Tolterodine Arrow-Tolterodine ed where patient has
Detection of Substances in Urine				
ORTHO-TOLIDINE * Compound diagnostic sticks	7.50 (8.25)	50 test C		Hemastix
TETRABROMOPHENOL * Blue diagnostic strips	7.02 1	100 test (OP	

(13.92)

	Subsidy Manufacturer's Price)		Fully sidised	Brand or Generic
	\$	Per	/	Manufacturer
Calcium Homeostasis				
ALCITONIN				
 Inj 100 iu per ml, 1 ml ampoule 		5	✓ N	liacalcic
INACALCET – Special Authority see SA1618 below – Retail pha Tab 30 mg – Wastage claimable		28	✓ <u>s</u>	ensipar
SA1618 Special Authority for Subsidy itial application only from a nephrologist or endocrinologist. Ap illowing criteria: ither:	provals valid for 6 n	ionths foi	[,] applica	tions meeting the
1 All of the following:				
 1.1 The patient has been diagnosed with a parathyroid of 1.2 The patient has persistent hypercalcaemia (serum c first-line treatments including sodium thiosulfate (wh 1.3 The patient is symptomatic; or 2 All of the following: 	alcium greater than	or equal		
 2.1 The patient has been diagnosed with calciphylaxis (2.2 The patient has symptomatic (e.g. painful skin ulce 3 mmol/L); and 2.3 The patient's condition has not responded to previou 	rs) hypercalcaemia	serum ca	alcium g	
thiosulfate. enewal only from a nephrologist or endocrinologist. Approvals v eeting the following criteria: oth:	alid without further r	enewal u	nless no	tified for applications
 The patient's serum calcium level has fallen to < 3mmol/L; The patient has experienced clinically significant symptom i 				
ote: This does not include parathyroid adenomas unless these h	ave become malign	ant.		
DLEDRONIC ACID				
Inj 4 mg per 5 ml, vial – Special Authority see SA1687 below	-			
Retail pharmacy		1	✓ Z	oledronic acid Mylan
	550.00		✓ Z	ometa
<u>Special Authority for Subsidy</u> itial application — (bone metastases) only from an oncologist ithout further renewal unless notified for applications meeting the ny of the following:		alliative c	are spe	cialist. Approvals valio
 Patient has hypercalcaemia of malignancy; or Both: 				
2.1 Patient has bone metastases or involvement; and2.2 Patient has severe bone pain resistant to standard f	rst-line treatments;	or		
3 Both:				
3.1 Patient has bone metastases or involvement; and				
3.2 Patient is at risk of skeletal-related events pathologi	cal fracture, spinal c	ord comp	ression,	radiation to bone or

3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone.

Initial application — (early breast cancer) only from an oncologist or medical practitioner on the recommendation of a oncologist. Approvals valid for 2 years for applications meeting the following criteria:

continued...

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
 \$	Per 🗸	Manufacturer	

continued...

All of the following:

- 1 Treatment to be used as adjuvant therapy for early breast cancer; and
- 2 Patient has been amenorrhoeic for 12 months or greater, either naturally or induced, with endocrine levels consistent with a postmenopausal state; and
- 3 Treatment to be administered at a minimum interval of 6-monthly for a maximum of 2 years.

Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETAL		
 Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml	5	Celestone Chronodose
DEXAMETHASONE		
 Tab 0.5 mg – Retail pharmacy-Specialist0.99 a) Up to 60 tab available on a PSO b) Dexmethsone to be Sole Supply on 1 November 2018 	30	 Dexmethsone
 Tab 4 mg – Retail pharmacy-Specialist1.90 a) Up to 30 tab available on a PSO 	30	 Dexmethsone
 b) Dexmethsone to be Sole Supply on 1 November 2018 Oral liq 1 mg per ml – Retail pharmacy-Specialist45.00 Oral liq prescriptions: 	25 ml OP	✓ Biomed
 Must be written by a Paediatrician or Paediatric Cardiologist; or On the recommendation of a Paediatrician or Paediatric Cardiologi 	ist.	
DEXAMETHASONE PHOSPHATE		
Dexamethasone phosphate injection will not be funded for oral use.		6 • • • • • • •
✤ Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO 14.19	10	 Max Health
Inj 4 mg per ml, 2 ml ampoule − Up to 5 inj available on a PSO25.18	10	 Max Health
LUDROCORTISONE ACETATE		
₭ Tab 100 mcg14.32	100	 Florinef
IYDROCORTISONE		
K Tab 5 mg8.10	100	Douglas
₭ Tab 20 mg	100	Douglas
k Inj 100 mg vial5.30	1	Solu-Cortef
a) Up to 5 inj available on a PSOb) Only on a PSO		
IETHYLPREDNISOLONE – Retail pharmacy-Specialist		
₭ Tab 4 mg 112.00	100	 Medrol
Medrol to be Sole Supply on 1 January 2019		
₭ Tab 100 mg 194.00	20	 Medrol
Medrol to be Sole Supply on 1 January 2019		

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	Generic
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) – Retai Inj 40 mg vial		st 1	1	Solu-Medrol-Act- O-Vial
Solu-Medrol-Act-O-Vial to be Sole Supply on 1 January Inj 125 mg vial		1	v	Solu-Medrol-Act- O-Vial
Solu-Medrol-Act-O-Vial to be Sole Supply on 1 January Inj 500 mg vial		1	1	Solu-Medrol-Act- O-Vial
Solu-Medrol-Act-O-Vial to be Sole Supply on 1 January Inj 1 g vial Solu-Medrol to be Sole Supply on 1 January 2019		1	1	Solu-Medrol
METHYLPREDNISOLONE ACETATE Inj 40 mg per ml, 1 ml vial		5	1	Depo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGN Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial		1	1	Depo-Medrol with Lidocaine
PREDNISOLONE * Oral liq 5 mg per ml – Up to 30 ml available on a PSO Restricted to children under 12 years of age.	6.00	30 ml Of	o 🗸	Redipred
PREDNISONE * Tab 1 mg * Tab 2.5 mg * Tab 5 mg – Up to 30 tab available on a PSO	12.09 11.09	500 500 500 500	\ \	Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone
Tab 20 mg TETRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule Inj 1 mg per ml, 1 ml ampoule	75.00	1 1	~	Synacthen Synacthen Depot
TRIAMCINOLONE ACETONIDE Inj 10 mg per ml, 1 ml ampoule Inj 40 mg per ml, 1 ml ampoule		5 5		Kenacort-A 10 Kenacort-A 40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE – Retail pharmacy-Specialist Tab 50 mg	13.17 15.87	50		Siterone Procur
Tab 100 mg		50	1	Siterone Procur
TESTOSTERONE Patch 5 mg per day	80.00	30	1	Androderm
TESTOSTERONE CIPIONATE – Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml vial	76.50	1	~	Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	1	Sustanon Ampoules

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialis Cap 40 mg Andriol Testocaps to be Sole Supply on 1 December 2019	21.00	60	√	Andriol Testocaps
Inj 250 mg per ml, 4 ml vial		1	🖌 F	Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Oestrogens

OE	STRADIOL – See prescribing guideline above			
*	Tab 1 mg		28 OP	
		(11.10)		Estrofem
*	Tab 2 mg		28 OP	
		(11.10)		Estrofem
*	Patch 25 mcg per day	6.12	8	Estradot
	 a) No more than 2 patch per week 			
	 b) Only on a prescription 			
*	Patch 50 mcg per day	7.04	8	 Estradot 50 mcg
	 a) No more than 2 patch per week 			
	b) Only on a prescription			
*	Patch 75 mcg per day	7.91	8	 Estradot
	 a) No more than 2 patch per week 			
	b) Only on a prescription			
*	Patch 100 mcg per day	7.91	8	 Estradot
	a) No more than 2 patch per week			
	b) Only on a prescription			
OE	STRADIOL VALERATE – See prescribing guideline above	9		
*	Tab 1 mg		84	Progynova
*	Tab 2 mg		84	Progynova
OF	STROGENS – See prescribing guideline above			
*	Conjugated, equine tab 300 mcg	3.01	28	
		(13.50)		Premarin
*	Conjugated, equine tab 625 mcg	```	28	
•		(13.50)		Premarin
		()		
Ρ	rogestogens			
ME	DROXYPROGESTERONE ACETATE – See prescribing of	uideline above		
	Tab 2.5 mg	,	30	Provera
	Tab 5 mg		100	Provera

30

Provera

Tab 10 mg7.15

	Subsidy (Manufacturer's Pric \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
Progestogen and Oestrogen Combined Prepara	ations			
OESTRADIOL WITH NORETHISTERONE – See prescribing gu * Tab 1 mg with 0.5 mg norethisterone acetate * Tab 2 mg with 1 mg norethisterone acetate	5.40 (18.10)	ous page 28 OP 28 OP	к	liovance
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	(18.10)	20 UF	К	liogest
oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40 (18.10)	28 OP	Т	risequens
Other Oestrogen Preparations				
ETHINYLOESTRADIOL * Tab 10 mcg	17.60	100	✓ <u>N</u>	Z Medical and Scientific
OESTRIOL * Tab 2 mg	7.00	30	✓ 0	vestin
Other Progestogen Preparations				
LEVONORGESTREL * Intra-uterine system 20 mcg per day – Special Authority see SA1608 below – Retail pharmacy		1	✓ <u>N</u>	lirena
■ SA1608 Special Authority for Subsidy Initial application — (No previous use) only from a relevant s applications meeting the following criteria: All of the following:	pecialist or general	practitione	r. Approv	vals valid for 6 months for
 The patient has a clinical diagnosis of heavy menstrual bits The patient has failed to respond to or is unable to tolerate Menstrual Bleeding Guidelines; and Either: 		pharmace	utical the	rapies as per the Heavy
3.1 serum ferritin level $<$ 16 mcg/l (within the last 12 m 3.2 haemoglobin level $<$ 120 g/l.	months); or			
Note: Applications are not to be made for use in patients as con Renewal only from a relevant specialist or general practitioner. following criteria: Both:				
 Either: 1.1 Patient demonstrated clinical improvement of hear 1.2 Previous insertion was removed or expelled within 				
2 Applicant to state date of the previous insertion. MEDROXYPROGESTERONE ACETATE				
Tab 100 mg – Retail pharmacy-Specialist NORETHISTERONE	101.00	100	✓ <u>P</u>	rovera HD
* Tab 5 mg - Up to 30 tab available on a PSO		100	✓ P	rimolut N
PROGESTERONE Cap 100 mg – Special Authority see SA1609 on the next pa – Retail pharmacy	•	30	 ✓ <u>U</u> 	trogestan

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1609 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Either:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour*; and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
 - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are unapproved indications.

Thyroid and Antithyroid Agents			
CARBIMAZOLE			
* Tab 5 mg		100	🖌 AFT
			Carbimazole S29
			 Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg	3.89	90	 Synthroid
* Tab 50 mcg	1.71	28	 Mercury Pharma
-	4.05	90	 Synthroid
	64.28	1,000	 Eltroxin
* Tab 100 mcg	1.78	28	 Mercury Pharma
-	4.21	90	 Synthroid
	66.78	1,000	 Eltroxin
PROPYLTHIOURACIL – Special Authority see SA1199 bel Propylthiouracil is not recommended for patients under			ent is pregnant and other

treatments are contraindicated.

► SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

100

✓ PTU S29

1 The patient has hyperthyroidism; and

2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Trophic Hormones				
Growth Hormones				
SOMATROPIN (OMNITROPE) - Special Authority see SA162	9 below – Retail pharma	acy		
* Inj 5 mg cartridge Ornnitrope to be Sole Supply on 1 November 2018		í	✓ 0	omnitrope
Inj 10 mg cartridge Omnitrope to be Sole Supply on 1 November 2018	69.75	1	✓ 0	omnitrope
 Inj 15 mg cartridge Omnitrope to be Sole Supply on 1 November 2018 	104.63	1	✓ 0	omnitrope

■ SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or</p>
- 2 All of the following:
 - Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and</p>
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 2 Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is greater than or equal to 2 cm per year, calculated over six months; and
- 3 A current bone age is 14 years or under ; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years or under (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR less than or equal to 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 The patient is aged two years or older; and
 - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months; or
 - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type I diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

GOSERELIN

Implant 3.6 mg, syringe	 1	✓ Zoladex
Implant 10.8 mg, syringe	 1	✓ Zoladex

LEUPRORELIN

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly.

Inj 3.75 mg prefilled dual chamber syringe – Higher sul	bsidy of		
\$221.60 per 1 inj with Endorsement		1	
	(221.60)		Lucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syringe - Higher si	ubsidy		
of \$591.68 per 1 inj with Endorsement		1	
	(591.68)		Lucrin Depot 3-month

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Vasopressin Agonists				
DESMOPRESSIN ACETATE				
Tab 100 mcg – Special Authority see SA1401 below – Retai pharmacy		30	√ <u>i</u>	Minirin
Tab 200 mcg – Special Authority see SA1401 below – Retai pharmacy		30	√	Minirin
▲ Nasal drops 100 mcg per ml - Retail pharmacy-Specialist		2.5 ml ()P 🖌	Minirin
▲ Nasal spray 10 mcg per dose – Retail pharmacy-Specialist	23.95	6 ml O	Ρ ✔Ι	<u>Desmopressin-</u> <u>PH&T</u>
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below Retail pharmacy		10	√	Minirin

Special Authority for Subsidy

Initial application - (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis: and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal - (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application - (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal - (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE - . . -

		i; can be	1 ab 0.5 mg – Maximum of 2 tab per prescription; can be
 <u>Dostinex</u> 	2	ow3.75	waived by Special Authority see SA1370 below
 Dostinex 	8	15.20	

⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

1 pathological hyperprolactinemia; or

2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment. Note: Indication marked with * is an unapproved indication.

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
CLOMIFENE CITRATE				
Tab 50 mg	29.84	10		ylan Clomiphen ©29 erophene
DANAZOL				
Cap 100 mg		100	🗸 A	zol
Cap 200 mg METYRAPONE	97.83	100	🗸 A	zol
Cap 250 mg – Retail pharmacy-Specialist	520.00	50	🗸 M	etopirone

(Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacture	r
Anthelmintics	
ALBENDAZOLE – Special Authority see SA1318 below – Retail pharmacy	
Tab 400 mg	
➡SA1318 Special Authority for Subsidy	
Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months v	vhere the
patient has hydatids. Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the	treatment
remains appropriate and the patient is benefitting from the treatment.	liouinoni
MEBENDAZOLE – Only on a prescription	
Tab 100 mg24.19 24 🖌 De-Worm	
Oral liq 100 mg per 5 ml	
(7.17) Vermox	
PRAZIQUANTEL Tab 600 mg68.00 8	
Antibacterials	
a) For topical antibacterials, refer to DERMATOLOGICALS, page 60	
b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 206	
Cephalosporins and Cephamycins	
CEFACLOR MONOHYDRATE	
Cap 250 mg	
Grans for oral liq 125 mg per 5 ml – Wastage claimable	aclor
CEFALEXIN	вм
Cap 250 mg	
Grans for oral liq 25 mg per ml – Wastage claimable	
 a) Note: Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispense b) Cefalexin Sandoz to be Sole Supply on 1 November 2018 	sing.
Grans for oral liq 50 mg per ml – Wastage claimable 11.75 100 ml 🗸 Cefalexin Sar	doz
a) Note: Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispension	sing.
b) Cefalexin Sandoz to be Sole Supply on 1 November 2018	
CEFAZOLIN – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is end	laraad
accordingly.	JUISEU
Inj 500 mg vial	
lnj 1 g vial	
CEFTRIAXONE – Subsidy by endorsement	
a) Up to 5 inj available on a PSO	
b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the tree pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to and the prescription or PSO is endorsed accordingly.	
Inj 500 mg vial	
Inj 1 g vial	
CEFUROXIME AXETIL – Subsidy by endorsement	
Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.	
Tab 250 mg29.40 50 🗸 Zinnat	

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Macrolides				

AZITHROMYCIN – Maximum of 5 days treatment per prescription; can be waived by Special Authority see SA1683 below A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised on Special Authority. Tob 250 mg

1 ad 250 mg	8.19	30	Apo-Azithromycin
·	8.50	6	 Zithromax
Tab 500 mg – Up to 8 tab available on a PSO	0.93	2	Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) – Wastage claimable		15 ml	✓ Zithromax
Zithromax to be Sole Supply on 1 January 2019			

■ SA1683 Special Authority for Waiver of Rule

Initial application — (bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has received a lung transplant, stem cell transplant, or bone marrow transplant and requires treatment for bronchiolitis obliterans syndrome*; or
- 2 Patient has received a lung transplant and requires prophylaxis for bronchiolitis obliterans syndrome*; or
- 3 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms*; or
- 4 Patient has an atypical Mycobacterium infection.

Note: Indications marked with * are unapproved indications.

Initial application — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
 - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
 - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with * are unapproved indications.

Renewal — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and
- 3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with * are unapproved indications

CLARITHROMYCIN - Maximum of 500 mg per prescription; can b	e waived by Sp	ecial Authority	ty see SA1131 below
Tab 250 mg	3.98	14	Apo-Clarithromycin
Grans for oral liq 250 mg per 5 ml – Wastage claimable	23.12	50 ml	 Klacid

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician.

	Subsidy (Manufacturer's Price \$) Su Per	Fully Ibsidised	Brand or Generic Manufacturer
continued				
Approvals valid for 2 years for applications meeting the following Either:	criteria:			
 Atypical mycobacterial infection; or Mycobacterium tuberculosis infection where there is drug- 	resistance or intoler	ance to s	tandard r	pharmaceutical agents.
Renewal — (Mycobacterial infections) only from a respiratory Approvals valid for 2 years where the treatment remains appropri	specialist, infectious	disease	specialis	t or paediatrician.
ERYTHROMYCIN ETHYL SUCCINATE	ale and the patient i	S Denenn	ing nonn t	realment.
Tab 400 mg	16.95	100	🖌 F	E-Mycin
a) Up to 20 tab available on a PSO		100		, myoni
b) Up to 2 x the maximum PSO quantity for RFPP				
Grans for oral liq 200 mg per 5 ml	5.00	100 ml	🖌 E	E-Mycin
a) Up to 300 ml available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP				
c) Wastage claimable		100 1		· • •
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	✓ E	E-Mycin
a) Up to 200 ml available on a PSOb) Wastage claimable				
, 6				
	10.00	4		with vooin IV
Inj 1 g		1	• •	Erythrocin IV
ERYTHROMYCIN STEARATE	11.05	100		
Tab 250 mg – Up to 30 tab available on a PSO		100	-	-04
Tab 500 mg	(22.29)	100		ERA
Tab 500 mg	(44.58)	100	F	RA
ROXITHROMYCIN	(44.00)		-	-101
Tab disp 50 mg	7 19	10	/ F	Rulide D
Restricted to children under 12 years of age.		10	• •	
Tab 150 mg	7.48	50	✓ A	Arrow- Roxithromycin
Tab 300 mg	14.40	50	✓ A	Arrow- Roxithromycin

	Subsidy (Manufacturer's P		idised G	and or eneric
	\$	Per	• Mi	anufacturer
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	✓ <u>Apo-</u>	Amoxi
 a) Up to 30 cap available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP 				
Cap 500 mg		500	🖌 Аро-	Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP				
Grans for oral liq 125 mg per 5 ml	1.20	100 ml	 Alph 	amox 125
a) Up to 200 ml available on a PSO				
b) Wastage claimable	1.01	100 ml	. Almh	omov 050
Grans for oral liq 250 mg per 5 ml	1.31	100 ml	✓ Alph	amox 250
 a) Up to 300 ml available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP 				
c) Wastage claimable				
Inj 250 mg vial		10	🗸 Ibian	nox
Inj 500 mg vial		10	🗸 Ibian	וסג
Inj 1 g vial – Up to 5 inj available on a PSO	17.29	10	 Ibian 	<u>IOX</u>
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab				
available on a PSO		20	 Augr 	nentin
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25 r		100 ml		
per ml		100 ml	🗸 Augr	nentin
a) Up to 200 ml available on a PSOb) Wastage claimable				
Grans for oral lig amoxicillin 50 mg with clavulanic acid 12.5 r	na			
per ml – Up to 200 ml available on a PSO		100 ml OP	🗸 Cura	m
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj				
available on a PSO		10	✓ Bicill	in LA
Bicillin LA to be Sole Supply on 1 January 2019				
BENZYLPENICILLIN SODIUM [PENICILLIN G]				
Inj 600 mg (1 million units) vial $-$ Up to 5 inj available on a PS	SO 10.35	10	 Sand 	loz
FLUCLOXACILLIN				
Cap 250 mg – Up to 30 cap available on a PSO		250	✓ Stap	
Cap 500 mg		500	Stapl	hlex
Grans for oral liq 25 mg per ml	2.29	100 ml	🖌 AFT	
 a) Up to 200 ml available on a PSO b) Wastage claimable 				
c) AFT to be Sole Supply on 1 November 2018				
Grans for oral liq 50 mg per ml		100 ml	🖌 AFT	
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
c) AFT to be Sole Supply on 1 November 2018	0.00	40		
Inj 250 mg vial		10 10	✓ <u>Fluci</u> ✓ Fluci	
Inj 500 mg vial Inj 1 g vial – Up to 5 inj available on a PSO		5	✓ Fluci	
, ,		2		-

A Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price) Subsi	dised	Generic
	`\$	Per	1	Manufacturer
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
	0.50	50	10	
Cap 250 mg – Up to 30 cap available on a PSO		50	_	ilicaine VK
Cap 500 mg	4.26	50	v <u>c</u>	ilicaine VK
 a) Up to 20 cap available on a PSO 				
b) Up to 2 x the maximum PSO quantity for RFPP				
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	✓ <u>A</u>	FT
 a) Up to 200 ml available on a PSO 				
b) Wastage claimable				
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	🗸 A	FT
a) Up to 300 ml available on a PSO				
b) Up to 2 x the maximum PSO guantity for RFPP				
c) Wastage claimable				
, 0				
PROCAINE PENICILLIN	100 50	-		
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO		5	• 0	ilicaine
Totroqualingo				
Tetracyclines				
DOXYCYCLINE				
* Tab 50 mg – Up to 30 tab available on a PSO	2 90	30		
	(6.00)	00	D	oxy-50
* Tab 100 mg – Up to 30 tab available on a PSO	()	250		oxine
0		200		oxine .
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg – Additional subsidy by Special Authority see				
SA1355 below - Retail pharmacy	5.79	60		
	(12.05)		М	ino-tabs
* Cap 100 mg		100		
	(52.04)		М	inomycin
► SA1355 Special Authority for Manufacturers Price				
Initial application from any relevant practitioner. Approvals valid	d without further ren	ewal unless	notified	where the patient has
rosacea.				
TETRACYCLINE – Special Authority see SA1332 below – Retail	pharmacy			
Cap 500 mg		30	🗸 Т	etracyclin
				Wolff S29
				WOIII

➡SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and

2 For use only in combination with bismuth as part of a quadruple therapy regimen.

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	Ψ	I CI		Wallulaciulei
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 60				
CIPROFLOXACIN				
Recommended for patients with any of the following:				
i) microbiologically confirmed and clinically significant pse	eudomonas infection:	or		
ii) prostatitis; or	,			
iii) pyelonephritis; or				
iv) gonorrhoea.				
Tab 250 mg – Up to 5 tab available on a PSO		28		Cipflox
Tab 500 mg – Up to 5 tab available on a PSO		28		Cipflox
Tab 750 mg	3.15	28	/	Cipflox
CLINDAMYCIN				
Cap hydrochloride 150 mg – Maximum of 4 cap per				
prescription; can be waived by endorsement - Retail				
pharmacy - Specialist	4.10	16	~	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule – Retail	05.00			
pharmacy-Specialist		10	v	Dalacin C
COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - S				
Only if prescribed for dialysis or cystic fibrosis patient and the				
Inj 150 mg		1	•	Colistin-Link
GENTAMICIN SULPHATE				
Inj 10 mg per ml, 1 ml ampoule – Subsidy by endorsement		5		DBL Gentamicin
Only if prescribed for a dialysis or cystic fibrosis patient of	or complicated urinary	trac	infection	and the prescription is
endorsed accordingly.	co oo	~		We also and and
Inj 10 mg per ml, 2 ml – Subsidy by endorsement		5 25		Wockhardt S29
	175.10	20	•	Pharmaceuticals S29
				Fild Indcenticals 529
Only if prescribed for a dialysis or cystic fibrosis patient of	or complicated urinary	tract	t infection	and the prescription is
endorsed accordingly.				
Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement		10		Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient of	or complicated urinary	tract	t infection	and the prescription is
endorsed accordingly.				
(Wockhardt S29 Inj 10 mg per ml, 2 ml to be delisted 1 April 201	,			
(APP Pharmaceuticals ^{\$29} Inj 10 mg per ml, 2 ml to be delisted	l 1 April 2019)			
MOXIFLOXACIN - Special Authority see SA1740 below - Retail	pharmacy			
No patient co-payment payable				
Tab 400 mg		5	~	Avelox
SA1740 Special Authority for Subsidy				
Initial application — (Tuberculosis) only from a respiratory spe	ecialist or infectious d	iseas	e specialis	st. Approvals valid for 1 year
for applications meeting the following criteria:				
Any of the following:				

1 Both:

1.1 Active tuberculosis*; and

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*; or
- 3 Patient is under five years of age and has had close contact with a confirmed multi-drug resistant tuberculosis case.
- Note: Indications marked with * are unapproved indications.

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) only from a sexual health specialist or Practitioner on the recommendation of a sexual health specialist. Approvals valid for 1 month for applications meeting the following criteria: All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium* and is symptomatic; and
- 2 Either:
 - 2.1 Has tried and failed to clear infection using azithromycin; or
 - 2.2 Has laboratory confirmed azithromycin resistance; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are unapproved indications.

PAROMOMYCIN - Special Authority see SA1689 below - Retail pharmacy

Cap 250 mg......126.00 16 🖌 Humatin 😒

⇒SA1689 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month for applications meeting the following criteria:

Either:

1 Patient has confirmed cryptosporidium infection; or

2 For the eradication of Entamoeba histolyica carriage.

Renewal only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month for applications meeting the following criteria:

Either:

- 1 Patient has confirmed cryptosporidium infection; or
- 2 For the eradication of Entamoeba histolyica carriage.

PYRIMETHAMINE - Sp	Special Authority see SA1328 belo	w – Retail pharmacy
--------------------	-----------------------------------	---------------------

Tab 25 mg	.14 :	30	 Daraprim S29
36.	.95	50	 Daraprim S29

⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

	INFECTIONS - A	GEN	ITS FOR	SYSTEMIC USE
	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
SODIUM FUSIDATE [FUSIDIC ACID]				
Tab 250 mg – Retail pharmacy-Specialist Prescriptions must be written by, or on the recommend		12 disea	-	F <u>ucidin</u> n or a clinical microbiologis [:]
SULFADIAZINE SODIUM – Special Authority see SA1331 belo Tab 500 mg		56	~ 1	Wockhardt S29
 SA1331 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va the following criteria: Any of the following: For the treatment of toxoplasmosis in patients with HIV for 			nless notifié	ed for applications meeting
2 For pregnant patients for the term of the pregnancy; or3 For infants with congenital toxoplasmosis until 12 months	s of age.			
TOBRAMYCIN Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient a		5 endor		Fobramycin Mylan ngly.
Solution for inhalation 60 mg per ml, 5 ml – Subsidy by endorsement	,	56 dos		ГОВІ
b) Only if prescribed for a cystic fibrosis patient and the TRUNTLOODIM	e prescription is endo	rsed a	ccordingly.	
TRIMETHOPRIM * Tab 300 mg – Up to 30 tab available on a PSO TMP to be Sole Supply on 1 November 2018	16.50	50	✓ 1	ГМР
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMO. * Tab trimethoprim 80 mg and sulphamethoxazole 400 mg –	Up			
to 30 tab available on a PSO * Oral liq 8 mg sulphamethoxazole 40 mg per ml – Up to 200) ml	500		Frisul
available on a PSO VANCOMYCIN – Subsidy by endorsement	2.97	100 m	nl 🖌 I	<u>Deprim</u>
Only if prescribed for a dialysis or cystic fibrosis patient or for			is or for trea	atment of Clostridium
difficile following metronidazole failure and the prescription Inj 500 mg vial		gly. 1	√ <u>I</u>	Mylan
Antifungals				
 a) For topical antifungals refer to DERMATOLOGICALS, page b) For topical antifungals refer to GENITO URINARY, page 73 	60			
FLUCONAZOLE	0.00	00		Madan
Cap 50 mg – Retail pharmacy-Specialist Cap 150 mg – Subsidy by endorsement		28 1		<u>Mylan</u> Mylan
 a) Maximum of 1 cap per prescription; can be waived l b) Patient has vaginal candida albicans and the practiting not recommended and the prescription is endorsed 	by endorsement - Ret ioner considers that a	ail pha topica	armacy - Sp al imidazole	ecialist (used intra-vaginally) is
Specialist. Cap 200 mg – Retail pharmacy-Specialist	5.08	28	√	<u>Mylan</u>
Powder for oral suspension 10 mg per ml – Special Author see SA1359 on the next page – Retail pharmacy	ity	35 m	· 🖌	Diflucan S29 S29

Wastage claimable

A Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

98.50

*Three months or six months, as applicable, dispensed all-at-once

Diflucan

Subs	sidy	Fully	Brand or
(Manufactur	rer's Price) Su	ubsidised	Generic
\$	B Per	~	Manufacturer

⇒SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

Cap 100 mg – Subsidy by endorsement	2.79	15	✓ <u>Itrazole</u>
Funded for tinea vesicolor where topical treatment has no	t been successfu	I and diagno	sis has been confirmed by
mycology, or for tinea unguium where terbinafine has not	been successful	in eradicatio	n or the patient is intolerant to
terbinafine and diagnosis has been confirmed by mycolog	y and the prescri	ption is endo	orsed accordingly. Can be waived
by endorsement - Retail pharmacy - Specialist Specialist r	nust be an infect	ious disease	e physician, clinical microbiologist,
clinical immunologist or dermatologist.			
Oral liq 10 mg per ml - Special Authority see SA1322 below -	-		

Retail pharmacy...... 141.80 150 ml OP ✓ Sporanox

➡SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE

Tab 200 mg – PCT – Retail pharmacy-Specialist – Subsidy by endorsement	CBS	30	 Link Healthcare \$29 Nizoral \$29
Prescriptions must be written by, or on the recommendation o	f an oncologist		
YSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat

NY

(Subsidy Manufacturer's Price) \$	Sut Per	Fully osidised	Brand or Generic Manufacturer
POSACONAZOLE - Special Authority see SA1285 below - Retail	pharmacy			
Tab modified-release 100 mg	869.86	24	🗸 N	oxafil
Oral liq 40 mg per ml	761.13 10	5 ml OP	🗸 N	oxafil

► SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg	1.33	14	 Deolate
VORICONAZOLE - Special Authority see SA1273 below - Re	etail pharmacy		
Tab 50 mg		56	 <u>Vttack</u>
Tab 200 mg		56	 <u>Vttack</u>
Powder for oral suspension 40 mg per ml – Wastage			
claimable		70 ml	 Vfend
Vfend to be Sole Supply on 1 January 2019			

➡SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised: and
 - 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsid		ully Brand or	
(Manufacturer	's Price) Subsidi	sed Generic	
\$	Per	 Manufact 	turer

continued...

- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

PRIMAQUINE PHOSPHATE	- Special Authority see	SA1684 below – Retail pharmacy
----------------------	-------------------------	--------------------------------

Tab 7.5 mg 117.00 56 🖌 Primacin 😒

⇒SA1684 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

E

- 1 The patient has vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has relapsed vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

Antiparasitics Antiprotozoals QUININE SUI PHATE * Tab 300 mg61.91 500 ✓ Q 300 Antitrichomonal Agents METRONIDAZOI E Tab 200 mg - Up to 30 tab available on a PSO 10.45 100 ✓ Trichozole Tab 400 mg - Up to 15 tab available on a PSO 18.15 100 ✓ Trichozole Oral lig benzoate 200 mg per 5 ml25.00 100 ml FlagyI-S 10 Flagyl ORNIDAZOLE Tab 500 mg23.00 10 ✓ Arrow-Ornidazole

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Subsi	dised	Generic
	\$	Per		Manufacturer
CYCLOSERINE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
 b) Prescriptions must be written by, or on the recommendate received and the second sec	ion of, an infectious d	isease phy	sician,	clinical microbiologist or
respiratory physician. Cap 250 mg	1 204 50	100	.	(ing \$29
DAPSONE – Retail pharmacy-Specialist		100	• 1	ang der
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendat	ion of, an infectious d	isease phy	sician.	clinical microbiologist or
dermatologist		locace prij	, sielan,	on noai more protegiot er
Tab 25 mg		100	🗸 D	apsone
Tab 100 mg		100	✓ D	apsone
ETHAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialis	st			
 a) No patient co-payment payable 				
b) Prescriptions must be written by, or on the recommendat	ion of, an infectious d	isease phy	sician,	clinical microbiologist or
respiratory physician Tab 100 mg	40.01	56		Ivambutol S29
Tab 100 mg		100		MB Fatol \$29
Tab 400 mg		56		Ivambutol S29
(Myambutol S29) Tab 100 mg to be delisted 1 February 2019)		50	• 11	iyambutor 🗠
ISONIAZID – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendat	ion of, an internal me	dicine phys	ician. I	paediatrician, clinical
microbiologist, dermatologist or public health physician			,	· · · · · · · · · · · · · · · · · · ·
* Tab 100 mg		100	✓ P	SM
PSM to be Sole Supply on 1 November 2018				
ISONIAZID WITH RIFAMPICIN – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendat microbiologist, dermatologist or public health physician	ion of, an internal med	aicine pnys	ician,	paediatrician, clinical
 Tab 100 mg with rifampicin 150 mg 	85.54	100	✓ F	lifinah
* Tab 150 mg with rifampicin 300 mg		100	_	lifinah
PARA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Specialist must be an infectious disease specialist, clinic		spiratory sp	ecialis	st.
Grans for oral liq 4 g sachet		30	✓ P	aser S29
PROTIONAMIDE – Retail pharmacy-Specialist				
 a) No patient co-payment payable 				
b) Specialist must be an infectious disease specialist, clinic	-			
Tab 250 mg		100	✓ P	eteha S29
PYRAZINAMIDE – Retail pharmacy-Specialist				
a) No patient co-payment payable	to a state state stress of			
b) Prescriptions must be written by, or on the recommendat respiratory physician	ion of, an infectious d	isease phy	sician,	clinical microbiologist or
* Tab 500 mg		100	✓ Δ	FT-Pyrazinamide
				FT-Pyrazinamide
				S29 S29

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	ψ	Fei	•	INIGITUIACIULEI
RIFABUTIN – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommen	dation of, an infectious of	disease	physician,	respiratory physician or
gastroenterologist	075.00	~~	<i>.</i>	
₭ Cap 150 mg	2/5.00	30	✓ N	lycobutin
RIFAMPICIN – Subsidy by endorsement				
a) No patient co-payment payable				
 b) For confirmed recurrent Staphylococcus aureus infect 				
antimicrobial based on susceptibilities and the prescri Retail pharmacy - Specialist. Specialist must be an ir				
paediatrician, or public health physician.	itemai medicine physicia	ari, cirric		ologist, dermatologist,
Cap 150 mg	55 75	100	V F	lifadin
k Cap 300 mg		100		lifadin
₭ Oral liq 100 mg per 5 ml		60 ml		lifadin
Antivirals				
or eye preparations refer to Eye Preparations, Anti-Infective	Preparations, page 206			
Hepatitis B Treatment				
DEFOVIR DIPIVOXIL – Special Authority see SA0829 belo Tab 10 mg		30	7 H	lepsera
► SA0829 Special Authority for Subsidy		00	• 1	lepseid
nitial application only from a gastroenterologist or infectious	dicasco coocialist An	orovala	valid for 1	voor for applications
neeting the following criteria:	uisease specialist. Ap	piovais	valiu iui i	year for applications
All of the following:				
1 Patient has confirmed Hepatitis B infection (HBsAg+);	and			
Documented resistance to lamivudine, defined as:				
2 Patient has raised serum ALT (> 1 × ULN); and				
3 Patient has HBV DNA greater than 100,000 copies pe	r mL, or viral load 10 fol	d or high	her over na	adir; and
4 Detection of M204I or M204V mutation; and		•		
5 Either:				
5.1 Both:				
5.1.1 Patient is cirrhotic; and				
5.1.2 adefovir dipivoxil to be used in combination	tion with lamivudine; or			
5.2 Both:				
5.2.1 Patient is not cirrhotic; and				
5.2.2 adefovir dipivoxil to be used as monothe	erapy.			
Renewal only from a gastroenterologist or infectious disease			2 years wh	ere in the opinion of the
reating physician, treatment remains appropriate and patient				
lotes: Lamivudine should be added to adefovir dipivoxil if a	patient develops docum	ented re	esistance to	o adefovir dipivoxil,
efined as:				
i) raised serum ALT (> 1 × ULN); and			Pa 1	
ii) HBV DNA greater than 100,000 copies per mL, or vira	I load 10 told or higher c	over nad	lir; and	
iii) Detection of N236T or A181T/V mutation.				
Adefovir dipivoxil should be stopped 6 months following HBeA	ag seroconversion for pa	atients w	no were H	IBEAG+ prior to
ommencing adefovir dipivoxil.	10ma dailu			
The recommended dose of adefovir dipivoxil is no more than n patients with renal insufficiency adefovir dipivoxil dose shou		lanco w	ith the det	schoot quidolinos
Adefovir dinivovil should be avoided in pregnant women and		ance w	iui uie udli	iondet guidelilles.

Adefovir dipivoxil should be avoided in pregnant women and children.

	Subsidy (Manufacturer's Pric \$	e) S Per	Fully ubsidised	
ENTECAVIR				
* Tab 0.5 mg		30	1	Entecavir Sandoz Baraclude
Baraclude Tab 0.5 mg to be delisted 1 January 2019)	· · · ·			
AMIVUDINE - Special Authority see SA1685 below - Re	tail pharmacy			
Tab 100 mg	4.20	28	✓	Zetlam
	(6.00)			Zeffix
Zetlam to be Sole Supply on 1 November 2018				
Oral liq 5 mg per ml Zeffix Tab 100 mg to be delisted 1 November 2018)		240 ml Ol	· ·	Zeffix
SA1685 Special Authority for Subsidy				
	r 2 years where used for	the treatr	nent or p	revention of hepatitis I
Renewal from any relevant practitioner. Approvals valid fo TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA	the treatment of HIV is in			
TENOFOVIR DISOPROXIL	the treatment of HIV is ir 1651., page 104			
TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA * Tab 245 mg (300 mg as a fumarate)	the treatment of HIV is ir 1651., page 104 	icluded in 30	the cou	nt of up to 4 subsidised
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where 	the treatment of HIV is ir 1651., page 104 38.10 (531.00) the initial dispensing was	icluded in 30 before 1	the cou	nt of up to 4 subsidised Viread 2018.
TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA * Tab 245 mg (300 mg as a fumarate)	the treatment of HIV is ir 1651., page 104 38.10 (531.00) the initial dispensing was	icluded in 30	the cou	nt of up to 4 subsidised
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where 	the treatment of HIV is ir 1651., page 104 	icluded in 30 before 1	the cou	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where Tab 245 mg (300.6 mg as a succinate) Tenofovir Disoproxil Teva to be Sole Supply on 1 1 	the treatment of HIV is ir 1651., page 104 	icluded in 30 before 1	the cou	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA * Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where * Tab 245 mg (300.6 mg as a succinate) Tenofovir Disoproxil Teva to be Sole Supply on 1 1 Viread Tab 245 mg (300 mg as a fumarate) to be delisted 	the treatment of HIV is ir 1651., page 104 	icluded in 30 before 1	the cou	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where Tab 245 mg (300.6 mg as a succinate) Tenofovir Disoproxil Teva to be Sole Supply on 1 I Viread Tab 245 mg (300 mg as a fumarate) to be delisted Herpesvirus Treatments 	the treatment of HIV is in 1651., page 104 (531.00) the initial dispensing was 	icluded in 30 before 1	the course of th	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where Tab 245 mg (300.6 mg as a succinate) Tenofovir Disoproxil Teva to be Sole Supply on 11 Viread Tab 245 mg (300 mg as a fumarate) to be delisted Herpesvirus Treatments ACICLOVIR Tab dispersible 200 mg Tab dispersible 400 mg 	the treatment of HIV is ir 1651., page 104 	25 56	the cou	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil Teva
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where Tab 245 mg (300.6 mg as a succinate) Tenofovir Disoproxil Teva to be Sole Supply on 11 Viread Tab 245 mg (300 mg as a fumarate) to be delisted Herpesvirus Treatments ACICLOVIR Tab dispersible 200 mg 	the treatment of HIV is ir 1651., page 104 	30 before 1 30 25	the cou	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil Teva
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where Tab 245 mg (300.6 mg as a succinate) Tenofovir Disoproxil Teva to be Sole Supply on 11 Viread Tab 245 mg (300 mg as a fumarate) to be delisted Herpesvirus Treatments ACICLOVIR Tab dispersible 200 mg Tab dispersible 400 mg 	the treatment of HIV is ir 1651., page 104 	25 56	the cou	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil Teva
 TENOFOVIR DISOPROXIL Tenofovir disoproxil prescribed under endorsement for antiretrovirals for the purposes of Special Authority SA Tab 245 mg (300 mg as a fumarate) Repeat dispensings will be fully subsidised where Tab 245 mg (300.6 mg as a succinate) Tenofovir Disoproxil Teva to be Sole Supply on 1 I Viread Tab 245 mg (300 mg as a fumarate) to be delisted Herpesvirus Treatments ACICLOVIR Tab dispersible 200 mg Tab dispersible 400 mg Tab dispersible 800 mg 	the treatment of HIV is ir 1651., page 104 	25 56	August :	nt of up to 4 subsidised Viread 2018. Tenofovir Disoproxil Teva

► SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

60

✓ Valcyte

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy	Fu	lly	Brand or
(M	lanufacturer's Price)	Subsidis	ed	Generic
	\$	Per	~	Manufacturer

continued...

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Patient has undergone a lung transplant; and

2 Either:

- 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
- 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis C Treatment

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA	1605 below – [Xpha	arm]	
No patient co-payment payable			
Tab 90 mg with sofosbuvir 400 mg	24,363.46	28	 Harvoni
➡SA1605 Special Authority for Subsidy			
Special Authority approved by the Hepatitis C Treatment Panel	(HepCTP)		
Notes: By application to the Hepatitis C Treatment Panel (Hep	CTP).		
Applications will be considered by HepCTP and approved subje	ct to confirmation c	of eligibility.	
Application details may be obtained from PHARMAC's website	http://www.pharma	c.govt.nz/he	patitis-c-treatments or:
The Coordinator, Hepatitis C Treatment Panel			
PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990),		
Email: hepcpanel@pharmac.govt.nz			

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	
 PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABL a) No patient co-payment payable b) Note – Supply of treatment is via PHARMAC's approved of treatment may be obtained from PHARMAC's website 			

HIV Prophylaxis and Treatment

EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1714 below

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if emtricitabine with tenofovir disoproxil fumarate is co-prescribed with another antiretroviral subsidised under Special Authority SA1651 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Emtricitabine with tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals, and counts as two antiretroviral medications, for the purposes of Special Authority SA1651, page 104 There is an approval process to become a named specialist to prescribe antiretroviral therapy in New Zealand. Further information is available on the PHARMAC website.

Tab 200 mg with tenofovir disoproxil fumarate 300 mg...... 190.02 30 🗸 Truvada

⇒SA1714 Special Authority for Waiver of Rule

Initial application only from a named specialist or medical practitioner on the recommendation of a named specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
 - 1 Patient has tested HIV negative; and
 - 2 Either:
 - 2.1 All of the following:
 - 2.1.1 Patient is male or transgender; and
 - 2.1.2 Patient has sex with men; and
 - 2.1.3 Patient is likely to have multiple episodes of condomless anal intercourse in the next 3 months; and
 - 2.1.4 Any of the following:
 - 2.1.4.1 Patient has had at least one episode of condomless receptive anal intercourse with one or more casual male partners in the last 3 months; or
 - 2.1.4.2 A diagnosis of rectal chlamydia, rectal gonorrhoea, or infectious syphilis within the last 3 months; or
 - 2.1.4.3 Patient has used methamphetamine in the last three months; or
 - 2.2 All of the following:
 - 2.2.1 Patient has a regular partner who has HIV infection; and
 - 2.2.2 Partner is either not on treatment or has a detectable viral load; and
 - 2.2.3 Condoms have not been consistently used.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

1 Applicant has an up to date knowledge of the safety issues and is competent to prescribe pre-exposure prophylaxis; and

AThree months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2 Patient has undergone testing for HIV, syphilis, and a full STI screen in the previous two weeks; and
- 3 Patient has had renal function testing (creatinine, phosphate and urine protein/creatinine ratio) within the last 12 months; and
- 4 Patient has received advice regarding the reduction of risk of HIV and sexually transmitted infections and how to reduce those risks; and
- 5 Patient has tested HIV negative; and
- 6 Either:
 - 6.1 All of the following:
 - 6.1.1 Patient is male or transgender; and
 - 6.1.2 Patient has sex with men; and
 - 6.1.3 Patient is likely to have multiple episodes of condomless anal intercourse in the next 3 months; and
 - 6.1.4 Any of the following:
 - 6.1.4.1 Patient has had at least one episode of condomless receptive anal intercourse with one or more casual male partners in the last 3 months; or
 - 6.1.4.2 A diagnosis of rectal chlamydia, rectal gonorrhoea, or infectious syphilis within the last 3 months; or
 - 6.1.4.3 Patient has used methamphetamine in the last three months; or
 - 6.2 All of the following:
 - 6.2.1 Patient has a regular partner who has HIV infection; and
 - 6.2.2 Partner is either not on treatment or has a detectable viral load; and
 - 6.2.3 Condoms have not been consistently used.

Antiretrovirals

⇒SA1651 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1651 on the previo	ous page – Retail phar	rmacy	
Tab 50 mg	63.38	30	 Stocrin S29
Tab 200 mg		90	 Stocrin
Tab 600 mg	63.38	30	 Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	 Stocrin S29
ETRAVIRINE - Special Authority see SA1651 on the prev	ious page – Retail pha	armacy	
Tab 200 mg		60	 Intelence
NEVIRAPINE - Special Authority see SA1651 on the prev	ious page – Retail pha	armacy	
Tab 200 mg		60	 Nevirapine
-			Alphapharm
Oral suspension 10 mg per ml		240 ml	 Viramune
			Suspension

	Subsidy (Manufacturer's Prio \$		Fully dised	Brand or Generic Manufacturer
Nucleosides Reverse Transcriptase Inhibitors			-	Manufacturer
•	- 101 Detail she			
ABACAVIR SULPHATE – Special Authority see SA1651 on page Tab 300 mg Oral lig 20 mg per ml		60 240 ml OP	-	iagen iagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: abacavir with lamivudine (combination tablets) counts anti-retroviral Special Authority. Tab 600 mg with lamivudine 300 mg	see SA1651 on p as two anti-retrovi	age 104 - Ret	ail pha s for th	irmacy
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPF page 104 – Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil fu purposes of the anti-retroviral Special Authority Tab 600 mg with emtricitabine 200 mg and tenofovir disoprox	ROXIL FUMARATI	E – Special A		
fumarate 300 mg		30	🗸 A	tripla
EMTRICITABINE – Special Authority see SA1651 on page 104 – Cap 200 mg		30	✔ E	mtriva
LAMIVUDINE – Special Authority see SA1651 on page 104 – Re Tab 150 mg		60	🗸 Li	amivudine Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	🗸 3 ⁻	тс
ZIDOVUDINE [AZT] – Special Authority see SA1651 on page 10 Cap 100 mg Oral liq 10 mg per ml ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets		100 200 ml OP 104 – Retail p	✓ <u>R</u> harma	
the anti-retroviral Special Authority. Tab 300 mg with lamivudine 150 mg	,	60	_	lphapharm
Protease Inhibitors				
ATAZANAVIR SULPHATE – Special Authority see SA1651 on p. Cap 150 mg Cap 200 mg DARUNAVIR – Special Authority see SA1651 on page 104 – Re Tab 400 mg Tab 600 mg		harmacy 60 60 60 60	✓ R	eyataz eyataz r <u>ezista</u> rezista
LOPINAVIR WITH RITONAVIR – Special Authority see SA1651 Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml	on page 104 – Re 183.75 463.00 735.00		✓ K ✓ <u>K</u>	aletra aletra aletra
RITONAVIR – Special Authority see SA1651 on page 104 – Reta Tab 100 mg		30	🗸 N	orvir
Strand Transfer Inhibitors				
DOLUTEGRAVIR – Special Authority see SA1651 on page 104 - Tab 50 mg	1,090.00	30	✔ Т	ivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1651 of Tab 400 mg		ail pharmacy 60	✓ Is	entress

Per

Fully

Subsidy (Manufacturer's Price) Subsidised

\$

Brand or Generic Manufacturer

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects. Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($< 2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

I

INTERFERON ALFA-2A – PCT – Retail pharmacy-Specialist			
a) See prescribing guideline above			
b) Prescriptions must be written by, or on the recommenda	tion of, an internal	I medicine ph	ysician or ophthalmologist
Inj 3 m iu prefilled syringe		1	✓ Roferon-A
INTERFERON ALFA-2B – PCT – Retail pharmacy-Specialist			
a) See prescribing guideline above			
b) Prescriptions must be written by, or on the recommenda	tion of, an internal	I medicine ph	ysician or ophthalmologist
Inj 18 m iu, 1.2 ml multidose pen		1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen		1	 Intron-A
Inj 60 m iu, 1.2 ml multidose pen		1	Intron-A
PEGYLATED INTERFERON ALFA-2A – Special Authority see See prescribing quideline above	SA1400 on the ne	ext page – Re	tail pharmacy
Inj 180 mcg prefilled syringe		4	Pegasys
Inj 135 mcg prefilled syringe x 4 with ribavirin tab 200 mg x			
168	1,975.00	1 OP	 Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times			
112	1,159.84	1 OP	 Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times			
168	1,290.00	1 OP	 Pegasys RBV Combination Pack

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and

3 Either:

- 3.1 Patient has responder relapsed; or
- 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	

continued...

- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE

* Tab 1 g		100	
ő	(40.01)		Hiprex
NITROFURANTOIN			
* Tab 50 mg		100	 Nifuran
* Tab 100 mg	37.50	100	 Nifuran
NORFLOXACIN			
Tab 400 mg – Subsidy by endorsement	135.00	100	Arrow-Norfloxacin

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

	Qubaidu		Eully	Brand or
	Subsidy (Manufacturer's Pric	o) Sub	Fully sidised	Brand or Generic
	\$	Per		Manufacturer
	,			
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule		50	v	AstraZeneca
PYRIDOSTIGMINE BROMIDE				
▲ Tab 60 mg	42.79	100	✓]	Mestinon
Non Storoidal Anti Inflommatory Drugo				
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
* Tab EC 25 mg	1.23	50	 Image: A second s	Diclofenac Sandoz
Diclofenac Sandoz to be Sole Supply on 1 November 20	18			
* Tab 50 mg dispersible		20	1	Voltaren D
₭ Tab EC 50 mg		50	 Image: A second s	Diclofenac Sandoz
Diclofenac Sandoz to be Sole Supply on 1 November 20	18			
* Tab long-acting 75 mg		500	✓ /	Apo-Diclo SR
Apo-Diclo SR to be Sole Supply on 1 November 2018				-
* Tab long-acting 100 mg	25.15	500	1	Apo-Diclo SR
Apo-Diclo SR to be Sole Supply on 1 November 2018				
Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a F	PSO 13.20	5		Voltaren
 Suppos 12.5 mg 	2.04	10		Voltaren
Suppos 25 mg		10		Voltaren
Suppos 50 mg – Up to 10 supp available on a PSO	4.22	10		Voltaren
₭ Suppos 100 mg	7.00	10		Voltaren
BUPROFEN				
🖌 Tab 200 mg	11.71	1,000		Relieve
K Tab long-acting 800 mg	7.99	30	✓	Brufen SR
Oral liq 20 mg per ml	2.39	200 ml	✓	Fenpaed
(ETOPROFEN				
₭ Cap long-acting 200 mg		28	1	Oruvail SR
₭ Cap 250 mg	1 25	50		
Cap 200 mg	(9.16)	50		Ponstan
	0.50	20		i onstan
	(5.60)	20	1	Ponstan
	(0.00)			onotan
IAPROXEN	20.60	500		Notion 050
K Tab 250 mg		500	•	Noflam 250
Noflam 250 to be Sole Supply on 1 January 2019	00.10	250		Noflam 500
K Tab 500 mg Noflam 500 to be Sele Supply on 1 January 2010	22.19	250	•	
Noflam 500 to be Sole Supply on 1 January 2019 ₭ Tab long-acting 750 mg	6 16	28	1	Naprosyn SR 750
Naprosyn SR 750 to be Sole Supply on 1 November 201		20	•	Naprosyn Sh 750
Tab long-acting 1 g		28		Naprosyn SR 1000
Naprosyn SR 1000 to be Sole Supply on 1 November 20		20	•	naprosyn on rooo
SULINDAC	0 55	50		Aalin
₭ Tab 100 mg		50		Aclin
🖌 Tab 200 mg	15.10	50	•	Aclin
TENOXICAM			_	
* Tab 20 mg		100	-	Tilcotil
* Inj 20 mg vial	9.95	1		AFT

110

NSAIDs Other	Subsidy (Manufacturer's Price) \$	Subsid Per	Fully dised	Brand or Generic Manufacturer
CELECOXIB Cap 100 mg Cap 200 mg		60 30	_	Celecoxib Pfizer Celecoxib Pfizer
MELOXICAM – Special Authority see SA1034 below – Retail pha * Tab 7.5 mg	,	30	✓ A	rrow-Meloxicam

SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% – Special Authority see SA1289 below – Retail			
pharmacy	6.95	25 g OP	 Zostrix
	9.95	45 a OP	Zostrix

► SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

HYDROXYCHLOROQUINE * Tab 200 mg	100	 Plaquenil
LEFLUNOMIDE		
Tab 10 mg2.90	30	Apo-Leflunomide
Tab 20 mg2.90	30	✓ Apo-Leflunomide
PENICILLAMINE		
Tab 125 mg67.23	100	 D-Penamine
Tab 250 mg		 D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule	' 10	 Myocrisin
Inj 20 mg in 0.5 ml ampoule		 Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23		 Myocrisin

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Note); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or

Su	ubsidy	Fully	Brand or
(Manufac	turer's Price) Subsid	lised	Generic
	\$ Per	1	Manufacturer

continued...

- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - Osteoporosis' criteria) or raloxifene.
- Notes:
 - BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
 - b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
 - c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
 - d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA1039 on the previous page – Retail pharmacy

*	Tab 70 mg	4.82	4	Fosamax
AL	ENDRONATE SODIUM WITH COLECALCIFEROL	Special Authority see SA1039	on the	previous page – Retail pharmacy
*	Tab 70 mg with colecalciferol 5,600 iu	4.82	4	 Fosamax Plus

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

AL	ENDRONATE SODIUM – Special Authority see SA0949 above -	- Retail pharmacy		
*	Tab 40 mg	133.00	30	Fosamax

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

AThree months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or	
(Manufacturer's Price	e)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1 The patient has severe, established osteoporosis; and
- 2 Either:
 - 2.1 The patient is female and postmenopausal; or
 - 2.2 The patient is male or non-binary; and
- 3 Any of the following:
 - 3.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
 - 3.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons; or
 - 3.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 3.4 Documented T-Score less than or equal to -3.0 (see Note); or
 - 3.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 3.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 4 Zoledronic acid is contraindicated because the patient's creatinine clearance is less than 35 mL/min; and
- 5 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes); and
- 6 The patient must not receive concomitant treatment with any other funded antiresorptive agent for this condition or teriparatide.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with denosumab
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body
- e) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: risedronate sodium tab 35 mg once weekly; alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy

ETIDRONATE DISODIUM – See prescribing guideline below

* Tab 200 mg13.50	100	Arrow-Etidronate
(Arrow-Etidronate Tab 200 mg to be delisted 1 January 2019)		

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	5.98	1	Pamisol
Inj 6 mg per ml, 10 ml vial	15.02	1	 Pamisol
Inj 9 mg per ml, 10 ml vial	17.05	1	 Pamisol

	0.1.11			
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
RALOXIFENE HYDROCHLORIDE - Special Authority see SA1	138 below – Retail ph			
* Tab 60 mg	53.76	28	✓ E	vista
 SA1138 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valit the following criteria: Any of the following: History of one significant osteoporotic fracture demonstrating greater than or equal to 2.5 standard deviations below the equal to -2.5) (see Notes); or History of one significant osteoporotic fracture demonstrations densitometry scanning cannot be performed because of runlikely that this provision would apply to many patients up to the second seco	ted radiologically and e mean normal value i ted radiologically, and najor logistical, techni Inder 75 years of age;	docu in you d eithe ical or	mented bon ing adults (i. er the patien	e mineral density (BMD) e. T-Score less than or t is elderly, or
 3 History of two significant osteoporotic fractures demonstr. 4 Documented T-Score less than or equal to -3.0 (see Note 5 A 10-year risk of hip fracture greater than or equal to 3%, FRAX or Garvan) which incorporates BMD measurement 6 Patient has had a prior Special Authority approval for zole (Underlying cause - Osteoporosis). 	es); or calculated using a pu s (see Notes); or			
Notes:				
 a) BMD (including BMD used to derive T-Score) must be ma Quantitative ultrasound and quantitative computed tomog b) Evidence suggests that patients aged 75 years and over demonstrated radiologically are very likely to have a T-Sc measurement for raloxifene funding. c) Osteoporotic fractures are the incident events for severe definitions of osteoporosis and fragility fracture. The WH -2.5 with one or more associated fragility fractures. Fragi forces that would not ordinarily cause fracture (minimal tr fall from a standing height or less. d) A vertebral fracture is defined as a 20% or greater reduct relative to the posterior height of that body, or a 20% or g body above or below the affected vertebral body. 	raphy (QCT) are not a who have a history of core less than or equa (established) osteopo O defines severe (est lity fractures are fractu auma). The WHO has ion in height of the an	accep signil I to -2 rosis, ablish ures t s qua terior	table. ficant osteop 2.5 and, ther and can be ned) osteopo hat occur as ntified this a or mid porti	porotic fracture efore, do not require BMD defined using the WHO prosis as a T-score below is a result of mechanical is forces equivalent to a on of a vertebral body
RISEDRONATE SODIUM Tab 35 mg	3.80	4	1 -	lisedronate Sandoz
TERIPARATIDE – Special Authority see SA1139 below – Retail Inj 250 mcg per ml, 2.4 ml	pharmacy	4	_	forteo
■ SA1139 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali All of the following:	d for 18 months for ap	oplica	tions meetin	g the following criteria:
 The patient has severe, established osteoporosis; and The patient has a documented T-score less than or equa The patient has had two or more fractures due to minima The patient has experienced at least one symptomatic ne funded antiresorptive agent at adequate doses (see Note 	trauma; and w fracture after at lea		months' cor	tinuous therapy with a

Notes:

a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Sut	bsidy Fu	Illy Brand or
(Manufactu	urer's Price) Subsidis	ed Generic
	\$ Per	 Manufacturer

- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

► SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (greater than or equal to 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:

continued...

✓ Aclasta

Subsidy	Fu	lly Brand or	
(Manufacturer's Price)	Subsidise	ed Generic	
\$	Per	 Manufacturer 	

continued...

- 2.1 The patient has documented BMD greater than or equal to 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -1.5) (see Note); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
- 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (greater than or equal to 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score less than or equal to -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	lised	Generic
\$	Per	✓	Manufacturer

definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL		
* Tab 100 mg4.54	500	DP-Allopurinol
* Tab 300 mg 10.35	500	✓ DP-Allopurinol
BENZBROMARONE – Special Authority see SA1537 below – Retail pharmacy		
Tab 100 mg45.00	100	 Benzbromaron AL
		100 S29

⇒SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/home/resources-2/

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Brand or Generic Manufacturer
COLCHICINE * Tab 500 mcg		100	✓ Co	blgout
FEBUXOSTAT - Special Authority see SA1538 below - Retail pha	armacy			
Tab 80 mg		28	🖌 Ac	denuric
Tab 120 mg		28	🗸 Ac	denuric

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

* Tab 500 mg	100	Probenecid-AFT
Muscle Relaxants		
BACLOFEN		
* Tab 10 mg4.20	100	 Pacifen
Pacifen to be Sole Supply on 1 November 2018		
Inj 0.05 mg per ml, 1 ml ampoule – Subsidy by endorsement11.55	1	 Lioresal Intrathecal
Subsidised only for use in a programmable pump in patients where or caused intolerable side effects and the prescription is endorsed accor	dingly.	nts have been ineffective or have
Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement209.29		 Lioresal Intrathecal
Subsidised only for use in a programmable pump in patients where or caused intolerable side effects and the prescription is endorsed accor		nts have been ineffective or have
DANTROLENE		
Cap 25 mg65.00	100	 Dantrium
		 Dantrium S29 S29
Cap 50 mg77.00	100	 Dantrium
ORPHENADRINE CITRATE		
Tab 100 mg	100	✓ <u>Norflex</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✓ Manufacturer
Agents for Parkinsonism and Related Disor	ders		
Dopamine Agonists and Related Agents			
MANTADINE HYDROCHLORIDE			_
Cap 100 mg		60	 Symmetrel
POMORPHINE HYDROCHLORIDE	110.00	_	
Inj 10 mg per ml, 2 ml ampoule	119.00	5	 Movapo
ROMOCRIPTINE MESYLATE	20.00	100	Ano Promocripting
• Tab 2.5 mg		100	 Apo-Bromocriptine
NTACAPONE Tab 200 mg	00.00	100	
Tab 200 mg	22.00	100	Entapone
EVODOPA WITH BENSERAZIDE	10.05	100	Moderer Derid
 Tab dispersible 50 mg with benserazide 12.5 mg Cap 50 mg with benserazide 12.5 mg 		100 100	· · · · · · · · · · · · · · · · · · ·
Cap 100 mg with benserazide 12.5 mg		100	
Cap long-acting 100 mg with benserazide 25 mg		100	
Cap 200 mg with benserazide 50 mg		100	•
EVODOPA WITH CARBIDOPA			•
 Tab 100 mg with carbidopa 25 mg 		100	 Kinson
			✓ Sinemet
Tab long-acting 200 mg with carbidopa 50 mg		100	 Sinemet CR
Tab 250 mg with carbidopa 25 mg		100	✓ Sinemet
RAMIPEXOLE HYDROCHLORIDE			
Tab 0.25 mg	7.20	100	Ramipex
Tab 1 mg	24.39	100	Ramipex
OPINIROLE HYDROCHLORIDE			
Tab 0.25 mg	2.78	100	✓ <u>Apo-Ropinirole</u>
Tab 1 mg		100	
Tab 2 mg		100	
Tab 5 mg	16.51	100	Apo-Ropinirole
ELEGILINE HYDROCHLORIDE			
• Tab 5 mg	22.00	100	 Apo-Selegiline S29 S29
OLCAPONE			
Tab 100 mg		100	✓ Tasmar
5			
Anticholinergics			
ENZATROPINE MESYLATE		~~	
Tab 2 mg		60	 Benztrop Concerting
Inj 1 mg per ml, 2 ml		5 10	✓ Cogentin
a) Up to 10 inj available on a PSO	190.00	10	 Omega
b) Only on a PSO			
ROCYCLIDINE HYDROCHLORIDE	7 40	100	/ Vamadula
Tab 5 mg		100	 Kemadrin

			NER	VOUS SYSTEM
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Agents for Essential Tremor, Chorea and Relate	ed Disorders			
RILUZOLE – Special Authority see SA1403 below – Retail phan Wastage claimable Tab 50 mg		56 r 6 mc	_	ilutek
 The patient has amyotrophic lateral sclerosis with disease The patient has at least 60 percent of predicted forced vit The patient has not undergone a tracheostomy; and The patient has not experienced respiratory failure; and Any of the following: The patient is ambulatory; or The patient is able to use upper limbs; or The patient is able to swallow. 				initial application; and
Renewal from any relevant practitioner. Approvals valid for 18 n All of the following:	nonths for application	s mee	ting the follo	wing criteria:
 The patient has not undergone a tracheostomy; and The patient has not experienced respiratory failure; and Any of the following: The patient is ambulatory; or The patient is able to use upper limbs; or The patient is able to swallow. 				
TETRABENAZINE Tab 25 mg	01 10	112	л м	otetis
Anaesthetics Local		112	• <u>M</u>	
LIDOCAINE [LIGNOCAINE] Gel 2%, tube – Subsidy by endorsement a) Up to 150 ml available on a PSO b) Subsidied only if prescribed for urathral or carried in		30 ml		ylocaine 2% Jelly
 b) Subsidised only if prescribed for urethral or cervical a Gel 2%, 10 ml urethral syringe – Subsidy by endorsement 		25 presi 25	✓ P	
a) Up to 5 each available on a PSO	100.00	20	- 0	

a) Up to 5 each available on a PSO

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

	Subsidy (Manufacturada D	riaa) Cub	Fully	Brand or
	(Manufacturer's P \$	rice) Sub Per	sidised	Generic Manufacturer
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (gel) soln 2%		200 ml	1	Mucosoothe
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO		25		Lidocaine-Claris
······································	17.50	50		
	(35.00)			Xylocaine
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO	6.90	25		Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓	Lidocaine-Claris
	12.00	5		
	(20.00)			Xylocaine
Inj 1%, 20 ml vial – Up to 5 inj available on a PSO		5	✓	Lidocaine-Claris
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓	Lidocaine-Claris
Inj 2%, 20 ml vial - Up to 5 inj available on a PSO		5	✓	Lidocaine-Claris
(Lidocaine-Claris Inj 1%, 20 ml ampoule to be delisted 1 Feb	oruary 2019)			
(Lidocaine-Claris Inj 2%, 20 ml ampoule to be delisted 1 Feb	oruary 2019)			
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringe	- e			
Subsidy by endorsement		10	1	Pfizer
a) Up to 5 each available on a PSO		10	•	
b) Subsidised only if prescribed for urethral or cervi	ical administration an	d the prescript	tion is a	andoreed accordingly
	s valid for 2 years whe	re the patient	is a ch	ild with a chronic medic
SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment.	2 years where the tre	atment remair		
SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900	2 years where the tre 6 above – Retail phar	atment remair macy	ns appr	opriate and the patient
SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment.	2 years where the tre 6 above – Retail phar	atment remair macy 5 g OP	ns appr	opriate and the patient
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. 	2 years where the tre 6 above – Retail phar 5.40 27.00	atment remair macy 5 g OP 30 g OP	ns appr	ropriate and the patient LMX4 LMX4
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority 	2 years where the tre 6 above – Retail phar 5.40 27.00 Authority see SA0906	atment remair macy 5 g OP 30 g OP s above – Reta	ns appr v ail phar	ropriate and the patient LMX4 LMX4 macy
 SA0906 Special Authority for Subsidy initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority Special	2 years where the tre 6 above – Retail phar 5.40 27.00 Authority see SA0906 45.00	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority 	2 years where the tre 6 above – Retail phar 5.40 27.00 Authority see SA0906 45.00	atment remair macy 5 g OP 30 g OP s above – Reta	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy
SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special A Crm 2.5% with prilocaine 2.5% (5 g tubes)	2 years where the tre 6 above – Retail phar 5.40 27.00 Authority see SA0906 45.00	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special A Crm 2.5% with prilocaine 2.5%. Crm 2.5% with prilocaine 2.5% (5 g tubes) Analgesics 	2 years where the tre 6 above – Retail phar 5.40 27.00 Authority see SA0906 45.00	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4% LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special A Crm 2.5% with prilocaine 2.5% Crm 2.5% with prilocaine 2.5% (5 g tubes) Analgesics For Anti-inflammatory NSAIDS refer to MUSCULOSKELETA 	2 years where the tre 6 above – Retail phar 5.40 27.00 Authority see SA0906 45.00	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special A Crm 2.5% with prilocaine 2.5%. Crm 2.5% with prilocaine 2.5% (5 g tubes) Analgesics 	2 years where the tre 6 above – Retail phar 5.40 27.00 Authority see SA0906 45.00	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special A Crm 2.5% with prilocaine 2.5%. Crm 2.5% with prilocaine 2.5% (5 g tubes) Analgesics For Anti-inflammatory NSAIDS refer to MUSCULOSKELETA Non-opioid Analgesics 	2 years where the tre 6 above – Retail phar 	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4% LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special A Crm 2.5% with prilocaine 2.5% Crm 2.5% with prilocaine 2.5% (5 g tubes) Analgesics For Anti-inflammatory NSAIDS refer to MUSCULOSKELETA 	2 years where the tre 6 above – Retail phar 	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ns appr ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%. LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special A Crm 2.5% with prilocaine 2.5%. Crm 2.5% with prilocaine 2.5% (5 g tubes) Analgesics For Anti-inflammatory NSAIDS refer to MUSCULOSKELETA Non-opioid Analgesics For aspirin & chloroform application refer Standard Formulae 	2 years where the tre 6 above – Retail phar 	atment remain macy 5 g OP 30 g OP above – Reta 30 g OP	ail phar	ropriate and the patient LMX4 LMX4 macy EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%	2 years where the tre 6 above – Retail phar 	atment remain macy 5 g OP 30 g OP 5 above – Reta 30 g OP 5	ail phar	ropriate and the patient LMX4 LMX4 macy EMLA EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%	2 years where the tre 6 above – Retail phar 	atment remain macy 5 g OP 30 g OP 5 above – Reta 30 g OP 5	ns appr v v v v v v v v v v v v v	ropriate and the patient LMX4 LMX4 macy EMLA EMLA EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%	2 years where the tre 6 above – Retail phar 	atment remain macy 5 g OP 30 g OP 5 above – Reta 30 g OP 5	ns appr v v v v v v v v v v v v v	ropriate and the patient LMX4 LMX4 macy EMLA EMLA EMLA
 SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for benefiting from treatment. LIDOCAINE [LIGNOCAINE] – Special Authority see SA0900 Crm 4%	2 years where the tre 6 above – Retail phar 	atment remain macy 5 g OP 30 g OP 5 above – Reta 30 g OP 5	Ins approved the second s	ropriate and the patient LMX4 LMX4 macy EMLA EMLA EMLA

NEFOPAM HYDROCHLORIDE Tab 30 mg23.40 90 ✓ Acupan

		Subsidy		Fully	Brand or
	(N	lanufacturer's P	rice) Subs	sidised	Generic
		\$	Per	1	Manufacturer
PARACETAMOL					
	tak anditakta an a DOO	7.40	4 000		Di
* Tab 500 mg - blister pack – Up to 30			1,000		Pharmacare
* Tab 500 mg - bottle pack		6.32	1,000	-	Pharmacare
* Oral liq 120 mg per 5 ml		5.35	1,000 ml	-	Paracare
a) Up to 200 ml available on a P					
b) Not in combination					
,		F 01	1 0001		Developer Develo
* Oral liq 250 mg per 5 ml		5.81	1,000 ml	•	Paracare Double
					Strength
 a) Up to 100 ml available on a Pt 	SO				
b) Not in combination					
* Suppos 125 mg		3 29	10	1	Gacet
Gacet to be Sole Supply on 1 Dec		0.20	10	•	Guber
		0.70	10		Const
* Suppos 250 mg		3.79	10	•	Gacet
Gacet to be Sole Supply on 1 Dee					
* Suppos 500 mg		12.60	50	-	Paracare
Opioid Analgesics					
opioia i maigooloo					
CODEINE PHOSPHATE - Safety medicin	ne: prescriber may determ	ine dispensin	a frequency		
Tab 15 mg			100	1	PSM
5					
Tab 30 mg			100		PSM
Tab 60 mg		13.50	100	•	PSM
DIHYDROCODEINE TARTRATE					
Tab long-acting 60 mg		9.55	60	1	DHC Continus
FENTANYL					
 a) Only on a controlled drug form 					
b) No patient co-payment payable					
c) Safety medicine; prescriber may d	etermine dispensina freau	iencv			
Inj 50 mcg per ml, 2 ml ampoule			10	1	Boucher and Muir
Boucher and Muir to be Sole Sup		0.00	10	•	
		0.41	10		Develop and Muin
Inj 50 mcg per ml, 10 ml ampoule		9.41	10	•	Boucher and Muir
Boucher and Muir to be Sole Sup	ply on 1 December 2018				
Patch 12.5 mcg per hour		2.95	5	-	Fentanyl Sandoz
Patch 25 mcg per hour		3.66	5	-	Fentanyl Sandoz
Patch 50 mcg per hour			5		Fentanyl Sandoz
Patch 75 mcg per hour			5		Fentanyl Sandoz
Patch 100 mcg per hour		11.40	5	•	Fentanyl Sandoz
METHADONE HYDROCHLORIDE					
a) Only on a controlled drug form					
, ,					
b) No patient co-payment payable					
c) Safety medicine; prescriber may d	etermine dispensing frequ	lency			
d) Extemporaneously compounded n		nbursed at the	e rate of the ch	eape	st form available
(methadone powder, not methador	ne tablets).				
e) For methadone hydrochloride oral	liquid refer Standard Forn	nulae, page 2	13		
Tab 5 mg			10	-	Methatabs
Oral liq 2 mg per ml			200 ml		Biodone
Biodone to be Sole Supply on 1 N			200 111	•	21040110
		F 70	000		Diadawa Fasta
Oral liq 5 mg per ml		5./9	200 ml	~	Biodone Forte
Biodone Forte to be Sole Supply	on 1 November 2018				
Oral liq 10 mg per ml		6.79	200 ml	-	Biodone Extra Forte
Biodone Extra Forte to be Sole S	upply on 1 November 201	8			
Inj 10 mg per ml, 1 ml			10	1	AFT
				-	

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
(1	Manufacturer's Price \$) Sub: Per	sidised ✓	Generic Manufacturer
ORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequencies	uency			
Oral liq 1 mg per ml	9.28	200 ml	🗸 H	A-Morph
RA-Morph to be Sole Supply on 1 January 2019				
Oral liq 2 mg per ml	16.24	200 ml	✓ R	A-Morph
RA-Morph to be Sole Supply on 1 January 2019				
Oral liq 5 mg per ml	19.44	200 ml	🗸 H	A-Morph
RA-Morph to be Sole Supply on 1 January 2019				
Oral liq 10 mg per ml	27.74	200 ml	🗸 H	A-Morph
RA-Morph to be Sole Supply on 1 January 2019				
IORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
 c) Safety medicine; prescriber may determine dispensing frequencies 	Jency			
Tab immediate-release 10 mg		10	✓ s	evredol
Tab long-acting 10 mg		10		rrow-Morphine LA
Tab immediate-release 20 mg		10	🗸 s	evredol
Tab long-acting 30 mg		10	✓ Ā	rrow-Morphine LA
Tab long-acting 60 mg	5.60	10		rrow-Morphine LA
Tab long-acting 100 mg		10		rrow-Morphine LA
Cap long-acting 10 mg	1.70	10	🗸 n	n-Eslon
Cap long-acting 30 mg	2.50	10	🗸 n	n-Eslon
Cap long-acting 60 mg	5.40	10	🗸 n	n-Eslon
Cap long-acting 100 mg	6.38	10	🗸 n	n-Eslon
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSC	6.27	5	🗸 🖸	BL Morphine
				Sulphate
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	04.47	5	🗸 D	BL Morphine
			_	Sulphate
Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	O4.76	5	🗸 D	BL Morphine
		-	=	Sulphate
Inj 30 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	0 6 1 9	5	🗸 D	BL Morphine
	0	0		Sulphate
ORPHINE TARTRATE				
-				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequencies		F		DI Marahina
Inj 80 mg per ml, 1.5 ml ampoule		5	♥ ∐	BL Morphine
				Tartrate

	Subsidy	۰ ۱	Fully	
	(Manufacturer's Price \$) Per	Subsidised	Generic Manufacturer
XYCODONE HYDROCHLORIDE	Ŷ			mananadaroi
 a) Only on a controlled drug form b) No patient co-payment payable 				
 c) Safety medicine; prescriber may determine dispensing free Tab controlled release 5 mg 		00		BNM
Tab controlled-release 5 mg		20		
Tab controlled-release 10 mg		20		BNM
Tab controlled-release 20 mg		20		BNM
Tab controlled-release 40 mg		20		BNM
Tab controlled-release 80 mg		20		BNM
Cap immediate-release 5 mg		20		OxyNorm
Cap immediate-release 10 mg		20		OxyNorm
Cap immediate-release 20 mg		20		OxyNorm
Oral liq 5 mg per 5 ml		250 m		OxyNorm
Inj 10 mg per ml, 1 ml ampoule		5		OxyNorm
Inj 10 mg per ml, 2 ml ampoule		5		OxyNorm
Inj 50 mg per ml, 1 ml ampoule		5	~	<u>OxyNorm</u>
ARACETAMOL WITH CODEINE – Safety medicine; prescriber r	may determine dis	pensing	g frequenc	У
Tab paracetamol 500 mg with codeine phosphate 8 mg		1,000		Paracetamol +
		,		Codeine (Relieve)
ETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free				
Tab 50 mg		10	-	PSM
Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	SO4.98	5	v	DBL Pethidine
				Hydrochloride
Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS	SO5.12	5	✓	DBL Pethidine
				Hydrochloride
RAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	1 55	20	1	Tramal SR 100
Tab sustained release 100 mg		20		Tramal SR 150
Tab sustained-release 100 mg		20		Tramal SR 200
Cap 50 mg		100		Arrow-Tramadol
0ap 00 mg		100	•	
Antidepressants				
Annuepressants				
Cualia and Dalated Aganta				
Cyclic and Related Agents				
MITRIPTYLINE - Safety medicine; prescriber may determine dis	spensing frequency	,		
Tab 10 mg		/ 100	1	Arrow-Amitriptyline
		100		
Tab 25 mg		100		Arrow-Amitriptyline
Tab 50 mg				Arrow-Amitriptyline
LOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescrib			sing frequ	ency
Tab 10 mg		100	✓	Apo-Clomipramine
Apo-Clomipramine to be Sole Supply on 1 November 201	8			-
Tab 25 mg	9.46	100	✓	Apo-Clomipramine
Apo-Clomipramine to be Sole Supply on 1 November 201	8			•
OSULEPIN [DOTHIEPIN] HYDROCHLORIDE - Safety medicine		latarmi	na dienan	sina frequency
,		100 100		0 1 2
Tab 75 mg		100		Dopress
L'on l'h ma	6 16	100		LIADRAAA

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	D	Subsidised	
	\$	Per	~	Manufacturer
OXEPIN HYDROCHLORIDE – Safety medicine; prescriber r				
Cap 10 mg		100		Anten
Cap 25 mg		100	-	Anten
Cap 50 mg	8.55	100	✓	Anten
IIPRAMINE HYDROCHLORIDE – Safety medicine; prescrib	er mav determine dispe	nsind	n frequenc	v
Tab 10 mg		50		, Tofranil
		60		Tofranil s29 S29
	6.58			
Tab of war	10.96	100		Tofranil
Tab 25 mg		50		Tofranil
APROTILINE HYDROCHLORIDE - Safety medicine; prescr		oensi		
Tab 25 mg	7.52	30	✓	Ludiomil
	12.53	50	✓	Ludiomil
	25.06	100	✓	Ludiomil
Tab 75 mg		20	1	Ludiomil
	21.01	30	1	Ludiomil
		liono		
ORTRIPTYLINE HYDROCHLORIDE – Safety medicine; pre				
Tab 10 mg		100		Norpress
Tab 25 mg		180	•	Norpress
Managemine Ovideog Inhibitere (MAQIe) Non	Colostino			
Monoamine-Oxidase Inhibitors (MAOIs) - Non	Selective			
HENELZINE SULPHATE				
★ Tab 15 mg	05.00	100	1	Nardil
		100	•	Narun
RANYLCYPROMINE SULPHATE				
₭ Tab 10 mg	22.94	50	~	Parnate
Monoamine-Oxidase Type A Inhibitors				
IOCLOBEMIDE				
₭ Tab 150 mg	85 10	500	1	Apo-Moclobemide
k Tab 300 mg		100		Apo-Moclobemide
Tab 500 mg		100	•	Abo-mociobennue
Selective Serotonin Reuptake Inhibitors				
	4 50			DOM Official services
 Tab 20 mg 	1.52	84	•	PSM Citalopram
SCITALOPRAM				
 Tab 10 mg 	1.11	28	✓	Escitalopram-
-				Apotex
🖌 Tab 20 mg	1.90	28	✓	Escitalopram-
				Apotex
LUOXETINE HYDROCHLORIDE				
Tab dispersible 20 mg, scored – Subsidy by endorsement	2.47	30	1	Arrow-Fluoxetine
Subsidised by endorsement				
1) When prescribed for a patient who cannot swallo	w whole tablets or cape		and the n	rescription is andoread
accordingly; or	m millio abielo ul capo	0100		
 When prescribed in a daily dose that is not a mu 	Itiple of 20 mg in which	0000	the proces	rintion is deemed to be
endorsed. Note: Tablets should be combined w	nui capsules to facilitate	; IIICI	emental 10	o my doses.
K . Con 00 mm	1.00	00		
 Cap 20 mg 	1.99	90	v	Arrow-Fluoxetine
fully subsidised	S29 Unapproved	t med	icine suppli	ed under Section 29
26 Sole Subsidised Supply	FF			

(Manufacture's Price) Subsidice if Genetic Manufacturer AROXETINE * Per ✓ Apo-Paroxetine ERTFALINE * 1ab 20 mg. 4.02 90 ✓ Apo-Paroxetine ERTFALINE * Tab 50 mg. 3.05 90 ✓ Arrow-Sertraline Cher Antidepressants 5.25 90 ✓ Arrow-Sertraline Differ Antidepressants 2.63 30 ✓ Apo-Mirtazapine Apo-Mirtazapine to be Sole Supply on 1 November 2018 3.48 30 ✓ Apo-Mirtazapine Fab 55 mg. 6.38 84 ✓ Enlafax XR * Cap 37.5 mg. * Cap 37.5 mg.					
\$ Per ✓ Manufacturer AROXETINE 4.02 90 ✓ App-Paroxetine ERTFALINE 4.02 90 ✓ App-Paroxetine ERTFALINE 3.05 90 ✓ Arrow-Sertraline * Tab 30 mg 5.25 90 ✓ Arrow-Sertraline Other Antidepressants		Subsidy		Fully	
AROXETINE ★ Tab 20 mg				Subsidised	
 App-Paroxetine Chop-Paroxetine ERTRALINE Tab 50 mg App-Mirtazapine 					
ERTFALLINE * Tab 50 mg	-	4.02	00	1	Ano-Parovetine
e Tab 50 mg 3.05 90 ✓ Arrow-Sertraline Y Tab 100 mg 5.25 90 ✓ Arrow-Sertraline Other Antidepressants	v		30	•	Aportaioxeune
		0.05	~~		A
Other Antidepressants IIRTAZAPINE Tab 30 mg 2.63 30 ✓ Apo-Mirtazapine Apo-Mirtazapine to be Sole Supply on 1 November 2018 343 30 ✓ Apo-Mirtazapine Apo-Mirtazapine to be Sole Supply on 1 November 2018 343 30 ✓ Apo-Mirtazapine ENLAFAXINE 6.38 84 ✓ Enlafax XR Cap 75 mg 6.38 84 ✓ Enlafax XR Cap 75 mg 8.11 84 ✓ Enlafax XR Cap 75 mg 8.11 84 ✓ Enlafax XR Cap 75 mg 8.11 84 ✓ Enlafax XR Cap 150 mg 11.16 84 ✓ Enlafax XR Adticpilepsy Drugs Agents for Control of Status Epilepticus LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency 1 1 Inj 1 mg per ml, 1 ml 21.00 5 ✓ Rivotril IAZEPAM – Safety medicine; prescriber may determine dispensing frequency 1 1 Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement 11.83 5 ✓ Hospira a) Up to 5 inj available on a PSO 30.7 5 Stesolid RPALEPHYDE<	0				
IRTAZAPINE Tab 30 mg 2.63 30 ✓ Apo-Mirtazapine Apo-Mirtazapine to be Sole Supply on 1 November 2018 Tab 45 mg Apo-Mirtazapine to be Sole Supply on 1 November 2018 ENLAFAXINE * Cap 35 mg 6.38 84 ✓ Enlafax XR * Cap 75 mg 8.11 84 ✓ Enlafax XR * Cap 150 mg 11.16 84 ✓ Enlafax XR * Integration of Status Epilepticus LONAZEPAM - Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml 21.0 5 ✓ Rivotril IAZEPAM - Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule - Subsidy by endorsement	č	5.25	90	•	Arrow-Sertraine
Tab 30 mg 2.63 30 ✓ Apo-Mirtazapine Apo-Mirtazapine to be Sole Supply on 1 November 2018 3.48 30 ✓ Apo-Mirtazapine Apo-Mirtazapine to be Sole Supply on 1 November 2018 3.48 30 ✓ Apo-Mirtazapine Apo-Mirtazapine to be Sole Supply on 1 November 2018 3.48 30 ✓ Apo-Mirtazapine ENLAFAXINE Cap 35 mg 6.38 84 ✓ Enlafax XR Cap 75 mg 8.11 84 ✓ Enlafax XR Cap 150 mg 11.16 84 ✓ Enlafax XR Attiepilepsy Drugs Agents for Control of Status Epilepticus Intervention 21.00 5 ✓ Rivotril IAZEPAM - Safety medicine; prescriber may determine dispensing frequency inj in gp erm 1, and ampoule – Subsidy by endorsement	Other Antidepressants				
Apo-Mirtazapine to be Sole Supply on 1 November 2018 Tab 45 mg	/IRTAZAPINE				
Tab 45 mg	Tab 30 mg	2.63	30	✓	Apo-Mirtazapine
Apo-Mirtazapine to be Sole Supply on 1 November 2018 ENLAFAXINE Cap 37.5 mg	Apo-Mirtazapine to be Sole Supply on 1 November 2018				
ENLAFAXINE 6.38 84 ✓ Enlafax XR © Cap 75 mg			30	✓	Apo-Mirtazapine
Cap 37.5 mg	Apo-Mirtazapine to be Sole Supply on 1 November 2018				
 € Cap 75 mg	/ENLAFAXINE				
 € Cap 150 mg	Cap 37.5 mg	6.38	84	✓	Enlafax XR
Antiepilepsy Drugs Agents for Control of Status Epilepticus LONAZEPAM - Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml	 Cap 75 mg 	8.11	84	✓	Enlafax XR
Agents for Control of Status Epilepticus LONAZEPAM - Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml	€ Cap 150 mg	11.16	84	✓	Enlafax XR
Agents for Control of Status Epilepticus LONAZEPAM - Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml					
LONAZEPAM - Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml	Antiepilepsy Drugs				
Inj 1 mg per ml, 1 ml 21.00 5 ✓ Rivotril IAZEPAM - Safety medicine; prescriber may determine dispensing frequency 11.83 5 ✓ Hospira a) Up to 5 inj available on a PSO b) Only on a PSO 7 ✓ Stesolid b) Only on a PSO 0 PSO must be endorsed "not for anaesthetic procedures". ✓ Stesolid ✓ Stesolid Rectal tubes 5 mg - Up to 5 tube available on a PSO .40.87 ✓ Stesolid ✓ Stesolid ARALDEHYDE ✓ Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO .40.87 ✓ AFT ®29 HENYTOIN SODIUM ✓ Hospira ✓ Hospira inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO .88.63 5 ✓ Hospira e Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO .88.63 5 ✓ Hospira Control of Epilepsy	Agents for Control of Status Epilepticus				
Inj 1 mg per ml, 1 ml 21.00 5 ✓ Rivotril IAZEPAM - Safety medicine; prescriber may determine dispensing frequency 11.83 5 ✓ Hospira a) Up to 5 inj available on a PSO b) Only on a PSO 7 ✓ Stesolid b) Only on a PSO 0 PSO must be endorsed "not for anaesthetic procedures". ✓ Stesolid ✓ Stesolid Rectal tubes 5 mg - Up to 5 tube available on a PSO .40.87 ✓ Stesolid ✓ Stesolid ARALDEHYDE ✓ Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO .40.87 ✓ AFT ®29 HENYTOIN SODIUM ✓ Hospira ✓ Hospira inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO .88.63 5 ✓ Hospira e Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO .88.63 5 ✓ Hospira Control of Epilepsy	CLONAZEPAM – Safety medicine; prescriber may determine dis	pensing frequency			
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement	Inj 1 mg per ml, 1 ml		5	✓	Rivotril
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement	IAZEPAM – Safety medicine: prescriber may determine dispen	sing frequency			
 a) Up to 5 inj available on a PSO b) Only on a PSO c) PSO must be endorsed "not for anaesthetic procedures". Rectal tubes 5 mg - Up to 5 tube available on a PSO			5	1	Hospira
 b) Only on a PSO c) PSO must be endorsed "not for anaesthetic procedures". Rectal tubes 5 mg - Up to 5 tube available on a PSO					•
 c) PSÓ must be endorsed "not for anaesthetic procedures". Rectal tubes 5 mg – Up to 5 tube available on a PSO					
Rectal tubes 5 mg - Up to 5 tube available on a PSO 33.07 5 ✓ Stesolid Rectal tubes 10 mg - Up to 5 tube available on a PSO 40.87 5 ✓ Stesolid ARALDEHYDE 1,500.00 5 ✓ AFT 100 inj 5 ml 1,500.00 5 ✓ AFT 100 HENYTOIN SODIUM ✓ ✓ ✓ ✓ Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO 133.92 5 ✓ ✓ Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO 133.92 5 ✓ Hospira ✓ So mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO 133.92 5 ✓ Hospira ✓ So mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO 133.92 5 ✓ Hospira ✓ So mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO 133.92 5 ✓ Hospira ✓ Tab long-acting 200 mg 14.53 100 ✓ Tegretol CR ✓ Tab long-acting 400 mg 39.17 100 ✓ Tegretol CR ✓ Tab long-acting 400 mg per ml 26.37 250 ml ✓ Tegretol <		es".			
ARALDEHYDE inj 5 ml			5	1	Stesolid
ARALDEHYDE inj 5 ml			5	✓	Stesolid
 	ARALDEHYDE				
HENYTOIN SODIUM inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO88.63 5 Hospira PSO		1 500 00	5	1	ΔFT \$29
 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO88.63 5 Hospira Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO133.92 5 Hospira Control of Epilepsy ARBAMAZEPINE Tab long-acting 200 mg	-	1,000.00	5	•	Alle
 Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO		00 00 60	F	1	Heenire
PSO 133.92 5 ✓ Hospira Control of Epilepsy ARBAMAZEPINE 14.53 100 ✓ Tegretol ← Tab long-acting 200 mg 16.98 100 ✓ Tegretol CR ← Tab long-acting 200 mg 34.58 100 ✓ Tegretol CR ← Tab long-acting 400 mg 39.17 100 ✓ Tegretol CR ← Tab long-acting 400 mg 39.17 100 ✓ Tegretol CR ← Oral liq 20 mg per ml 26.37 250 ml ✓ Tegretol LOBAZAM – Safety medicine; prescriber may determine dispensing frequency ✓ Tesretol ✓ Frisium LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency ✓ Frisium ✓ Frisium		30 00.03	5	•	позріга
Control of Epilepsy ARBAMAZEPINE Tab 200 mg Tab long-acting 200 mg Tab long-acting 200 mg Tab 400 mg Tab 400 mg Tab long-acting 400 mg Tegretol CR CPARE 400 mg Tegretol CR Tegretol 26.37 Tegretol LOBAZAM – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 9.12 LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency		122.02	5	1	Hospira
ARBAMAZEPINE 14.53 100 ✓ Tegretol ← Tab long-acting 200 mg 16.98 100 ✓ Tegretol CR ← Tab long-acting 200 mg 34.58 100 ✓ Tegretol CR ← Tab long-acting 400 mg 39.17 100 ✓ Tegretol CR ← Tab long-acting 400 mg 39.17 100 ✓ Tegretol CR ← Tab long-acting 400 mg 26.37 250 ml ✓ Tegretol ← Oral liq 20 mg per ml 26.37 250 ml ✓ Tegretol ELOBAZAM – Safety medicine; prescriber may determine dispensing frequency 9.12 50 ✓ Frisium LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency 10 10 10 10	F 30		5	•	поэрна
 Tab 200 mg	Control of Epilepsy				
 Tab long-acting 200 mg	ARBAMAZEPINE				
 Tab 400 mg	₭ Tab 200 mg	14.53	100	✓	Tegretol
 Tab long-acting 400 mg	✓ Tab long-acting 200 mg		100		
Coral liq 20 mg per ml	₭ Tab 400 mg				
LOBAZAM – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 50 LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency					
Tab 10 mg 9.12 50 ✓ Frisium LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency	Foral liq 20 mg per ml		250 m	✓	Tegretol
LONAZEPAM – Safety medicine; prescriber may determine dispensing frequency	CLOBAZAM - Safety medicine; prescriber may determine disper	nsing frequency			
	Tab 10 mg	9.12	50	✓	Frisium
	LONAZEPAM – Safety medicine: prescriber may determine dis	pensing frequency			
			0 ml C	P 🗸	Rivotril

A Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price \$) Sul Per	Fully bsidised	Brand or Generic Manufacturer
THOSUXIMIDE	φ	r ei	•	Manulacturer
Cap 250 mg	281 75	200	17	arontin
Oral lig 250 mg per 5 ml		200 ml		arontin
GABAPENTIN		200 111		
ABAPENTIN Note: Not subsidised in combination with subsidised pregab	alin			
 Kote: Not subsidised in combination with subsidised pregab Cap 100 mg		100	1 N	po-Gabapentin
Cap 100 mg	(7.16)	100		rrow-Gabapentin
	(7.16)			eurontin
	(7.16)			lupentin
Apo-Gabapentin to be Sole Supply on 1 November 2018	· · ·			
Cap 300 mg		100	🗸 A	po-Gabapentin
	(11.00)			rrow-Gabapentin
	(11.00)			eurontin
	(11.00)		Ν	upentin
Apo-Gabapentin to be Sole Supply on 1 November 2018	3			
€ Cap 400 mg		100	🗸 A	po-Gabapentin
	(13.75)		A	rrow-Gabapentin
	(13.75)		N	eurontin
	(13.75)		N	lupentin
Apo-Gabapentin to be Sole Supply on 1 November 2018	3			
Arrow-Gabapentin Cap 100 mg to be delisted 1 November 2018)			
Neurontin Cap 100 mg to be delisted 1 November 2018)				
Nupentin Cap 100 mg to be delisted 1 November 2018)				
Arrow-Gabapentin Cap 300 mg to be delisted 1 November 2018)			
Neurontin Cap 300 mg to be delisted 1 November 2018)				
Nupentin Cap 300 mg to be delisted 1 November 2018)				
Arrow-Gabapentin Cap 400 mg to be delisted 1 November 2018)			
Neurontin Cap 400 mg to be delisted 1 November 2018)				
Nupentin Cap 400 mg to be delisted 1 November 2018)				
ACOSAMIDE – Special Authority see SA1125 below – Retail p	harmacy			
Tab 50 mg		14		impat
Tab 100 mg		14		impat
	200.24	56		impat
Tab 150 mg		14		impat
	300.40	56		impat
Tab 200 mg		56	✓ V	impat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy		Fully Bran	d or
	(Manufacturer's		sidised Gene	
	\$	Per	 Manu 	ufacturer
AMOTRIGINE				
Tab dispersible 2 mg	6.74	30	 Lamict 	al
Tab dispersible 5 mg	9.64	30	 Lamict 	al
	15.00	56	 Arrow- 	Lamotrigine
Tab dispersible 25 mg		56	🗸 Logem	
	20.40		 Arrow- 	Lamotrigine
	29.09		 Lamicta 	al
Tab dispersible 50 mg		56	🗸 Logem	
	34.70		 Arrow- 	Lamotrigine
	47.89		 Lamicta 	al
Tab dispersible 100 mg		56	🗸 Logem	
	59.90		 Arrow- 	Lamotrigine
	79.16		 Lamict 	al
VETIRACETAM				
Tab 250 mg		60	 Everet 	
Tab 500 mg		60	✓ Everet	
Tab 750 mg		60	✓ Everet	
Tab 1,000 mg		60	✓ Everet	
Oral lig 100 mg per ml		300 ml OP		acetam-AFT
			Leven	
ENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae,	· · ·	500		
Tab 15 mg	40.00	500	✓ PSM	
PSM to be Sole Supply on 1 November 2018	40.00	500		
Tab 30 mg	40.00	500	✓ PSM	
PSM to be Sole Supply on 1 November 2018				
IENYTOIN SODIUM				
Tab 50 mg	50.51	200	🗸 Dilantir	
Cap 30 mg	22.00	200	 Dilantir 	-
Cap 100 mg	19.79	200	 Dilantir 	
Oral liq 30 mg per 5 ml	22.03	500 ml	 Dilantir 	ו
REGABALIN				
Note: Not subsidised in combination with subsidised gat	apentin			
Cap 25 mg		56	Pregab	alin Pfizer
Cap 75 mg		56		alin Pfizer
Cap 150 mg		56		alin Pfizer
Cap 300 mg		56		alin Pfizer
IMIDONE				
Tab 250 mg	17.05	100	🗸 Apo-Pr	imidana
ů		100	• Ap0-FI	iiiiuone
DIUM VALPROATE				
Tab 100 mg		100		Crushable
Tab 200 mg EC		100	 Epilim 	
Tab 500 mg EC		100	 Epilim 	
Oral liq 200 mg per 5 ml	20.48	300 ml	•	S/F Liquid
			 Epilim 	
Inj 100 mg per ml, 4 ml	41.50	1	🗸 Epilim	IV
IRIPENTOL – Special Authority see SA1330 on the next p	age – Retail pharm	acy		
Cap 250 mg	•	60	 Diacon 	nit S29
Powder for oral liq 250 mg sachet		60	✓ Diacon	
1 Owach 101 Oral 114 200 114 Sachet		00		020

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's F		Fully Brand dised Gene	
\$	Per	 Manu 	ıfacturer

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ Tab 25 mg 11.07	60	Arrow-Topiramate
•		 Topiramate Actavis
26.04		 Topamax
▲ Tab 50 mg	60	 Arrow-Topiramate
-		 Topiramate Actavis
44.26		 Topamax
Tab 100 mg	60	Arrow-Topiramate
ů –		 Topiramate Actavis
75.25		 Topamax
Tab 200 mg55.19	60	Arrow-Topiramate
ů –		 Topiramate Actavis
129.85		 Topamax
Sprinkle cap 15 mg20.84	60	 Topamax
Sprinkle cap 25 mg	60	 Topamax
VIGABATRIN – Special Authority see SA1072 below – Retail pharmacy		
▲ Tab 500 mg	100	✓ Sabril

SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. **Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

S29 S29

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 110

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	 ✓ Cafergot ✓ Cafergot S29 629
RIZATRIPTAN		
Tab orodispersible 10 mg5.26	30	✓ <u>Rizamelt</u>
SUMATRIPTAN		
Tab 50 mg24.44	100	 Apo-Sumatriptan
Tab 100 mg46.23	100	✓ Apo-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per		
prescription	2 OP	 Clustran
		Sun Pharma S29

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR S	YSTEM, page 48		
PIZOTIFEN			
* Tab 500 mcg	23.21	100	 ✓ Sandomigran ✓ Sandomigran

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 8			
APREPITANT - Special Authority see SA0987 below - Retail p	harmacy		
Cap 2 × 80 mg and 1 × 125 mg		3 OP	Emend Tri-Pack
■ SA0987 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals va	lid for 12 months wh	here the patie	ent is undergoing highly
emetogenic chemotherapy and/or anthracycline-based chemoth			
Renewal from any relevant practitioner. Approvals valid for 12			lergoing highly emetogenic
chemotherapy and/or anthracycline-based chemotherapy for the	e treatment of malig	nancy.	
BETAHISTINE DIHYDROCHLORIDE			
* Tab 16 mg	2.89	84	Vergo 16

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
	ψ	1 61	•	Manufacturer
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.59	20	✓	Nauzene
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	 Image: A second s	Nausicalm
		Ũ		
DOMPERIDONE				
* Tab 10 mg	3.20	100	✓	Prokinex
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml ampoule		5	✓	Hospira
	93.00	10	✓	Martindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail				
pharmacy	11.95	2	1	Scopoderm TTS
		-		

⇒SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE		
* Tab 10 mg1.30	100	✓ <u>Metoclopramide</u> <u>Actavis 10</u>
✤ Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO4.50	10	 Pfizer
ONDANSETRON		
* Tab 4 mg3.36	50	Apo-Ondansetron
* Tab disp 4 mg0.95	10	 Ondansetron
		ODT-ORLA
* Tab 8 mg4.77	50	Apo-Ondansetron
* Tab disp 8 mg1.43	10	 Ondansetron
		ODT-DRLA
PROCHLORPERAZINE		
* Tab 3 mg buccal	50	
(15.00)		Buccastem
* Tab 5 mg – Up to 30 tab available on a PSO	250	Nausafix
* Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO25.81	10	 Stemetil
PROMETHAZINE THEOCLATE		
* Tab 25 mg1.20	10	
(5.59)		Avomine
(Avaming Tab 25 mg to be deligted 1 March 2010)		

(Avomine Tab 25 mg to be delisted 1 March 2019)

Antipsychotics

General

AMISULPRIDE - Safety medicine; prescriber may determine dis	pensing frequenc	у	
Tab 100 mg		30	 Sulprix
Tab 200 mg	14.75	60	 Sulprix
Tab 400 mg		60	✓ Sulprix
Oral liq 100 mg per ml	65.53	60 ml	✓ Solian

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ARIPIPRAZOLE – Safety medicine; prescriber may determine of	dispensing frequency			
Tab 5 mg		30	~	Aripiprazole Sandoz
Aripiprazole Sandoz to be Sole Supply on 1 November				
Tablet 5 mg		30		A.L. 1117
	(123.54)	00		Abilify
Tab 10 mg		30	•	Aripiprazole Sandoz
Ariningzala Sandaz ta ba Sala Supply on 1 November	(123.54)			Abilify
Aripiprazole Sandoz to be Sole Supply on 1 November		30		Arininrozolo Sondoz
Tab 15 mg		30	•	Aripiprazole Sandoz Abilify
Aripiprazole Sandoz to be Sole Supply on 1 November	(175.28)			ADIIIIY
Tab 20 mg		30	1	Aripiprazole Sandoz
Tab 20 mg	(213.42)	00	•	Abilify
Aripiprazole Sandoz to be Sole Supply on 1 November	· /			Ability
Tab 30 mg		30	1	Aripiprazole Sandoz
	(260.07)	00	•	Abilify
Aripiprazole Sandoz to be Sole Supply on 1 November	()			Ability
(Abilify Tablet 5 mg to be delisted 1 November 2018)	2010			
(Abilify Tab 10 mg to be delisted 1 November 2018)				
Ability Tab 15 mg to be delisted 1 November 2018)				
Ability Tab 20 mg to be delisted 1 November 2018)				
(Abilify Tab 30 mg to be delisted 1 November 2018)				
,				
CHLORPROMAZINE HYDROCHLORIDE – Safety medicine; p				
Tab 10 mg – Up to 30 tab available on a PSO		100		Largactil
Tab 25 mg – Up to 30 tab available on a PSO		100		Largactil
Tab 100 mg – Up to 30 tab available on a PSO		100		Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	23.00	10	•	Largactil
CLOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing frequencies				
Tab 25 mg		50		Clozaril
	6.69			Clopine
	11.36	100		Clozaril
	13.37			Clopine
Tab 50 mg		50		Clopine
	17.33	100		Clopine
Tab 100 mg		50		Clozaril
	17.33			Clopine
	29.45	100		Clozaril
	34.65			Clopine
Tab 200 mg		50		Clopine
	69.30	100		Clopine
Suspension 50 mg per ml	17.33	100 m	v	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine d	ispensing frequency			
Tab 500 mcg – Up to 30 tab available on a PSO	6.23	100	~	Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100	1	Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100	1	Serenace
Oral liq 2 mg per ml – Up to 200 ml available on a PSO		100 m	 ✓ 	Serenace
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a P	SO 21.55	10	1	Serenace
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine;	prescriber mav deterr	nine di	spensina	frequency
Inj 25 mg per ml, 1 ml ampoule		10		Wockhardt
, - ····; · ·····; · ···················				

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

VOMEPROMAZINE MALEATE – Safety medicine; prescriber Tab 25 mg	(Manufacturer's Price) \$	Per	Subsidised	
			•	Manufacturer
	r may determine dispe	ensino	frequenc	V
		100		Nozinan
Tab 100 mg		100		Nozinan
ů – Elektrik – Elektri				Nozman
HIUM CARBONATE – Safety medicine; prescriber may deter	1 0		-	Little auto EO
Tab 250 mg		500	-	Lithicarb FC
Tab 400 mg		100		Lithicarb FC
Tab long-acting 400 mg		100	-	Priadel
Cap 250 mg	9.42	100	~	Douglas
thicarb FC Tab 400 mg to be delisted 1 March 2019)				
ANZAPINE – Safety medicine; prescriber may determine disp	pensing frequency			
Tab 2.5 mg	0.64	28	1	Zypine
Tab 5 mg		28	1	Zypine
Tab orodispersible 5 mg	1.25	28	1	Zypine ODT
Tab 10 mg	1.65	28	1	Zypine
Tab orodispersible 10 mg	2.05	28	1	Zypine ODT
RICYAZINE - Safety medicine; prescriber may determine dis	spensing frequency			
Tab 2.5 mg		84	1	Neulactil
	12.49	100		Neulactil
Tab 10 mg		84		Neulactil
	44.45	100		Neulactil
		100		
ETIAPINE – Safety medicine; prescriber may determine disp		~~		O
Tab 25 mg		90	-	Quetapel
Tab 100 mg		90	-	Quetapel
Tab 200 mg		90	-	Quetapel
Tab 300 mg	9.60	90	•	Quetapel
SPERIDONE – Safety medicine; prescriber may determine dis	spensing frequency			
Tab 0.5 mg	1.86	60	1	Actavis
Tab 1 mg	2.06	60	1	Actavis
Tab 2 mg	2.29	60	1	Actavis
Tab 3 mg	2.50	60	1	Actavis
Tab 4 mg	3.43	60	1	Actavis
Oral liq 1 mg per ml	7.66	30 ml	✓	Risperon
PRASIDONE - Safety medicine; prescriber may determine dis	spensing frequency			
Cap 20 mg		60	1	Zusdone
	14.56			Zeldox
Cap 40 mg		60		Zusdone
Cap 60 mg		60		Zusdone
Cap 80 mg		60		Zusdone
eldox Cap 20 mg to be delisted 1 March 2019)		00	•	
	and have seen as the tax of the			
CLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre	,			
Tab 10 mg	31.45	100	~	Clopixol
epot Injections				

FLUPENTHIXOL DECANOATE - Safety medicine; prescriber may determine disp	ensing freq	uency
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	5	 Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO20.90	5	 Fluanxol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO40.87	5	 Fluanxol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
HALOPERIDOL DECANOATE – Safety medicine; prescriber may	determine dispensi	ng fre	quency	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	 ✓ 	Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	1	Haldol Concentrate
			1	Haldol
				Decanoas S29
OLANZAPINE - Special Authority see SA1428 below - Retail pha	armacy			
Safety medicine; prescriber may determine dispensing freque	ncy			
Inj 210 mg vial		1	✓	Zyprexa Relprevv
Zyprexa Relprevv to be Sole Supply on 1 November 2018	3			
Inj 300 mg vial		1	✓	Zyprexa Relprevv
Zyprexa Relprevv to be Sole Supply on 1 November 2018	3			
Inj 405 mg vial		1	✓	Zyprexa Relprevv
Zyprexa Relprevv to be Sole Supply on 1 November 2018	3			

► SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg syringe	 1	Invega Sustenna
Inj 50 mg syringe	 1	Invega Sustenna
Inj 75 mg syringe	1	Invega Sustenna
Inj 100 mg syringe	1	Invega Sustenna
Inj 150 mg syringe	1	 Invega Sustenna

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
PIPOTHIAZINE PALMITATE – Subsidy by endorsement				
 a) Safety medicine; prescriber may determine dispensing free b) Subsidised for patients who were taking pipothiazine palm endorsed accordingly. Pharmacists may annotate the pre dispensing of pipothiazine palmitate. Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO 	itate prior to 1 Augus scription as endorsed		there exi	
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO		10		iportil
(Piportil Inj 50 mg per ml, 1 ml to be delisted 1 June 2019) (Piportil Inj 50 mg per ml, 2 ml to be delisted 1 June 2019)		10	•	
RISPERIDONE – Special Authority see SA1427 below – Retail pl Safety medicine; prescriber may determine dispensing freque	,			
Inj 25 mg vial		1	🗸 R	lisperdal Consta
Inj 37.5 mg vial	178.71	1	🗸 R	lisperdal Consta
Inj 50 mg vial	217.56	1	🗸 R	lisperdal Consta

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	5	 Clopixol
Anxiolytics		
BUSPIRONE HYDROCHLORIDE		
₭ Tab 5 mg20.23	100	 Orion
🖌 Tab 10 mg 13.16	100	✓ Orion
CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequer	ncy	
Tab 500 mcg5.64	100	✓ <u>Paxam</u>
Tab 2 mg10.78	100	✓ Paxam
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 2 mg	500	 <u>Arrow-Diazepam</u>
Tab 5 mg16.18	500	 Arrow-Diazepam
ORAZEPAM - Safety medicine; prescriber may determine dispensing frequenc	у	
Tab 1 mg9.72	250	✓ <u>Ativan</u>
Tab 2.5 mg12.50	100	✓ <u>Ativan</u>
DXAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 10 mg6.17	100	✓ Ox-Pam
Tab 15 mg8.53	100	✓ Ox-Pam

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Multiple Sclerosis Treatment				
DIMETHYL FUMARATE – Special Auth Wastage claimable	rity see SA1559 below – Retail pharmacy			
Cap 120 mg		14	✓	Tecfidera
		56	✓	Tecfidera
⇒SA1559 Special Authority for Subs	dv			
Special Authority approved by the Multip				
considered by MSTAC at its regular mee (below).	Multiple Sclerosis Treatment Assessment Co ings and approved subject to eligibility accord	ling t	o the Entry	
Application details may be obtained from	PHARMAC's website http://www.pharmac.gov	vt.nz	or:	
The coordinator	Phone: 04 460 4000			

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5 $^{\circ}\text{C});$ and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy	Fully	Brand or
(Manu	facturer's Price)	Subsidised	Generic
	\$ P	er 🖌	Manufacturer

h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable Cap 0.5 mg......2,200.00 28 ✔ Gilenya

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	~	Manufacturer	

- i) a gadolinium enhancing lesion; or
- ii) a Diffusion Weighted Imaging positive lesion; or
- iii) a T2 lesion with associated local swelling; or
- iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB – Special Authority see SA1563 below – Retail pharmacy

Inj 20 mg per ml, 15 ml vial...... 1,750.00 1 🗸 Tysabri

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be

Subsidy (Manufacturer's Price)	Sub	Fully	Brand or Generic
 \$	Per	1	Manufacturer

considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u> or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz
147 11 1	

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified). Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- 9) a) Patient is JC virus negative, or
 - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

- Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
 of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.

2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or

- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE – Special Authority see SA1560 below – Retail pharmacy

Wastage claimable

Tab 14 mg 1,582.62 28 🗸 Aubagio

⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz
Wellington	

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	1	Manufacturer

- ii) a Diffusion Weighted Imaging positive lesion; or
- iii) a T2 lesion with associated local swelling; or
- iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Subsidy	Fully	Brand or	_
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

Other Multiple Sclerosis Treatments

⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and

Subsidy	Fi	ully	Brand or
(Manufacturer's Price)	Subsidis	sed	Generic
\$	Per	✓	Manufacturer

- g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564 on the p Inj 20 mg prefilled syringe		harm] 28	✓ Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA1564 or Inj 6 million iu prefilled syringe Injection 6 million iu per 0.5 ml pen injector	1,170.00	- [Xpharm] 4 4	✓ Avonex✓ Avonex Pen
INTERFERON BETA-1-BETA – Special Authority see SA1564 on Inj 8 million iu per 1 ml		[Xpharm] 15	✓ Betaferon
Sedatives and Hypnotics			
LORMETAZEPAM – Safety medicine; prescriber may determine d Tab 1 mg		′ 30	Noctamid
(Noctamid Tab 1 mg to be delisted 1 March 2019) MELATONIN – Special Authority see SA1666 on the next page – F Tab modified-release 2 mg – No more than 5 tab per day		30	 Circadin

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

⇒SA1666 Special Authority for Subsidy

Initial application only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged 18 years or under*.

Renewal only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
 - 1 Patient is aged 18 years or under*; and
 - 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
 - 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
 - 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.
- Note: Indications marked with * are unapproved indications.

Note. Indications marked with are unapproved indications.			
MIDAZOLAM - Safety medicine; prescriber may determine dispense			6
Inj 1 mg per ml, 5 ml ampoule	4.30	10	 Midazolam-Claris
Inj 1 mg per ml, 5 ml plastic ampoule – Up to 10 inj available			
on a PSO		10	 Pfizer
On a PSO for status epilepticus use only. PSO must be en			
Inj 5 mg per ml, 3 ml ampoule		5	 Midazolam-Claris
Inj 5 mg per ml, 3 ml plastic ampoule – Up to 5 inj available on		_	6 - 0
a PSO		5	✓ Pfizer
On a PSO for status epilepticus use only. PSO must be en		s epileptici	is use only.
NITRAZEPAM – Safety medicine; prescriber may determine disper			_
Tab 5 mg	5.22	100	 Nitrados
PHENOBARBITONE SODIUM - Special Authority see SA1386 bel	ow – Retail phar	macy	
Inj 200 mg per ml, 1 ml ampoule	46.20	10	✓ Martindale S29
► SA1386 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid w the following criteria: Both:			
 For the treatment of terminal agitation that is unresponsive to The applicant is part of a multidisciplinary team working in part 	0 /	nd	
TEMAZEPAM - Safety medicine; prescriber may determine dispen	sing frequency		
Tab 10 mg		25	✓ <u>Normison</u>
TRIAZOLAM - Safety medicine; prescriber may determine dispens	ina frequency		
Tab 125 mcg		100	
	(9.85)		Hypam
Tab 250 mcg	4.10	100	21
,	(11.20)		Hypam
ZOPICLONE - Safety medicine; prescriber may determine dispens	ina frequency		
Tab 7.5 mg		500	 Zopiclone Actavis
Zopiclone Actavis to be Sole Supply on 1 January 2019			

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Stimulants/ADHD Treatments				
ATOMOXETINE - Special Authority see SA1416 below - Retail	pharmacy			
Cap 10 mg		28		Strattera
Cap 18 mg		28		Strattera
Cap 25 mg		28		Strattera
Cap 40 mg		28		Strattera
Cap 60 mg		28		Strattera
Cap 80 mg		28		Strattera
Cap 100 mg		28	✓ :	Strattera

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg20.00 100 🗸 PSM

PSM to be Sole Supply on 1 November 2018

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Subsidy	F	ully	Brand or
(Manufacturer's Pri	ce) Subsid	ised	Generic
\$	Per	✓	Manufacturer

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine; prescriber may determine dispensin	ig frequency		
Tab immediate-release 5 mg		30	 Rubifen
Tab immediate-release 10 mg		30	 Ritalin
-			 Rubifen
Tab immediate-release 20 mg	7.85	30	 Rubifen
Tab sustained-release 20 mg		30	 Rubifen SR
Ŭ	50.00	100	 Ritalin SR

⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation

continued...

AThree months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	~	Manufacturer

of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

a) Only on a controlled drug form

 b) Safety medicine; prescriber may determine dispension 	sing frequency		
Tab extended-release 18 mg		30	 Concerta
Tab extended-release 27 mg	65.44	30	 Concerta
Tab extended-release 36 mg	71.93	30	 Concerta
Tab extended-release 54 mg		30	 Concerta
Cap modified-release 10 mg	15.60	30	 Ritalin LA
Cap modified-release 20 mg	20.40	30	 Ritalin LA
Cap modified-release 30 mg	25.52	30	 Ritalin LA
Cap modified-release 40 mg		30	 Ritalin LA

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL – Special Authority see SA1126 on the next page – Retail pharmacy

Tab 100 mg72.5	0 30	🗸 Modavigil
----------------	------	-------------

 Subsidy (Manufacturer's Price)	5	Fully Subsidised	Brand or Generic
\$	Per	✓	Manufacturer

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

3 Either:

- 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
- 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE

* Tab 5 mg * Tab 10 mg		90 90	 ✓ <u>Donepezil-Rex</u> ✓ <u>Donepezil-Rex</u>
RIVASTIGMINE - Special Authority see SA1488 below - Retai	l pharmacy		
Patch 4.6 mg per 24 hour		30	 Exelon
Patch 9.5 mg per 24 hour	90.00	30	 Exelon

■ SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate; and

2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency Tab subliquel 2 mg with paloxone 0.5 mg

Tab sublingual 2 mg with naloxone	0.5 mg	57.40
Tab sublingual 8 mg with naloxone	2 ma	

SuboxoneSuboxone

28

28

► SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	1	Manufacturer

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE

Tab modified-release 150 mg	11.00	30	 Zyban
DISULFIRAM	44.20	100	✓ Antabuse
Tab 200 mg NALTREXONE HYDROCHLORIDE – Special Authority see SA			 Antabuse
Tab 50 mg		30	✓ Naltraccord

⇒SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector

Subsidy	r Fu	ly Brand or
(Manufacturer	s Price) Subsidise	d Generic
\$	Per	 Manufacturer

Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

- a) Nicotine will not be funded in amounts less than 4 weeks of treatment.
- b) Note: Direct Provision by a pharmacist permitted under the provisions in Part I of Section A.

Patch 7 mg – Up to 28 patch available on a PSO16.00	28 🖌 <u>Ha</u>	bitrol
Patch 7 mg for direct distribution only - [Xpharm]	7 ✓ <u>Ha</u>	bitrol
Patch 14 mg – Up to 28 patch available on a PSO 17.59	28 🖌 <u>Ha</u>	bitrol
Patch 14 mg for direct distribution only - [Xpharm]4.52	7 ✓ <u>Ha</u>	bitrol
Patch 21 mg – Up to 28 patch available on a PSO20.16	28 🖌 <u>Ha</u>	bitrol
Patch 21 mg for direct distribution only - [Xpharm]5.18	7 ✓ <u>Ha</u>	bitrol
Lozenge 1 mg – Up to 216 loz available on a PSO16.61	216 🖌 <u>Ha</u>	bitrol
Lozenge 1 mg for direct distribution only - [Xpharm]	36 🖌 <u>Ha</u>	bitrol
Lozenge 2 mg – Up to 216 loz available on a PSO18.20	216 🖌 <u>Ha</u>	bitrol
Lozenge 2 mg for direct distribution only - [Xpharm]	36 🖌 <u>Ha</u>	bitrol
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	384 🖌 <u>Ha</u>	bitrol
Gum 2 mg (Fruit) for direct distribution only - [Xpharm]8.64	96 🖌 <u>Ha</u>	bitrol
Gum 2 mg (Mint) – Up to 384 piece available on a PSO33.69	384 🖌 <u>Ha</u>	bitrol
Gum 2 mg (Mint) for direct distribution only - [Xpharm]8.64	96 🖌 <u>Ha</u>	bitrol
Gum 4 mg (Fruit) – Up to 384 piece available on a PSO	384 🖌 <u>Ha</u>	bitrol
Gum 4 mg (Fruit) for direct distribution only - [Xpharm]10.01	96 🖌 <u>Ha</u>	bitrol
Gum 4 mg (Mint) – Up to 384 piece available on a PSO	384 🖌 <u>Ha</u>	bitrol
Gum 4 mg (Mint) for direct distribution only - [Xpharm]10.01	96 🖌 <u>Ha</u>	bitrol

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

a) Varenicline will not be funded in amounts less than 2 weeks of treatment.

b) A maximum of 12 weeks' varenicline will be subsidised on	each Special Au	thority approv	val, including the starter pack
Tab 1 mg	67.74	28	 Champix
	135.48	56	 Champix
Tab 0.5 mg \times 11 and 1 mg \times 14	60.48	25 OP	 Champix

⇒SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy	F	ully	Brand or
(Mai	nufacturer's Price)	Subsidi	sed	Generic
	\$	Per	✓	Manufacturer

- 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval. This includes the 2-week 'starter' pack.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	1	Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BENDAMUSTINE HYDROCHLORIDE – PCT only – Specialist – Inj 25 mg vial Inj 100 mg vial Inj 1 mg for ECP		e <mark>SA16</mark> 1 1 1 mg	✓ F ✓ F	libomustin libomustin Baxter
➡SA1667 Special Authority for Subsidy				
Initial application — (treatment naive CLL) only from a relevant				the recommendation of a
relevant specialist. Approvals valid for 12 months for applications All of the following:	s meeting the followin	ng crite	ria:	
5	A abrania lumphanitia			ing tractment, and
1 The patient has Binet stage B or C, or progressive stage A 2 The patient is chemotherapy treatment naive; and		leuka	emia requir	ing treatment, and
 3 The patient is unable to tolerate toxicity of full-dose FCR; a 4 Patient has ECOG performance status 0-2; and 	and			
5 Patient has a Cumulative Illness Rating Scale (CIRS) scor	re of < 6: and			
6 Bendamustine is to be administered at a maximum dose of		1 and	2 every 4	weeks for a maximum of
6 cycles.				
Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymp to comprise a known standard therapeutic chemotherapy regimer				py treatment is considered
Initial application - (Indolent, Low-grade lymphomas) only f	rom a relevant specia	alist or	medical pr	
recommendation of a relevant specialist. Approvals valid for 9 m	onths for applications	s meeti	ng the follo	wing criteria:
All of the following:	at and			
 The patient has indolent low grade NHL requiring treatment Patient has a WHO performance status of 0-2; and 	nt; and			
3 Either:				
3.1 Both:				
3.1.1 Patient is treatment naive; and				
3.1.2 Bendamustine is to be administered for a m CD20+); or	aximum of 6 cycles (in com	bination wi	th rituximab when
3.2 All of the following:				
3.2.1 Patient has relapsed refractory disease follo		rapy; a	ind	
3.2.2 The patient has not received prior bendamu	istine therapy; and			
3.2.3 Either:				
3.2.3.1 Both:				
3.2.3.1.1 Bendamustine is to be adminis combination with rituximab wh		n of 6 c	ycles in rel	apsed patients (in
3.2.3.1.2 Patient has had a rituximab tre	<i>,,</i>	of 12 m	onths or m	nore; or
3.2.3.2 Bendamustine is to be administered a refractory patients.				

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Both:

- 1 Patients have not received a bendamustine regimen within the last 12 months; and
- 2 Either:
 - 2.1 Both:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy	\ ^	Fully Brand or
	(Manufacturer's Prie	ce) Subs Per	idised Generic Manufacturer
ontinued			
2.1.1 Bendamustine is to be administered for	a maximum of 6 cycle	es in relapsed	patients (in combination with
rituximab when CD20+); and	,		
2.1.2 Patient has had a rituximab treatment-fr	ee interval of 12 mon	ths or more; c	or
2.2 Bendamustine is to be administered as a mono	therapy for a maximu	m of 6 cycles	in rituximab refractory patients
lote: 'indolent, low-grade lymphomas' includes follicular, ma		-	
nacroglobulinaemia.	, Ç		
BUSULFAN – PCT – Retail pharmacy-Specialist			
Tab 2 mg		100	 Myleran
CARBOPLATIN – PCT only – Specialist			
Inj 10 mg per ml, 5 ml vial		1	 DBL Carboplatin
j - j - i	20.00		 Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	DBL Carboplatin
	19.50		 Carbaccord
	22.50		 Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial		1	 DBL Carboplatin
	48.50		 Carbaccord
	50.00		 Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	 Baxter
CARMUSTINE – PCT only – Specialist			
Inj 100 mg vial	532.00	1	BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	 Baxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist			
Tab 2 mg		25	Leukeran FC
CISPLATIN – PCT only – Specialist			
Inj 1 mg per ml, 50 ml vial	12.29	1	 DBL Cisplatin
	15.00	•	 Cisplatin Ebewe
lnj 1 mg per ml, 100 ml vial		1	 DBL Cisplatin
	21.00		 Cisplatin Ebewe
Inj 1 mg for ECP	0.25	1 mg	✓ Baxter
YCLOPHOSPHAMIDE		-	
Tab 50 mg – PCT – Retail pharmacy-Specialist	79.00	50	Endoxan S29
	158.00	100	✓ Procytox \$29
Wastage claimable	150.00	100	• FIOCYLOX •
Inj 1 g vial – PCT – Retail pharmacy-Specialist	35.65	1	 Endoxan
	127.80	6	✓ Cytoxan
Inj 2 g vial – PCT only – Specialist		1	 Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
FOSFAMIDE – PCT only – Specialist		0	
Inj 1 g		1	 Holoxan
lnj 2 g		1	✓ Holoxan
Inj 1 mg for ECP		1 mg	✓ Baxter
OMUSTINE – PCT – Retail pharmacy-Specialist			
Cap 10 mg	132 50	20	✓ CeeNU
Cap 10 mg		20 20	✓ CeeNU ✓ CeeNU
		20	- 000110
IELPHALAN	40.70	05	
Tab 2 mg – PCT – Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg – PCT only – Specialist		1	 Alkeran

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per		Manufacturer
DXALIPLATIN – PCT only – Specialist				
Inj 5 mg per ml, 10 ml vial		1	1	Oxaliccord
Inj 50 mg vial		1	1	Oxaliplatin Actavis 50
	55.00		1	Oxaliplatin Ebewe
Inj 100 mg vial		1		Oxaliplatin Actavis
	110.00		1	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial		1		Oxaliccord
Inj 1 mg for ECP		1 mg	1	Baxter
HIOTEPA – PCT only – Specialist		Ū		
Inj 15 mg vial	CBS	1	1	Bedford S29
			1	THIO-TEPA S29
			1	Tepadina S29
Inj 100 mg vial	CBS	1		Tepadina S29
Antimetabolites				
ZACITIDINE - PCT only - Specialist - Special Authority see	SA1467 below			
Inj 100 mg vial	139.00	1	~	Azacitidine Dr Reddy's
	605.00		1	Vidaza
Inj 1 mg for ECP	0.00	1 mg		Baxter

➡SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
 - The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy (Manufacturer's Pri	co) Sub	Fully	Brand or Generic
	(International Contents Fill)	Per		Manufacturer
ALCIUM FOLINATE				
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	✓ C	BL Leucovorin Calcium
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist		5		lospira
Inj 10 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis		1		Calcium Folinate Sandoz
Inj 50 mg – PCT – Retail pharmacy-Specialist		5	✓ (Calcium Folinate Ebewe
Inj 10 mg per ml, 10 ml vial – PCT only – Specialist	7.30	1	✓ (Calcium Folinate Sandoz
Inj 100 mg - PCT only - Specialist	7.33	1	✓ (Calcium Folinate
Inj 300 mg - PCT only - Specialist	22.51	1	✓ (Calcium Folinate Ebewe
Inj 10 mg per ml, 35 ml vial – PCT only – Specialist	20.95	1	✓ (Calcium Folinate Sandoz
Inj 1 g – PCT only – Specialist	67.51	1	✓ (Calcium Folinate Ebewe
Inj 10 mg per ml, 100 ml vial – PCT only – Specialist	60.00	1	✓ (Calcium Folinate Sandoz
Inj 1 mg for ECP – PCT only – Specialist	0.06	1 mg	✓ E	Baxter
CAPECITABINE – Retail pharmacy-Specialist		Ū		
Tab 150 mg		60	🖌 E	Brinov
Tab 500 mg		120	_	Brinov
CLADRIBINE – PCT only – Specialist			-	
Inj 1 mg per ml, 10 ml	5.249.72	7	🗸 L	eustatin.
Inj 10 mg for ECP		10 mg OP	🖌 E	Baxter
YTARABINE		0		
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialis Inj 100 mg per ml, 20 ml vial – PCT – Retail	st400.00	5	✓ F	Pfizer
pharmacy-Specialist	41.36	1	🖌 F	fizer
Inj 1 mg for ECP – PCT only – Specialist		10 mg	🖌 E	Baxter
In 100 mg intrathecal syringe for ECP – PCT only – Specialis LUDARABINE PHOSPHATE		100 mg OP	✓ E	Baxter
Tab 10 mg – PCT – Retail pharmacy-Specialist	412.00	20	✓ F	ludara Oral
Inj 50 mg vial – PCT only – Specialist		5	-	ludarabine Ebewe
Inj 50 mg for ECP - PCT only - Specialist		50 mg OP		Baxter
LUOROURACIL		-		
Inj 50 mg per ml, 20 ml vial – PCT only – Specialist		1	🗸 F	luorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1	🗸 F	luorouracil Ebewe
Inj 50 mg per ml, 100 ml vial - PCT only - Specialist		1	🗸 F	luorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist		100 mg	✓ E	Baxter
Fluorouracil Ebewe Inj 50 mg per ml, 50 ml vial to be delisted 1 M	larch 2019)			
GEMCITABINE HYDROCHLORIDE – PCT only – Specialist				
Inj 1 g, 26.3 ml vial	62.50	1	-	BL Gemcitabine
Inj 1 g		1		emcitabine Ebewe
1 1 222	349.20	,		Gemzar
Inj 200 mg		1		Semcitabine Ebewe
Ini 1 mg for ECP	78.00	1 ma		Gemzar Baxtor
Inj 1 mg for ECP	0.02	1 mg	• 6	Baxter

fully subsidised
 Sole Subsidised Supply

(\$29) Unapproved medicine supplied under Section 29

	Qubaidu		Fully Brand or
	Subsidy (Manufacturer's Pri	ce) Subs	Fully Brand or sidised Generic
	\$	Per	 Manufacturer
RINOTECAN HYDROCHLORIDE – PCT only – Specialist			
Inj 20 mg per ml, 2 ml vial	11.50	1	 Irinotecan Actavis
			40
	41.00		 Camptosar
			 Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	 Irinotecan Actavis
			100
	100.00		 Camptosar
Init mention FOD	0.10	4	 ✓ Irinotecan-Rex ✓ Baxter
Inj 1 mg for ECP	0.19	1 mg	• Baxter
MERCAPTOPURINE	40.44		
Tab 50 mg – PCT – Retail pharmacy-Specialist		25	 Puri-nethol
Oral suspension 20 mg per ml – Retail pharmacy-Specialist		100	
Special Authority see SA1725 below		100 ml OP	 Allmercap
SA1725 Special Authority for Subsidy			
nitial application only from a paediatric haematologist or paedi	atric oncologist. A	pprovals valio	d for 12 months where the patier
requires a total dose of less than one full 50 mg tablet per day.	lagist Approvala	valid for 10 m	antha where notions still require
Renewal only from a paediatric haematologist or paediatric onco a total dose of less than one full 50 mg tablet per day.	logist. Approvais	valid for 12 m	ionths where patient still require
o i i j			
	0.10	30	✓ Trexate
 Tab 2.5 mg – PCT – Retail pharmacy-Specialist Tab 10 mg – PCT – Retail pharmacy-Specialist 		30 50	✓ Trexate
 Initial forming - POT - Retail pharmacy-Specialist Initial forming - POT - Retail pharmacy-Specialist 		5	 ✓ Hospira
 Inj 7.5 mg prefilled syringe 		1	✓ Methotrexate
			Sandoz
* Inj 10 mg prefilled syringe	14.66	1	 Methotrexate
			Sandoz
* Inj 15 mg prefilled syringe	14.77	1	 Methotrexate
			Sandoz
* Inj 20 mg prefilled syringe	14.88	1	 Methotrexate
			Sandoz
* Inj 25 mg prefilled syringe	14.99	1	 Methotrexate
			Sandoz
Inj 30 mg prefilled syringe	15.09	1	 Methotrexate
			Sandoz
Inj 25 mg per ml, 2 ml vial – PCT – Retail pharmacy-Specia	list30.00	5	 DBL Methotrexate
			Onco-Vial
Inj 25 mg per ml, 20 ml vial – PCT – Retail pharmacy-Speci	alist45.00	1	 DBL Methotrexate
			Onco-Vial
* Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialis	st25.00	1	 Methotrexate Ebewe
Inj 100 mg per ml, 50 ml vial – PCT – Retail			/
pharmacy-Specialist		1	✓ <u>Methotrexate Ebewe</u>
 Inj 1 mg for ECP – PCT only – Specialist Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist 		1 mg	 ✓ Baxter ✓ Baxter
		5 mg OP	
PEMETREXED – PCT only – Specialist – Special Authority see			
Inj 100 mg vial		1	✓ Juno Pemetrexed
Inj 500 mg vial Inj 1 mg for ECP		1 1 mg	 ✓ Juno Pemetrexed ✓ Baxter
IIIJ I IIIY IVI EVF	0.00	ing	

A Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

 $\ensuremath{\textbf{\#}}$ Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
\$	Per	1	Manufacturer

⇒SA1679 Special Authority for Subsidy

Initial application — (mesothelioma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with mesothelioma; and
- 2 Pemetrexed to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles.

Renewal — (mesothelioma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed to be administered at a dose of 500mg/m² every 21 days for a maximum of 6 cycles.

Initial application — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

1 Patient has locally advanced or metastatic non-squamous non-small cell lung carcinoma; and

2 Either:

- 2.1 Both:
 - 2.1.1 Patient has chemotherapy-naïve disease; and
 - 2.1.2 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles; or
- 2.2 All of the following:
 - 2.2.1 Patient has had first-line treatment with platinum based chemotherapy; and
 - 2.2.2 Patient has not received prior funded treatment with pemetrexed; and
 - 2.2.3 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days for a maximum of 6 cycles.

Renewal — (non-small cell lung carcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment; and
- 3 Pemetrexed is to be administered at a dose of 500mg/m² every 21 days.

THIOGUANINE - PCT - Retail pharmacy-Specialist

Tab 40 mg126.31	25	Lanvis
Other Cytotoxic Agents		
AMSACRINE – PCT only – Specialist		
Inj 50 mg per ml, 1.5 ml ampoule1,500.00	6	 Amsidine S29
Inj 75 mg1,250.00	5	 AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Specialist		
Cap 0.5 mgCBS	100	 Agrylin S29
		 Teva S29
ARSENIC TRIOXIDE – PCT only – Specialist		
Inj 10 mg4,817.00	10	✓ AFT \$29
BLEOMYCIN SULPHATE – PCT only – Specialist		
Inj 15,000 iu, vial161.01	1	 DBL Bleomycin
		Sulfate
Inj 1,000 iu for ECP12.45	1,000 iu	 Baxter

S29 Unapproved medicine supplied under Section 29

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully osidised	Brand or Generic Manufacturer
BORTEZOMIB - PCT only - Specialist - Special Authority see S	A1576 below			
Inj 3.5 mg vial	1,892.50	1	🗸 V	elcade
Inj 1 mg for ECP	594.77	1 mg	🗸 В	axter

⇒SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are unapproved indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are unapproved indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] - PCT only - Specialist

Inj 10,000 iu Inj 10,000 iu for ECP		1 10,000 iu OP	✓ Leunase✓ Baxter
DACARBAZINE – PCT only – Specialist			
Inj 200 mg vial	58.06	1	 DBL Dacarbazine
	580.60	10	 Dacarbazine APP \$29
Inj 200 mg for ECP	58.06	200 mg OP	 Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial	166.75	1	 Cosmegen
Inj 0.5 mg for ECP	166.75	0.5 mg OP	✓ Baxter
DAUNORUBICIN - PCT only - Specialist			
lnj 2 mg per ml, 10 ml	130.00	1	 Pfizer
Inj 20 mg for ECP	130.00	20 mg OP	 Baxter

	Subsidy		Fully	
()	/lanufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
OCETAXEL – PCT only – Specialist	•			
Inj 10 mg per ml, 2 ml vial	12 40	1	1	DBL Docetaxel
Inj 20 mg		1	-	Docetaxel Sandoz
Inj 10 mg per ml, 8 ml vial		1		DBL Docetaxel
Inj 80 mg		1		Docetaxel Sandoz
Inj 1 mg for ECP		1 mg		Baxter
OXORUBICIN HYDROCHLORIDE – PCT only – Specialist		0		
Inj 2 mg per ml, 5 ml vial	10.00	1	1	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Doxorubicin Ebewe
	17.00	•		Arrow-Doxorubicin
Inj 2 mg per ml, 50 ml vial		1	-	Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1		Doxorubicin Ebewe
	65.00			Arrow-Doxorubicin
Inj 1 mg for ECP		1 mg		Baxter
PIRUBICIN HYDROCHLORIDE - PCT only - Specialist		5		
Inj 2 mg per ml, 5 ml vial	25.00	1	1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Epirubicin Ebewe
Inj 2 mg per ml, 50 ml vial		1		Epirubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1		Epirubicin Ebewe
Inj 1 mg for ECP		1 mg		Baxter
TOPOSIDE		g		
Cap 50 mg – PCT – Retail pharmacy-Specialist	340 73	20	1	Vepesid
Cap 100 mg – PCT – Retail pharmacy-Specialist		10		Vepesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist		1		Rex Medical
Inj 1 mg for ECP – PCT only – Specialist		1 mg		Baxter
, , ,	0.09	i iliy	•	Daxlei
TOPOSIDE PHOSPHATE – PCT only – Specialist	40.00	4		Etononhoo
Inj 100 mg (of etoposide base)		1	-	Etopophos Baxter
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	•	Daxier
YDROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	~	Hydrea
DARUBICIN HYDROCHLORIDE				
Inj 5 mg vial – PCT only – Specialist	93.00	1	✓	Zavedos
Inj 10 mg vial – PCT only – Specialist		1	✓	Zavedos
Inj 1 mg for ECP – PCT only – Specialist	21.84	1 mg	✓	Baxter
ENALIDOMIDE – Retail pharmacy-Specialist – Special Authority s Wastage claimable	see SA1468 below			
Cap 10 mg	6,207.00	21	✓	Revlimid
Cap 15 mg		21		Revlimid
Cap 25 mg		21	✓	Revlimid

⇒SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Patient has relapsed or refractory multiple myeloma with progressive disease; and

2 Either:

2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or

2.2 Both:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and

2.2.2 The patient has experienced severe (grade 3 or higher), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and

3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an unapproved indication. A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA		
Tab 400 mg – PCT – Retail pharmacy-Specialist	50	 Uromitexan
Tab 600 mg – PCT – Retail pharmacy-Specialist	50	 Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist	15	 Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist	15	 Uromitexan
Inj 1 mg for ECP – PCT only – Specialist	100 mg	✓ Baxter
MITOMYCIN C – PCT only – Specialist		
Inj 5 mg vial204.08	1	 Arrow
Inj 1 mg for ECP42.04	1 mg	✓ Baxter
MITOZANTRONE – PCT only – Specialist		
Inj 2 mg per ml, 10 ml vial97.50	1	 Mitozantrone Ebewe
Inj 1 mg for ECP5.51	1 mg	 Baxter
PACLITAXEL – PCT only – Specialist		
Inj 30 mg47.30	5	Paclitaxel Ebewe
Inj 100 mg20.00	1	Paclitaxel Ebewe
91.67		Paclitaxel Actavis
Inj 150 mg26.69	1	Paclitaxel Ebewe
137.50		 Anzatax
		 Paclitaxel Actavis
Inj 300 mg35.35	1	Paclitaxel Ebewe
275.00		✓ Anzatax
		✓ Paclitaxel Actavis
Inj 1 mg for ECP0.19	1 mg	✓ Baxter
PEGASPARGASE – PCT only – Special Authority see SA1325 below	č	
Inj 3,750 IU per 5 ml	1	 Oncaspar S29
	I	

⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

1 The patient has newly diagnosed acute lymphoblastic leukaemia; and

2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and

3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
continued				
for 12 months for applications meeting the following criteria: All of the following:				
 The patient has relapsed acute lymphoblastic leukaemia; a Pegaspargase to be used with a contemporary intensive m Treatment is with curative intent. 		rapy	treatment p	protocol; and
PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialist				
Inj 10 mg	CBS	1	✓	Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-	Specialist			
Cap 50 mg		50	✓	Natulan S29
TEMOZOLOMIDE - Special Authority see SA1741 below - Retai	l pharmacv			
Cap 5 mg		5	✓	Orion
				Temozolomide
Cap 20 mg		5	~	Orion
				Temozolomide
				Temizole 20 S29
Cap 100 mg		5	~	Orion
				Temozolomide
Cap 140 mg		5	~	Orion
0 050	00.00	~		Temozolomide
Cap 250 mg		5	•	Orion Tomozolomido
				Temozolomide

⇒SA1741 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Initial application — (ewing's sarcoma) only from a relevant specialist. Approvals valid for 9 months where the patient has relapsed/refractory Ewing's sarcoma.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 Both:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

1.1 Patient has glioblastoma multiforme; and

1.2 The treatment remains appropriate and the patient is benefitting from treatment; or

- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

2 The treatment remains appropriate and the patient is benefitting from treatment.

Renewal — (ewing's sarcoma) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an unapproved indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE - Retail pharmacy-Specialist - Special Aut	hority see SA1124 below
--	-------------------------

Cap 50 mg		28	 Thalomid
Cap 100 mg	756.00	28	 Thalomid

➡SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an unapproved indication.

TRETINOIN

Cap 10 mg - PCT - Retail pharmacy-Specialist	100	 Vesanoid
VINBLASTINE SULPHATE Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist 186.46	5	✓ Hospira
Inj 1 mg for ECP – PCT only – Specialist	1 mg	✓ Baxter
VINCRISTINE SULPHATE Inj 1 mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist74.52	5	✓ DBL Vincristine
	5	Sulfate
Inj 1 mg per ml, 2 ml vial – PCT – Retail pharmacy-Specialist85.61	5	 DBL Vincristine Sulfate
Inj 1 mg for ECP – PCT only – Specialist11.30	1 mg	 Baxter

	Subsidy		Fully	
	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
	Ŷ	1 01		Manalaotaloi
VINORELBINE – PCT only – Specialist				
Inj 10 mg per ml, 1 ml vial	8.00	1		Navelbine
	42.00		✓	Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial		1	✓	Navelbine
	210.00		✓	Vinorelbine Ebewe
Inj 1 mg for ECP	0.90	1 mg	1	Baxter
Protein-tyrosine Kinase Inhibitors DASATINIB – Special Authority see SA0976 below – [Xpharm]				
Tab 20 mg	3,774.06	60	1	Sprycel
	,	60		Sprycel
Tab 50 mg				
Tab 70 mg		60		Sprycel
Tab 100 mg	6 21 / 20	30		Sprycel

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: cmlgistcoordinator@pharmac.govt.nz
Wellington	

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

	Subsidy (Manufacturer's Price) \$	Pe	Fully Subsidised r	
ERLOTINIB – Retail pharmacy-Specialist – Special Authority se	e SA1653 below			
Tab 100 mg		30		Tarceva
Tab 150 mg	1,146.00	30	~	Tarceva
 SA1653 Special Authority for Subsidy Initial application only from a relevant specialist or medical prace Approvals valid for 4 months for applications meeting the following: Patient has locally advanced or metastatic, unresectable, There is documentation confirming that the disease expres Either: Patient is treatment naive; or Patient has locally advanced discontinued gefitinib due t	ng criteria: non-squamous Non 5 sses activating mutat o intolerance; and nib; and n the recommendatio	Smal ions n of a	I Cell Lung of EGFR t	Cancer (NSCLC); and yrosine kinase; and
for 6 months where radiological assessment (preferably including GEFITINIB – Retail pharmacy-Specialist – Special Authority see		ISCI	LC has not	progressed.
Tab 250 mg		30	~	Iressa
Initial application only from a relevant specialist or medical prac Approvals valid for 4 months for applications meeting the followin All of the following: 1 Patient has locally advanced, or metastatic, unresectable	ng criteria:			
 2 Either: 2.1 Patient is treatment naive; or 2.2 Both: 				
2.2.1 The patient has discontinued erlotinib due to 2.2.2 The cancer did not progress whilst on erlot				
3 There is documentation confirming that disease expresse4 Gefitinib is to be given for a maximum of 3 months.	s activating mutations	s of E	EGFR tyros	ine kinase; and
Renewal only from a relevant specialist or medical practitioner or for 6 months where radiological assessment (preferably including				
IMATINIB MESILATE				
Note: Imatinib-AFT is not a registered for the treatment of G imatinib mesilate (supplied by Novartis) remains fully subsidi metastatic malignant GIST, see SA1460 in Section B of the I Tab 100 mg – Special Authority see SA1460 below –	sed under Special Au	thor	ity for patie	
[Xpharm]	2,400.00	60	1	Glivec
* Cap 100 mg		60		Imatinib-AFT
<u>* Cap 400 mg</u>	197.50	30	1	Imatinib-AFT
⇒SA1460 Special Authority for Subsidy Special Authority approved by the CML/GIST Co-ordinator				
Notes: Application details may be obtained from PHARMAC's w sent to:	ebsite <u>http://www.pha</u>	rma	<u>c.govt.nz</u> , a	and prescriptions should be

Subsidy (Manufacturer's Price)	Fi Subsidis	ully	Brand or Generic
\$	Per	✓	Manufacturer

continued...

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: cmlgistcoordinator@pharmac.govt.nz
Wellington	

Special Authority criteria for GIST - access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

Tab 250 mg 1,899.00 70 🗸 Tykerb

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 on the next page - Retail pharmacy

Wastage claimable		
Cap 150 mg4,680.0	0 120	🗸 Tasigna
Cap 200 mg6,532.0	0 120	🗸 Tasigna

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	1	Manufacturer	

⇒SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and 2 Either:

2.1 Patient has documented CML treatment failure* with imatinib; or

2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and

- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg1,334.70) 30	Votrient
Tab 400 mg2,669.40) 30	 Votrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of less than or equal to 70; or
 - 5.6 2 or more sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

	Subsidy (Manufacturer's Price) \$	Per		
RUXOLITINIB - Special Authority see SA1753 below - Retail ph	armacy			
Wastage claimable			_	
Tab 5 mg	2,500.00	56	~	Jakavi
Tab 15 mg	5,000.00	56	✓	Jakavi
Tab 20 mg	5,000.00	56	✓	Jakavi
- CA1752 Created Authority for Subaidy				

⇒SA1753 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has primary myelofibrosis or post-polycythemia vera myelofibrosis or post-essential thrombocythemia myelofibrosis; and
- 2 A classification of risk of intermediate-2 or high-risk myelofibrosis according to either the International Prognostic Scoring System (IPSS), Dynamic International Prognostic Scoring System (DIPSS), or the Age-Adjusted DIPSS; and
- 3 A maximum dose of 20 mg twice daily is to be given.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 A maximum dose of 20 mg twice daily is to be given.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg		28	 Sutent
Cap 25 mg	4,630.77	28	 Sutent
Cap 50 mg	9,261.54	28	 Sutent

➡SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of less than or equal to 70; or
 - 5.6 2 or more sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application - (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant

Subsidy	Fully	/ Brand or	
(Manufacturer's Price)	Subsidised	d Generic	
\$	Per 🗸	Manufacturer	

continued...

specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
 - 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 82

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
- 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE

Tab 50 mg	3.80	28	 Binarex
FLUTAMIDE – Retail pharmacy-Specialist			
Tab 250 mg	16.50	30	✓ Flutamide
	55.00	100	Mylan S29 Flutamin
MEGESTROL ACETATE – Retail pharmacy-Specialist			
Tab 160 mg	63.53	30	Apo-Megestrol
Apo-Megestrol to be Sole Supply on 1 November 20	18		
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial		5	DBL Octreotide
Inj 100 mcg per ml, 1 ml vial		5	✓ DBL Octreotide
Inj 500 mcg per ml, 1 ml vial	72.50	5	 DBL Octreotide
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Spec	al Authority see SA1	016 below –	Retail pharmacy
Inj LAR 10 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe		1	 Sandostatin LAR
Inj LAR 30 mg prefilled syringe		1	 Sandostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas; and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. TAMOXIFEN CITRATE

*	Tab 10 mg	100	🗸 Genox
*	Tab 20 mg2.63	30	🗸 Genox
	12.50	100	 Genox

Aromatase Inhibitors

ANASTROZOLE		
* Tab 1 mg5.04	30	✓ <u>Rolin</u>
EXEMESTANE		
* Tab 25 mg14.50	30	 Pfizer Exemestane

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Generic
LETROZOLE				
* Tab 2.5 mg	4.68	30	1	Letrole
	5.90	60	✓	Letromyl
Letrole to be Sole Supply on 1 December 2018				
(Letromyl Tab 2.5 mg to be delisted 1 November 2018)				
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE – Retail pharmacy-Specialist				
* Tab 25 mg	9.66	100	✓	Imuran
* Tab 50 mg		100		Imuran
* Inj 50 mg vial	60.00	1	✓	Imuran
MYCOPHENOLATE MOFETIL				
Tab 500 mg	25.00	50	✓	Cellcept
Cap 250 mg	25.00	100		Cellcept
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement		165 ml C		Cellcept
Mycophenolate powder for oral liquid is subsidised only the prescription is endorsed accordingly.	for patients unable	to swallo	ow tablets	and capsules, and when
Fusion Proteins				
ETANERCEPT – Special Authority see SA1620 below – Retail p	harmacy			

LIANLINCEI I - Special Authonity see SATOZO below	– netali phannacy		
Inj 25 mg		4	 Enbrel
Inj 50 mg autoinjector		4	 Enbrel
Inj 50 mg prefilled syringe	-	4	 Enbrel
J	,		

⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
- 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	1	Manufacturer

- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

```
1 Both:
```

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulfasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are unapproved indications.

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	:	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	lised	Generic
\$	Per	✓	Manufacturer

continued...

2 Either:

- 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
- 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
 - 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
 - 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
 - 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal - (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist.

Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
 - 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
 - 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

continued...

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price)	:	Subsidised	Generic
\$	Per	✓	Manufacturer

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist Inj 50 mg per ml, 5 ml2,351.25	5	🖌 ATGAM					
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer.							
Inj 2-8 × 100 million CFU149.37	1	 OncoTICE 					
Monoclonal Antibodies							
ADALIMUMAB – Special Authority see SA1742 below – Betail pharmacy							

ADALINIONAD - Special Authonity see SA1742 below - A	etali phannacy		
Inj 20 mg per 0.4 ml prefilled syringe		2	🗸 Humira
Inj 40 mg per 0.8 ml prefilled pen		2	 HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe		2	🗸 Humira

⇒SA1742 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease - adults) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (Crohn's disease - children) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Paediatric patient has severe active Crohn's disease; and
- 2 Either:
 - 2.1 Patient has a Paediatric Crohn's Disease Activity Index (PCDAI) score of greater than or equal to 30; or
 - 2.2 Patient has extensive small intestine disease; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or

2 All of the following:

2.1 Either:

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
continued			
5-54 years - Male: 6.0 cm; Female: 5.0 cm			
5-64 years - Male: 5.5 cm; Female: 4.0 cm			
5-74 years - Male: 4.0 cm; Female: 4.0 cm			
'5+ years - Male: 3.0 cm; Female: 2.5 cm nitial application — (psoriatic arthritis) only from a l	rheumatologist Approvals vali	id for 6 months fo	r applications meeting the
ollowing criteria:	meumatologist. Approvais val		applications meeting the
Either:			
1 Both:			
 The patient has had an initial Special Aut Either: 	hority approval for etanercept	for psoriatic arthri	tis; and
	arable side offects from atomor	aanti ar	
 1.2.1 The patient has experienced intole 1.2.2 The patient has received insufficience psoriatic arthritis; or 			criteria for etanercept for
2 All of the following:			
2.1 Patient has had severe active psoriatic a	rthritic for civ months duration	or longor: and	
2.2 Patient has tried and not responded to at			rexate at a dose of at leas
20 mg weekly or a maximum tolerated do			
2.3 Patient has tried and not responded to at			f at least 2 g per day or
leflunomide at a dose of up to 20 mg dail	y (or maximum tolerated doses	s); and	
2.4 Either:			
2.4.1 Patient has persistent symptoms of or	of poorly controlled and active	disease in at leas	t 15 swollen, tender joints
2.4.2 Patient has persistent symptoms	of poorly controlled and active	disease in at leas	t four joints from the
following: wrist, elbow, knee, ank			
2.5 Any of the following:	, , , , , , , , , , , , , , , , , , , ,		
2.5.1 Patient has a C-reactive protein le	evel greater than 15 mg/L meas	sured no more that	an one month prior to the
date of this application; or			
2.5.2 Patient has an elevated erythrocy			
2.5.3 ESR and CRP not measured as p 5 mg per day and has done so for		ednisone therapy	at a dose of greater than
nitial application — (juvenile idiopathic arthritis) or		rheumatologist	Approvale valid for 6
nonths for applications meeting the following criteria:	ny nom a nameu specialist or i	meanaloiogist. /	hphovais valiu iui 0
Either:			

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with JIA; and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

continued...

2.5 Both:

2.5.1 Either:

- 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
- 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
- 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has confirmed Crohn's disease; and

2 Either:

- 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
- 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are unapproved indications.

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either: 1 Both:

1.1 Fither:

- 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
- 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

	Subsidy	Fully	Brand or
(Manufa	acturer's Price) Subs	idised	Generic
	\$ Per	1	Manufacturer

continued...

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and

4 Either:

- 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
- 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease - adults) only from a gastroenterologist or Practitioner on the recommendation of a

gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Crohn's disease - children) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Either:
 - 2.1 Either:
 - 2.1.1 PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 PCDAI score is 15 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but PCDAI score cannot be assessed; and

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.2.2 Applicant to indicate the reason that PCDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
 - 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
 - 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.
- AFLIBERCEPT Special Authority see SA1726 on the next page Retail pharmacy

Inj 40 mg per ml, 0.1 ml vial	1,250.00	1	🗸 Eylea
-------------------------------	----------	---	---------

*Three months or six months, as applicable, dispensed all-at-once

Subsidy	Ful	y Brand or
(Manufacturer's		d Generic
\$	Per 🖌	Manufacturer

► SA1726 Special Authority for Subsidy

Initial application — (wet age related macular degeneration) only from an ophthalmologist. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Any of the following:
 - 1.1.1 Wet age-related macular degeneration (wet AMD); or
 - 1.1.2 Polypoidal choroidal vasculopathy; or
 - 1.1.3 Choroidal neovascular membrane from causes other than wet AMD; and
 - 1.2 Either:
 - 1.2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab; or
 - 1.2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart; and
 - 1.3 There is no structural damage to the central fovea of the treated eye; and
 - 1.4 Patient has not previously been treated with ranibizumab for longer than 3 months; or
- 2 Any of the following:
 - 2.1 Patient has current approval to use ranibizumab for treatment of wAMD and was found to be intolerant to ranibizumab within 3 months; or
 - 2.2 Patient has previously* (*before June 2018) received treatment with ranibizumab for wAMD and disease was stable while on treatment; or
 - 2.3 Patient has current approval to use ranibizumab for treatment of wAMD; or
 - 2.4 Patient is currently receiving treatment with aflibercept and has documented previous poor response to bevacizumab.

Note: Criteria 2.3 and 2.4 will be removed from 1 January 2019.

Initial application — (diabetic macular oedema) only from an ophthalmologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has centre involving diabetic macular oedema (DMO); and
 - 1.2 Patient's disease is non responsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly; and
 - 1.3 Patient has reduced visual acuity between 6/9 6/36 with functional awareness of reduction in vision; and
 - 1.4 Patient has DMO within central OCT (ocular coherence tomography) subfield > 350 micrometers; and
 - 1.5 There is no centre-involving sub-retinal fibrosis or foveal atrophy; or

2 Patient is currently receiving treatment with aflibercept and has documented previous poor response to bevacizumab.

Note: Criterion 2 will be removed from 1 January 2019.

Renewal — (wet age related macular degeneration) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Documented benefit must be demonstrated to continue; and
- 2 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 3 There is no structural damage to the central fovea of the treated eye.

Renewal — (diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 There is stability or two lines of Snellen visual acuity gain; and

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
 continued 2 There is structural improvement on OCT scan (with redu fluid); and 3 Patient's vision is 6/36 or better on the Snellen visual act 4 There is no centre-involving sub-retinal fibrosis or foveal 5 After each consecutive 12 months treatment with [2nd lir injection of bevacizumab and had no response. 	uity score; and atrophy; and			
CETUXIMAB – PCT only – Specialist – Special Authority see S Inj 5 mg per ml, 20 ml vial Inj 5 mg per ml, 100 ml vial Inj 1 mg for ECP		1 1 1 mg	✓ E	Erbitux Erbitux Baxter
 SA1697 Special Authority for Subsidy Initial application only from a medical oncologist or medical pra Approvals valid for 6 months for applications meeting the followi All of the following: Patient has locally advanced, non-metastatic, squamous Patient is contraindicated to, or is intolerant of, cisplatin; Patient has good performance status; and To be administered in combination with radiation therapy 	ng criteria: cell cancer of the hea and			nedical oncologist.
OBINUTUZUMAB – PCT only – Specialist – Special Authority s Inj 25 mg per ml, 40 ml vial Inj 1 mg for ECP	5,910.00 6.21	1 1 mg Approva	✓ E	Gazyva Baxter or 12 months for
 All of the following: 1 The patient has progressive Binet stage A, B or C CD20- 2 The patient is obinutuzumab treatment naive; and 3 The patient is not eligible for full dose FCR due to comor (CIRS) or reduced renal function (creatinine clearance < 4 Patient has adequate neutrophil and platelet counts* unle CLL; and 5 Patient has good performance status; and 	bidities with a score > 70mL/min); and	6 on the	Cumulat	tive Illness Rating Scale
6 Obinutuzumab to be administered at a maximum cumula maximum of 6 cycles. Notes: Chronic lymphocytic leukaemia includes small lymphocy than CLL induced illness/impairment in the patient. 'Good perfortemporarily debilitated by their CLL disease symptoms a higher is expected to improve symptoms and improve ECOG score to * Neutrophil greater than or equal to 1.5 × 10 ⁹ /L and platelets gr	rtic lymphoma. Como rmance status' means ECOG (2 or 3) is acce < 2.	rbidity rel ECOG s eptable w	fers only score of (here trea	to illness/impairment other D-1, however, in patients
OMALIZUMAB – Special Authority see SA1744 below – Retail Inj 150 mg prefilled syringe Inj 150 mg vial SA1744 Special Authority for Subsidy	pharmacy 450.00 450.00	1 1	✓ X ✓ X	Colair Colair rovals valid for 6 months

Initial application — (severe asthma) only from a respiratory specialist or clinical immunologist. Approvals valid for 6 months for applications meeting the following criteria:

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	/ Brand or	
(Manufacturer's Price)	Subsidised	d Generic	
\$	Per 🗸	Manufacturer	

continued...

All of the following:

- 1 Patient must be aged 6 years or older; and
- 2 Patient has a diagnosis of severe asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven adherence with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1,600 mcg per day or fluticasone propionate 1,000 mcg per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 mcg bd or eformoterol 12 mcg bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Either:
 - 6.1 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; or
 - 6.2 Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral steroids; and
- 7 Patient has an Asthma Control Test (ACT) score of 10 or less; and
- 8 Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 26 weeks after the first dose to assess response to treatment.

Initial application — (severe chronic spontaneous urticaria) only from a clinical immunologist or dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient must be aged 12 years or older; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient is symptomatic with Urticaria Activity Score 7 (UAS7) of 20 or above; and
 - 2.1.2 Patient has a Dermatology life quality index (DLQI) of 10 or greater; or
 - 2.2 Patient has a Urticaria Control Test (UCT) of 8 or less; and
- 3 Any of the following:
 - 3.1 Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and ciclosporin (> 3 mg/kg day) for at least 6 weeks; or
 - 3.2 Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and at least 3 courses of systemic corticosteroids (> 20 mg prednisone per day for at least 5 days) in the previous 6 months; or
 - 3.3 Patient has developed significant adverse effects whilst on corticosteroids or ciclosporin; and
- 4 Either:
 - 4.1 Treatment to be stopped if inadequate response* following 4 doses; or
 - 4.2 Complete response* to 6 doses of omalizumab.

Renewal — (severe asthma) only from a clinical immunologist or respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 An increase in the Asthma Control Test (ACT) score of at least 5 from baseline; and
- 2 A reduction in the maintenance oral corticosteroid dose or number of exacerbations of at least 50% from baseline.

Renewal — (severe chronic spontaneous urticaria) only from a clinical immunologist or dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Patient has previously adequately responded* to 6 doses of omalizumab; or

2 Both:

- 2.1 Patient has previously had a complete response* to 6 doses of omalizumab; and
- 2.2 Patient has relapsed after cessation of omalizumab therapy.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

Note: *Inadequate response defined as less than 50% reduction in baseline UAS7 and DLQI score, or an increase in Urticaria Control Test (UCT) score of less than 4 from baseline. Patient is to be reassessed for response after 4 doses of omalizumab. Complete response is defined as UAS7 less than or equal to 6 and DLQI less than or equal to 5; or UCT of 16. Relapse of chronic urticaria on stopping prednisone/ciclosporin does not justify the funding of omalizumab.

PERTUZUMAB - PCT only - S	Specialist – Special Authority see SA1606 below
---------------------------	---

Inj 30 mg per ml, 14 ml vial	 1	 Perjeta
Inj 420 mg for ECP	 420 mg OP	 Baxter

⇒SA1606 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 Patient is chemotherapy treatment naïve; or
 - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1686 below

Inj 100 mg per 10 ml vial		2	 Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	 Mabthera
Inj 1 mg for ECP	5.64	1 mg	 Baxter

SA1686 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are unapproved indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or

Subsidy		Fully	Brand or	
(Manufacturer's Price	e)	Subsidised	Generic	
\$	Per	-	Manufacturer	

continued...

- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia **Initial application — (Chronic Lymphocytic Leukaemia)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient does not have chromosome 17p deletion CLL; and
- 6 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles; and
- 7 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2. **Renewal — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant

specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are unapproved indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.
- Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had an interval of 36 months or more since commencement of initial rituximab treatment; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SECUKINUMAB - Special Authority see SA1754 below - Retail pharmacy

Inj 150 mg per ml, 1 ml prefilled syringe		2	 Cosentyx
---	--	---	------------------------------

⇒SA1754 Special Authority for Subsidy

Initial application — (severe chronic plaque psoriasis – second-line biologic) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had an initial Special Authority approval for adalimumab or etanercept, or has trialled infliximab in a DHB hospital in accordance with the General Rules of the Pharmaceutical Schedule, for severe chronic plaque psoriasis; and 2 Ethern
- 2 Either:
 - 2.1 The patient has experienced intolerable side effects from adalimumab, etanercept or infliximab; or
 - 2.2 The patient has received insufficient benefit from adalimumab, etanercept or infliximab; and
- 3 A Psoriasis Area and Severity Index (PASI) assessment or Dermatology Quality of Life Index (DLQI) assessment has been completed for at least the most recent prior treatment course, preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI or DQLI assessment is no more than 1 month old at the time of application.

Initial application — (severe chronic plaque psoriasis – first-line biologic) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
- 3 A PASI assessment or Dermatology Quality of Life Index (DLQI) assessment has been completed for at least the most recent prior treatment course, preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI or DQLI assessment is no more than 1 month old at the time of application.

Note: A treatment course is defined as a minimum of 12 weeks of treatment. "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 10, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom sub scores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Renewal — (severe chronic plaque psoriasis – first and second-line biologic) only from a dermatologist or medical practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient's PASI score has reduced by 75% or more (PASI 75) as compared to baseline PASI prior to commencing secukinumab; or
 - 1.2 Patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, as compared to baseline DLQI prior to commencing secukinumab; and
- 2 Secukinumab to be administered at a maximum dose of 300 mg monthly.

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater	than 11 mg/kg ever	y 3 weeks.	
Inj 100 mg vial	770.57	1	 Sylvant
Inj 400 mg vial		1	 Sylvant

⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1632 below

Inj 150 mg vial		1	 Herceptin
Inj 440 mg vial		1	 Herceptin
Inj 1 mg for ECP	9.36	1 mg	 Baxter

➡SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

	Subsidy	Fu	ully	Brand or
(Man	ufacturer's Price)	Subsidis	sed	Generic
	\$	Per	✓	Manufacturer

continued...

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 2.2 Both:
 - 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:
 - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or 3.2 Both

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	lbsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
- 3.2.2 The cancer did not progress whilst on lapatinib; or
- 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and 4 Either:
 - 4.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 4.2 All of the following:
 - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

NIVOLUMAB - PCT only - Specialist - Special Authority see SA1656 belo	W	
Inj 10 mg per ml, 4 ml vial1,051.	98 1	 Opdivo
Inj 10 mg per ml, 10 ml vial2,629.		 Opdivo
Inj 1 mg for ECP27.	62 1 mg	 Baxter

⇒SA1656 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
 - 4.1 Patient has not received funded pembrolizumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 5 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB - PCT only - Specialist - Special Authority see SA1657 below

Inj 50 mg vial	2,340.00	1	🗸 Keytruda
Inj 1 mg for ECP		1 mg	 Baxter

⇒SA1657 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
 - 4.1 Patient has not received funded nivolumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on nivolumab; and
- 5 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note); or

		Fully	Brand or
(Manufactu	urer's Price) Subsic	lised	Generic
	\$ Per	1	Manufacturer

continued...

- 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
- 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg		50	Neoral
Cap 50 mg		50	 Neoral
Cap 100 mg		50	 Neoral
Oral liq 100 mg per ml		50 ml OP	 Neoral
EVEROLIMUS - Special Authority see SA1491 below -	 Retail pharmacy 		
Wastage claimable			
Tab 10 mg	6,512.29	30	 Afinitor
Tab 5 mg	4,555.76	30	 Afinitor

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient has tuberous sclerosis; and

2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

	Subsidy (Manufacturer's Price \$		Fully Subsidised	
SIROLIMUS – Special Authority see SA0866 below – Retail phar	macy			
Tab 1 mg	749.99	100		Rapamune
Tab 2 mg	1,499.99	100	✓	Rapamune
Oral liq 1 mg per ml		60 ml C	DP 🗸	Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min; or
- · Rapidly progressive transplant vasculopathy; or
- · Rapidly progressive obstructive bronchiolitis; or
- · HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS – Special Authority see SA1745 below – Retail pharmacy

Cap 0.5 mg	55.64	100	 Tacrolimus Sandoz
Cap 1 mg	111.28	100	 Tacrolimus Sandoz
Cap 5 mg	278.20	50	 Tacrolimus Sandoz

⇒SA1745 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Initial application — (non-transplant indications*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient requires long-term systemic immunosuppression; and
- 2 Ciclosporin has been trialled and discontinued treatment because of unacceptable side effects or inadequate clinical response.
- Note: Indications marked with * are unapproved indications

	Subsidy (Manufacturer's Price)	Subr	Fully	Brand or Generic
	(Manulaciulei S Flice) \$	Per	siuiseu ✓	Manufacturer
Antiallergy Preparations				
Allergic Emergencies				
ICATIBANT – Special Authority see SA1558 below – Retail pharn Inj 10 mg per ml, 3 ml prefilled syringe		1	✓ Fi	irazyr
SA1558 Special Authority for Subsidy Initial application only from a clinical immunologist or relevant sp the following criteria: Both:	ecialist. Approvals v	valid for 12	2 month	s for applications meeting
 Supply for anticipated emergency treatment of laryngeal/or angioedema (HAE) for patients with confirmed diagnosis of 2 The patient has undergone product training and has agreed Renewal from any relevant practitioner. Approvals valid for 12 mod 	C1-esterase inhibited upon an action pla	or deficien n for self-a	cy; and administ	ration.
s benefiting from treatment.				
Allergy Desensitisation				
Initial application only from a relevant specialist. Approvals valid Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitis Renewal only from a relevant specialist. Approvals valid for 2 yea bachfing from tractment	ing agent.		Ū	Ū
benefiting from treatment. BEE VENOM ALLERGY TREATMENT – Special Authority see S/	A1367 above – Reta	il pharma	су	
Maintenance kit - 6 vials 120 mcg freeze dried venom, with diluent	285.00	1 OP	🗸 V	enomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent	205.00	1 OP		lhov
9 ml, 3 diluent 1.8 ml Treatment kit - 1 vial 550 mcg freeze dried venom, with diluen		1 OP 1 OP	✓ А ✓ н	ymenoptera S29
WASP VENOM ALLERGY TREATMENT - Special Authority see		-		Junonoptora
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze		an priarit	laby	
dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	🗸 A	lbey
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried venom, with diluent	305.00	1 OP	✔ н	ymenoptera S29
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent		1 OP	✓ V	enomil S29
Treatment kit (Yellow Jacket venom) - 1 vial 550 mcg freeze		-	-	
dried venom, with diluent	305.00	1 OP	✔ Н	ymenoptera S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze	205.00	1 OP		lbov
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	IUP	🗸 A	ibey

✓ Venomil S29

Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze

1 OP

	Subsidy		Fully	
	(Manufacturer's P \$	rice) Subsi Per		Generic Manufacturer
Antihistamines				
CETIRIZINE HYDROCHLORIDE				
* Tab 10 mg	1.01	100	1	Zista
* Oral liq 1 mg per ml	2.99	200 ml	✓	Histaclear
CHLORPHENIRAMINE MALEATE				
* Oral liq 2 mg per 5 ml	8.06	500 ml	1	Histafen
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg	2.02	40		
	(8.40)			Polaramine
	1.01	20		Deleremine
* Oral liq 2 mg per 5 ml	(5.99)	100 ml		Polaramine
	(10.29)	TOO IIII		Polaramine
FEXOFENADINE HYDROCHLORIDE	(10.20)			
* Tab 60 mg	4 34	20		
	(8.23)	20		Telfast
* Tab 120 mg		10		
-	(8.23)			Telfast
	14.22	30		
	(26.44)			Telfast
LORATADINE				
* Tab 10 mg		100		Lorafix
* Oral liq 1 mg per ml	2.15	120 ml	•	Lorfast
PROMETHAZINE HYDROCHLORIDE	1.00	50		A 11
* Tab 10 mg		50 50		Allersoothe
* Tab 25 mg * Oral lig 1 mg per 1 ml		100 ml		Allersoothe
 Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a F 		5	-	Hospira
TRIMEPRAZINE TARTRATE				
Oral liq 30 mg per 5 ml	2.79	100 ml OP		
	(8.06)			Vallergan Forte
(Vallergan Forte Oral liq 30 mg per 5 ml to be delisted 1 February	/ 2019)			
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose	9.30	200 dose OP	1	Qvar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP	1	Beclazone 50
Aerosol inhaler, 100 mcg per dose		200 dose OP	✓	Qvar
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP	-	Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 dose OP	1	Beclazone 250
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	~	Pulmicort
Powder for inhalation, 200 mcg per dose	10.00	200 dose OP	1	Turbuhaler Pulmicort
Fowuer for initialation, 200 mcg per dose		200 dose OP	v	Turbuhaler
Powder for inhalation, 400 mcg per dose	32 00	200 dose OP	1	Pulmicort
· ····································		200 0000 01	-	Turbuhaler

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's	Price)	Subsidised	Generic
	\$	Per	1	Manufacturer
FLUTICASONE				
	4.00	100 1	~~ (
Aerosol inhaler, 50 mcg per dose		120 dose	•	Floair
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose	-	Flixotide
Powder for inhalation, 50 mcg per dose	7.50	60 dose	OP 🗸	Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose	OP 🖌	Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose		120 dose		Floair
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose	•	Flixotide
Aerosol inhaler, 250 mcg per dose		120 dose	-	Floair
			-	
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose	-	Flixotide
Powder for inhalation, 250 mcg per dose	13.60	60 dose	OP 🗸	Flixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonis	ts			
EFORMOTEROL FUMARATE	40.00	00 -1	00	
Powder for inhalation, 6 mcg per dose, breath activated		60 dose	JP	
	(16.90)			Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose devi	ce20.64	60 dos	е	
	(35.80)			Foradil
INDACATEROL	, ,			
	04.00	00 1	~ ~	Orthone David Alexandre
Powder for inhalation 150 mcg		30 dose		Onbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 dose	OP 🗸	Onbrez Breezhaler
SALMETEROL				
Aerosol inhaler CFC-free, 25 mcg per dose	25.00	120 dose	OP 🖌	Serevent
		120 dose		Meterol
Aerosol inhaler 25 mcg per dose			•	
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose	JP 🗸	Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	Adrenocept	or Agoni	sts	
BUDESONIDE WITH EFORMOTEROL				
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg		120 dose		Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6 n	ncg33.74	120 dose	OP 🗸	Symbicort
				Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21 40	120 dose	OP 🖌	Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 n		120 dose		Symbicort
Towder for initialation 200 meg with elotholefor furnalate of	ncy44.00	120 0036	•	Turbuhaler 200/6
				Turbunaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate				
12 mcg – No more than 2 dose per day		60 dose	OP 🗸	Symbicort
				Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL				
	44.00	00 1	<u></u>	Dura Ellista
Powder for inhalation 100 mcg with vilanterol 25 mcg		30 dose	UP 🗸	Breo Ellipta
FLUTICASONE WITH SALMETEROL				
Aerosol inhaler 50 mcg with salmeterol 25 mcg	14 58	120 dose	OP 🗸	RexAir
	33.74	. 20 0000	-	Seretide
Aproval inhalar 105 mag with colmotoral 05 mag		100 dooo		RexAir
Aerosol inhaler 125 mcg with salmeterol 25 mcg		120 dose	-	
	44.08		✓	Seretide
Powder for inhalation 100 mcg with salmeterol 50 mcg – No	1			
more than 2 dose per day		60 dose	OP 🗸	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg – No				
more than 2 dose per day		60 dose	OP 🖌	Seretide Accuhaler
more man 2 4050 per day		00 0038		

	Subsidy		Fully	Brand or
	(Manufacturer's \$	Price) S Per	ubsidised	Generic Manufacturer
	Ψ	101		Manufacturor
Beta-Adrenoceptor Agonists				
ALBUTAMOL Oral liq 400 mcg per ml Ventolin to be Sole Supply on 1 December 2018		150 ml	• \	/entolin
Infusion 1 mg per ml, 5 ml		10	,	/entolin
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO		5		/entolin
Inhaled Beta-Adrenoceptor Agonists				
ALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO	3.80 (6.00)	200 dose C		Respigen SalAir /entolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO	()	20	_	Asthalin
Asthalin to be Sole Supply on 1 November 2018 Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO Asthalin to be Sole Supply on 1 November 2018		20	• 1	Asthalin
ERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose C)P 🗸 E	Bricanyl Turbuhaler
Anticholinergic Agents				
PRATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dos available on a PSO		200 dose C)P 🗸	Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 ne available on a PSO		20	√ (Jnivent
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 ne available on a PSO	eb	20	-	Jnivent
Inhaled Beta-Adrenoceptor Agonists with Antic	holinergic A	Agents		
ALBUTAMOL WITH IPRATROPIUM BROMIDE Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg p				
dose CFC-free Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per		200 dose C		Duolin HFA
vial, 2.5 ml ampoule – Up to 20 neb available on a PSO Duolin to be Sole Supply on 1 November 2018	5.20	20	¥ [Duolin
Long-Acting Muscarinic Antagonists				
 LYCOPYRRONIUM – Subsidy by endorsement a) Inhaled glycopyrronium treatment will not be subsidised if umeclidinium. 	f patient is also	receiving trea	atment wit	h subsidised tiotropium o
b) Glycopyrronium powder for inhalation 50 mcg per dose is having COPD using spirometry, and the prescription is er	ndorsed accordi	ingly.		-
Powder for inhalation 50 mcg per dose	61.00	30 dose O	P 🗸 🤄	Seebri Breezhaler

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Pri		Subsidised	Generic
	\$	Per	 ✓ 	Manufacturer
TIOTROPIUM BROMIDE – Subsidy by endorsement				
 Tiotropium treatment will not be subsidised if patient is a umeclidinium. 	lso receiving treatr	nent with	subsidised	d inhaled glycopyrronium or
b) Tiotropium bromide is subsidised only for patients who h prescription is endorsed accordingly. Patients who had Authority are deemed endorsed.	0		0	51 37
Powder for inhalation, 18 mcg per dose		30 dos	e 🖌	Spiriva
Soln for inhalation 2.5 mcg per dose		60 dose	OP 🖌	Spiriva Respimat
UMECLIDINIUM – Subsidy by endorsement				
 a) Umeclidinium will not be subsidised if patient is also rece tiotropium bromide. 	eiving treatment wit	th subsid	ised inhale	d glycopyrronium or
b) Umeclidinium powder for inhalation 62.5 mcg per dose is COPD using spirometry, and the prescription is endorse		or patient	s who have	e been diagnosed as having
Powder for inhalation 62.5 mcg per dose	61.50	30 dose	OP 🗸	Incruse Ellipta

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

► SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Patient has been stabilised on a long acting muscarinic antagonist; and

2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL – Special Authority see SA1584 above – Retail pharmacy						
Powder for Inhalation 50 mcg with indacaterol 110 mcg	81.00	30 dose OP	 Ultibro Breezhaler 			
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority	see SA158	4 above – Retail p	bharmacy			
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg	81.00	60 dose OP	 Spiolto Respimat 			
UMECLIDINIUM WITH VILANTEROL - Special Authority see SA158	34 above –	Retail pharmacy				
Powder for inhalation 62.5 mcg with vilanteral 25 mcg	77 00	30 doep OP	🖌 Anoro Ellinta			

Antifibrotics

NINTEDANIB - Special Authority see SA1755 below - Re	tail pharmacy		
Cap 100 mg		60 OP	 Ofev
Cap 150 mg		60 OP	 Ofev

⇒SA1755 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist; and
- 2 Forced vital capacity is between 50% and 90% predicted; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 3 Nintedanib is to be discontinued at disease progression (See Note); and
- 4 Nintedanib is not to be used in combination with subsidised pirfenidone; and
- 5 Any of the following:
 - 5.1 The patient has not previously received treatment with pirfenidone; or
 - 5.2 Patient has previously received pirfenidone, but discontinued pirfenidone within 12 weeks due to intolerance; or
 - 5.3 Patient has previously received pirfenidone, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with pirfenidone).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Nintedanib is not to be used in combination with subsidised pirfenidone; and
- 3 Nintedanib is to be discontinued at disease progression (See Note).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

PIRFENIDONE - Retail pharmacy-Specialist - Special Authority see SA1748 below

Note: Pirfenidone is not subsidised in combination with subsidised nintedanib.

⇒SA1748 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist; and
- 2 Forced vital capacity is between 50% and 80% predicted; and
- 3 Pirfenidone is to be discontinued at disease progression (See Note); and
- 4 Pirfenidone is not to be used in combination with subsidised nintedanib; and
- 5 Any of the following:
 - 5.1 The patient has not previously received treatment with nintedanib; or
 - 5.2 Patient has previously received nintedanib, but discontinued nintedanib within 12 weeks due to intolerance; or
 - 5.3 Patient has previously received nintedanib, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with nintedanib).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Pirfenidone is not to be used in combination with subsidised nintedanib; and
- 3 Pirfenidone is to be discontinued at disease progression (See Note).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

Leukotriene Receptor Antagonists

MONTELUKAST

*	Tab 4 mg5.25	28	
*	Tab 5 mg5.50	28	
*	Tab 10 mg5.65	28	

Apo-Montelukast

- ✓ Apo-Montelukast
- Accord S29
- Apo-Montelukast

	Quitarity		Fully Drand an
	Subsidy (Manufacturer's	Price) Subsi	Fully Brand or dised Generic
	\$	Per	 Manufacturer
Mast Cell Stabilisers			
NEDOCROMIL			
Aerosol inhaler, 2 mg per dose CFC-free		112 dose OP	 Tilade
SODIUM CROMOGLICATE			
Aerosol inhaler, 5 mg per dose CFC-free		112 dose OP	 Intal Forte CFC Free
Methylxanthines			
AMINOPHYLLINE			
Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj av PSO		5	✓ DBL Aminophylline
THEOPHYLLINE			
* Tab long-acting 250 mg		100	✓ Nuelin-SR
* Oral liq 80 mg per 15 ml	15.50	500 ml	 Nuelin
Mucolytics			
DORNASE ALFA - Special Authority see SA0611 be	elow – Retail pharmacy		
Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	 Pulmozyme
■ SA0611 Special Authority for Subsidy			
Special Authority approved by the Cystic Fibrosis Adv			
Notes: Application details may be obtained from PH/		w.pharmac.govt.	nz or:
The Co-ordinator, Cystic Fibrosis Advisory Panel	Phone: (04) 460 4990		
PHARMAC, PO Box 10 254	Facsimile: (04) 916 757		
Wellington	Email: <u>CFPanel@pharm</u>		
Prescriptions for patients approved for treatment mus and expertise in treating cystic fibrosis.	t be written by respiratory p	physicians or pae	diatricians who have experience
SODIUM CHLORIDE			
Not funded for use as a nasal drop.			
Soln 7%		90 ml OP	 Biomed
Nasal Preparations			
-			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose		200 dose OP	
Material aquiague pagel aprov. 100 mag pag dage	(5.26)	200 dose OP	Alanase
Metered aqueous nasal spray, 100 mcg per dose	e2.46 (6.00)	200 dose OP	Alanase
	(0.00)		

	a		
	Subsidy		Fully Brand or
	(Manufacturer's	Price) Subs	idised Generic
	\$	Per	 Manufacturer
RUDECONIDE			
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose	2.59	200 dose OP	 SteroClear
	2.35		
	(5.26)		Butacort Aqueous
Ctore Clear to be Cale Cumply on 1 January 0010	(0.20)		Bulacon Aqueous
SteroClear to be Sole Supply on 1 January 2019			
Metered aqueous nasal spray, 100 mcg per dose	2.87	200 dose OP	 SteroClear
	2.61		
	(6.00)		Butacort Aqueous
SteroClear to be Sole Supply on 1 January 2019	(0.00)		
(Butacort Aqueous Metered aqueous nasal spray, 50 mcg per			
(Butacort Aqueous Metered aqueous nasal spray, 100 mcg pe	r dose to be delist	ed 1 January 20	119)
FLUTICASONE PROPIONATE			
			4 - 1 1 1 1
Metered aqueous nasal spray, 50 mcg per dose	1.98	120 dose OP	 Flixonase Hayfever
			& Allergy
Flixonase Hayfever & Allergy to be Sole Supply on 1 [December 2018		
, , , , , , , , , , , , , , , , , , , ,	200000000000000000000000000000000000000		
IPRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	4.61	15 ml OP	 <u>Univent</u>
Respiratory Devices			
hespitatory bevices			
MASK FOR SPACER DEVICE			
 a) Up to 50 dev available on a PSO 			
b) Only on a PSO			
c) Only for children aged six years and under			
Small	2 20	1	 e-chamber Mask
PEAK FLOW METER			
 a) Up to 25 dev available on a PSO 			
b) Only on a PSO			
Low range	0.54	1	Mini Wright AEC
Low range	9.54	I	Mini-Wright AFS
			Low Range
Normal range	9.54	1	 Mini-Wright
5			Standard
SPACER DEVICE			
 a) Up to 50 dev available on a PSO 			
b) Only on a PSO			
220 ml (single patient)	2 95	1	🗸 e-chamber Turbo
510 ml (single patient)		1	✓ e-chamber La
510 mi (single pallent)		I	
			Grande
800 ml	6.50	1	 Volumatic
Respiratory Stimulants			
nespiratory Sumulants			
CAFFEINE CITRATE			
	44.05		
Oral liq 20 mg per ml (10 mg base per ml)	14.85	25 ml OP	 Biomed

Subable State Fully Brand or Generic Generic Generic Generic Generic Generic Generic Generic Manufacturer Ear Creparations ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Void 2000 WITH 1, 2-PROPANEDIOL DIACETATE AND BENZETHONIUM For Void 2000 WITH 1, 2-PROPANEDIOL DIACETATE AND BENZETHONIUM For Void 2000 WITH 1, 2-PROPANEDIOL DIACETATE AND BENZETHONIUM For Void 2000 WITH 1, 2-PROPANEDIOL DIACETATE AND BENZETHONIUM Decontent Void 60 02% Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2" Colspan<		Outedate		Fully Drand an
S Per ✓ Manufacturer Ear Preparations ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, page 213 Ear drops 20, 20% with 1, 2-Propanetiol diacette 3% and benzethonium chloride 0,02%. 6.97 35 ml OP ✓ Vosol FLUMETASONE PIVALATE Ear drops 0,02% with 1, 2-Propanetiol diacette 3% and benzethonium chloride 0,02%. 4.46 7.5 ml OP ✓ Locacorten-Viaform ED's ✓ Locacorten-Viaform TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 5.16 7.5 ml OP ✓ Kenacomb Ear/Eye Preparations DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 50 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml 4.50 8 ml OP (8.65) Sofradex FRAMYCETIN SULPHATE Ear/Eye drops 0.5%. 4.13 8 ml OP (8.65) Soframycin Eye Preparations Acti-Infective Preparations Acti-Infective Preparations Acti-Infective Preparations Acti-Infective Preparations Acti-Infective Preparations Acti-Infective Preparations Acti-Infecti		,	rice) Subs	· · · · ·
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, page 213 Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 002%				
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, page 213 Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 002%				
For Vosol ear drops with hydrocorisone powder refer Standard Formulae, page 213 Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02% FLUMETASONE PIVALATE Ear drops 0,02% with clioquinol 1% Ear drops 0,02% with clioquinol 1% Atta TRIANCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Ear drops 1 ng with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g Standard Transport DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye Preparations DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml (9:27) Sofradex FRAMYCETIN SULPHATE Ear/Eye drops 0.5% (8:65) Soframycin (9:27) Soframycin Eye preparations Eye preparations Eye orin 3% 14.92 4.5 g OP YiruPOS CHLORAMPHENICOL 2.48 4 g OP Chlorsig Eye drop 0.5% 0.98 10 ml OP Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. Cliprofloxacin	Ear Preparations			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and berzethonium chloride 0.02% 6.97 35 ml OP ✓ Vosol FLUMETASCNE PIVALATE Ear drops 0.02% with clioquinol 1% 6.97 35 ml OP ✓ Locacorten-Viaform ED's TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Ear drops 1 mg with nystatin 100.000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g 5.16 7.5 ml OP ✓ Kenacomb Ear/Eye Preparations DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml 4.50 8 ml OP (9.27) Sofradex FRAMYCETIN SULPHATE Ear/Eye drops 0.5% 4.13 8 ml OP (8.65) Soframycin Eye preparations (8.65) Soframycin CICLOVIR 4.13 8 ml OP (8.65) Soframycin * Eye ont 3% 14.92 4.5 g OP ✓ ViruPOS CHLOAMMPHENICOL Eye oint 3% 0.98 10 ml OP ✓ Chiorsig Eye drops 0.5% Chiorsig (CHCORAMPHENICOL Eye drops 0.5% 0.98 10 ml OP ✓ Chiorsig Yendros 0.3% – Subsidy by endorsement 9.99 5 ml OP ✓ Ciprofloxacin Teva When prescribed for the treatment of chronic supportavio editis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a* is an unapproved indication. Ciprofloxacin Teva When prescripted of the treatment of chronic sup	ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BE	ENZETHONIUM		
berizethonium chloride 0.02%			ge 213	
FLUMETASONE PIVALATE 4.46 7.5 ml OP ✓ Locacorten-Viaform Ear drops 0.02% with cliquinol 1% 4.46 7.5 ml OP ✓ Locacorten-Viaform ED's ✓ Locorten-Viaform ED's ✓ Locorten-Viaform Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 5.16 7.5 ml OP ✓ Kenacomb Ear/Eye Preparations Ø ✓ Kenacomb DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml (9.27) Sofradex FRAMYCETIN SULPHATE (9.27) Sofradex Framework Ear/Eye drops 0.5% 4.13 8 ml OP (8.65) Soframycin Eye preparations Keracomb Soframycin Eve preparations CICLOVIR * Eye oint 3% 14.92 4.5 g OP ✓ ViruPOS CHLCOAMPHENICOL 2.48 4 g OP ✓ Chlorsig ✓ Chlorsig Eye drops 0.5% .0.98 10 ml OP ✓ Chlorsig ✓ Chlorsig Eye drops 0.3% - Subsidy by endorsement .9.99 5 ml OP ✓ Chlorsig Eye drops 0.3% - Subsidy by endorsement .0.98	Ear drops 2% with 1, 2-Propanediol diacetate 3% and			
Ear drops 0.02% with diloquinol 1%	benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol
ED's ✓ Locorten-Vioform TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g5.16 7.5 ml OP ✓ Kenacomb Ear/Eye Preparations DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml4.50 8 ml OP (9.27) Sofradex FRAMYCETIN SULPHATE Ear/Eye drops 0.5%				
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml (9.27) Sofradex FRAMYCETIN SULPHATE Ear/Eye drops 0.5% (8.65) Soframycin Eye preparations ACICLOVIR * Eye oint 3% * Eye oint 3% CHLORAMPHENICOL Eye oint 3% Funded for use in the eye, unless explicitly stated otherwise. ACICLOVIR * Eye oint 3% Eye oint 3% CHLORAMPHENICOL Eye drops 0.5% Eye drops 0.5% 0.98 FUNDED COLLOXACIN Eye drops 0.3% Eye drops 0.3% Subsidy by endorsement. 9.99 5 ml OP Yourde for the treatment of bacterial keratilis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative oitils media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * i	Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g				 Locorten-Vioform
2.5 mg and gramicidin 250 mcg per g	TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTAT	IN	
2.5 mg and gramicidin 250 mcg per g				
Ear/Eye Preparations DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mog with framycetin sulphate 5 mg and gramicidin 50 mog per ml gramicidin 50 mog per ml (9.27) Sofradex FRAMYCETIN SULPHATE Ear/Eye drops 0.5% Ear/Eye drops 0.5% A.113 8 ml OP (8.65) Sofradex Anti-Infective Preparations Acticult Acticult of the eye, unless explicitly stated otherwise. Anti-Infective Preparations Acticult of the eye ont 3% Acticult of the eye Eye ont 3% Eye ont 3% Eye drops 0.5% Colspan="2">Chlorafast Funded for use in the eye, unless explicitly stated otherwise. Acticult of the eye Colspan="2">Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="		5.16	7.5 ml OP	 Kenacomb
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml (9.27) Sofradex FRAMYCETIN SULPHATE Ear/Eye drops 0.5% 4.13 8 ml OP (8.65) Soframycin Eye Preparations Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR * Eye oint 3% 14.92 4.5 g OP ✓ ViruPOS CHLORAMPHENICOL Eye drops 0.5%				
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml 4.50 8 ml OP (9.27) Sofradex FRAMYCETIN SULPHATE 4.13 8 ml OP Ear/Eye drops 0.5% (8.65) Soframycin Eye preparations Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR * Eye oint 3%	Ear/Eye Preparations			
gramicidin 50 mog per ml 4.50 8 ml OP (9.27) Sofradex FRAMYCETIN SULPHATE 4.13 8 ml OP Ear/Eye drops 0.5% 4.13 8 ml OP (8.65) Soframycin Eye Preparations Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR ★ Eye oint 3% 14.92 4.5 g OP ✓ ViruPOS CHLORAMPHENICOL Eye oint 1% 2.48 4 g OP ✓ Chlorsig Eye drops 0.5% 0.98 10 ml OP ✓ Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN Eye drops 0.3% Subsidy by endorsement. 9.99 5 ml OP ✓ Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative oitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3% 11.40 5 ml OP	DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
(9.27) Sofradex FRAMYCETIN SULPHATE 4.13 8 ml OP Ear/Eye drops 0.5% 4.13 8 ml OP (8.65) Soframycin Eye preparations Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR * Eye oint 3% 2.48 4 g OP Chlorsig Eye drops 0.5% 0.98 10 ml OP Chlorsig Eye drops 0.5% 0.98 10 ml OP Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN Eye drops 0.3% Subsidy by endorsement. 9.99 5 ml OP Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otits media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a* is an unapproved indication. GENDAMICIN SULPHATE Eye drops 0.3% Sun unapproved indication. GENDAMICIN SULPHATE Eye drops	Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and			
FRAMYCETIN SULPHATE Ear/Eye drops 0.5% (8.65) Soframycin Eye preparations Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR ** Eye oint 3% Eye drops 0.5% Eye oint 3% Eye drops 0.5% By endrops 0.5% Eye drops 0.5% Softamyce Eye drops 0.3% Subsidy by endorsement 9.99 5 ml OP When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative oitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a* is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3% 11.40 5 ml OP <td< td=""><td>gramicidin 50 mcg per ml</td><td>4.50</td><td>8 ml OP</td><td></td></td<>	gramicidin 50 mcg per ml	4.50	8 ml OP	
Ear/Eye drops 0.5%		(9.27)		Sofradex
(8.65) Soframycin Eye Preparations Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR ** Eye oint 3% 14.92 4.5 g OP ViruPOS CHLORAMPHENICOL 2.48 4 g OP Chlorsig Eye orops 0.5% O.98 10 ml OP Chlorsist Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN Soframycin Eye drops 0.3% – Subsidy by endorsement 9.99 5 ml OP Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. Genoptic PROPAMIDINE ISETHIONATE 2.97 10 ml OP Forenation of the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. Genoptic PROPAMIDINE ISETHIONATE 2.97 10 ml OP Genoptic * Eye drops 0.1% 2.97 10 ml OP Brolene SODIUM FUSIDATE [FUSIDIC ACID] Brolene </td <td>FRAMYCETIN SULPHATE</td> <td></td> <td></td> <td></td>	FRAMYCETIN SULPHATE			
Eye Preparations Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR * Eye oint 3% 4.5 g OP ViruPOS CHLORAMPHENICOL Eye drops 0.5% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN Eye drops 0.3% - Subsidy by endorsement. 9.99 5 ml OP ✓ Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3% Eye drops 0.1% CHOP Eye drops 0.1% Soptium FUSIDATE [FUSIDIC ACID]	Ear/Eye drops 0.5%	4.13	8 ml OP	
Eye preparations are only funded for use in the eye, unless explicitly stated otherwise. Anti-Infective Preparations ACICLOVIR * Eye oint 3% 14.92 4.5 g OP ✓ ViruPOS CHLORAMPHENICOL Eye drops 0.5% 2.48 4 g OP ✓ Chlorsig Eye drops 0.5% 0.98 10 ml OP ✓ Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN Eye drops 0.3% Subsidy by endorsement. 9.99 5 ml OP ✓ Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3% 11.40 5 ml OP ✓ Genoptic PROPAMIDINE ISETHIONATE 2.97 10 ml OP (14.55) Brolene SODIUM FUSIDATE [FUSIDIC ACID] Support 0.4000 Brolene Support 0.4000		(8.65)		Soframycin
Arti-Infective Preparations ACICLOVIR * Eye oint 3%	Eye Preparations			
Arti-Infective Preparations ACICLOVIR * Eye oint 3%	Eve preparations are only funded for use in the eve, unless expli	citlv stated otherw	vise.	
ACICLOVIR * Eye oint 3%		,		
** Eye oint 3% 14.92 4.5 g OP ✓ ViruPOS CHLORAMPHENICOL 2.48 4 g OP ✓ Chlorsig Eye oint 1% 2.48 4 g OP ✓ Chlorsig Eye drops 0.5% 0.98 10 ml OP ✓ Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN 9.99 5 ml OP ✓ Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3% 11.40 5 ml OP ✓ Genoptic PROPAMIDINE ISETHIONATE 2.97 10 ml OP (14.55) Brolene SODIUM FUSIDATE [FUSIDIC ACID] 5 Brolene SODIUM FUSIDATE [FUSIDIC ACID]	Anti-Intective Freparations			
CHLORAMPHENICOL Eye oint 1% 2.48 4 g OP ✓ Chlorsig Eye drops 0.5% 0.98 10 ml OP ✓ Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. ✓ Chlorafast CIPROFLOXACIN 9.99 5 ml OP ✓ Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3% 11.40 5 ml OP ✓ Genoptic PROPAMIDINE ISETHIONATE 2.97 10 ml OP (14.55) Brolene SODIUM FUSIDATE [FUSIDIC ACID] 5 Brolene SODIUM FUSIDATE [FUSIDIC ACID]				
Eye oint 1% 2.48 4 g OP ✓ Chlorsig Eye drops 0.5% 0.98 10 ml OP ✓ Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. ✓ Chlorafast CIPROFLOXACIN 9.99 5 ml OP ✓ Ciprofloxacin Teva When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3% 11.40 5 ml OP ✓ Genoptic PROPAMIDINE ISETHIONATE 2.97 10 ml OP (14.55) Brolene SODIUM FUSIDATE [FUSIDIC ACID] 5 Brolene SODIUM FUSIDATE [FUSIDIC ACID]	* Eye oint 3%	14.92	4.5 g OP	✓ <u>ViruPOS</u>
Eye drops 0.5% 0.98 10 ml OP ✓ Chlorafast Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN Eye drops 0.3% – Subsidy by endorsement				
Funded for use in the ear*. Indications marked with * are unapproved indications. CIPROFLOXACIN Eye drops 0.3% - Subsidy by endorsement				
CIPROFLOXACIN Eye drops 0.3% - Subsidy by endorsement				 Chlorafast
Eye drops 0.3% - Subsidy by endorsement	Funded for use in the ear*. Indications marked with * and	re unapproved ind	lications.	
When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3%				
for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3%				
Note: Indication marked with a * is an unapproved indication. GENTAMICIN SULPHATE Eye drops 0.3%	•			• •
GENTAMICIN SULPHATE Eye drops 0.3% PROPAMIDINE ISETHIONATE * Eye drops 0.1%		, ,	; and the pres	cription is endorsed accordingly.
Eye drops 0.3% 11.40 5 ml OP ✓ Genoptic PROPAMIDINE ISETHIONATE 2.97 10 ml OP 10 ml OP (14.55) Brolene SODIUM FUSIDATE [FUSIDIC ACID] Brolene		auon.		
PROPAMIDINE ISETHIONATE 2.97 10 ml OP (14.55) Brolene SODIUM FUSIDATE [FUSIDIC ACID] Brolene		11 40		. Conontio
		11.40	5 III UP	
(14.55) Brolene		0.07	10	
SODIUM FUSIDATE [FUSIDIC ACID]	★ Eye drops 0.1%		10 ml OP	Prolono
		(14.55)		Broiene
Eye arops 1%		F 00		/ Fuelthelm's
	Eye arops 1%	5.29	5 g UP	

()	Subsidy Vanufacturer's F	Price) Subs	Fully sidised	Brand or Generic
·	\$	Per	1	Manufacturer
TOBRAMYCIN				
Eye oint 0.3%	10.45	3.5 g OP	🗸 I	obrex
Eye drops 0.3%	11.48	5 ml OP	✔ Т	obrex
Corticosteroids and Other Anti-Inflammatory Pre	parations			
DEXAMETHASONE				
* Eye oint 0.1%	5.86	3.5 g OP	✓ N	laxidex
* Eye drops 0.1%	4.50	5 ml OP	✓ N	laxidex
Ocular implant 700 mcg - Special Authority see SA1680 below	v			
- Retail pharmacy		1	√ (zurdex

SENSORY ORGANS

⇒SA1680 Special Authority for Subsidy

Initial application — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has diabetic macular oedema with pseudophakic lens; and
- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- 3 Either:
 - 3.1 Patient's disease has progressed despite 3 injections with bevacizumab; or
 - 3.2 Patient is unsuitable or contraindicated to treatment with anti-VEGF agents; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Initial application — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has diabetic macular oedema; and
- 2 Patient has reduced visual acuity of between 6/9 6/48 with functional awareness of reduction in vision; and
- 3 Patient is of child bearing potential and has not yet completed a family; and
- 4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient's vision is stable or has improved (prescriber determined); and
- 2 Patient is of child bearing potential and has not yet completed a family; and
- 3 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMYXIN B SULPHATE

Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per g	5.39	3.5 g OP	 Maxitrol
Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per ml	4.50	5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM * Eye drops 0.1%	.13.80	5 ml OP	 Voltaren Ophtha

*Three months or six months, as applicable, dispensed all-at-once

SENSORY ORGANS

	Subsidy		Fully Brand or
	(Manufacturer's F		sidised Generic
	\$	Per	Manufacturer
FLUOROMETHOLONE	0.00	- 100	4 -1-1
* Eye drops 0.1%	3.09	5 ml OP	✓ FML
EVOCABASTINE			
Eye drops 0.5 mg per ml		4 ml OP	Line alla
	(10.34)		Livostin
	0.71	10	
Eye drops 0.1%	8.71	10 ml OP	 Lomide
	0.00	40 ml OD	
Eye drops 1%	3.93 7.00	10 ml OP	 Prednisolone-AFT Pred Forte
		5 ml OP	
PREDNISOLONE SODIUM PHOSPHATE – Special Authority			
Eye drops 0.5%, single dose (preservative free)		20 dose	 Minims Prednisolone
			Fleuinsolone
SA1715 Special Authority for Subsidy nitial application only from an ophthalmologist or optometris	t Approvale valid f	or 6 months for	r applications mosting the
ollowing criteria:	i. Appiovais valiu i		applications meeting the
Both:			
1 Patient has severe inflammation; and			
2 Patient has a confirmed allergic reaction to preservative	e in eve drops.		
Renewal from any relevant practitioner. Approvals valid for 6		treatment rema	ains appropriate and the patient
enefiting from treatment.			· · · · · · · · · · · · · · · · · · ·
SODIUM CROMOGLICATE			
Eye drops 2%	0.85	5 ml OP	Rexacrom
Glaucoma Preparations - Beta Blockers			
BETAXOLOL			
¥ Eye drops 0.25%	11.80	5 ml OP	 Betoptic S
¥ Eye drops 0.5%	7.50	5 ml OP	 Betoptic
EVOBUNOLOL			
¥ Eye drops 0.5%	7.00	5 ml OP	 Betagan
TIMOLOL			
* Eye drops 0.25%	1 /3	5 ml OP	 Arrow-Timolol
	3.30	2.5 ml OP	 Timoptol XE
¥ Eye drops 0.5%	3.30 1.43	2.5 ml OP 5 ml OP	 ✓ Timoptol XE ✓ Arrow-Timolol
¥ Eye drops 0.5%	3.30 1.43	2.5 ml OP	 Timoptol XE
₭ Eye drops 0.5%		2.5 ml OP 5 ml OP	 Timoptol XE Arrow-Timolol
 Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydras 		2.5 ml OP 5 ml OP	 Timoptol XE Arrow-Timolol
 Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydras ACETAZOLAMIDE 	3.30 1.43 3.78 e Inhibitors	2.5 ml OP 5 ml OP 2.5 ml OP	 Timoptol XE Arrow-Timolol Timoptol XE
 Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydras ACETAZOLAMIDE Tab 250 mg 	3.30 1.43 3.78 e Inhibitors	2.5 ml OP 5 ml OP	 ✓ Timoptol XE ✓ Arrow-Timolol
 Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydrase ACETAZOLAMIDE Tab 250 mg BRINZOLAMIDE 		2.5 ml OP 5 ml OP 2.5 ml OP 100	 Timoptol XE Arrow-Timolol Timoptol XE Diamox
ACETAZOLAMIDE * Tab 250 mg BRINZOLAMIDE * Eye drops 1%		2.5 ml OP 5 ml OP 2.5 ml OP	 Timoptol XE Arrow-Timolol Timoptol XE
Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydrase ACETAZOLAMIDE * Tab 250 mg BRINZOLAMIDE * Eye drops 1% DORZOLAMIDE HYDROCHLORIDE		2.5 ml OP 5 ml OP 2.5 ml OP 100 5 ml OP	 Timoptol XE Arrow-Timolol Timoptol XE Diamox
Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydrase ACETAZOLAMIDE Tab 250 mg BRINZOLAMIDE Eye drops 1% DORZOLAMIDE HYDROCHLORIDE		2.5 ml OP 5 ml OP 2.5 ml OP 100	 Timoptol XE Arrow-Timolol Timoptol XE Diamox Azopt
 Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydrase ACETAZOLAMIDE Tab 250 mg BRINZOLAMIDE Eye drops 1% DORZOLAMIDE HYDROCHLORIDE Eye drops 2% 		2.5 ml OP 5 ml OP 2.5 ml OP 100 5 ml OP	 Timoptol XE Arrow-Timolol Timoptol XE Diamox
Eye drops 0.5% Eye drops 0.5%, gel forming Glaucoma Preparations - Carbonic Anhydrase ACETAZOLAMIDE Tab 250 mg BRINZOLAMIDE Eye drops 1% DORZOLAMIDE HYDROCHLORIDE		2.5 ml OP 5 ml OP 2.5 ml OP 100 5 ml OP	 Timoptol XE Arrow-Timolol Timoptol XE Diamox Azopt

SENSORY ORGANS

	Subsidy Manufacturer's Price \$		Fully dised	Brand or Generic Manufacturer
Glaucoma Preparations - Prostaglandin Analogu	es			
BIMATOPROST * Eye drops 0.03%	3.65	3 ml OP	✔ В	imatoprost Actavis
LATANOPROST * Eye drops 0.005%	1.50 2	2.5 ml OP	✔ Н	lysite
TRAVOPROST * Eye drops 0.004%		5 ml OP 2.5 ml OP		ravopt ravatan
Glaucoma Preparations - Other				
BRIMONIDINE TARTRATE * Eye drops 0.2% BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE * Eye drops 0.2% with timolol maleate 0.5%		5 ml OP 5 ml OP	_	rrow-Brimonidine
PILOCARPINE HYDROCHLORIDE * Eye drops 1% Eye drops 2% Eye drops 4% Subsidised for oral use pursuant to the Standard Formulae	4.26 5.35 7.99	15 ml OP 15 ml OP 15 ml OP	✓ is ✓ is	sopto Carpine sopto Carpine sopto Carpine
 Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy SA0895 Special Authority for Subsidy 		20 dose	✓ N	linims Pilocarpine

SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics a	and Cycl	oplegics
--------------	----------	----------

ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✓ <u>Atropt</u>
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	15 ml OP	 Cyclogyl
TROPICAMIDE * Eye drops 0.5% 5% * Eye drops 1% 8.66	15 ml OP 15 ml OP	 Mydriacyl Mydriacyl

Preparations for Tear Deficiency

For acetylcysteine eye drops refer Standard Formulae, page 213			
HYPROMELLOSE			
* Eye drops 0.5%	.2.00	15 ml OP	
	(3.92)		Methopt
HYPROMELLOSE WITH DEXTRAN			
* Eye drops 0.3% with dextran 0.1%	.2.30	15 ml OP	Poly-Tears

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pr	ice) Subsi	Fully dised	Brand or Generic	
	\$	Per	~	Manufacturer	
POLYVINYL ALCOHOL					
* Eye drops 1.4%	2.62	15 ml OP	✓ V	istil	
* Eye drops 3%	3.68	15 ml OP	🗸 V	istil Forte	

Preservative Free Ocular Lubricants

⇒SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

CARBOMER – Special Authority see SA1388 above – Retail pharmacy

8.25	30	 Poly-Gel
see <mark>SA1388</mark> a	above – Retail	pharmacy
4.30	24	 Systane Unit Dose
y see <mark>SA1388</mark>	3 above – Reta	ail pharmacy
22.00	10 ml OP	 Hylo-Fresh
acy Procedur	es Manual res	striction allowing one bottle per
	see SA1388 a 4.30 ry see SA1388 22.00	see SA1388 above – Retail 4.30 24 y see SA1388 above – Ret 22.00 10 ml OP

month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	 Naphcon Forte
OLOPATADINE		
Eye drops 0.1%	5 ml OP	Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN		6 - 6 .
* Eye oint with soft white paraffin	3.5 g OP	 Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT		C Dely Vice
* Eye oint 3% with wool fat 3%	3.5 g OP	Poly-Visc
RETINOL PALMITATE Eye oint 138 mcg per g	5 g OP	✓ VitA-POS
	5901	• VILA-1 00

VARIOUS

	Subsidy (Manufacturer's Pric \$	e) Subs Per	Fully idised	Brand or Generic Manufacturer
Agents Used in the Treatment of Poisonings				
Antidotes				
ACETYLCYSTEINE – Retail pharmacy-Specialist Inj 200 mg per ml, 10 ml ampoule NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO	58.76	10	✓ <u>D</u>	BL Acetylcysteine
 * Inj 400 mcg per ml, 1 ml ampoule 	22.60	5		BL Naloxone Hydrochloride
Removal and Elimination				
CHARCOAL				
 Oral liq 50 g per 250 ml a) Up to 250 ml available on a PSO b) Only on a PSO 	43.50	250 ml OP	✓ C	arbosorb-X
DEFERASIROX – Special Authority see SA1492 below – Retai Wastage claimable	l pharmacy			
Tab 125 mg dispersible	276.00	28	🖌 E	xjade
Tab 250 mg dispersible		28		xjade
Tab 500 mg dispersible	1,105.00	28	✓ E	xjade
SA1492 Special Authority for Subsidy Initial application only from a haematologist. Approvals valid f All of the following: 1. The patient has been diagnosed with chronic iron overlo	or 2 years for applic	ations meetin	ng the fo	bllowing criteria:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis; or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 1.0 cells per μL).</p>

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE - Special Authority see SA1480 on the next page - Retail pharmacy

Tab 500 mg	 100	 Ferriprox
Oral liq 100 mg per 1 ml	 250 ml OP	 Ferriprox

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
 \$\$	Per		Manufacturer

► SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESILATE

* Inj 500 mg vial	51.52	10	 Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml		6	
	(156.71)		Calcium Disodium Versenate

Standard Formulae

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs	PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg Chloroform	12 tabs to 100 ml	PHENOBARBITONE SODIUM PAEDIATRIC ORAL mg per ml) Phenobarbitone Sodium	LIQUID (10
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Codeine phosphate Glycerol Preservative	60 mg 40 ml qs	Glycerol BP Water PILOCARPINE ORAL LIQUID	4 ml to 40 ml
Water CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Codeine phosphate	to 100 ml	Pilocarpine 4% eye drops Preservative Water (Preservative should be used if quantity supplied is	qs qs to 500 ml for more
Glycerol Preservative Water	40 ml qs to 100 ml	than 5 days.) SALIVA SUBSTITUTE FORMULA	
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water	1 tab qs to 500 ml	Methylcellulose Preservative Water (Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	5 g qs to 500 ml for more
(Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	for more	SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml	qs
MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% Methyl hydroxybenzoate Water	275 g 1.5 g to 1 000 m	Water (Only funded if prescribed for treatment of hyponatra I VANCOMYCIN ORAL SOLUTION (50 mg per ml)	qs aemia)
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml	Vancomycin 500 mg injection Glycerol BP Water (Only funded if prescribed for treatment of Clostridiu following metronidazole failure)	10 vials 40 ml to 100 ml m difficile
METHYL HYDROXYBENZOATE 10% SOLUTION Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of oral liqu	10 g to 100 ml	VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml
OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml		

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
(Manufacturer's Pr		sidised	Generic
	\$	Per	/	Manufacturer
		le.		
Extemporaneously Compounded Preparations and	nd Galenica	IS		
BENZOIN				
Tincture compound BP	24.42	500 ml		
	(39.90)			Pharmacy Health
	2.44	50 ml		
	(5.10)			Pharmacy Health
CHLOROFORM				
a) Only in combination				
b) Maximum of 100 ml per prescription				
c) Only in aspirin and chloroform application.	05 50	500 1		
Chloroform BP		500 ml	•	PSM
CODEINE PHOSPHATE - Safety medicine; prescriber may deter				
Powder – Only in combination		25 g		. .
Only in automation actually service and a solation. Particular	(90.09) shatia ar asdair	a linatura are -		Douglas
Only in extemporaneously compounded codeine linctus di	abetic or codeir	ie linctus pae	ulatric.	
COLLODION FLEXIBLE	10.00	100		DOM
Collodion flexible		100 ml	•	PSM
COMPOUND HYDROXYBENZOATE - Only in combination				
Only in extemporaneously compounded oral mixtures.	~~~~	100 1		
Soln		100 ml		Midwest
	34.18		v	David Craig
ALYCERIN WITH SODIUM SACCHARIN – Only in combination				
Only in combination with Ora-Plus. Suspension	00.50	470		Over Owned OF
•		473 ml	•	Ora-Sweet SF
SLYCERIN WITH SUCROSE – Only in combination				
Only in combination with Ora-Plus. Suspension	00.50	470		Over Overest
		473 ml	•	Ora-Sweet
GLYCEROL	0.00	500 ml		
Liquid – Only in combination		500 ml	•	healthE Glycerol BP
Only in extemporaneously compounded oral liquid prepara	allons.			
	00.01	500		P014
Paste 29%		500 g	•	PSM
IETHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
 c) Safety medicine; prescriber may determine dispensing freq d) Externa constraints and the data will only be re- 	uency	roto of the ob		t form available
 d) Extemporaneously compounded methadone will only be re (methadone powder, not methadone tablets). 	impursed at the	rate of the cr	ieapes	a ionn avallable
Powder	7 84	1 g	1	AFT
IETHYL HYDROXYBENZOATE		. 9	-	
Powder	8.00	25 g	1	PSM
	8.00 8.98	20 y		Midwest
PSM Powder to be delisted 1 January 2019)	0.00		-	manoot
IETHYLCELLULOSE				
Powder	36.05	100 g	1	MidWest
Suspension – Only in combination		473 ml		Ora-Plus
IETHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA			•	
Suspension		473 ml	1	Ora-Blend SF
ouspension	32.30	4/3/11	•	Old-Diellu SF

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Price		Fully bsidised	Brand or Generic
	\$	Per		Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl	y in combination			
Suspension		473 ml	~	Ora-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination		10 g	✓	MidWest
	325.00	100 g	✓	MidWest
Only in children up to 12 years		-		
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz	oate 10% solution			
Liq		500 ml	✓	Midwest
SODIUM BICARBONATE				
Powder BP – Only in combination		500 g	1	Midwest
,, ,	9.80	5		
	(29.50)			David Craig
Only in extemporaneously compounded omeprazole and	l lansoprazole sus	pension.		•
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparatio	ons.			
Liq	21.75	2,000 ml	✓	Midwest
WATER				
Tap – Only in combination	0.00	1 ml	1	Tap water

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Fither:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Carbohydrate And Fat

⇒SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SU	JPPLEMENT – Special Author	ity see SA1376 on t	he previous pag	e – Hosp	oital pharmacy [HP3]
Powder (neutral)	-		400 g OP	Duod	al Super
			-	So	uble Powder

Fat

⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or

continued...

Subsidy (Manufacturer's Price)	Sı	Fully Ibsidised	Brand or Generic
 \$	Per	1	Manufacturer

- 10 ascites; or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Patho

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT	- Special Authority se	e SA1523 on the previ	ious page – Hospital pharmacy [HP3]
----------------	------------------------	-----------------------	---------------------------------	------

Emulsion (neutral)		200 ml OP	✓ Calogen
	30.75	500 ml OP	 Calogen
Emulsion (strawberry)		200 ml OP	 Calogen
Oil		500 ml OP	 MCT oil (Nutricia)
Oil, 250 ml		4 OP	 Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA1524 above - Hospital phar	macy [HP3]	
Powder	225 g OP	🗸 F
8.95	227 g OP	🗸 F

 Protifar
 Resource Beneprotein

Subsidy (Manufacturer's Price)

¢

Fully Subsidised

Per

Generic Manufacturer

Brand or

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Author	rity see SA1094 above – Hosp	oital pharmacy [I	HP3]
Liquid	1.66	237 ml OP	 Pulmocare

Diabetic Products

⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1095 above - Liquid	- Hospital pharm 1,000 ml OP	acy [HP3] ✓ Diason RTH ✓ Glucerna Select RTH
DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Ho	spital pharmacy	[HP3]
Liquid (strawberry)1.50	200 ml OP	✓ Diasip
Liquid (vanilla)1.50	200 ml OP	✓ Diasip
1.88	250 ml OP	Glucerna Select
1.78	237 ml OP	
(2.10)		Resource Diabetic
(2.10)		Sustagen Diabetic

Subsid	y Full	Brand or
(Manufacturer	s Price) Subsidise	I Generic
\$	Per 🗸	Manufacturer

Fat Modified Products

⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED	- Special Authority see SA1525	above - Hospital pharma	acy [HP3]		
Powder		60.48	400 g OP	 I 	Monogen

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	\$	Per 🗸	Manufacturer
ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA10	99 on the previous	page – Hospital p	harmacy [HP3]
Liquid		00 g O P 🖌 🖌 🖌	Kindergen
		•	-

SPECIAL FOODS

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority s Liquid		ove – Hospital p 500 ml OP	harmacy [HP3] ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see Liquid		e – Hospital pha 500 ml OP	armacy [HP3] ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Spec		e SA1379 abov 500 ml OP	e – Hospital pharmacy [HP3] ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see S	A1379 above -	- Hospital pharr	nacy [HP3]
Liquid (strawberry)	1.60	200 ml OP	🖌 Fortini
Liquid (vanilla)		200 ml OP	 Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA	1379 above – H	-lospital pharma	acv [HP3]
Liquid (chocolate)		200 ml OP	✓ Pediasure
Liquid (strawberry)		200 ml OP	✓ Pediasure
Liquid (vanilla)		200 ml OP	✓ Pediasure
(·) · · · · · · · · · · · · · · ·	1.34	250 ml OP	✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special A	uthority see SA	1379 above – I	Hospital pharmacy [HP3]
Liquid (chocolate)	,	200 ml OP	 Fortini Multi Fibre
Liquid (strawberry)		200 ml OP	 Fortini Multi Fibre
Liquid (vanilla)		200 ml OP	 Fortini Multi Fibre
PEPTIDE-BASED ORAL FEED – Special Authority see SA1379 a		l pharmacy [HP	3]
Powder		400 g OP	Peptamen Junior

	Subsidy (Manufacturer's Pr \$	rice) Per	Fully Subsidised	Brand or Generic Manufacturer
Renal Products				
 SA1101 Special Authority for Subsidy nitial application only from a dietitian, relevant specialist or vo rears where the patient has acute or chronic kidney disease. Renewal only from a dietitian, relevant specialist, vocationally acommendation of a dietitian, relevant specialist or vocationally applications meeting the following criteria: Both: 1 The treatment remains appropriate and the patient is ber 2 General Practitioners must include the name of the dietit practitioner and date contacted. 	egistered general p v registered genera nefiting from treatm	practitione al practitio nent; and	r or general ner. Approv	practitioner on the vals valid for 3 years for
RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority see Liquid		Hospital p 500 ml (P3] Iepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA Liquid		oital pharr 220 ml (OP 🖌	· lepro HP (strawberry) lepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML – Special Authority see SA11	01 above – Hospit 2.88	al pharma 237 ml (acy [HP3]	(

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

SPECIAL FOODS

	Subsidy (Manufacturer's F \$	Price) Subsi Per	Fully dised	Brand or Generic Manufacturer
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Spi pharmacy [HP3] Liquid	,	e SA1377 on the 1,000 ml OP	e prev	
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	previous page - 18 OP 18 OP 18 OP 18 OP	✓ E	ital pharmacy [HP3] Elemental 028 Extra Elemental 028 Extra Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S Powder (unflavoured)		r <mark>evious page</mark> – H 80 g OP		al pharmacy [HP3] /ivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Aut [HP3] Liquid		7 on the previou 1,000 ml OP		e – Hospital pharmacy Peptisorb

Paediatric Products For Children With Low Energy Requirements

⇒SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 Child aged one to eight years; and
 - 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML	- Special Authority	see SA1196	above -	- Hospital pharmacy [HP3]
Liquid	4.00	500 ml OP	✓	Nutrini Low Energy
				Multi Fibre

Standard Supplements

⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and

3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal - (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant

continued...

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic	
\$	Per 🗸	Manufacturer	

specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:
 - Patient has not responded to first-line dietary measures over a 4 week period by:
 - 2.1 Increasing their food intake frequency (eg snacks between meals); or
 - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
 - 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:
 - Patient is Malnourished
 - 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
 - 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
 - 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidis	sed	Generic	
\$	Per	✓	Manufacturer	

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or

- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsi	dised	Generic
\$	Per	~	Manufacturer

- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm3); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1554 on page 223 – Ho Liquid	spital pharmacy [HP3] 1,000 ml OP ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML – Special Authority see SA1554 on page 223 – Hosp Liquid	oital pharmacy [HP3] 250 ml OP ✓ Isosource Standard 1,000 ml OP ✓ Nutrison Standard RTH ✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 on Liquid	page 223 – Hospital pharmacy [HP3] 1,000 ml OP ✓ Nutrison 800 Complete Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1554 on pa Liquid	ge 223 – Hospital pharmacy [HP3] 1,000 ml OP ✓ Jevity RTH ✓ Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1554 on p Liquid	age 223 – Hospital pharmacy [HP3] 250 ml OP Ensure Plus HN 1,000 ml OP Ensure Plus RTH Jevity HiCal RTH Nutrison Energy Multi Fibre

	Subsidy (Manufacturer's P \$	Price) Subs Per	Fully Brand or sidised Generic	
ORAL FEED (POWDER) – Special Authority see SA1554 on pag Note: Higher subsidy for Sustagen Hospital Formula will only number and an appropriately endorsed prescription.	e 223 – Hospita be reimbursed	al pharmacy [HI	P3]	
Powder (chocolate) – Higher subsidy of up to \$26.00 per 850 with Endorsement		850 g OP 840 g OP	✓ Ensure	
	(26.00)		Sustagen I Formula	
Additional subsidy by endorsement is available for patien prescription must be endorsed accordingly. Powder (vanilla) – Higher subsidy of up to \$26.00 per 850 g	ts with fat malak	osorption, fat in	tolerance or chyl	e leak. The
	0.54		/ Faultain	
with Endorsement		857 g OP	 Fortisip 	
	26.00	850 g OP	 Ensure 	
	9.54	840 g OP		
	(26.00)		Sustagen I Formula	Active
Additional subsidy by endorsement is available for patien prescription must be endorsed accordingly.	ts with fat malat	bsorption, fat in	tolerance or chyl	e leak. The
Additional subsidy by endorsement is available for patients be epidermolysis bullosa, or as exclusive enteral nutrition in chilo disease. The prescription must be endorsed accordingly. Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with Endorsement	dren under the a 0.72 (1.26)		for the treatment Ensure Plu	t of Crohn's
	(1.26)		Fortisip	
Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with				
Endorsement		200 ml OP		
	(1.26) (1.26)		Ensure Plu Fortisip	IS
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 n	nl			
with Endorsement		200 ml OP		
	(1.26)	200 111 01	Ensure Plu	IS
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	· · ·		Endarothio	
Endorsement		200 ml OP		
Endorsement		200 mi OP		
	(1.26) (1.26)		Ensure Plu Fortisip	IS
Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml wi	th			
Endorsement	0.85	237 ml OP		
	(1.33)		Ensure Plu	IS
	0.72	200 ml OP		
	(1.26) (1.26)		Ensure Plu Fortisip	S

SPECIAL FOODS

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully sidised	Brand or Generic Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see Additional subsidy by endorsement is available for patients b epidermolysis bullosa. The prescription must be endorsed av Liguid (chocolate) – Higher subsidy of \$1.26 per 200 ml with	eing bolus fed th ccordingly.			
Endorsement		200 ml OP	F	ortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement		200 ml OP	F	ortisip Multi Fibre
Liquid (vanilla) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP	F	ortisip Multi Fibre

High Calorie Products

⇒SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 abo	ve – Hospital	pharmacy [HP3]	
Liquid	5.50	500 ml OP	 Nutrison
			Concentrated
	11.00	1,000 ml OP	🗸 Two Cal HN RTH
		,	

	Subsidy (Manufacturer's Pri \$	ce) Subs Per	Fully idised	Brand or Generic Manufacturer
ORAL FEED 2 KCAL/ML – Special Authority see SA1195 on the Additional subsidy by endorsement is available for patients b epidermolysis bullosa. The prescription must be endorsed a	eing bolus fed three			
Liquid (vanilla) – Higher subsidy of \$1.90 per 200 ml with Endorsement	0.96 (1.90)	200 ml OP	T۱	wo Cal HN
Food Thickeners				
 SA1106 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or voc year where the patient has motor neurone disease with swallowin Renewal only from a dietitian, relevant specialist, vocationally represented in the second state of the following criteria: Both: The treatment remains appropriate and the patient is benue General Practitioners must include the name of the dietitian practitioner and date contacted. 	ng disorder. gistered general p registered general efiting from treatm an, relevant specia	ractitioner or o practitioner. ent; and list or vocatio	general Approv	practitioner on the als valid for 1 year for
FOOD THICKENER – Special Authority see SA1106 above – He Powder		HP3] 300 g OP 380 g OP		utilis eed Thickener Karicare Aptamil
Gluten Free Foods				
The funding of gluten free foods is no longer being actively mana no longer considering the listing of new products, or making subs anticipate that the range of funded items will reduce over time.	idy, or other chan	ges to the exis	sting list	tings. As a result we

► SA1729 Special Authority for Subsidy

Initial application — (all patients) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

necessary for good outcomes. A range of gluten free options are available through retail outlets.

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

Initial application — (paediatric patients diagnosed by ESPGHAN criteria) only from a paediatric gastroenterologist. Approvals valid without further renewal unless notified where the paediatric patient fulfils ESPGHAN criteria for biopsy free diagnosis of coeliac disease.

GLUTEN FREE BAKING MIX – Special Authority see SA17	729 above – Hospital pharmacy [HP3]	
Powder	2.81 1,000 g OP	
	(5.15)	Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA17	29 above – Hospital pharmacy [HP3]	
Powder		
	(7.32)	NZB Low Gluten Bread Mix
	3.51	
	(10.87)	Horleys Bread Mix

SPECIAL FOODS

	Subsidy (Manufacturer's Pr \$	ice) S Per	Fully ubsidised	Brand or Generic Manufacturer
GLUTEN FREE FLOUR - Special Authority see SA1729 on the				IP3]
Powder		2,000 g O		
	(18.10)		ł	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1729 on the	previous page - H	lospital pha	armacy [H	IP3]
Buckwheat Spirals	2.00	250 g OP)	
	(3.11)		(Orgran
Corn and Vegetable Shells	2.00	250 g OP)	
	(2.92)			Orgran
Corn and Vegetable Spirals		250 g OP		
	(2.92)			Orgran
Rice and Corn Lasagne Sheets		200 g OP		_
	(3.82)			Orgran
Rice and Corn Macaroni		250 g OP		~
	(2.92)			Orgran
Rice and Corn Penne		250 g OP		^
Disc and Maine Deate Opinale	(2.92)	050		Orgran
Rice and Maize Pasta Spirals		250 g OP		O wenne w
Dice and Millet Chirole	(2.92)	050 ~ 00		Orgran
Rice and Millet Spirals		250 g OP)
Pice and corp apaghetti peedlee	(3.11)	275 a OB		Orgran
Rice and corn spaghetti noodles		375 g OP		Orgran
Vegetable and Rice Spirals	(2.92)	250 g OP		Jigian
vegetable and title opliato	(2.92)	200 Y OF		Orgran
Italian long style spaghetti		220 g OP		orgran
	(3.11)	220 y OI		Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Autho	rity see SA110	8 above – Hos	pital pharmacy [HP3]
Powder	461.94	500 g OP	 XMET Maxamum

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Sp	ecial Authority s	see SA1108 above – Hospital
pharmacy [HP3]	-	
Powder	500 g OP	MSUD Maxamum

	Subsidy (Manufacturer's F \$	Price) Subsi Per	idised (Brand or Generic Manufacturer
Supplements For PKU				
AMINOACID FORMULA WITHOUT PHENYLALANINE – Specia pharmacy [HP3]	al Authority see S	A1108 on the p	previous p	age – Hospital
Tabs		75 OP	🖌 Phi	exy 10
Powder (unflavoured) 27.8 g sachets	936.00	30		J Lophlex owder
Powder (unflavoured) 36 g sachets		30	🖌 PKI	J Anamix Junior
Infant formula		400 g OP	🖌 PKI	J Anamix Infant
Powder (orange)		500 g OP	🖌 XP	Maxamaid
	320.00	Ū	🖌 XP	Maxamum
Powder (unflavoured)		500 g OP	🖌 XP	Maxamaid
	320.00	0	🖌 XP	Maxamum
Liquid (berry)	13.10	125 ml OP	✓ PKI L	J Anamix Junior Q
Liquid (orange)	13.10	125 ml OP	✓ PKI L	J Anamix Junior Q
Liquid (unflavoured)	13.10	125 ml OP	✓ PKI L	J Anamix Junior Q
Liquid (forest berries), 250 ml carton		18 OP	🗸 Eas	iphen Liquid
Liquid (juicy tropical) 125 ml		30 OP		J Lophlex LQ 20
Oral semi-solid (berries) 109 g	1,123.20	36 OP		J Lophlex ensation 20
Liquid (juicy berries) 62.5 ml		60 OP	🖌 PKI	J Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml		60 OP	🖌 PKI	J Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	🗸 PKI	J Lophlex LQ 10
Liquid (juicy berries) 125 ml		30 OP	🗸 PKI	J Lophlex LQ 20
Liquid (juicy orange) 125 ml	936.00	30 OP		J Lophlex LQ 20

(XP Maxamaid Powder (orange) to be delisted 1 April 2019)

(XP Maxamaid Powder (unflavoured) to be delisted 1 April 2019)

Foods

LOW PROTEIN BAKING MIX - Special Authority see SA110			
Powder	8.22	500 g OP	 Loprofin Mix
LOW PROTEIN PASTA - Special Authority see SA1108 on the	ne previous page -	Hospital pharm	acy [HP3]
Animal shapes	11.91	500 g OP	 Loprofin
Lasagne	5.95	250 g OP	 Loprofin
Low protein rice pasta	11.91	500 g OP	 Loprofin
Macaroni	5.95	250 g OP	 Loprofin
Penne	11.91	500 g OP	 Loprofin
Spaghetti	11.91	500 g OP	 Loprofin
Spirals	11.91	500 g OP	 Loprofin

	Subsidy (Manufacturer's Pric	(n)	Fully Subsidised	Brand or Generic
	(Manulacturer's Pric	e) Per		Manufacturer
Infant Formulae				
For Williams Syndrome				
 SA1110 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or voc year where the patient is an infant suffering from Williams Syndra Renewal only from a dietitian, relevant specialist, vocationally rerecommendation of a dietitian, relevant specialist or vocationally applications meeting the following criteria: Both: The treatment remains appropriate and the patient is ben General Practitioners must include the name of the dietitiar practitioner and date contacted. 	ome and associate gistered general pr registered general efiting from treatme an, relevant specia	d hyper actition practition ent; and list or vo	calcaemia. er or genera oner. Appro	al practitioner on the ovals valid for 1 year for egistered general
LOW CALCIUM INFANT FORMULA – Special Authority see SA Powder		400 g (Locasol
Gastrointestinal and Other Malabsorptive Prob	lems			
AMINO ACID FORMULA – Special Authority see SA1219 below Powder		400 g (HP)	OP V	Alfamino Junior Neocate LCP Elecare
		-	✓	Elecare LCP Neocate Gold Neocate Junior

400 g OP

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or

Unflavoured

 Neocate Junior Vanilla

✓ Elecare

- 2 History of anaphylaxis to cows milk protein formula or dairy products: or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's Price) \$ F	Fully Subsidised Per ✓	Brand or Generic Manufacturer
EXTENSIVELY HYDROLYSED FORMULA – Special Authority s Powder			y [HP3] .ptamil Gold+ Pepti Junior
 SA1557 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or voc months for applications meeting the following criteria: Any of the following: Both: 	ationally registered gen	eral practitione	r. Approvals valid for 6
 1.1 Cows milk formula is inappropriate due to severe in 1.2 Either: 1.2.1 Soy milk formula has been reasonably triall 	07		ent; and
1.2.2 Soy milk formula is considered clinically ina			
 2 Severe malabsorption; or 3 Short bowel syndrome; or 4 Intractable diarrhoea; or 5 Biliary atresia; or 6 Cholestatic liver diseases causing malsorption; or 7 Cystic fibrosis; or 8 Proven fat malabsorption; or 9 Severe intestinal motility disorders causing significant mal 10 Intestinal failure; or 11 All of the following: 11.1 For step down from Amino Acid Formula; and 11.2 The infant is currently receiving funded amino acid 11.3 The infant is to be trialled on, or transitioned to, an 	labsorption; or formula; and extensively hydrolysed	formula; and	
11.4 General Practitioners must include the name of the practitioner and the date contacted.			nally registered general
Note: A reasonable trial is defined as a 2-4 week trial, or signs of Renewal only from a dietitian, relevant specialist, vocationally recommendation of a dietitian, relevant specialist or vocationally applications meeting the following criteria: All of the following:	gistered general practition	oner or general	practitioner on the
 An assessment as to whether the infant can be transitione undertaken; and The outcome of the assessment is that the infant continue 			

3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Fluid Restricted

PAEDIATRIC ORAL/ENTERAL FEED 1 KCAL/ML – Special Authority see SA1698 below – Hospital pharmacy [HP3] Liquid......2.35 125 ml OP ✓ Infatrini

► SA1698 Special Authority for Subsidy

Initial application only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Patient is fluid restricted or volume intolerant and has been diagnosed with faltering growth; and
- 2 Patient is under the care of a paediatrician or dietitian who has recommended treatment with a high energy infant formula;

continued...

SPECIAL FOODS

Subsidy (Manufacturer's Price)	Su	Fully Ibsidised	Brand or Generic
 \$	Per	1	Manufacturer

and

3 Patient is under 18 months of age or weighs less than 8 kg.

Note: 'Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Renewal only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient continues to be fluid restricted or volume intolerant and has faltering growth; and
- 2 Patient is under the care of a hospital paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
- 3 Patient is under 18 months of age or weighs less than 8 kg.

Note: "Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special	Authority see SA1197 above	 Retail pharmacy
Powder (unflavoured)		g OP 🖌 KetoCal 4:1
		 Ketocal 3:1
Powder (vanilla)		g OP 🖌 KetoCal 4:1

SECTION I: NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price)		Fully sidised	Brand or Generic
	\$	Per	~	Manufacturer
Vaccinations				
ADULT DIPHTHERIA AND TETANUS VACCINE – [Xpharm]				
Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml Any of the following:	0.00	5	✓ <u>A</u>	DT Booster
1) For vaccination of patients aged 45 and 65 years	,			
 For vaccination of previously unimmunised or par For reveauation following immunosuppression: 		nts; or		
 For revaccination following immunosuppression; For boosting of patients with tetanus-prone wound 				
 For use in testing for primary immunodeficiency d or paediatrician. 		mendation	n of an i	nternal medicine physicia
Note: Please refer to the Immunisation Handbook for a	ppropriate schedule fo	or catch u	p progra	immes.
BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm]				
For infants at increased risk of tuberculosis. Increased risk				
 living in a house or family with a person with current o having one or more household members or carers who have a second s			a count	ry with a rate of TB > or
equal to 40 per 100,000 for 6 months or longer; or 3) during their first 5 years will be living 3 months or long	or in a country with a r	rata of TR		ual to 10 por 100 000
Note a list of countries with high rates of TB are available a	•		•	
www.bcgatlas.org/index.php.	www.nouitin.govt.nz/t	abereales	10 (00010	
Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),				
Danish strain 1331, live attenuated, vial with diluent	0.00	10	🗸 В	CG Vaccine
DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE – [Xpha Funded for any of the following criteria:	-			
 A single vaccine for pregnant woman between gestati A course of up to four vaccines is funded for children 			years ind	clusive to complete full
primary immunisation; or 3) An additional four doses (as appropriate) are funded f	or (ro)immunication fo	or potionto	noct ha	omatanaiatia stam aall
transplantation or chemotherapy; pre or post splenect severely immunosuppressive regimens.				
Notes: Tdap is not registered for patients aged less than 10) vears. Please refer t	to the Imn	nunisatio	on Handbook for
appropriate schedule for catch up programmes.			lanoan	
Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg				
pertussis toxoid, 8 mcg pertussis filamentous				
haemagluttinin and 2.5 mcg pertactin in 0.5 ml syringe		10 1	_	oostrix oostrix
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE Funded for any of the following:				
 A single dose for children up to the age of 7 who have A course of four vaccines is funded for catch up programming immunications or 				ars) to complete full
 primary immunisation; or 3) An additional four doses (as appropriate) are funded f pre- or post splenectomy; pre- or post solid organ tran 				
regimens; or			covereity	minurocuppiocorre
 Five doses will be funded for children requiring solid on Nate: Places refer to the Immunication Llondhock for any 		tob		
Note: Please refer to the Immunisation Handbook for appro		uch up pro	ogramm	85.
Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous	I			
haemagluttinin, 8 mcg pertactin and 80 D-antigen units				
poliomyelitis virus in 0.5ml syringe		10		nfanrix IPV

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Subsic	Fully dised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B A		NFLUENZ	AE TY	
[Xpharm]				
Funded for patients meeting any of the following criteria:				
1) Up to four doses for children up to and under the age o				and an advertise and a f
 An additional four doses (as appropriate) are funded fo 10 who are patients post haematopoietic stem cell tran 				
post solid organ transplant, renal dialysis and other sev	· · · ·	1 2 / 1		1 271
3) Up to five doses for children up to and under the age or				
Note: A course of up-to four vaccines is funded for catch up				
to complete full primary immunisation. Please refer to the Im				
programmes.			r - r	
Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg				
pertussistoxoid, 25mcg				
pertussisfilamentoushaemagluttinin, 8 mcgpertactin,				
80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen in				
0.5ml syringe	0.00	10	✓ <u>Ir</u>	nfanrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE - [Xpharm]				
One dose for patients meeting any of the following:				
1) For primary vaccination in children; or				aintin atom coll
 An additional dose (as appropriate) is funded for (re-)in transplantation, or chemotherapy; functional asplenic; p 				
or post cochlear implants, renal dialysis and other seve				niu organ transplant, pre-
 For use in testing for primary immunodeficiency diseas 				nal medicine physician or
paediatrician.		addon of di		
Haemophilus Influenzae type B polysaccharide 10 mcg				
conjugated to tetanus toxoid as carrier protein 20-40 mc				
prefilled syringe plus vial 0.5 ml	0.00	1	✓ <u>н</u>	iberix
HEPATITIS A VACCINE – [Xpharm]				
Funded for patients meeting any of the following criteria:				
1) Two vaccinations for use in transplant patients; or				
 Two vaccinations for use in children with chronic liver d One does of vaccing for does partents of known bond 				
 One dose of vaccine for close contacts of known hepat 	IIIS A Cases.			
Inj 1440 ELISA units in 1 ml syringe	0.00	1	🗸 н	avrix
Inj 720 ELISA units in 0.5 ml syringe		1	✓ <u>н</u>	avrix Junior

		Subsidy		Fully	Brand or
		(Manufacturer's Price)	ç	Subsidised	Generic
		\$	Per	 ✓ 	Manufacturer
FPATITIS F	RECOMBINANT VACCINE – [Xpharm]				
	per 0.5 ml vial	0.00	1	√ ⊦	IBvaxPRO
	led for patients meeting any of the following criteria:		•	· ·	
	for household or sexual contacts of known acute h		nonatit	ic B carrio	re: or
,	for children born to mothers who are hepatitis B su				3, 01
,	for children up to and under the age of 18 years inc	0 (0	/ I	'	achieved a positive
5)	serology and require additional vaccination or requ				achieved a positive
4)	for HIV positive patients; or	ine a primary course c		ination, or	
	for hepatitis C positive patients; or				
,	for patients following non-consensual sexual interc	ourse: or			
	for patients following immunosuppression; or	00130, 01			
,	for solid organ transplant patients; or				
	for post-haematopoietic stem cell transplant (HSC)	T) nationts: or			
,	following needle stick injury.	<i>i) patiento, el</i>			
10)	following needlo stor injury.				
Ini 10 mc	g per 1 ml vial	0.00	1	√ ⊦	IBvaxPRO
	unded for patients meeting any of the following crite		•	• •	
a) 1	 for household or sexual contacts of known acut 		or hor	atitic B ca	rriere: or
	2) for children born to mothers who are hepatitis E				
	3) for children up to and under the age of 18 years	• •	0/1		ave achieved a positiv
	serology and require additional vaccination or r				
	4) for HIV positive patients; or	equire a primary cours	50 01 0	accination	, 01
	5) for hepatitis C positive patients; or				
	6) for patients following non-consensual sexual int	tercourse: or			
	7) for patients following immunosuppression; or				
	8) for solid organ transplant patients; or				
	 9) for post-haematopoietic stem cell transplant (H) 	SCT) natients: or			
	10) following needle stick injury.				
	BvaxPRO to be Sole Supply on 1 December 2018				
	g per 1 ml prefilled syringe	0.00	1	🖌 F	ngerix-B
	led for patients meeting any of the following criteria:		•		ingonix D
	for household or sexual contacts of known acute ho		nonatit	ie B carrio	re: or
,	for children born to mothers who are hepatitis B su				3, 01
	for children up to and under the age of 18 years inc				achieved a nositive
3)	serology and require additional vaccination or requ				achieved a positive
4)	for HIV positive patients; or	ine a primary course c		ination, or	
,	for hepatitis C positive patients; or				
	for patients following non-consensual sexual interc	ourco: or			
,	for patients following immunosuppression; or				
	for solid organ transplant patients; or				
	ior sono organ nanspiani palientis, or	r) nationts: or			
8)	for nost-hapmatonoietic stem cell transplant (HSC)				
8) 9)	for post-haematopoietic stem cell transplant (HSC)	, p,, .			
8) 9)	for post-haematopoietic stem cell transplant (HSCT following needle stick injury.	, F			
8) 9) 10)	following needle stick injury.		1	./ L	
8) 9) 10) Inj 40 mc	following needle stick injury. g per 1 ml vial		1	✓ <u>⊦</u>	IBvaxPRO
8) 9) 10) Inj 40 mc Func	following needle stick injury. g per 1 ml vial led for any of the following criteria:		1	✓ <u>⊦</u>	IBvaxPRO
8) 9) 10) Inj 40 mc Func 1)	following needle stick injury. g per 1 ml vial		1	✓ <u>⊦</u>	IBvaxPRO

(Engerix-B Inj 20 mcg per 1 ml prefilled syringe to be delisted 1 December 2018)

	Subsidy (Manufacturer's Price) \$	Ful Subsidise Per	,
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND Any of the following:	58) VACCINE [HPV] -	- [Xpharm]	
 Maximum of two doses for children aged 14 years and Maximum of three doses for patients meeting any of the 	,		
 People aged 15 to 26 years inclusive; or Either: 			
People aged 9 to 26 years inclusive 1) Confirmed HIV infection; or			
 Transplant (including stem cell) patients: o Maximum of four doses for people aged 9 to 26 years 		nerapy	
Inj 270 mcg in 0.5 ml syringe	·	10 •	Gardasil 9

		Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
		\$	Per		Manufacturer
IFLUENZA VAC	CINE				
	0.5 ml syringe (trivalent vaccine)		10	🗸 lr	nfluvac
	on a prescription				
	atient co-payment payable				
c)	alon oo paymon payablo				
,	is available each year for patients who meet the	e following criteria, as	set l	by PHARMA	C. for use if a funded
	guadrivalent influenza vaccine is not available:	3 • • • • • •		- /	.,
	a) all people 65 years of age and over; or				
	b) people under 65 years of age who:				
	i) have any of the following cardiovaso	ular diseases:			
	a) ischaemic heart disease, or				
	b) congestive heart failure, or				
	c) rheumatic heart disease, or				
	d) congenital heart disease, or				
	e) cerebo-vascular disease; or				
	ii) have either of the following chronic	respiratory diseases:			
	 a) asthma, if on a regular preven 				
	 b) other chronic respiratory disea 	se with impaired lung	func	ction; or	
	iii) have diabetes; or				
	iv) have chronic renal disease; or				
	 v) have any cancer, excluding basal are 		ncers	s if not invasiv	/e; or
	vi) have any of the following other conc	litions:			
	a) autoimmune disease, or				
	 b) immune suppression or immur 	ne deficiency, or			
	c) HIV, or				
	d) transplant recipients, or	(II.)			
	e) neuromuscular and CNS disea	ases/disorders, or			
	f) haemoglobinopathies, or				
	g) on long term aspirin, or				
	h) have a cochlear implant, or				
	i) errors of metabolism at risk of	major metabolic decc	mpe	insalion, or	
	j) pre and post splenectomy, or				
	 k) down syndrome, or vii) are pregnant; or 				
	c) children aged four years and under who h	ava haan hasnitalisa	d for	recoiratory il	ness or have a history
	significant respiratory illness;	lave been nospitalise		respiratory in	iness of have a history
	d) people under 18 years of age living in the	Seddon/Ward and ru	ıral F	astorn Marlh	orough region (within th
	Nelson Marlborough District Health Board				
	Health Board);		luiui		In the ounterbury block
	e) People under 18 years of age who have b	een displaced from th	heir h	nomes in Edo	ecumbe and the
	surrounding region;				
	Unless meeting the criteria set out above, the f	ollowing conditions ar	e exe	cluded from f	undina:
	a) asthma not requiring regular preventative		0 0/11		anan.g.
	b) hypertension and/or dyslipidaemia without		an di	isease.	
B)	Contractors will be entitled to claim payment fro				a vaccine to patients
	eligible under the above criteria pursuant to the				
	may only do so in respect of the influenza vacc				
	Contractors may only claim for patient population				
,	may be a sub-set of the population described in				
	0.5 ml syringe (paediatric quadrivalent vaccine)				
			1		luarix Tetra

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
 A) INFLUENZA VACCINE – child aged 6 months is available each year for patients aged 6 month PHARMAC: 		et the following cr	iteria, as set by
i) have any of the following cardiovascular di	seases		
a) ischaemic heart disease, or			
b) congestive heart failure, or			
c) rheumatic heart disease, or			
d) congenital heart disease, or			
e) cerebo-vascular disease; or			
ii) have either of the following chronic respira	tory diseases:		
a) asthma, if on a regular preventative t	herapy, or		
b) other chronic respiratory disease with		or	
iii) have diabetes; or			
iv) have chronic renal disease; or			
v) have any cancer, excluding basal and squ	amous skin cancers if no	ot invasive; or	
vi) have any of the following other conditions:			
a) autoimmune disease, or			
 b) immune suppression or immune definition 	ciency, or		
c) HIV, or			
d) transplant recipients, or			
e) neuromuscular and CNS diseases/di	sorders, or		
f) haemoglobinopathies, or			
g) on long term aspirin, or			
h) have a cochlear implant, ori) errors of metabolism at risk of major	matabalia dagampanaati	on or	
j) pre and post splenectomy, or	metabolic decompensati	011, 01	
k) down syndrome, or			
vii) have been hospitalised for respiratory illne	ee or have a history of si	anificant reenirat	on illness:
viii) are living in the Seddon/Ward and rural Ea			
Health Board) and Kaikoura and Hurunui a			
ix) have been displaced from their homes in E			
Unless meeting the criteria set out above, the fo	0	00	lina:
a) asthma not requiring regular preventative t	U		
b) hypertension and/or dyslipidaemia without		lisease	
 B) Doctors are the only Contractors entitled to claim 	0		of influenza vaccine ini
60 mcg in 0.5 ml syringe (paediatric quadrivalen			
immunisation and they may only do so in respec	, i ,	,	

Subsidy	Fully	Brand or
acturer's Price) Su	Ibsidised	Generic
\$ Per	1	

- a) Only on a prescription
- b) No patient co-payment payable
- C)

A) INFLUENZA VACCINE - people 3 years and over

- is available each year for patients aged 3 years and over who meet the following criteria, as set by PHARMAC:
 - a) all people 65 years of age and over; or
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
 - c) children aged four years or less (but over three years) who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
 - d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);
 - People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region;
- Unless meeting the criteria set out above, the following conditions are excluded from funding:
 - a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

	0		Durand an
	Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
	(Manufacturer's Price) \$	Per 🗸	Manufacturer
MEASLES, MUMPS AND RUBELLA VACCINE – [Xpharm]	*		
A maximum of two doses for any patient meeting the followin	a critoria:		
, , , , , , , , , , , , , , , , , , ,	y chiena.		
1) For primary vaccination in children; or			
 For revaccination following immunosuppression; or For any individual susceptible to measles, mumps or ru 	halla: ar		
4) A maximum of three doses for children who have had the		12 months	
Note: Please refer to the Immunisation Handbook for approp			20
Inj, measles virus 1,000 CCID50, mumps virus 5,012 CCID50		ch up piogramme	
Rubella virus 1,000 CCID50; prefilled syringe/ampoule or			
diluent 0.5 ml		10 ✓ P	riorix
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGAT Any of the following:	E VACCINE – [Xpna	armj	
 Up to three doses and a booster every five years for pa 			
or anatomic asplenia, HIV, complement deficiency (acq		pre or post solid	organ transplant; or
One dose for close contacts of meningococcal cases; o			
 A maximum of two doses for bone marrow transplant particular to the second secon			
4) A maximum of two doses for patients following immuno			6
Note: children under seven years of age require two doses 8	weeks apart, a boos	ter dose three yea	ars after the primary
series and then five yearly.		(
*Immunosuppression due to steroid or other immunosuppres		for a period of gre	eater than 28 days.
Inj 4 mcg of each meningococcal polysaccharide conjugated			
a total of approximately 48 mcg of diphtheria toxoid carriv per 0.5 ml vial		1 🗸 M	enactra
	0.00	· · ·	enacua
MENINGOCOCCAL C CONJUGATE VACCINE – [Xpharm]			
Any of the following:			
1) Up to three doses and a booster every five years for pa			
or anatomic asplenia, HIV, complement deficiency (acq	/·	pre or post solid	organ transplant; or
2) One dose for close contacts of meningococcal cases; o3) A maximum of two doses for bone marrow transplant part			
4) A maximum of two doses for patients following immuno			
Note: children under seven years of age require two doses 8		tor doop throp you	are ofter the primary
series and then five yearly.	weeks apart, a boos	ter dose tillee ye	ars aller the phillary
*Immunosuppression due to steroid or other immunosuppres	sive therapy must he	for a period of are	eater than 28 days
Inj 10 mcg in 0.5 ml syringe			eisvac-C
PNEUMOCOCCAL (PCV10) CONJUGATE VACCINE – [Xpharm		· · · <u>·</u>	
Either:	ı]		
 A primary course of four doses for previously unvaccina 	tod individuals up to t	the age of 50 mor	athe inclusive: or
2) Up to three doses as appropriate to complete the prima			
59 months who have received one to three doses of PC			is under the age of
Note: please refer to the Immunisation Handbook for the app		catch un program	nmes
Inj 1 mcg of pneumococcal polysaccharide serotypes 1, 5, 6E	•	outon up program	
7F, 9V, 14 and 23F; 3 mcg of pneumococcal	,		
polysaccharide serotypes 4, 18C and 19F in 0.5 ml			
prefilled syringe	0.00	10 🖌 S	vnflorix
r · · · · · · · · · · · · · · · · · · ·		· ·	

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE - [Xpharm]

Any of the following:

- 1) One dose is funded for high risk children (over the age of 17 months and under 18 years) who have previously received four doses of PCV10; or
- 2) Up to an additional four doses (as appropriate) are funded for high risk children aged under 5 years for (re-)immunisation of patients with any of the following:
 - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
 - b) with primary immune deficiencies; or
 - c) with HIV infection; or
 - d) with renal failure, or nephrotic syndrome; or
 - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
 - f) with cochlear implants or intracranial shunts; or
 - g) with cerebrospinal fluid leaks; or
 - receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
 - i) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
 - j) pre term infants, born before 28 weeks gestation; or
 - k) with cardiac disease, with cyanosis or failure; or
 - I) with diabetes; or
 - m) with Down syndrome; or
 - n) who are pre-or post-splenectomy, or with functional asplenia; or
- 3) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients 5 years and over with HIV, for patients pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.
- Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes

Ini 20 0 mag of	nnoumogogool	nalvaaaharida	aaratunaa -	1 0 1
Inj 30.8 mcg of	prieumococcar	polysacchanue	serutypes	1, 3, 4,

5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml		
syringe0.00	10	Prevenar 13
	1	Prevenar 13

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE – [Either:	Xpharm]			
 Up to three doses (as appropriate) for patients with HIV chemotherapy; pre- or post-splenectomy or with function complement deficiency (acquired or inherited), cochlear 	onal asplenia, pre- or p	post-solid	organ t	ransplant, renal dialysis,
 2) All of the following: a) Patient is a child under 18 years for (re-)immunis: b) Treatment is for a maximum of two doses; and c) Any of the following: 	ation; and			
 i) on immunosuppressive therapy or radiation immune response; or ii) with primary immune deficiencies; or iii) with HIV infection; or iv) with renal failure, or nephrotic syndrome; or v) who are immune-suppressed following orga or vi) with cochlear implants or intracranial shunts vii) with cerebrospinal fluid leaks; or viii) receiving corticosteroid therapy for more that prednisone of 2 mg/kg per day or greater, or 	in transplantation (incl s; or an two weeks, and wh	luding hae	ematopo an equiv	pietic stem cell transplant); ralent daily dosage of
 20 mg or greater; or ix) with chronic pulmonary disease (including a x) pre term infants, born before 28 weeks gest xi) with cardiac disease, with cyanosis or failur xii) with diabetes; or xiii) with Down syndrome; or xiv) who are pre-or post-splenectomy, or with fu 	sthma treated with hig ation; or e; or			, ,
Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype) POLIOMYELITIS VACCINE – [Xpharm]		1	✓ ₽	neumovax 23
Up to three doses for patients meeting either of the following 1) For partially vaccinated or previously unvaccinated indi 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for approp	viduals; or	tch-up pro	ogramm	es.
Inj 80D antigen units in 0.5 ml syringe ROTAVIRUS ORAL VACCINE – [Xpharm] Maximum of two doses for patients meeting the following: 1) first dose to be administered in infants aged under 14 v 2) no vaccination being administered to children aged 24	veeks of age; and	1	✓ <u>II</u>	<u>POL</u>
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, prefilled oral applicator	0.00	10	✓ <u>F</u>	lotarix

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

VARICELLA VACCINE [CHICKENPOX VACCINE] - [Xpharm]

Either:

- 1) Maximum of one dose for primary vaccination for either:
 - a) Any infant born on or after 1 April 2016; or
 - b) For previously unvaccinated children turning 11 years old on or after 1 July 2017, who have not previously had a varicella infection (chickenpox), or
- 2) Maximum of two doses for any of the following:
 - a) Any of the following for non-immune patients:
 - i) with chronic liver disease who may in future be candidates for transplantation; or
 - ii) with deteriorating renal function before transplantation; or
 - iii) prior to solid organ transplant; or
 - iv) prior to any elective immunosuppression*, or
 - v) for post exposure prophylaxis who are immune competent inpatients.; or
 - b) For patients at least 2 years after bone marrow transplantation, on advice of their specialist, or
 - c) For patients at least 6 months after completion of chemotherapy, on advice of their specialist, or
 - d) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist, or
 - For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella, or
 - f) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella, or
 - g) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than 28 days

Inj 2000 PFU prefilled syringe plus vial	0.00	1	 Varilrix
		10	 Varilrix

VARICELLA ZOSTER VIRUS (OKA STRAIN) LIVE ATTENUATED VACCINE [SHINGLES VACCINE] – [Xpharm] Funded for patients meeting either of the following criteria:

- 1) One dose for all people aged 65 years; or
- 2) One dose for all people aged between 66 and 80 years inclusive from 1 April 2018 and 31 March 2020.

Inj 19,400 PFU prefilled syringe plus vial0.00	1	 Zostavax
	10	 Zostavax

Diagnostic Agents

TUBERCULIN PPD [MANTOUX] TEST - [Xpharm]			
Ini 5 TI I ner 0.1 ml. 1 ml vial	0.00	1	Tubersol

- Symbols -

3TC
50X 3.0 Reservoir
- A -
A-Scabies
Abacavir sulphate
Abacavir sulphate with
lamivudine
Abilify
Abinty
Acarbose
Accuretic 10
Accuretic 2046
Acetazolamide
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium 206
Acetic acid with hydroxyquinoline and
ricinoleic acid73
Acetylcysteine211
Aci-Jel73
Aciclovir
Infection101
Sensory206
Acidex
Acipimox52
Acitretin
Aclasta116
Aclin
Actinomycin D159
Actrapid
Actrapid Penfill
Acupan
Adalat 10
Adalat Oros50
Adalimumab
Adapalene
Adefin
Adefin XL
Adefovir dipivoxil
Adenuric 119
ADR Cartridge 1.823
Adrenaline
ADT Booster235
Adult diphtheria and tetanus
vaccine
Advantan62
Advate
Afinitor 196
Aflibercept185
AFT Carbimazole81
AFT SLS-free64
AFT-Pyrazinamide
AFT-Pyrazinamide S2999

Agents Affecting the
Renin-Angiotensin System 45
Agents for Parkinsonism and Related
Disorders 120
Agents Used in the Treatment of
Poisonings 211
Agrylin158
Alanase204
Albendazole88
Albey198
Albustix
Aldurazyme28
Alendronate sodium113
Alendronate sodium with
colecalciferol113
Alfacalcidol
Alfamino Junior232
Alginic acid6
Alglucosidase alfa26
Alkeran
Allersoothe199
Allmercap157
Allopurinol118
Alpha Adrenoceptor Blockers 45
Alpha-Keri Lotion64
Alphamox 12591
Alphamox 25091
Alu-Tab6
Aluminium hydroxide6
Amantadine hydrochloride120
Ambrisentan55
Amiloride hydrochloride51
Amiloride hydrochloride with
furosemide52
Amiloride hydrochloride with
hydrochlorothiazide 52
Aminophylline204
Amiodarone hydrochloride47
Amisulpride
Amitriptyline 125
Amlodipine
Amorolfine60
Amoxicillin91
Amoxicillin with clavulanic acid91
Amphotericin B31
Amsacrine158
AmsaLyo158
Amsidine158
Amyl nitrite54
Amzoate
Anaesthetics 121
Anagrelide hydrochloride158
Analgesics
Anastrozole171

Andriol Testocaps	79
Androderm	78
Animas Battery Cap	19
Animas Cartridge	23
Animas Vibe	14
Anoro Ellipta	. 202
Antabuse	. 150
Antacids and Antiflatulents	6
Anten	. 126
Anthelmintics	
Antiacne Preparations	59
Antiallergy Preparations	. 198
Antianaemics	35
Antiandrogen Oral	
Contraceptives	72
Antiarrhythmics	47
Antibacterials	88
Antibacterials Topical	
Anticholinergic Agents	
Anticholinesterases	110
Antidepressants	125
Antidiarrhoeals	6
Antiepilepsy Drugs	107
Antifibrinolytics, Haemostatics and	. 121
Local Sclerosants	36
Antifibrotics	202
Antifungals	
Antifungals Topical	90 60
Antihistamines	100
Antihypotensives	
Antimalarials	
Antimigraine Preparations	101
Antinausea and Vertigo Agents	101
Antiparasitics	. 131
Antipruritic Preparations	90
Antipsychotics	10
Antipsycholics	104
Antiretrovirals Antirheumatoid Agents	. 104
Antispasmodics and Other Agents	
Antispasmodics and Other Agents	
Altering Gut Motility	ة
Antithrombotic Agents	39
Antithymocyte globulin	470
(equine)	. 178
Antitrichomonal Agents	98
Antituberculotics and	
Antileprotics	98
Antiulcerants	
Antivirals	
Anxiolytics	. 136
Anzatax	
Apidra	10
Apidra SoloStar	
Apo-Amiloride	51
Apo-Amlodipine	49

Apo-Amoxi91
Apo-Azithromycin
Apo-Bromocriptine120
Apo-Ciclopirox
Apo-Cilazapril
Apo-Cilazapril/
Apo-Cilazapili/
Hydrochlorothiazide
Apo-Clarithromycin
Alimentary
Infection
Apo-Clomipramine125
Apo-Diclo SR 110
Apo-Diltiazem CD50
Apo-Doxazosin45
Apo-Folic Acid
Apo-Gabapentin 128
Apo-Imiquimod Cream 5%69
Apo-Leflunomide 111
Apo-Megestrol 170
Apo-Metoprolol
Apo-Mirtazapine
Apo-Moclobemide126
Apo-Montelukast
Apo-Nadolol
Apo-Nicotinic Acid
Apo-Ondansetron
Apo-Oxybutynin
Apo-Paroxetine
Apo-Perindopril
Apo-Pindolol
Apo-Pravastatin
Apo-Prazosin
Apo-Prednisone
Apo-Primidone
Apo-Propranolol
Apo-Pyridoxine
Apo-Ropinirole
Apo-Nopiniole
Apo-Sumatriptan
Apo-Sumanpian
Apo-Telazosin
Apo-Timol
Aprepitant
Apresoline55 Aptamil Gold+ Pepti Junior233
Aqueous cream
Aripiprazole
Aripiprazole Sandoz
Aristocort
Arrow - Clopid
Arrow-Amitriptyline
Arrow-Bendrofluazide
Arrow-Brimonidine
Arrow-Calcium
Arrow-Diazepam136

Arrow-Dortim	208
Arrow-Doxorubicin	160
Arrow-Etidronate	114
Arrow-Fluoxetine	126
Arrow-Gabapentin	128
Arrow-Lamotrigine	129
Arrow-Losartan &	
Hydrochlorothiazide	46
Arrow-Meloxicam	
Arrow-Morphine LA	12/
Arrow-Norfloxacin	100
Arrow-Ornidazole	09
Arrow-Quinapril 10	
Arrow-Quinapril 20	40
Arrow-Quinapril 5	40
Arrow-Roxithromycin	40
Arrow-Sertraline	
Arrow-Timolol	208
Arrow-Tolterodine	
Arrow-Topiramate	130
Arrow-Tramadol	125
Arsenic trioxide	
Asacol	
Asamax	
Ascorbic acid	. 32
Aspen Adrenaline	54
Aspirin	
Blood	. 39
Nervous	122
Asthalin	
Atazanavir sulphate	106
Atenolol	48
Atenolol AFT	. 48
ATGAM	178
Ativan	136
Atomoxetine	146
Atorvastatin	
Atripla	
Atropine sulphate	
Cardiovascular	47
Sensory	209
Atropt	209
Atrovent	201
Aubagio	141
Augmentin	91
Avelox	
Avomine	132
Avonex	
Avonex Pen	
Azacitidine	144
Azacitidine Dr Reddy's	100
Azathioprine	100
Azithromycin	
Azol	
Azopt	208
AZT	106

- B -	
-------	--

B-D Micro-Fine	13
B-D Ultra Fine	14
B-D Ultra Fine II	14
B-D Ultra Fine II Bacillus Calmette-Guerin (BCG)	
vaccine 17	78
Bacillus Calmette-Guerin	
vaccine 23	35
Baclofen1	19
Bactroban6	60
Baraclude10)1
Barrier Creams and Emollients	64
BCG Vaccine23	
BD PosiFlush	
Beclazone 100 19	99
Beclazone 25019	99
Beclazone 5019	99
Beclomethasone	
dipropionate 199, 20)4
Bee venom allergy treatment	98
Bendamustine hydrochloride 15	53
Bendrofluazide	52
Bendroflumethiazide	-
[Bendrofluazide]	52
BeneFIX	
Benzathine benzylpenicillin	
Benzatropine mesylate	20
Benzbromaron AL 1001	18
Benzbromarone1	18
Benzoin2	
Benztrop12	
Benzydamine hydrochloride	30
Benzylpenicillin sodium [Penicillin	
G]	91
Beta Adrenoceptor Blockers	
Beta Cream	
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	11
Betadine	
Betadine Skin Prep	35
Betaferon 14	
Betagan 20	38
Betagan20 Betahistine dihydrochloride	31
Betaine	
Betaloc CR	
Betamethasone dipropionate	32
Betamethasone dipropionate with	
calcipotriol	37
Betamethasone sodium phosphate	,,,
with betamethasone acetate	77
Betamethasone valerate	
Betamethasone valerate with	.0
clioquinol6	33
Betamethasone valerate with sodium	50
fusidate [fusidic acid]6	33
	~~

Betaxolol208
Betnovate62
Betnovate-C63
Betoptic208
Betoptic S 208
Bezafibrate
Bezalip52
Bezalip Retard52
Bicalutamide 170
Bicillin LA91
BiCNU
Bile and Liver Therapy9
Biltricide
Bimatoprost
Bimatoprost Actavis
Binarex
Biodone
Biodone Extra Forte 123
Biodone Forte123
Bisacodyl26
Bisoprolol fumarate48
BK Lotion64
Bleomycin sulphate 158
Blood Colony-stimulating Factors
Factors
Blood glucose diagnostic test
meter
Disad alassa disama di sa s
RIDOU UIIICOSO UISUDOSTIC TOST
Blood glucose diagnostic test
strip
strip 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Bonjela 31 Bonvit 25 Boostrix 235 Bortezomib 159 Bosentan 55
strip 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Bonjela 31 Bonvit 25 Boostrix 235 Bortezomib 159 Bosentan 55
strip 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Bonjela 31 Bonvit 25 Boostrix 235 Bortezomib 159 Bosentan 55 Bosentan Dr Reddy's 55
strip
strip
strip
strip. 13 Blood glucose test strips (visually impaired). 13 Blood Ketone Diagnostic Test 11 Bonjela. 31 Bonvit. 25 Boostrix. 235 Bortezomib 159 Bosentan Dr Reddy's. 55 Bosentan-Mylan. 55 Bosvate. 48 Bplex. 31 Breo Ellipta 200
strip. 13 Blood glucose test strips (visually impaired). 13 Blood Ketone Diagnostic Test 11 Bonjela. 31 Bonvit. 25 Boostrix. 235 Bortezomib 159 Bosentan Dr Reddy's. 55 Bosentan-Mylan. 55 Bosvate. 48 Bplex. 31 Breo Ellipta 200 Brevinor 1/21 71
strip. 13 Blood glucose test strips (visually impaired). 13 Blood Ketone Diagnostic Test 11 Bonjela. 31 Bonvit. 25 Boostrix. 235 Bosentan 55 Bosentan Dr Reddy's. 55 Bosentan. 55 Bosvate. 48 Bplex. 31 Breo Ellipta 200 Brevinor 1/21 71
strip
strip. 13 Blood glucose test strips (visually impaired). 13 Blood Ketone Diagnostic Test 11 Bonjela. 31 Bonvit. 25 Boostrix. 235 Borsentan 55 Bosentan 55 Bosentan Dr Reddy's. 55 Bosentan. 55 Bosvate. 48 Bplex. 31 Breo Ellipta 200 Brevinor 1/21 71 Brevinor 21 71 Breicanyl Turbuhaler 201
strip
strip 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Bonjela 31 Bonvit 25 Bostrix 235 Bortezomib 159 Bosentan 55 Bosentan Dr Reddy's 55 Bosvate 48 Bplex 31 Brevinor 1/21 71 Brevinor 21 71 Bricanyl Turbuhaler 201 Brimonidine tartrate 209
strip 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Bonjela 31 Bonvit 25 Bostrix 235 Bostrix 255 Bosentan 55 Bosentan Dr Reddy's 55 Bosvate 48 Bplex 31 Breo Ellipta 200 Brevinor 1/21 71 Brevinor 21 71 Bricanyl Turbuhaler 201 Brilinta 40 Brimonidine tartrate 209 Brimonidine tartrate with timolol 31
strip 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Bonjela 31 Bonvit 25 Boostrix 235 Bostezomib 159 Bosentan 55 Bosentan Dr Reddy's 55 Bosvate 48 Bplex 31 Breo Ellipta 200 Brevinor 1/21 71 Brevinor 21 71 Bricanyl Turbuhaler 201 Brilinita 40 Brimonidine tartrate 209 Brimonidine tartrate with timolol maleate
strip. 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Strip 11 Bonjela. 31 Borvit. 25 Bosentan 159 Bosentan Dr Reddy's. 55 Bosentan-Mylan 55 Bosvate. 48 Bplex. 31 Breo Ellipta 200 Brevinor 1/21 71 Briconyl Turbuhaler 201 Brilinta. 40 Brimonidine tartrate with timolol 209 Brinov. 156
strip. 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Strip 11 Bonjela 31 Borvit. 25 Bosertan 159 Bosentan 55 Bosentan Dr Reddy's 55 Bosentan Mylan 55 Bosvate 48 Bplex 31 Breo Ellipta 200 Brevinor 1/21 71 Briconyl Turbuhaler 201 Brilinta 40 Brimonidine tartrate 209 Brimov 156 Brinov 156 Brinov 156 Brinov 156 Brinzolamide 208
strip. 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Strip 11 Bonjela. 31 Borvit. 25 Bosentan 159 Bosentan Dr Reddy's. 55 Bosentan Mylan 55 Bosentan-Mylan 55 Borvinor 1/21 71 Brevinor 1/28 71 Briconyl Turbuhaler 200 Brimonidine tartrate 209 Brimovidine tartrate with timolol 209 Brinov 156
strip. 13 Blood glucose test strips (visually impaired) 13 Blood Ketone Diagnostic Test 11 Strip 11 Bonjela 31 Borvit. 25 Bosertan 159 Bosentan 55 Bosentan Dr Reddy's 55 Bosentan Mylan 55 Bosvate 48 Bplex 31 Breo Ellipta 200 Brevinor 1/21 71 Briconyl Turbuhaler 201 Brilinta 40 Brimonidine tartrate 209 Brimov 156 Brinov 156 Brinov 156 Brinov 156 Brinzolamide 208

Buccastem13	2
Budesonide	
Alimentary	6
Respiratory	
Budesonide with eformoterol	n
Bumetanide	
Buprenorphine with naloxone	9
Bupropion hydrochloride15	
Burinex5	1
Buscopan	8
Buspirone hydrochloride13	6
Busulfan15	
Butacort Aqueous 20	5
- C -	
Cabergoline 8	6
Cafergot13	1
Cafergot S29 13	1
Caffeine citrate	
Calamine	
Calcipotriol	
Calcitonin	
Calcitriol	
Calcitriol-AFT3	
Calcium carbonate6, 3	
Calcium Channel Blockers4	
Calcium Disodium Versenate21	
Calcium folinate 15	6
Calcium Folinate Ebewe15	6
Calcium Folinate Sandoz15	6
Calcium gluconate3	3
Calcium Homeostasis7	6
Calcium polystyrene sulphonate4	3
Calcium Resonium4	3
Calogen21	
Calsource	3
Camptosar15	7
Candesartan cilexetil	6
Candestar	
Canesten	
Capecitabine	
Capoten	c
Capsaicin	
Musculoskeletal 11	
Nervous12	2
Captopril4	
Carafate	
Carbaccord 15	4
Carbamazepine 12	7
Carbimazole8	1
Carbomer21	
Carboplatin	
Carboplatin Ebewe 15	4
Carbosorb-X	1
Cardinol LA	
CareSens Dual1	
CareSens N 12–1	
Carebells IN 12-1	3

CareSens N POP	. 12
CareSens N Premier	. 12
CareSens PRO	.13
Carmellose sodium with gelatin and	
pectin	30
Carmustine	154
Carvedilol	
Carvedilol Sandoz	
	.40
Catapres	.50
Cathejell	121
CeeNU	154
Cefaclor monohydrate	.88
Cefalexin	
Cefalexin Sandoz	
Cefazolin	
Ceftriaxone	.88
Cefuroxime axetil	.88
Celecoxib	111
Celecoxib Pfizer	111
Celestone Chronodose	
Celiprolol	48
Cellcept	172
Celol	
Centrally-Acting Agents	
Cephalexin ABM	. 00
Cerezyme	200
Cetirizine hydrochloride	100
Cetomacrogol	64
Cetomacrogol with glycerol	.04 64
Cetuximab	.04 107
Champix	10/
Champix	101
Charcoal	211
Chemotherapeutic Agents	153
Chickenpox vaccine	
Chlorafast	
Chlorambucil	154
Chloramphenicol	206
Chlorhexidine gluconate	
Alimentary	.31
Dermatological	. 63
Chloroform	214
Chlorothiazide	. 52
Chlorpheniramine maleate	199
Chlorpromazine hydrochloride	133
Chlorsig	206
Chlortalidone [Chlorthalidone]	. 52
Chlorthalidone	. 52
Chlorvescent	
Choice Load 375	
Choice TT380 Short	.70
Choice TT380 Standard	
Cholestyramine	
Choline salicylate with cetalkonium	
chloride	.31
Ciclopirox olamine	
Ciclosporin	
· · · · · · · · · · · · · · · · · · ·	

Cilazapril
Cilazapril with
hydrochlorothiazide 46
Cilicaine
Cilicaine VK
Cinacalcet76
Cipflox
Ciprofloxacin
Infection
Sensory206
Ciprofloxacin Teva206
Circadin
Cisplatin
Cisplatin Ebewe
Citalopram hydrobromide 126
Cladribine
Clarithromycin
Alimentary
Infection
Clexane
Clindamycin
Clindamycin ABM
Clinicians Renal Vit
Clobazam 127
Clobetasol propionate
Clobetasone butyrate
Clofazimine
Clomazol
Dermatological60
Genito-Urinary73
Clomifene citrate
Clomipramine hydrochloride125
Clonazepam 127, 136
Clonidine
Clonidine BNM
Clonidine hydrochloride
Clopidogrel
Clopine
Clopixol
Clotrimazole
Dermatological
Genito-Urinary
Clozapine
Clozaril
Clustran
Co-trimoxazole
Coal tar67
Coal tar with allantoin, menthol,
phenol and sulphur 68
Coal tar with salicylic acid and
sulphur68
Coco-Scalp
Codeine phosphate
Extemporaneous214
Nervous
Cogentin
-

Colaspase [L-asparaginase]1	
Colchicine 1	19
Colecalciferol	
Colestid	
Colestipol hydrochloride	52
Colgout 1	19
Colifoam	7
Colistin sulphomethate	
Colistin-Link	93
Collodion flexible	214
Colloidal bismuth subcitrate	. 9
Colofac	8
Coloxyl	25
Combigan	
Compound electrolytes	43
Compound electrolytes with glucose	
[Dextrose]	
Compound hydroxybenzoate	214
Concerta1	48
Condoms	70
Condyline	69
Contact-D	20
Contraceptives - Hormonal	70
Contraceptives - Non-hormonal	70
Copaxone 1	44
Cordarone-X	47
Corticosteroids and Related Agents	
for Systemic Use	77
Corticosteroids Topical	62
Corticosteroids Topical	62
Corticosteroids Topical Cosentyx	62 91
Corticosteroids Topical1	62 91 59
Corticosteroids Topical Cosentyx	62 91 59 42
Corticosteroids Topical Cosentyx	62 91 59 42 24
Corticosteroids Topical Cosentyx	62 91 59 42 24 24
Corticosteroids Topical Cosentyx	62 91 59 42 24 24 61
Corticosteroids Topical Cosentyx	62 91 59 42 24 24 61 60
Corticosteroids Topical	.62 91 59 42 24 .24 .61 .60 .91 .32
Corticosteroids Topical	.62 91 59 42 24 .24 .61 .60 .91 .32
Corticosteroids Topical	.62 91 59 42 24 .24 .61 .60 .91 .32 .32
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 99 209
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 99 209
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 209 209
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 209 209 54 .99
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 99 54 .99 39
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 99 54 .99 39
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 99 54 99 54 99 39 78
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 32 99 54 99 54 99 72
Corticosteroids Topical Cosentyx	62 91 59 42 24 61 60 91 32 32 32 32 99 54 99 54 99 72 27
Corticosteroids Topical	.62 91 59 42 24 61 .60 .91 .32 32 32 32 32 32 .32 .32 .32 .32 .32
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 32 32 32 32 32 32 32 32 32
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 32 32 32 32 32 32 32 32 32
Corticosteroids Topical Cosentyx	62 91 59 42 24 61 60 91 32 32 32 32 32 32 32 32 32 32 32 32 32
Corticosteroids Topical Cosentyx	62 91 59 42 24 61 60 91 32 32 32 32 32 32 32 32 32 32 32 32 32
Corticosteroids Topical	62 91 59 42 24 61 60 91 32 32 32 32 32 32 32 32 32 32 32 32 32

Dacarbazine APP	159
Dactinomycin [Actinomycin D]	
Daivobet	
Daivonex	. 67
Daktarin	. 61
Dalacin C	
Dalteparin sodium	
Danazol	
Dantrium	110
Dantrium S29	110
Dantrolene	
Daonil	
Dapa-Tabs	
Dapsone	
Daraprim	94
Darunavir	106
Dasatinib	164
Daunorubicin	159
DBL Acetylcysteine	211
DBL Aminophylline	204
DBL Bleomycin Sulfate	158
DBL Carboplatin	154
DBL Cisplatin	15/
DBL Dacarbazine	150
DBL Dacaibazine	109
DBL Ergometrine	
DBL Gemcitabine	150
DBL Gentamicin	
DBL Leucovorin Calcium	
DBL Methotrexate Onco-Vial	157
DBL Morphine Sulphate	124
DBL Morphine Tartrate	124
DBL Naloxone Hydrochloride	211
DBL Octreotide	170
DBL Pethidine Hydrochloride	125
DBL Vincristine Sulfate	163
De-Worm	
Decozol	
Deferasirox	211
Deferiprone	
Denosumab	113
Deolate	
Deoxycoformycin	
Depo-Medrol Depo-Medrol with Lidocaine	/ 0
Depo-Provera	72
Depo-Testosterone	
Deprim	
DermAssist	
Dermol62	
Desferal	212
Desferrioxamine mesilate	212
Desmopressin acetate	86
Desmopressin-PH&T	86
Detection of Substances in	
Urine	. 75

Dexamethasone
Hormone
Sensory207
Dexamethasone phosphate77
Dexamethasone with framycetin and
gramicidin
Dexamethasone with neomycin
sulphate and polymyxin B
sulphate
Dexamfetamine sulfate146
Dexmethsone77
Dextrochlorpheniramine
maleate 199
Dextrose
DHC Continus123
Diabetes9
Diabetes Management11
Diacomit129
Diagnostic Agents245
Diamide Relief
Diamox
Diasip
Diason RTH
Diazepam
Diazoxide
Dibenzyline
Diclofenac Sandoz110
Diclofenac sodium
Musculoskeletal 110
Sensory207
Differin
Difflam
Diflucan
Diflucan S2995
Diflucortolone valerate62
Digestives Including Enzymes24
Digoxin
Dihydrocodeine tartrate
Dilantin
Dilantin Infatab
Diltiazem hydrochloride
Dilzem
Dimethicone
Dimethyl fumarate 137
Dipentum7
Diphtheria, tetanus and pertussis
vaccine 235
Diphtheria, tetanus, pertussis and
polio vaccine235
Diphtheria, tetanus, pertussis, polio,
hepatitis B and haemophilus
influenzae type B vaccine
Diprosone
Diprosone OV62
Dipyridamole
Disinfecting and Cleansing

Agents	63
Disopyramide phosphate	
Disulfiram1	50
Ditropan	74
Diuretics	51
Diurin 40	51
Docetaxel1	60
Docetaxel Sandoz1	60
Docusate sodium	25
Docusate sodium with	
sennosides	25
Dolutegravir 1	06
Domperidone1	
Donepezil hydrochloride 1	10
Donepezil Roy	49 40
Donepezil-Rex1 Dopress1	49
Dornase alfa2	04
Dorzolamide hydrochloride2	80
Dorzolamide with timolol2	
Dostinex	86
Dosulepin [Dothiepin]	
hydrochloride 1	25
Dothiepin1	
Doxazosin	45
Doxepin hydrochloride1	26
Doxine	92
Doxorubicin Ebewe1	60
Doxorubicin hydrochloride1	60
Doxy-50	92
Doxycycline	92
Doxycycline DP Fusidic Acid Cream	92
DP Fusidic Acid Cream	92 60
DP Fusidic Acid Cream DP Lotion	92 60 64
DP Fusidic Acid Cream DP Lotion DP Lotn HC	92 60 64 62
DP Fusidic Acid Cream DP Lotion DP Lotn HC DP-Allopurinol	92 60 64 62 18
DP Fusidic Acid Cream DP Lotion DP Lotn HC DP-Allopurinol	92 60 64 62 18
DP Fusidic Acid Cream DP Lotion DP Lotn HC DP-Allopurinol	92 60 64 62 18 9
DP Fusidic Acid Cream DP Lotion DP Lotn HC DP-Allopurinol	92 60 64 62 18 9
DP Fusidic Acid Cream DP Lotion DP Lotn HC DP-Allopurinol	92 60 64 62 18 9
DP Fusidic Acid Cream DP Lotion DP Lotn HC DP-Allopurinol	92 60 64 62 18 9 12
DP Fusidic Acid Cream DP Lotion DP Lotn HC	92 60 64 62 18 9 12 12 12
DP Fusidic Acid Cream DP Lotion DP Lotn HC DP-Allopurinol	92 60 64 62 18 .9 12 12 12 17 01
DP Fusidic Acid Cream DP Lotion DP Lotn HC	92 60 64 62 18 9 12 12 17 01 01
DP Fusidic Acid Cream DP Lotion DP Lotin HC	92 60 64 62 18 .9 12 12 17 01 01 70
DP Fusidic Acid Cream DP Lotion DP Lotin HC DP-Allopurinol	92 60 64 18 .9 12 12 17 01 70 70
DP Fusidic Acid Cream DP Lotion DP Lotion HC DP-Allopurinol	92 60 64 18 .9 12 12 17 01 70 70 54
DP Fusidic Acid Cream DP Lotion DP Lotin HC DP-Allopurinol	92 60 64 18 .9 12 12 17 01 70 70 54
DP Fusidic Acid Cream DP Lotion DP Lotion HC DP-Allopurinol	92 60 64 18 .9 12 12 17 01 70 70 54 49
DP Fusidic Acid Cream DP Lotion DP Lotion HC DP-Allopurinol	92 60 64 18 .9 12 12 17 01 70 70 54 49 05
DP Fusidic Acid Cream DP Lotion DP Lotion DP Lotin HC DP-Allopurinol Dr Reddy's Omeprazole Drugs Affecting Bone Metabolism Dual blood glucose and blood ketone diagnostic test meter Duocal Super Soluble Powder Duolin Durex Confidence Duride Dynacirc-SRO - E - e-chamber La Grande 2e-chamber Mask	92 60 64 18 .9 12 17 01 70 70 54 49 05 05
DP Fusidic Acid Cream DP Lotion DP Lotion DP Lotin HC DP-Allopurinol Dr Reddy's Omeprazole Drugs Affecting Bone Metabolism Metabolism 10ual blood glucose and blood ketone diagnostic test meter Ducal Super Soluble Powder. 20uolin Durex Confidence. Durex Extra Safe Duraice-SRO. - E - -chamber La Grande 2-chamber Turbo.	92 60 64 18 .9 12 17 01 70 70 54 49 05 05 05
DP Fusidic Acid Cream DP Lotion DP Lotion DP Lotin HC DP-Allopurinol 1 Dr Reddy's Omeprazole Drugs Affecting Bone Metabolism 1 Dual blood glucose and blood ketone diagnostic test meter Duccal Super Soluble Powder. Duolin 2 Duolin HFA 2 Dury Confidence Dury Extra Safe Dury Carcinc-SRO. - E - e-chamber La Grande 2 e-chamber Turbo 2 -Mvcin	92 60 64 62 18 .9 12 12 17 01 70 54 49 05 05 05 90
DP Fusidic Acid Cream DP Lotion DP Lotion DP Lotin HC DP-Allopurinol 1 Dr Reddy's Omeprazole Drugs Affecting Bone Metabolism 1 Dual blood glucose and blood ketone diagnostic test meter Duccal Super Soluble Powder. Duolin 2 Duolin HFA 2 Dury Confidence Dury Extra Safe Dury Carcinc-SRO. - E - e-chamber La Grande 2 e-chamber Turbo 2 -Mvcin	92 60 64 62 18 .9 12 12 17 01 70 54 49 05 05 05 90
DP Fusidic Acid Cream DP Lotion DP Lotion DP Lotin HC DP-Allopurinol 1 Dr Reddy's Omeprazole Drugs Affecting Bone Metabolism 1 Dual blood glucose and blood ketone diagnostic test meter Duccal Super Soluble Powder. Duolin 2 Duolin HFA 2 Dury Confidence Dury Extra Safe Dury Carcinc-SRO. - E - e-chamber La Grande 2 e-chamber Turbo 2 -Mvcin	92 60 64 62 18 .9 12 12 17 01 70 54 49 05 05 05 90
DP Fusidic Acid Cream DP Lotion DP Lotion DP Lotin HC DP-Allopurinol 1 Dr Reddy's Omeprazole Drugs Affecting Bone Metabolism 1 Dual blood glucose and blood ketone diagnostic test meter Duccal Super Soluble Powder. Duolin 2 Duolin HFA 2 Dury Confidence Dury Extra Safe Dury Carcinc-SRO. - E - e-chamber La Grande 2 e-chamber Turbo 2 -Mvcin	92 60 64 62 18 .9 12 12 17 01 70 54 49 05 05 05 90
DP Fusidic Acid Cream DP Lotion DP Lotion HC DP-Allopurinol	92 60 64 62 18 12 12 17 01 70 70 54 90 05 90 06 31 73

Efavirenz Efavirenz with emtricitabine and	105
tenofovir disoproxil	
fumarate	106
Effient	
Eformoterol fumarate	
Efudix	69
Egopsoryl TA	68
Elaprase	
Elecare	232
Elecare LCP	232
Elelyso	20
Elemental 028 Extra	202
Elocon	220 63
Elocon Alcohol Free	
Eltrombopag	
Eltroxin	
EMB Fatol	
Emend Tri-Pack	
EMLA	122
Emtricitabine	106
Emtricitabine with tenofovir disopro	
fumarate	103
Emtriva	106
Emulsifying ointment	
Enalapril maleate	45
Enbrel	172
Endocrine Therapy	169
Endoxan	154
Enerlyte	43
Engerix-B	237
Enlafax XR	
Enoxaparin sodium	
Ensure	227
Ensure Plus	227
Ensure Plus HN	226
Ensure Plus RTH	
Entacapone	
Entapone	
Entecavir	
Entecavir Sandoz	
Entocort CIR	101
Entresto 24/26	
Entresto 49/51	46
Entresto 97/103	46
Epilim	129
Epilim Crushable	
Epilim IV	
Epilim S/F Liquid	
Epilim Syrup	129
Epirubicin Ebewe	160
Epirubicin hydrochloride	
Eplerenone	<mark>51</mark>
Epoetin alfa [Erythropoietin alfa]	<mark>36</mark>
Epoprostenol	
Eprex	

Eptacog alfa [Recombinant factor
VIIa]
ERA
Erbitux
Ergometrine maleate
Ergotamine tartrate with caffeine
Erlotinib
Erythrocin IV
Erythromycin ethyl succinate
Erythromycin lactobionate
Erythromycin stearate
Erythropoietin alfa
Esbriet
Escitalopram126
Escitalopram-Apotex
Eskazole
Estradot
Estradot 50 mcg
Estrofem
Etanercept 172
Ethambutol hydrochloride
Ethics Aspirin
Ethics Aspirin EC
Ethics Enalapril45
Ethics Lisinopril45
Ethinyloestradiol80
Ethinyloestradiol with
desogestrel71
Ethinyloestradiol with
levonorgestrel 71
Ethinyloestradiol with
norethisterone71
Ethosuximide128
Etidronate disodium114
Etopophos 160
Etoposide160
Etoposide phosphate
Etravirine 105
Eumovate
Everet
Evista
Exelon
Exemestane
Exercestane
Extemporaneously Compounded
Preparations and
Galenicals
Eye Preparations
Eylea
Ezetimibe
Ezetimibe Sandoz
Ezetimibe with simvastatin
Factor eight inhibitor bypassing

fraction	37
Febuxostat	119
Feed Thickener Karicare	
Aptamil	. 229
FEIBA NF	37
Felo 10 ER	
Felo 5 ER	
Felodipine	
Fenpaed	110
Fentanyl	
Fentanyl Sandoz	123
Ferinject	33
Ferodan	34
Ferric carboxymaltose	33
Ferriprox	
Ferro-F-Tabs	34
Ferro-tab	
Ferrograd	
Ferrous fumarate	
Ferrous fumarate with folic acid	
Ferrous sulphate	34
Ferrum H	
Fexofenadine hydrochloride	199
Fibro-vein	
Filgrastim	42
Finasteride	73
Fingolimod	138
Firazyr	198
Flagy	
FlagyI-S	
Flamazine	
Flecainide acetate	
Fleet Phosphate Enema	
Flixonase Hayfever & Allergy	20
Flixonase maylever & Allergy	205
Flixotide	200
Flixotide Accuhaler	
Floair	
Florinef	77
Fluanxol	134
Fluarix Tetra	239
Flucil	91
Flucloxacillin	91
Flucloxin	91
Fluconazole	
Fludara Oral	
Fludarabine Ebewe	
Fludarabine phosphate	
Fludrocortisone acetate	11
Fluids and Electrolytes	
Flumetasone pivalate	206
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	
Fluorometholone	208
Fluorouracil	156
Fluorouracil Ebewe	

Fluorouracil sodium	
Fluoxetine hydrochloride	126
Flupenthixol decanoate	134
Flutamide	170
Flutamide Mylan	170
Flutamin	
Fluticasone	
Fluticasone furoate with	
vilanterol	200
Fluticasone propionate	
Fluticasone with salmeterol	200
FML	200
Foban	200 ۵۵
Folic acid	
Food Thickeners	229
Foods And Supplements For Inborr	1
Errors Of Metabolism	
Foradil	200
Forteo	115
Fortini	
Fortini Multi Fibre	
Fortisip	227
Fortisip Multi Fibre	228
Fosamax	113
Fosamax Plus	
Fragmin	40
Framycetin sulphate	206
Frisium	127
Frumil	52
Frusemide	51
Frusemide-Claris	51
Fucicort	63
Fucidin	
Fucithalmic	
Fungilin	
Furosemide [Frusemide]	51
fusidic acid	
Dermatological6	0.63
Infection	
Sensory	206
- G -	
Gabapentin	. 128
Gacet	
Galsulfase	
Galvumet	
Galvus	11
Gardasil 9	238
Gastrodenol	
Gaviscon Double Strength	و
Gaviscon Infant	
Gazyva	
Gefitinib Gemcitabine Ebewe	
Gemcitabine hydrochloride	. 156
Gemfibrozil	
Gemzar	. 156

Genoptic 206
Genox
Gentamicin sulphate
Infection
Sensory206
Gilenya
Ginet72
Glatiramer acetate 144
Glibenclamide11
Gliclazide11
Glipizide11
Glivec
Glizide11
Glucagen Hypokit9
Glucagon hydrochloride9
Glucerna Select
Glucerna Select RTH219
Glucobay11
Glucose [Dextrose]43
Gluten Free Foods
Glycerin with sodium saccharin 214
Glycerin with sucrose214
Glycerol
Alimentary
Extemporaneous
Glyceryl trinitrate
Alimentary
Cardiovascular
Glycopyrronium
Glycopyrronium bromide
Glycopyrronium with
indacaterol
Glytrin
Gold Knight
Goserelin
Gutron
Gynaecological Anti-infectives
- H -
Habitrol
Haemophilus influenzae type B
vaccine
Haldol
Haldol Concentrate
Haldol Decanoas
Haloperidol
Hamilton Sunscreen
Harvoni
Havrix
Havrix Junior
HBvaxPRO
healthE Calamine Aqueous Cream
BP
healthE Dimethicone 10%
healthE Dimethicone 4% Lotion65
healthE Dimethicone 5%64

healthE Glycerol BP	214
healthE Urea Cream	.214
nealthE Urea Cream	64
Healtheries Simple Baking Mix	
Hemastix	
Heparin sodium	41
Heparinised saline	
Heparon Junior	.220
Hepatitis A vaccine	
Hepatitis B recombinant	
vaccine	237
Hepsera	
Herceptin	
Hexamine hippurate	100
Hiberix	
Hiprex	
Histaclear	
Histafen	. 199
Holoxan	.154
Horleys Bread Mix	.229
Horleys Flour	230
Hormone Replacement Therapy -	
Systemic	. 79
HPV	
Humalog	
Humalog Mix 25	
Humalog Mix 50	
Human papillomavirus (6, 11, 16, 18	,
31, 33, 45, 52 and 58) vaccine	
[HPV]	
Humatin	94
	94
Humatin	94 .178
Humatin Humira HumiraPen Humulin 30/70	94 .178 .178 10
Humatin Humira HumiraPen Humulin 30/70	94 .178 .178 10
Humatin Humira HumiraPen Humulin 30/70 Humulin NPH	94 .178 .178 10 10
Humatin Humira HumiraPen Humulin 30/70 Humulin NPH Humulin R	94 .178 .178 10 10 10
Humatin Humira HumiraPen Humulin 30/70 Humulin NPH Humulin R Hyaluronic acid	94 .178 .178 10 10 10 .210
Humatin Humira Pen Humulin 30/70 Humulin NPH Humulin R Hyaluronic acid Hybloc	94 .178 .178 10 10 10 .210 48
Humatin Humira HumiraPen Humulin 30/70 Humulin NPH Humulin R Hyaluronic acid Hybloc Hybloc	94 .178 .178 10 10 10 .210 48 55
Humatin Humira Pen Humulin 30/70 Humulin NPH Humulin R Hyaluronic acid Hybloc Hydralazine Hydralazine hydrochloride	94 .178 10 10 10 10 10 10 48 55 55
Humatin Humira Humira Humira Pen Humulin 30/70 Humulin NPH Humulin R Hyaluronic acid Hydralazine Hydralazine hydrochloride Hydralazine hydrochloride	94 .178 10 10 10 10 10 10 48 55 55
Humatin Humira Humira Pen Humulin 30/70 Humulin NPH Humulin R Hyaluronic acid Hydralazine Hydralazine Hydralazine hydrochloride Hydraea Hydrocortisone	94 .178 .178 10 10 10 10 210 48 55 55 .160
Humatin	94 .178 .178 10 10 10 10 10 48 55 .160
Humatin	94 .178 .178 10 10 10 10 10 10 10 10 55 .160 62 77
Humatin	94 .178 .178 10 10 10 10 10 10 10 10 55 .160 62 77
Humatin	94 178 .178 10 10 10 .210 48 55 .160 77 7
Humatin	94 178 .178 10 10 10 10 10 10 55 55 55 55 77 7
Humatin	94 .178 10 10 10 10 10 10 10 10
Humatin	94 178 178 10 10 10 10 10 48 55 .160 62 7 62 2,68 7
Humatin	94 178 178 10 10 10 10 10 48 55 .160 62 7 62 2,68 7
Humatin	94 .178 .178 10
Humatin	94 .178 .178 10
Humatin	94 .178 .178 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10
Humatin	94 .178 .178 10 10 10 10 10 10 10 10 10 10 10 10 10
Humatin	94 .178 .178 10 10 10 10 10 10 10 10 10 10 10 10 10
Humatin	94 178 178 178 178 178 178 178 178 178 178

Hydroxyurea	
Hygroton	52
Hylo-Fresh	
Hymenoptera	198
Hyoscine butylbromide	8
Hyoscine hydrobromide	132
Hypam	145
Hyperuricaemia and Antigout	
Hypromellose	209
Hypromellose with dextran	209
Hysite	209
- I - Ibiamox	01
Ibuprofen	
Icatibant	
Idarubicin hydrochloride	160
Idursulfase	
Ifosfamide	
Ikorel	
lloprost	
Imatinib mesilate	
Imatinib-AFT	
Imiglucerase	
Imipramine hydrochloride	126
Imiquimod	69
Immune Modulators	
Immunosuppressants	
Imuran	172
Incruse Ellipta	
Indacaterol	
Indapamide	
Infanrix IPV	
Infanrix-hexa	
Infant Formulae	
Infatrini	
Influenza vaccine	239
Influvac	
Influvac Tetra	240
Inhaled Corticosteroids	199
Inhaled Long-acting	
Beta-adrenoceptor Agonists	
Inset 30	
Inset II	
Inspra	
Insulin aspart	10
Insulin aspart with insulin aspart	
protamine	
Insulin glargine	
Insulin glulisine	10
Insulin isophane	10
Insulin isophane with insulin	
neutral	
Insulin lispro	10
Insulin lispro with insulin lispro	10
protamine Insulin neutral	
	10

Insulin pen needles13
Insulin pump 14
Insulin pump accessories
Insulin pump infusion set (steel
cannula)
Insulin pump infusion set (teflon
cannula, angle insertion with
insertion device) 20
Insulin pump infusion set (teflon
cannula, angle insertion) 21
Insulin pump infusion set (teflon
cannula, straight insertion with
insertion device) 22
Insulin pump infusion set (teflon
cannula, straight insertion) 23
Insulin pump reservoir23
Insulin syringes, disposable with
attached needle 14
Intal Forte CFC Free204
Intelence 105
Interferon alfa-2a 107
Interferon alfa-2b 107
Interferon beta-1-alpha
Interferon beta-1-beta
Intra-uterine device
Intron-A107
Invega Sustenna
IPOL
In we have a low a we have a state 001 005
Ipratropium bromide
Iressa
Iressa
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan Actavis 40157Irinotecan hydrochloride157
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan Actavis 40157Irinotecan hydrochloride157Irinotecan-Rex157
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan Actavis 40157Irinotecan hydrochloride157Irinotecan-Rex157Iron polymaltose34
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan hydrochloride157Irinotecan-Rex157Iron polymaltose34Isentress106
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan Actavis 40157Irinotecan hydrochloride157Irinotecan-Rex157Iron polymaltose34
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan hydrochloride157Irinotecan-Rex157Iron polymaltose34Isentress106
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Ismo 40 Retard 54 Isoniazid 99
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan-Rex 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isoniazid 99 Isoniazid with rifampicin 99
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan-Rex 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isoniazid 99 Isoniazid with rifampicin 99
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan Aydrochloride157Irinotecan-Rex157Irinotecan-Rex157Iron polymaltose34Isentress106Ismo 2054Isoniazid99Isoprenaline [Isoproterenol]54
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan Aydrochloride157Irinotecan-Rex157Irinotecan-Rex157Iron polymaltose34Isentress106Ismo 2054Ismo 40 Retard54Isoniazid99Isoniazid with rifampicin99Isoprenaline [Isoproterenol]54Isoproterenol54
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan Aydrochloride157Irinotecan-Rex157Irinotecan-Rex157Iron polymaltose34Isentress106Ismo 2054Isoniazid99Isoniazid with rifampicin99Isoprenaline [Isoproterenol]54Isoptian54Isoproterenol54Isoptian50
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isoniazid 99 Isoniazid with rifampicin 99 Isoprenaline [Isoproterenol] 54 Isoptin 50 Isopto Carpine 209
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan Rex 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isoniazid 99 Isoniazid with rifampicin 99 Isoprenaline [Isoproterenol] 54 Isopto Carpine 50 Isopto Carpine 209 Isosorbide mononitrate 54
Iressa165Irinotecan Actavis 100157Irinotecan Actavis 40157Irinotecan hydrochloride157Irinotecan-Rex157Iron polymaltose34Isentress106Ismo 2054Isoniazid99Isoniazid with rifampicin99Isopreterenol54Isoptin54Isoptin54Isoptin54Isoptin54Isoptin54Isoptin54Isoptin54Isoptio Carpine209Isosorbide mononitrate54Isosource Standard226
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan Rex 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isoniazid 99 Isoniazid with rifampicin 99 Isoprenaline [Isoproterenol] 54 Isopto Carpine 50 Isopto Carpine 209 Isosorbide mononitrate 54
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan Rex 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isoniazid 99 Isoniazid with rifampicin 99 Isopreternol 54 Isoptorerenol 54 Isopto Carpine 209 Isosorbide mononitrate 54 Isosource Standard 226 Isotane 20 59
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isoniazid 99 Isoniazid with rifampicin 99 Isoproterenol 54 Isoptin 50 Isoptic Carpine 209 Isosorbide mononitrate 54 Isotane 10 226 Isotane 20 59 Isotane 20 59
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Ismo 40 Retard 54 Isoniazid 99 Isoniazid with rifampicin 99 Isoproterenol 54 Isoptin 50 Isoption 50 Isoption 50 Isoption 50 Isoption 54 Isoption 50 Isoption 50 Isoption 50 Isoption 54 Isoption 54 Isoption 54 Isoption 54 Isosource Standard 226 Isotare 20 59 Isotare 20 59 Isotare 20 59 Isotaretinoin
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan hydrochloride 157 Irinotecan-Rex 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Ison 40 Retard 54 Isoniazid 99 Isoniazid with rifampicin 99 Isoproterenol 54 Isopto Carpine 50 Isosobride mononitrate 54 Isostane 10 59 Isotane 20 59 Isotane 20 59 Isotane 20 59 Isotane 10 59 Isotane 20 59 Isotane 10 59 Isotaphula (psyllium) husk 25
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isono 40 Retard 54 Isonizzid 99 Isoprenaline [Isoproterenol] 54 Isopto Carpine 209 Isososorbide mononitrate 54 Isostane 10 59 Isotane 20 59 Isotane 20 59 Isotane 20 59 Isotane 20 59 Ispaghula (psyllium) husk 25 Isradipine 49 Isuprel 54
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isono 40 Retard 54 Isoniazid 99 Isoprenaline [Isoproterenol] 54 Isopto Carpine 209 Isosorbide mononitrate 54 Isopto Carpine 209 Isostane 10 59 Isotane 20 59 Isotane 20 59 Isotane 20 59 Isotane 10 59 Isotane 10 59 Isotane 20 59 Isotane 10 59 Isotane 20 59 Isotane 10 59 Isotane 20
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isono 40 Retard 54 Isonizzid 99 Isoprenaline [Isoproterenol] 54 Isopto Carpine 209 Isososorbide mononitrate 54 Isostane 10 59 Isotane 20 59 Isotane 20 59 Isotane 20 59 Isotapine 59 Ispaghula (psyllium) husk 25 Isradipine 49 Isuprel 54 Itch-Soothe 61
Iressa 165 Irinotecan Actavis 100 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan Actavis 40 157 Irinotecan-Rex 157 Iron polymaltose 34 Isentress 106 Ismo 20 54 Isono 40 Retard 54 Isoniazid 99 Isoprenaline [Isoproterenol] 54 Isopto Carpine 209 Isosorbide mononitrate 54 Isopto Carpine 209 Isostane 10 59 Isotane 20 59 Isotane 20 59 Isotane 20 59 Isotane 10 59 Isotane 10 59 Isotane 20 59 Isotane 10 59 Isotane 20 59 Isotane 10 59 Isotane 20

- J -	
Jadelle	70
Jakavi 1	
Jevity HiCal RTH2	
Jevity RTH2	
Juno Pemetrexed1	57
- K -	
Kaletra 1	06
Kemadrin1	20
Kenacomb2	06
Kenacort-A 10	
Kenacort-A 40	
Kenalog in Orabase	21
Ketocal 3:12	
	04
KetoCal 4:12	34
Ketoconazole	
Dermatological	
Infection	
Ketogenic Diet2	
Ketoprofen 1	10
KetoSens	11
Ketostix	12
Keytruda1	
Kindergen2	
Kinson1	
Kivexa1	
Klacid	
Kliogest	
Kliovance	
Kogenate FS	
Konakion MM	
Konsyl-D	25
-L-	
L-asparaginase1	59
Labetalol	48
Lacosamide1	28
Lactulose	26
Laevolac	26
Lamictal1	
Lamivudine 101, 1	
Lamivudine Alphapharm1	06
Lamotrigine1	29
Lamprene	
Lanoxin	
Lanoxin PG	
Lanoxin S29	
Lansoprazole	
Lantus	
Lantus SoloStar	
Lanvis1	
Lanzol Relief	
Lapatinib ditosylate 1	66
Largactil1	33
Laronidase	
Lasix	
Latanoprost2	09
· · · · · · · · · · · · · · · · · · ·	

Lax-Suppositories	
Lax-Tab	
Laxatives	
Laxsol	25
Ledipasvir with sofosbuvir	
Leflunomide	
Lenalidomide	
Letrole	
Letromyl	
Letrozole	
Leukeran FC	
Leukotriene Receptor	104
Antagonists	203
Leunase	
Leuprorelin	
Leustatin	
Levetiracetam	129
Levetiracetam-AFT	
Levlen ED	
Levobunolol	
Levocabastine	
Levodopa with benserazide	
Levodopa with carbidopa	120
Levomepromazine	
hydrochloride	133
Levomepromazine maleate	134
Levonorgestrel	
Genito-Urinary	72
Hormone	80
Levothyroxine	81
Lidocaine [Lignocaine]12	1–122
Lidocaine [Lignocaine]	
hydrochloride	122
Lidocaine [Lignocaine] with	
chlorhexidine	122
Lidocaine [Lignocaine] with	
prilocaine	122
Lidocaine-Claris	
Lignocaine	122
Hormone	78
Nervous12	
Lioresal Intrathecal	110
Lipazil	
Lipid-Modifying Agents	
Liquigen	010
Lisinopril	210
Lithicarb FC	
Lithium carbonate	
Livostin	
LMX4	
Locacorten-Viaform ED's	206
Local preparations for Anal and	
Rectal Disorders	
Locasol	
Locoid	
Locoid Crelo	62

Locoid Lipocream62
Locorten-Vioform
Lodi
Lodoxamide
Logem
Lomide
Lomustine 154
Loniten55
Loperamide hydrochloride6
Lopinavir with ritonavir106
Lopresor
Loprofin
Loprofin Mix231
Lorafix199
Loratadine199
Lorazepam136
Lorfast
Lormetazepam144
Lorstat
Losartan Actavis46
Losartan potassium46
Losartan potassium with
hydrochlorothiazide 46
Lovir
Lucrin Depot 1-month85
Lucrin Depot 3-month85
Ludiomil
Lycinate54
Lyderm
Lyderm
Lyderm67
Lyderm
Lyderm
- M - m-Eslon
Lyderm

Mebendazole88
Mebeverine hydrochloride8
Medrol
Medroxyprogesterone acetate
Genito-Urinary72
Hormone
Medsurge50
Mefenamic acid110
Megestrol acetate 170
Melatonin144
Meloxicam111
Melphalan154
Menactra242
Meningococcal (groups A, C, Y and
W-135) conjugate vaccine 242
Meningococcal C conjugate
vaccine
Menthol61
Mercaptopurine157
Mercilon 2871
Mesalazine7
Mesna161
Mestinon110
Metabolic Disorder Agents26
Metchek11
Meterol200
Metformin hydrochloride11
Metformin Mylan 11
Methadone hydrochloride
Methadone nyurochionue
Extemporaneous214
Extemporaneous
Extemporaneous
Extemporaneous
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methyl hydroxybenzoate 214 Methylcellulose 214
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methyl hydroxybenzoate 214 Methylcellulose 214 Methylcellulose with glycerin and 14
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methyloglulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and 214
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 214
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methyl hydroxybenzoate 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methylcellulose with glycerin and sucrose 50 Methyldopa 50
Extemporaneous214Nervous123Methatabs123Methopt209Methotrexate157Methotrexate Ebewe157Methotrexate Sandoz157Methylcellulose214Methylcellulose with glycerin and sodium saccharin214Methylcellulose with glycerin and sucrose215Methylcellulose with glycerin and sucrose50Methyldopa50Methyldopa Mylan50Methyldopa bromide25
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylpenidate hydrochloride 147
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose with glycerin and 214 Methylcellulose with glycerin and 214 Methylcellulose with glycerin and 215 Methyldopa 50 Methyldopa Mylan 50 Methylphenidate hydrochloride 147
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose with glycerin and 214 Methylcellulose with glycerin and 214 Methylcellulose with glycerin and 215 Methyldopa 50 Methyldopa Mylan 50 Methylphenidate hydrochloride 147 Methylphenidate hydrochloride 147
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylocellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylophenidate hydrochloride 147 Methylphenidate hydrochloride 148 Methylprednisolone 77
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylghenidate hydrochloride 147 Methylphenidate hydrochloride 148 Methylprednisolone 77 Methylprednisolone 77
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylphenidate hydrochloride 147 Methylphenidate hydrochloride 147 Methylprednisolone 77 Methylprednisolone 77 Methylprednisolone 77 Methylprednisolone 78
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylphenidate hydrochloride 147 Methylphenidate hydrochloride 147 Methylprednisolone 77 Methylprednisolone 77 Methylprednisolone 78 Methylprednisolone aceponate 62
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylphenidate hydrochloride 147 Methylphenidate hydrochloride 148 Methylprednisolone 77 Methylprednisolone (as sodium succinate) 78 Methylprednisolone aceponate 62 Methylprednisolone aceponate 62
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methotrexate Sandoz 157 Methyloryybenzoate 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylphenidate hydrochloride 147 Methylphenidate hydrochloride 148 Methylprednisolone 77 Methylprednisolone (as sodium succinate) 78 Methylprednisolone aceponate 62 Methylprednisolone acetate 78 Methylprednisolone acetate 78
Extemporaneous 214 Nervous 123 Methatabs 123 Methopt 209 Methotrexate 157 Methotrexate Ebewe 157 Methotrexate Sandoz 157 Methylcellulose 214 Methylcellulose 214 Methylcellulose with glycerin and sodium saccharin 214 Methylcellulose with glycerin and sucrose 215 Methyldopa 50 Methyldopa Mylan 50 Methylphenidate hydrochloride 147 Methylphenidate hydrochloride 148 Methylprednisolone 77 Methylprednisolone (as sodium succinate) 78 Methylprednisolone aceponate 62 Methylprednisolone aceponate 62

	400
Metoclopramide Actavis 10	132
Metoclopramide hydrochloride	132
Metolazone	
Metopirone	
	01
Metoprolol succinate	
Metoprolol tartrate	48
Metronidazole	98
Metroprolol IV Mylan	48
Metyrapone	
Mexiletine hydrochloride	07
	47
Mexiletine Hydrochloride USP	47
Miacalcic	76
Micolette	26
Miconazole	
Miconazole nitrate	
Dermatological	61
	01
Genito-Urinary	
Micreme	
Micreme H	63
Microgynon 20 ED	71
Microgynon 30	71
Microgynon 30 Microgynon 50 ED	71
Microgynon 50 ED	/ 1
Microlut	
Midazolam	
Midazolam-Claris	145
Midodrine	47
Minerals	
Mini-Wright AFS Low Range	
WITH-WITHIN AFS LOW HATTNE	
M's' Mischel Oten de al	
Mini-Wright Standard	205
Mini-Wright Standard Minidiab	205 11
Mini-Wright Standard Minidiab Minims Pilocarpine	205 11 209
Mini-Wright Standard Minidiab Minims Pilocarpine	205 11 209
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone	205 11 209 208
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minirin	205 11 209 208 86
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minirin Mino-tabs	205 11 209 208 86 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minirin Mino-tabs Minocycline hydrochloride	205 11 209 208 86 92 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minirin Mino-tabs Minocycline hydrochloride Minomycin	205 11 209 208 86 92 92 92 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minirin Mino-tabs Minocycline hydrochloride	205 11 209 208 86 92 92 92 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minirin Mino-tabs Minocycline hydrochloride Minomycin	205 11 209 208 86 92 92 92 65
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Mino-tabs Minoctabs Minocycline hydrochloride Minomycin Minor Skin Infections Minoxidil	205 11 209 208 86 92 92 92 65 55
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minor tabs Minocycline hydrochloride Minor Skin Infections Minoxidil Mirena	205 11 209 208 86 92 92 92 65 55 80
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minortabs Minocycline hydrochloride Minor Skin Infections Minoxidil Mirena Mirtazapine	205 11 209 208 92 92 92 65 65
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minor tabs Minocycline hydrochloride Minor Skin Infections Minoxidil Mirena Mirtazapine Misoprostol	205 11 209 208 92 92 92 92 65 65 65
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Mino-tabs. Mino-tabs. Minocycline hydrochloride Minorycin Minor Skin Infections Minoxidil. Mirena Mirtazapine Misoprostol Mitomycin C	205 11 209 208 86 92 92 92 65 55 80 127 8 161
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Mino-tabs Mino-tabs Minocycline hydrochloride Minorycin Minor Skin Infections Minoxidil Mirena Mirtazapine Misoprostol Mitorycin C Mitozantrone	205 11 209 208 86 92 92 92 65 65
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Mino-tabs Minocycline hydrochloride Minorycin Minor Skin Infections Minoxidil. Mirena Mirtazapine Misoprostol Mitorycin C Mitozantrone Ebewe	205 11 209 208 86 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 91 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Mino-tabs Minocycline hydrochloride Minorycin Minor Skin Infections Minoxidil. Mirena Mirtazapine Misoprostol Mitorycin C Mitozantrone Ebewe	205 11 209 208 86 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 92 91 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Mino-tabs Mino-tabs Minocycline hydrochloride Minorycin Minor Skin Infections Minoxidil. Mirena Mirtazapine Misoprostol Mitorycin C Mitozantrone Ebewe Mixtard 30	205 11 209 208 86 92 92 92 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Mino-tabs Mino-tabs Minocycline hydrochloride Minorycin Minor Skin Infections Minoxidil. Mirena Mirtazapine Mitazapine Mitorycin C Mitozantrone Ebewe Mitozantrone Ebewe Mixtard 30 Moclobemide	205 111 209 208 86 92 92 92 92 92 65 55 80 161 101 161 161 126
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minor-tabs Minocycline hydrochloride Minorycin Minor Skin Infections Minoxidil Mirena Mirtazapine Misoprostol Mitozantrone Ebewe Mitozantrone Ebewe Mixtard 30 Moclobemide Modafinil	205 111 209 208 86 92 92 92 92 65 55 80 127 88 161 161 161 161 126 48 148
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minor stabs Minocycline hydrochloride Minor Skin Infections Minor Skin Infections Minoxidil Mirtazapine Misoprostol Mitogrostol Mitomycin C Mitograntrone Ebewe Mixtard 30 Moclobemide Modafinil Modavigil	205 111 209 208 86 92 92 92 92 65 55 80 127 81 161 161 161 161 126 48 81 48
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minor stabs Minocycline hydrochloride Minor Skin Infections Minor Skin Infections Minoxidil Mirtazapine Misoprostol Mitogrostol Mitogrostol Mitograntrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modafinil Modavigil	205 111 209 208 866 92 92 92 92 92 92 92 55 55 80 127 88 161 161 110 126 148 148 52
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minor stabs Minor stabs Minor stin Infections Minor stin Infections Minoxidil Mirena Mirtazapine Misoprostol Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modafinil Modavigil Moduretic Molaxole	205 111 209 208 866 92 92 92 92 92 655 55 80 127 87 80 127 161 161 161 126 148 148 52 26
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minor stabs Minocycline hydrochloride Minor Skin Infections Minor Skin Infections Minoxidil Mirtazapine Misoprostol Mitogrostol Mitogrostol Mitograntrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modafinil Modavigil	205 111 209 208 866 92 92 92 92 92 655 55 80 127 87 80 127 161 161 161 126 148 148 52 26
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minor tabs Minocycline hydrochloride Minorycline hydrochloride Minorycline hydrochloride Minoxidi Minoxidi Mirena Mirtazapine Mitazapine Mitazapine Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modafini Modargii Modavigi Molaxole Mometasone furoate	205 11 209 208 866 92 92 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minor tabs Minocycline hydrochloride Minor Skin Infections Minor Skin Infections Minoxidil Mirtazapine Mirtazapine Mitazapine Mitozantrone Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitazantrone Ebewe Mitazantrone Modafinil Modafinil Modavigil Modavigi Moaxole Mometasone furoate Monogen	205 11 209 208 86 92 92 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minor tabs Minocycline hydrochloride Minocycline hydrochloride Minoxidi Minoxidi Mirotasi Infections Mirotaci Mirtazapine Mirtazapine Mitazapine Mitozantrone Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Modafinil Modafinil Modavigil Modavigi Mondasole Montelukast	205 111 209 208 86 92 92 92 92 65 65 80 127 88 161 161 161 161 161 126 86 63 220 203
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minor tabs Mino-tabs Minocycline hydrochloride Minorycin Minoxidi Minor Skin Infections Minoxidi Mirtazapine Mirtazapine Mitazapine Mitozantrone Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Molaxole Mondevigi Montelukast Moroctocog alfa [Recombinant fact	205 11 209 208 86 92 92 92
Mini-Wright Standard Minidiab Minims Pilocarpine Minims Prednisolone Minims Prednisolone Minor tabs Minocycline hydrochloride Minocycline hydrochloride Minoxidi Minoxidi Mirotasi Infections Mirotaci Mirtazapine Mirtazapine Mitazapine Mitozantrone Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Mitozantrone Ebewe Modafinil Modafinil Modavigil Modavigi Mondasole Montelukast	205 11 209 208 86 92 92 92 92 92 92 92 92 92 92 92

INDEX: Generic Chemicals and Brands	INDEX:	Generic	Chemicals	and	Brands
-------------------------------------	--------	---------	-----------	-----	--------

Morphine sulphate	.124
Morphine tartrate	. 124
Motetis	
Mouth and Throat	
Мочаро	
Moxifloxacin	
MSUD Maxamum	.230
Mucilaginous laxatives with	
stimulants	. 25
Mucolytics	
Mucosoothe	
Multiple Sclerosis Treatments	. 137
Multivitamin renal	32
Multivitamins	
Mupirocin	
Muscle Relaxants	.119
Mvite	
Myambutol	
Mycobutin	
MycoNail	
Mycophenolate mofetil	
Mycostatin	61
Mydriacyl	.209
Mylan Atenolol	
Mylan Clomiphen	
Myleran	
Myocrisin	
Myometrial and Vaginal Hormone	
Preparations	73
Preparations	
Myozyme	26
Myozyme	26 48
Myozyme - N - Nadolol Naglazyme	26 48 27
Myozyme	26 48 27 7
Myozyme	26 48 27 7 .211
Nadolol	26 48 27 7 .211 .150
Nadolol	26 48 27 7 .211 .150 .150
Nadolol	26 48 27 7 .211 .150 .150 .210
Myozyme	26 48 27 .211 .150 .150 .210 .210
Myozyme	26 48 27 .211 .150 .150 .210 .210 .110
Myozyme	26 48 27 .211 .150 .150 .210 .210 .110 .110
Myozyme	26 48 27 .211 .150 .150 .210 .210 .110 .110 .110
Myozyme	26 48 7 .211 .150 .150 .210 .210 .110 .110 .110 .126
Myozyme	26 48 27 .211 .150 .210 .210 .210 .110 .110 .126 .204
Myozyme	26 48 27 7 .211 .150 .210 .110 .110 .110 .126 .204 .139
Myozyme	26 48 27 7 .211 .150 .210 .210 .210 .110 .110 .110 .126 .204 .139 .162
Myozyme	26 48 27 .211 .150 .210 .110 .110 .110 .126 .204 .139 .162 .132
Myozyme	26 48 27 .211 .150 .210 .110 .120 .110 .126 .204 .139 .162 .132 .132
Myozyme	26 48 27 .211 .150 .210 .110 .110 .110 .110 .126 .204 .132 .132 .132
Myozyme	26 48 27 .211 .150 .210 .110 .110 .110 .110 .126 .204 .132 .132 .132 .132 .164
Myozyme	26 48 27 7 .211 .150 .210 .110 .110 .120 .110 .120 .120 .132 .132 .132 .132 .132 .164 .204
Myozyme	26 48 27 7 .211 .150 .210 .110 .110 .120 .110 .126 .204 .132 .132 .132 .132 .164 .204 .122
Myozyme	26 48 27 .211 .150 .210 .110 .110 .110 .126 .204 .132 .132 .132 .132 .132 .164 .204 .122 .242
Myozyme	26 48 27 .211 .150 .210 .110 .110 .110 .126 .204 .132 .132 .132 .132 .132 .132 .132 .132
Myozyme	26 48 27 .211 .150 .210 .210 .110 .110 .120 .132 .132 .132 .132 .132 .132 .132 .132

Neocate Junior Unflavoured	232
Neocate Junior Vanilla	
Neocate LCP	
Neoral	196
Neostigmine metilsulfate	
Nepro HP (strawberry)	222
Nepro HP (vanilla)	222
Nepro HP RTH	
Nerisone	
Neulactil	134
Neulastim	
Neurontin	
NeuroTabs	
Nevirapine	105
Nevirapine Alphapharm	105
Nicorandil	55
Nicotine	
Nicotinic acid	
Nifedipine	
Nifuran	
Nilotinib	166
Nilstat	
Alimentary	31
Genito-Urinary	
Infection	
Nintedanib	
Nipent	162
Nitrados	
Nitrates	
Nitrazepam	145
Nitroderm TTS	
Nitrofurantoin	
Nitrolingual Pump Spray	
Nivolumab	
Nizoral	
Noctamid	144
Nodia Noflam 250	
Noflam 500	
Non-Steroidal Anti-Inflammatory	110
Drugs	110
Nonacog alfa [Recombinant factor	110
IX]	38
Nonacog gamma, [Recombinant	00
Factor IX]	38
Norethisterone	00
Genito-Urinary	72
Hormone	
Norflex	
Norfloxacin	
Noriday 28	
Norimin	72
Normacol Plus	
Normison	
Norpress	
Nortriptyline hydrochloride	

Norvir	106
NovaSource Renal	222
Novatretin	
NovoMix 30 FlexPen	
NovoRapid	
NovoRapid FlexPen	
NovoRapid Penfill	10
NovoSeven RT	37
Noxafil	
Nozinan	
Nuelin	
Nuelin-SR	
Nupentin	128
Nutilis	
Nutrient Modules	
Nutrini Energy Multi Fibre	
Nutrini Energy RTH	
Nutrini Low Energy Multi Fibre	
Nutrini RTH	001
Nutrison 800 Complete Multi	22 1
Fibre	006
Nutrison Concentrated	000
Nutrison Energy	220
Nutrison Energy Multi Fibre	226
Nutrison Multi Fibre	226
Nutrison Standard RTH	
Nyefax Retard	50
Nystatin	~
Alimentary	
Dermatological	61
Genito-Urinary	
Infection	
NZB Low Gluten Bread Mix	229
-0-	
O/W Fatty Emulsion Cream	64
Obinutuzumab	187
Octocog alfa [Recombinant factor	
VIII] (Advate)	38
Octocog alfa [Recombinant factor	
VIII] (Kogenate FS)	
Octreotide	170
Octreotide LAR (somatostatin	
analogue)	. 170
Oestradiol	
Oestradiol valerate	
Oestradiol with norethisterone	80
Oestriol	
Genito-Urinary	73
Hormone	80
Oestrogens	
Ofev	
Oil in water emulsion	
Olanzapine 134	
Olbetam	
Olopatadine	
Olsalazine	7

Omalizumab 187
Omeprazole9
Omeprazole actavis 109
Omeprazole actavis 209
Omeprazole actavis 409
Omnitrope82
Onbrez Breezhaler 200
Oncaspar161
OncoTICE178
Ondansetron132
Ondansetron ODT-DRLA 132
Ondansetron ODT-ORLA 132
One-Alpha32
Opdivo 194
Ora-Blend215
Ora-Blend SF214
Ora-Plus214
Ora-Sweet
Ora-Sweet SF214
Orabase
Oral Supplements/Complete Diet
(Nasogastric/Gastrostomy Tube
Feed) 219
Oratane59
Orgran230
Orion Temozolomide162
Ornidazole
Orphenadrine citrate119
Ortho-tolidine75
Oruvail SR 110
Osmolite RTH226
Other Endocrine Agents86
Other Oestrogen Preparations80
Other Progestogen
Preparations 80
Other Skin Preparations69
Ovestin
Genito-Urinary73
Hormone80
Ox-Pam
Oxaliccord155
Oxaliplatin155
Oxaliplatin Actavis 100 155
Oxaliplatin Actavis 100 155 Oxaliplatin Actavis 50
Oxaliplatin Actavis 100
Oxaliplatin Actavis 100
Oxaliplatin Actavis 100
Oxaliplatin Actavis 100155Oxaliplatin Actavis 50155Oxaliplatin Ebewe155Oxazepam136Oxis Turbuhaler200Oxpentifylline55
Oxaliplatin Actavis 100155Oxaliplatin Actavis 50155Oxaliplatin Ebewe155Oxazepam136Oxis Turbuhaler200Oxpentifylline55Oxybutynin74
Oxaliplatin Actavis 100155Oxaliplatin Actavis 50155Oxaliplatin Ebewe155Oxazepam136Oxis Turbuhaler200Oxpentifylline55Oxybutynin74Oxycodone hydrochloride125
Oxaliplatin Actavis 100155Oxaliplatin Actavis 50155Oxaliplatin Ebewe155Oxazepam136Oxis Turbuhaler200Oxpentifylline55Oxybutynin74Oxycodone hydrochloride125OxyNorm125
Oxaliplatin Actavis 100 155 Oxaliplatin Actavis 50 155 Oxaliplatin Ebewe 155 Oxazepam 136 Oxis Turbuhaler 200 Oxpentifylline 55 Oxybutynin 74 Oxycodone hydrochloride 125 OxyNorm 125 Oxytocin 73
Oxaliplatin Actavis 100155Oxaliplatin Actavis 50155Oxaliplatin Ebewe155Oxazepam136Oxis Turbuhaler200Oxpentifylline55Oxybutynin74Oxycodone hydrochloride125OxyNorm125Oxytocin73Oxytocin Apotex73
Oxaliplatin Actavis 100 155 Oxaliplatin Actavis 50 155 Oxaliplatin Ebewe 155 Oxazepam 136 Oxis Turbuhaler 200 Oxpentifylline 55 Oxybutynin 74 Oxycodone hydrochloride 125 Oxylorm 125 Oxytocin 73 Oxytocin Apotex 73 Oxytocin BNM. 73
Oxaliplatin Actavis 100155Oxaliplatin Actavis 50155Oxaliplatin Ebewe155Oxazepam136Oxis Turbuhaler200Oxpentifylline55Oxybutynin74Oxycodone hydrochloride125OxyNorm125Oxytocin73Oxytocin Apotex73

Ozurdex
-P-
Pacifen119
Paclitaxel161
Paclitaxel Actavis161
Paclitaxel Ebewe161
Paediatric Seravit
Paliperidone135
Pamidronate disodium114
Pamisol114
Pancreatic enzyme24
Pantoprazole
Panzop Relief9
Panzytrat24
Papaverine hydrochloride55
Para-amino salicylic acid99
Paracare 123
Paracare Double Strength 123
Paracetamol 123
Paracetamol + Codeine
(Relieve) 125
Paracetamol with codeine125
Paradigm 1.8 Reservoir23
Paradigm 3.0 Reservoir23
Paradigm 522 14
Paradigm 722 14
Paradigm Mio MMT-921 22
Paradigm Mio MMT-92322
Paradigm Mio MMT-92522
Paradigm Mio MMT-94122
Paradigm Mio MMT-94322
Paradigm Mio MMT-94522
Paradigm Mio MMT-96522
Paradigm Mio MMT-97522
Paradigm Quick-Set MMT-386
Paradigm Quick-Set MMT-387
Paradigm Quick-Set MMT-39623
Paradigm Quick-Set MMT-39723
Paradigm Quick-Set MMT-398
Paradigm Quick-Set MMT-399
Paradigm Silhouette MMT-368
Paradigm Silhouette MMT-377
Paradigm Silhouette MMT-378
Paradigm Silhouette MMT-38121
Paradigm Silhouette MMT-38221 Paradigm Silhouette MMT-38321
Paradigm Silhouette MMT-383
Paradigm Sure-T MMT-86420
Paradigm Sure-T MMT-86620 Paradigm Sure-T MMT-87420
Paradigm Sure-T MMT-87420 Paradigm Sure-T MMT-87620
Paradigm Sure-T MMT-87620 Paradigm Sure-T MMT-88420
Paradigm Sure-T MMT-88620
Paraffin
Paraffin liquid with soft white
paraffin

D ((1)) () () ()	
Paraffin liquid with wool fat	210
Paraldehyde	127
Parasidose	67
Parasiticidal Preparations	65
Deritenzeria riteneria and ambitacria	05
Paritaprevir, ritonavir and ombitasvir	
with dasabuvir	103
Paritaprevir, ritonavir and ombitasvir	
with dasabuvir and ribavirin	103
Parnate	126
Paromomycin	
Paroxetine	
Paser	
Patanol	
Paxam	
Pazopanib	167
Peak flow meter	205
Pedialyte - Bubblegum	44
Pediasure	221
Pediasure RTH	
	401
Pegaspargase	161
Pegasys	107
Pegasys RBV Combination	
Pack	107
Pegfilgrastim	42
Pegylated interferon alfa-2a	107
Pembrolizumab	
Pemetrexed	
Penicillamine	
Penicillin G	
PenMix 30	
PenMix 40	10
PenMix 50	
Pentasa	
Pentostatin [Deoxycoformycin]	100
Pentoxifylline [Oxpentifylline]	55
Peptamen Junior	221
Peptisoothe	
Peptisorb	223
Perhexiline maleate	
Pericyazine	134
Perindopril	104
Derioto	100
Perjeta	
Permethrin	
Perrigo	
Pertuzumab	189
Peteha	. 99
Pethidine hydrochloride	
Pevaryl	
Pexsig	
Pfizer Exemestane	171
Pharmacy Health Sorbolene with	
Glycerin	. 64
Pheburane	28
Phenelzine sulphate	126
Phenobarbitone	
י ווטווטשמושונטוופ	129

۱d

Phenobarbitone sodium
Extemporaneous215
Nervous145
Phenothrin67
Phenoxybenzamine
hydrochloride 45
Phenoxymethylpenicillin (Penicillin
V)
Phenytoin sodium 127, 129
Phlexy 10231
Phosphate-Sandoz
Phosphorus44
Phytomenadione
Pilocarpine hydrochloride 209
Pimafucort63
Pindolol
Pine tar with trolamine laurilsulfate
and fluorescein 68
Pinetarsol
Pioglitazone11
Piportil
Pipothiazine palmitate
Pirfenidone
Pizotifen
PKU Anamix Infant
PKU Anamix Junior
PKU Anamix Junior LQ
PKU Lophlex LQ 10
PKU Lophlex LQ 20
PKU Lophlex Powder
PKU Lophlex Sensation 20231
Plaquenil
Plendil ER
Pneumococcal (PCV10) conjugate
vaccine 242
vaccine
vaccine
Pneumococcal (PPV23)
polysaccharide vaccine
Pneumovax 23
Podophyllotoxin
Polaramine
Poliomyelitis vaccine
Poloxamer
Poly-Gel
Poly-Ger 209
Poly-Visc
Polycal
Polyvinyl alcohol
Ponstan
Postinor-1
Potassium chloride
Potassium citrate74 Potassium iodate
Povidone iodine65

Pradaxa	42
Pramipexole hydrochloride	120
Prasugrel	39
Pravastatin	53
Praziquantel	88
Prazosin	
Pred Forte	
Prednisolone	
Prednisolone acetate	208
Prednisolone sodium	
phosphate	208
Prednisolone-AFT	208
Prednisone	78
Pregabalin	
Pregabalin Pfizer	
Pregnancy Tests - hCG Urine	73
Premarin	70
	/ 9
Prevenar 13	243
Prezista	106
Priadel	134
Primacin	
Primaquine phosphate	<mark>98</mark>
Primidone	129
Primolut N	
Priorix	
Probenecid	119
Probenecid-AFT	119
Procaine penicillin	02
Procarbazine hydrochloride	160
	102
Prochlorperazine	
Proctosedyl	
Procur	78
Procyclidine hydrochloride	120
Procytox	154
Progesterone	80
Proglicem	9
Proglycem	
Progynova	
Prokinex	132
Prolia	
Promethazine hydrochloride	100
Promethazine theoclate	100
	132
Propafenone hydrochloride	4/
Propamidine isethionate	
Propranolol	
Propylene glycol	
Propylthiouracil	
Protaphane	10
Protaphane Penfill	
Protifar	
Protionamide	
Provera	
Provera HD	
PSM Citalopram	120
Psoriasis and Eczema	
Preparations	67

PTU	81
Pulmicort Turbuhaler	199
Pulmocare	219
Pulmozyme	204
Puri-nethol	157
Pyrazinamide	99
Pyridostigmine bromide	110
Pyridoxine hydrochloride	31
Pyrimethamine	94
Pytazen SR	39
- Q -	
Q 300	90
Questran-Lite	52
Quetapel	134
Quetiapine	13/
Quick-Set MMT-390	
Quick-Set MMT-391	20
Quick-Set MMT-392	20
Quick-Set MMT-393	20
QUICK-SELIVIVI I-393	23
Quinapril	45
Quinapril with hydrochlorothiazide	40
nydrocniorotniazide	40
Quinine sulphate	
Qvar	199
-R-	
RA-Morph	124
Raloxifene hydrochloride	115
Raltegravir potassium	106
Ramipex	120
Ranbaxy-Cefaclor	88
Ranitidine	8
Ranitidine Relief	8
Rapamune	197
Reandron 1000	79
Recombinant factor IX	38
Recombinant factor VIIa	37
Recombinant factor VIII	38–39
Rectogesic	8
Redipred	78
Refresh Night Time	210
Relieve	110
Relistor	25
Renilon 7.5	222
Resonium-A	44
Resource Beneprotein	218
Resource Diabetic	219
Respigen	
Respiratory Devices	205
Respiratory Stimulants	205
Retinol palmitate	210
ReTrieve	50
Retrovir	106
Revlimid	
Revolade	
Rexacrom	
RexAir	
I IVA/111	<u>2</u> 00

Reyataz 106
Ribomustin153
Ricit73
Rifabutin 100
Rifadin 100
Rifampicin100
Rifaximin9
Rifinah
Rilutek121
Riluzole121
Riodine65
Risedronate Sandoz 115
Risedronate sodium115
Risperdal Consta136
Risperidone 134, 136
Risperon
Ritalin147
Ritalin LA148
Ritalin SR147
Ritonavir 106
Rituximab189
Rivaroxaban42
Rivastigmine
Rivotril
RIXUBIS
Rizamelt131
Rizatriptan
Roferon-A 107
Rolin
Ropinirole hydrochloride120
Rotarix
Rotavirus oral vaccine244
Roxane
Alimentary6
Cardiovascular49
Roxithromycin90
Rubifen
Rubifen SR 147
Rulide D90
Ruxolitinib168
Rythmodan47
Rytmonorm
- S -
Sabril
Sacubitril with valsartan46
SalAir201
Salazopyrin7
Salazopyrin EN7
Salbutamol
Salbutamol with ipratropium
bromide
Salicylic acid
Salmeterol
Sandomigran131
Sandomigran S29131
Sandostatin LAR170

Scalp Preparations68
Scopoderm TTS 132
Sebizole68
Secukinumab191
Sedatives and Hypnotics144
Seebri Breezhaler201
Selegiline hydrochloride120
Senna
Senokot26
Sensipar76
SensoCard13
Serenace133
Seretide 200
Seretide Accuhaler 200
Serevent 200
Serevent Accuhaler 200
Serophene87
Sertraline127
Sevredol124
Sex Hormones Non
Contraceptive
Shield 4970
Shield Blue70
Shield XL
shingles vaccine245
Sildenafil57
Silhouette MMT-37121
Silhouette MMT-37321
Siltuximab192
Simvastatin53
Simvastatin Mylan53
Sinemet
Sinemet CR 120
Sirolimus
Siterone
Slow-I opresor 48
Slow-Lopresor48 Smith BioMed Rapid Pregnancy
Test
Sodibic
Sodium acid phosphate
Sodium alginate6
Sodium aurothiomalate111
Sodium benzoate28
Sodium bicarbonate
Blood
Extemporaneous
Sodium calcium edetate
Sodium chloride
Blood43
Respiratory
Sodium citrate with sodium lauryl
sulphoacetate
Sodium citro-tartrate74
Sodium cromoglicate
Alimentary7
·, ·,

Respiratory	204
Sensory	208
Sodium fluoride	33
Sodium Fusidate [fusidic acid]	
Dermatological	60
Infection	95
Sensory	206
Sensory Sodium hyaluronate [Hyaluronic	
acid]	210
Sodium nitroprusside	12
Sodium phenylbutyrate	28
Sodium polystyrene sulphonate	
Sodium tetradecyl sulphate	39
Sodium valproate	129
Sofradex	206
Soframycin	206
Solian	132
Solifenacin Mylan	74
Solifenacin succinate	74
Solu-Cortef	77
Solu-Medrol	78
Solu-Medrol-Act-O-Vial	78
Somatropin (Omnitrope)	82
Sotalol	49
Spacer device	205
Span-K	44
Spiolto Respimat	202
Spiractin	51
Spiriva	202
Spiriva Respimat	202
Spironolactone	51
Sporanox	96
Sprycel	164
Staphlex	<mark>91</mark>
Stemetil	132
SteroClear	
Stesolid	127
Stimulants/ADHD Treatments	146
Stiripentol	129
Stocrin	105
Stomahesive	30
Strattera	
Stromectol	65
Suboxone	149
Sucralfate	
Sulfadiazine Silver	60
Sulfadiazine sodium	95
Sulfasalazine	7
Sulindac	110
Sulphur	68
Sulprix	132
Sumatriptan	131
Sunitinib	
Sunscreens	68
Sunscreens, proprietary	68

Sure-T MMT-86320
Sure-T MMT-865 20
Sure-T MMT-873 20
Sure-T MMT-87520
Sure-T MMT-88320
Sure-T MMT-88520
Sustagen Diabetic219
Sustagen Hospital Formula
Active 227
Sustanon Ampoules78
Sutent
Sylvant192
Symbicort Turbuhaler 100/6 200
Symbicort Turbuhaler 200/6 200
Symbicort Turbuhaler 400/12 200
Symmetrel 120
Sympathomimetics54
Synacthen78
Synacthen Depot
Synflorix
Synthroid81
Syntometrine
Syrup (pharmaceutical grade)
Systane Unit Dose
-T-
Tacrolimus 197
Tacrolimus Sandoz197
Taliglucerase alfa
Tambocor
Tambocor CR
Tamoxifen citrate
Tamsulosin hydrochloride
Tamsulosin-Rex
Tap water
Tarceva
Tasigna
Tasmar
Tecfidera
Tegretol
Tegretol CR
Telfast
Temazepam145
Temizole 20162
Temozolomide
Tenofovir disoproxil
Tenofovir Disoproxil Teva101
Tenoxicam
Tenadina 155
Tepadina155
Tepadina155 Terazosin45
Tepadina
Tepadina155 Terazosin45 Terbinafine97 Terbutaline sulphate201
Tepadina 155 Terazosin 45 Terbinafine 97 Terbutaline sulphate 201 Teriflunomide 141
Tepadina 155 Terazosin 45 Terbinafine 97 Terbutaline sulphate 201 Teriflunomide 141 Teriparatide 115
Tepadina 155 Terazosin 45 Terbinafine 97 Terbutaline sulphate 201 Teriflunomide 141 Teriparatide 115 Testosterone 78
Tepadina 155 Terazosin 45 Terbinafine 97 Terbutaline sulphate 201 Teriflunomide 141 Teriparatide 115

Testosterone undecanoate79
Tetrabenazine121
Tetrabromophenol75
Tetracosactrin
Tetracyclin Wolff92
Tetracycline
Thalidomide 163
Thalomid163
Theophylline 204
Thiamine hydrochloride 31
THIO-TEPA 155
Thioguanine158
Thiotepa155
Thymol glycerin
Thyroid and Antithyroid Agents81
Ticagrelor40
Tilade
Tilcotil
Timolol
Cardiovascular49
Sensory
Timoptol XE208
Tiotropium bromide
Tiotropium bromide with
olodaterol 202
Tivicay
TMP
TOBI
Tobramycin Infection95
Sensory
Tobrex
Tofranil s29126 Tolcapone
Tolterodine
Topamax
Topical Products for Joint and
Muscular Pain
Topiramate
Topiramate Actavis
Total parenteral nutrition (TPN)
TPN
Tramadol hydrochloride
Tramal SR 100
Tramal SR 150 125
Tramal SR 200
Trandate
Tranexamic acid
Tranylcypromine sulphate
Trastuzumab192
Travatan
Travoprost
Travopt
Treatments for Dementia

Treatments for Substance	
Dependence	149
Trental 400	. 55
Tretinoin	
Dermatological	. 59
Oncology	
Trexate	
Triamcinolone acetonide	
Alimentary	31
Dermatological	63
Hormone	
Triamcinolone acetonide with	
gramicidin, neomycin and nystatin	
Dermatological	63
Sensory	
Triazolam	
Trichozole	
Triclosan	
Trimeprazine tartrate	
Trimethoprim	. 95
Trimethoprim with	
sulphamethoxazole	
[Co-trimoxazole]	
Trisequens	
Trisul	
Trophic Hormones	. 82
Tropicamide	
Trusopt	208
Truvada	103
Tuberculin PPD [Mantoux] test	245
Tubersol	
Two Cal HN	
Two Cal HN RTH	
Tykerb	166
Tysabri	
- U -	
Ultibro Breezhaler	202
Ultraproct	
Umeclidinium	202
Umeclidinium with vilanterol	202
Univent	205
Ural	
Urea	
Urex Forte	
Urinary Agents	
Urinary Tract Infections	109
Uromitexan	161
Ursodeoxycholic acid	
Ursosan	
Utrogestan	
- V -	. 00
Vaccinations	225
Vaclovir	
Valaciclovir	
Valcyte	
Valganciclovir	101
vaiyai 101010111	101

Vallergan Forte199
Vancomycin95
Vannair
Varenicline tartrate151
Varicella vaccine [Chickenpox
vaccine] 245
Varicella zoster virus (Oka strain) live
attenuated vaccine [shingles
vaccine] 245
Varilrix
Vasodilators54
Vasopressin Agonists86
Vedafil
Velcade159
Veletri57
Venlafaxine127
Venomil198
Ventavis58
Ventolin
Vepesid160
Verapamil hydrochloride50
Vergo 16
Vermox
Verpamil SR50
Vesanoid163
Vesicare74
Vexazone11
Vfend97
Viaderm KC63
Vidaza155
Viekira Pak 103
Viekira Pak-RBV103
Vigabatrin130
Vildagliptin11
Vildagliptin with metformin
hydrochloride 11
Vimpat 128
Vinblastine sulphate 163
Vincristine sulphate 163
Vinorelbine164
Vinorelbine Ebewe164
Viramune Suspension 105
Viread 101
ViruPOS206
Vistil
Vistil Forte210
Vit.D332
VitA-POS
Vitabdeck32
Vitadol C31
Vital
Vitamin A with vitamins D and C31
Vitamin B complex31
Vitamin B6 2531
Vitamins31-32
Vivonex TEN

Volibris55
Voltaren 110
Voltaren D110
Voltaren Ophtha
Volumatic
Volumatic
Vosol
Votrient
Vttack
- W -
Warfarin sodium42
Wart Preparations69
Wasp venom allergy treatment 198
Water
Blood43
Extemporaneous215
Wool fat with mineral oil64
- X -
Xarelto
Xifaxan
XMET Maxamum
Xolair
XP Maxamaid
XP Maxamum
Xylocaine 122
Xylocaine 2% Jelly 121
Xyntha
- Z -
Zantac8
Zapril45
Zarontin
Zaroxolyn51
Zarzio
Zavedos160
Zeffix101
Zeldox134
Zetlam101
Ziagen106
Zidovudine [AZT] 106
Zidovudine [AZT] with
lamivudine 106
Zimybe53
Zinc and castor oil64
Zinc sulphate
Zincaps34
Zinnat88
Ziprasidone134
Zista199
Zithromax89
Zoladex85
Zoledronic acid
Hormone
Musculoskeletal116
Zoledronic acid Mylan
Zometa
Zopiclone

Zopiclone Actavis	
Zostavax	
Zostrix	111
Zostrix HP	
Zuclopenthixol decanoate	
Zuclopenthixol hydrochloride	
Zusdone	
Zyban	
Zypine	
Zypine ODT	
Zyprexa Relprevv	
Zytiga	











