

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to [Section H](#) of the Pharmaceutical Schedule. For community funding, see the [Special Authority Criteria](#).

PRESCRIBER

PATIENT:

Name:

Ward: NHI:

Dexamethasone

INITIATION – Diabetic macular oedema

Re-assessment required after 12 months

Prerequisites (tick boxes where appropriate)

Prescribed by, or recommended by an ophthalmologist, or in accordance with a protocol or guideline that has been endorsed by the Te Whatu Ora Hospital.

and

Patients have diabetic macular oedema with pseudophakic lens

and

Patient has reduced visual acuity of between 6/9 – 6/48 with functional awareness of reduction in vision

and

- Patient's disease has progressed despite 3 injections with bevacizumab
 Patient is unsuitable or contraindicated to treatment with anti-VEGF agents

or

and

Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

CONTINUATION – Diabetic macular oedema

Re-assessment required after 12 months

Prerequisites (tick boxes where appropriate)

Prescribed by, or recommended by an ophthalmologist, or in accordance with a protocol or guideline that has been endorsed by the Te Whatu Ora Hospital.

and

Patient's vision is stable or has improved (prescriber determined)

and

Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

INITIATION – Women of child bearing age with diabetic macular oedema

Re-assessment required after 12 months

Prerequisites (tick boxes where appropriate)

Prescribed by, or recommended by an ophthalmologist, or in accordance with a protocol or guideline that has been endorsed by the Te Whatu Ora Hospital.

and

Patients have diabetic macular oedema

and

Patient has reduced visual acuity of between 6/9 – 6/48 with functional awareness of reduction in vision

and

Patient is of child bearing potential and has not yet completed a family

and

Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

I confirm that the above details are correct:

Signed: Date:

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to [Section H](#) of the Pharmaceutical Schedule. For community funding, see the [Special Authority Criteria](#).

PRESCRIBER

PATIENT:

Name:

Name:

Ward:

NHI:

Dexamethasone - *continued*

CONTINUATION – Women of child bearing age with diabetic macular oedema

Re-assessment required after 12 months

Prerequisites (tick boxes where appropriate)

- Prescribed by, or recommended by an ophthalmologist, or in accordance with a protocol or guideline that has been endorsed by the Te Whatu Ora Hospital.

and

- Patient's vision is stable or has improved (prescriber determined)
- and
- Patient is of child bearing potential and has not yet completed a family
- and
- Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

I confirm that the above details are correct:

Signed: Date: