Name:	IENT:
Ward:	
INITIATION Re-assessment required after 15 months Prerequisites (tick boxes where appropriate) O Patient has focal epilepsy and O Seizures are not adequately controlled by, or patient has experience following: sodium valproate, topiramate, levetiracetam, and any two Note: Those of childbearing potential are not required to trial phenytoin sodium, so required to trial sodium valproate. CONTINUATION Prerequisites (tick box where appropriate) Patient has demonstrated a significant and sustained improvement in se	
INITIATION Re-assessment required after 15 months Prerequisites (tick boxes where appropriate) O Patient has focal epilepsy and O Seizures are not adequately controlled by, or patient has experience following: sodium valproate, topiramate, levetiracetam, and any two Note: Those of childbearing potential are not required to trial phenytoin sodium, so required to trial sodium valproate. CONTINUATION Prerequisites (tick box where appropriate) Patient has demonstrated a significant and sustained improvement in se	
Re-assessment required after 15 months Prerequisites (tick boxes where appropriate) Patient has focal epilepsy and Seizures are not adequately controlled by, or patient has experience following: sodium valproate, topiramate, levetiracetam, and any two Note: Those of childbearing potential are not required to trial phenytoin sodium, so required to trial sodium valproate. CONTINUATION Prerequisites (tick box where appropriate) Patient has demonstrated a significant and sustained improvement in se	
Patient has focal epilepsy and Seizures are not adequately controlled by, or patient has experience following: sodium valproate, topiramate, levetiracetam, and any two Note: Those of childbearing potential are not required to trial phenytoin sodium, so required to trial sodium valproate. CONTINUATION Prerequisites (tick box where appropriate) Patient has demonstrated a significant and sustained improvement in se	
required to trial sodium valproate. CONTINUATION Prerequisites (tick box where appropriate) Patient has demonstrated a significant and sustained improvement in se	ed unacceptable side effects from, optimal treatment with all of the of carbamazepine, lamotrigine, and phenytoin sodium (see Note)
Prerequisites (tick box where appropriate) O Patient has demonstrated a significant and sustained improvement in se	dium valproate, or topiramate. Those who can father children are not

I confirm that the above details are correct:

0:	D - 1 - 1	
Zigneg.	i jate:	
Oigilica.	 Duic.	