Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

Name:	
Sunitinib INITIATION – RCC Re-assessment required after 3 months	
INITIATION – RCC Re-assessment required after 3 months	
Re-assessment required after 3 months	
O The patient has metastatic renal cell carcinoma of predominantly clear cell histology and	
The patient has only received prior cytokine treatment or The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance and The cancer did not progress whilst on pazopanib The patient has an ECOG performance score of 0-2 and Sunitinib to be used for a maximum of 2 cycles	
CONTINUATION – RCC Re-assessment required after 3 months Prerequisites (tick box where appropriate) O No evidence of disease progression	
INITIATION – GIST Re-assessment required after 3 months Prerequisites (tick boxes where appropriate)	
The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST) Or The patient's disease has progressed following treatment with imatinib Or The patient has documented treatment-limiting intolerance, or toxicity to, imatinib	

I confirm that the above details are correct:

Signed: Date:

HOSPITAL MEDICINES LIST RESTRICTIONS CHECKLIST

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBE	ER .	PATIENT:		
Name:		Name:		
Vard:		NHI:		
Sunitinib	- continued			
	TION – GIST nent required after 6 months			
	es (tick boxes where appropriate)			
Ti		s determined by Choi's modified CT response evaluation criteria as		
The patient has had a complete response (disappearance of all lesions and no new lesions) The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non-measurable disease) The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression The treatment remains appropriate and the patient is benefiting from treatment				
Re-assessm	TION – GIST pandemic circumstances nent required after 6 months es (tick boxes where appropriate)			
and	The patient has unresectable or metastatic malignant gastroin	testinal stromal tumour (GIST)		
and	The patient is clinically benefiting from treatment and continue	d treatment remains appropriate		
	Sunitinib is to be discontinued at progression			
and	The regular renewal requirements cannot be met due to COVI	D-19 constraints on the health sector		

Note: GIST - It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

I confirm that the above details are correct:	
Signed:	Date: