HOSPITAL MEDICINES LIST RESTRICTIONS CHECKLIST

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER	PATIENT:		
Name:	Name:		
Ward:	NHI:		

Bevacizumab

or	and and and and and	 Patient is currently on treatment with bevacizumab, and met all remaining criteria prior to commencing treatment Patient has locally advanced or metastatic, unresectable hepatocellular carcinoma Patient has preserved liver function (Child-Pugh A) Transarterial chemoembolisation (TACE) is unsuitable Patient has not received prior systemic therapy for the treatment of hepatocellular carcinoma Patient received funded lenvatinib before 1 March 2025 Patient has experienced treatment-limiting toxicity from treatment with lenvatinib Mo disease progression since initiation of lenvatinib Patient has an ECOG performance status of 0-2 To be given in combination with atezolizumab 	
asses: requis	sment	I – unresectable hepatocellular carcinoma required after 6 months ick box where appropriate)	

	O The patient has previously untreated advanced (FIGO Stage IIIB or IIIC) epithelial ovarian, fallopian tube, or priperitoneal cancer			
a	and			
	or	O Debulking surgery is inappropriate		
		O The cancer is sub-optimally debulked (maximum diameter of any gross residual disease greater than 1cm)		

I confirm that the above details are correct:

Signed: Date:

HOSPITAL MEDICINES LIST RESTRICTIONS CHECKLIST

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER	PATIENT:				
Name:	Name:				
Ward:	NHI:				
Bevacizumab - continued					
CONTINUATION – advanced or metastatic ovarian cancer Re-assessment required after 4 months Prerequisites (tick box where appropriate) O No evidence of disease progression					
INITIATION – Recurrent Respiratory Papillomatosis Re-assessment required after 12 months Prerequisites (tick boxes where appropriate)					
Maximum of 6 doses and O The patient has recurrent respiratory papillomatosis and O The treatment is for intra-lesional administration					
CONTINUATION – Recurrent Respiratory Papillomatosis Re-assessment required after 12 months Prerequisites (tick boxes where appropriate)					
Maximum of 6 doses and O The treatment is for intra-lesional administration and O There has been a reduction in surgical treatments or disease	regrowth as a result of treatment				
INITIATION – Ocular Conditions Prerequisites (tick boxes where appropriate)					
or O Cular neovascularisation O Exudative ocular angiopathy					