Enquiries to Ministry of Health 0800 855 066

APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 1 Form SA2559 January 2026

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:		
Reg No:	First Names:	First Names:		
Name:	Surname:	Surname:		
Address:	DOB:	Address:		
	Address:			
Fax Number:		Fax Number:		
Epoprostenol				
Patient has pulmonary arterial hy and PAH is in Group 1, 4 or 5 of the Vand PAH is in New York Heart Associand PAH has been confirment and A pulmonary capillar and A pulmonary vascular and PAH has been defined in the or Patient has PAH disorders including chronic or Patient has palliated single Fontan circulation requiring	pertension (PAH) WHO (Venice 2003) clinical classifications ation/World Health Organization (NYHA/WHO) function med by right heart catheterisation retery pressure (PAPm) greater than 20 mmHg (unless by wedge pressure (PCWP) less than or equal to 15 mm resistance greater than 2 Wood Units or greater than demonstrated to be non-responsive in vasoreactivity 2022 ECS/ERS Guidelines for PAH at experienced an acceptable response to calcium antion tool** He other than idiopathic / heritable or drug-associated secondary to congenital heart disease or PAH due to	s peri Fontan repair) mHg n 160 International Units (dyn s cm ⁻⁵) assessment using iloprost or nitric oxide, as agonist treatment, according to a validated type idiopathic, congenital or developmental lung sonary pressures or a major complication of the		
and Patient is presenting in NY	· · · · · · · · · · · · · · · · · · ·			
Patient has tried a PAH movalidated risk stratification	notherapy for at least three months and remains in ar ool	n unacceptable risk category according to a		

Enquiries to Ministry of Health 0800 855 066

APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 2 Form SA2559 January 2026

APPLICANT (stamp or sticker acceptable)		r sticker acceptable)	PATIENT NHI:	REFERRER Reg No:	
Reg No:			First Names:	First Names:	
Name:			Surname:	Surname:	
Address:			DOB:	Address:	
			Address:		
				Fax Number:	
Epoproste					
Applications cardiologist	s only from or rheumates(tick bo	atologist. Approvals valid for xes where appropriate) In thas pulmonary arterial hypes in Group 1, 4 or 5 of the West in New York Heart Associated PAH has been confirmed A mean pulmonary and A pulmonary capillary and A pulmonary vasculary and PAH has been on the province of the part of t		nal class III or IV speri Fontan repair) mHg n 160 International Units (dyn s cm ⁻⁵)	
	or	Patient has not risk stratification Patient has PAI Patient is a child with PAH s disorders including chronic Patient has palliated single	d other than idiopathic / heritable or drug-associated econdary to congenital heart disease or PAH due to	idiopathic, congenital or developmental lung	
and	Epoprostenol is to be used as PAH triple therapy				
	or	Patient is on the lung Patient is presenting i	transplant list n NYHA/WHO functional class IV		
			d PAH dual therapy for at least three months and has ding to a validated risk stratification tool	not experienced an acceptable response to	
		Patient does no scenario	t have major life-threatening comorbidities and triple	therapy is not being used in a palliative	

I confirm the above details are correct and that in signing this form I understand I may be audited.

Enquiries to Ministry of Health 0800 855 066

APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 3 Form SA2559 January 2026

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:		
Reg No:	First Names:	First Names:		
Name:	Surname:	Surname:		
Address:	DOB:	Address:		
	Address:			
Fax Number:		Fax Number:		
Epoprostenol - continued				
Renewal				
Current approval Number (if known):				
Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years. Prerequisites(tick box where appropriate)				
Patient is continuing to derive benefit from epoprostenol treatment according to a validated PAH risk stratification tool**				

Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

I confirm the above details are correct and that in signing this form I understand I may be audited.