Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER				PATIENT:	PATIENT:		
Name:					Name:		
Ward	:			NHI:	NHI:		
Vedo	olizu	mal	b				
Re-a	ssess	men	t requ	hn's disease - adults quired after 6 months k boxes where appropriate)			
	and	0	Patie	tient has active Crohn's disease			
		or	0	Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benef meet renewal criteria (unless contraindicated)	it to		
			\circ	Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10			
		or	0	Patient has extensive small intestine disease affecting more than 50 cm of the small intestine			
		or	0	Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection			
			0	Patient has an ileostomy or colostomy, and has intestinal inflammation			
	and		0	Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response from prior therapy with immunomodulators and corticosteroids)		
		or	0	Patient has experienced intolerable side effects from immunomodulators and corticosteroids			
		or	0	Immunomodulators and corticosteroids are contraindicated			
Re-a	ssess	men	t requ	- Crohn's disease - adults quired after 2 years k boxes where appropriate)			
		Or	0	CDAI score has reduced by 100 points, or HBI score has reduced by 3 points, from when the patient was initiated on biologi therapy	c		
		or	\circ	CDAI score is 150 or less, or HBI is 4 or less			
		or	0	The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed			
	and	0	Vedo	dolizumab to administered at a dose no greater than 300 mg every 8 weeks			

 Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER				PATIENT:		
Name:				Name:		
Vard:				:		
edolizu	ımal) - co	ontinued			
e-assess	smen	t requ	n's disease - children* uired after 6 months boxes where appropriate)			
and	O Paediatric patient has active Crohn's disease					
	or	0	Patient has had an initial approval for prior biologic therapy a meet renewal criteria (unless contraindicated)	nd has experienced intolerable side effects or insufficient benefit to		
		0	Patient has a Paediatric Crohn's Disease Activity Index (PCD	AI) score of greater than or equal to 30		
	or	0	Patient has extensive small intestine disease			
and						
	or	0	Patient has tried but experienced an inadequate response to from prior therapy with immunomodulators and corticosteroid	(including lack of initial response and/or loss of initial response) s		
		0	Patient has experienced intolerable side effects from immuno	emodulators and corticosteroids		
	or	0	Immunomodulators and corticosteroids are contraindicated			
ote: Indi	icatio	n mar	rked with * is an unapproved indication.			
e-assess	smen	t requ	Crohn's disease - children* uired after 2 years boxes where appropriate)			
	or	0	PCDAI score has reduced by 10 points from when the patien	t was initiated on biologic therapy		
		0	PCDAI score is 15 or less			
	or	0	The patient has experienced an adequate response to treatm	nent, but CDAI score cannot be assessed		
and	O	Vedo	olizumab to administered at a dose no greater than 300mg eve	ry 8 weeks		
			rked with * is an unapproved indication.			

I confirm that the above details are correct:	
Signed:	Date:

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER				PATIENT:		
Name:				Name:		
Ward:				NHI:		
Vedo	lizu	mal) - cc	ontinued		
Re-a	ssess	men	t requ	itive colitis ired after 6 months oxes where appropriate)		
	and	С	Patie	nt has active ulcerative colitis		
			0	Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated)		
		or	0	Patient has a SCCAI score is greater than or equal to 4		
		or	0	Patient's PUCAI score is greater than or equal to 20*		
	and					
			0	Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids		
		or	0	Patient has experienced intolerable side effects from immunomodulators and corticosteroids		
		or	0	Immunomodulators and corticosteroids are contraindicated		
Note:	Indic	catio	n mar	ked with * is an unapproved indication.		
Re-a	ssess	men	t requ	ired after 2 years poxes where appropriate)		
			0	The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy		
		or	0	The PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy *		
	and (O Vedolizumab will be used at a dose no greater than 300 mg intravenously every 8 weeks				
Note:	Indic	catio	n mar	ked with * is an unapproved indication.		

I confirm that the above details are correct:

C:	D-1	
Signed.	Date:	
Oigilica.	 Daic.	