Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

| PRES | CRII | BER | PATIENT: | | | | |
|-----------------|----------|-----|--|--|--|--|--|
| Name: | | | | | | | |
| Ward: | | | NHI: | | | | |
| Нера | titis | s B | recombinant vaccine | | | | |
| INITIA Prere | | | (tick boxes where appropriate) | | | | |
| | or | 0 | For household or sexual contacts of known acute hepatitis B patients or hepatitis B carriers | | | | |
| | or or | 0 | For children born to mothers who are hepatitis B surface antigen (HBsAg) positive | | | | |
| | or | 0 | For children up to and under the age of 18 years inclusive who are considered not to have achieved a positive serology and require additional vaccination or require a primary course of vaccination | | | | |
| | | 0 | For HIV positive patients | | | | |
| c c | or | 0 | For hepatitis C positive patients | | | | |
| | or | 0 | For patients following non-consensual sexual intercourse | | | | |
| | or | 0 | For patients prior to planned immunosuppression for greater than 28 days | | | | |
| | or | 0 | For patients following immunosuppression | | | | |
| | or | 0 | For solid organ transplant patients | | | | |
| | or | 0 | For post-haematopoietic stem cell transplant (HSCT) patients | | | | |
| | or | 0 | Following needle stick injury | | | | |

| 0: | D - 1 - 1 | |
|----|-----------|--|
| | | |
| | | |