

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to [Section H](#) of the Pharmaceutical Schedule. For community funding, see the [Special Authority Criteria](#).

PRESCRIBER

Name:

Ward:

PATIENT:

Name:

NHI:

Pneumococcal (PPV23) polysaccharide vaccine

INITIATION – High risk patients

Re-assessment required after 3 doses

Prerequisites (tick box where appropriate)

- ☐ For patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy; pre- or post-splenectomy; or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency

INITIATION – High risk children

Re-assessment required after 2 doses

Prerequisites (tick boxes where appropriate)

- ☐ Patient is a child under 18 years for (re-)immunisation
and
- ☐ On immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response
or
☐ With primary immune deficiencies
or
☐ With HIV infection
or
☐ With renal failure, or nephrotic syndrome
or
☐ Who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant)
or
☐ With cochlear implants or intracranial shunts
or
☐ With cerebrospinal fluid leaks
or
☐ Receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater
or
☐ With chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy)
or
☐ Pre term infants, born before 28 weeks gestation
or
☐ With cardiac disease, with cyanosis or failure
or
☐ With diabetes
or
☐ With Down syndrome
or
☐ Who are pre-or post-splenectomy, or with functional asplenia

INITIATION – Testing for primary immunodeficiency diseases

Prerequisites (tick box where appropriate)

- ☐ For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician

I confirm that the above details are correct:

Signed: Date: