HOSPITAL MEDICINES LIST RESTRICTIONS CHECKLIST

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER	PATIENT:
Name:	Name:
Ward:	NHI:
Methylphenidate hydrochloride	
INITIATION – ADHD (immediate-release and sustained-release formulations) Prerequisites (tick box where appropriate)	
O Prescribed by, or recommended by a paediatrician or psychiatrist, or in accordance with a protocol or guideline that has been endorsed by the Health NZ Hospital.	
Patient has ADHD (Attention Deficit and Hyperactivity Disorder), diagnosed according to DSM-IV or ICD 10 criteria	
INITIATION – Narcolepsy (immediate-release and sustained-release formulations) Prerequisites (tick box where appropriate) O Prescribed by, or recommended by a neurologist or respiratory specialist, or in accordance with a protocol or guideline that has been endorsed by the Health NZ Hospital. and O Patient suffers from narcolepsy	
INITIATION – Extended-release and modified-release formulations Prerequisites (tick boxes where appropriate)	
 Prescribed by, or recommended by a paediatrician or psychiatrist, or in accordance with a protocol or guideline that has been endorsed by the Health NZ Hospital. and 	
O Patient has ADHD (Attention Deficit and Hyperactivity Disorder	r), diagnosed according to DSM-IV or ICD 10 criteria
has not been effective due to significant administration a	nenidate hydrochloride (immediate-release or sustained-release) which nd/or compliance difficulties on or abuse of immediate-release methylphenidate hydrochloride
INITIATION – Narcolepsy* (extended-release only) Prerequisites (tick box where appropriate) O Prescribed by, or recommended by a neurologist or respiratory specialist, or in accordance with a protocol or guideline that has been endorsed	

by the Health NZ Hospital.

O Patient suffers from narcolepsy

and

Note: *narcolepsy is not a registered indication for Concerta or Ritalin LA.