Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER	PATIENT:
Name:	Name:
Ward:	NHI:
Epoetin alfa	
	chronic renal failure (tick boxes where appropriate)
	Patient in chronic renal failure
and	Haemoglobin is less than or equal to 100g/L
and	O Patient does not have diabetes mellitus  and O Glomerular filtration rate is less than or equal to 30ml/min
or	O Patient has diabetes mellitus and
or	O Glomerular filtration rate is less than or equal to 45ml/min O Patient is on haemodialysis or peritoneal dialysis
	t required after 2 months (tick boxes where appropriate)
O	Patient has a confirmed diagnosis of myelodysplasia (MDS)
and	Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent
and	Patient has very low, low or intermediate risk MDS based on the WHO classification-based prognostic scoring system for myelodysplastic syndrome (WPSS)
and	Other causes of anaemia such as B12 and folate deficiency have been excluded
and	Patient has a serum epoetin level of < 500 IU/L
and	The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week
Re-assessmen	DN – myelodysplasia*  It required after 12 months (tick boxes where appropriate)
and	The patient's transfusion requirement continues to be reduced with epoetin treatment
and	Transformation to acute myeloid leukaemia has not occurred
O	The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week

I confirm that the above details are correct:

Signed: ...... Date: .....

## HOSPITAL MEDICINES LIST RESTRICTIONS CHECKLIST

Page 2

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER	PATIENT:		
Name:	Name:		
Ward:	NHI:		
Epoetin alfa - continued			
INITIATION – all other indications Prerequisites (tick box where appropriate)  O Prescribed by, or recommended by a haematologist, or in accordance with a protocol or guideline that has been endorsed by the Health NZ Hospital.  and O For use in patients where blood transfusion is not a viable treatment alternative Note: Indications marked with * are unapproved indications			