Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRII	BER	PATIENT:
Name:		
Ward:		NHI:
Durvalumab		
INITIATION – Non-small cell lung cancer Re-assessment required after 4 months Prerequisites (tick boxes where appropriate)		
	or	O Patient has histologically or cytologically documented stage III, locally advanced, unresectable non-small cell lung cancer (NSCLC) O Patient has histologically or cytologically documented stage IIb (T1N2a only), locally advanced, unresectable non-small cell lung cancer (NSCLC)
and		Patient has received two or more cycles of platinum-based chemotherapy concurrently with definitive radiation therapy Patient has no disease progression following the second or subsequent cycle of platinum-based chemotherapy with definitive radiation therapy treatment
and		Patient has a ECOG performance status of 0 or 1 Patient has completed last radiation dose within 8 weeks of starting treatment with durvalumab Patient must not have received prior PD-1 or PD-L1 inhibitor therapy for this condition
an	or	O Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks O Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks
	O	Treatment with durvalumab to cease upon signs of disease progression
CONTINUATION – Non-small cell lung cancer Re-assessment required after 4 months Prerequisites (tick boxes where appropriate)		
and	0	The treatment remains clinically appropriate and the patient is benefitting from treatment
	or	O Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks O Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks
and	0	Treatment with durvalumab to cease upon signs of disease progression
		Total continuous treatment duration must not exceed 12 months

I confirm that the above details are correct:

Signed: Date: