

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to [Section H](#) of the Pharmaceutical Schedule. For community funding, see the [Special Authority Criteria](#).

PRESCRIBER

Name: Name:

Ward: NHI:

Plerixafor

INITIATION – Stem cell transplant

Re-assessment required after 3 days

Prerequisites (tick boxes where appropriate)

Prescribed by, or recommended by a haematologist, or in accordance with a protocol or guideline that has been endorsed by the Health NZ Hospital.

and

Patient is to undergo stem cell transplantation
or
 Patient is a donor for stem cell transplantation

and

Patient has not had more than one previous unsuccessful mobilisation attempt with plerixafor

and

Patient is undergoing G-CSF mobilisation
and
 Has a suboptimal peripheral blood CD34 count of less than or equal to $20 \times 10^6/L$ on day 5 after 4 days of G-CSF treatment
or
 Efforts to collect $> 1 \times 10^6$ CD34 cells/kg have failed after one apheresis procedure

or

Patient is undergoing chemotherapy and G-CSF mobilisation
and
 Has rising white blood cell counts of $> 2 \times 10^9/L$
and
 Has a suboptimal peripheral blood CD34 count of less than or equal to $20 \times 10^6/L$
or
 Efforts to collect $> 1 \times 10^6$ CD34 cells/kg have failed after one apheresis procedure
or
 The peripheral blood CD34 cell counts are decreasing before the target has been received

or

A previous mobilisation attempt with G-CSF or G-CSF plus chemotherapy has failed

I confirm that the above details are correct:

Signed: Date: