

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to [Section H](#) of the Pharmaceutical Schedule. For community funding, see the [Special Authority Criteria](#).

PRESCRIBER

Name:

Ward:

PATIENT:

Name:

NHI:

Denosumab

INITIATION – Osteoporosis

Prerequisites (tick boxes where appropriate)

- ☐ The patient has established osteoporosis
- and
- ☐ History of one significant osteoporotic fracture demonstrated radiologically, with a documented T-Score less than or equal to -2.5, that incorporates BMD measured using dual-energy x-ray absorptiometry (DEXA)
- or
- ☐ History of one significant osteoporotic fracture, demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of logistical, technical or pathophysiological reasons
- or
- ☐ History of two significant osteoporotic fractures demonstrated radiologically
- or
- ☐ Documented T-Score less than or equal to -3.0
- or
- ☐ A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm that incorporates BMD measured using DEXA
- and
- ☐ Bisphosphonates are contraindicated because the patient's creatinine clearance or eGFR is less than 35 mL/min
- or
- ☐ The patient has experienced at least two symptomatic new fractures or a BMD loss greater than 2% per year, after at least 12 months' continuous therapy with a funded antiresorptive agent
- or
- ☐ Bisphosphonates result in intolerable side effects
- or
- ☐ Intravenous bisphosphonates cannot be administered due to logistical or technical reasons

INITIATION – Hypercalcaemia

Prerequisites (tick boxes where appropriate)

- ☐ Patient has hypercalcaemia of malignancy
- and
- ☐ Patient has severe renal impairment

I confirm that the above details are correct:

Signed: Date: