

SPECIAL AUTHORITY FORMS
July 2024

Therapeutic Groups

THE SPECIAL AUTHORITY SYSTEM	3
Alimentary Tract and Metabolism	5
Blood and Blood Forming Organs	45
Cardiovascular System	57
Dermatologicals	82
Genito-Urinary System	89
Hormone Preparations - Systemic Excluding Contraceptive Hormones	94
Infections - Agents for Systemic Use	106
Musculoskeletal System	135
Nervous System	142
Oncology Agents and Immunosuppressants	174
Respiratory System and Allergies	343
Sensory Organs	354
Various	360
Special Foods	363
Index of form numbers	399
Index of titles	401

THE SPECIAL AUTHORITY SYSTEM

Special Authority is an application process in which a prescriber requests government subsidy for a particular person.

Criteria

The criteria for approval of Special Authority applications are included below each pharmaceutical listing. For some Special Authority pharmaceuticals, not all indications listed on the data sheets are subsidised. Criteria for each Special Authority pharmaceutical are updated regularly, based on the decision criteria of Pharmac. The appropriateness of the listing of a pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Applications from Specialists

“Specialist” means, a doctor who holds a current annual practising certificate and who satisfies the criteria set out below.

- a. The doctor’s name appears in the Vocational Register of medical practitioners in accordance with Section 21 and 22 of the Medical Practitioners Act 1995 and who is making the application in the course of practising in that area of medicine; and the doctor’s vocational branch or sub-branch is one of those listed below:
 - anaesthetics
 - cardiothoracic surgery
 - dermatology
 - diagnostic radiology
 - emergency medicine
 - general surgery
 - internal medicine
 - neurosurgery
 - obstetrics and gynaecology
 - occupational medicine
 - ophthalmology
 - otolaryngology head and neck surgery
 - orthopaedic surgery
 - paediatric surgery
 - paediatrics
 - pathology
 - plastic and reconstructive surgery
 - psychological medicine or psychiatry
 - public health medicine
 - radiation oncology
 - rehabilitation medicine
 - urology and venereology
- b. The doctor is recognised by the Ministry of Health as a specialist for the purposes of the Pharmaceutical Schedule and receives remuneration from a Health NZ Hospital at a level which that Health NZ Hospital considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine
- c. The doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine.
- d. The doctor writes the Prescription on Health NZ Hospital stationery and is appropriately authorised by the relevant Health NZ Hospital to do so.

Approval

Special Authority applications are administered by the Ministry of Health. They were formerly administered by Health Payments, Agreements and Compliance (HealthPAC), a division of the Ministry of Health. All applications should be sent, in writing, to:

Ministry of Health, Private Bag 3015, WANGANUI

customerservice@health.govt.nz

For inquiries, please call the Contact Centre on, free phone 0800 243 666

Each application must include:

- name and date of birth of the patient (codes for AIDS patients’ applications)
- diagnosis and brief clinical details
- name of the medicine required, the form and strength of the medicine
- duration of the course of treatment
- alternative therapies that have been tried

The application must:

- be signed by the practitioner
- include the practitioner’s printed name and address
- show the practitioner’s Medical Council registration number
- provide evidence of the criteria as per Special Authority conditions for medicine applied for

Subsidy

Once approved, health providers can obtain the Special Authority approval details for prescribing and dispensing purposes by calling the Contact Centre on 0800 243 666.

Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, additional subsidy, or waive certain restrictions otherwise present on the pharmaceutical.

Some approvals are dependent on the availability of funding.

Panel Approvals

Access to subsidy for the following products must be approved by a panel of clinicians
Applications to be made on the approved forms which are available from the co-ordinator:

Panel Co-ordinator
Pharmac
PO Box 10 254 Wellington
Phone: 04 460 4990 Facsimile: 04 460 4995
E-mail: ECPanel@Pharmac.govt.nz

Product (Form No)	Panel
Dulaglutide (SA2338)	PHARMAC
Ledipasvir with sofosbuvir (SA1605)	Hepatitis C Treatment Panel (HepCTP)
Liraglutide (SA2339)	PHARMAC

Alimentary Tract and Metabolism

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Budesonide - Cap 3 mg Controlled Release

Initial application — Crohn's disease
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Mild to moderate ileal, ileocaecal or proximal Crohn's disease
and

Diabetes
or
 Cushingoid habitus
or
 Osteoporosis where there is significant risk of fracture
or
 Severe acne following treatment with conventional corticosteroid therapy
or
 History of severe psychiatric problems associated with corticosteroid treatment
or
 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high
or
 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated)

Initial application — collagenous and lymphocytic colitis (microscopic colitis)
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick box where appropriate)

Patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies

Initial application — gut Graft versus Host disease
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick box where appropriate)

Patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*
Note: Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Budesonide - Cap 3 mg Controlled Release - continued

Initial application — non-cirrhotic autoimmune hepatitis
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Patient has autoimmune hepatitis*

and

Patient does not have cirrhosis

and

Diabetes

or

Cushingoid habitus

or

Osteoporosis where there is significant risk of fracture

or

Severe acne following treatment with conventional corticosteroid therapy

or

History of severe psychiatric problems associated with corticosteroid treatment

or

History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high

or

Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated)

or

Adolescents with poor linear growth (where conventional corticosteroid use may limit further growth)

Note: Indication marked with * is an unapproved indication.

Renewal

Current approval Number (if known):.....
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Renewal — non-cirrhotic autoimmune hepatitis

Current approval Number (if known):.....
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Glyceryl trinitrate Oint 0.2%

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient has a chronic anal fissure that has persisted for longer than three weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rifaximin

Initial application

Applications only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose

Renewal

Current approval Number (if known):.....

Applications only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Diazoxide

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

Used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Empagliflozin; Empagliflozin with metformin hydrochloride

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

Patient has previously received an initial approval for a GLP-1 agonist

or

Patient has type 2 diabetes

and

Patient is Māori or any Pacific ethnicity*

or

Patient has pre-existing cardiovascular disease or risk equivalent (see note a)*

or

Patient has an absolute 5-year cardiovascular disease risk of 15% or greater according to a validated cardiovascular risk assessment calculator*

or

Patient has a high lifetime cardiovascular risk due to being diagnosed with type 2 diabetes during childhood or as a young adult*

or

Patient has diabetic kidney disease (see note b)*

and

Target HbA1c (of 53 mmol/mol or less) has not been achieved despite the regular use of at least one blood-glucose lowering agent (e.g. metformin, vildagliptin, or insulin) for at least 3 months

Note: * Criteria intended to describe patients at high risk of cardiovascular or renal complications of diabetes.

- a) Pre-existing cardiovascular disease or risk equivalent defined as: prior cardiovascular disease event (i.e. angina, myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, transient ischaemic attack, ischaemic stroke, peripheral vascular disease), congestive heart failure or familial hypercholesterolaemia.
- b) Diabetic kidney disease defined as: persistent albuminuria (albumin:creatinine ratio greater than or equal to 3 mg/mmol, in at least two out of three samples over a 3-6 month period) and/or eGFR less than 60 mL/min/1.73m² in the presence of diabetes, without alternative cause.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER Reg No:**

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pumps

Initial application — permanent neonatal diabetes

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient has permanent neonatal diabetes

and A MDI regimen trial is inappropriate

and Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy

and Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional)

and Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

Renewal — permanent neonatal diabetes

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient is continuing to derive benefit according to the treatment plan agreed at induction

and Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician

and It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pumps - continued

Initial application — severe unexplained hypoglycaemia

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes

and Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional)

and Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care

and Has adhered to an intensive MDI regimen using analogue insulins for at least six months

and Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person)

and Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol

and Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

Renewal — severe unexplained hypoglycaemia

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events

and HbA1c has not increased by more than 5 mmol/mol from baseline

and

or It has been at least 4 years since the last insulin pump was received by the patient

The pump is due for replacement

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pumps - continued

Initial application — HbA1c

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes

and

Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional)

and

Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care

and

Has adhered to an intensive MDI regimen using analogue insulins for at least six months

and

Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1

and

In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment

and

Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol

and

Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy

and

Applicant is a relevant specialist

or

Applicant is a nurse practitioner working within their vocational scope

Renewal — HbA1c

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol

and

The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline

and

It has been at least 4 years since the last insulin pump was received by the patient

or

The pump is due for replacement

and

Applicant is a relevant specialist

or

Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pumps - *continued*

Initial application — Previous use before 1 September 2012

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes
- and Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment
- and The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy
- and The patient is continuing to derive benefit from pump therapy
- and The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy
- and The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline
- and The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline
- and
 - It has been at least 4 years since the last insulin pump was received by the patient
 - or The pump is due for replacement
- and
 - Applicant is a relevant specialist
 - or Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pumps - *continued*

Renewal — Previous use before 1 September 2012

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol
and	
<input type="checkbox"/>	The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment
and	
<input type="checkbox"/>	The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline
and	
<input type="checkbox"/>	It has been at least 4 years since the last insulin pump was received by the patient
or	
<input type="checkbox"/>	The pump is due for replacement
and	
<input type="checkbox"/>	Applicant is a relevant specialist
or	
<input type="checkbox"/>	Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pump Consumables

Initial application — permanent neonatal diabetes

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

Patient has permanent neonatal diabetes

and A MDI regimen trial is inappropriate

and Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy

and Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional)

and Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

Renewal — permanent neonatal diabetes

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Patient is continuing to derive benefit according to the treatment plan agreed at induction

and Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pump Consumables - continued

Initial application — severe unexplained hypoglycaemia

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes

and Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional)

and Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care

and Has adhered to an intensive MDI regimen using analogue insulins for at least six months

and Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person)

and Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol

and Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

Renewal — severe unexplained hypoglycaemia

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events

and HbA1c has not increased by more than 5 mmol/mol from baseline

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pump Consumables - *continued*

Initial application — HbA1c

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes

and Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional)

and Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care

and Has adhered to an intensive MDI regimen using analogue insulins for at least six months

and Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1

and In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment

and Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol

and Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

Renewal — HbA1c

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol

and The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline

and

or Applicant is a relevant specialist

Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Insulin Pump Consumables - *continued*

Initial application — Previous use before 1 September 2012

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes

and Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment

and The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy

and The patient is continuing to derive benefit from pump therapy

and The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy

and The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline

and The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline

and

Applicant is a relevant specialist

or

Applicant is a nurse practitioner working within their vocational scope

Renewal — Previous use before 1 September 2012

Current approval Number (if known):.....

Applications only from a relevant specialist or nurse practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol

and The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application

and The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline

and

Applicant is a relevant specialist

or

Applicant is a nurse practitioner working within their vocational scope

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ursodeoxycholic Acid

Initial application — Alagille syndrome or progressive familial intrahepatic cholestasis
Applications from any relevant practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick boxes where appropriate)

Patient has been diagnosed with Alagille syndrome
or
 Patient has progressive familial intrahepatic cholestasis

Initial application — Chronic severe drug induced cholestatic liver injury
Applications from any relevant practitioner. Approvals valid for 3 months.
Prerequisites(tick boxes where appropriate)

Patient has chronic severe drug induced cholestatic liver injury
and
 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults
and
 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay

Initial application — Primary biliary cholangitis
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Primary biliary cholangitis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy
and
 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis)

Initial application — Pregnancy
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick box where appropriate)

The patient diagnosed with cholestasis of pregnancy

Initial application — Haematological Transplant
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation
and
 Treatment for up to 13 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ursodeoxycholic Acid - continued

Initial application — Total parenteral nutrition induced cholestasis

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN) and <input type="checkbox"/> Liver function has not improved with modifying the TPN composition
--

Renewal — Chronic severe drug induced cholestatic liver injury

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient continues to benefit from treatment

Renewal — Pregnancy/Primary biliary cholangitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Renewal — Total parenteral nutrition induced cholestasis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Methylnaltrexone bromide

Initial application — Opioid induced constipation

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient is receiving palliative care
and
<input type="checkbox"/> Oral and rectal treatments for opioid induced constipation are ineffective
or
<input type="checkbox"/> Oral and rectal treatments for opioid induced constipation are unable to be tolerated

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Sodium picosulfate

Initial application

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient is a child with problematic constipation despite an adequate trial of other oral pharmacotherapies including macrogol where practicable
and	
<input type="checkbox"/>	The patient would otherwise require a high-volume bowel cleansing preparation or hospital admission

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment
--------------------------	--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Galsulfase

Initial application

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has been diagnosed with mucopolysaccharidosis VI

and

Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts

or

Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The treatment remains appropriate for the patient and the patient is benefiting from treatment

and

Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates

and

Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT)

and

Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Sodium phenylbutyrate

Initial application

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Sodium benzoate

Initial application

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The patient has a diagnosis of a urea cycle disorder

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Alglucosidase Alfa

Initial application

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease

and

Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells

or

Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides

or

Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene)

or

Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene

and

Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT)

and

Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT

and

Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The treatment remains appropriate for the patient and the patient is benefiting from treatment

and

Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks

and

Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates

and

Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT

and

Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT

and

There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation

and

There is no evidence of new or progressive cardiomyopathy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Idursulfase

Initial application

Applications only from a metabolic physician. Approvals valid for 24 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II)
and
<input type="checkbox"/> Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts
or
<input type="checkbox"/> Detection of a disease causing mutation in the iduronate 2-sulfatase gene
and
<input type="checkbox"/> Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant
and
<input type="checkbox"/> Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT)
and
<input type="checkbox"/> Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Laronidase

Initial application

Applications only from a metabolic physician. Approvals valid for 24 weeks.

Prerequisites(tick boxes where appropriate)

The patient has been diagnosed with Hurler Syndrome (mucopolysaccharidosis I-H)

and

Diagnosis confirmed by demonstration of alpha-L-iduronidase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts

or

Detection of two disease causing mutations in the alpha-L-iduronidase gene and patient has a sibling who is known to have Hurler syndrome

and

Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with laronidase would be bridging treatment to transplant

and

Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT)

and

Laronidase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 post-HSCT) at doses no greater than 100 units/kg every week

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Betaine

Initial application

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has a confirmed diagnosis of homocystinuria and <input type="checkbox"/> A cystathionine beta-synthase (CBS) deficiency or <input type="checkbox"/> A 5,10-methylene-tetrahydrofolate reductase (MTHFR) deficiency or <input type="checkbox"/> A disorder of intracellular cobalamin metabolism and <input type="checkbox"/> An appropriate homocysteine level has not been achieved despite a sufficient trial of appropriate vitamin supplementation

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Saproterin dihydrochloride

Initial application

Applications only from a metabolic physician. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

Patient has phenylketonuria (PKU) and is pregnant or actively planning to become pregnant

and Treatment with saproterin is required to support management of PKU during pregnancy

and Saproterin to be administered at doses no greater than a total daily dose of 20 mg/kg

and Saproterin to be used alone or in combination with PKU dietary management

and Total treatment duration with saproterin will not exceed 22 months for each pregnancy (includes time for planning and becoming pregnant) and treatment will be stopped after delivery

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician or any relevant practitioner on the recommendation of a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Following the initial one-month approval, the patient has demonstrated an adequate response to a 2 to 4 week trial of saproterin with a clinically appropriate reduction in phenylalanine levels to support management of PKU during pregnancy

or On subsequent renewal applications, the patient has previously demonstrated response to treatment with saproterin and maintained adequate phenylalanine levels to support management of PKU during pregnancy

and

Patient continues to be pregnant and treatment with saproterin will not continue after delivery

or Patient is actively planning a pregnancy and this is the first renewal for treatment with saproterin

or Treatment with saproterin is required for a second or subsequent pregnancy to support management of their PKU during pregnancy

and Saproterin to be administered at doses no greater than a total daily dose of 20 mg/kg

and Saproterin to be used alone or in combination with PKU dietary management

and Total treatment duration with saproterin will not exceed 22 months for each pregnancy (includes time for planning and becoming pregnant) and treatment will be stopped after delivery

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Coenzyme Q10

Initial application

Applications only from a metabolic physician. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

Patient has a suspected inborn error of metabolism that may respond to coenzyme Q10 supplementation

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/></p> <p>and</p> <p><input type="checkbox"/></p>	<p>The patient has a confirmed diagnosis of an inborn error of metabolism that responds to coenzyme Q10 supplementation</p> <p>The treatment remains appropriate and the patient is benefiting from treatment</p>
---	---

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Levocarnitine

Initial application

Applications only from a metabolic physician. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

Patient has a suspected inborn error of metabolism that may respond to carnitine supplementation

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/></p> <p>and</p> <p><input type="checkbox"/></p>	<p>The patient has a confirmed diagnosis of an inborn error of metabolism that responds to carnitine supplementation</p> <p>The treatment remains appropriate and the patient is benefiting from treatment</p>
---	--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Riboflavin

Initial application

Applications only from a metabolic physician or neurologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

Patient has a suspected inborn error of metabolism that may respond to riboflavin supplementation

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician or neurologist. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/></p> <p>and</p> <p><input type="checkbox"/></p>	<p>The patient has a confirmed diagnosis of an inborn error of metabolism that responds to riboflavin supplementation</p> <p>The treatment remains appropriate and the patient is benefiting from treatment</p>
---	---

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Arginine

Initial application

Applications only from a metabolic physician. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

Patient has a suspected inborn error of metabolism that may respond to arginine supplementation

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/></p> <p>and</p> <p><input type="checkbox"/></p>	<p>The patient has a confirmed diagnosis of an inborn error of metabolism that responds to arginine supplementation</p> <p>The treatment remains appropriate and the patient is benefiting from treatment</p>
---	---

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Taurine

Initial application

Applications only from a metabolic physician. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

Patient has a suspected specific mitochondrial disorder that may respond taurine supplementation

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

The patient has confirmed diagnosis of a specific mitochondrial disorder which responds to taurine supplementation
and
 The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Trintine

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

- Patient has confirmed Wilson disease
- and** Treatment with D-penicillamine has been trialled and discontinued because the person has experienced intolerable side effects or has not received sufficient benefit
- and** Treatment with zinc has been trialled and discontinued because the person has experienced intolerable side effects or has not received sufficient benefit, or zinc is considered clinically inappropriate as the person has symptomatic liver disease and requires copper chelation

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Taliglucerase alfa

Initial application

Applications only from a metabolic physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has a diagnosis of symptomatic type 1 or type 3* Gaucher disease confirmed by the demonstration of specific deficiency of glucocerebrosidase in leukocytes or cultured skin fibroblasts, and genotypic analysis

and

Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by enzyme replacement therapy (ERT) or the disease might be reasonably expected to compromise a response to ERT

and

Patient has haematological complications of Gaucher disease

or

Patient has skeletal complications of Gaucher disease

or

Patient has significant liver dysfunction or hepatomegaly attributable to Gaucher disease

or

Patient has reduced vital capacity from clinically significant or progressive pulmonary disease due to Gaucher disease

or

Patient is a child and has experienced growth failure with significant decrease in percentile linear growth over a 6-12 month period

and

Taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units)

Note: Indication marked with * is an unapproved indication

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician or any relevant practitioner on the recommendation of a metabolic physician. Approvals valid for 3 years.

Prerequisites(tick boxes where appropriate)

Patient has demonstrated a symptomatic improvement and has maintained improvements in the main symptom or symptoms for which therapy was started

and

Patient has demonstrated a clinically objective improvement or no deterioration in haemoglobin levels, platelet counts and liver and spleen size

and

Radiological (MRI) signs of bone activity performed at two years since initiation of treatment, and five yearly thereafter, demonstrate no deterioration shown by the MRI, compared with MRI taken immediately prior to commencement of therapy or adjusted dose

and

Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT

and

Patient is adherent with regular treatment and taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Vitabdeck

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has cystic fibrosis with pancreatic insufficiency
or
<input type="checkbox"/> Patient is an infant or child with liver disease or short gut syndrome
or
<input type="checkbox"/> Patient has severe malabsorption syndrome

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Multivitamins (Paediatric Seravit)

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient has inborn errors of metabolism

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

Patient has had a previous approval for multivitamins

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Multivitamin renal (Clinicians Renal Vit)

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis <input type="checkbox"/> The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m ² body surface area (BSA)
-----------	---

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ferric carboxymaltose

Initial application — serum ferritin less than or equal to 20 mcg/L
Applications from any relevant practitioner. Approvals valid for 3 months.
Prerequisites(tick boxes where appropriate)

Patient has been diagnosed with iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L

and

Patient has been compliant with oral iron treatment and treatment has proven ineffective

or

Treatment with oral iron has resulted in dose-limiting intolerance

or

Rapid correction of anaemia is required

Renewal — serum ferritin less than or equal to 20 mcg/L
Current approval Number (if known):.....
Applications from any relevant practitioner. Approvals valid for 3 months.
Prerequisites(tick boxes where appropriate)

Patient continues to have iron-deficiency anaemia with a serum ferritin level of less than or equal to 20 mcg/L

and

A re-trial with oral iron is clinically inappropriate

Initial application — iron deficiency anaemia
Applications only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months.
Prerequisites(tick boxes where appropriate)

Patient has been diagnosed with iron-deficiency anaemia

and

Patient has been compliant with oral iron treatment and treatment has proven ineffective

or

Treatment with oral iron has resulted in dose-limiting intolerance

or

Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective

or

Rapid correction of anaemia is required

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ferric carboxymaltose - *continued*

Renewal — iron deficiency anaemia

Current approval Number (if known):.....

Applications only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> Patient continues to have iron-deficiency anaemia
	<input type="checkbox"/> A re-trial with oral iron is clinically inappropriate

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Blood and Blood Forming Organs

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Hypoplastic and Haemolytic

Initial application — chronic renal failure

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Patient in chronic renal failure

and

Haemoglobin is less than or equal to 100g/L

and

Patient does not have diabetes mellitus

and

Glomerular filtration rate is less than or equal to 30ml/min

or

Patient has diabetes mellitus

and

Glomerular filtration rate is less than or equal to 45ml/min

or

Patient is on haemodialysis or peritoneal dialysis

Initial application — myelodysplasia

Applications from any specialist. Approvals valid for 2 months.

Prerequisites(tick boxes where appropriate)

Patient has a confirmed diagnosis of myelodysplasia (MDS)*

and

Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent

and

Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS)

and

Other causes of anaemia such as B12 and folate deficiency have been excluded

and

Patient has a serum epoetin level of < 500 IU/L

and

The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week

Note: Indication marked with * is an unapproved indication

Renewal — chronic renal failure

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Hypoplastic and Haemolytic - *continued*

Renewal — myelodysplasia

Current approval Number (if known):.....

Applications from any specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/></p> <p>and</p> <p><input type="checkbox"/></p> <p>and</p> <p><input type="checkbox"/></p>	<p>The patient's transfusion requirement continues to be reduced with erythropoietin treatment</p> <p>Transformation to acute myeloid leukaemia has not occurred</p> <p>The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week</p>
---	--

Note: Indication marked with * is an unapproved indication

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Eltrombopag

Initial application — idiopathic thrombocytopenic purpura - post-splenectomy

Applications only from a haematologist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

- Patient has had a splenectomy
- and
- Two immunosuppressive therapies have been trialed and failed after therapy of 3 months each (or 1 month for rituximab)
- and
- Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding
- or
- Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding
- or
- Patient has a platelet count of less than or equal to 10,000 platelets per microlitre

Initial application — idiopathic thrombocytopenic purpura - preparation for splenectomy

Applications only from a haematologist. Approvals valid for 6 weeks.

Prerequisites(tick box where appropriate)

- The patient requires eltrombopag treatment as preparation for splenectomy

Initial application — idiopathic thrombocytopenic purpura contraindicated to splenectomy

Applications only from a haematologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- Patient has a significant and well-documented contraindication to splenectomy for clinical reasons
- and
- Two immunosuppressive therapies have been trialed and failed after therapy of 3 months each (or 1 month for rituximab)
- and
- Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microliter
- or
- Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding

Initial application — severe aplastic anaemia

Applications only from a haematologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- Two immunosuppressive therapies have been trialed and failed after therapy of at least 3 months duration
- and
- Patient has severe aplastic anaemia with a platelet count of less than or equal to 20,000 platelets per microliter
- or
- Patient has severe aplastic anaemia with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Eltrombopag - continued

Renewal — idiopathic thrombocytopenic purpura - post-splenectomy

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

- The patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

Renewal — idiopathic thrombocytopenic purpura contraindicated to splenectomy

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- The patient's significant contraindication to splenectomy remains
- and The patient has obtained a response from treatment during the initial approval period
- and Patient has maintained a platelet count of at least 50,000 platelets per microlitre on treatment
- and Further treatment with eltrombopag is required to maintain response

Renewal — severe aplastic anaemia

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- The patient has obtained a response from treatment of at least 20,000 platelets per microlitre above baseline during the initial approval period
- and Platelet transfusion independence for a minimum of 8 weeks during the initial approval period

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Emicizumab

Initial application — Severe Haemophilia A with or without FVIII inhibitors
Applications only from a haematologist. Approvals valid without further renewal unless notified.
Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has severe congenital haemophilia A with a severe bleeding phenotype (endogenous factor VIII activity less than or equal to 2%)
and	
<input type="checkbox"/>	Emicizumab is to be administered at a dose of no greater than 3 mg/kg weekly for 4 weeks followed by the equivalent of 1.5 mg/kg weekly

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ticagrelor

Initial application — acute coronary syndrome
Applications from any relevant practitioner. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome
and
 Fibrinolytic therapy has not been given in the last 24 hours and is not planned

Initial application — thrombosis prevention neurological stenting
Applications from any relevant practitioner. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

Patient has had a neurological stenting procedure* in the last 60 days
or
 Patient is about to have a neurological stenting procedure performed*

and

Patient has demonstrated clopidogrel resistance using the P2Y12 (VerifyNow) assay or another appropriate platelet function assay and requires antiplatelet treatment with ticagrelor

or

Clopidogrel resistance has been demonstrated by the occurrence of a new cerebral ischemic event
or
 Clopidogrel resistance has been demonstrated by the occurrence of transient ischemic attack symptoms referable to the stent

Initial application — Percutaneous coronary intervention with stent deployment
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Patient has undergone percutaneous coronary intervention
and
 Patient has had a stent deployed in the previous 4 weeks
and
 Patient is clopidogrel-allergic**

Initial application — Stent thrombosis
Applications from any relevant practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick box where appropriate)

Patient has experienced cardiac stent thrombosis whilst on clopidogrel

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ticagrelor - *continued*

Renewal — subsequent acute coronary syndrome

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/> Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome</p> <p>and</p> <p><input type="checkbox"/> Fibrinolytic therapy has not been given in the last 24 hours and is not planned</p>
--

Renewal — thrombosis prevention neurological stenting

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/> Patient is continuing to benefit from treatment</p> <p>and</p> <p><input type="checkbox"/> Treatment continues to be clinically appropriate</p>
--

Renewal — Percutaneous coronary intervention with stent deployment

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/> Patient has undergone percutaneous coronary intervention</p> <p>and</p> <p><input type="checkbox"/> Patient has had a stent deployed in the previous 4 weeks</p> <p>and</p> <p><input type="checkbox"/> Patient is clopidogrel-allergic**</p>

Note: indications marked with * are unapproved indications.

Note: Note: ** Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Enoxaparin sodium

Initial application — Pregnancy, Malignancy or Haemodialysis
Applications from any relevant practitioner. Approvals valid for 1 year.
Prerequisites(tick boxes where appropriate)

- Low molecular weight heparin treatment is required during a patients pregnancy
- or
- For the treatment of venous thromboembolism where the patient has a malignancy
- or
- For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis

Initial application — Venous thromboembolism other than in pregnancy or malignancy
Applications from any relevant practitioner. Approvals valid for 1 month.
Prerequisites(tick boxes where appropriate)

- For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment
- or
- For the prophylaxis and treatment of venous thromboembolism in high risk surgery
- or
- To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery
- or
- For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention
- or
- To be used in association with cardioversion of atrial fibrillation

Initial application — Short-term use during treatment of COVID-19 with nirmatrelvir with ritonavir
Applications from any relevant practitioner. Approvals valid for 2 weeks.
Prerequisites(tick boxes where appropriate)

- Patient is receiving an anticoagulation treatment that has drug/drug interactions with ritonavir that increases risk of bleeding
- and
- Patient meets the Access Criteria for COVID-19 antivirals published on the Pharmac website*
- and
- Other antiviral treatments for COVID-19 have been considered and are not clinically suitable options

Renewal — Pregnancy, Malignancy or Haemodialysis
Current approval Number (if known):.....
Applications from any relevant practitioner. Approvals valid for 1 year.
Prerequisites(tick boxes where appropriate)

- Low molecular weight heparin treatment is required during a patient's pregnancy
- or
- For the treatment of venous thromboembolism where the patient has a malignancy
- or
- For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Enoxaparin sodium - *continued*

Renewal — Venous thromboembolism other than in pregnancy or malignancy

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 month.

Prerequisites(tick box where appropriate)

Low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Filgrastim

Initial application

Applications only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

- Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*)
- or
- Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation
- or
- Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation
- or
- Treatment of severe chronic neutropenia (ANC < 0.5 ×10⁹/L)
- or
- Treatment of drug-induced prolonged neutropenia (ANC < 0.5 ×10⁹/L)

Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pegfilgrastim

Initial application

Applications only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

Used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 5%*)

Note: *Febrile neutropenia risk greater than or equal to 5% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Cardiovascular System

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Sacubitril with valsartan

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

Patient has heart failure

and

Patient is in NYHA/WHO functional class II

or

Patient is in NYHA/WHO functional class III

or

Patient is in NYHA/WHO functional class IV

and

Patient has a documented left ventricular ejection fraction (LVEF) of less than or equal to 35%

or

An ECHO is not reasonably practical, and in the opinion of the treating practitioner the patient would benefit from treatment

and

Patient is receiving concomitant optimal standard chronic heart failure treatments

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Midodrine

Initial application

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

Patient has disabling orthostatic hypotension not due to drugs

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Propranolol

Initial application

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only)
	<input type="checkbox"/> For the treatment of a child under 12 years with cardiac arrhythmias or congenital cardiac abnormalities

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only)
	<input type="checkbox"/> For the treatment of a child under 12 years with cardiac arrhythmias or congenital cardiac abnormalities

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Eplerenone

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has heart failure with ejection fraction less than 40%
and	
<input type="checkbox"/>	Patient is intolerant to optimal dosing of spironolactone
or	
<input type="checkbox"/>	Patient has experienced a clinically significant adverse effect while on optimal dosing of spironolactone

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tolvaptan

Initial application — autosomal dominant polycystic kidney disease

Applications only from a renal physician or any relevant practitioner on the recommendation of a renal physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has a confirmed diagnosis of autosomal dominant polycystic kidney disease
and	
<input type="checkbox"/>	Patient has an estimated glomerular filtration rate (eGFR) of greater than or equal to 25 ml/min/1.73 m ² at treatment initiation
and	
<input type="checkbox"/>	Patient's disease is rapidly progressing, with a decline in eGFR of greater than or equal to 5 mL/min/1.73 m ² within one-year
or	
<input type="checkbox"/>	Patient's disease is rapidly progressing, with an average decline in eGFR of greater than or equal to 2.5 mL/min/1.73 m ² per year over a five-year period

Renewal — autosomal dominant polycystic kidney disease

Current approval Number (if known):.....

Applications only from a renal physician or any relevant practitioner on the recommendation of a renal physician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has not developed end-stage renal disease, defined as an eGFR of less than 15 mL/min/1.73 m ²
and	
<input type="checkbox"/>	Patient has not undergone a kidney transplant

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rosuvastatin

Initial application — cardiovascular disease risk
Applications from any relevant practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick boxes where appropriate)

Patient is considered to be at risk of cardiovascular disease
and
 Patient is Māori or any Pacific ethnicity

or

Patient has a calculated risk of cardiovascular disease of at least 15% over 5 years
and
 LDL cholesterol has not reduced to less than 1.8 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin

Initial application — familial hypercholesterolemia
Applications from any relevant practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick boxes where appropriate)

Patient has familial hypercholesterolemia (defined as a Dutch Lipid Criteria score greater than or equal to 6)
and
 LDL cholesterol has not reduced to less than 1.8 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin

Initial application — established cardiovascular disease
Applications from any relevant practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick boxes where appropriate)

Patient has proven coronary artery disease (CAD)
or
 Patient has proven peripheral artery disease (PAD)
or
 Patient has experienced an ischaemic stroke

and
 LDL cholesterol has not reduced to less than 1.4 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin

Initial application — recurrent major cardiovascular events
Applications from any relevant practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick boxes where appropriate)

Patient has experienced a recurrent major cardiovascular event (defined as myocardial infarction, ischaemic stroke, coronary revascularisation, hospitalisation for unstable angina) in the last 2 years
and
 LDL cholesterol has not reduced to less than 1.0 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Hydralazine

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> For the treatment of refractory hypertension
or
<input type="checkbox"/> For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Bosentan

Initial application — PAH monotherapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)*

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease

or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Bosentan is to be used as PAH monotherapy

and

Patient has experienced intolerable side effects on sildenafil

or Patient has an absolute contraindication to sildenafil

or Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Bosentan - continued

Initial application — PAH dual therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)*

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease

or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and Bosentan is to be used as part of PAH dual therapy

and

Patient has tried a PAH monotherapy (sildenafil) for at least three months and has experienced an inadequate therapeutic response to treatment according to a validated risk stratification tool**

or Patient is presenting in NYHA/WHO functional class III or IV, and in the opinion of the treating clinician would likely benefit from initial dual therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Bosentan - continued

Initial application — PAH triple therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)*
and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications
and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV
and

PAH has been confirmed by right heart catheterisation
and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)
and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg
and Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)
and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †
or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**
or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease
or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Bosentan is to be used as part of PAH triple therapy
and

Patient is on the lung transplant list
or Patient is presenting in NYHA/WHO functional class IV
or

Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**
and Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Bosentan - continued

Renewal

Current approval Number (if known):.....

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

Patient is continuing to derive benefit from bosentan treatment according to a validated PAH risk stratification tool**

Note: † The European Respiratory Journal Guidelines can be found here: [2022 ECS/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension PAH](#)

** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ambrisentan

Initial application — PAH monotherapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH 2022 (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease

or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Ambrisentan is to be used as PAH monotherapy

and

Patient has experienced intolerable side effects with both sildenafil and bosentan

or Patient has an absolute contraindication to sildenafil and an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease)

or Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ambrisentan - continued

Initial application — PAH dual therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)
and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications
and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV
and

PAH has been confirmed by right heart catheterisation
and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)
and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg
and Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)
and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH 2022 (see note below for link to these guidelines) †
or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**
or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease
or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Ambrisentan is to be used as PAH dual therapy
and

Patient has tried a PAH monotherapy (sildenafil or bosentan) for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**
or Patient has tried PAH dual therapy including bosentan and has experienced intolerable side effects on bosentan

and

Patient is presenting in NYHA/WHO functional class III or IV, and in the opinion of the treating clinician would benefit from initial dual therapy
and Patient has an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ambrisentan - continued

Initial application — PAH triple therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)
and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications
and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV
and

PAH has been confirmed by right heart catheterisation
and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)
and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg
and Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)
and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH 2022 (see note below for link to these guidelines) †
or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**
or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease
or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Ambrisentan is to be used as PAH triple therapy
and

Patient is on the lung transplant list
or

Patient is presenting in NYHA/WHO functional class IV
and Patient has an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease)

or

Patient has tried PAH dual therapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool**
and Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ambrisentan - *continued*

Renewal

Current approval Number (if known):.....

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The patient is continuing to derive benefit from ambrisentan treatment according to a validated PAH risk stratification tool**

Note: † The European Respiratory Journal Guidelines can be found here: [2022 ECS/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension PAH](#)

** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Sildenafil (Vedafil)

Initial application — Raynaud’s Phenomenon*

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

- Patient has Raynaud’s Phenomenon*
- and Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene)
- and Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs)
- and Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated)

Initial application — Pulmonary arterial hypertension*

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

- Patient has pulmonary arterial hypertension (PAH)*
- and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications
- and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV
- and
 - PAH is confirmed by right heart catheterisation
 - and A mean pulmonary artery pressure (PAPm) of greater than 20 mmHg
 - and A pulmonary capillary wedge pressure (PCWP) that is less than or equal to 15 mmHg
 - and Pulmonary vascular resistance (PVR) of at least 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)
 - and
 - PAH is non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †
 - or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**
 - or Patient has PAH other than idiopathic / heritable or drug-associated type
- or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease
- or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Sildenafil (Vedafil) - continued

Initial application — erectile dysfunction due to spinal cord injury

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> Patient has a documented history of traumatic or non-traumatic spinal cord injury
	<input type="checkbox"/> Patient has erectile dysfunction secondary to spinal cord injury requiring pharmacological treatment

Renewal — erectile dysfunction due to spinal cord injury

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Note: Note: Indications marked with * are Unapproved Indications.

† The European Respiratory Journal Guidelines can be found here: [2022 ECS/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension PAH](#)

** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Iloprost

Initial application — PAH monotherapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease

or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Iloprost is to be used as PAH monotherapy

and

Patient has experienced intolerable side effects on sildenafil and both the funded endothelin receptor antagonists (i.e. both bosentan and ambrisentan)

or Patient has an absolute contraindication to sildenafil and an absolute or relative contraindication to endothelin receptor antagonists

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Iloprost - continued

Initial application — PAH dual therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease

or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Iloprost is to be used as PAH dual therapy with either sildenafil or an endothelin receptor antagonist

and

Patient has an absolute contraindication to or has experienced intolerable side effects on sildenafil

or Patient has an absolute or relative contraindication to or experienced intolerable side effects with a funded endothelin receptor antagonist

and

Patient has tried a PAH monotherapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool**

or Patient is presenting in NYHA/WHO functional class III or IV, and in the opinion of the treating clinician would benefit from initial dual therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Iloprost - continued

Initial application — PAH triple therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or

Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease

or

Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Iloprost is to be used as PAH triple therapy

and

Patient is on the lung transplant list

or Patient is presenting in NYHA/WHO functional class IV

or

Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**

and Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Iloprost - *continued*

Renewal

Current approval Number (if known):.....

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

Patient is continuing to derive benefit from iloprost treatment according to a validated PAH risk stratification tool**

Note: † The European Respiratory Journal Guidelines can be found here: [2022 ECS/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension PAH](#)

** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Epoprostenol

Initial application — PAH dual therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease

or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Epoprostenol is to be used as part of PAH dual therapy with either sildenafil or an endothelin receptor antagonist

and Patient is presenting in NYHA/WHO functional class IV

and Patient has tried a PAH monotherapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Epoprostenol - continued

Initial application — PAH triple therapy

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has pulmonary arterial hypertension (PAH)

and PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications

and PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class III or IV

and

PAH has been confirmed by right heart catheterisation

and A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair)

and A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg

and A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵)

and

PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH (see note below for link to these guidelines) †

or Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**

or Patient has PAH other than idiopathic / heritable or drug-associated type

or Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease

or Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures

and

Epoprostenol is to be used as PAH triple therapy

and

Patient is on the lung transplant list

or Patient is presenting in NYHA/WHO functional class IV

or

Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool

and Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Epoprostenol - *continued*

Renewal

Current approval Number (if known):.....

Applications only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

Patient is continuing to derive benefit from epoprostenol treatment according to a validated PAH risk stratification tool**

Note: † The European Respiratory Journal Guidelines can be found here: [2022 ECS/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension PAH](#)

** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Dermatologicals

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Isotretinoin

Initial application

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice
and	
<input type="checkbox"/>	Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin
and	
<input type="checkbox"/>	Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment
or	
<input type="checkbox"/>	Patient is not of child bearing potential

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment
or	
<input type="checkbox"/>	Patient is not of child bearing potential

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ivermectin

Initial application — Scabies

Applications from any relevant practitioner. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The person has a severe scabies hyperinfestation (Crusted/ Norwegian scabies)
or	
<input type="checkbox"/>	The person has a confirmed diagnosis of scabies or is a close contact of a scabies case
and	
<input type="checkbox"/>	The person is unable to complete topical therapy
or	
<input type="checkbox"/>	Previous treatment with topical therapy has been tried and not cleared the infestation

Initial application — Other parasitic infections

Applications from any relevant practitioner. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Filariasis
or	
<input type="checkbox"/>	Cutaneous larva migrans (creeping eruption)
or	
<input type="checkbox"/>	Strongyloidiasis

Renewal — Scabies

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The person has a severe scabies hyperinfestation (Crusted/ Norwegian scabies)
or	
<input type="checkbox"/>	The person has a confirmed diagnosis of scabies or is a close contact of a scabies case
and	
<input type="checkbox"/>	The person is unable to complete topical therapy
or	
<input type="checkbox"/>	Previous treatment with topical therapy has been tried and not cleared the infestation

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ivermectin - *continued*

Renewal — Other parasitic infections

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Filariasis or <input type="checkbox"/> Cutaneous larva migrans (creeping eruption) or <input type="checkbox"/> Strongyloidiasis
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tacrolimus Ointment

Initial application

Applications only from a dermatologist, paediatrician or any relevant practitioner on the recommendation of a dermatologist, paediatrician, . Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<p><input type="checkbox"/> Patient has atopic dermatitis on the face</p> <p>and</p> <p><input type="checkbox"/> Patient has at least one of the following contraindications to topical corticosteroids: periorificial dermatitis, rosacea, documented epidermal atrophy or documented allergy to topical corticosteroids</p>
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Acitretin

Initial application

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice
and	
<input type="checkbox"/>	Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin
and	
<input type="checkbox"/>	Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and that they must not become pregnant during treatment and for a period of three years after the completion of treatment
or	
<input type="checkbox"/>	Patient is not of child bearing potential

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and that they must not become pregnant during treatment and for a period of three years after the completion of treatment
or	
<input type="checkbox"/>	Patient is not of child bearing potential

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pimecrolimus

Initial application

Applications only from a dermatologist, paediatrician, ophthalmologist or any relevant practitioner on the recommendation of a dermatologist, paediatrician or ophthalmologist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has atopic dermatitis on the eyelid
and	
<input type="checkbox"/>	Patient has at least one of the following contraindications to topical corticosteroids: periorificial dermatitis, rosacea, documented epidermal atrophy, documented allergy to topical corticosteroids, cataracts, glaucoma, or raised intraocular pressure

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Genito-Urinary System

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Combined oral contraceptives; Progesterone-only contraceptives (Circle one)

Initial application

Applications from any medical practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient is on a Social Welfare benefit
or	
<input type="checkbox"/>	Patient has an income no greater than the benefit
and	
<input type="checkbox"/>	Has tried at least one of the fully funded options and has been unable to tolerate it

Renewal

Current approval Number (if known):.....

Applications from any medical practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient is on a Social Welfare benefit
or	
<input type="checkbox"/>	Patient has an income no greater than the benefit

Note: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon. The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progesterone-only contraceptives groups, except Loette and Microgynon 20 ED

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Finasteride

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has symptomatic benign prostatic hyperplasia
and
<input type="checkbox"/> The patient is intolerant of non-selective alpha blockers or these are contraindicated
or
<input type="checkbox"/> Symptoms are not adequately controlled with non-selective alpha blockers

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tamsulosin

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has symptomatic benign prostatic hyperplasia
and
<input type="checkbox"/> The patient is intolerant of non-selective alpha blockers or these are contraindicated

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Potassium Citrate

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> The patient has recurrent calcium oxalate urolithiasis
	<input type="checkbox"/> The patient has had more than two renal calculi in the two years prior to the application

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefitting from the treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Hormone Preparations - Systemic Excluding Contraceptive Hormones

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER Reg No:**

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Cinacalct

Initial application — parathyroid carcinoma or calciphylaxis

Applications only from a nephrologist or endocrinologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has been diagnosed with a parathyroid carcinoma (see Note)

and

The patient has persistent hypercalcaemia (serum calcium greater than or equal to 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates

and

The patient is symptomatic

or

The patient has been diagnosed with calciphylaxis (calcific uraemic arteriopathy)

and

The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium greater than or equal to 3 mmol/L)

and

The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate

Renewal — parathyroid carcinoma or calciphylaxis

Current approval Number (if known):.....

Applications only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

The patient's serum calcium level has fallen to < 3mmol/L

and

The patient has experienced clinically significant symptom improvement

Note: This does not include parathyroid adenomas unless these have become malignant.

Initial application — primary hyperparathyroidism

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

Patient has primary hyperparathyroidism

and

Patient has hypercalcaemia of more than 3 mmol/L with or without symptoms

or

Patient has hypercalcaemia of more than 2.85 mmol/L with symptoms

and

Surgery is not feasible or has failed

and

Patient has other comorbidities, severe bone pain, or calciphylaxis

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Cinacalcet - *continued*

Initial application — secondary or tertiary hyperparathyroidism

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has tertiary hyperparathyroidism and markedly elevated parathyroid hormone (PTH) with hypercalcaemia or <input type="checkbox"/> Patient has symptomatic secondary hyperparathyroidism and elevated PTH
and
<input type="checkbox"/> Patient is on renal replacement therapy
and
<input type="checkbox"/> Residual parathyroid tissue has not been localised despite repeat unsuccessful parathyroid explorations or <input type="checkbox"/> Parathyroid tissue is surgically inaccessible or <input type="checkbox"/> Parathyroid surgery is not feasible

Renewal — secondary or tertiary hyperparathyroidism

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has had a kidney transplant, and following a treatment free interval of at least 12 weeks a clinically acceptable parathyroid hormone (PTH) level to support ongoing cessation of treatment has not been reached or <input type="checkbox"/> The patient has not received a kidney transplant and trial of withdrawal of cinacalcet is clinically inappropriate

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Propylthiouracil

Initial application

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> The patient has hyperthyroidism
	<input type="checkbox"/> The patient is intolerant of carbimazole or carbimazole is contraindicated

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefitting from the treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA2032 - Somatropin

Prader-Willi syndrome - Initial application	102
Prader-Willi syndrome - Renewal	102
Turner syndrome - Initial application	99
Turner syndrome - Renewal	100
Adults and adolescents - Initial application	103
Adults and adolescents - Renewal	104
Growth hormone deficiency in children - Initial application	99
Growth hormone deficiency in children - Renewal	99
Short stature due to chronic renal insufficiency - Initial application	101
Short stature due to chronic renal insufficiency - Renewal	101
Short stature without growth hormone deficiency - Initial application	100
Short stature without growth hormone deficiency - Renewal	100

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Somatropin

Initial application — growth hormone deficiency in children

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device)

or

Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985)

and A current bone age is < 14 years (female patients) or < 16 years (male patients)

and Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required

and If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate

and Appropriate imaging of the pituitary gland has been obtained

Renewal — growth hormone deficiency in children

Current approval Number (if known):.....

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

A current bone age is 14 years or under (female patients) or 16 years or under (male patients)

and Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985)

and Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months

and No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred

and No malignancy has developed since starting growth hormone

Initial application — Turner syndrome

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

The patient has a post-natal genotype confirming Turner Syndrome

and Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985)

and A current bone age is < 14 years

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Somatropin - continued

Renewal — Turner syndrome

Current approval Number (if known):.....

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts)
and	
<input type="checkbox"/>	Height velocity is greater than or equal to 2 cm per year, calculated over six months
and	
<input type="checkbox"/>	A current bone age is 14 years or under
and	
<input type="checkbox"/>	No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred
and	
<input type="checkbox"/>	No malignancy has developed since starting growth hormone

Initial application — short stature without growth hormone deficiency

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay
and	
<input type="checkbox"/>	Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985)
and	
<input type="checkbox"/>	A current bone age is < 14 years or under (female patients) or < 16 years (male patients)
and	
<input type="checkbox"/>	The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity

Renewal — short stature without growth hormone deficiency

Current approval Number (if known):.....

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985)
and	
<input type="checkbox"/>	Height velocity is greater than or equal to 2 cm per year as calculated over six months
and	
<input type="checkbox"/>	A current bone age is 14 years or under (female patients) or 16 years or under (male patients)
and	
<input type="checkbox"/>	No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Somatropin - continued

Initial application — short stature due to chronic renal insufficiency

Applications only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

The patient's height is more than 2 standard deviations below the mean

and Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985)

and A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients)

and The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease

and The patient is under the supervision of a specialist with expertise in renal medicine

and

The patient has a GFR less than or equal to 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l)) × 40 = corrected GFR (ml/min/1.73m²) in a child who may or may not be receiving dialysis

or The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months.

Renewal — short stature due to chronic renal insufficiency

Current approval Number (if known):.....

Applications only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985)

and Height velocity is greater than or equal to 2 cm per year as calculated over six months

and A current bone age is 14 years or under (female patients) or 16 years or under (male patients)

and No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred

and No malignancy has developed after growth hormone therapy was commenced

and The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results

and The patient has not received renal transplantation since starting growth hormone treatment

and If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Somatropin - continued

Initial application — Prader-Willi syndrome

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria
and	<input type="checkbox"/>
	The patient is aged six months or older
and	<input type="checkbox"/>
	A current bone age is < 14 years (female patients) or < 16 years (male patients)
and	<input type="checkbox"/>
	Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon
and	<input type="checkbox"/>
	The patient is aged two years or older
and	<input type="checkbox"/>
	There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months
or	<input type="checkbox"/>
	The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation

Renewal — Prader-Willi syndrome

Current approval Number (if known):.....

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985)
and	<input type="checkbox"/>
	Height velocity is greater than or equal to 2 cm per year as calculated over six months
and	<input type="checkbox"/>
	A current bone age is 14 years or under (female patients) or 16 years or under (male patients)
and	<input type="checkbox"/>
	No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred
and	<input type="checkbox"/>
	No malignancy has developed after growth hormone therapy was commenced
and	<input type="checkbox"/>
	The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Somatropin - *continued*

Initial application — adults and adolescents

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour)
and	
<input type="checkbox"/>	The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses
and	
<input type="checkbox"/>	The patient has severe growth hormone deficiency (see notes)
and	
<input type="checkbox"/>	The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex
and	
<input type="checkbox"/>	The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®)

Note: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre. The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Somatropin - continued

Renewal — adults and adolescents

Current approval Number (if known):.....

Applications only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- The patient has been treated with somatropin for < 12 months
- and**
- There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline
- and**
- Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex
- and**
- The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients

or

- The patient has been treated with somatropin for more than 12 months
- and**
- The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors)
- and**
- Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors)
- and**
- The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients

or

- The patient has had a Special Authority approval for somatropin for childhood deficiency in children and no longer meets the renewal criteria under this indication
- and**
- The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses
- and**
- The patient has severe growth hormone deficiency (see notes)
- and**
- The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex
- and**
- The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®)

Note: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test. Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre. The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

**APPLICATION FOR
WAIVER OF RULE
BY SPECIAL AUTHORITY**

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Cabergoline

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Hyperprolactinemia or <input type="checkbox"/> Acromegaly* or <input type="checkbox"/> Inhibition of lactation

Renewal — for patients who have previously been funded under Special Authority form SA1031

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

<input type="checkbox"/> The patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment

Note: Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Infections - Agents for Systemic Use

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Albendazole

Initial application

Applications only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient has hydatids

Renewal

Current approval Number (if known):.....

Applications only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefitting from the treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Azithromycin

Initial application — bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections

Applications only from a relevant specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

- Patient has received a lung transplant, stem cell transplant, or bone marrow transplant and requires treatment for bronchiolitis obliterans syndrome*
- or
- Patient has received a lung transplant and requires prophylaxis for bronchiolitis obliterans syndrome*
- or
- Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms*
- or
- Patient has an atypical Mycobacterium infection

Note: Indications marked with * are unapproved indications.

Initial application — non-cystic fibrosis bronchiectasis*

Applications only from a respiratory specialist or paediatrician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis*
- and
- Patient is aged 18 and under
- and
- Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period
- or
- Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period

Note: Indications marked with * are unapproved indications.

Renewal — non-cystic fibrosis bronchiectasis*

Current approval Number (if known):.....

Applications only from a respiratory specialist or paediatrician. Approvals valid for 12 months.

The patient must not have had more than 1 prior approval.

Prerequisites(tick boxes where appropriate)

- The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis
- and
- Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment
- and
- The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note)

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with * are unapproved indications

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Clarithromycin

Initial application — Mycobacterial infections

Applications only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Atypical mycobacterial infection or <input type="checkbox"/> Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents

Initial application — Helicobacter pylori eradication

Applications from any relevant practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> For the eradication of helicobacter pylori in a patient unable to swallow tablets and <input type="checkbox"/> For use only in combination with omeprazole and amoxicillin as part of a triple therapy regimen
--

Initial application — Prophylaxis of infective endocarditis

Applications from any relevant practitioner. Approvals valid for 3 months.

Prerequisites(tick box where appropriate)

Prophylaxis of infective endocarditis associated with surgical or dental procedures if amoxicillin is contra-indicated

Renewal — Mycobacterial infections

Current approval Number (if known):.....

Applications only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

**APPLICATION FOR
MANUFACTURERS PRICE
BY SPECIAL AUTHORITY**

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Minocycline hydrochloride Tab 50 mg

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient has rosacea

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tetracycline

Initial application

Applications from any relevant practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy
and
<input type="checkbox"/> For use only in combination with bismuth as part of a quadruple therapy regimen

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Moxifloxacin

Initial application — Tuberculosis

Applications only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

Active tuberculosis*

and

Documented resistance to one or more first-line medications

or

Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents

or

Impaired visual acuity (considered to preclude ethambutol use)

or

Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications

or

Significant documented intolerance and/or side effects following a reasonable trial of first-line medications

or

Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*

or

Patient is under five years of age and has had close contact with a confirmed multi-drug resistant tuberculosis case

Note: Indications marked with * are unapproved indications.

Renewal

Current approval Number (if known):.....

Applications only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Initial application — Mycoplasma genitalium

Applications only from a sexual health specialist or Practitioner on the recommendation of a sexual health specialist. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium* and is symptomatic

and

Has tried and failed to clear infection using azithromycin

or

Has laboratory confirmed azithromycin resistance

and

Treatment is only for 7 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Moxifloxacin - *continued*

Initial application — Penetrating eye injury

Applications only from an ophthalmologist. Approvals valid for 1 month.

Prerequisites(tick box where appropriate)

The patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pyrimethamine

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> For the treatment of toxoplasmosis in patients with HIV for a period of 3 months
or
<input type="checkbox"/> For pregnant patients for the term of the pregnancy
or
<input type="checkbox"/> For infants with congenital toxoplasmosis until 12 months of age

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Sulfadiazine

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> For the treatment of toxoplasmosis in patients with HIV for a period of 3 months
or	<input type="checkbox"/> For pregnant patients for the term of the pregnancy
or	<input type="checkbox"/> For infants with congenital toxoplasmosis until 12 months of age

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paromomycin

Initial application

Applications only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> Patient has confirmed cryptosporidium infection
	<input type="checkbox"/> For the eradication of Entamoeba histolytica carriage

Renewal

Current approval Number (if known):.....

Applications only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> Patient has confirmed cryptosporidium infection
	<input type="checkbox"/> For the eradication of Entamoeba histolytica carriage

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Fluconazole oral liquid

Initial application — Systemic candidiasis

Applications from any relevant practitioner. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

- Patient requires prophylaxis for, or treatment of systemic candidiasis
- and**
- Patient is unable to swallow capsules

Initial application — Immunocompromised

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient is immunocompromised
- and**
- Patient is at moderate to high risk of invasive fungal infection
- and**
- Patient is unable to swallow capsules

Renewal — Systemic candidiasis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

- Patient requires prophylaxis for, or treatment of systemic candidiasis
- and**
- Patient is unable to swallow capsules

Renewal — Immunocompromised

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient remains immunocompromised
- and**
- Patient remains at moderate to high risk of invasive fungal infection
- and**
- Patient is unable to swallow capsules

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Itraconazole

Initial application

Applications only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient has a congenital immune deficiency

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefitting from the treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Voriconazole

Initial application — invasive fungal infection

Applications only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient is immunocompromised

and

Applicant is part of a multidisciplinary team including an infectious disease specialist

and

Patient has proven or probable invasive aspergillus infection

or

Patient has possible invasive aspergillus infection

or

Patient has fluconazole resistant candidiasis

or

Patient has mould strain such as *Fusarium* spp. and *Scedosporium* spp

Renewal — invasive fungal infection

Current approval Number (if known):.....

Applications only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient is immunocompromised

and

Applicant is part of a multidisciplinary team including an infectious disease specialist

and

Patient continues to require treatment for proven or probable invasive aspergillus infection

or

Patient continues to require treatment for possible invasive aspergillus infection

or

Patient has fluconazole resistant candidiasis

or

Patient has mould strain such as *Fusarium* spp. and *Scedosporium* spp

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Posaconazole

Initial application

Applications only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy
	<input type="checkbox"/> Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*

Renewal

Current approval Number (if known):.....

Applications only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy
	<input type="checkbox"/> Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Primaquine

Initial application
Applications only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month.
Prerequisites(tick boxes where appropriate)

The patient has vivax or ovale malaria
and
 Primaquine is to be given for a maximum of 21 days

Renewal
Current approval Number (if known):.....
Applications only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month.
Prerequisites(tick boxes where appropriate)

The patient has relapsed vivax or ovale malaria
and
 Primaquine is to be given for a maximum of 21 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Linezolid

Initial application — multi-drug resistant tuberculosis

Applications from any relevant practitioner. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The person has multi-drug resistant tuberculosis (MDR-TB)
and	
<input type="checkbox"/>	Ministry of Health's Tuberculosis Clinical Network has reviewed the individual case and recommends linezolid as part of the treatment regimen

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Bedaquiline

Initial application — multi-drug resistant tuberculosis
Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The person has multi-drug resistant tuberculosis (MDR-TB)
and	
<input type="checkbox"/>	Ministry of Health's Tuberculosis Clinical Network has reviewed the individual case and recommends bedaquiline as part of the treatment regimen

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Lamivudine

Initial application

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year.

Prerequisites(tick box where appropriate)

Used for the treatment or prevention of hepatitis B

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

Used for the treatment or prevention of hepatitis B

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Valganciclovir

Initial application — transplant cytomegalovirus prophylaxis

Applications only from a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick box where appropriate)

The patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis

Renewal — transplant cytomegalovirus prophylaxis

Current approval Number (if known):.....

Applications only from a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis

and

Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin

or

Patient has received pulse methylprednisolone for acute rejection and requires further valganciclovir therapy for CMV prophylaxis

and

Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following pulse methylprednisolone

Initial application — cytomegalovirus prophylaxis following anti-thymocyte globulin

Applications only from a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months)

and

Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis

Renewal — cytomegalovirus prophylaxis following anti-thymocyte globulin

Current approval Number (if known):.....

Applications only from a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick box where appropriate)

The patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Valganciclovir - continued

Initial application — Lung transplant cytomegalovirus prophylaxis

Applications only from a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has undergone a lung transplant
and
<input type="checkbox"/> The donor was cytomegalovirus positive and the patient is cytomegalovirus negative
or
<input type="checkbox"/> The recipient is cytomegalovirus positive
and
<input type="checkbox"/> Patient has a high risk of CMV disease

Initial application — Cytomegalovirus in immunocompromised patients

Applications only from a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient is immunocompromised
and
<input type="checkbox"/> Patient has cytomegalovirus syndrome or tissue invasive disease
or
<input type="checkbox"/> Patient has rapidly rising plasma CMV DNA in absence of disease
or
<input type="checkbox"/> Patient has cytomegalovirus retinitis

Renewal — Cytomegalovirus in immunocompromised patients

Current approval Number (if known):.....

Applications only from a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient is immunocompromised
and
<input type="checkbox"/> Patient has cytomegalovirus syndrome or tissue invasive disease
or
<input type="checkbox"/> Patient has rapidly rising plasma CMV DNA in absence of disease
or
<input type="checkbox"/> Patient has cytomegalovirus retinitis

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Emtricitabine with tenofovir disoproxil

Initial application

Applications from any relevant practitioner. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has tested HIV negative, does not have signs or symptoms of acute HIV infection and has been assessed for HIV seroconversion
and	
<input type="checkbox"/>	The Practitioner considers the patient is at elevated risk of HIV exposure and use of PrEP is clinically appropriate

Note: Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines:
<https://ashm.org.au/HIV/PrEP/>

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has tested HIV negative, does not have signs or symptoms of acute HIV infection and has been assessed for HIV seroconversion
and	
<input type="checkbox"/>	The Practitioner considers the patient is at elevated risk of HIV exposure and use of PrEP is clinically appropriate

Note: Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines:
<https://ashm.org.au/HIV/PrEP/>

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Antiretrovirals

Initial application — Confirmed HIV

Applications only from a named specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient has confirmed HIV infection

Note: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — Confirmed HIV

Current approval Number (if known):.....

Applications only from a named specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Initial application — Prevention of maternal transmission

Applications only from a named specialist. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Prevention of maternal foetal transmission or <input type="checkbox"/> Treatment of the newborn for up to eight weeks

Note: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Antiretrovirals - continued

Initial application — post-exposure prophylaxis following exposure to HIV

Applications from any relevant practitioner. Approvals valid for 4 weeks.

Prerequisites(tick boxes where appropriate)

Treatment course to be initiated within 72 hours post exposure

and

Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml

or

Patient has shared intravenous injecting equipment with a known HIV positive person

or

Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required

or

Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown

Note: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals. Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines for PEP (<https://www.ashm.org.au>)

Renewal — second or subsequent post-exposure prophylaxis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 4 weeks.

Prerequisites(tick boxes where appropriate)

Treatment course to be initiated within 72 hours post exposure

and

Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml

or

Patient has shared intravenous injecting equipment with a known HIV positive person

or

Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required

or

Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown

Initial application — Percutaneous exposure

Applications only from a named specialist. Approvals valid for 6 weeks.

Prerequisites(tick box where appropriate)

The patient has percutaneous exposure to blood known to be HIV positive

Note: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Antiretrovirals - *continued*

Renewal — Second or subsequent percutaneous exposure

Current approval Number (if known):.....

Applications only from a named specialist. Approvals valid for 6 weeks.

Prerequisites(tick box where appropriate)

The patient has percutaneous exposure to blood known to be HIV positive

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pegylated Interferon alfa-2A

Initial application — chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant

Applications from any specialist. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection or <input type="checkbox"/> Patient has chronic hepatitis C and is co-infected with HIV or <input type="checkbox"/> Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant and <input type="checkbox"/> Maximum of 48 weeks therapy

Renewal — Chronic hepatitis C - genotype 1 infection

Current approval Number (if known):.....

Applications only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has chronic hepatitis C, genotype 1 and <input type="checkbox"/> Patient has had previous treatment with pegylated interferon and ribavirin and <input type="checkbox"/> Patient has responder relapsed or <input type="checkbox"/> Patient was a partial responder and <input type="checkbox"/> Patient is to be treated in combination with boceprevir and <input type="checkbox"/> Maximum of 48 weeks therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pegylated Interferon alfa-2A - *continued*

Initial application — Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior

Applications only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has chronic hepatitis C, genotype 1
and	
<input type="checkbox"/>	Patient has had previous treatment with pegylated interferon and ribavirin
and	
<input type="checkbox"/>	Patient has responder relapsed
or	
<input type="checkbox"/>	Patient was a partial responder
or	
<input type="checkbox"/>	Patient received interferon treatment prior to 2004
and	
<input type="checkbox"/>	Patient is to be treated in combination with boceprevir
and	
<input type="checkbox"/>	Maximum of 48 weeks therapy

Initial application — chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV

Applications from any specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has chronic hepatitis C, genotype 2 or 3 infection
and	
<input type="checkbox"/>	Maximum of 6 months therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Pegylated Interferon alfa-2A - *continued*

Initial application — Hepatitis B

Applications only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months)

and Patient is Hepatitis B treatment-naive

and ALT > 2 times Upper Limit of Normal

and HBV DNA < 10 log₁₀ IU/ml

and

HBeAg positive

or

Serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis)

and Compensated liver disease

and No continuing alcohol abuse or intravenous drug use

and Not co-infected with HCV, HIV or HDV

and Neither ALT nor AST > 10 times upper limit of normal

and No history of hypersensitivity or contraindications to pegylated interferon

and Maximum of 48 weeks therapy

Initial application — myeloproliferative disorder or cutaneous T cell lymphoma

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Patient has a cutaneous T cell lymphoma*

or

Patient has a myeloproliferative disorder*

and Patient is intolerant of hydroxyurea

and Treatment with anagrelide and busulfan is not clinically appropriate

or

Patient has a myeloproliferative disorder

and Patient is pregnant, planning pregnancy or lactating

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Pegylated Interferon alfa-2A - *continued*

Renewal — myeloproliferative disorder or cutaneous T cell lymphoma
Current approval Number (if known):.....
Applications from any relevant practitioner. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

No evidence of disease progression
and
 The treatment remains appropriate and patient is benefitting from treatment
and

Patient has a cutaneous T cell lymphoma*
or

Patient has a myeloproliferative disorder*
and

Remains intolerant of hydroxyurea and treatment with anagrelide and busulfan remains clinically inappropriate
or
 Patient is pregnant, planning pregnancy or lactating

Note: Indications marked with * are unapproved indications.

Initial application — post-allogenic bone marrow transplant
Applications from any relevant practitioner. Approvals valid for 3 months.
Prerequisites(tick box where appropriate)

Patient has received an allogenic bone marrow transplant* and has evidence of disease relapse

Renewal — post-allogenic bone marrow transplant
Current approval Number (if known):.....
Applications from any relevant practitioner. Approvals valid for 3 months.
Prerequisites(tick box where appropriate)

Patient is responding and ongoing treatment remains appropriate

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Musculoskeletal System

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Capsaicin

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Raloxifene

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Notes)

or

History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age

or

History of two significant osteoporotic fractures demonstrated radiologically

or

Documented T-Score less than or equal to -3.0 (see Notes)

or

A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes)

or

Patient has had a Special Authority approval for zoledronic acid (Underlying cause – Osteoporosis) or has had a Special Authority approval for alendronate (Underlying cause - Osteoporosis) prior to 1 February 2019

Note:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Teriparatide

Initial application

Applications from any relevant practitioner. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has severe, established osteoporosis
and	
<input type="checkbox"/>	The patient has a documented T-score less than or equal to -3.0 (see Notes)
and	
<input type="checkbox"/>	The patient has had two or more fractures due to minimal trauma
and	
<input type="checkbox"/>	The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes)

Note:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Denosumab

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

The patient has severe, established osteoporosis

and

The patient is female and postmenopausal

or

The patient is male or non-binary

and

History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Note)

or

History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons

or

History of two significant osteoporotic fractures demonstrated radiologically

or

Documented T-Score less than or equal to -3.0 (see Note)

or

A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note)

or

Patient has had a Special Authority approval for alendronate (Underlying cause - Osteoporosis) prior to 1 February 2019 or has had a Special Authority approval for raloxifene

and

Zoledronic acid is contraindicated because the patient's creatinine clearance is less than 35 mL/min

and

The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes)

and

The patient must not receive concomitant treatment with any other funded antiresorptive agent for this condition or teriparatide

Note:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for treatment with denosumab
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body
- e) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: risedronate sodium tab 35 mg once weekly; alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Benzbromarone

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

- | |
|---|
| <input type="checkbox"/> The treatment remains appropriate and the patient is benefitting from the treatment |
| and |
| <input type="checkbox"/> There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests |

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Febuxostat

Initial application — Gout

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has been diagnosed with gout
and
<input type="checkbox"/> The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose
or
<input type="checkbox"/> The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose
or
<input type="checkbox"/> The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note)
or
<input type="checkbox"/> The patient has previously had an initial Special Authority approval for benzbromarone for treatment of gout.

Initial application — Tumour lysis syndrome

Applications only from a haematologist or oncologist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient is scheduled to receive cancer therapy carrying an intermediate or high risk of tumour lysis syndrome
and
<input type="checkbox"/> Patient has a documented history of allopurinol intolerance

Renewal — Gout

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefitting from treatment

Renewal — Tumour lysis syndrome

Current approval Number (if known):.....

Applications only from a haematologist or oncologist. Approvals valid for 6 weeks.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefitting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Nervous System

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Riluzole

Initial application

Applications only from a neurologist or respiratory specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less
and	
<input type="checkbox"/>	The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application
and	
<input type="checkbox"/>	The patient has not undergone a tracheostomy
and	
<input type="checkbox"/>	The patient has not experienced respiratory failure
and	
<input type="checkbox"/>	The patient is ambulatory
or	
<input type="checkbox"/>	The patient is able to use upper limbs
or	
<input type="checkbox"/>	The patient is able to swallow

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has not undergone a tracheostomy
and	
<input type="checkbox"/>	The patient has not experienced respiratory failure
and	
<input type="checkbox"/>	The patient is ambulatory
or	
<input type="checkbox"/>	The patient is able to use upper limbs
or	
<input type="checkbox"/>	The patient is able to swallow

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Topical local anaesthetics (EMLA; LMX4)

Initial application

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The patient is a child with a chronic medical condition requiring frequent injections or venepuncture

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Vigabatrin

Initial application

Applications from any relevant practitioner. Approvals valid for 15 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has infantile spasms
or
<input type="checkbox"/> Patient has epilepsy
and
<input type="checkbox"/> Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents
or
<input type="checkbox"/> Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents
or
<input type="checkbox"/> Patient has tuberous sclerosis complex
and
<input type="checkbox"/> Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter)
or
<input type="checkbox"/> It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life
and
<input type="checkbox"/> Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin
or
<input type="checkbox"/> It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Lacosamide

Initial application

Applications from any relevant practitioner. Approvals valid for 15 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has focal epilepsy and <input type="checkbox"/> Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note)
--

Note: Those of childbearing potential are not required to trial phenytoin sodium, sodium valproate, or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 24 months.

Prerequisites(tick box where appropriate)

<input type="checkbox"/> The patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Stiripentol

Initial application

Applications only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> Patient has confirmed diagnosis of Dravet syndrome <input type="checkbox"/> Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet
------------	---

Note: Those of childbearing potential are not required to trial sodium valproate or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient continues to benefit from treatment as measured by reduced seizure frequency from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Hyoscine (Scopolamine)

Initial application

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents
or	
<input type="checkbox"/>	Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Aprepitant

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Risperidone microspheres

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection
	<input type="checkbox"/> The patient has schizophrenia or other psychotic disorder
and	<input type="checkbox"/> Has tried but failed to comply with treatment using oral atypical antipsychotic agents
and	<input type="checkbox"/> Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Olanzapine depot injection

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Aripiprazole

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has a current Special Authority approval for olanzapine depot injection, risperidone depot injection or paliperidone depot injection and <input type="checkbox"/> Patient has tried but has experienced an inadequate response to, or intolerable side effects from, prior therapy with olanzapine depot injection, risperidone depot injection or paliperidone depot injection or <input type="checkbox"/> Patient has been unable to access olanzapine depot injection due to supply issues with olanzapine depot injection, or otherwise would have been initiated on olanzapine depot injection but has been unable to due to supply issues with olanzapine depot injection (see Note below for the olanzapine Special Authority criteria for new olanzapine depot injection patients prior to 1 April 2024)

Note: The Olanzapine depot injection Special Authority criteria that apply to criterion 2 in this Aripiprazole Special Authority application are as follows:

- The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- All of the following:
 - The patient has schizophrenia; and
 - The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The initiation of aripiprazole depot injection has been associated with fewer days of intensive intervention than prior to the initiation of an atypical antipsychotic depot injection

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paliperidone depot injection

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection
	<input type="checkbox"/> The patient has schizophrenia or other psychotic disorder
and	<input type="checkbox"/> Has tried but failed to comply with treatment using oral atypical antipsychotic agents
and	<input type="checkbox"/> Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paliperidone palmitate

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has schizophrenia and <input type="checkbox"/> The patient has had an initial Special Authority approval for paliperidone once-monthly depot injection
--

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

<input type="checkbox"/> The initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Multiple Sclerosis

Initial application — Multiple Sclerosis - dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab and teriflunomide

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Diagnosis of multiple sclerosis (MS) meets the McDonald 2017 diagnostic criteria for MS and has been confirmed by a neurologist

and Patient has an EDSS score between 0 – 6.0

and Patient has had at least one significant attack of MS in the previous 12 months or two significant attacks in the past 24 months

and

Each significant attack must be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the attack, but the neurologist/physician must be satisfied that the clinical features were characteristic)

and Each significant attack is associated with characteristic new symptom(s)/sign(s) or substantially worsening of previously experienced symptoms(s)/sign(s)

and Each significant attack has lasted at least one week and has started at least one month after the onset of a previous attack (where relevant)

and Each significant attack can be distinguished from the effects of general fatigue; and is not associated with a fever (T > 37.5°C)

and

Each significant attack is severe enough to change either the EDSS or at least one of the Kurtze Functional System scores by at least 1 point

or Each significant attack is a recurrent paroxysmal symptom of multiple sclerosis (tonic seizures/spasms, trigeminal neuralgia, Lhermitte's symptom)

and Evidence of new inflammatory activity on an MRI scan within the past 24 months

and

A sign of that new inflammatory activity on MRI scanning (in criterion 5 immediately above) is a gadolinium enhancing lesion

or A sign of that new inflammatory activity is a lesion showing diffusion restriction

or A sign of that new inflammatory is a T2 lesion with associated local swelling

or A sign of that new inflammatory activity is a prominent T2 lesion that clearly is responsible for the clinical features of a recent attack that occurred within the last 2 years

or A sign of that new inflammatory activity is new T2 lesions compared with a previous MRI scan

or Patient has an active approval for ocrelizumab and does not have primary progressive MS

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Multiple Sclerosis - *continued*

Renewal — Multiple Sclerosis - dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab and teriflunomide

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

Patient has had an EDSS score of 0 to 6.0 (inclusive) with or without the use of unilateral or bilateral aids at any time in the last six months (ie the patient has walked 100 metres or more with or without aids in the last six months)

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ocrelizumab

Initial application — Multiple Sclerosis - ocrelizumab

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Diagnosis of multiple sclerosis (MS) meets the McDonald 2017 diagnostic criteria for MS and has been confirmed by a neurologist

and Patient has an EDSS score between 0 – 6.0

and Patient has had at least one significant attack of MS in the previous 12 months or two significant attacks in the past 24 months

and

Each significant attack must be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the attack, but the neurologist/physician must be satisfied that the clinical features were characteristic)

and Each significant attack is associated with characteristic new symptom(s)/sign(s) or substantially worsening of previously experienced symptoms(s)/sign(s)

and Each significant attack has lasted at least one week and has started at least one month after the onset of a previous attack (where relevant)

and Each significant attack can be distinguished from the effects of general fatigue; and is not associated with a fever (T > 37.5°C)

and

Each significant attack is severe enough to change either the EDSS or at least one of the Kurtze Functional System scores by at least 1 point

or

Each significant attack is a recurrent paroxysmal symptom of multiple sclerosis (tonic seizures/spasms, trigeminal neuralgia, Lhermitte's symptom)

and Evidence of new inflammatory activity on an MRI scan within the past 24 months

and

A sign of that new inflammatory activity on MRI scanning (in criterion 5 immediately above) is a gadolinium enhancing lesion

or A sign of that new inflammatory activity is a lesion showing diffusion restriction

or A sign of that new inflammatory is a T2 lesion with associated local swelling

or A sign of that new inflammatory activity is a prominent T2 lesion that clearly is responsible for the clinical features of a recent attack that occurred within the last 2 years

or A sign of that new inflammatory activity is new T2 lesions compared with a previous MRI scan

or Patient has an active Special Authority approval for either dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab or teriflunomide

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ocrelizumab - *continued*

Renewal — Multiple Sclerosis - ocrelizumab

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

- Patient has had an EDSS score of 0 to 6.0 (inclusive) with or without the use of unilateral or bilateral aids at any time in the last six months (ie the patient has walked 100 metres or more with or without aids in the last six months)

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Initial application — Primary Progressive Multiple Sclerosis

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- Diagnosis of primary progressive multiple sclerosis (PPMS) meets the 2017 McDonald criteria and has been confirmed by a neurologist
- and
- Patient has an EDSS 2.0 (score equal to or greater than 2 on pyramidal functions) to EDSS 6.5
- and
- Patient has no history of relapsing remitting multiple sclerosis

Renewal — Primary Progressive Multiple Sclerosis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

- Patient has had an EDSS score of less than or equal to 6.5 at any time in the last six months (ie patient has walked 20 metres with bilateral assistance/aids, without rest in the last six months)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Phenobarbitone

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> For the treatment of terminal agitation that is unresponsive to other agents
and
<input type="checkbox"/> The applicant is part of a multidisciplinary team working in palliative care

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Melatonin

Initial application

Applications only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)*
- and Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate
- and Funded modified-release melatonin is to be given at doses no greater than 10 mg per day
- and Patient is aged 18 years or under*

Renewal

Current approval Number (if known):.....

Applications only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- Patient is aged 18 years or under*
- and Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined)
- and Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia
- and Funded modified-release melatonin is to be given at doses no greater than 10 mg per day

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Nusinersen

Initial application — spinal muscular atrophy (SMA)

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has genetic documentation of homozygous SMN1 gene deletion, homozygous SMN1 point mutation, or compound heterozygous mutation
and	
<input type="checkbox"/>	Patient is 18 years of age or under
and	
<input type="checkbox"/>	Patient has experienced the defined signs and symptoms of SMA type I, II or IIIa prior to three years of age
or	
<input type="checkbox"/>	Patient is pre-symptomatic
and	
<input type="checkbox"/>	Patient has three or less copies of SMN2

Renewal — spinal muscular atrophy (SMA)

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	There has been demonstrated maintenance of motor milestone function since treatment initiation
and	
<input type="checkbox"/>	Patient does not require invasive permanent ventilation (at least 16 hours per day) in the absence of a potentially reversible cause while being treated with nusinersen
and	
<input type="checkbox"/>	Nusinersen not to be administered in combination other SMA disease modifying treatments or gene therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Risdiplam

Initial application — spinal muscular atrophy (SMA)

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has genetic documentation of homozygous SMN1 gene deletion, homozygous SMN1 point mutation, or compound heterozygous mutation
and	
<input type="checkbox"/>	Patient is 18 years of age or under
and	
<input type="checkbox"/>	Patient has experienced the defined signs and symptoms of SMA type I, II or IIIa prior to three years of age
or	
<input type="checkbox"/>	Patient is pre-symptomatic
and	
<input type="checkbox"/>	Patient has three or less copies of SMN2

Renewal — spinal muscular atrophy (SMA)

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	There has been demonstrated maintenance of motor milestone function since treatment initiation
and	
<input type="checkbox"/>	Patient does not require invasive permanent ventilation (at least 16 hours per day) in the absence of a potentially reversible cause while being treated with risdiplam
and	
<input type="checkbox"/>	Risdiplam not to be administered in combination other SMA disease modifying treatments or gene therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Dexamfetamine Sulfate

Initial application — ADHD in patients 5 or over

Applications only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over
and	<input type="checkbox"/>
	Diagnosed according to DSM-IV or ICD 10 criteria
and	<input type="checkbox"/>
	Applicant is a paediatrician or psychiatrist
or	<input type="checkbox"/>
	Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing

Initial application — ADHD in patients under 5

Applications only from a paediatrician or psychiatrist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age
and	<input type="checkbox"/>
	Diagnosed according to DSM-IV or ICD 10 criteria

Initial application — Narcolepsy

Applications only from a neurologist or respiratory specialist. Approvals valid for 24 months.

Prerequisites(tick box where appropriate)

The patient suffers from narcolepsy

Renewal — ADHD in patients 5 or over

Current approval Number (if known):.....

Applications only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment
and	<input type="checkbox"/>
	Applicant is a paediatrician or psychiatrist
or	<input type="checkbox"/>
	Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Dexamfetamine Sulfate - *continued*

Renewal — ADHD in patients under 5

Current approval Number (if known):.....

Applications only from a paediatrician or psychiatrist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Renewal — Narcolepsy

Current approval Number (if known):.....

Applications only from a neurologist or respiratory specialist. Approvals valid for 24 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Methylphenidate Hydrochloride (Rubifen; Rubifen SR; Ritalin; Ritalin SR; Methylphenidate ER - Teva)

Initial application — ADHD in patients 5 or over

Applications only from a paediatrician, psychiatrist, medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing) or nurse practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over
and	<input type="checkbox"/>
	Diagnosed according to DSM-IV or ICD 10 criteria
and	<input type="checkbox"/>
	Applicant is a paediatrician or psychiatrist
or	<input type="checkbox"/>
	Applicant is a medical practitioner or nurse practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing

Initial application — ADHD in patients under 5

Applications only from a paediatrician or psychiatrist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age
and	<input type="checkbox"/>
	Diagnosed according to DSM-IV or ICD 10 criteria

Initial application — Narcolepsy*

Applications only from a neurologist or respiratory specialist. Approvals valid for 24 months.

Prerequisites(tick box where appropriate)

The patient suffers from narcolepsy

Note: *narcolepsy is not a registered indication for Methylphenidate ER – Teva.

Renewal — ADHD in patients 5 or over

Current approval Number (if known):.....

Applications only from a paediatrician, psychiatrist, medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing) or nurse practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment
and	<input type="checkbox"/>
	Applicant is a paediatrician or psychiatrist
or	<input type="checkbox"/>
	Applicant is a medical practitioner or nurse practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Methylphenidate Hydrochloride (Rubifen; Rubifen SR; Ritalin; Ritalin SR; Methylphenidate ER - Teva) - *continued*

Renewal — ADHD in patients under 5

Current approval Number (if known):.....

Applications only from a paediatrician or psychiatrist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Renewal — Narcolepsy*

Current approval Number (if known):.....

Applications only from a neurologist or respiratory specialist. Approvals valid for 24 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Note: *narcolepsy is not a registered indication for Methylphenidate ER – Teva.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Methylphenidate Hydrochloride Extended Release (Concerta; Ritalin LA)

Initial application — ADHD

Applications only from a paediatrician, psychiatrist, medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing) or nurse practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	ADHD (Attention Deficit and Hyperactivity Disorder)
and	<input type="checkbox"/>
	Diagnosed according to DSM-IV or ICD 10 criteria
and	<input type="checkbox"/>
	Applicant is a paediatrician or psychiatrist
or	<input type="checkbox"/>
	Applicant is a medical practitioner or nurse practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing
and	<input type="checkbox"/>
	Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or difficulties with adherence
or	<input type="checkbox"/>
	There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride

Renewal — ADHD

Current approval Number (if known):.....

Applications only from a paediatrician, psychiatrist, medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing) or nurse practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment
and	<input type="checkbox"/>
	Applicant is a paediatrician or psychiatrist
or	<input type="checkbox"/>
	Applicant is a medical practitioner or nurse practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Modafinil

Initial application

Applications only from a neurologist or respiratory specialist. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more
and	
<input type="checkbox"/>	The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods
or	
<input type="checkbox"/>	The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations
and	
<input type="checkbox"/>	An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects
or	
<input type="checkbox"/>	Methylphenidate and dexamfetamine are contraindicated

Renewal

Current approval Number (if known):.....

Applications only from a neurologist or respiratory specialist. Approvals valid for 24 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rivastigmine patches

Initial application
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has been diagnosed with dementia and <input type="checkbox"/> The patient has experienced intolerable nausea and/or vomiting from donepezil tablets

Renewal
Current approval Number (if known):.....
Applications from any relevant practitioner. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The treatment remains appropriate and <input type="checkbox"/> The patient has demonstrated a significant and sustained benefit from treatment
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Naltrexone

Initial application

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence and <input type="checkbox"/> Applicant works in or with a community Alcohol and Drug Service contracted to Health NZ or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard
--

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Compliance with the medication (prescriber determined) and <input type="checkbox"/> Patient is still unstable and requires further treatment or <input type="checkbox"/> Patient achieved significant improvement but requires further treatment or <input type="checkbox"/> Patient is well controlled but requires maintenance therapy
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Varenicline tartrate

Note: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.
This includes the 4-week 'starter' pack.

Initial application
Applications from any relevant practitioner. Approvals valid for 5 months.
Prerequisites(tick boxes where appropriate)

Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking

and

The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring

and

The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy

or

The patient has tried but failed to quit smoking using bupropion or nortriptyline

and

The patient has not had a Special Authority for varenicline approved in the last 6 months

and

Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this

and

The patient is not pregnant

and

The patient will not be prescribed more than 12 weeks' funded varenicline (see note)

Renewal
Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 5 months.
The patient must not have had an approval in the past 6 months.
Prerequisites(tick boxes where appropriate)

Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking

and

The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring

and

It has been 6 months since the patient's previous Special Authority was approved

and

Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this

and

The patient is not pregnant

and

The patient will not be prescribed more than 12 weeks' funded varenicline (see note)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Buprenorphine with naloxone

Initial application — Detoxification

Applications from any medical practitioner. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

- Patient is opioid dependent
- and**
- Patient is currently engaged with an opioid treatment service approved by the Ministry of Health
- and**
- Applicant works in an opioid treatment service approved by the Ministry of Health.

Initial application — Maintenance treatment

Applications from any medical practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- Patient is opioid dependent
- and**
- Patient will not be receiving methadone
- and**
- Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health
- and**
- Applicant works in an opioid treatment service approved by the Ministry of Health

Renewal — Detoxification

Current approval Number (if known):.....

Applications from any medical practitioner. Approvals valid for 1 month.

Prerequisites(tick boxes where appropriate)

- Patient is opioid dependent
- and**
- Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned
- and**
- Patient is currently engaged with an opioid treatment service approved by the Ministry of Health
- and**
- Applicant works in an opioid treatment service approved by the Ministry of Health

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Buprenorphine with naloxone - continued

Renewal — Maintenance treatment

Current approval Number (if known):.....

Applications from any medical practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone)
and	
<input type="checkbox"/>	Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health
and	
<input type="checkbox"/>	Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient

Renewal — Maintenance treatment where the patient has previously had an initial application for detoxification

Current approval Number (if known):.....

Applications from any medical practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient received but failed detoxification with buprenorphine with naloxone
and	
<input type="checkbox"/>	Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone)
and	
<input type="checkbox"/>	Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health
and	
<input type="checkbox"/>	Applicant works in an opioid treatment service approved by the Ministry of Health

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Oncology Agents and Immunosuppressants

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Bendamustine hydrochloride

Initial application — treatment naive CLL
Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

The patient has Binet stage B or C, or progressive stage A chronic lymphocytic leukaemia requiring treatment
and The patient is chemotherapy treatment naive
and The patient is unable to tolerate toxicity of full-dose FCR
and Patient has ECOG performance status 0-2
and Patient has a Cumulative Illness Rating Scale (CIRS) score of < 6
and Bendamustine is to be administered at a maximum dose of 100 mg/m² on days 1 and 2 every 4 weeks for a maximum of 6 cycles

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL). Chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — Indolent, Low-grade lymphomas
Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months.
Prerequisites(tick boxes where appropriate)

The patient has indolent low grade NHL requiring treatment
and Patient has a WHO performance status of 0-2
and

Patient is treatment naive
and Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+)

or

Patient is refractory to or has relapsed within 12 months of a rituximab containing combined chemo-immunotherapy regimen
and Bendamustine is to be administered in combination with obinutuzumab for a maximum of 6 cycles

or

The patient has not received prior bendamustine therapy
and Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+)
and Patient has had a rituximab treatment-free interval of 12 months or more

or

Bendamustine is to be administered as monotherapy for a maximum of 6 cycles in rituximab refractory patients

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Bendamustine hydrochloride - continued

Renewal — Indolent, Low-grade lymphomas

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

Patient is refractory to or has relapsed within 12 months of rituximab in combination with bendamustine

and

Bendamustine is to be administered in combination with obinutuzumab for a maximum of 6 cycles

or

Patients have not received a bendamustine regimen within the last 12 months

and

Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+)

and

Patient has had a rituximab treatment-free interval of 12 months or more

or

Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients

Note: 'indolent, low-grade lymphomas' includes follicular, mantle cell, marginal zone and lymphoplasmacytic/ Waldenstrom's macroglobulinaemia.

Initial application — Hodgkin's lymphoma*

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has Hodgkin's lymphoma requiring treatment

and

Patient has a ECOG performance status of 0-2

and

Patient has received one prior line of chemotherapy

and

Patient's disease relapsed or was refractory following prior chemotherapy

and

Bendamustine is to be administered in combination with gemcitabine and vinorelbine (BeGeV) at a maximum dose of no greater than 90 mg/m² twice per cycle, for a maximum of four cycles

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Mercaptopurine

Initial application

Applications only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The patient requires a total dose of less than one full 50 mg tablet per day

Renewal

Current approval Number (if known):.....

Applications only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

Patient still requires a total dose of less than one full 50 mg tablet per day

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Azacitidine

Initial application

Applications only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome or <input type="checkbox"/> The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder) or <input type="checkbox"/> The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO)
and
<input type="checkbox"/> The patient has performance status (WHO/ECOG) grade 0-2
and
<input type="checkbox"/> The patient has an estimated life expectancy of at least 3 months

Renewal

Current approval Number (if known):.....

Applications only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> No evidence of disease progression and <input type="checkbox"/> The treatment remains appropriate and patient is benefitting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pemetrexed

Initial application — mesothelioma

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months.

Prerequisites(tick boxes where appropriate)

Patient has been diagnosed with mesothelioma
and
 Pemetrexed to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles

Renewal — mesothelioma

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months.

Prerequisites(tick boxes where appropriate)

No evidence of disease progression
and
 The treatment remains appropriate and the patient is benefitting from treatment
and
 Pemetrexed to be administered at a dose of 500mg/m² every 21 days for a maximum of 6 cycles

Initial application — non-small cell lung carcinoma

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months.

Prerequisites(tick boxes where appropriate)

Patient has locally advanced or metastatic non-squamous non-small cell lung carcinoma
and
 Patient has chemotherapy-naïve disease
and
 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days in combination with cisplatin or carboplatin for a maximum of 6 cycles
or
 Patient has had first-line treatment with platinum based chemotherapy
and
 Patient has not received prior funded treatment with pemetrexed
and
 Pemetrexed is to be administered at a dose of 500 mg/m² every 21 days for a maximum of 6 cycles

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pemetrexed - *continued*

Renewal — non-small cell lung carcinoma

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	No evidence of disease progression
and	
<input type="checkbox"/>	The treatment remains appropriate and the patient is benefitting from treatment
and	
<input type="checkbox"/>	Pemetrexed is to be administered at a dose of 500mg/m ² every 21 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Thalidomide

Initial application

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has multiple myeloma or <input type="checkbox"/> The patient has systemic AL amyloidosis*

Renewal

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient has obtained a response from treatment during the initial approval period

Note: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.
Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.
Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Temozolomide

Initial application — gliomas

Applications only from a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The patient has a glioma

Renewal — gliomas

Current approval Number (if known):.....

Applications only from a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

Treatment remains appropriate and patient is benefitting from treatment

Initial application — neuroendocrine tumours

Applications only from a relevant specialist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

- Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*
- and**
- Temozolomide is to be given in combination with capecitabine
- and**
- Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day
- and**
- Temozolomide to be discontinued at disease progression

Renewal — neuroendocrine tumours

Current approval Number (if known):.....

Applications only from a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- No evidence of disease progression
- and**
- The treatment remains appropriate and the patient is benefitting from treatment

Initial application — ewing's sarcoma

Applications only from a relevant specialist. Approvals valid for 9 months.

Prerequisites(tick box where appropriate)

The patient has relapsed/refractory Ewing's sarcoma

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Temozolomide - *continued*

Renewal — ewing’s sarcoma

Current approval Number (if known):.....

Applications only from a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> No evidence of disease progression
	<input type="checkbox"/> The treatment remains appropriate and the patient is benefitting from treatment

Note: Indication marked with a * is an unapproved indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Bortezomib

Initial application — multiple myeloma/amyloidosis

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> The patient has symptomatic multiple myeloma
	<input type="checkbox"/> The patient has symptomatic systemic AL amyloidosis *

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pegaspargase

Initial application — Acute lymphoblastic leukaemia
Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

The patient has newly diagnosed acute lymphoblastic leukaemia
and
 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol

Initial application — Lymphoma
Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.
Prerequisites(tick box where appropriate)

The patient has lymphoma requiring L-asparaginase containing protocols (e.g. SMILE)

Renewal — Acute lymphoblastic leukaemia
Current approval Number (if known):.....
Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

The patient has relapsed acute lymphoblastic leukaemia
and
 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Lenalidomide

Initial application — Relapsed/refractory disease

Applications only from a haematologist or any relevant practitioner on the recommendation of a haematologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has relapsed or refractory multiple myeloma with progressive disease

and Patient has not previously been treated with lenalidomide

and

Lenalidomide to be used as third line* treatment for multiple myeloma

or

Lenalidomide to be used as second line treatment for multiple myeloma

and The patient has experienced severe (grade 3 or higher), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments

and Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone

Initial application — Maintenance following first-line autologous stem cell transplant (SCT)

Applications only from a haematologist or any relevant practitioner on the recommendation of a haematologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has newly diagnosed symptomatic multiple myeloma and has undergone first-line treatment that included an autologous stem cell transplantation

and Patient has at least a stable disease response in the first 100 days after transplantation

and Lenalidomide maintenance is to be commenced within 6 months of transplantation

and Lenalidomide to be administered at a maximum dose of 15 mg/day

Renewal — Relapsed/refractory disease

Current approval Number (if known):.....

Applications only from a haematologist or any relevant practitioner on the recommendation of a haematologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

No evidence of disease progression

and The treatment remains appropriate and patient is benefitting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Lenalidomide - *continued*

Renewal — Maintenance following first line autologous SCT

Current approval Number (if known):.....

Applications only from a haematologist or any relevant practitioner on the recommendation of a haematologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> No evidence of disease progression
	<input type="checkbox"/> The treatment remains appropriate and patient is benefitting from treatment

Note: Indication marked with * is an unapproved indication. A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Venetoclax

Initial application — relapsed/refractory chronic lymphocytic leukaemia

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 7 months.

Prerequisites(tick boxes where appropriate)

- Patient has chronic lymphocytic leukaemia requiring treatment
- and Patient has received at least one prior therapy for chronic lymphocytic leukaemia
- and Patient has not previously received funded venetoclax
- and The patient's disease has relapsed within 36 months of previous treatment
- and Venetoclax to be used in combination with six 28-day cycles of rituximab commencing after the 5-week dose titration schedule with venetoclax
- and Patient has an ECOG performance status of 0-2

Renewal — relapsed/refractory chronic lymphocytic leukaemia

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Treatment remains clinically appropriate and the patient is benefitting from and tolerating treatment
- and Venetoclax is to be discontinued after a maximum of 24 months of treatment following the titration schedule unless earlier discontinuation is required due to disease progression or unacceptable toxicity

Initial application — previously untreated chronic lymphocytic leukaemia with 17p deletion or TP53 mutation*

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient has previously untreated chronic lymphocytic leukaemia
- and There is documentation confirming that patient has 17p deletion by FISH testing or TP53 mutation by sequencing
- and Patient has an ECOG performance status of 0-2

Renewal — previously untreated chronic lymphocytic leukaemia with 17p deletion or TP53 mutation*

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

- The treatment remains clinically appropriate and the patient is benefitting from and tolerating treatment

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL)* and B-cell prolymphocytic leukaemia (B-PLL)*. Indications marked with * are Unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Olaparib

Initial application — Ovarian cancer

Applications only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Patient has a high-grade serous* epithelial ovarian, fallopian tube, or primary peritoneal cancer

and There is documentation confirming pathogenic germline BRCA1 or BRCA2 gene mutation

and

Patient has newly diagnosed, advanced disease

and Patient has received one line** of previous treatment with platinum-based chemotherapy

and Patient's disease must have experienced a partial or complete response to the first-line platinum-based regimen

or

Patient has received at least two lines** of previous treatment with platinum-based chemotherapy

and Patient has platinum sensitive disease defined as disease progression occurring at least 6 months after the last dose of the penultimate line** of platinum-based chemotherapy

and Patient's disease must have experienced a partial or complete response to treatment with the immediately preceding platinum-based regimen

and Patient has not previously received funded olaparib treatment

and Treatment will be commenced within 12 weeks of the patient's last dose of the immediately preceding platinum-based regimen

and Treatment to be administered as maintenance treatment

and Treatment not to be administered in combination with other chemotherapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Olaparib - *continued*

Renewal — Ovarian cancer

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Treatment remains clinically appropriate and patient is benefitting from treatment
and	
<input type="checkbox"/>	No evidence of progressive disease
or	
<input type="checkbox"/>	Evidence of residual (not progressive) disease and the patient would continue to benefit from treatment in the clinician's opinion
and	
<input type="checkbox"/>	Treatment to be administered as maintenance treatment
and	
<input type="checkbox"/>	Treatment not to be administered in combination with other chemotherapy
and	
<input type="checkbox"/>	Patient has received one line** of previous treatment with platinum-based chemotherapy
and	
<input type="checkbox"/>	Documentation confirming that the patient has been informed and acknowledges that the funded treatment period of olaparib will not be continued beyond 2 years if the patient experiences a complete response to treatment and there is no radiological evidence of disease at 2 years
or	
<input type="checkbox"/>	Patient has received at least two lines** of previous treatment with platinum-based chemotherapy

Note: *Note "high-grade serous" includes tumours with high-grade serous features or a high-grade serous component.

**A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ibrutinib

Initial application — chronic lymphocytic leukaemia (CLL)

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has chronic lymphocytic leukaemia (CLL) requiring therapy
and	<input type="checkbox"/>
	Patient has not previously received funded ibrutinib
and	<input type="checkbox"/>
	Ibrutinib is to be used as monotherapy
and	
<input type="checkbox"/>	There is documentation confirming that patient has 17p deletion or TP53 mutation
and	<input type="checkbox"/>
	Patient has experienced intolerable side effects with venetoclax monotherapy
or	
<input type="checkbox"/>	Patient has received at least one prior immunochemotherapy for CLL
and	<input type="checkbox"/>
	Patient's CLL has relapsed within 36 months of previous treatment
and	<input type="checkbox"/>
	Patient has experienced intolerable side effects with venetoclax in combination with rituximab regimen
or	<input type="checkbox"/>
	Patient's CLL is refractory to or has relapsed within 36 months of a venetoclax regimen

Renewal — chronic lymphocytic leukaemia (CLL)

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	No evidence of clinical disease progression
and	<input type="checkbox"/>
	The treatment remains appropriate and the patient is benefitting from treatment

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL) and B-cell prolymphocytic leukaemia (B-PLL)*. Indications marked with * are Unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Niraparib

Initial application

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient has advanced high-grade serous* epithelial ovarian, fallopian tube, or primary peritoneal cancer
- and Patient has received at least one line** of treatment with platinum-based chemotherapy
- and Patient has experienced a partial or complete response to the preceding treatment with platinum-based chemotherapy
- and Patient has not previously received funded treatment with a PARP inhibitor
- and
 - Treatment will be commenced within 12 weeks of the patient's last dose of the preceding platinum-based regimen
 - or Patient commenced treatment with niraparib prior to 1 May 2024
- and Treatment to be administered as maintenance treatment
- and Treatment not to be administered in combination with other chemotherapy

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- No evidence of progressive disease
- and Treatment to be administered as maintenance treatment
- and Treatment not to be administered in combination with other chemotherapy
- and
 - Treatment with niraparib to cease after a total duration of 36 months from commencement
 - or Treatment with niraparib is being used in the second-line or later maintenance setting

Note: * "high-grade serous" includes tumours with high-grade serous features or a high-grade serous component.

**A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Dasatinib

Initial application
Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

The patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis or accelerated phase
and
 Maximum dose of 140 mg/day

or

The patient has a diagnosis of Philadelphia chromosome-positive acute lymphoid leukaemia (Ph+ ALL)
and
 Maximum dose of 140 mg/day

or

The patient has a diagnosis of CML in chronic phase
and
 Maximum dose of 100 mg/day
and

Patient has documented treatment failure* with imatinib
or
 Patient has experienced treatment-limiting toxicity with imatinib precluding further treatment with imatinib
or
 Patient has high-risk chronic-phase CML defined by the Sokal or EURO scoring system
or
 Patients is enrolled in the KISS study** and requires dasatinib treatment according to the study protocol

Renewal
Current approval Number (if known):.....
Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Lack of treatment failure while on dasatinib*
and
 Dasatinib treatment remains appropriate and the patient is benefiting from treatment
and
 Maximum dasatinib dose of 140 mg/day for accelerated or blast phase CML and Ph+ ALL, and 100 mg/day for chronic phase CML

Note: *treatment failure for CML as defined by Leukaemia Net Guidelines. **Kinase-Inhibition Study with Sprycel Start-up <https://www.cancertrialsnz.ac.nz/kiss/>

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Erlotinib

Initial application

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC)
and	<input type="checkbox"/>
	There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase
and	<input type="checkbox"/>
	Patient is treatment naive
or	<input type="checkbox"/>
	The patient has discontinued gefitinib due to intolerance
and	<input type="checkbox"/>
	The cancer did not progress while on gefitinib
and	<input type="checkbox"/>
	Erlotinib is to be given for a maximum of 3 months

Renewal

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

Radiological assessment (preferably including CT scan) indicates NSCLC has not progressed

Renewal — pandemic circumstances

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient is clinically benefiting from treatment and continued treatment remains appropriate
and	<input type="checkbox"/>
	Erlotinib to be discontinued at progression
and	<input type="checkbox"/>
	The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Sunitinib

Initial application — RCC

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

The patient has metastatic renal cell carcinoma

and

The patient is treatment naive

or

The patient has only received prior cytokine treatment

or

The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval

or

The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance

and

The cancer did not progress whilst on pazopanib

and

The patient has good performance status (WHO/ECOG grade 0-2)

and

The disease is of predominant clear cell histology

and

The patient has intermediate or poor prognosis defined as:

Lactate dehydrogenase level > 1.5 times upper limit of normal

or

Haemoglobin level < lower limit of normal

or

Corrected serum calcium level > 10 mg/dL (2.5 mmol/L)

or

Interval of < 1 year from original diagnosis to the start of systemic therapy

or

Karnofsky performance score of less than or equal to 70

or

2 or more sites of organ metastasis

and

Sunitinib to be used for a maximum of 2 cycles

Initial application — GIST

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST)

and

The patient's disease has progressed following treatment with imatinib

or

The patient has documented treatment-limiting intolerance, or toxicity to, imatinib

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Sunitinib - continued

Renewal — RCC

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

No evidence of disease progression
and
 The treatment remains appropriate and the patient is benefiting from treatment

Note: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — GIST

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

The patient has had a complete response (disappearance of all lesions and no new lesions)
or
 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease)
or
 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression

and
 The treatment remains appropriate and the patient is benefiting from treatment

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759).

Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Renewal — GIST pandemic circumstances

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has unresectable or metastatic malignant gastrointestinal stromal (GIST)
and
 The patient is clinically benefiting from treatment and continued treatment remains appropriate
and
 Sunitinib is to be discontinued at progression
and
 The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Pazopanib

Initial application

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

The patient has metastatic renal cell carcinoma
and

The patient is treatment naive
or
 The patient has only received prior cytokine treatment
or

The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance
and
 The cancer did not progress whilst on sunitinib

and
 The patient has good performance status (WHO/ECOG grade 0-2)
and
 The disease is of predominant clear cell histology
and

The patient has intermediate or poor prognosis defined as:

Lactate dehydrogenase level > 1.5 times upper limit of normal
or
 Haemoglobin level < lower limit of normal
or
 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L)
or
 Interval of < 1 year from original diagnosis to the start of systemic therapy
or
 Karnofsky performance score of less than or equal to 70
or
 2 or more sites of organ metastasis

and
 Pazopanib to be used for a maximum of 3 months

Renewal

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

No evidence of disease progression
and
 The treatment remains appropriate and the patient is benefiting from treatment

Note: Pazopanib treatment should be stopped if disease progresses.
Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Gefitinib

Initial application

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC)

and

Patient is treatment naive

or

The patient has discontinued erlotinib due to intolerance

and

The cancer did not progress whilst on erlotinib

and

There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase

and

Gefitinib is to be given for a maximum of 3 months

Renewal

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

Radiological assessment (preferably including CT scan) indicates NSCLC has not progressed

Renewal — pandemic circumstances

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient is clinically benefiting from treatment and continued treatment remains appropriate

and

Gefitinib to be discontinued at progression

and

The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Nilotinib

Initial application

Applications only from a haematologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, high risk chronic phase, or in chronic phase

and

Patient has documented CML treatment failure* with a tyrosine kinase inhibitor (TKI)

or

Patient has experienced treatment limiting toxicity with a tyrosine kinase inhibitor (TKI) precluding further treatment

and

Maximum nilotinib dose of 800 mg/day

and

Subsidised for use as monotherapy only

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines

and

Nilotinib treatment remains appropriate and the patient is benefiting from treatment

and

Maximum nilotinib dose of 800 mg/day

and

Subsidised for use as monotherapy only

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ruxolitinib

Initial application

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has primary myelofibrosis or post-polycythemia vera myelofibrosis or post-essential thrombocythemia myelofibrosis

and

A classification of risk of intermediate-2 or high-risk myelofibrosis according to either the International Prognostic Scoring System (IPSS), Dynamic International Prognostic Scoring System (DIPSS), or the Age-Adjusted DIPSS

or

A classification of risk of intermediate-1 myelofibrosis according to either the International Prognostic Scoring System (IPSS), Dynamic International Prognostic Scoring System (DIPSS), or the Age-Adjusted DIPSS

and

Patient has severe disease-related symptoms that are resistant, refractory or intolerant to available therapy

and

A maximum dose of 20 mg twice daily is to be given

Renewal

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and

A maximum dose of 20 mg twice daily is to be given

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Alectinib

Initial application

Applications only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has locally advanced, or metastatic, unresectable, non-small cell lung cancer
and	
<input type="checkbox"/>	There is documentation confirming that the patient has an ALK tyrosine kinase gene rearrangement using an appropriate ALK test
and	
<input type="checkbox"/>	Patient has an ECOG performance score of 0-2

Renewal

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	No evidence of progressive disease according to RECIST criteria
and	
<input type="checkbox"/>	The patient is benefitting from and tolerating treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Palbociclib (Ibrance)

Initial application

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has unresectable locally advanced or metastatic breast cancer
and There is documentation confirming disease is hormone-receptor positive and HER2-negative
and Patient has an ECOG performance score of 0-2
and

Disease has relapsed or progressed during prior endocrine therapy
or

Patient is amenorrhoeic, either naturally or induced, with endocrine levels consistent with a postmenopausal or without menstrual-potential state
and Patient has not received prior systemic treatment for metastatic disease

and Treatment must be used in combination with an endocrine partner
and Patient has not received prior funded treatment with a CDK4/6 inhibitor

or

Patient has an active Special Authority approval for ribociclib
and Patient has experienced a grade 3 or 4 adverse reaction to ribociclib that cannot be managed by dose reductions and requires treatment discontinuation
and Treatment must be used in combination with an endocrine partner
and There is no evidence of progressive disease since initiation of ribociclib

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Treatment must be used in combination with an endocrine partner
and There is no evidence of progressive disease since initiation of palbociclib

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Midostaurin

Initial application

Applications from any relevant practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

- Patient has a diagnosis of acute myeloid leukaemia
- and** Condition must be FMS tyrosine kinase 3 (FLT3) mutation positive
- and** Patient must not have received a prior line of intensive chemotherapy for acute myeloid leukaemia
- and** Patient is to receive standard intensive chemotherapy in combination with midostaurin only
- and** Midostaurin to be funded for a maximum of 4 cycles

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ribociclib

Initial application

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has unresectable locally advanced or metastatic breast cancer
and There is documentation confirming disease is hormone-receptor positive and HER2-negative
and Patient has an ECOG performance score of 0-2
and

Disease has relapsed or progressed during prior endocrine therapy
or

Patient is amenorrhoeic, either naturally or induced, with endocrine levels consistent with a postmenopausal or without menstrual-potential state
and Patient has not received prior systemic endocrine treatment for metastatic disease
or

Patient commenced treatment with ribociclib in combination with an endocrine partner prior to 1 July 2024
and There is no evidence of progressive disease

and Treatment to be used in combination with an endocrine partner
and Patient has not received prior funded treatment with a CDK4/6 inhibitor

or

Patient has an active Special Authority approval for palbociclib
and Patient has experienced a grade 3 or 4 adverse reaction to palbociclib that cannot be managed by dose reductions and requires treatment discontinuation
and Treatment must be used in combination with an endocrine partner
and There is no evidence of progressive disease since initiation of palbociclib

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Treatment must be used in combination with an endocrine partner
and There is no evidence of progressive disease since initiation of ribociclib

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Octreotide long-acting

Initial application — Malignant Bowel Obstruction

Applications from any relevant practitioner. Approvals valid for 2 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has nausea* and vomiting* due to malignant bowel obstruction*
and	
<input type="checkbox"/>	Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed
and	
<input type="checkbox"/>	Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks

Note: Indications marked with * are unapproved indications.

Renewal — Malignant Bowel Obstruction

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 3 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

Initial application — Acromegaly

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has acromegaly
and	
<input type="checkbox"/>	Treatment with surgery, radiotherapy and a dopamine agonist has failed
or	
<input type="checkbox"/>	Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed
or	
<input type="checkbox"/>	The patient is unwilling, or unable, to undergo surgery and/or radiotherapy

Renewal — Acromegaly

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	IGF1 levels have decreased since starting octreotide
and	
<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Octreotide long-acting - continued

Renewal — Acromegaly - pandemic circumstances

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient has acromegaly
and
 The patient is clinically benefiting from treatment and continued treatment remains appropriate
and
 The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector

Initial application — Other Indications

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

- VIPomas and Glucagonomas - for patients who are seriously ill in order to improve their clinical state prior to definitive surgery
or
 Gastrinoma
and
 Patient has failed surgery
or
 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed
or
 Insulinomas
and
 Surgery is contraindicated or has failed
or
 For pre-operative control of hypoglycaemia and for maintenance therapy
or
 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis)
and
 Disabling symptoms not controlled by maximal medical therapy

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — Other Indications

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

- The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Octreotide long-acting - *continued*

Initial application — pre-operative acromegaly

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has acromegaly and <input type="checkbox"/> Patient has a large pituitary tumour, greater than 10 mm at its widest and <input type="checkbox"/> Patient is scheduled to undergo pituitary surgery in the next six months

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Abiraterone acetate

Initial application

Applications only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has prostate cancer
and
 Patient has metastases
and
 Patient's disease is castration resistant
and

Patient is symptomatic
and
 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy
and
 Patient has ECOG performance score of 0-1
and
 Patient has not had prior treatment with taxane chemotherapy

or

Patient's disease has progressed following prior chemotherapy containing a taxane
and
 Patient has ECOG performance score of 0-2
and
 Patient has not had prior treatment with abiraterone

Renewal — abiraterone acetate

Current approval Number (if known):.....

Applications only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Significant decrease in serum PSA from baseline
and
 No evidence of clinical disease progression
and
 No initiation of taxane chemotherapy with abiraterone
and
 The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Abiraterone acetate - *continued*

Renewal — pandemic circumstances

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient is clinically benefiting from treatment and continued treatment remains appropriate
and	<input type="checkbox"/>
<input type="checkbox"/>	Abiraterone acetate to be discontinued at progression
and	<input type="checkbox"/>
<input type="checkbox"/>	No initiation of taxane chemotherapy with abiraterone
and	<input type="checkbox"/>
<input type="checkbox"/>	The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Fulvestrant

Initial application

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has oestrogen-receptor positive locally advanced or metastatic breast cancer
and	<input type="checkbox"/>
	Patient has disease progression following prior treatment with an aromatase inhibitor or tamoxifen for their locally advanced or metastatic disease
and	<input type="checkbox"/>
	Treatment to be given at a dose of 500 mg monthly following loading doses
and	<input type="checkbox"/>
	Treatment to be discontinued at disease progression

Renewal

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Treatment remains appropriate and patient is benefitting from treatment
and	<input type="checkbox"/>
	Treatment to be given at a dose of 500 mg monthly
and	<input type="checkbox"/>
	There is no evidence of disease progression

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA2103 - Etanercept

Arthritis - rheumatoid - Renewal	220
Arthritis - rheumatoid - Initial application	219
Adult-onset Still's disease - Initial application	212
Adult-onset Still's disease - Renewal	212
Ankylosing spondylitis - Initial application	213
Ankylosing spondylitis - Renewal	214
Oligoarticular course juvenile idiopathic arthritis - Initial application	215
Oligoarticular course juvenile idiopathic arthritis - Renewal	216
Polyarticular course juvenile idiopathic arthritis - Initial application	214
Polyarticular course juvenile idiopathic arthritis - Renewal	215
Psoriatic arthritis - Initial application	217
Psoriatic arthritis - Renewal	218
Pyoderma gangrenosum - Initial application	218
Pyoderma gangrenosum - Renewal	218
Severe chronic plaque psoriasis - Initial application	221
Severe chronic plaque psoriasis - Renewal	222
Undifferentiated spondyloarthritis - Initial application	223
Undifferentiated spondyloarthritis - Renewal	223

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept

Initial application — adult-onset Still's disease
Applications only from a rheumatologist. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD)
or
 The patient has been started on tocilizumab for AOSD in a Health NZ Hospital

and

The patient has experienced intolerable side effects from adalimumab and/or tocilizumab
or
 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD

or

Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430)
and
 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate
and
 Patient has persistent symptoms of disabling poorly controlled and active disease

Renewal — adult-onset Still's disease

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Applicant is a rheumatologist
or
 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment

and
 The patient has a sustained improvement in inflammatory markers and functional status

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept - continued

Initial application — ankylosing spondylitis

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis

and

The patient has experienced intolerable side effects from adalimumab

or

The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis

or

Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months

and

Patient has low back pain and stiffness that is relieved by exercise but not by rest

and

Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan

and

Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis

and

Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right)

or

Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes)

and

A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale

Note: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years - Male: 7.0 cm; Female: 5.5 cm
- 25-34 years - Male: 7.5 cm; Female: 5.5 cm
- 35-44 years - Male: 6.5 cm; Female: 4.5 cm
- 45-54 years - Male: 6.0 cm; Female: 5.0 cm
- 55-64 years - Male: 5.5 cm; Female: 4.0 cm
- 65-74 years - Male: 4.0 cm; Female: 4.0 cm
- 75+ years - Male: 3.0 cm; Female: 2.5 cm

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept - continued

Renewal — ankylosing spondylitis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Applicant is a rheumatologist
or
 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment

- and Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less
and Physician considers that the patient has benefited from treatment and that continued treatment is appropriate
and Etanercept to be administered at doses no greater than 50 mg every 7 days

Initial application — polyarticular course juvenile idiopathic arthritis

Applications only from a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has had an initial Special Authority approval for adalimumab for polyarticular course juvenile idiopathic arthritis (JIA)
and
 The patient has experienced intolerable side effects from adalimumab
or
 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for polyarticular course JIA

- or
 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance
and Patient has had polyarticular course JIA for 6 months duration or longer
and
 At least 5 active joints and at least 3 joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose)
or
 Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate (at the maximum tolerated dose)
or
 Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept - continued

Renewal — polyarticular course juvenile idiopathic arthritis

Current approval Number (if known):.....

Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

and

Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline

or

On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline

Initial application — oligoarticular course juvenile idiopathic arthritis

Applications only from a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab for oligoarticular course juvenile idiopathic arthritis (JIA)

and

The patient has experienced intolerable side effects from adalimumab

or

The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for oligoarticular course JIA

or

To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

and

Patient has had oligoarticular course JIA for 6 months duration or longer

and

At least 2 active joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose)

or

Moderate or high disease activity (cJADAS10 score greater than 1.5) with poor prognostic features after a 3-month trial of methotrexate (at the maximum tolerated dose)

or

High disease activity (cJADAS10 score greater than 4) after a 6-month trial of methotrexate

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Etanercept - *continued*

Renewal — oligoarticular course juvenile idiopathic arthritis

Current approval Number (if known):.....

Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance
	or
	<input type="checkbox"/> Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline
	<input type="checkbox"/> On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Etanercept - continued

Initial application — psoriatic arthritis

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has had an initial Special Authority approval for adalimumab or secukinumab for psoriatic arthritis and <input type="checkbox"/> The patient has experienced intolerable side effects from adalimumab or secukinumab or <input type="checkbox"/> The patient has received insufficient benefit from adalimumab or secukinumab to meet the renewal criteria for adalimumab or secukinumab for psoriatic arthritis
or
<input type="checkbox"/> Patient has had severe active psoriatic arthritis for six months duration or longer and <input type="checkbox"/> Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose and <input type="checkbox"/> Patient has tried and not responded to at least three months of sulfasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses) and <input type="checkbox"/> Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints or <input type="checkbox"/> Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip and <input type="checkbox"/> Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application or <input type="checkbox"/> Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour or <input type="checkbox"/> ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept - continued

Renewal — psoriatic arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Applicant is a rheumatologist
or
 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment

and

- Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
or
 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician

and

- Etanercept to be administered at doses no greater than 50 mg every 7 days

Initial application — pyoderma gangrenosum

Applications only from a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

- Patient has pyoderma gangrenosum*
and
 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response
and
 A maximum of 8 doses

Note: Indications marked with * are unapproved indications.

Renewal — pyoderma gangrenosum

Current approval Number (if known):.....

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

- Patient has shown clinical improvement
and
 Patient continues to require treatment
and
 A maximum of 8 doses

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept - continued

Initial application — Arthritis - rheumatoid

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis

and

The patient has experienced intolerable side effects

or

The patient has received insufficient benefit to meet the renewal criteria for rheumatoid arthritis

or

Patient has had rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer

and

Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

and

Patient has tried and not responded to at least three months of methotrexate at a maximum tolerated dose (unless contraindicated)

and

Patient has tried and not responded to at least three months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses unless contraindicated)

and

Patient has tried and not responded to at least three months of methotrexate in combination with the maximum tolerated dose of ciclosporin

or

Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with methotrexate

and

Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen joints

or

Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Etanercept - *continued*

Renewal — Arthritis - rheumatoid

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance
and
<input type="checkbox"/> Following initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
or
<input type="checkbox"/> On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
and
<input type="checkbox"/> Etanercept to be administered at doses no greater than 50 mg every 7 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept - continued

Initial application — severe chronic plaque psoriasis
Applications only from a dermatologist. Approvals valid for 4 months.
Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis

and

The patient has experienced intolerable side effects from adalimumab

or

The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis

or

Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis

or

Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis

and

Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin

and

A PASI assessment or Dermatology Quality of Life Index (DLQI) assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course

and

The most recent PASI or DLQI assessment is no more than 1 month old at the time of application

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 10, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Etanercept - continued

Renewal — severe chronic plaque psoriasis

Current approval Number (if known):.....

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

	<input type="checkbox"/>	Applicant is a dermatologist
or	<input type="checkbox"/>	Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment
and	<input type="checkbox"/>	Patient had "whole body" severe chronic plaque psoriasis at the start of treatment
and	<input type="checkbox"/>	Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value
or	<input type="checkbox"/>	Following each prior etanercept treatment course the patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, when compared with the pre-treatment baseline value
or	<input type="checkbox"/>	Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment
and	<input type="checkbox"/>	Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values
or	<input type="checkbox"/>	Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value
and	<input type="checkbox"/>	Etanercept to be administered at doses no greater than 50 mg every 7 days

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Etanercept - continued

Initial application — undifferentiated spondyloarthritis

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has undifferentiated peripheral spondyloarthritis* with active peripheral joint arthritis in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip

and

Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose

and

Patient has tried and not responded to at least three months of sulfasalazine at a dose of at least 2 g per day (or maximum tolerated dose)

and

Patient has tried and not responded to at least three months of leflunomide at a dose of up to 20 mg daily (or maximum tolerated dose)

and

Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application

or

Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour measured no more than one month prior to the date of this application

or

ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

Note: Indications marked with * are unapproved indications.

Renewal — undifferentiated spondyloarthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Applicant is a rheumatologist

or

Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment

and

Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

or

The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician

and

Etanercept to be administered at doses no greater than 50 mg dose every 7 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Mabthera)

Initial application — rheumatoid arthritis - TNF inhibitors contraindicated

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Treatment with a Tumour Necrosis Factor alpha inhibitor is contraindicated

and Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer

and Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose

and Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses)

and

Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin

or Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold

or Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate

and

Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints

or Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip

and

Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application

or C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

and

Rituximab to be used as an adjunct to methotrexate or leflunomide therapy

or Patient is contraindicated to both methotrexate and leflunomide, requiring rituximab monotherapy to be used

and Maximum of two 1,000 mg infusions of rituximab given two weeks apart

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Mabthera) - *continued*

Initial application — rheumatoid arthritis - prior TNF inhibitor use

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial community Special Authority approval for at least one of etanercept and/or adalimumab for rheumatoid arthritis

and

The patient has experienced intolerable side effects from a reasonable trial of adalimumab and/or etanercept

or

Following at least a four month trial of adalimumab and/or etanercept, the patient did not meet the renewal criteria for adalimumab and/or etanercept for rheumatoid arthritis

and

Rituximab to be used as an adjunct to methotrexate or leflunomide therapy

or

Patient is contraindicated to both methotrexate and leflunomide, requiring rituximab monotherapy to be used

and

Maximum of two 1,000 mg infusions of rituximab given two weeks apart

Renewal — rheumatoid arthritis - re-treatment in 'partial responders' to rituximab

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

At 4 months following the initial course of rituximab infusions the patient had between a 30% and 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

or

At 4 months following the second course of rituximab infusions the patient had at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

or

At 4 months following the third and subsequent courses of rituximab infusions, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

and

Rituximab re-treatment not to be given within 6 months of the previous course of treatment

and

Rituximab to be used as an adjunct to methotrexate or leflunomide therapy

or

Patient is contraindicated to both methotrexate and leflunomide, requiring rituximab monotherapy to be used

and

Maximum of two 1,000 mg infusions of rituximab given two weeks apart

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Mabthera) - *continued*

Renewal — rheumatoid arthritis - re-treatment in 'responders' to rituximab

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

- At 4 months following the initial course of rituximab infusions the patient had at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
- or**
- At 4 months following the second and subsequent courses of rituximab infusions, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

and

- Rituximab re-treatment not to be given within 6 months of the previous course of treatment

and

- Rituximab to be used as an adjunct to methotrexate or leflunomide therapy
- or**
- Patient is contraindicated to both methotrexate and leflunomide, requiring rituximab monotherapy to be used

and

- Maximum of two 1,000 mg infusions of rituximab given two weeks apart

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA2157 - Adalimumab (Humira - Alternative brand)

Arthritis - polyarticular course juvenile idiopathic - Initial application	236
Arthritis - polyarticular course juvenile idiopathic - Renewal	236
Arthritis - psoriatic - Initial application	237
Arthritis - psoriatic - Renewal	237
Arthritis – oligoarticular course juvenile idiopathic - Initial application	236
Arthritis – oligoarticular course juvenile idiopathic - Renewal	236
Arthritis – rheumatoid - Initial application	237
Arthritis – rheumatoid - Renewal	238
Behcet's disease – severe - Initial application	228
Behcet's disease – severe - Renewal	228
Crohn's disease - adult - Initial application	231
Crohn's disease - adult - Renewal	231
Crohn's disease - children - Initial application	232
Crohn's disease - children - Renewal	232
Crohn's disease - fistulising - Initial application	232
Crohn's disease - fistulising - Renewal	233
Hidradenitis suppurativa - Initial application	228
Hidradenitis suppurativa - Renewal	229
Ocular inflammation – chronic - Initial application	233
Ocular inflammation – chronic - Renewal	234
Ocular inflammation – severe - Initial application	234
Ocular inflammation – severe - Renewal	235
Psoriasis - severe chronic plaque - Initial application	229
Psoriasis - severe chronic plaque - Renewal	230
Pyoderma gangrenosum - Initial application	230
Pyoderma gangrenosum - Renewal	231
Still's disease – adult-onset (AOSD) - Initial application	238
Still's disease – adult-onset (AOSD) - Renewal	238
Ankylosing spondylitis - Initial application	235
Ankylosing spondylitis - Renewal	235

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Humira - Alternative brand)

Initial application — Behcet’s disease – severe

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

- and Patient has received a maximum of 6 months treatment with Amgevita
- and Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication
- and Adalimumab to be administered at doses no greater than 40 mg every 14 days

Renewal — Behcet’s disease – severe

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has had a good clinical response to treatment with measurably improved quality of life
- and Adalimumab to be administered at doses no greater than 40 mg every 14 days

Initial application — Hidradenitis suppurativa

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

- and Patient has received a maximum of 6 months treatment with Amgevita
- and Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication
- and Adalimumab to be administered at doses no greater than 40 mg every 7 days. Fortnightly dosing has been considered

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Renewal — Hidradenitis suppurativa

Current approval Number (if known):.....

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has a reduction in active lesions (e.g. inflammatory nodules, abscesses, draining fistulae) of 25% or more from baseline

and

The patient has a Dermatology Quality of Life Index improvement of 4 or more from baseline

and

Adalimumab is to be administered at doses no greater than 40mg every 7 days. Fortnightly dosing has been considered

Initial application — Psoriasis - severe chronic plaque

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment

or

Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

and

Patient has received a maximum of 6 months treatment with Amgevita

and

Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Renewal — Psoriasis - severe chronic plaque

Current approval Number (if known):.....

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient had "whole body" severe chronic plaque psoriasis at the start of treatment

and

Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value

or

Following each prior adalimumab treatment course the patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, when compared with the pre-treatment baseline value

or

Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment

and

Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values

or

Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

Initial application — Pyoderma gangrenosum

Applications only from a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment

or

Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

and

Patient has received a maximum of 6 months treatment with Amgevita

and

Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

A maximum of 8 doses

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Renewal — Pyoderma gangrenosum

Current approval Number (if known):.....

Applications only from a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has demonstrated clinical improvement and continues to require treatment

and

A maximum of 8 doses

Initial application — Crohn's disease - adult

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita

or

Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen

or

Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment

and

Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

Renewal — Crohn's disease - adult

Current approval Number (if known):.....

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab

or

CDAI score is 150 or less

or

The patient has demonstrated an adequate response to treatment, but CDAI score cannot be assessed

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Initial application — Crohn's disease - children

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen
- or
- Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment

- and
- Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication
- and
- Adalimumab to be administered at doses no greater than 40 mg every 14 days

Renewal — Crohn's disease - children

Current approval Number (if known):.....

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on adalimumab
- or
- PCDAI score is 15 or less
- or
- The patient has demonstrated an adequate response to treatment, but PCDAI score cannot be assessed

- and
- Adalimumab to be administered at doses no greater than 40 mg every 14 days

Initial application — Crohn's disease - fistulising

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen
- or
- Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment

- and
- Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication
- and
- Adalimumab to be administered at doses no greater than 40 mg every 14 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Renewal — Crohn’s disease - fistulising

Current approval Number (if known):.....

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The number of open draining fistulae have decreased from baseline by at least 50%
- or
- There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain

and

- Adalimumab to be administered at doses no greater than 40 mg every 14 days

Initial application — Ocular inflammation – chronic

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with Amgevita, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen
- or
- Patient has uveitis and is considered to be at risk of vision loss if they were to change treatment

and

- Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

- Adalimumab to be administered at doses no greater than 40 mg every 14 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Renewal — Ocular inflammation – chronic

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- The patient has had a good clinical response following 12 weeks' initial treatment
- or
- Following each 12-month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema)
- or
- Following each 12-month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old

and

- Adalimumab to be administered at doses no greater than 40 mg every 14 days

Initial application — Ocular inflammation – severe

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with Amgevita, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen
- or
- Patient has uveitis and is considered to be at risk of vision loss if they were to change treatment

and

- Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

- Adalimumab to be administered at doses no greater than 40 mg every 14 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Renewal — Ocular inflammation – severe

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has had a good clinical response following 3 initial doses

or

Following each 12-month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema)

or

Following each 12-month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

Initial application — ankylosing spondylitis

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment

or

Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita)

and

Patient has received a maximum of 6 months treatment with Amgevita

and

Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

Renewal — ankylosing spondylitis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Initial application — Arthritis – oligoarticular course juvenile idiopathic
Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment

or

Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

and

Patient has received a maximum of 6 months treatment with Amgevita

and

Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

Renewal — Arthritis – oligoarticular course juvenile idiopathic

Current approval Number (if known):.....

Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline

Initial application — Arthritis - polyarticular course juvenile idiopathic
Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment

or

Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

and

Patient has received a maximum of 6 months treatment with Amgevita

and

Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

Renewal — Arthritis - polyarticular course juvenile idiopathic

Current approval Number (if known):.....

Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Initial application — Arthritis - psoriatic

Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

and

- Patient has received a maximum of 6 months treatment with Amgevita

and

- Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

- Adalimumab to be administered at doses no greater than 40 mg every 14 days

Renewal — Arthritis - psoriatic

Current approval Number (if known):.....

Applications only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician

and

- Adalimumab to be administered at doses no greater than 40 mg every 14 days

Initial application — Arthritis – rheumatoid

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment
- or
- Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

and

- Patient has received a maximum of 6 months treatment with Amgevita

and

- Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

and

- Adalimumab to be administered at doses no greater than 40 mg every 14 days
- or
- Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Adalimumab (Humira - Alternative brand) - continued

Renewal — Arthritis – rheumatoid

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician

and

Adalimumab to be administered at doses no greater than 40 mg every 14 days

or

Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response

Initial application — Still's disease – adult-onset (AOSD)

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment

or

Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen

and

Patient has received a maximum of 6 months treatment with Amgevita

and

Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication

Renewal — Still's disease – adult-onset (AOSD)

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient has demonstrated a sustained improvement in inflammatory markers and functional status

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Omalizumab

Initial application — severe asthma

Applications only from a respiratory specialist or clinical immunologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient must be aged 6 years or older
- and Patient has a diagnosis of severe asthma
- and Past or current evidence of atopy, documented by skin prick testing or RAST
- and Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline
- and Proven adherence with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1,600 mcg per day or fluticasone propionate 1,000 mcg per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 mcg bd or eformoterol 12 mcg bd) for at least 12 months, unless contraindicated or not tolerated
- and Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated
- or Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral steroids
- and Patient has an Asthma Control Test (ACT) score of 10 or less
- and Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 26 weeks after the first dose to assess response to treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Omalizumab - *continued*

Initial application — severe chronic spontaneous urticaria

Applications only from a clinical immunologist or dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient must be aged 12 years or older

and

Patient is symptomatic with Urticaria Activity Score 7 (UAS7) of 20 or above

and

Patient has a Dermatology life quality index (DLQI) of 10 or greater

or

Patient has a Urticaria Control Test (UCT) of 8 or less

and

Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and ciclosporin (> 3 mg/kg day) for at least 6 weeks

or

Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and at least 3 courses of systemic corticosteroids (> 20 mg prednisone per day for at least 5 days) in the previous 6 months

or

Patient has developed significant adverse effects whilst on corticosteroids or ciclosporin

and

Treatment to be stopped if inadequate response* following 4 doses

or

Complete response* to 6 doses of omalizumab

Renewal — severe asthma

Current approval Number (if known):.....

Applications only from a clinical immunologist or respiratory specialist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

An increase in the Asthma Control Test (ACT) score of at least 5 from baseline

and

A reduction in the maintenance oral corticosteroid dose or number of exacerbations of at least 50% from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Omalizumab - *continued*

Renewal — severe chronic spontaneous urticaria

Current approval Number (if known):.....

Applications only from a clinical immunologist or dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has previously adequately responded* to 6 doses of omalizumab
or	
<input type="checkbox"/>	Patient has previously had a complete response* to 6 doses of omalizumab
and	
<input type="checkbox"/>	Patient has relapsed after cessation of omalizumab therapy

Note: *Inadequate response defined as less than 50% reduction in baseline UAS7 and DLQI score, or an increase in Urticaria Control Test (UCT) score of less than 4 from baseline. Patient is to be reassessed for response after 4 doses of omalizumab. Complete response is defined as UAS7 less than or equal to 6 and DLQI less than or equal to 5; or UCT of 16. Relapse of chronic urticaria on stopping prednisone/ciclosporin does not justify the funding of omalizumab.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Siltuximab

Initial application

Applications only from a haematologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease
and	
<input type="checkbox"/>	Treatment with an adequate trial of corticosteroids has proven ineffective
and	
<input type="checkbox"/>	Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks

Renewal

Current approval Number (if known):.....

Applications only from a haematologist or rheumatologist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status
--------------------------	---

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Pertuzumab

Initial application — metastatic breast cancer

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology)

and

Patient is chemotherapy treatment naïve

or

Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer

and

The patient has good performance status (ECOG grade 0-1)

and

Pertuzumab to be administered in combination with trastuzumab

and

Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks

and

Pertuzumab to be discontinued at disease progression

Renewal — metastatic breast cancer

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology)

and

The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab

or

Patient has previously discontinued treatment with pertuzumab and trastuzumab for reasons other than severe toxicity or disease progression

and

Patient has signs of disease progression

and

Disease has not progressed during previous treatment with pertuzumab and trastuzumab

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Obinutuzumab

Initial application — chronic lymphocytic leukaemia

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment

and

The patient is obinutuzumab treatment naive

and

The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min)

and

Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL

and

Patient has good performance status

and

Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles

Note: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

* Neutrophil greater than or equal to $1.5 \times 10^9/L$ and platelets greater than or equal to $75 \times 10^9/L$.

Initial application — follicular / marginal zone lymphoma

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

Patient has follicular lymphoma

or

Patient has marginal zone lymphoma

and

Patient is refractory to or has relapsed within 12 months of a rituximab containing combined chemo-immunotherapy regimen*

and

Patient has an ECOG performance status of 0-2

and

Patient has been previously treated with no more than four chemotherapy regimens

and

Obinutuzumab to be administered at a maximum dose of 1000 mg for a maximum of 6 cycles in combination with chemotherapy*

Note: * includes unapproved indications

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Obinutuzumab - *continued*

Renewal — follicular / marginal zone lymphoma

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has no evidence of disease progression following obinutuzumab induction therapy
and <input type="checkbox"/>	Obinutuzumab to be administered at a maximum of 1000 mg every 2 months for a maximum of 2 years
and <input type="checkbox"/>	Obinutuzumab to be discontinued at disease progression

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER Reg No:**

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Cetuximab

Initial application

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient has locally advanced, non-metastatic, squamous cell cancer of the head and neck
- and** Patient is contraindicated to, or is intolerant of, cisplatin
- and** Patient has good performance status
- and** To be administered in combination with radiation therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Aflibercept

Initial application — wet age related macular degeneration

Applications only from an ophthalmologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Wet age-related macular degeneration (wet AMD)

or

Polypoidal choroidal vasculopathy

or

Choroidal neovascular membrane from causes other than wet AMD

and

The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab

or

There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart

and

There is no structural damage to the central fovea of the treated eye

and

Patient has not previously been treated with ranibizumab for longer than 3 months

or

Patient has current approval to use ranibizumab for treatment of wAMD and was found to be intolerant to ranibizumab within 3 months

or

Patient has previously* (*before June 2018) received treatment with ranibizumab for wAMD and disease was stable while on treatment

Initial application — diabetic macular oedema

Applications only from an ophthalmologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has centre involving diabetic macular oedema (DMO)

and

Patient's disease is non responsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly

and

Patient has reduced visual acuity between 6/9 – 6/36 with functional awareness of reduction in vision

and

Patient has DMO within central OCT (ocular coherence tomography) subfield > 350 micrometers

and

There is no centre-involving sub-retinal fibrosis or foveal atrophy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Aflibercept - *continued*

Renewal — wet age related macular degeneration

Current approval Number (if known):.....

Applications only from an ophthalmologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Documented benefit must be demonstrated to continue
and	
<input type="checkbox"/>	Patient's vision is 6/36 or better on the Snellen visual acuity score
and	
<input type="checkbox"/>	There is no structural damage to the central fovea of the treated eye

Renewal — diabetic macular oedema

Current approval Number (if known):.....

Applications only from an ophthalmologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	There is stability or two lines of Snellen visual acuity gain
and	
<input type="checkbox"/>	There is structural improvement on OCT scan (with reduction in intra-retinal cysts, central retinal thickness, and sub-retinal fluid)
and	
<input type="checkbox"/>	Patient's vision is 6/36 or better on the Snellen visual acuity score
and	
<input type="checkbox"/>	There is no centre-involving sub-retinal fibrosis or foveal atrophy
and	
<input type="checkbox"/>	After each consecutive 12 months treatment with (2nd line anti-VEGF agent), patient has retrialled with at least one injection of bevacizumab and had no response

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER Reg No:**

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Secukinumab

Initial application — severe chronic plaque psoriasis – second-line biologic

Applications only from a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab or etanercept, or has trialed infliximab in a Health NZ Hospital, for severe chronic plaque psoriasis

and

The patient has experienced intolerable side effects from adalimumab, etanercept or infliximab

or

The patient has received insufficient benefit from adalimumab, etanercept or infliximab

and

A Psoriasis Area and Severity Index (PASI) assessment or Dermatology Quality of Life Index (DLQI) assessment has been completed for at least the most recent prior treatment course, preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course

and

The most recent PASI or DQLI assessment is no more than 1 month old at the time of application

Initial application — severe chronic plaque psoriasis – first-line biologic

Applications only from a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis

or

Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis

and

Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin

and

A PASI assessment or Dermatology Quality of Life Index (DLQI) assessment has been completed for at least the most recent prior treatment course, preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course

and

The most recent PASI or DQLI assessment is no more than 1 month old at the time of application

Note: A treatment course is defined as a minimum of 12 weeks of treatment. "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 10, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom sub scores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Secukinumab - *continued*

Renewal — severe chronic plaque psoriasis – first and second-line biologic

Current approval Number (if known):.....

Applications only from a dermatologist or medical practitioner on the recommendation of a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient's PASI score has reduced by 75% or more (PASI 75) as compared to baseline PASI prior to commencing secukinumab
- or
- Patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, as compared to baseline DLQI prior to commencing secukinumab

- and
- Secukinumab to be administered at a maximum dose of 300 mg monthly

Initial application — ankylosing spondylitis – second-line biologic

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- The patient has had an initial Special Authority approval for adalimumab and/or etanercept for ankylosing spondylitis

and

- The patient has experienced intolerable side effects from a reasonable trial of adalimumab and/or etanercept
- or
- Following 12 weeks of adalimumab and/or etanercept treatment, the patient did not meet the renewal criteria for adalimumab and/or etanercept for ankylosing spondylitis

Renewal — ankylosing spondylitis – second-line biologic

Current approval Number (if known):.....

Applications only from a rheumatologist or medical practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Following 12 weeks initial treatment of secukinumab treatment, BASDAI has improved by 4 or more points from pre-secukinumab baseline on a 10 point scale, or by 50%, whichever is less

and

- Physician considers that the patient has benefitted from treatment and that continued treatment is appropriate

and

- Secukinumab to be administered at doses no greater than 150 mg monthly

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Secukinumab - continued

Initial application — psoriatic arthritis

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has had an initial Special Authority approval for adalimumab, etanercept or infliximab for psoriatic arthritis
and	
<input type="checkbox"/>	Patient has experienced intolerable side effects from adalimumab, etanercept or infliximab
or	
<input type="checkbox"/>	Patient has received insufficient benefit from adalimumab, etanercept or infliximab to meet the renewal criteria for adalimumab, etanercept or infliximab for psoriatic arthritis
or	
<input type="checkbox"/>	Patient has had severe active psoriatic arthritis for six months duration or longer
and	
<input type="checkbox"/>	Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose
and	
<input type="checkbox"/>	Patient has tried and not responded to at least three months of sulfasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses)
and	
<input type="checkbox"/>	Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints
or	
<input type="checkbox"/>	Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip
and	
<input type="checkbox"/>	Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application
or	
<input type="checkbox"/>	Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour
or	
<input type="checkbox"/>	ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

Renewal — psoriatic arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
or	
<input type="checkbox"/>	The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior secukinumab treatment in the opinion of the treating physician
and	
<input type="checkbox"/>	Secukinumab to be administered at doses no greater than 300 mg monthly

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA2179 - Infliximab

Crohn's disease (adults) - Initial application	253
Crohn's disease (adults) - Renewal	253
Crohn's disease (children) - Initial application	254
Crohn's disease (children) - Renewal	254
Graft vs host disease - Initial application	254
Pulmonary sarcoidosis - Initial application	254
Acute fulminant ulcerative colitis - Initial application	255
Ankylosing spondylitis - Initial application	255
Ankylosing spondylitis - Renewal	255
Chronic ocular inflammation - Initial application	256
Chronic ocular inflammation - Renewal	256
Fistulising Crohn's disease - Initial application	257
Fistulising Crohn's disease - Renewal	257
Fulminant ulcerative colitis - Renewal	263
Inflammatory bowel arthritis – axial - Initial application	266
Inflammatory bowel arthritis – axial - Renewal	266
Inflammatory bowel arthritis – peripheral - Initial application	267
Inflammatory bowel arthritis – peripheral - Renewal	267
Neurosarcoidosis - Initial application	257
Neurosarcoidosis - Renewal	258
Plaque psoriasis - Initial application	259
Plaque psoriasis - Renewal	260
Previous use - Initial application	261
Psoriatic arthritis - Initial application	261
Psoriatic arthritis - Renewal	262
Pyoderma gangrenosum - Initial application	265
Pyoderma gangrenosum - Renewal	266
Rheumatoid arthritis - Initial application	262
Rheumatoid arthritis - Renewal	262
Severe Behcet's disease - Initial application	263
Severe Behcet's disease - Renewal	263
Severe ocular inflammation - Initial application	264
Severe ocular inflammation - Renewal	264
Ulcerative colitis - Initial application	265
Ulcerative colitis - Renewal	265

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Infliximab

Initial application — Crohn’s disease (adults)
Applications from any relevant practitioner. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Patient has active Crohn’s disease

and

Patient has a CDAI score of greater than or equal to 300 or HBI score of greater than or equal to 10

or

Patient has extensive small intestine disease affecting more than 50 cm of the small intestine

or

Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection

or

Patient has an ileostomy or colostomy, and has intestinal inflammation

and

Patient has tried but has experienced an inadequate response to, or intolerable side effects from, prior therapy with immunomodulators and corticosteroids

Renewal — Crohn’s disease (adults)

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.
Prerequisites(tick boxes where appropriate)

CDAI score has reduced by 100 points from the CDAI score, or HBI score has reduced by 3 points, from when the patient was initiated on infliximab

or

CDAI score is 150 or less, or HBI is 4 or less

or

The patient has demonstrated an adequate response to treatment but CDAI score and/or HBI score cannot be assessed

and

Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Infliximab - *continued*

Initial application — Crohn’s disease (children)

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Paediatric patient has active Crohn’s disease

and

Patient has a PCDAI score of greater than or equal to 30

or

Patient has extensive small intestine disease

and

Patient has tried but experienced an inadequate response to, or intolerable side effects from, prior therapy with immunomodulators and corticosteroids

Renewal — Crohn’s disease (children)

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on infliximab

or

PCDAI score is 15 or less

or

The patient has demonstrated an adequate response to treatment but PCDAI score cannot be assessed

and

Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019

Initial application — Graft vs host disease

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

Patient has steroid-refractory acute graft vs. host disease of the gut

Initial application — Pulmonary sarcoidosis

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

Patient has life-threatening pulmonary sarcoidosis diagnosed by a multidisciplinary team that is refractory to other treatments

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - *continued*

Initial application — acute fulminant ulcerative colitis

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has acute, fulminant ulcerative colitis
and	
<input type="checkbox"/>	Treatment with intravenous or high dose oral corticosteroids has not been successful

Initial application — ankylosing spondylitis

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has had an initial Special Authority approval for adalimumab and/or etanercept for ankylosing spondylitis
and	
<input type="checkbox"/>	The patient has experienced intolerable side effects from a reasonable trial of adalimumab and/or etanercept
or	
<input type="checkbox"/>	Following 12 weeks of adalimumab and/or etanercept treatment, the patient did not meet the renewal criteria for adalimumab and/or etanercept for ankylosing spondylitis

Renewal — ankylosing spondylitis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Following 12 weeks of infliximab treatment, BASDAI has improved by 4 or more points from pre-infliximab baseline on a 10 point scale, or by 50%, whichever is less
and	
<input type="checkbox"/>	Physician considers that the patient has benefited from treatment and that continued treatment is appropriate
and	
<input type="checkbox"/>	Infliximab to be administered at doses no greater than 5 mg/kg every 6-8 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Infliximab - continued

Initial application — chronic ocular inflammation

Applications from any relevant practitioner. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab for chronic ocular inflammation

and

The patient has experienced intolerable side effects from adalimumab

or

The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for chronic ocular inflammation

or

Patient has severe uveitis uncontrolled with treatment of steroids and other immunosuppressants with a severe risk of vision loss

and

Patient is 18 years or older and treatment with at least two other immunomodulatory agents has proven ineffective

or

Patient is under 18 years and treatment with methotrexate has proven ineffective or is not tolerated at a therapeutic dose

or

Patient is under 8 years and treatment with steroids or methotrexate has proven ineffective or is not tolerated at a therapeutic dose; or disease requires control to prevent irreversible vision loss prior to achieving a therapeutic dose of methotrexate

Renewal — chronic ocular inflammation

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has had a good clinical response following 3 initial doses

or

Following each 12 month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema)

or

Following each 12 month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old

Note: A trial withdrawal should be considered after every 24 months of stability, unless the patient is deemed to have extremely high risk of irreversible vision loss if infliximab is withdrawn.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Infliximab - *continued*

Initial application — fistulising Crohn's disease

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has confirmed Crohn's disease

and

Patient has one or more complex externally draining enterocutaneous fistula(e)

or

Patient has one or more rectovaginal fistula(e)

or

Patient has complex peri-anal fistula

Renewal — fistulising Crohn's disease

Current approval Number (if known):.....

Applications only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The number of open draining fistulae have decreased from baseline by at least 50%

or

There has been a marked reduction in drainage of all fistula(e) from baseline (in the case of adult patients, as demonstrated by a reduction in the Fistula Assessment score), together with less induration and patient reported pain

and

Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019

Initial application — neurosarcoidosis

Applications only from a neurologist or Practitioner on the recommendation of a neurologist. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

Patient has been diagnosed with neurosarcoidosis by a multidisciplinary team

and

Patient has CNS involvement

and

Patient has steroid-refractory disease

and

IV cyclophosphamide has been tried

or

Treatment with IV cyclophosphamide is clinically inappropriate

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - continued

Renewal — neurosarcoidosis

Current approval Number (if known):.....

Applications only from a neurologist or Practitioner on the recommendation of a neurologist. Approvals valid for 18 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> A withdrawal period has been tried and the patient has relapsed or <table border="1" style="margin-left: 20px;"> <tr> <td style="padding: 5px;"> <input type="checkbox"/> A withdrawal period has been considered but would not be clinically appropriate and <input type="checkbox"/> There has been a marked reduction in prednisone dose and <table border="1" style="margin-left: 20px;"> <tr> <td style="padding: 5px;"> <input type="checkbox"/> There has been an improvement in MRI appearances or <input type="checkbox"/> Marked improvement in other symptomology </td> </tr> </table> </td> </tr> </table>	<input type="checkbox"/> A withdrawal period has been considered but would not be clinically appropriate and <input type="checkbox"/> There has been a marked reduction in prednisone dose and <table border="1" style="margin-left: 20px;"> <tr> <td style="padding: 5px;"> <input type="checkbox"/> There has been an improvement in MRI appearances or <input type="checkbox"/> Marked improvement in other symptomology </td> </tr> </table>	<input type="checkbox"/> There has been an improvement in MRI appearances or <input type="checkbox"/> Marked improvement in other symptomology
<input type="checkbox"/> A withdrawal period has been considered but would not be clinically appropriate and <input type="checkbox"/> There has been a marked reduction in prednisone dose and <table border="1" style="margin-left: 20px;"> <tr> <td style="padding: 5px;"> <input type="checkbox"/> There has been an improvement in MRI appearances or <input type="checkbox"/> Marked improvement in other symptomology </td> </tr> </table>	<input type="checkbox"/> There has been an improvement in MRI appearances or <input type="checkbox"/> Marked improvement in other symptomology	
<input type="checkbox"/> There has been an improvement in MRI appearances or <input type="checkbox"/> Marked improvement in other symptomology		

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - *continued*

Initial application — plaque psoriasis

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has had an initial Special Authority approval for adalimumab, etanercept or secukinumab for severe chronic plaque psoriasis
and
<input type="checkbox"/> Patient has experienced intolerable side effects from adalimumab, etanercept or secukinumab <input type="checkbox"/> Patient has received insufficient benefit from adalimumab, etanercept or secukinumab to meet the renewal criteria for adalimumab, etanercept or secukinumab for severe chronic plaque psoriasis
or
<input type="checkbox"/> Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis <input type="checkbox"/> Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis
and
<input type="checkbox"/> Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin
and
<input type="checkbox"/> A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course
and
<input type="checkbox"/> The most recent PASI assessment is no more than 1 month old at the time of initiation

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 10, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - continued

Renewal — plaque psoriasis

Current approval Number (if known):.....

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<table border="1"> <tr> <td> <table border="1"> <tr> <td><input type="checkbox"/></td> <td>Patient had "whole body" severe chronic plaque psoriasis at the start of treatment</td> </tr> <tr> <td>and</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab treatment baseline value</td> </tr> </table> </td> <td>or</td> <td> <table border="1"> <tr> <td><input type="checkbox"/></td> <td>Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment</td> </tr> <tr> <td>and</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values</td> </tr> <tr> <td>or</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab treatment baseline value</td> </tr> </table> </td> </tr> </table>	<table border="1"> <tr> <td><input type="checkbox"/></td> <td>Patient had "whole body" severe chronic plaque psoriasis at the start of treatment</td> </tr> <tr> <td>and</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab treatment baseline value</td> </tr> </table>	<input type="checkbox"/>	Patient had "whole body" severe chronic plaque psoriasis at the start of treatment	and	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab treatment baseline value	or	<table border="1"> <tr> <td><input type="checkbox"/></td> <td>Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment</td> </tr> <tr> <td>and</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values</td> </tr> <tr> <td>or</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab treatment baseline value</td> </tr> </table>	<input type="checkbox"/>	Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment	and	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values	or	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab treatment baseline value	and	<input type="checkbox"/>	Infliximab to be administered at doses no greater than 5 mg/kg every 8 weeks
<table border="1"> <tr> <td><input type="checkbox"/></td> <td>Patient had "whole body" severe chronic plaque psoriasis at the start of treatment</td> </tr> <tr> <td>and</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab treatment baseline value</td> </tr> </table>	<input type="checkbox"/>	Patient had "whole body" severe chronic plaque psoriasis at the start of treatment	and	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab treatment baseline value	or	<table border="1"> <tr> <td><input type="checkbox"/></td> <td>Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment</td> </tr> <tr> <td>and</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values</td> </tr> <tr> <td>or</td> <td><input type="checkbox"/></td> <td>Following each prior infliximab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab treatment baseline value</td> </tr> </table>	<input type="checkbox"/>	Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment	and	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values	or	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab treatment baseline value				
<input type="checkbox"/>	Patient had "whole body" severe chronic plaque psoriasis at the start of treatment																		
and	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab treatment baseline value																	
<input type="checkbox"/>	Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment																		
and	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values																	
or	<input type="checkbox"/>	Following each prior infliximab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab treatment baseline value																	

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - *continued*

Initial application — previous use

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient was being treated with infliximab prior to 1 February 2019

and

Rheumatoid arthritis

or

Ankylosing spondylitis

or

Psoriatic arthritis

or

Severe ocular inflammation

or

Chronic ocular inflammation

or

Crohn's disease (adults)

or

Crohn's disease (children)

or

Fistulising Crohn's disease

or

Severe fulminant ulcerative colitis

or

Severe ulcerative colitis

or

Plaque psoriasis

or

Neurosarcoidosis

or

Severe Behcet's disease

Initial application — psoriatic arthritis

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab and/or etanercept and/or secukinumab for psoriatic arthritis

and

The patient has experienced intolerable side effects from adalimumab and/or etanercept and/or secukinumab

or

Following 3-4 months' initial treatment with adalimumab and/or etanercept and/or secukinumab, the patient did not meet the renewal criteria for adalimumab and/or etanercept and/or secukinumab for psoriatic arthritis

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - *continued*

Renewal — psoriatic arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
or	
<input type="checkbox"/>	The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior infliximab treatment in the opinion of the treating physician
and	
<input type="checkbox"/>	Infliximab to be administered at doses no greater than 5 mg/kg every 8 weeks

Initial application — rheumatoid arthritis

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has had an initial Special Authority approval for adalimumab and/or etanercept for rheumatoid arthritis
and	
<input type="checkbox"/>	The patient has experienced intolerable side effects from a reasonable trial of adalimumab and/or etanercept
or	
<input type="checkbox"/>	Following at least a four month trial of adalimumab and/or etanercept, the patient did not meet the renewal criteria for adalimumab and/or etanercept
and	
<input type="checkbox"/>	Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

Renewal — rheumatoid arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance
and	
<input type="checkbox"/>	Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
or	
<input type="checkbox"/>	The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
and	
<input type="checkbox"/>	Infliximab to be administered at doses no greater than 3 mg/kg every 8 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - *continued*

Initial application — severe Behcet’s disease

Applications from any relevant practitioner. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has severe Behcet’s disease which is significantly impacting the patient’s quality of life (see Notes)
and	
<input type="checkbox"/>	The patient has severe ocular, neurological and/or vasculitic symptoms and has not responded adequately to one or more treatment(s) appropriate for the particular symptom(s) (see Notes)
or	
<input type="checkbox"/>	The patient has severe gastrointestinal, rheumatologic and/or mucocutaneous symptoms and has not responded adequately to two or more treatment appropriate for the particular symptom(s) (see Notes)
and	
<input type="checkbox"/>	The patient is experiencing significant loss of quality of life

Note: Behcet’s disease diagnosed according to the International Study Group for Behcet’s Disease. Lancet 1990;335(8697):1078-80. Quality of life measured using an appropriate quality of life scale such as that published in Gilworth et al J Rheumatol. 2004;31:931-7. Treatments appropriate for the particular symptoms are those that are considered standard conventional treatments for these symptoms, for example intravenous/oral steroids and other immunosuppressants for ocular symptoms; azathioprine, steroids, thalidomide, interferon alpha and ciclosporin for mucocutaneous symptoms; and colchicine, steroids and methotrexate for rheumatological symptoms.

Renewal — severe Behcet’s disease

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has had a good clinical response to initial treatment with measurably improved quality of life
and	
<input type="checkbox"/>	Infliximab to be administered at doses no greater than 5 mg/kg every 8 weeks

Renewal — fulminant ulcerative colitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Where maintenance treatment is considered appropriate, infliximab should be used in combination with immunomodulators and reassessed every 6 months
and	
<input type="checkbox"/>	Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Infliximab - continued

Initial application — severe ocular inflammation

Applications from any relevant practitioner. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab for severe ocular inflammation

and

The patient has experienced intolerable side effects from adalimumab

or

The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe ocular inflammation

or

Patient has severe, vision-threatening ocular inflammation requiring rapid control

and

Treatment with high-dose steroids (intravenous methylprednisolone) followed by high dose oral steroids has proven ineffective at controlling symptoms

or

Patient developed new inflammatory symptoms while receiving high dose steroids

or

Patient is aged under 8 years and treatment with high dose oral steroids and other immunosuppressants has proven ineffective at controlling symptoms

Renewal — severe ocular inflammation

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has had a good clinical response following 3 initial doses

or

Following each 12 month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema)

or

Following each 12 month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old

Note: A trial withdrawal should be considered after every 24 months of stability, unless the patient is deemed to have extremely high risk of irreversible vision loss if infliximab is withdrawn.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Infliximab - *continued*

Initial application — ulcerative colitis

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has active ulcerative colitis

and

Patients SCCAI is greater than or equal to 4

or

Patients PUCAI score is greater than or equal to 20

and

Patient has tried but has experienced an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and systemic corticosteroids

Renewal — ulcerative colitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The SCCAI score has reduced by 2 points or more from the SCCAI score when the patient was initiated on infliximab

or

The PUCAI score has reduced by 10 points or more from the PUCAI score when the patient was initiated on infliximab

and

Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019

Initial application — pyoderma gangrenosum

Applications only from a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has pyoderma gangrenosum*

and

Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response

and

A maximum of 8 doses

Note: Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - *continued*

Renewal — pyoderma gangrenosum

Current approval Number (if known):.....

Applications only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has shown clinical improvement and <input type="checkbox"/> Patient continues to require treatment and <input type="checkbox"/> A maximum of 8 doses

Initial application — inflammatory bowel arthritis – axial

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has a diagnosis of active ulcerative colitis or active Crohn's disease and <input type="checkbox"/> Patient has had axial inflammatory pain for six months or more and <input type="checkbox"/> Patient is unable to take NSAIDs and <input type="checkbox"/> Patient has unequivocal sacroiliitis demonstrated by radiological imaging or MRI and <input type="checkbox"/> Patient's disease has not responded adequately to prior treatment consisting of at least 3 months of an exercise regime supervised by a physiotherapist and <input type="checkbox"/> Patient has a BASDAI of at least 6 on a 0 - 10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment

Renewal — inflammatory bowel arthritis – axial

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

<input type="checkbox"/> Treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10-point scale, or an improvement in BASDAI of 50%, whichever is less
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infliximab - continued

Initial application — inflammatory bowel arthritis – peripheral

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient has a diagnosis of active ulcerative colitis or active Crohn's disease
- and Patient has active arthritis in at least four joints from the following: hip, knee, ankle, subtalar, tarsus, forefoot, wrist, elbow, shoulder, sternoclavicular
- and Patient has tried and not experienced a response to at least three months of methotrexate or azathioprine at a maximum tolerated dose (unless contraindicated)
- and Patient has tried and not experienced a response to at least three months of sulfasalazine at a maximum tolerated dose (unless contraindicated)
- and
 - Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application
 - or Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application
 - or ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

Renewal — inflammatory bowel arthritis – peripheral

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

- Following initial treatment, patient has experienced at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
- or Patient has experienced at least a continuing 30% improvement in active joint count from baseline in the opinion of the treating physician

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA2332 - Tocilizumab

Rheumatoid Arthritis - Initial application	271
Rheumatoid Arthritis - Renewal	273
Rheumatoid Arthritis (patients previously treated with adalimumab or etanercept) - Initial application	270
Adult-onset Still's disease - Initial application	272
Adult-onset Still's disease - Renewal	274
Cytokine release syndrome - Initial application	269
Idiopathic multicentric Castleman's disease - Initial application	273
Idiopathic multicentric Castleman's disease - Renewal	274
Moderate to severe COVID-19 - Initial application	273
Polyarticular juvenile idiopathic arthritis - Initial application	272
Polyarticular juvenile idiopathic arthritis - Renewal	274
Previous use - Initial application	269
Systemic juvenile idiopathic arthritis - Initial application	271
Systemic juvenile idiopathic arthritis - Renewal	273

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tocilizumab

Initial application — cytokine release syndrome

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

- The patient is enrolled in the Children’s Oncology Group AALL1731 trial
- and**
- The patient has developed grade 3 or 4 cytokine release syndrome associated with the administration of blinatumomab for the treatment of acute lymphoblastic leukaemia
- and**
- Tocilizumab is to be administered at doses no greater than 8 mg/kg IV for a maximum of 3 doses (if less than 30kg, maximum of 12 mg/kg)

or

- The patient is enrolled in the Malaghan Institute of Medical Research ENABLE trial programme
- and**
- The patient has developed CRS or Immune Effector Cell-Associated Neurotoxicity Syndrome (ICANS) following CAR T-cell therapy for the treatment of relapsed or refractory B-cell non-Hodgkin lymphoma
- and**
- Tocilizumab is to be administered according to the consensus guidelines for CRS or ICANS for CAR T-cell therapy at doses no greater than 8 mg/kg IV for a maximum of 3 doses

Initial application — previous use

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient was being treated with tocilizumab prior to 1 February 2019
- and**
- Rheumatoid arthritis
- or**
- Systemic juvenile idiopathic arthritis
- or**
- Adult-onset Still’s disease
- or**
- Polyarticular juvenile idiopathic arthritis
- or**
- Idiopathic multicentric Castleman’s disease

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tocilizumab - *continued*

Initial application — Rheumatoid Arthritis (patients previously treated with adalimumab or etanercept)

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has had an initial Special Authority approval for adalimumab and/or etanercept for rheumatoid arthritis
and	
<input type="checkbox"/>	The patient has experienced intolerable side effects from adalimumab and/or etanercept
or	
<input type="checkbox"/>	The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for rheumatoid arthritis
and	
<input type="checkbox"/>	The patient is seronegative for both anti-cyclic citrullinated peptide (CCP) antibodies and rheumatoid factor
or	
<input type="checkbox"/>	The patient has been started on rituximab for rheumatoid arthritis in a Health NZ Hospital
and	
<input type="checkbox"/>	The patient has experienced intolerable side effects from rituximab
or	
<input type="checkbox"/>	At four months following the initial course of rituximab the patient has received insufficient benefit such that they do not meet the renewal criteria for rheumatoid arthritis

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tocilizumab - continued

Initial application — Rheumatoid Arthritis

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer
and	
<input type="checkbox"/>	Tocilizumab is to be used as monotherapy
and	
<input type="checkbox"/>	Treatment with methotrexate is contraindicated
or	
<input type="checkbox"/>	Patient has tried and did not tolerate oral and/or parenteral methotrexate
and	
<input type="checkbox"/>	Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of ciclosporin alone or in combination with another agent
or	
<input type="checkbox"/>	Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent
and	
<input type="checkbox"/>	Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints
or	
<input type="checkbox"/>	Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip
and	
<input type="checkbox"/>	Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application
or	
<input type="checkbox"/>	C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

Initial application — systemic juvenile idiopathic arthritis

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient diagnosed with systemic juvenile idiopathic arthritis
and	
<input type="checkbox"/>	Patient has tried and not responded to a reasonable trial of all of the following, either alone or in combination: oral or parenteral methotrexate; non-steroidal anti-inflammatory drugs (NSAIDs); and systemic corticosteroids

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Tocilizumab - continued

Initial application — adult-onset Still's disease

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab and/or etanercept for adult-onset Still's disease (AOSD)

or

The patient has been started on tocilizumab for AOSD in a Health NZ Hospital

and

The patient has experienced intolerable side effects from adalimumab and/or etanercept

or

The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for AOSD

or

Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430)

and

Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal antiinflammatory drugs (NSAIDs) and methotrexate

and

Patient has persistent symptoms of disabling poorly controlled and active disease

Initial application — polyarticular juvenile idiopathic arthritis

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for both etanercept and adalimumab for polyarticular course juvenile idiopathic arthritis (JIA)

and

The patient has experienced intolerable side effects, or has received insufficient benefit from, both etanercept and adalimumab

or

Treatment with a tumour necrosis factor alpha inhibitor is contraindicated

and

Patient has had polyarticular course JIA for 6 months duration or longer

and

To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

and

At least 5 active joints and at least 3 joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose)

or

Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate (at the maximum tolerated dose)

or

Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tocilizumab - continued

Initial application — idiopathic multicentric Castleman’s disease

Applications only from a haematologist, rheumatologist or Practitioner on the recommendation of a haematologist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has severe HHV-8 negative idiopathic multicentric Castleman’s disease
and	
<input type="checkbox"/>	Treatment with an adequate trial of corticosteroids has proven ineffective
and	
<input type="checkbox"/>	Tocilizumab to be administered at doses no greater than 8 mg/kg IV every 3-4 weeks

Initial application — moderate to severe COVID-19

Applications from any relevant practitioner. Approvals valid for 4 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has confirmed (or probable) COVID-19
and	
<input type="checkbox"/>	Oxygen saturation of < 92% on room air, or requiring supplemental oxygen
and	
<input type="checkbox"/>	Patient is receiving adjunct systemic corticosteroids, or systemic corticosteroids are contraindicated
and	
<input type="checkbox"/>	Tocilizumab is to be administered at doses no greater than 8mg/kg IV for a maximum of one dose
and	
<input type="checkbox"/>	Tocilizumab is not to be administered in combination with baricitinib

Renewal — Rheumatoid Arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Following 6 months’ initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
or	
<input type="checkbox"/>	On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

Renewal — systemic juvenile idiopathic arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Following up to 6 months’ initial treatment, the patient has achieved at least an American College of Rheumatology paediatric 30% improvement criteria (ACR Pedi 30) response from baseline
or	
<input type="checkbox"/>	On subsequent reapplications, the patient demonstrates at least a continuing ACR Pedi 30 response from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tocilizumab - continued

Renewal — adult-onset Still’s disease

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The patient has a sustained improvement in inflammatory markers and functional status

Renewal — polyarticular juvenile idiopathic arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance
and
<input type="checkbox"/> Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline
or
<input type="checkbox"/> On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline

Renewal — idiopathic multicentric Castleman’s disease

Current approval Number (if known):.....

Applications only from a haematologist, rheumatologist or Practitioner on the recommendation of a haematologist or rheumatologist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient has a sustained improvement in inflammatory markers and functional status

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Trastuzumab emtansine

Initial application — early breast cancer
Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

Patient has early breast cancer expressing HER2 IHC3+ or ISH+

and Documentation of pathological invasive residual disease in the breast and/or auxiliary lymph nodes following completion of surgery

and Patient has completed systemic neoadjuvant therapy with trastuzumab and chemotherapy prior to surgery

and Disease has not progressed during neoadjuvant therapy

and Patient has left ventricular ejection fraction of 45% or greater

and Adjuvant treatment with trastuzumab emtansine to be commenced within 12 weeks of surgery

and Trastuzumab emtansine to be discontinued at disease progression

and Total adjuvant treatment duration must not exceed 42 weeks (14 cycles)

Initial application — metastatic breast cancer
Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology)

and Patient has previously received trastuzumab and chemotherapy, separately or in combination

and The patient has received prior therapy for metastatic disease*

or The patient developed disease recurrence during, or within six months of completing adjuvant therapy*

and Patient has a good performance status (ECOG 0-1)

and Patient does not have symptomatic brain metastases

or Patient has brain metastases and has received prior local CNS therapy

and Patient has not received prior funded trastuzumab emtansine treatment

and Treatment to be discontinued at disease progression

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Trastuzumab emtansine - *continued*

Renewal — metastatic breast cancer

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

and	<input type="checkbox"/> The cancer has not progressed at any time point during the previous approval period whilst on trastuzumab emtansine
	<input type="checkbox"/> Treatment to be discontinued at disease progression

Note: Prior or adjuvant therapy includes anthracycline, other chemotherapy, biological drugs, or endocrine therapy.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA2233 - Rituximab

ABO-incompatible organ transplant - Initial application	278
ANCA associated vasculitis - Initial application	278
ANCA associated vasculitis - Renewal	278
Antibody-mediated organ transplant rejection - Initial application	278
B-cell acute lymphoblastic leukaemia/lymphoma* - Initial application	294
CD20+ low grade or follicular B-cell NHL - Initial application	292
CD20+ low grade or follicular B-cell NHL - Renewal	293
Chronic lymphocytic leukaemia - Initial application	279
Chronic lymphocytic leukaemia - Renewal	280
Membranous nephropathy - Initial application	293
Membranous nephropathy - Renewal	294
Neuromyelitis Optica Spectrum Disorder - Renewal	281
Neuromyelitis Optica Spectrum Disorder(NMOSD) - Initial application	280
Post-transplant - Initial application	281
Post-transplant - Renewal	281
Severe Refractory Myasthenia Gravis - Initial application	282
Severe Refractory Myasthenia Gravis - Renewal	282
Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS) - Initial application	283
Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS) - Renewal	283
Steroid resistant nephrotic syndrome (SRNS) - Initial application	283
Steroid resistant nephrotic syndrome (SRNS) - Renewal	284
Aggressive CD20 positive NHL - Initial application	284
Aggressive CD20 positive NHL - Renewal	284
Anti-NMDA receptor autoimmune encephalitis - Initial application	292
Anti-NMDA receptor autoimmune encephalitis - Renewal	292
Desensitisation prior to transplant - Initial application	294
Graft versus host disease - Initial application	290
Haemophilia with inhibitors - Initial application	285
Haemophilia with inhibitors - Renewal	285
Immune thrombocytopenic purpura (ITP) - Initial application	285
Immune thrombocytopenic purpura (ITP) - Renewal	286
Immunoglobulin G4-related disease (IgG4-RD*) - Initial application	296
Immunoglobulin G4-related disease (IgG4-RD*) - Renewal	296
Indolent, low-grade lymphomas or hairy cell leukaemia* - Initial application	286
Indolent, low-grade lymphomas or hairy cell leukaemia* - Renewal	286
Pemphigus* - Initial application	295
Pemphigus* - Renewal	295
Pure red cell aplasia (PRCA) - Initial application	287
Pure red cell aplasia (PRCA) - Renewal	287
Severe antisynthetase syndrome - Initial application	290
Severe antisynthetase syndrome - Renewal	290
Severe chronic inflammatory demyelinating polyneuropathy - Initial application	291
Severe chronic inflammatory demyelinating polyneuropathy - Renewal	291
Severe cold haemagglutinin disease (CHAD) - Initial application	287
Severe cold haemagglutinin disease (CHAD) - Renewal	287
Thrombotic thrombocytopenic purpura (TTP) - Initial application	288
Thrombotic thrombocytopenic purpura (TTP) - Renewal	288
Treatment refractory systemic lupus erythematosus (SLE) - Initial application	288
Treatment refractory systemic lupus erythematosus (SLE) - Renewal	289
Warm autoimmune haemolytic anaemia (warm AIHA) - Initial application	289
Warm autoimmune haemolytic anaemia (warm AIHA) - Renewal	289

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo)

Initial application — ABO-incompatible organ transplant

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

Patient is to undergo an ABO-incompatible solid organ transplant*

Note: Indications marked with * are unapproved indications.

Initial application — ANCA associated vasculitis

Applications from any relevant practitioner. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

- Patient has been diagnosed with ANCA associated vasculitis*
- and
- The total rituximab dose would not exceed the equivalent of 375 mg/m² of body-surface area per week for a total of 4 weeks
- and
- Induction therapy with daily oral or pulse intravenous cyclophosphamide has failed to achieve significant improvement of disease after at least 3 months
- or
- Patient has previously had a cumulative dose of cyclophosphamide > 15 g or a further repeat 3 month induction course of cyclophosphamide would result in a cumulative dose > 15 g
- or
- Cyclophosphamide and methotrexate are contraindicated
- or
- Patient is a female of child-bearing potential
- or
- Patient has a previous history of haemorrhagic cystitis, urological malignancy or haematological malignancy

Note: Indications marked with * are unapproved indications.

Renewal — ANCA associated vasculitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

- Patient has been diagnosed with ANCA associated vasculitis*
- and
- Patient has previously responded to treatment with rituximab but is now experiencing an acute flare of vasculitis
- and
- The total rituximab dose would not exceed the equivalent of 375 mg/m² of body-surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

Initial application — Antibody-mediated organ transplant rejection

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

Patient has been diagnosed with antibody-mediated organ transplant rejection*

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — Chronic lymphocytic leukaemia

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment

and

The patient is rituximab treatment naive

or

The patient is chemotherapy treatment naive

or

The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment

and

The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy

or

The patient's disease has relapsed within 36 months of previous treatment and rituximab treatment is to be used in combination with funded venetoclax

and

The patient has good performance status

and

The patient does not have chromosome 17p deletion CLL

or

Rituximab treatment is to be used in combination with funded venetoclax for relapsed/refractory chronic lymphocytic leukaemia

and

Rituximab to be administered in combination with fludarabine and cyclophosphamide, bendamustine or venetoclax for a maximum of 6 treatment cycles

and

It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration), bendamustine or venetoclax

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Renewal — Chronic lymphocytic leukaemia

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient's disease has relapsed within 36 months of previous treatment and rituximab treatment is to be used in combination with funded venetoclax

or

The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL

and

The patient has had an interval of 36 months or more since commencement of initial rituximab treatment

and

The patient does not have chromosome 17p deletion CLL

and

It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine

and

Rituximab to be administered in combination with fludarabine and cyclophosphamide, bendamustine or venetoclax for a maximum of 6 treatment cycles

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — Neuromyelitis Optica Spectrum Disorder(NMOSD)

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

One of the following dose regimens is to be used: 2 doses of 1,000 mg rituximab administered fortnightly, or 4 doses of 375 mg/m2 administered weekly for four weeks

and

The patient has experienced a severe episode or attack of NMOSD (rapidly progressing symptoms and clinical investigations supportive of a severe attack of NMOSD)

or

The patient has experienced a breakthrough attack of NMOSD

and

The patient is receiving treatment with mycophenolate

and

The patients is receiving treatment with corticosteroids

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Renewal — Neuromyelitis Optica Spectrum Disorder

Current approval Number (if known):.....

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	One of the following dose regimens is to be used: 2 doses of 1,000 mg rituximab administered fortnightly, or 4 doses of 375 mg/m ² administered weekly for four weeks
and	
<input type="checkbox"/>	The patient has responded to the most recent course of rituximab
and	
<input type="checkbox"/>	The patient has not received rituximab in the previous 6 months

Initial application — Post-transplant

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has B-cell post-transplant lymphoproliferative disorder*
and	
<input type="checkbox"/>	To be used for a maximum of 8 treatment cycles

Note: Indications marked with * are unapproved indications.

Renewal — Post-transplant

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has had a rituximab treatment-free interval of 12 months or more
and	
<input type="checkbox"/>	The patient has B-cell post-transplant lymphoproliferative disorder*
and	
<input type="checkbox"/>	To be used for no more than 6 treatment cycles

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — Severe Refractory Myasthenia Gravis

Applications only from a neurologist or medical practitioner on the recommendation of a neurologist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	One of the following dose regimens is to be used: 375 mg/m ² of body surface area per week for a total of four weeks, or 500 mg once weekly for four weeks, or two 1,000 mg doses given two weeks apart
and	
<input type="checkbox"/>	Treatment with corticosteroids and at least one other immunosuppressant for at least a period of 12 months has been ineffective
or	
<input type="checkbox"/>	Treatment with at least one other immunosuppressant for a period of at least 12 months
and	
<input type="checkbox"/>	Corticosteroids have been trialed for at least 12 months and have been discontinued due to unacceptable side effects

Renewal — Severe Refractory Myasthenia Gravis

Current approval Number (if known):.....

Applications only from a neurologist or medical practitioner on the recommendation of a neurologist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	One of the following dose regimens is to be used: 375 mg/m ² of body surface area per week for a total of four weeks, or 500 mg once weekly for four weeks, or two 1,000 mg doses given two weeks apart
and	
<input type="checkbox"/>	An initial response lasting at least 12 months was demonstrated
and	
<input type="checkbox"/>	The patient has relapsed despite treatment with corticosteroids and at least one other immunosuppressant for a period of at least 12 months
or	
<input type="checkbox"/>	The patient's myasthenia gravis has relapsed despite treatment with at least one immunosuppressant for a period of at least 12 months
and	
<input type="checkbox"/>	Corticosteroids have been trialed for at least 12 months and have been discontinued due to unacceptable side effects

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS)
Applications only from a nephrologist or Practitioner on the recommendation of a nephrologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

Patient is a child with SDNS* or FRNS*

and Treatment with steroids for at least a period of 3 months has been ineffective or associated with evidence of steroid toxicity

and Treatment with ciclosporin for at least a period of 3 months has been ineffective and/or discontinued due to unacceptable side effects

and Treatment with mycophenolate for at least a period of 3 months with no reduction in disease relapses

and The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

Renewal — Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS)

Current approval Number (if known):.....

Applications only from a nephrologist or Practitioner on the recommendation of a nephrologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

Patient who was previously treated with rituximab for nephrotic syndrome*

and Treatment with rituximab was previously successful and has demonstrated sustained response for greater than 6 months, but the condition has relapsed and the patient now requires repeat treatment

and The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

Initial application — Steroid resistant nephrotic syndrome (SRNS)
Applications only from a nephrologist or Practitioner on the recommendation of a nephrologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

Patient is a child with SRNS* where treatment with steroids and ciclosporin for at least 3 months have been ineffective

and Treatment with tacrolimus for at least 3 months has been ineffective

and Genetic causes of nephrotic syndrome have been excluded

and The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Renewal — Steroid resistant nephrotic syndrome (SRNS)

Current approval Number (if known):.....

Applications only from a nephrologist or Practitioner on the recommendation of a nephrologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient who was previously treated with rituximab for nephrotic syndrome*
and	
<input type="checkbox"/>	Treatment with rituximab was previously successful and has demonstrated sustained response for greater than 6 months, but the condition has relapsed and the patient now requires repeat treatment
and	
<input type="checkbox"/>	The total rituximab dose used would not exceed the equivalent of 375 mg/m ² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

Initial application — aggressive CD20 positive NHL

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has treatment naive aggressive CD20 positive NHL
and	
<input type="checkbox"/>	To be used with a multi-agent chemotherapy regimen given with curative intent
and	
<input type="checkbox"/>	To be used for a maximum of 8 treatment cycles
or	
<input type="checkbox"/>	The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy
and	
<input type="checkbox"/>	To be used for a maximum of 6 treatment cycles

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — aggressive CD20 positive NHL

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has had a rituximab treatment-free interval of 12 months or more
and	
<input type="checkbox"/>	The patient has relapsed refractory/aggressive CD20 positive NHL
and	
<input type="checkbox"/>	To be used with a multi-agent chemotherapy regimen given with curative intent
and	
<input type="checkbox"/>	To be used for a maximum of 4 treatment cycles

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — haemophilia with inhibitors

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has mild congenital haemophilia complicated by inhibitors
or	
<input type="checkbox"/>	Patient has severe congenital haemophilia complicated by inhibitors and has failed immune tolerance therapy
or	
<input type="checkbox"/>	Patient has acquired haemophilia

Renewal — haemophilia with inhibitors

Current approval Number (if known):.....

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient was previously treated with rituximab for haemophilia with inhibitors
and	
<input type="checkbox"/>	An initial response lasting at least 12 months was demonstrated
and	
<input type="checkbox"/>	Patient now requires repeat treatment

Initial application — immune thrombocytopenic purpura (ITP)

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microlitre
or	
<input type="checkbox"/>	Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding
and	
<input type="checkbox"/>	Treatment with steroids and splenectomy have been ineffective
or	
<input type="checkbox"/>	Treatment with steroids has been ineffective and splenectomy is an absolute contraindication
or	
<input type="checkbox"/>	Other treatments including steroids have been ineffective and patient is being prepared for elective surgery (e.g. splenectomy)
and	
<input type="checkbox"/>	The total rituximab dose used would not exceed the equivalent of 375 mg/m ² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Renewal — immune thrombocytopenic purpura (ITP)

Current approval Number (if known):.....

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m ² weekly for 4 weeks) is now planned
or
<input type="checkbox"/> Patient was previously treated with rituximab for immune thrombocytopenic purpura*
and
<input type="checkbox"/> An initial response lasting at least 12 months was demonstrated
and
<input type="checkbox"/> Patient now requires repeat treatment

Note: Indications marked with * are unapproved indications.

Initial application — indolent, low-grade lymphomas or hairy cell leukaemia*

Applications from any relevant practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy
and
<input type="checkbox"/> To be used for a maximum of 6 treatment cycles
or
<input type="checkbox"/> The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy
and
<input type="checkbox"/> To be used for a maximum of 6 treatment cycles

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Unapproved indication. 'Hairy cell leukaemia' also includes hairy cell leukaemia variant.

Renewal — indolent, low-grade lymphomas or hairy cell leukaemia*

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has had a rituximab treatment-free interval of 12 months or more
and
<input type="checkbox"/> The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy
and
<input type="checkbox"/> To be used for no more than 6 treatment cycles

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Unapproved indication. 'Hairy cell leukaemia' also includes hairy cell leukaemia variant.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — pure red cell aplasia (PRCA)

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 weeks.

Prerequisites(tick box where appropriate)

Patient has autoimmune pure red cell aplasia* associated with a demonstrable B-cell lymphoproliferative disorder

Note: Indications marked with * are unapproved indications.

Renewal — pure red cell aplasia (PRCA)

Current approval Number (if known):.....

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 weeks.

Prerequisites(tick box where appropriate)

Patient was previously treated with rituximab for pure red cell aplasia* associated with a demonstrable B-cell lymphoproliferative disorder and demonstrated an initial response lasting at least 12 months

Note: Indications marked with * are unapproved indications.

Initial application — severe cold haemagglutinin disease (CHAD)

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

- Patient has cold haemagglutinin disease*
- and
- Patient has severe disease which is characterized by symptomatic anaemia, transfusion dependence or disabling circulatory symptoms
- and
- The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

Renewal — severe cold haemagglutinin disease (CHAD)

Current approval Number (if known):.....

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

- Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m² weekly for 4 weeks) is now planned
- or
- Patient was previously treated with rituximab for severe cold haemagglutinin disease*
- and
- An initial response lasting at least 12 months was demonstrated
- and
- Patient now requires repeat treatment

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — thrombotic thrombocytopenic purpura (TTP)

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks

and

Patient has thrombotic thrombocytopenic purpura* and has experienced progression of clinical symptoms or persistent thrombocytopenia despite plasma exchange

or

Patient has acute idiopathic thrombotic thrombocytopenic purpura* with neurological or cardiovascular pathology

Note: Indications marked with * are unapproved indications.

Renewal — thrombotic thrombocytopenic purpura (TTP)

Current approval Number (if known):.....

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

Patient was previously treated with rituximab for thrombotic thrombocytopenic purpura*

and

An initial response lasting at least 12 months was demonstrated

and

Patient now requires repeat treatment

and

The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

Initial application — treatment refractory systemic lupus erythematosus (SLE)

Applications only from a rheumatologist, nephrologist or Practitioner on the recommendation of a rheumatologist or nephrologist. Approvals valid for 7 months.

Prerequisites(tick boxes where appropriate)

The patient has severe, immediately life- or organ-threatening SLE*

and

The disease has proved refractory to treatment with steroids at a dose of at least 1 mg/kg

and

The disease has relapsed following prior treatment for at least 6 months with maximal tolerated doses of azathioprine, mycophenolate mofetil and high dose cyclophosphamide, or cyclophosphamide is contraindicated

and

Maximum of four 1000 mg infusions of rituximab

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Renewal — treatment refractory systemic lupus erythematosus (SLE)

Current approval Number (if known):.....

Applications only from a rheumatologist, nephrologist or Practitioner on the recommendation of a rheumatologist or nephrologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient's SLE* achieved at least a partial response to the previous round of prior rituximab treatment
- and
- The disease has subsequently relapsed
- and
- Maximum of two 1000 mg infusions of rituximab

Note: Indications marked with * are unapproved indications.

Initial application — warm autoimmune haemolytic anaemia (warm AIHA)

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

- Patient has warm autoimmune haemolytic anaemia*
- and
- One of the following treatments has been ineffective: steroids (including if patient requires ongoing steroids at doses equivalent to > 5 mg prednisone daily), cytotoxic agents (e.g. cyclophosphamide monotherapy or in combination), intravenous immunoglobulin
- and
- The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks

Note: Indications marked with * are unapproved indications.

Renewal — warm autoimmune haemolytic anaemia (warm AIHA)

Current approval Number (if known):.....

Applications only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks.

Prerequisites(tick boxes where appropriate)

- Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m² weekly for 4 weeks) is now planned
- or
- Patient was previously treated with rituximab for warm autoimmune haemolytic anaemia*
- and
- An initial response lasting at least 12 months was demonstrated
- and
- Patient now requires repeat treatment

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — severe antisynthetase syndrome

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has confirmed antisynthetase syndrome
and	
<input type="checkbox"/>	Patient has severe, immediately life or organ threatening disease, including interstitial lung disease
and	
<input type="checkbox"/>	Treatment with at least 3 immunosuppressants (oral steroids, cyclophosphamide, methotrexate, mycophenolate, ciclosporin, azathioprine) has not be effective at controlling active disease
or	
<input type="checkbox"/>	Rapid treatment is required due to life threatening complications
and	
<input type="checkbox"/>	Maximum of four 1,000mg infusions of rituximab

Renewal — severe antisynthetase syndrome

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient's disease has responded to the previous rituximab treatment with demonstrated improvement in inflammatory markers, muscle strength and pulmonary function
and	
<input type="checkbox"/>	The patient has not received rituximab in the previous 6 months
and	
<input type="checkbox"/>	Maximum of two cycles of 2 × 1,000mg infusions of rituximab given two weeks apart

Initial application — graft versus host disease

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has refractory graft versus host disease following transplant
and	
<input type="checkbox"/>	Treatment with at least 3 immunosuppressants (oral steroids, ciclosporin, tacrolimus, mycophenolate, sirolimus) has not be effective at controlling active disease
and	
<input type="checkbox"/>	The total rituximab dose used would not exceed the equivalent of 375 mg/m ² of body surface area per week for a total of 4 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — severe chronic inflammatory demyelinating polyneuropathy

Applications only from a neurologist or medical practitioner on the recommendation of a neurologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has severe chronic inflammatory demyelinating polyneuropathy (CIPD)

and

Treatment with steroids and intravenous immunoglobulin and/or plasma exchange has not been effective at controlling active disease

and

At least one other immunosuppressant (cyclophosphamide, ciclosporin, tacrolimus, mycophenolate) has not been effective at controlling active disease

or

Rapid treatment is required due to life threatening complications

and

One of the following dose regimens is to be used: 375 mg/m² of body surface area per week for a total of four weeks, or 500 mg once weekly for four weeks, or two 1,000 mg doses given two weeks apart

Renewal — severe chronic inflammatory demyelinating polyneuropathy

Current approval Number (if known):.....

Applications only from a neurologist or medical practitioner on the recommendation of a neurologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient's disease has responded to the previous rituximab treatment with demonstrated improvement in neurological function compared to baseline

and

The patient has not received rituximab in the previous 6 months

and

One of the following dose regimens is to be used: 375 mg/m² of body surface area per week for a total of four weeks, or 500 mg once weekly for four weeks, or two 1,000 mg doses given two weeks apart

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — anti-NMDA receptor autoimmune encephalitis

Applications only from a neurologist or medical practitioner on the recommendation of a neurologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has severe anti-NMDA receptor autoimmune encephalitis

and

Treatment with steroids and intravenous immunoglobulin and/or plasma exchange has not been effective at controlling active disease

and

At least one other immunosuppressant (cyclophosphamide, ciclosporin, tacrolimus, mycophenolate) has not been effective at controlling active disease

or

Rapid treatment is required due to life threatening complications

and

One of the following dose regimens is to be used: 375 mg/m² of body surface area per week for a total of four weeks, or 500 mg once weekly for four weeks, or two 1,000 mg doses given two weeks apart

Renewal — anti-NMDA receptor autoimmune encephalitis

Current approval Number (if known):.....

Applications only from a neurologist or medical practitioner on the recommendation of a neurologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient's disease has responded to the previous rituximab treatment with demonstrated improvement in neurological function

and

The patient has not received rituximab in the previous 6 months

and

The patient has experienced a relapse and now requires further treatment

and

One of the following dose regimens is to be used: 375 mg/m² of body surface area per week for a total of four weeks, or 500 mg once weekly for four weeks, or two 1,000 mg doses given two weeks apart

Initial application — CD20+ low grade or follicular B-cell NHL

Applications from any relevant practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

The patient has CD20+ low grade or follicular B-cell NHL with relapsed disease following prior chemotherapy

and

To be used for a maximum of 6 treatment cycles

or

The patient has CD20+ low grade or follicular B-cell NHL requiring first-line systemic chemotherapy

and

To be used for a maximum of 6 treatment cycles

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Renewal — CD20+ low grade or follicular B-cell NHL

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 24 months.

Prerequisites(tick boxes where appropriate)

- Rituximab is to be used for maintenance in CD20+ low grade or follicular B-cell NHL following induction with first-line systemic chemotherapy
- and**
- Patient is intended to receive rituximab maintenance therapy for 2 years at a dose of 375 mg/m² every 8 weeks (maximum of 12 cycles)

Initial application — Membranous nephropathy

Applications only from a nephrologist or any relevant practitioner on the recommendation of a nephrologist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

- Patient has biopsy-proven primary/idiopathic membranous nephropathy*
- or**
- Patient has PLA2 antibodies with no evidence of secondary cause, and an eGFR of > 60ml/min/1.73m²
- and**
- Patient remains at high risk of progression to end-stage kidney disease despite more than 3 months of treatment with conservative measures (see Note)
- and**
- The total rituximab dose would not exceed the equivalent of 375mg/m² of body surface area per week for a total of 4 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Rituximab (Riximyo) - *continued*

Renewal — Membranous nephropathy

Current approval Number (if known):.....

Applications only from a nephrologist or any relevant practitioner on the recommendation of a nephrologist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient was previously treated with rituximab for membranous nephropathy*
and
<input type="checkbox"/> Treatment with rituximab was previously successful, but the condition has relapsed, and the patient now requires repeat treatment
or
<input type="checkbox"/> Patient achieved partial response to treatment and requires repeat treatment (see Note)
and
<input type="checkbox"/> The total rituximab dose used would not exceed the equivalent of 375 mg/m ² of body surface area per week for a total of 4 weeks

Note:

- a) Indications marked with * are unapproved indications.
- b) High risk of progression to end-stage kidney disease defined as > 5g/day proteinuria.
- c) Conservative measures include renin-angiotensin system blockade, blood-pressure management, dietary sodium and protein restriction, treatment of dyslipidaemia, and anticoagulation agents unless contraindicated or the patient has experienced intolerable side effects.
- d) Partial response defined as a reduction of proteinuria of at least 50% from baseline, and between 0.3 grams and 3.5 grams per 24 hours.

Initial application — B-cell acute lymphoblastic leukaemia/lymphoma*

Applications only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has newly diagnosed B-cell acute lymphoblastic leukaemia/lymphoma*
and
<input type="checkbox"/> Treatment must be in combination with an intensive chemotherapy protocol with curative intent
and
<input type="checkbox"/> The total rituximab dose would not exceed the equivalent of 375 mg/m ² per dose for a maximum of 18 doses

Note: Indications marked with * are unapproved indications.

Initial application — desensitisation prior to transplant

Applications from any relevant practitioner. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient requires desensitisation prior to mismatched allogenic stem cell transplant*
and
<input type="checkbox"/> Patient would receive no more than two doses at 375 mg/m ² of body-surface area

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — pemphigus*

Applications only from a dermatologist or relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has severe rapidly progressive pemphigus and <input type="checkbox"/> Is used in combination with systemic corticosteroids (20 mg/day) and <table border="1"> <tr> <td> <input type="checkbox"/> Skin involvement is at least 5% body surface area or <input type="checkbox"/> Significant mucosal involvement (10 or more mucosal erosions) or diffuse gingivitis or confluent large erosions or <input type="checkbox"/> Involvement of two or more mucosal sites </td> </tr> </table>	<input type="checkbox"/> Skin involvement is at least 5% body surface area or <input type="checkbox"/> Significant mucosal involvement (10 or more mucosal erosions) or diffuse gingivitis or confluent large erosions or <input type="checkbox"/> Involvement of two or more mucosal sites
<input type="checkbox"/> Skin involvement is at least 5% body surface area or <input type="checkbox"/> Significant mucosal involvement (10 or more mucosal erosions) or diffuse gingivitis or confluent large erosions or <input type="checkbox"/> Involvement of two or more mucosal sites	
or	
<input type="checkbox"/> Patient has pemphigus and <input type="checkbox"/> Patient has not experienced adequate clinical benefit from systemic corticosteroids (20 mg/day) in combination with a steroid sparing agent, unless contraindicated	

Note: Indications marked with * are unapproved indications.

Renewal — pemphigus*

Current approval Number (if known):.....

Applications only from a dermatologist or relevant specialist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has experienced adequate clinical benefit from rituximab treatment, with improvement in symptoms and healing of skin ulceration and reduction in corticosteroid requirement and <input type="checkbox"/> Patient has not received rituximab in the previous 6 months
--

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Rituximab (Riximyo) - *continued*

Initial application — immunoglobulin G4-related disease (IgG4-RD*)

Applications from any relevant practitioner. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has confirmed diagnosis of IgG4-RD*
and	
<input type="checkbox"/>	Treatment with corticosteroids and/or disease modifying anti-rheumatic drugs for at least 3 months has been ineffective in lowering corticosteroid dose below 5 mg per day (prednisone equivalent) without relapse
or	
<input type="checkbox"/>	Treatment with corticosteroids and/or disease modifying anti-rheumatic drugs is contraindicated or associated with evidence of toxicity or intolerance
and	
<input type="checkbox"/>	Total rituximab dose used should not exceed a maximum of two 1000 mg infusions of rituximab given two weeks apart

Note: Indications marked with * are unapproved indications.

Renewal — immunoglobulin G4-related disease (IgG4-RD*)

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Treatment with rituximab for IgG4-RD* was previously successful and patient's disease has demonstrated sustained response, but the condition has relapsed
or	
<input type="checkbox"/>	Patient is receiving maintenance treatment for IgG4-RD*
and	
<input type="checkbox"/>	Rituximab re-treatment not to be given within 6 months of previous course of treatment
and	
<input type="checkbox"/>	Maximum of two 1000 mg infusions of rituximab given two weeks apart

Note: Indications marked with * are unapproved indications.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Mepolizumab

Initial application — Severe eosinophilic asthma

Applications only from a respiratory physician or clinical immunologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Patient must be aged 12 years or older

and Patient must have a diagnosis of severe eosinophilic asthma documented by a respiratory physician or clinical immunologist

and Conditions that mimic asthma eg. vocal cord dysfunction, central airway obstruction, bronchiolitis etc. have been excluded

and Patient has a blood eosinophil count of greater than 0.5×10^9 cells/L in the last 12 months

and Patient must be adherent to optimised asthma therapy including inhaled corticosteroids (equivalent to at least 1000 mcg per day of fluticasone propionate) plus long acting beta-2 agonist, or budesonide/formoterol as part of the single maintenance and reliever therapy regimen, unless contraindicated or not tolerated

and

Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral corticosteroids

or Patient has received continuous oral corticosteroids of at least the equivalent of 10 mg per day over the previous 3 months

and Treatment is not to be used in combination with subsidised benralizumab

and Patient has an Asthma Control Test (ACT) score of 10 or less. Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 52 weeks after the first dose to assess response to treatment

and

Patient has not previously received an anti-IL5 biological therapy for their severe eosinophilic asthma

or

Patient was refractory or intolerant to previous anti-IL5 biological therapy

and Patient was not eligible to continue treatment with previous anti-IL5 biological therapy and discontinued within 12 months of commencing treatment

Renewal — Severe eosinophilic asthma

Current approval Number (if known):.....

Applications only from a respiratory physician or clinical immunologist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

An increase in the Asthma Control Test (ACT) score of at least 5 from baseline

and

Exacerbations have been reduced from baseline by 50% as a result of treatment with mepolizumab

or Reduction in continuous oral corticosteroid use by 50% or by 10 mg/day while maintaining or improving asthma control

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Mepolizumab - *continued*

Initial application — eosinophilic granulomatosis with polyangiitis

Applications only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has eosinophilic granulomatosis with polyangiitis
and	
<input type="checkbox"/>	The patient has trialed and not received adequate benefit from at least one of the following for at least three months (unless contraindicated to all): azathioprine, cyclophosphamide, leflunomide, methotrexate, mycophenolate, or rituximab
and	
<input type="checkbox"/>	The patient has trialed prednisone for a minimum of three months and is unable to maintain disease control at doses below 7.5 mg per day
or	
<input type="checkbox"/>	Corticosteroids are contraindicated

Renewal — eosinophilic granulomatosis with polyangiitis

Current approval Number (if known):.....

Applications only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

Patient has no evidence of clinical disease progression

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Casirivimab and imdevimab

Initial application — Treatment of profoundly immunocompromised patients

Applications from any relevant practitioner. Approvals valid for 2 weeks.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has confirmed (or probable) COVID-19
and	
<input type="checkbox"/>	The patient is in the community with mild to moderate disease severity*
and	
<input type="checkbox"/>	Patient is profoundly immunocompromised** and is at risk of not having mounted an adequate response to vaccination against COVID-19 or is unvaccinated
and	
<input type="checkbox"/>	Patient's symptoms started within the last 10 days
and	
<input type="checkbox"/>	Patient is not receiving high flow oxygen or assisted/mechanical ventilation
and	
<input type="checkbox"/>	Casirivimab and imdevimab is to be administered at a maximum dose of no greater than 2,400 mg

Note: * Mild to moderate disease severity as described on the [Ministry of Health Website](#)

** Examples include B-cell depletive illnesses or patients receiving treatment that is B-Cell depleting.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA2178 - Adalimumab (Amgevita)

Arthritis - oligoarticular course juvenile idiopathic - Initial application	308
Arthritis - oligoarticular course juvenile idiopathic - Renewal	308
Arthritis - polyarticular course juvenile idiopathic - Initial application	309
Arthritis - polyarticular course juvenile idiopathic - Renewal	309
Arthritis - psoriatic - Initial application	310
Arthritis - psoriatic - Renewal	310
Arthritis - rheumatoid - Initial application	311
Arthritis - rheumatoid - Renewal	311
Behcet's disease - severe - Initial application	301
Crohn's disease - adults - Initial application	303
Crohn's disease - adults - Renewal	303
Crohn's disease - children - Initial application	304
Crohn's disease - children - Renewal	304
Crohn's disease - fistulising - Initial application	304
Crohn's disease - fistulising - Renewal	305
Hidradenitis suppurativa - Initial application	301
Hidradenitis suppurativa - Renewal	301
Ocular inflammation - chronic - Initial application	305
Ocular inflammation - chronic - Renewal	305
Ocular inflammation - severe - Initial application	306
Ocular inflammation - severe - Renewal	306
Plaque psoriasis - severe chronic - Initial application	302
Plaque psoriasis - severe chronic - Renewal	302
Still's disease - adult-onset (AOSD) - Initial application	312
Ankylosing spondylitis - Initial application	307
Ankylosing spondylitis - Renewal	307
Inflammatory bowel arthritis – axial - Initial application	313
Inflammatory bowel arthritis – axial - Renewal	314
Inflammatory bowel arthritis – peripheral - Initial application	314
Inflammatory bowel arthritis – peripheral - Renewal	314
Pyoderma gangrenosum - Initial application	303
Ulcerative colitis - Initial application	312
Ulcerative colitis - Renewal	312
Undifferentiated spondyloarthritis - Initial application	313
Undifferentiated spondyloarthritis - Renewal	313

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita)

Initial application — Behcet’s disease - severe

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

The patient has severe Behcet’s disease* that is significantly impacting the patient’s quality of life

and

The patient has severe ocular, neurological, and/or vasculitic symptoms and has not responded adequately to one or more treatment(s) appropriate for the particular symptom(s)

or

The patient has severe gastrointestinal, rheumatological, and/or mucocutaneous symptoms and has not responded adequately to two or more treatments appropriate for the particular symptom(s)

Note: Indications marked with * are unapproved indications.

Initial application — Hidradenitis suppurativa

Applications only from a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has hidradenitis suppurativa Hurley Stage II or Hurley Stage III lesions in distinct anatomic areas

and

Patient has tried, but had an inadequate response to at least a 90 day trial of systemic antibiotics or has demonstrated intolerance to or has contraindications for systemic antibiotics

and

Patient has 3 or more active lesions

and

The patient has a DLQI of 10 or more and the assessment is no more than 1 month old at time of application

Renewal — Hidradenitis suppurativa

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The patient has a reduction in active lesions (e.g. inflammatory nodules, abscesses, draining fistulae) of 25% or more from baseline

and

The patient has a DLQI improvement of 4 or more from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Plaque psoriasis - severe chronic

Applications only from a dermatologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis

and

Patient has experienced intolerable side effects

or

Patient has received insufficient benefit to meet the renewal criteria for etanercept for severe chronic plaque psoriasis

or

Patient has "whole body" severe chronic plaque psoriasis with a PASI score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis

or

Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis

and

Patient has tried, but had an inadequate response to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin

and

A PASI assessment or DLQI assessment has been completed for at least the most recent prior treatment course but no longer than 1 month following cessation of each prior treatment course and is no more than 1 month old at the time of application

Renewal — Plaque psoriasis - severe chronic

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Patient had "whole body" severe chronic plaque psoriasis at the start of treatment

and

The patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre treatment baseline value

or

The patient has a DLQI improvement of 5 or more, when compared with the pre-treatment baseline value

or

Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment

and

The patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values

or

The patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre treatment baseline value

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — pyoderma gangrenosum
Applications only from a dermatologist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

Patient has pyoderma gangrenosum*

and

Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and has not received an adequate response

Note: Indications marked with * are unapproved indications.

Initial application — Crohn's disease - adults
Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has active Crohn's disease

and

Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10

or

Patient has extensive small intestine disease affecting more than 50 cm of the small intestine

or

Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection

or

Patient has an ileostomy or colostomy and has intestinal inflammation

and

Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and corticosteroids

Renewal — Crohn's disease - adults

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

CDAI score has reduced by 100 points from the CDAI score, or HBI score has reduced by 3 points, from when the patient was initiated on adalimumab

or

CDAI score is 150 or less, or HBI is 4 or less

or

The patient has demonstrated an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Crohn's disease - children

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Paediatric patient has active Crohn's disease

and

Patient has a PCDAI score of greater than or equal to 30

or

Patient has extensive small intestine disease

and

Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and corticosteroids

Renewal — Crohn's disease - children

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on adalimumab

or

PCDAI score is 15 or less

or

The patient has demonstrated an adequate response to treatment but PCDAI score cannot be assessed

Initial application — Crohn's disease - fistulising

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has confirmed Crohn's disease

and

Patient has one or more complex externally draining enterocutaneous fistula(e)

or

Patient has one or more rectovaginal fistula(e)

or

Patient has complex peri-anal fistula

and

A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER Reg No:**

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Renewal — Crohn’s disease - fistulising

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The number of open draining fistulae have decreased from baseline by at least 50%

or

There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain

Initial application — Ocular inflammation - chronic

Applications from any relevant practitioner. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for infliximab for chronic ocular inflammation

or

Patient has severe uveitis uncontrolled with treatment of steroids and other immunosuppressants with a severe risk of vision loss

and

Patient is 18 years or older and treatment with at least two other immunomodulatory agents has proven ineffective

or

Patient is under 18 years and treatment with methotrexate has proven ineffective or is not tolerated at a therapeutic dose

or

Patient is under 8 years and treatment with steroids or methotrexate has proven ineffective or is not tolerated at a therapeutic dose; or disease requires control to prevent irreversible vision loss prior to achieving a therapeutic dose of methotrexate

Renewal — Ocular inflammation - chronic

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The patient has had a good clinical response following 12 weeks’ initial treatment

or

Following each 2 year treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema)

or

Following each 2 year treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Ocular inflammation - severe

Applications from any relevant practitioner. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has had an initial Special Authority approval for infliximab for severe ocular inflammation

or

Patient has severe, vision-threatening ocular inflammation requiring rapid control

and

Treatment with high-dose steroids (intravenous methylprednisolone) followed by high dose oral steroids has proven ineffective at controlling symptoms

or

Patient developed new inflammatory symptoms while receiving high dose steroids

or

Patient is aged under 8 years and treatment with high dose oral steroids and other immunosuppressants has proven ineffective at controlling symptoms

Renewal — Ocular inflammation - severe

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The patient has had a good clinical response following 3 initial doses

or

Following each 2 year treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema)

or

Following each 2 year treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — ankylosing spondylitis

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis
- and**
- The patient has experienced intolerable side effects
- or**
- The patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis

- or**
- Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months
- and**
- Patient has low back pain and stiffness that is relieved by exercise but not by rest
- and**
- Patient has bilateral sacroiliitis demonstrated by radiology imaging
- and**
- Patient has not responded adequately to treatment with two or more NSAIDs, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis
- and**
- Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following BASMI measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right)
- or**
- Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender
- and**
- A BASDAI of at least 6 on a 0-10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment and is no more than 1 month old at the time of application

Renewal — ankylosing spondylitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

- Treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Arthritis - oligoarticular course juvenile idiopathic
Applications only from a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for etanercept for oligoarticular course juvenile idiopathic arthritis (JIA)

and

Patient has experienced intolerable side effects

or

Patient has received insufficient benefit to meet the renewal criteria for oligoarticular course JIA

or

To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

and

Patient has had oligoarticular course JIA for 6 months duration or longer

and

At least 2 active joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose)

or

Moderate or high disease activity (cJADAS10 score greater than 1.5) with poor prognostic features after a 3-month trial of methotrexate (at the maximum tolerated dose)

Renewal — Arthritis - oligoarticular course juvenile idiopathic

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Following initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline

or

On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Arthritis - polyarticular course juvenile idiopathic

Applications only from a named specialist or rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has had an initial Special Authority approval for etanercept for polyarticular course juvenile idiopathic arthritis (JIA)

and

Patient has experienced intolerable side effects

or

Patient has received insufficient benefit to meet the renewal criteria for polyarticular course JIA

or

To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

and

Patient has had polyarticular course JIA for 6 months duration or longer

and

At least 5 active joints and at least 3 joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose)

or

Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate (at the maximum tolerated dose)

or

Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate

Renewal — Arthritis - polyarticular course juvenile idiopathic

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Following initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline

or

On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Arthritis - psoriatic

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has had an initial Special Authority approval for etanercept or secukinumab for psoriatic arthritis and <input type="checkbox"/> The patient has experienced intolerable side effects or <input type="checkbox"/> The patient has received insufficient benefit from to meet the renewal criteria for psoriatic arthritis
or
<input type="checkbox"/> Patient has had active psoriatic arthritis for six months duration or longer and <input type="checkbox"/> Patient has tried and not responded to at least three months of methotrexate at a maximum tolerated dose (unless contraindicated) and <input type="checkbox"/> Patient has tried and not responded to at least three months of sulfasalazine or leflunomide at maximum tolerated doses (unless contraindicated) and <input type="checkbox"/> Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen joints or <input type="checkbox"/> Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip and <input type="checkbox"/> Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application or <input type="checkbox"/> Patient has an ESR greater than 25 mm per hour or <input type="checkbox"/> ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

Renewal — Arthritis - psoriatic

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Following initial treatment, the patient has at least a 50% decrease in swollen joint count from baseline and a clinically significant response in the opinion of the physician or <input type="checkbox"/> Patient demonstrates at least a continuing 30% improvement in swollen joint count from baseline and a clinically significant response in the opinion of the treating physician
--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Arthritis - rheumatoid

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis

and

The patient has experienced intolerable side effects

or

The patient has received insufficient benefit from etanercept to meet the renewal criteria for rheumatoid arthritis

or

Patient has had rheumatoid arthritis (either confirmed by radiology imaging, or the patient is CCP antibody positive) for six months duration or longer

and

Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance

and

Patient has tried and not responded to at least three months of methotrexate at a maximum tolerated dose (unless contraindicated)

and

Patient has tried and not responded to at least three months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate at maximum tolerated doses (unless contraindicated)

and

Patient has tried and not responded to at least three months of methotrexate in combination with the maximum tolerated dose of ciclosporin

or

Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with methotrexate

and

Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen joints

or

Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip

Renewal — Arthritis - rheumatoid

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Following initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

or

On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — Still's disease - adult-onset (AOSD)

Applications only from a rheumatologist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for etanercept and/or tocilizumab for AOSD

and

Patient has experienced intolerable side effects from etanercept and/or tocilizumab

or

Patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab

or

Patient diagnosed with AOSD according to the Yamaguchi criteria

and

Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, NSAIDs and methotrexate

and

Patient has persistent symptoms of disabling poorly controlled and active disease

Initial application — ulcerative colitis

Applications from any relevant practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient has active ulcerative colitis

and

Patient's SCCAI score is greater than or equal to 4

or

Patient's PUCAI score is greater than or equal to 20

and

Patient has tried but had an inadequate response to, or has experienced intolerable side effects from prior therapy with immunomodulators and systemic corticosteroids

and

Surgery (or further surgery) is considered to be clinically inappropriate

Renewal — ulcerative colitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The SCCAI score has reduced by 2 points or more from the SCCAI score when the patient was initiated on biologic therapy

or

The PUCAI score has reduced by 10 points or more from the PUCAI score when the patient was initiation on biologic therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Adalimumab (Amgevita) - continued

Initial application — undifferentiated spondyloarthritis

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has undifferentiated peripheral spondyloarthritis* with active peripheral joint arthritis in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip

and

Patient has tried and not responded to at least three months of each of methotrexate, sulfasalazine and leflunomide, at maximum tolerated doses (unless contraindicated)

and

Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application

or

Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application

or

ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

Note: Indications marked with * are unapproved indications

Renewal — undifferentiated spondyloarthritis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

Following initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

or

The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response in the opinion of the treating physician

Initial application — inflammatory bowel arthritis – axial

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has a diagnosis of active ulcerative colitis or active Crohn's disease

and

Patient has axial inflammatory pain for six months or more

and

Patient is unable to take NSAIDs

and

Patient has unequivocal sacroiliitis demonstrated by radiological imaging or MRI

and

Patient has not responded adequately to prior treatment consisting of at least 3 months of an exercise regime supervised by a physiotherapist

and

A BASDAI of at least 6 on a 0-10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Adalimumab (Amgevita) - continued

Renewal — inflammatory bowel arthritis – axial

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

- Treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less

Initial application — inflammatory bowel arthritis – peripheral

Applications only from a rheumatologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Patient has a diagnosis of active ulcerative colitis or active Crohn's disease
- and
- Patient has active arthritis in at least four joints from the following: hip, knee, ankle, subtalar, tarsus, forefoot, wrist, elbow, shoulder, sternoclavicular
- and
- Patient has tried and not experienced a response to at least three months of methotrexate, or azathioprine at a maximum tolerated dose (unless contraindicated)
- and
- Patient has tried and not experienced a response to at least three months of sulfasalazine at a maximum tolerated dose (unless contraindicated)
- and
- Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application
- or
- Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application
- or
- ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months

Renewal — inflammatory bowel arthritis – peripheral

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

- Following initial treatment, patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician
- or
- Patient has experienced at least a continuing 30% improvement in active joint count from baseline in the opinion of the treating physician

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Gemtuzumab ozogamicin

Initial application

Applications only from a haematologist, paediatric haematologist or paediatric oncologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- Patient has not received prior chemotherapy for this condition
- and Patient has de novo CD33-positive acute myeloid leukaemia
- and Patient does not have acute promyelocytic leukaemia
- and Gemtuzumab ozogamicin will be used in combination with standard anthracycline and cytarabine (AraC)
- and Patient is being treated with curative intent
- and Patient's disease risk has been assessed by cytogenetic testing to be good or intermediate
- and Patient must be considered eligible for standard intensive remission induction chemotherapy with standard anthracycline and cytarabine (AraC)
- and Gemtuzumab ozogamicin to be funded for one course only (one dose at 3 mg per m² body surface area or up to 2 vials of 5 mg as separate doses)

Note: Acute myeloid leukaemia excludes acute promyelocytic leukaemia and acute myeloid leukaemia that is secondary to another haematological disorder (eg myelodysplasia or myeloproliferative disorder).

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Benralizumab

Initial application — Severe eosinophilic asthma

Applications only from a respiratory physician or clinical immunologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Patient must be aged 12 years or older

and Patient must have a diagnosis of severe eosinophilic asthma documented by a respiratory physician or clinical immunologist

and Conditions that mimic asthma eg. vocal cord dysfunction, central airway obstruction, bronchiolitis etc. have been excluded

and Patient has a blood eosinophil count of greater than 0.5×10^9 cells/L in the last 12 months

and Patient must be adherent to optimised asthma therapy including inhaled corticosteroids (equivalent to at least 1000 mcg per day of fluticasone propionate) plus long-acting beta-2 agonist, or budesonide/formoterol as part of the anti-inflammatory reliever therapy plus maintenance regimen, unless contraindicated or not tolerated

and Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral corticosteroids

or Patient has received continuous oral corticosteroids of at least the equivalent of 10 mg per day over the previous 3 months

and Treatment is not to be used in combination with subsidised mepolizumab

and Patient has an Asthma Control Test (ACT) score of 10 or less. Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 52 weeks after the first dose to assess response to treatment

and Patient has not previously received an anti-IL5 biological therapy for their severe eosinophilic asthma

or Patient was refractory or intolerant to previous anti-IL5 biological therapy

and Patient was not eligible to continue treatment with previous anti-IL5 biological therapy and discontinued within 12 months of commencing treatment

Renewal — Severe eosinophilic asthma

Current approval Number (if known):.....

Applications only from a respiratory physician or clinical immunologist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

An increase in the Asthma Control Test (ACT) score of at least 5 from baseline

and Exacerbations have been reduced from baseline by 50% as a result of treatment with benralizumab

or Reduction in continuous oral corticosteroid use by 50% or by 10 mg/day while maintaining or improving asthma control

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ustekinumab

Initial application — Crohn's disease - adults

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment

or

Patient has active Crohn's disease

and

Patient has had an initial approval for prior biologic therapy for Crohn's disease and has experienced intolerable side effects or insufficient benefit to meet renewal criteria

or

Patient meets the initiation criteria for prior biologic therapies for Crohn's disease

and

Other biologics for Crohn's disease are contraindicated

Renewal — Crohn's disease - adults

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

CDAI score has reduced by 100 points, or HBI score has reduced by 3 points, from when the patient was initiated on biologic therapy

or

CDAI score is 150 or less, or HBI is 4 or less

or

The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed

and

Ustekinumab to be administered at a dose no greater than 90 mg every 8 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ustekinumab - continued

Initial application — Crohn's disease - children*

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment

or

Patient has active Crohn's disease

and

Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria

or

Patient meets the initiation criteria for prior biologic therapies for Crohn's disease

and

Other biologics for Crohn's disease are contraindicated

Note: Indication marked with * is an unapproved indication.

Renewal — Crohn's disease - children*

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

PCDAI score has reduced by 10 points from when the patient was initiated on biologic therapy

or

PCDAI score is 15 or less

or

The patient has experienced an adequate response to treatment, but CDAI score cannot be assessed

and

Ustekinumab to administered at a dose no greater than 90 mg every 8 weeks

Note: Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Ustekinumab - continued

Initial application — ulcerative colitis

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment
or	
<input type="checkbox"/>	Patient has active ulcerative colitis
and	
<input type="checkbox"/>	Patient has had an initial approval for prior biologic therapy for ulcerative colitis and has experienced intolerable side effects or insufficient benefit to meet renewal criteria
or	
<input type="checkbox"/>	Patient meets the initiation criteria for prior biologic therapies for ulcerative colitis
and	
<input type="checkbox"/>	Other biologics for ulcerative colitis are contraindicated

Renewal — ulcerative colitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy
or	
<input type="checkbox"/>	PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy*
and	
<input type="checkbox"/>	Ustekinumab will be used at a dose no greater than 90 mg intravenously every 8 weeks

Note: Criterion marked with * is for an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Vedolizumab

Initial application — Crohn’s disease - adults

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has active Crohn’s disease
and
<input type="checkbox"/> Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated)
or
<input type="checkbox"/> Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10
or
<input type="checkbox"/> Patient has extensive small intestine disease affecting more than 50 cm of the small intestine
or
<input type="checkbox"/> Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection
or
<input type="checkbox"/> Patient has an ileostomy or colostomy, and has intestinal inflammation
and
<input type="checkbox"/> Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids
or
<input type="checkbox"/> Patient has experienced intolerable side effects from immunomodulators and corticosteroids
or
<input type="checkbox"/> Immunomodulators and corticosteroids are contraindicated

Renewal — Crohn’s disease - adults

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> CDAI score has reduced by 100 points, or HBI score has reduced by 3 points, from when the patient was initiated on biologic therapy
or
<input type="checkbox"/> CDAI score is 150 or less, or HBI is 4 or less
or
<input type="checkbox"/> The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed
and
<input type="checkbox"/> Vedolizumab to administered at a dose no greater than 300 mg every 8 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Vedolizumab - continued

Initial application — Crohn’s disease - children*

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Paediatric patient has active Crohn’s disease

and

Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated)

or

Patient has a Paediatric Crohn’s Disease Activity Index (PCDAI) score of greater than or equal to 30

or

Patient has extensive small intestine disease

and

Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids

or

Patient has experienced intolerable side effects from immunomodulators and corticosteroids

or

Immunomodulators and corticosteroids are contraindicated

Note: Indication marked with * is an unapproved indication.

Renewal — Crohn’s disease - children*

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

PCDAI score has reduced by 10 points from when the patient was initiated on biologic therapy

or

PCDAI score is 15 or less

or

The patient has experienced an adequate response to treatment, but CDAI score cannot be assessed

and

Vedolizumab to administered at a dose no greater than 300mg every 8 weeks

Note: Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Vedolizumab - continued

Initial application — ulcerative colitis

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has active ulcerative colitis

and

Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated)

or

Patient has a SCCAI score is greater than or equal to 4

or

Patient's PUCAI score is greater than or equal to 20*

and

Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids

or

Patient has experienced intolerable side effects from immunomodulators and corticosteroids

or

Immunomodulators and corticosteroids are contraindicated

Note: Indication marked with * is an unapproved indication.

Renewal — ulcerative colitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy

or

The PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy *

and

Vedolizumab will be used at a dose no greater than 300 mg intravenously every 8 weeks

Note: Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Brentuximab

Initial application — relapsed/refractory Hodgkin lymphoma

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has relapsed/refractory CD30-positive Hodgkin lymphoma after two or more lines of chemotherapy and <input type="checkbox"/> Patient is ineligible for autologous stem cell transplant
or
<input type="checkbox"/> Patient has relapsed/refractory CD30-positive Hodgkin lymphoma and <input type="checkbox"/> Patient has previously undergone autologous stem cell transplant
and
<input type="checkbox"/> Patient has not previously received funded brentuximab vedotin
and
<input type="checkbox"/> Response to brentuximab vedotin treatment is to be reviewed after a maximum of 6 treatment cycles
and
<input type="checkbox"/> Brentuximab vedotin to be administered at doses no greater than 1.8 mg/kg every 3 weeks

Renewal — relapsed/refractory Hodgkin lymphoma

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has achieved a partial or complete response to brentuximab vedotin after 6 treatment cycles
and
<input type="checkbox"/> Treatment remains clinically appropriate and the patient is benefitting from treatment and treatment is being tolerated
and
<input type="checkbox"/> Patient is to receive a maximum of 16 total cycles of brentuximab vedotin treatment

Initial application — anaplastic large cell lymphoma

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has relapsed/refractory CD30-positive systemic anaplastic large cell lymphoma
and
<input type="checkbox"/> Patient has an ECOG performance status of 0-1
and
<input type="checkbox"/> Patient has not previously received brentuximab vedotin
and
<input type="checkbox"/> Response to brentuximab vedotin treatment is to be reviewed after a maximum of 6 treatment cycles
and
<input type="checkbox"/> Brentuximab vedotin to be administered at doses no greater than 1.8 mg/kg every 3 weeks

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Brentuximab - *continued*

Renewal — anaplastic large cell lymphoma

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 9 months.

Prerequisites(tick boxes where appropriate)

- Patient has achieved a partial or complete response to brentuximab vedotin after 6 treatment cycles
- and** Treatment remains clinically appropriate and the patient is benefitting from treatment and treatment is being tolerated
- and** Patient is to receive a maximum of 16 total cycles of brentuximab vedotin treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Trastuzumab (Herzuma)

Initial application — early breast cancer

Applications from any relevant practitioner. Approvals valid for 15 months.

Prerequisites(tick boxes where appropriate)

- The patient has early breast cancer expressing HER-2 IHC 3+ or ISH + (including FISH or other current technology)
- and**
- Maximum cumulative dose of 106 mg/kg (12 months' treatment)

Renewal — early breast cancer*

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology)
- and**
- The patient received prior adjuvant trastuzumab treatment for early breast cancer
- and**
- The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer
- or**
- The patient discontinued lapatinib within 3 months due to intolerable side effects and the cancer did not progress whilst on lapatinib
- or**
- The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab
- and**
- Trastuzumab will not be given in combination with pertuzumab
- or**
- Trastuzumab to be administered in combination with pertuzumab
- and**
- Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer
- and**
- The patient has good performance status (ECOG grade 0-1)
- and**
- Trastuzumab to be discontinued at disease progression
- or**
- Patient has previously discontinued treatment with trastuzumab in the metastatic setting for reasons other than severe toxicity or disease progression
- and**
- Patient has signs of disease progression
- and**
- Disease has not progressed during previous treatment with trastuzumab

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER Reg No:**

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Trastuzumab (Herzuma) - continued

Initial application — metastatic breast cancer

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology)

and

The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer

or

The patient discontinued lapatinib within 3 months due to intolerable side effects and the cancer did not progress whilst on lapatinib

and

Trastuzumab will not be given in combination with pertuzumab

or

Trastuzumab to be administered in combination with pertuzumab

and

Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer

and

The patient has good performance status (ECOG grade 0-1)

and

Trastuzumab to be discontinued at disease progression

Renewal — metastatic breast cancer

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology)

and

The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab

and

Trastuzumab to be discontinued at disease progression

or

Patient has previously discontinued treatment with trastuzumab for reasons other than severe toxicity or disease progression

and

Patient has signs of disease progression

and

Disease has not progressed during previous treatment with trastuzumab

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Trastuzumab (Herzuma) - continued

Initial application — gastric, gastro-oesophageal junction and oesophageal cancer

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has locally advanced or metastatic gastric, gastro-oesophageal junction or oesophageal cancer expressing HER-2 IHC 2+ FISH+ or IHC3+ (or other current technology)
and	
<input type="checkbox"/>	Patient has an ECOG score of 0-2

Renewal — gastric, gastro-oesophageal junction and oesophageal cancer

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab
and	
<input type="checkbox"/>	Trastuzumab to be discontinued at disease progression

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Nivolumab

Initial application

Applications only from a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has metastatic or unresectable melanoma (excluding uveal) stage III or IV
and
 Baseline measurement of overall tumour burden is documented clinically and radiologically
and
 The patient has ECOG performance score of 0-2
and
 Patient has not received funded pembrolizumab
or
 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance
and
 The cancer did not progress while the patient was on pembrolizumab
and
 Documentation confirming that the patient has been informed and acknowledges that funded treatment with nivolumab will not be continued if their disease progresses

Renewal — less than 24 months on treatment

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient's disease has had a complete response to treatment
or
 Patient's disease has had a partial response to treatment
or
 Patient has stable disease
and
 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period
and
 The treatment remains clinically appropriate and the patient is benefitting from the treatment
or
 Patient has previously discontinued treatment with nivolumab for reasons other than severe toxicity or disease progression
and
 Patient has signs of disease progression
and
 Disease has not progressed during previous treatment with nivolumab

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Nivolumab - *continued*

Renewal — more than 24 months on treatment

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has been on treatment for more than 24 months
and	
<input type="checkbox"/>	Patient's disease has had a complete response to treatment
or	
<input type="checkbox"/>	Patient's disease has had a partial response to treatment
or	
<input type="checkbox"/>	Patient has stable disease
and	
<input type="checkbox"/>	Response to treatment in target lesions has been determined by comparable radiologic or clinical assessment following the most recent treatment period
and	
<input type="checkbox"/>	The treatment remains clinically appropriate and the patient is benefitting from the treatment
or	
<input type="checkbox"/>	Patient has previously discontinued treatment with nivolumab for reasons other than severe toxicity or disease progression
and	
<input type="checkbox"/>	Patient has signs of disease progression
and	
<input type="checkbox"/>	Disease has not progressed during previous treatment with nivolumab

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Pembrolizumab

Initial application — unresectable or metastatic melanoma

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has metastatic or unresectable melanoma (excluding uveal) stage III or IV

and Baseline measurement of overall tumour burden is documented clinically and radiologically

and The patient has ECOG performance score of 0-2

and

Patient has not received funded nivolumab

or

Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance

and The cancer did not progress while the patient was on nivolumab

and Documentation confirming that the patient has been informed and acknowledges that funded treatment with pembrolizumab will not be continued if their disease progresses

Renewal — unresectable or metastatic melanoma, less than 24 months on treatment

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient's disease has had a complete response to treatment

or Patient's disease has had a partial response to treatment

or Patient has stable disease

and Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period

and The treatment remains clinically appropriate and the patient is benefitting from the treatment

or

Patient has previously discontinued treatment with pembrolizumab for reasons other than severe toxicity or disease progression

and Patient has signs of disease progression

and Disease has not progressed during previous treatment with pembrolizumab

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pembrolizumab - continued

Renewal — unresectable or metastatic melanoma, more than 24 months on treatment

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has been on treatment for more than 24 months
and	
<input type="checkbox"/>	Patient's disease has had a complete response to treatment
or	
<input type="checkbox"/>	Patient's disease has had a partial response to treatment
or	
<input type="checkbox"/>	Patient has stable disease
and	
<input type="checkbox"/>	Response to treatment in target lesions has been determined by comparable radiologic or clinical assessment following the most recent treatment period
and	
<input type="checkbox"/>	The treatment remains clinically appropriate and the patient is benefitting from the treatment
or	
<input type="checkbox"/>	Patient has previously discontinued treatment with pembrolizumab for reasons other than severe toxicity or disease progression
and	
<input type="checkbox"/>	Patient has signs of disease progression
and	
<input type="checkbox"/>	Disease has not progressed during previous treatment with pembrolizumab

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Pembrolizumab - continued

Initial application — non-small cell lung cancer first-line monotherapy

Applications only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has locally advanced or metastatic, unresectable, non-small cell lung cancer

and Patient has not had chemotherapy for their disease in the palliative setting

and Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC

and For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain

and Pembrolizumab to be used as monotherapy

and

There is documentation confirming the disease expresses PD-L1 at a level greater than or equal to 50% as determined by a validated test unless not possible to ascertain

or

There is documentation confirming the disease expresses PD-L1 at a level greater than or equal to 1% as determined by a validated test unless not possible to ascertain

and Chemotherapy is determined to be not in the best interest of the patient based on clinician assessment

and Patient has an ECOG 0-2

and Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks

and Baseline measurement of overall tumour burden is documented clinically and radiologically

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pembrolizumab - continued

Renewal — non-small cell lung cancer first line monotherapy

Current approval Number (if known):.....

Applications only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

- Patient's disease has had a complete response to treatment
- or
- Patient's disease has had a partial response to treatment
- or
- Patient has stable disease

- and Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period
- and No evidence of disease progression
- and The treatment remains clinically appropriate and patient is benefitting from treatment
- and Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent)
- and Treatment with pembrolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks)

Initial application — non-small cell lung cancer first-line combination therapy

Applications only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

- Patient has locally advanced or metastatic, unresectable, non-small cell lung cancer
- and The patient has not had chemotherapy for their disease in the palliative setting
- and Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC
- and For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain
- and Pembrolizumab to be used in combination with platinum-based chemotherapy
- and Patient has an ECOG 0-2
- and Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks
- and Baseline measurement of overall tumour burden is documented clinically and radiologically

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pembrolizumab - *continued*

Renewal — non-small cell lung cancer first line combination therapy

Current approval Number (if known):.....

Applications only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

- Patient's disease has had a complete response to treatment
- or
- Patient's disease has had a partial response to treatment
- or
- Patient has stable disease

- and Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period
- and No evidence of disease progression
- and The treatment remains clinically appropriate and patient is benefitting from treatment
- and Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent)
- and Treatment with pembrolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Durvalumab

Initial application — Non-small cell lung cancer

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has histologically or cytologically documented stage III, locally advanced, unresectable non-small cell lung cancer (NSCLC)
and	<input type="checkbox"/>
<input type="checkbox"/>	Patient has received two or more cycles of platinum-based chemotherapy concurrently with definitive radiation therapy
and	<input type="checkbox"/>
<input type="checkbox"/>	Patient has no disease progression following the second or subsequent cycle of platinum-based chemotherapy with definitive radiation therapy treatment
and	<input type="checkbox"/>
<input type="checkbox"/>	Patient has a ECOG performance status of 0 or 1
and	<input type="checkbox"/>
<input type="checkbox"/>	Patient has completed last radiation dose within 8 weeks of starting treatment with durvalumab
and	<input type="checkbox"/>
<input type="checkbox"/>	Patient must not have received prior PD-1 or PD-L1 inhibitor therapy for this condition
and	<input type="checkbox"/>
<input type="checkbox"/>	Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks
or	<input type="checkbox"/>
<input type="checkbox"/>	Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks
and	<input type="checkbox"/>
<input type="checkbox"/>	Treatment with durvalumab to cease upon signs of disease progression

Renewal — Non-small cell lung cancer

Current approval Number (if known):.....

Applications only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The treatment remains clinically appropriate and the patient is benefitting from treatment
and	<input type="checkbox"/>
<input type="checkbox"/>	Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks
or	<input type="checkbox"/>
<input type="checkbox"/>	Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks
and	<input type="checkbox"/>
<input type="checkbox"/>	Treatment with durvalumab to cease upon signs of disease progression
and	<input type="checkbox"/>
<input type="checkbox"/>	Total continuous treatment duration must not exceed 12 months

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Atezolizumab

Initial application — non-small cell lung cancer second line monotherapy

Applications only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient has locally advanced or metastatic non-small cell lung cancer

and Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC

and For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain

and Patient has an ECOG 0-2

and Patient has documented disease progression following treatment with at least two cycles of platinum-based chemotherapy

and Atezolizumab is to be used as monotherapy at a dose of 1200 mg every three weeks (or equivalent) for a maximum of 16 weeks

and Baseline measurement of overall tumour burden is documented clinically and radiologically

Renewal — non-small cell lung cancer second line monotherapy

Current approval Number (if known):.....

Applications only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months.

Prerequisites(tick boxes where appropriate)

Patient's disease has had a complete response to treatment

or Patient's disease has had a partial response to treatment

or Patient has stable disease

and Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period

and No evidence of disease progression

and The treatment remains clinically appropriate and patient is benefitting from treatment

and Atezolizumab to be used at a maximum dose of 1200 mg every three weeks (or equivalent)

and Treatment with atezolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Tacrolimus

Initial application — organ transplant

Applications only from a relevant specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The patient is an organ transplant recipient

Note: Subsidy applies for either primary or rescue therapy.

Initial application — non-transplant indications*

Applications only from a relevant specialist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient requires long-term systemic immunosuppression
and
<input type="checkbox"/> Ciclosporin has been trialled and discontinued treatment because of unacceptable side effects or inadequate clinical response
or
<input type="checkbox"/> Patient is a child with nephrotic syndrome*

Note: Indications marked with * are unapproved indications

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Sirolimus (Rapamune)

Initial application

Applications from any medical practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The drug is to be used for rescue therapy for an organ transplant recipient

Note: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR < 30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencephalopathy; or
- Significant malignant disease

Initial application — severe non-malignant lymphovascular malformations*

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has severe non-malignant lymphovascular malformation*
and	
<input type="checkbox"/>	Malformations are not adequately controlled by sclerotherapy and surgery
or	
<input type="checkbox"/>	Malformations are widespread/extensive and sclerotherapy and surgery are not considered clinically appropriate
or	
<input type="checkbox"/>	Sirolimus is to be used to reduce malformation prior to consideration of surgery
and	
<input type="checkbox"/>	Patient is being treated by a specialist lymphovascular malformation multi-disciplinary team
and	
<input type="checkbox"/>	Patient has measurable disease as defined by RECIST version 1.1 (see Note)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Sirolimus (Rapamune) - continued

Renewal — severe non-malignant lymphovascular malformations*

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Patient's disease has had either a complete response or a partial response to treatment, or patient has stable disease according to RECIST version 1.1 (see Note)

or

Patient's disease has stabilised or responded clinically and disease response to treatment has been clearly documents in patient notes

and

No evidence of progressive disease

and

The treatment remains clinically appropriate and the patient is benefitting from the treatment

Note: Baseline assessment and disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer et al. Eur J Cancer 2009;45:228-47)
Indications marked with * are unapproved indications

Initial application — renal angiomyolipoma(s) associated with tuberous sclerosis complex*

Applications only from a nephrologist or urologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has tuberous sclerosis complex*

and

Evidence of renal angiomyolipoma(s) measuring 3 cm or greater and that have shown interval growth

Renewal — renal angiomyolipoma(s) associated with tuberous sclerosis complex*

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Documented evidence of renal angiomyolipoma reduction or stability by magnetic resonance imaging (MRI) or ultrasound

and

Demonstrated stabilisation or improvement in renal function

and

The patient has not experienced angiomyolipoma haemorrhage or significant adverse effects to sirolimus treatment

and

The treatment remains appropriate and the patient is benefitting from treatment

Note: Indications marked with * are unapproved indications

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Sirolimus (Rapamune) - continued

Initial application — refractory seizures associated with tuberous sclerosis complex*

Applications only from a neurologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has epilepsy with a background of documented tuberous sclerosis complex

and

Vigabatrin has been trialed and has not adequately controlled seizures

and

Seizures are not adequately controlled by, or the patient has experienced unacceptable side effects from, optimal treatment with at least two of the following: sodium valproate, topiramate, levetiracetam, carbamazepine, lamotrigine, phenytoin sodium, and lacosamide (see Note)

or

Vigabatrin is contraindicated

and

Seizures are not adequately controlled by, or the patient has experienced unacceptable side effects from, optimal treatment with at least three of the following: sodium valproate, topiramate, levetiracetam, carbamazepine, lamotrigine, phenytoin sodium, and lacosamide (see Note)

and

Seizures have a significant impact on quality of life

and

Patient has been assessed and surgery is considered inappropriate for this patient, or the patient has been assessed and would benefit from mTOR inhibitor treatment prior to surgery

Note: Those of childbearing age potential are not required to trial phenytoin sodium, sodium valproate, or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal — refractory seizures associated with tuberous sclerosis complex*

Current approval Number (if known):.....

Applications only from a neurologist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

Demonstrated significant and sustained improvement in seizure rate (e.g. 50% reduction in seizure frequency) or severity and/or patient quality of life compared with baseline prior to starting sirolimus treatment

Note: Indications marked with * are unapproved indications

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Everolimus

Initial application
Applications only from a neurologist or oncologist. Approvals valid for 3 months.
Prerequisites(tick boxes where appropriate)

Patient has tuberous sclerosis
and
 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment

Renewal
Current approval Number (if known):.....
Applications only from a neurologist or oncologist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months
and
 The treatment remains appropriate and the patient is benefiting from treatment
and
 Everolimus to be discontinued at progression of SEGAs

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Upadacitinib

Initial application — Rheumatoid Arthritis (patients previously treated with adalimumab or etanercept)
Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

The patient has had an initial Special Authority approval for adalimumab and/or etanercept for rheumatoid arthritis

and

The patient has experienced intolerable side effects from adalimumab and/or etanercept

or

The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for rheumatoid arthritis

and

The patient is seronegative for both anti-cyclic citrullinated peptide (CCP) antibodies and rheumatoid factor

or

The patient has been started on rituximab for rheumatoid arthritis in a Health NZ Hospital

and

The patient has experienced intolerable side effects from rituximab

or

At four months following the initial course of rituximab the patient has received insufficient benefit such that they do not meet the renewal criteria for rheumatoid arthritis

Renewal — Rheumatoid Arthritis

Current approval Number (if known):.....

Applications only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months.
Prerequisites(tick boxes where appropriate)

Following 6 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

or

On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Respiratory System and Allergies

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Adrenaline

Initial application — anaphylaxis

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

- Patient has experienced an anaphylactic reaction which has resulted in presentation to a hospital or emergency department
- or**
- Patient has been assessed to be at significant risk of anaphylaxis by a relevant practitioner

- and**
- Patient is not to be prescribed more than two devices in initial prescription

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Icatibant

Initial application

Applications only from a clinical immunologist or relevant specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency
and	
<input type="checkbox"/>	The patient has undergone product training and has agreed upon an action plan for self-administration

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Bee or wasp venom allergy treatment

Initial application
Applications only from a relevant specialist. Approvals valid for 2 years.
Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>		RAST or skin test positive
and		
<input type="checkbox"/>		Patient has had severe generalised reaction to the sensitising agent

Renewal
Current approval Number (if known):.....
Applications only from a relevant specialist. Approvals valid for 2 years.
Prerequisites(tick box where appropriate)

<input type="checkbox"/>		The treatment remains appropriate and the patient is benefiting from treatment
--------------------------	--	--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Initial application

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

- Patient has been stabilised on a long acting muscarinic antagonist
and
 The prescriber considers that the patient would receive additional benefit from switching to a combination product

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

- Patient is compliant with the medication
and
 Patient has experienced improved COPD symptom control (prescriber determined)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Fluticasone furoate with umeclidinium and vilanterol

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has a diagnosis of COPD confirmed by spirometry or spirometry has been attempted and technically acceptable results are not possible
and
<input type="checkbox"/> Patient is currently receiving an inhaled corticosteroid with long acting beta-2 agonist (ICS/LABA) or a long acting muscarinic antagonist with long acting beta-2 agonist (LAMA/LABA)
and
Clinical criteria:
<input type="checkbox"/> Patient has a COPD Assessment Test (CAT) score greater than 10
or
<input type="checkbox"/> Patient has had 2 or more exacerbations in the previous 12 months
or
<input type="checkbox"/> Patient has had one exacerbation requiring hospitalisation in the previous 12 months
or
<input type="checkbox"/> Patient has had an eosinophil count greater than or equal to 0.3×10^9 cells/L in the previous 12 months
or
<input type="checkbox"/> Patient is currently receiving multiple inhaler triple therapy (inhaled corticosteroid with long acting muscarinic antagonist and long acting beta-2 agonist – ICS/LAMA/LABA) and met at least one of the clinical criteria above prior to commencing multiple inhaler triple therapy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pirfenidone

Initial application — idiopathic pulmonary fibrosis

Applications only from a respiratory specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist
and	
<input type="checkbox"/>	Forced vital capacity is between 50% and 90% predicted
and	
<input type="checkbox"/>	Pirfenidone is to be discontinued at disease progression (See Note)
and	
<input type="checkbox"/>	Pirfenidone is not to be used in combination with subsidised nintedanib
and	
<input type="checkbox"/>	The patient has not previously received treatment with nintedanib
or	
<input type="checkbox"/>	Patient has previously received nintedanib, but discontinued nintedanib within 12 weeks due to intolerance
or	
<input type="checkbox"/>	Patient has previously received nintedanib, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with nintedanib)

Renewal — idiopathic pulmonary fibrosis

Current approval Number (if known):.....

Applications only from a respiratory specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment
and	
<input type="checkbox"/>	Pirfenidone is not to be used in combination with subsidised nintedanib
and	
<input type="checkbox"/>	Pirfenidone is to be discontinued at disease progression (See Note)

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Nintedanib

Initial application — idiopathic pulmonary fibrosis

Applications only from a respiratory specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist
and	
<input type="checkbox"/>	Forced vital capacity is between 50% and 90% predicted
and	
<input type="checkbox"/>	Nintedanib is to be discontinued at disease progression (See Note)
and	
<input type="checkbox"/>	Nintedanib is not to be used in combination with subsidised pirfenidone
and	
<input type="checkbox"/>	The patient has not previously received treatment with pirfenidone
or	
<input type="checkbox"/>	Patient has previously received pirfenidone, but discontinued pirfenidone within 12 weeks due to intolerance
or	
<input type="checkbox"/>	Patient has previously received pirfenidone, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with pirfenidone)

Renewal — idiopathic pulmonary fibrosis

Current approval Number (if known):.....

Applications only from a respiratory specialist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment
and	
<input type="checkbox"/>	Nintedanib is not to be used in combination with subsidised pirfenidone
and	
<input type="checkbox"/>	Nintedanib is to be discontinued at disease progression (See Note)

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Dornase Alfa

Initial application — cystic fibrosis

Applications only from a respiratory physician or paediatrician. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has a confirmed diagnosis of cystic fibrosis
and	
<input type="checkbox"/>	Patient has previously undergone a trial with, or is currently being treated with, hypertonic saline
and	
<input type="checkbox"/>	Patient has required one or more hospital inpatient respiratory admissions in the previous 12 month period
or	
<input type="checkbox"/>	Patient has had 3 exacerbations due to CF, requiring oral or intravenous (IV) antibiotics in the previous 12 month period
or	
<input type="checkbox"/>	Patient has had 1 exacerbation due to CF, requiring oral or IV antibiotics in the previous 12 month period and a Brasfield score of < 22/25
or	
<input type="checkbox"/>	Patient has a diagnosis of allergic bronchopulmonary aspergillosis (ABPA)

Renewal — cystic fibrosis

Current approval Number (if known):.....

Applications only from a respiratory physician or paediatrician. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient continues to benefit from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Ivacaftor

Initial application

Applications only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

Patient has been diagnosed with cystic fibrosis

and

Patient must have G551D mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene on at least 1 allele

or

Patient must have other gating (class III) mutation (G1244E, G1349D, G178R, G551S, S1251N, S1255P, S549N and S549R) in the CFTR gene on at least 1 allele

and

Patients must have a sweat chloride value of at least 60 mmol/L by quantitative pilocarpine iontophoresis or by Macroduct sweat collection system

and

Treatment with ivacaftor must be given concomitantly with standard therapy for this condition

and

Patient must not have an acute upper or lower respiratory infection, pulmonary exacerbation, or changes in therapy (including antibiotics) for pulmonary disease in the last 4 weeks prior to commencing treatment with ivacaftor

and

The dose of ivacaftor will not exceed one tablet or one sachet twice daily

and

Applicant has experience and expertise in the management of cystic fibrosis

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Elexacaftor with tezacaftor, ivacaftor and ivacaftor

Initial application

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient has been diagnosed with cystic fibrosis
and	
<input type="checkbox"/>	Patient is 6 years of age or older
and	
<input type="checkbox"/>	Patient has two cystic fibrosis-causing mutations in the cystic fibrosis transmembrane regulator (CFTR) gene (one from each parental allele)
or	
<input type="checkbox"/>	Patient has a sweat chloride value of at least 60 mmol/L by quantitative pilocarpine iontophoresis or by Macroduct sweat collection system
and	
<input type="checkbox"/>	Patient has a heterozygous or homozygous F508del mutation
or	
<input type="checkbox"/>	Patient has a G551D mutation or other mutation responsive in vitro to elexacaftor/tezacaftor/ivacaftor (see note a)
and	
<input type="checkbox"/>	The treatment must be the sole funded CFTR modulator therapy for this condition
and	
<input type="checkbox"/>	Treatment with elexacaftor/tezacaftor/ivacaftor must be given concomitantly with standard therapy for this condition

Note:

a) Eligible mutations are listed in the Food and Drug Administration (FDA) Trikafta prescribing information
https://www.accessdata.fda.gov/drugsatfda_docs/label/2021/212273s004lbl.pdf

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Sensory Organs

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Dexamethasone 700 mcg ocular implants

Initial application — Diabetic macular oedema
Applications only from an ophthalmologist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

Patient has diabetic macular oedema with pseudophakic lens
and Patient has reduced visual acuity of between 6/9 - 6/48 with functional awareness of reduction in vision
and Patient's disease has progressed despite 3 injections with bevacizumab
or Patient is unsuitable or contraindicated to treatment with anti-VEGF agents
and Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

Renewal — Diabetic macular oedema
Current approval Number (if known):.....
Applications only from an ophthalmologist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

Patient's vision is stable or has improved (prescriber determined)
and Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

Initial application — Women of child bearing age with diabetic macular oedema
Applications only from an ophthalmologist. Approvals valid for 12 months.
Prerequisites(tick boxes where appropriate)

Patient has diabetic macular oedema
and Patient has reduced visual acuity of between 6/9 - 6/48 with functional awareness of reduction in vision
and Patient is of child bearing potential and has not yet completed a family
and Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Dexamethasone 700 mcg ocular implants - *continued*

Renewal — Women of child bearing age with diabetic macular oedema

Current approval Number (if known):.....

Applications only from an ophthalmologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Patient's vision is stable or has improved (prescriber determined)
and	
<input type="checkbox"/>	Patient is of child bearing potential and has not yet completed a family
and	
<input type="checkbox"/>	Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Prednisolone sodium phosphate

Initial application

Applications only from an ophthalmologist or optometrist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has severe inflammation and <input type="checkbox"/> Patient has a confirmed allergic reaction to preservative in eye drops

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Pilocarpine – Eye drops 2% single dose

Initial application

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> Patient has to use an unpreserved solution due to an allergy to the preservative
	<input type="checkbox"/> Patient wears soft contact lenses

Note: Minims for a general practice are considered to be “tools of trade” and are not approved as special authority items.

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Preservative Free Ocular Lubricants

Initial application

Applications from any relevant practitioner. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Confirmed diagnosis by slit lamp or Schirmer test of severe secretory dry eye and <input type="checkbox"/> Patient is using eye drops more than four times daily on a regular basis or <input type="checkbox"/> Patient has had a confirmed allergic reaction to preservative in eye drop
--

Renewal

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 24 months.

Prerequisites(tick box where appropriate)

The patient continues to require lubricating eye drops and has benefited from treatment

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Various

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Deferiprone

Initial application

Applications only from a haematologist. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia
or
<input type="checkbox"/> The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Deferasirox

Initial application

Applications only from a haematologist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia
and	
<input type="checkbox"/>	Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day
and	
<input type="checkbox"/>	Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*
or	
<input type="checkbox"/>	Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea
or	
<input type="checkbox"/>	Treatment with deferiprone has resulted in arthritis
or	
<input type="checkbox"/>	Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μ L)

Renewal

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels
or	
<input type="checkbox"/>	For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

Special Foods

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Carbohydrate (Moducal; Polycal)

Initial application — Cystic fibrosis or kidney disease

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Cystic fibrosis or <input type="checkbox"/> Chronic kidney disease
--

Initial application — Indications other than cystic fibrosis or renal failure

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Cancer in children or <input type="checkbox"/> Cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years or <input type="checkbox"/> Faltering growth in an infant/child or <input type="checkbox"/> Bronchopulmonary dysplasia or <input type="checkbox"/> Premature and post premature infant or <input type="checkbox"/> For use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk
--

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Initial application — Inborn errors of metabolism

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

<input type="checkbox"/> The patient has inborn errors of metabolism
--

Renewal — Cystic fibrosis or renal failure

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

<input type="checkbox"/> The treatment remains appropriate and the patient is benefiting from treatment and General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Carbohydrate (Moducal; Polycal) - *continued*

Renewal — Indications other than cystic fibrosis or renal failure

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment
and	General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Carbohydrate and Fat (Duocal Super Soluble Powder)

Initial application — Cystic fibrosis

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick boxes where appropriate)

Infant or child aged four years or under
and
 Cystic fibrosis

Initial application — Indications other than cystic fibrosis

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

Infant or child aged four years or under
and
 Cancer in children
or
 Faltering growth
or
 Bronchopulmonary dysplasia
or
 Premature and post premature infants

Renewal — Cystic fibrosis

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment
and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

Renewal — Indications other than cystic fibrosis

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment
and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Fat (Calogen; Liquigen; MCT oil (Nutricia))

Initial application — Inborn errors of metabolism
Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick box where appropriate)

The patient has an inborn error of metabolism

Initial application — Indications other than inborn errors of metabolism
Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.
Prerequisites(tick boxes where appropriate)

Faltering growth in an infant/child
or
 Bronchopulmonary dysplasia
or
 Fat malabsorption
or
 Lymphangiectasia
or
 Short bowel syndrome
or
 Infants with necrotising enterocolitis
or
 Biliary atresia
or
 For use in a ketogenic diet
or
 Chyle leak
or
 Ascites
or
 For use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal — Indications other than inborn errors of metabolism
Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.
Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment
and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Protein (Protifar; Promod; Resource Beneprotein)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Protein losing enteropathy or <input type="checkbox"/> High protein needs or <input type="checkbox"/> For use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk
--

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

<input type="checkbox"/> The treatment remains appropriate and the patient is benefiting from treatment and General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Diabetic products (Diason RTH; Glucerna Select RTH; Diasip; Glucerna Select; Resource Diabetic)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box where appropriate)

The patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Fat Modified Products (Monogen)

Initial application — Inborn errors of metabolism
Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified.
Prerequisites(tick box where appropriate)

The patient has an inborn error of metabolism

Initial application — Indications other than errors of inborn metabolism
Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.
Prerequisites(tick boxes where appropriate)

Patient has a chyle leak
or
 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.
Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment
and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paediatric Product For Children Awaiting Liver Transplant (Heparon Junior)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box where appropriate)

The patient is a child (up to 18 years) who requires a liver transplant

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paediatric Product For Children With Chronic Renal Failure (Kindergen)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box where appropriate)

The patient is a child (up to 18 years) with acute or chronic kidney disease

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paediatric Products

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Child is aged one to ten years and <input type="checkbox"/> The child is being fed via a tube or a tube is to be inserted for the purposes of feeding or <input type="checkbox"/> Any condition causing malabsorption or <input type="checkbox"/> Faltering growth in an infant/child or <input type="checkbox"/> Increased nutritional requirements or <input type="checkbox"/> The child is being transitioned from TPN or tube feeding to oral feeding

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

<input type="checkbox"/> The treatment remains appropriate and the patient is benefiting from treatment and General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Renal Products (Nepro; NovaSource Renal; Renilon 7.5; Suplena)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box where appropriate)

The patient has acute or chronic kidney disease

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Specialised And Elemental Products

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Malabsorption
or	
<input type="checkbox"/>	Short bowel syndrome
or	
<input type="checkbox"/>	Enterocutaneous fistulas
or	
<input type="checkbox"/>	Eosinophilic oesophagitis
or	
<input type="checkbox"/>	Inflammatory bowel disease
or	
<input type="checkbox"/>	Patients with multiple food allergies requiring enteral feeding

Note: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation. Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment
and	
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted	

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paediatric enteral feed with fibre 0.75 kcal/ml (Nutrini Low Energy Multi Fibre)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Child aged one to eight years and <input type="checkbox"/> The child has a low energy requirement but normal protein and micronutrient requirements

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

<input type="checkbox"/> The treatment remains appropriate and the patient is benefiting from treatment and General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

SA1859 - Standard Supplements

Adults - Initial application	379
Adults - Renewal	380
Children - exclusive enteral nutrition for Crohn's disease - Initial application	378
Children - exclusive enteral nutrition for Crohn's disease - Renewal	379
Children - indications other than exclusive enteral nutrition for Crohn's disease - Initial application	378
Children - indications other than exclusive enteral nutrition for Crohn's disease - Renewal	378
Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583 - Renewal	383
Long-term medical condition - Initial application	382
Short-term medical condition - Initial application	380
Short-term medical condition - Renewal	381

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Standard Supplements

Initial application — Children - indications other than exclusive enteral nutrition for Crohn’s disease

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

The patient is under 18 years of age

and

The patient has a condition causing malabsorption

or

The patient has failure to thrive

or

The patient has increased nutritional requirements

and

Nutrition goal has been set (eg reach a specific weight or BMI)

Renewal — Children - indications other than exclusive enteral nutrition for Crohn’s disease

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

The patient is under 18 years of age

and

The treatment remains appropriate and the patient is benefiting from treatment

and

A nutrition goal has been set (eg reach a specific weight or BMI)

Initial application — Children - exclusive enteral nutrition for Crohn’s disease

Applications only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

The patient is under 18 years of age

and

It is to be used as exclusive enteral nutrition for the treatment of Crohn’s disease

and

Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Standard Supplements - continued

Renewal — Children - exclusive enteral nutrition for Crohn’s disease

Current approval Number (if known):.....

Applications from any relevant practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months.

Prerequisites(tick boxes, and write the data requested in the space provided where appropriate)

<input type="checkbox"/>	The patient is under 18 years of age
and	
<input type="checkbox"/>	It is to be used as exclusive enteral nutrition for the treatment of Crohn’s disease
and	
General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.....	

Initial application — Adults

Applications from any relevant practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

Patient is Malnourished	
<input type="checkbox"/>	Patient has a body mass index (BMI) of less than 18.5 kg/m ²
or	
<input type="checkbox"/>	Patient has unintentional weight loss greater than 10% within the last 3-6 months
or	
<input type="checkbox"/>	Patient has a BMI of less than 20 kg/m ² and unintentional weight loss greater than 5% within the last 3-6 months
and	
Patient has not responded to first-line dietary measures over a 4 week period by:	
<input type="checkbox"/>	Increasing their food intake frequency (eg snacks between meals)
or	
<input type="checkbox"/>	Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc)
or	
<input type="checkbox"/>	Using over the counter supplements (e.g. Complan)
and	
<input type="checkbox"/>	A nutrition goal has been set (e.g. to reach a specific weight or BMI)

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Standard Supplements - continued

Renewal — Adults

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

A nutrition goal has been set (eg reach a specific weight or BMI)

and

Patient is Malnourished

Patient has a body mass index (BMI) of less than 18.5 kg/m²

or

Patient has unintentional weight loss greater than 10% within the last 3-6 months

or

Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months

Initial application — Short-term medical condition

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding

or

Malignancy and is considered likely to develop malnutrition as a result

or

Is undergoing a bone marrow transplant

or

Tempomandibular surgery or glossectomy

or

Pregnant

and

Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum

or

Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight

or

Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Standard Supplements - *continued*

Renewal — Short-term medical condition

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Is being fed via a nasogastric tube
or	
<input type="checkbox"/>	Malignancy and is considered likely to develop malnutrition as a result
or	
<input type="checkbox"/>	Has undergone a bone marrow transplant
or	
<input type="checkbox"/>	Tempomandibular surgery or glossectomy
or	
<input type="checkbox"/>	Pregnant
and	
<input type="checkbox"/>	Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum
or	
<input type="checkbox"/>	Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight
or	
<input type="checkbox"/>	Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Standard Supplements - *continued*

Initial application — Long-term medical condition

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria)
or	
<input type="checkbox"/>	Cystic Fibrosis
or	
<input type="checkbox"/>	Liver disease
or	
<input type="checkbox"/>	Chronic Renal failure
or	
<input type="checkbox"/>	Inflammatory bowel disease
or	
<input type="checkbox"/>	Chronic obstructive pulmonary disease with hypercapnia
or	
<input type="checkbox"/>	Short bowel syndrome
or	
<input type="checkbox"/>	Bowel fistula
or	
<input type="checkbox"/>	Severe chronic neurological conditions
or	
<input type="checkbox"/>	Epidermolysis bullosa
or	
<input type="checkbox"/>	AIDS (CD4 count < 200 cells/mm ³)
or	
<input type="checkbox"/>	Chronic pancreatitis

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Standard Supplements - *continued*

Renewal — Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria)
or	
<input type="checkbox"/>	Cystic Fibrosis
or	
<input type="checkbox"/>	Liver disease
or	
<input type="checkbox"/>	Chronic Renal failure
or	
<input type="checkbox"/>	Inflammatory bowel disease
or	
<input type="checkbox"/>	Chronic obstructive pulmonary disease with hypercapnia
or	
<input type="checkbox"/>	Short bowel syndrome
or	
<input type="checkbox"/>	Bowel fistula
or	
<input type="checkbox"/>	Severe chronic neurological conditions

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

High Calorie Products (Two Cal HN; Nutrison Concentrated)

Initial application — Cystic fibrosis

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick boxes where appropriate)

Cystic fibrosis

and

Other lower calorie products have been tried

and

Patient has substantially increased metabolic requirements

Initial application — Indications other than cystic fibrosis

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick boxes where appropriate)

Any condition causing malabsorption

or

Faltering growth in an infant/child

or

Increased nutritional requirements

or

Fluid restricted

and

Other lower calorie products have been tried

and

Patient has substantially increased metabolic requirements or is fluid restricted

Renewal — Cystic fibrosis

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and

General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

High Calorie Products (Two Cal HN; Nutrison Concentrated) - *continued*

Renewal — Indications other than cystic fibrosis

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

<input type="checkbox"/>	The treatment remains appropriate and the patient is benefiting from treatment
and	General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Food Thickeners (Karicare Food Thickener; Nutilis)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box where appropriate)

The patient has motor neurone disease with swallowing disorder

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.

Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Gluten Free Foods (Bakels Gluten Free Health Bread Mix; Horleys Bread Mix; Horleys Flour; NZB Low Gluten Bread Mix; Orgran; Healtheries Simple Baking Mix)

Initial application — all patients
Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> Gluten enteropathy has been diagnosed by biopsy <input type="checkbox"/> Patient suffers from dermatitis herpetiformis
-----------	--

Initial application — paediatric patients diagnosed by ESPGHAN criteria
Applications only from a paediatric gastroenterologist. Approvals valid without further renewal unless notified.

Prerequisites(tick box where appropriate)

The paediatric patient fulfils ESPGHAN criteria for biopsy free diagnosis of coeliac disease

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Foods and Supplements For Inborn Errors Of Metabolism (Easiphen Liquid; Loprofin Mix; Loprofin; Minaphlex; MSUD Maxamaid; MSUD Maxamum; Phlexy 10; PKU Anamix Junior IQ; PKU Lophlex IQ; PKU Anamix Infant; XP Maxamaid; XP Maxamum; XMET Maxamum)

Initial application
Applications from any relevant practitioner. Approvals valid without further renewal unless notified.

Prerequisites(tick boxes where appropriate)

or	<input type="checkbox"/> Dietary management of inherited metabolic disease <input type="checkbox"/> For use as a supplement to a Ketogenic diet in patients diagnosed with epilepsy
-----------	--

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Infant Formulae - For Williams Syndrome (Locasol)

Initial application
Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.
Prerequisites(tick box where appropriate)

The patient is an infant suffering from Williams Syndrome and associated hypercalcaemia

Renewal
Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year.
Prerequisites(tick box, and write the data requested in the space provided where appropriate)

The treatment remains appropriate and the patient is benefiting from treatment

and
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Amino acid formula (Alfamino Junior; Elecare; Neocate)

Initial application — Infants under 12 months of age

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	History of anaphylaxis to cow's milk protein formula or dairy products
or	
<input type="checkbox"/>	Eosinophilic oesophagitis
or	
<input type="checkbox"/>	Ultra-short gut
or	
<input type="checkbox"/>	Severe Immune deficiency
or	
<input type="checkbox"/>	Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate
or	
<input type="checkbox"/>	Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption
and	
<input type="checkbox"/>	The patient has a valid Special Authority approval for extensively hydrolysed formula: approval number
or	
<input type="checkbox"/>	Patient has IgE mediated allergy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Amino acid formula (Alfamino Junior; Elecare; Neocate) - *continued*

Initial application — Children 12 months of age and over

Applications only from a paediatrician, paediatric gastroenterologist, paediatric immunologist or dietitian on the recommendation of a paediatrician, paediatric gastroenterologist or paediatric immunologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/>	Applicant is a paediatrician, paediatric gastroenterologist or paediatric immunologist
or	
<input type="checkbox"/>	Applicant is a dietitian and confirms that a paediatrician, paediatric gastroenterologist or paediatric immunologist has been consulted within the last 12 months and has recommended treatment for the patient

and

<input type="checkbox"/>	History of anaphylaxis to cow's milk protein formula or dairy products
or	
<input type="checkbox"/>	Eosinophilic oesophagitis
or	
<input type="checkbox"/>	Ultra-short gut
or	
<input type="checkbox"/>	Severe Immune deficiency
or	
<input type="checkbox"/>	Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate

<input type="checkbox"/>	Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption
--------------------------	---

and

<input type="checkbox"/>	The patient has a valid Special Authority approval for extensively hydrolysed formula: approval number
or	
<input type="checkbox"/>	Patient has IgE mediated allergy

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Amino acid formula (Alfamino Junior; Elecare; Neocate) - *continued*

Renewal — Infants up to 12 months of age

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has IgE mediated allergy

and

Patient remains allergic to cow's milk

and

An assessment as to whether the infant can be transitioned to a cow's milk protein, soy or extensively hydrolysed infant formula has been undertaken

and

The outcome of the assessment is that the infant continues to require an amino acid infant formula

and

Amino acid formula is required for a nutritional deficit

and

It has been more than three months from the previous approval

or

Patient has non IgE mediated severe gastrointestinal intolerance (including eosinophilic oesophagitis, ultra-short gut and severe immune deficiency)

and

An assessment as to whether the infant can be transitioned to a cow's milk protein, soy, or extensively hydrolysed infant formula has been undertaken

and

The outcome of the assessment is that the infant continues to require an amino acid infant formula

and

Amino acid formula is required for a nutritional deficit

and

It has been more than three months from the previous approval

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Amino acid formula (Alfamino Junior; Elecare; Neocate) - *continued*

Renewal — Children 12 months of age and over

Current approval Number (if known):.....

Applications only from a paediatrician, paediatric gastroenterologist, paediatric immunologist or dietitian on the recommendation of a paediatrician, paediatric gastroenterologist or paediatric immunologist. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

- Applicant is a paediatrician, paediatric gastroenterologist or paediatric immunologist
or
 Applicant is a dietitian and confirms that a paediatrician, paediatric gastroenterologist or paediatric immunologist has been consulted within the last 12 months and has recommended treatment for the patient

and

- History of anaphylaxis to cow's milk protein formula or dairy products
or
 Eosinophilic oesophagitis
or
 Ultra-short gut
or
 Severe Immune deficiency
or
 Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate

- Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption

and

- The patient has a valid Special Authority approval for extensively hydrolysed formula: approval number
or
 Patient has IgE mediated allergy

Initial application — for patients who have a current funding under Special Authority form SA1557

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- Patient has a valid Special Authority approval for extensively hydrolysed formula (SA1557)
and
 Extensively hydrolysed formula (Aptamil Gold+ Pepti Junior, AllerPro SYNEO 1 and 2) is unable to be supplied at this time
and
 The approval only applies to funded dispensings of Neocate Gold and Neocate Syneo

Note: This criteria is short term funding to cover an out-of-stock situation on some extensively hydrolysed formula powder funded under Special Authority form SA1557. There is no renewal criteria under this restriction.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Extensively hydrolysed formula

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes, and write the data requested in the space provided where appropriate)

Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content

and

Soy milk formula has been reasonably trialled without resolution of symptoms

or

Soy milk formula is considered clinically inappropriate or contraindicated

or

Severe malabsorption

or

Short bowel syndrome

or

Intractable diarrhoea

or

Biliary atresia

or

Cholestatic liver diseases causing malsorption

or

Cystic fibrosis

or

Proven fat malabsorption

or

Severe intestinal motility disorders causing significant malabsorption

or

Intestinal failure

or

For step down from Amino Acid Formula

and

The infant is currently receiving funded amino acid formula

and

The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula

and

General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Extensively hydrolysed formula - *continued*

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes, and write the data requested in the space provided where appropriate)

and	<input type="checkbox"/> An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken
and	<input type="checkbox"/> The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula
General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted	

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

.....

Fax Number: Fax Number:

Enteral liquid peptide formula (Nutrini Peptisorb; Nutrini Peptisorb Energy)

Initial application

Applications only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has impaired gastrointestinal function and either cannot tolerate polymeric feeds, or polymeric feeds are unsuitable

and

Severe malabsorption

or

Short bowel syndrome

or

Intractable diarrhoea

or

Biliary atresia

or

Cholestatic liver diseases causing malabsorption

or

Cystic fibrosis

or

Proven fat malabsorption

or

Severe intestinal motility disorders causing significant malabsorption

or

Intestinal failure

or

The patient is currently receiving funded amino acid formula

and

The patient is to be trialled on, or transitioned to, an enteral liquid peptide formula

and

A semi-elemental or partially hydrolysed powdered feed has been reasonably trialled and considered unsuitable

or

For step down from intravenous nutrition

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal

Current approval Number (if known):.....

Applications only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

An assessment as to whether the patient can be transitioned to a cows milk protein or soy infant formula or extensively hydrolysed formula has been undertaken

and

The outcome of the assessment is that the patient continues to require an enteral liquid peptide formula

and

General practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Paediatric oral/enteral feed 1 kcal/ml (Infatrini)

Initial application
Applications only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

Patient is fluid restricted or volume intolerant and has been diagnosed with faltering growth

and

Patient is under the care of a paediatrician or dietitian who has recommended treatment with a high energy infant formula

and

Patient is under 18 months of age or weighs less than 8 kg

Note: 'Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Renewal

Current approval Number (if known):.....

Applications only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient continues to be fluid restricted or volume intolerant and has faltering growth

and

Patient is under the care of a hospital paediatrician or dietitian who has recommended treatment with a high energy infant formula

and

Patient is under 18 months of age or weighs less than 8 kg

Note: 'Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:
Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

High fat formula with vitamins, minerals and trace elements and low in protein and carbohydrate (KetoCal)

Initial application

Applications only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months.

Prerequisites(tick box where appropriate)

The patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet

Renewal

Current approval Number (if known):.....

Applications only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years.

Prerequisites(tick box where appropriate)

The patient is on a ketogenic diet and the patient is benefiting from the diet

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

INDEX OF FORM NUMBERS

Index of form numbers

SA0500 Combined oral contraceptives; Progestogen-only contraceptives	90	SA1698 Paediatric oral/enteral feed 1 kcal/ml	397
SA0895 Pilocarpine – Eye drops 2% single dose	358	SA1715 Prednisolone sodium phosphate	357
SA0906 Topical local anaesthetics	144	SA1720 Vitabdeck	40
SA0928 Finasteride	91	SA1725 Mercaptopurine	177
SA0987 Aprepitant	149	SA1728 Eplerenone	61
SA1032 Tamsulosin	92	SA1729 Gluten Free Foods	387
SA1036 Multivitamins	41	SA1739 Ursodeoxycholic Acid	21
SA1083 Potassium Citrate	93	SA1740 Moxifloxacin	112
SA1095 Diabetic products	369	SA1743 Eltrombopag	48
SA1098 Paediatric Product For Children Awaiting Liver Transplant	371	SA1744 Omalizumab	239
SA1099 Paediatric Product For Children With Chronic Renal Failure	372	SA1772 Aflibercept	247
SA1101 Renal Products	374	SA1777 Denosumab	139
SA1106 Food Thickeners	386	SA1779 Raloxifene	137
SA1110 Infant Formulae - For Williams Syndrome	389	SA1805 Dasatinib	193
SA1124 Thalidomide	181	SA1840 Ferric carboxymaltose	43
SA1139 Teriparatide	138	SA1845 Varenicline tartrate	171
SA1149 Dexamfetamine Sulfate	163	SA1857 Clarithromycin	109
SA1190 Pazopanib	197	SA1859 Standard Supplements	378
SA1195 High Calorie Products	384	SA1868 Venetoclax	188
SA1196 Paediatric enteral feed with fibre 0.75 kcal/ml	376	SA1870 Alectinib	201
SA1197 High fat formula with vitamins, minerals and trace elements and low in protein and carbohydrate	398	SA1886 Budesonide - Cap 3 mg Controlled Release	6
SA1199 Propylthiouracil	97	SA1889 Bortezomib	184
SA1203 Buprenorphine with naloxone	172	SA1890 Ruxolitinib	200
SA1259 Filgrastim	55	SA1895 Fulvestrant	210
SA1273 Voriconazole	119	SA1912 Pegfilgrastim	56
SA1285 Posaconazole	120	SA1930 Carbohydrate	364
SA1289 Capsaicin	136	SA1953 Enteral liquid peptide formula	396
SA1318 Albendazole	107	SA1955 Ticagrelor	51
SA1320 Diazoxide	10	SA1963 Benzbromarone	140
SA1321 Hydralazine	64	SA1964 Methylphenidate Hydrochloride	165
SA1322 Itraconazole	118	SA1970 Pimecrolimus	88
SA1327 Propranolol	60	SA1976 Rituximab	224
SA1328 Pymethamine	114	SA1978 Dornase Alfa	351
SA1329 Glyceryl trinitrate Oint 0.2%	8	SA1979 Pegaspargase	185
SA1331 Sulfadiazine	115	SA1985 Insulin Pump Consumables	17
SA1332 Tetracycline	111	SA1986 Alglucosidase Alfa	28
SA1355 Minocycline hydrochloride Tab 50 mg	110	SA1987 Betaine	31
SA1359 Fluconazole oral liquid	117	SA1988 Galsulfase	25
SA1367 Bee or wasp venom allergy treatment	346	SA1989 Sapropterin dihydrochloride	32
SA1376 Carbohydrate and Fat	366	SA1990 Sodium phenylbutyrate	26
SA1377 Specialised And Elemental Products	375	SA1993 Valganciclovir	125
SA1379 Paediatric Products	373	SA1998 Hyoscine (Scopolamine)	148
SA1386 Phenobarbitone	159	SA1999 Modafinil	168
SA1403 Riluzole	143	SA2008 Everolimus	341
SA1408 Naltrexone	170	SA2012 Nintedanib	350
SA1427 Risperidone microspheres	150	SA2013 Pirfenidone	349
SA1429 Paliperidone depot injection	153	SA2017 Ivacaftor	352
SA1461 Rifaximin	9	SA2023 Isotretinoin	83
SA1474 Midodrine	59	SA2024 Acitretin	87
SA1480 Deferiprone	361	SA2032 Somatropin	99
SA1488 Rivastigmine patches	169	SA2034 Pegylated Interferon alfa-2A	131
SA1492 Deferasirox	362	SA2039 Coenzyme Q10	33
SA1524 Protein	368	SA2040 Levocarnitine	34
SA1546 Multivitamin renal	42	SA2041 Riboflavin	35
SA1557 Extensively hydrolysed formula	394	SA2042 Arginine	36
SA1558 Icatibant	345	SA2043 Taurine	37
SA1584 Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists	347	SA2047 Lenalidomide	186
SA1596 Siltuximab	242	SA2053 Sodium picosulfate	24
SA1599 Sodium benzoate	27	SA2054 Febuxostat	141
SA1603 Insulin Pumps	12	SA2068 Empagliflozin; Empagliflozin with metformin hydrochloride	11
SA1605 Ledipasvir with sofosbuvir	4	SA2070 Cabergoline	105
SA1623 Idursulfase	29	SA2074 Tacrolimus Ointment	86
SA1666 Melatonin	160	SA2079 Upadacitinib	342
SA1679 Pemetrexed	179	SA2084 Secukinumab	249
SA1680 Dexamethasone 700 mcg ocular implants	355	SA2088 Vigabatrin	145
SA1683 Azithromycin	108	SA2092 Amino acid formula	390
SA1684 Primaquine	121	SA2093 Rosuvastatin	63
SA1685 Lamivudine	124	SA2096 Casirivimab and imdevimab	299
SA1689 Paromomycin	116	SA2103 Etanercept	212
SA1691 Methylnaltrexone bromide	23	SA2115 Erlotinib	194
SA1695 Laronidase	30	SA2116 Gefitinib	198
SA1697 Cetuximab	246	SA2117 Sunitinib	195
		SA2118 Abiraterone acetate	208
		SA2119 Octreotide long-acting	205

INDEX OF FORM NUMBERS

SA2134 Preservative Free Ocular Lubricants	359	SA2257 Iloprost	75
SA2137 Taliglucerase alfa	39	SA2264 Atezolizumab	336
SA2138 Emtricitabine with tenofovir disoproxil	127	SA2266 Hypoplastic and Haemolytic	46
SA2139 Antiretrovirals	128	SA2267 Lacosamide	146
SA2141 Azacitidine	178	SA2268 Stiripentol	147
SA2144 Trastuzumab emtansine	275	SA2269 Gemtuzumab ozogamicin	315
SA2151 Benralizumab	316	SA2270 Sirolimus (Rapamune)	338
SA2152 Enoxaparin sodium	53	SA2271 Tacrolimus	337
SA2153 Bendamustine hydrochloride	175	SA2272 Emicizumab	50
SA2155 Obinutuzumab	244	SA2273 Ocrelizumab	157
SA2157 Adalimumab (Humira - Alternative brand)	228	SA2274 Multiple Sclerosis	155
SA2163 Olaparib	189	SA2275 Temozolomide	182
SA2164 Durvalumab	335	SA2276 Pertuzumab	243
SA2166 Tolvaptan	62	SA2289 Brentuximab	323
SA2167 Paliperidone palmitate	154	SA2293 Trastuzumab (Herzuma)	325
SA2168 Ibrutinib	191	SA2294 Ivermectin	84
SA2170 Cinacalcet	95	SA2300 Foods and Supplements For Inborn Errors Of Metabolism	388
SA2174 Nusinersen	161	SA2301 Nilotinib	199
SA2178 Adalimumab (Amgevita)	301	SA2302 Sacubitril with valsartan	58
SA2179 Infliximab	253	SA2305 Methylphenidate Hydrochloride Extended Release	167
SA2182 Ustekinumab	317	SA2306 Nivolumab	328
SA2183 Vedolizumab	320	SA2307 Pembrolizumab	330
SA2185 Adrenaline	344	SA2312 Aripiprazole	152
SA2196 Elexacaftor with tezacaftor, ivacaftor and ivacaftor	353	SA2313 Olanzapine depot injection	151
SA2203 Risdiplam	162	SA2324 Trientine	38
SA2204 Fat	367	SA2325 Niraparib	192
SA2205 Fat Modified Products	370	SA2326 Fluticasone furoate with umeclidinium and vilanterol	348
SA2233 Rituximab	278	SA2331 Mepolizumab	297
SA2234 Linezolid	122	SA2332 Tocilizumab	269
SA2244 Bedaquiline	123	SA2338 Dulaglutide	4
SA2253 Ambrisentan	69	SA2339 Liraglutide	4
SA2254 Bosentan	65	SA2342 Midostaurin	203
SA2255 Sildenafil (Vedafil)	73	SA2343 Ribociclib	204
SA2256 Epoprostenol	79	SA2345 Palbociclib (Ibrance)	202

Index of titles

Abiraterone acetate (SA2118)	208	Galsulfase (SA1988)	25
Acitretin (SA2024)	87	Gefitinib (SA2116)	198
Adalimumab (Amgevita) (SA2178)	301	Gemtuzumab ozogamicin (SA2269)	315
Adalimumab (Humira - Alternative brand) (SA2157)	228	Gluten Free Foods (SA1729)	387
Adrenaline (SA2185)	344	Glyceryl trinitrate Oint 0.2% (SA1329)	8
Aflibercept (SA1772)	247	High Calorie Products (SA1195)	384
Albendazole (SA1318)	107	High fat formula with vitamins, minerals and trace elements and low in protein and carbohydrate (SA1197)	398
Alectinib (SA1870)	201	Hydralazine (SA1321)	64
Alglucosidase Alfa (SA1986)	28	Hyoscine (Scopolamine) (SA1998)	148
Ambrisentan (SA2253)	69	Hypoplastic and Haemolytic (SA2266)	46
Amino acid formula (SA2092)	390	Ibrutinib (SA2168)	191
Antiretrovirals (SA2139)	128	Icatibant (SA1558)	345
Aprepitant (SA0987)	149	Idursulfase (SA1623)	29
Arginine (SA2042)	36	Iloprost (SA2257)	75
Aripiprazole (SA2312)	152	Infant Formulae - For Williams Syndrome (SA1110)	389
Atezolizumab (SA2264)	336	Infliximab (SA2179)	253
Azacitidine (SA2141)	178	Insulin Pump Consumables (SA1985)	17
Azithromycin (SA1683)	108	Insulin Pumps (SA1603)	12
Bedaquiline (SA2244)	123	Isotretinoin (SA2023)	83
Bee or wasp venom allergy treatment (SA1367)	346	Itraconazole (SA1322)	118
Bendamustine hydrochloride (SA2153)	175	Ivacaftor (SA2017)	352
Benralizumab (SA2151)	316	Ivermectin (SA2294)	84
Benzbromarone (SA1963)	140	Lacosamide (SA2267)	146
Betaine (SA1987)	31	Lamivudine (SA1685)	124
Bortezomib (SA1889)	184	Laronidase (SA1695)	30
Bosentan (SA2254)	65	Ledipasvir with sofosbuvir (SA1605)	4
Brentuximab (SA2289)	323	Lenalidomide (SA2047)	186
Budesonide - Cap 3 mg Controlled Release (SA1886)	6	Levocarnitine (SA2040)	34
Buprenorphine with naloxone (SA1203)	172	Linezolid (SA2234)	122
Cabergoline (SA2070)	105	Liraglutide (SA2339)	4
Capsaicin (SA1289)	136	Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists (SA1584)	347
Carbohydrate and Fat (SA1376)	366	Melatonin (SA1666)	160
Carbohydrate (SA1930)	364	Mepolizumab (SA2331)	297
Casirivimab and imdevimab (SA2096)	299	Mercaptopurine (SA1725)	177
Cetuximab (SA1697)	246	Methylnaltrexone bromide (SA1691)	23
Cinacalcet (SA2170)	95	Methylphenidate Hydrochloride Extended Release (SA2305)	167
Clarithromycin (SA1857)	109	Methylphenidate Hydrochloride (SA1964)	165
Coenzyme Q10 (SA2039)	33	Midodrine (SA1474)	59
Combined oral contraceptives; Progestogen-only contraceptives (SA0500)	90	Midostaurin (SA2342)	203
Dasatinib (SA1805)	193	Minocycline hydrochloride Tab 50 mg (SA1355)	110
Deferasirox (SA1492)	362	Modafinil (SA1999)	168
Deferiprone (SA1480)	361	Moxifloxacin (SA1740)	112
Denosumab (SA1777)	139	Multiple Sclerosis (SA2274)	155
Dexamethasone 700 mcg ocular implants (SA1680)	355	Multivitamin renal (SA1546)	42
Dexamfetamine Sulfate (SA1149)	163	Multivitamins (SA1036)	41
Diabetic products (SA1095)	369	Naltrexone (SA1408)	170
Diazoxide (SA1320)	10	Nilotinib (SA2301)	199
Dornase Alfa (SA1978)	351	Nintedanib (SA2012)	350
Dulaglutide (SA2338)	4	Niraparib (SA2325)	192
Durvalumab (SA2164)	335	Nivolumab (SA2306)	328
Elexacaftor with tezacaftor, ivacaftor and ivacaftor (SA2196)	353	Nusinersen (SA2174)	161
Eltrombopag (SA1743)	48	Obinutuzumab (SA2155)	244
Emicizumab (SA2272)	50	Ocrelizumab (SA2273)	157
Empagliflozin; Empagliflozin with metformin hydrochloride (SA2068)	11	Octreotide long-acting (SA2119)	205
Emtricitabine with tenofovir disoproxil (SA2138)	127	Olanzapine depot injection (SA2313)	151
Enoxaparin sodium (SA2152)	53	Olaparib (SA2163)	189
Enteral liquid peptide formula (SA1953)	396	Omaliuzumab (SA1744)	239
Eplerenone (SA1728)	61	Paediatric Product For Children Awaiting Liver Transplant (SA1098)	371
Epoprostenol (SA2256)	79	Paediatric Product For Children With Chronic Renal Failure (SA1099)	372
Erlotinib (SA2115)	194	Paediatric Products (SA1379)	373
Etanercept (SA2103)	212	Paediatric enteral feed with fibre 0.75 kcal/ml (SA1196)	376
Everolimus (SA2008)	341	Paediatric oral/enteral feed 1 kcal/ml (SA1698)	397
Extensively hydrolysed formula (SA1557)	394	Palbociclib (Ibrance) (SA2345)	202
Fat Modified Products (SA2205)	370	Paliperidone depot injection (SA1429)	153
Fat (SA2204)	367	Paliperidone palmitate (SA2167)	154
Febuxostat (SA2054)	141	Paromomycin (SA1689)	116
Ferric carboxymaltose (SA1840)	43	Pazopanib (SA1190)	197
Filgrastim (SA1259)	55	Pegaspargase (SA1979)	185
Finasteride (SA0928)	91	Pegfilgrastim (SA1912)	56
Fluconazole oral liquid (SA1359)	117	Pegylated Interferon alfa-2A (SA2034)	131
Fluticasone furoate with umecidinium and vilanterol (SA2326)	348	Pembrolizumab (SA2307)	330
Food Thickeners (SA1106)	386	Pemetrexed (SA1679)	179
Foods and Supplements For Inborn Errors Of Metabolism (SA2300)	388		
Fulvestrant (SA1895)	210		

INDEX OF TITLES

Pertuzumab (SA2276)	243	Sodium phenylbutyrate (SA1990)	26
Phenobarbitone (SA1386)	159	Sodium picosulfate (SA2053)	24
Pilocarpine – Eye drops 2% single dose (SA0895)	358	Somatropin (SA2032)	99
Pimecrolimus (SA1970)	88	Specialised And Elemental Products (SA1377)	375
Pirfenidone (SA2013)	349	Standard Supplements (SA1859)	378
Posaconazole (SA1285)	120	Stiripentol (SA2268)	147
Potassium Citrate (SA1083)	93	Sulfadiazine (SA1331)	115
Prednisolone sodium phosphate (SA1715)	357	Sunitinib (SA2117)	195
Preservative Free Ocular Lubricants (SA2134)	359	Tacrolimus (SA2271)	337
Primaquine (SA1684)	121	Tacrolimus Ointment (SA2074)	86
Propranolol (SA1327)	60	Taliglucerase alfa (SA2137)	39
Propylthiouracil (SA1199)	97	Tamsulosin (SA1032)	92
Protein (SA1524)	368	Taurine (SA2043)	37
Pyrimethamine (SA1328)	114	Temozolomide (SA2275)	182
Raloxifene (SA1779)	137	Teriparatide (SA1139)	138
Renal Products (SA1101)	374	Tetracycline (SA1332)	111
Ribociclib (SA2343)	204	Thalidomide (SA1124)	181
Riboflavin (SA2041)	35	Ticagrelor (SA1955)	51
Rifaximin (SA1461)	9	Tocilizumab (SA2332)	269
Riluzole (SA1403)	143	Tolvaptan (SA2166)	62
Risdiplam (SA2203)	162	Topical local anaesthetics (SA0906)	144
Risperidone microspheres (SA1427)	150	Trastuzumab (Herzuma) (SA2293)	325
Rituximab (SA1976)	224	Trastuzumab emtansine (SA2144)	275
Rituximab (SA2233)	278	Trientine (SA2324)	38
Rivastigmine patches (SA1488)	169	Upadacitinib (SA2079)	342
Rosuvastatin (SA2093)	63	Ursodeoxycholic Acid (SA1739)	21
Ruxolitinib (SA1890)	200	Ustekinumab (SA2182)	317
Sacubitril with valsartan (SA2302)	58	Valganciclovir (SA1993)	125
Sapropterin dihydrochloride (SA1989)	32	Varenicline tartrate (SA1845)	171
Secukinumab (SA2084)	249	Vedolizumab (SA2183)	320
Sildenafil (Vedafil) (SA2255)	73	Venetoclax (SA1868)	188
Siltuximab (SA1596)	242	Vigabatrin (SA2088)	145
Sirolimus (Rapamune) (SA2270)	338	Vitabdeck (SA1720)	40
Sodium benzoate (SA1599)	27	Voriconazole (SA1273)	119