Enquiries to Ministry of Health 0800 855 066

APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 1 Form SA2139

		May 2025				
APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:				
Reg No:	First Names:	First Names:				
Name:	Surname:	Surname:				
Address:	DOB:	Address:				
	Address:					
Fax Number:		Fax Number:				
Antiretrovirals						
Initial application — Confirmed HIV Applications only from a named specialist. Approvals valid without further renewal unless notified. Prerequisites(tick box where appropriate) The patient has confirmed HIV infection Note: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.						
Renewal — Confirmed HIV						
Current approval Number (if known):						
Applications only from a named specialist. Approvals valid without further renewal unless notified. Prerequisites(tick box where appropriate)						
The treatment remains appropriate and the patient is benefiting from treatment						
Initial application — Prevention of maternal transmission Applications only from a named specialist. Approvals valid for 1 year. Prerequisites(tick boxes where appropriate)						
Prevention of maternal foetal transmission or Treatment of the newborn for up to eight weeks						
Note: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.						
Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.						
Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.						

I confirm the above details are correct and that in signing this form I understand I may be audited.

Enquiries to Ministry of Health 0800 855 066

APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 2 Form SA2139 May 2025

APPLI	CAN	IT (st	amp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:		
Reg No:			First Names:	First Names:			
Name:				Surname:	Surname:		
Address:			DOB:	Address:			
				Address:			
Fax Nu	umbe	er:			Fax Number:		
Antir	etro	vira	ls - continued				
Initial application — post-exposure prophylaxis following exposure to HIV Applications from any relevant practitioner. Approvals valid for 4 weeks. Prerequisites(tick boxes where appropriate)							
	and		Treatment course to be initiated wi	thin 72 hours post exposure			
				Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml			
		or	Patient has shared intravend	enous injecting equipment with a known HIV positive person			
		or	Patient has had non-consen required	ensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is			
		or	Patient has had condomless is unknown	anal intercourse with a person from a high HIV previous	alence country or risk group whose HIV status		
Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals. Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines for PEP (https://www.ashm.org.ar							
			cond or subsequent post-exposu				
Applio	catio	ns fro	om any relevant practitioner. Approvitick boxes where appropriate)				
	and		Treatment course to be initiated wi	thin 72 hours post exposure			
			Patient has had condomless or detectable viral load great	s anal intercourse or receptive vaginal intercourse with ter than 200 copies per ml	h a known HIV positive person with an unknown		
		or	Patient has shared intravend	ous injecting equipment with a known HIV positive pe	rson		
		or	Patient has had non-consen required	sual intercourse and the clinician considers that the r	risk assessment indicates prophylaxis is		
		or	Patient has had condomless is unknown	anal intercourse with a person from a high HIV prev	alence country or risk group whose HIV status		
Initial application — Percutaneous exposure Applications only from a named specialist. Approvals valid for 6 weeks. Prerequisites(tick box where appropriate)							
The patient has percutaneous exposure to blood known to be HIV positive Note: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.							

I confirm the above details are correct and that in signing this form I understand I may be audited.

Enquiries to Ministry of Health 0800 855 066

APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 3 Form SA2139 May 2025

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:					
Reg No:	First Names:	First Names:					
Name:	Surname:	Surname:					
Address:	DOB:	Address:					
	Address:						
Fax Number:		Fax Number:					
Antiretrovirals - continued							
Renewal — Second or subsequent percutaneous exposure							
Current approval Number (if known):							
Applications only from a named specialist. Approvals valid for 6 weeks. Prerequisites(tick box where appropriate)							
The patient has percutaneous exposure to blood known to be HIV positive							

I confirm the above details are correct and that in signing this form I understand I may be audited.