

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Eltrombopag

Initial application — idiopathic thrombocytopenic purpura - post-splenectomy

Applications only from a haematologist. Approvals valid for 6 weeks.

Prerequisites(tick boxes where appropriate)

- ☐ Patient has had a splenectomy
- and
- ☐ Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab)
- and
- ☐ Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding

or

☐ Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding

or

☐ Patient has a platelet count of less than or equal to 10,000 platelets per microlitre

Initial application — idiopathic thrombocytopenic purpura - preparation for splenectomy

Applications only from a haematologist. Approvals valid for 6 weeks.

Prerequisites(tick box where appropriate)

- ☐ The patient requires eltrombopag treatment as preparation for splenectomy

Initial application — idiopathic thrombocytopenic purpura contraindicated to splenectomy

Applications only from a haematologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- ☐ Patient has a significant and well-documented contraindication to splenectomy for clinical reasons
- and
- ☐ Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab)
- and
- ☐ Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microliter

or

☐ Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding

Initial application — severe aplastic anaemia

Applications only from a haematologist. Approvals valid for 3 months.

Prerequisites(tick boxes where appropriate)

- ☐ Two immunosuppressive therapies have been trialled and failed after therapy of at least 3 months duration
- and
- ☐ Patient has severe aplastic anaemia with a platelet count of less than or equal to 20,000 platelets per microliter

or

☐ Patient has severe aplastic anaemia with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....	Address:
.....
Fax Number:	Fax Number:

Eltrombopag - continued

Renewal — idiopathic thrombocytopenic purpura - post-splenectomy

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick box where appropriate)

- ☐ The patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

Renewal — idiopathic thrombocytopenic purpura contraindicated to splenectomy

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- ☐ The patient's significant contraindication to splenectomy remains
and
☐ The patient has obtained a response from treatment during the initial approval period
and
☐ Patient has maintained a platelet count of at least 50,000 platelets per microlitre on treatment
and
☐ Further treatment with eltrombopag is required to maintain response

Renewal — severe aplastic anaemia

Current approval Number (if known):.....

Applications only from a haematologist. Approvals valid for 12 months.

Prerequisites(tick boxes where appropriate)

- ☐ The patient has obtained a response from treatment of at least 20,000 platelets per microlitre above baseline during the initial approval period
and
☐ Platelet transfusion independence for a minimum of 8 weeks during the initial approval period

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Ministry of Health, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz