# APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 1 Form SA2490 November 2025

APPLICAN	IT (stamp or	sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:			First Names:	First Names:
Name:			Surname:	Surname:
Address:			DOB:	Address:
			Address:	
Fax Numbe	er:			Fax Number:
Nivoluma	ab			
	ites (tick both	In — unresectable or metastatic melanoma ly from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months.  It individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV  Baseline measurement of overall tumour burden is documented clinically and radiologically  The individual has ECOG performance 0-2  The individual has not received funded pembrolizumab  The individual has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance  and  The cancer did not progress while the indvidual was on pembrolizumab  The individual has been diagnosed in the metastatic or unresectable stage III or IV setting  The individual did not receive treatment in the perioperative setting with a PD-1/PD-L1 inhibitor		
	or	_	d treatment in the perioperative setting with a PD-1/P	PD-L1 inhibitor
		The individual did not	experience disease recurrence while on treatment wi	ith that PD-1/PD-L1 inhibitor
	and		experience disease recurrence within six months of c	completing perioperative treatment with a

# APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 2 Form SA2490 November 2025

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
	Address:	
Fax Number:		Fax Number:
Renewal — unresectable or metastatic melanoma, less than 24 months on treatment  Current approval Number (if known):		

# APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 3 Form SA2490 November 2025

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:	
Reg No:	First Names:	First Names:	
Name:	Surname:	Surname:	
Address:	DOB:	Address:	
	Address:		
Fax Number:		Fax Number:	
Nivolumab - continued			
Applications only from a relevant specialist or any representation of the individual has been on treatment and  The individual has been on treatment and  The individual's or  The individual has and  Response to treatment the most recent treatment he most recent treatment and  The individual has presponsesion and  The individual has signand	The individual has been on treatment for more than 24 months  The individual's disease has had a complete response to treatment  or  The individual's disease has had a partial response to treatment  or  The individual has stable disease  and  Response to treatment in target lesions has been determined by comparable radiologic or clinical assessment following the most recent treatment period  or  The individual has previously discontinued treatment with nivolumab for reasons other than severe toxicity or disease progression  and  The individual has signs of disease progression		

# APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 4 Form SA2490 November 2025

APPLICANT (stamp or sticker acceptable)		or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:		
Reg No:				First Names:	First Names:	
Name:				Surname:	Surname:	
Addres	s:			DOB:	Address:	
				Address:		
Fax Nu	ımber:				Fax Number:	
Nivol	umab	- con	itinued			
Applic	ations	from a	— renal cell carcinoma, first ny relevant practitioner. Approv boxes where appropriate)			
	or _	Pat	ient is currently on treatment w	ith nivolumab and met all remaining criteria prior to co	ommencing treatment	
			The patient has metastatic r	enal cell carcinoma		
		and	The patient is treatment naiv	ve		
		and	The patient has ECOG perfo	ormance status 0-2		
		and 	The disease is predominant	ly of clear cell histology		
		and _	The patient has sarco	matoid histology		
The patient has sarcomatoid histology  or  Haemoglobin levels less than the lower limit of normal			or			
		(	or	ium level greater than 10 mg/dL (2.5 mmol/L)		
		(	or			
		(	or	an the upper limit of normal		
		(	or	the upper limit of normal	.	
		(	or _	year from original diagnosis to the start of systemic t	herapy	
			Karnofsky performand	e score of less than or equal to 70		
and  Nivolumab is to be used in combination with ipilimumab for the first four treatment cycles at a maximum		it cycles at a maximum dose of 3 mg/kg				
		and	Nivolumab is to be used as	monotherapy at a maximum maintenance dose of 24	0 mg every 2 weeks (or equivalent)	
L	L					
Initial application — Renal cell carcinoma, second line Applications from any relevant practitioner. Approvals valid for 4 months.  Prerequisites(tick boxes where appropriate)						
	and	Pat	ient has metastatic renal-cell ca	arcinoma		
	and	The disease is of predominant clear-cell histology				
	٦	Patient has ECOG performance status 0-2				
	and	Patient has documented disease progression following one or two previous regimens of antiangiogenic therapy			f antiangiogenic therapy	
	and	Pat	ient has not previously received	d a funded immune checkpoint inhibitor		
	and		olumab is to be used as monot gression	herapy at a maximum dose of 240 mg every 2 week	s (or equivalent) and discontinued at disease	

# APPLICATION FOR SUBSIDY BY SPECIAL AUTHORITY

Page 5 Form SA2490 November 2025

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:			
Reg No:	First Names:	First Names:			
Name:	Surname:	Surname:			
Address:	DOB:	Address:			
	Address:				
Fax Number:		Fax Number:			
Nivolumab - continued					
Renewal — Renal cell carcinoma  Current approval Number (if known):					
Applications from any relevant practitioner. Approvals valid for 4 months.  Prerequisites(tick boxes where appropriate)					
Patient's disease has had a	Patient's disease has had a complete response to treatment				
	Patient's disease has had a partial response to treatment				
Patient has stable disease					
and  No evidence of disease progressic	No evidence of disease progression				
	Nivolumab is to be used as monotherapy at a maximum dose of 240 mg every 2 weeks (or equivalent) and discontinued at disease				