

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....
Fax Number:	Fax Number:	

Vedolizumab

Initial application — Crohn's disease - adults

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Patient has active Crohn's disease	and	<input type="checkbox"/> Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated)
	or	<input type="checkbox"/> Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10
	or	<input type="checkbox"/> Patient has extensive small intestine disease affecting more than 50 cm of the small intestine
	or	<input type="checkbox"/> Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection
	or	<input type="checkbox"/> Patient has an ileostomy or colostomy, and has intestinal inflammation
	and	<input type="checkbox"/> Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids
	or	<input type="checkbox"/> Patient has experienced intolerable side effects from immunomodulators and corticosteroids
	or	<input type="checkbox"/> Immunomodulators and corticosteroids are contraindicated

Renewal — Crohn's disease - adults

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> CDAI score has reduced by 100 points, or HBI score has reduced by 3 points, from when the patient was initiated on biologic therapy	or	<input type="checkbox"/> CDAI score is 150 or less, or HBI is 4 or less
	or	<input type="checkbox"/> The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed
and	<input type="checkbox"/> Vedolizumab to administered at a dose no greater than 300 mg every 8 weeks	

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Health New Zealand, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable)	PATIENT NHI:	REFERRER Reg No:
Reg No:	First Names:	First Names:
Name:	Surname:	Surname:
Address:	DOB:	Address:
.....
Fax Number:	Fax Number:	

Vedolizumab - *continued*

Initial application — Crohn's disease - children*

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> Paediatric patient has active Crohn's disease	and
<input type="checkbox"/> Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated)	or
<input type="checkbox"/> Patient has a Paediatric Crohn's Disease Activity Index (PCDAI) score of greater than or equal to 30	or
<input type="checkbox"/> Patient has extensive small intestine disease	and
<input type="checkbox"/> Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids	or
<input type="checkbox"/> Patient has experienced intolerable side effects from immunomodulators and corticosteroids	or
<input type="checkbox"/> Immunomodulators and corticosteroids are contraindicated	

Note: Indication marked with * is an unapproved indication.

Renewal — Crohn's disease - children*

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

<input type="checkbox"/> PCDAI score has reduced by 10 points from when the patient was initiated on biologic therapy	or
<input type="checkbox"/> PCDAI score is 15 or less	or
<input type="checkbox"/> The patient has experienced an adequate response to treatment, but CDAI score cannot be assessed	and
<input type="checkbox"/> Vedolizumab to administered at a dose no greater than 300mg every 8 weeks	

Note: Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Health New Zealand, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz

APPLICANT (stamp or sticker acceptable) **PATIENT NHI:** **REFERRER** Reg No:

Reg No: First Names: First Names:

Name: Surname: Surname:

Address: DOB: Address:

..... Address:

Fax Number: Fax Number:

Vedolizumab - *continued*

Initial application — ulcerative colitis

Applications from any relevant practitioner. Approvals valid for 6 months.

Prerequisites(tick boxes where appropriate)

Patient has active ulcerative colitis

and

Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated)

or

Patient has a SCCAI score is greater than or equal to 4

or

Patient's PUCAI score is greater than or equal to 20*

and

Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids

or

Patient has experienced intolerable side effects from immunomodulators and corticosteroids

or

Immunomodulators and corticosteroids are contraindicated

Note: Indication marked with * is an unapproved indication.

Renewal — ulcerative colitis

Current approval Number (if known):.....

Applications from any relevant practitioner. Approvals valid for 2 years.

Prerequisites(tick boxes where appropriate)

The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy

or

The PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy *

and

Vedolizumab will be used at a dose no greater than 300 mg intravenously every 8 weeks

Note: Indication marked with * is an unapproved indication.

I confirm the above details are correct and that in signing this form I understand I may be audited.

Signed: Date:

Post application to Health New Zealand, Private Bag 3015, Wanganui – email: customerservice@health.govt.nz