March 2026
Volume 33

Editors:
Kaye Wilson, Doris Chong, Teresa Tay
email: enquiry@pharmac.govt.nz
Telephone +64 4 460 4990
Level 9, 40 Mercer Street
PO Box 10 254 Wellington

Freephone Information Line
0800 66 00 50 (9am – 5pm weekdays)

Circulation

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month by subscribing at pharmac.govt.nz/subscribe.

Production

Typeset automatically from XML and TEX. XML version of the Schedule available from schedule.pharmac.govt.nz/pub/schedule

Programmers

Anrik Drenth

email: texschedule@pharmac.govt.nz

©Pharmaceutical Management Agency

ISSN 1179-3686

This work is licensed under the Creative Commons Attribution 4.0 International licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to Pharmac and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/by/4.0/. Attribution to Pharmac should be in written form and not by reproduction of the Pharmac logo. While care has been taken in compiling this Schedule, Pharmac takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing Pharmac 2

Section A General Rules 5

Section B
Alimentary Tract & Metabolism 6
Blood & Blood Forming Organs 36
Cardiovascular System 46
Dermatologicals 67
Genito Urinary System 77
Hormone Preparations – Systemic 83
Infections – Agents For Systemic Use 93
Musculoskeletal System 116
Nervous System 122
Oncology Agents & Immunosuppressants 153
Respiratory System & Allergies 262
Sensory Organs 272
Various 277

Section C Extemporaneous Compounds (ECPs) 279

Section D Special Foods 281

Section I National Immunisation Schedule 304

Index 322

Introducing Pharmac

The Pharmaceutical Management Agency (Pharmac) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. Pharmac negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list.

Pharmac's role:

"to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided."

Pae Ora (Healthy Futures) Act 2022

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.
Further information about Pharmac and the way we make funding decisions can be found on the Pharmac website at https://pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in Health NZ Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in Health NZ Hospitals for which national prices have been negotiated by Pharmac.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to Health NZ Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements Pharmac has with the supplier and, for Pharmaceuticals used in Health NZ Hospitals, on any logistics arrangements put in place.
This book contains sections A to D and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in Health NZ Hospitals. Section H lists the Pharmaceuticals that that can be used in Health NZ Hospitals and is a separate publication.
The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.
The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram ..... g
kilogram ..... kg
international unit ..... iu
microgram ..... mcg
milligram ..... mg
millilitre ..... ml
millimole ..... mmol
unit ..... u

Abbreviations

Ampoule ..... Amp
Capsule ..... Cap
Cream ..... Crm
Device ..... Dev
Dispersible ..... Disp
Effervescent ..... Eff
Emulsion ..... Emul
Enteric Coated ..... EC
Gelatinous ..... Gel
Granules ..... Gran
Infusion ..... Inf
Injection ..... Inj
Liquid ..... Liq
Long Acting ..... LA
Ointment ..... Oint
Sachet ..... Sach
Solution ..... Soln
Suppository ..... Supp
Tablet ..... Tab
Tincture ..... Tinc
Trans Dermal Delivery System ..... TDDS

Read the General Rules : https://pharmac.govt.nz/section-a.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Antacids and Antiflatulents

Antacids and Reflux Barrier Agents

ALGINIC ACID

Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	8.06	30	✔	**Gaviscon Infant**

SODIUM ALGINATE

✻ Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80	60		
	(17.99)			Gaviscon Extra Strength
✻ Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50	500 ml		
	(7.50)			Acidex

Phosphate Binding Agents

ALUMINIUM HYDROXIDE

✻ Tab 600 mg	12.56	100	✔	**Alu-Tab**

CALCIUM CARBONATE

Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement	39.00	500 ml	✔	**Roxane**
	47.30	473 ml	✔	**Calcium carbonate PAI** S29

Only when prescribed for patients unable to swallow calcium carbonate tablets or where calcium carbonate tablets are inappropriate and the prescription is endorsed accordingly.

Antidiarrhoeals

Agents Which Reduce Motility

LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO

✻ Tab 2 mg	10.75	400	✔	**Nodia**
✻ Cap 2 mg	12.00	400	✔	**Diamide Relief**

Rectal and Colonic Anti-inflammatories

BUDESONIDE

Cap modified-release 3 mg – Special Authority see SA2535 below – Retail pharmacy	33.38	90	✔	**Budesonide Te Arai**

➠SA2535 Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
2 Any of the following:
   2.1 Diabetes; or

continued…

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2 Cushingoid habitus; or
2.3 Osteoporosis where there is significant risk of fracture; or
2.4 Severe acne following treatment with conventional corticosteroid therapy; or
2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an unapproved indication.

Initial application — (non-cirrhotic autoimmune hepatitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has autoimmune hepatitis*; and
2 Patient does not have cirrhosis; and
3 Any of the following:
3.1 Diabetes; or
3.2 Cushingoid habitus; or
3.3 Osteoporosis where there is significant risk of fracture; or
3.4 Severe acne following treatment with conventional corticosteroid therapy; or
3.5 History of severe psychiatric problems associated with corticosteroid treatment; or
3.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
3.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated); or
3.8 Adolescents with poor linear growth (where conventional corticosteroid use may limit further growth) .

Note: Indication marked with * is an unapproved indication.

Renewal — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (non-cirrhotic autoimmune hepatitis) from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

HYDROCORTISONE ACETATE				
Rectal foam 10%, CFC-Free (14 applications)	57.09	15 g OP	✔	**Colifoam**
HYDROCORTISONE ACETATE WITH PRAMOXINE HYDROCHLORIDE				
Topical aerosol foam, 1% with pramoxine hydrochloride 1%	26.55	10 g OP	✔	**Proctofoam** S29
MESALAZINE				
Tab 400 mg	49.50	100	✔	**Asacol**
	71.00	90	✔	**Octasa** S29
Tab long-acting 500 mg	56.10	100	✔	**Pentasa**
Tab 800 mg	85.50	90	✔	**Asacol**
			✔	**Asacol S29** S29
Tab 1,600 mg	85.50	60	✔	**Asacol** S29
Modified release granules, 1 g	118.10	100 OP	✔	**Pentasa**
Enema 1 g per 100 ml	41.30	7	✔	**Pentasa**
Suppos 500 mg	22.80	20	✔	**Asacol**
Suppos 1 g	50.96	28	✔	**Pentasa**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
OLSALAZINE				
Tab 500 mg	56.02	60	✔	**Atnahs Olsalazine** S29
	93.37	100	✔	**Dipentum**
Cap 250 mg	53.00	100	✔	**Dipentum**
SODIUM CROMOGLICATE				
Cap 100 mg	44.50	20	✔	**Nalcrom** S29
	113.35	100	✔	**Ralicrom**
	125.70		✔	**Allergoval** S29
	365.00		✔	**Somex** S29
SULFASALAZINE				
❋ Tab 500 mg	19.49	100	✔	**Salazopyrin**
❋ Tab EC 500 mg	20.54	100	✔	**Salazopyrin EN**

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE				
Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cinchocaine hydrochloride 5 mg per g	13.05	30 g OP	✔	**Ultraproct**
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg	8.61	12	✔	**Ultraproct**
HYDROCORTISONE WITH CINCHOCAINE				
Oint 5 mg with cinchocaine hydrochloride 5 mg per g	15.00	30 g OP	✔	**Proctosedyl**
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g	9.90	12	✔	**Proctosedyl**

Management of Anal Fissures

GLYCERYL TRINITRATE – Special Authority see SA1329 below – Retail pharmacy

❋ Oint 0.2%	22.00	30 g OP	✔	**Rectogesic**

➠**SA1329** **Special Authority for Subsidy**
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

Antispasmodics and Other Agents Altering Gut Motility

GLYCOPYRRONIUM BROMIDE				
Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available on a PSO	11.99	10	✔	**Glycopyrronium-AFT**
	19.00	5	✔	**Robinul**
(Robinul Inj 200 mcg per ml, 1 ml ampoule to be delisted 1 July 2026)				
HYOSCINE BUTYLBROMIDE				
❋ Tab 10 mg	2.25	20	✔	**Hyoscine Butylbromide (Adiramedica)**
❋ Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	1.91	5	✔	**Spazmol**
MEBEVERINE HYDROCHLORIDE				
❋ Tab 135 mg	8.50	90	✔	**Colofac**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Antiulcerants

Antisecretory and Cytoprotective

MISOPROSTOL – Wastage claimable

✱ Tab 200 mcg – Up to 120 tab available on a PSO	47.73	120	✔	**Cytotec**

Helicobacter Pylori Eradication

CLARITHROMYCIN

Tab 500 mg – Subsidy by endorsement	14.58	14	✔	**Klacid**

a) Maximum of 28 tab per prescription
b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.
Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.

H2 Antagonists

FAMOTIDINE – Only on a prescription

✱ Tab 20 mg	4.86	100	✔	**Famotidine Hovid** S29
✱ Tab 40 mg	10.27	100	✔	**Famotidine Hovid MY** S29
✱ Inj 10 mg per ml, 4 ml – Subsidy by endorsement	CBS	10	✔	**Mylan** S29

Subsidy by endorsement – Subsidised for patients receiving treatment as part of palliative care.

Proton Pump Inhibitors

LANSOPRAZOLE

✱ Cap 15 mg	4.04	100	✔	**Lanzol Relief**
✱ Cap 30 mg	5.43	100	✔	**Lanzol Relief**

OMEPRAZOLE

For omeprazole suspension refer Standard Formulae, page 279

✱ Cap 10 mg	2.06	90	✔	**Omeprazole Teva**
			✔	**Omeprazole actavis 10**
✱ Cap 20 mg	2.02	90	✔	**Omeprazole Teva**
			✔	**Omeprazole actavis 20**
✱ Cap 40 mg	3.18	90	✔	**Omeprazole Teva**
			✔	**Omeprazole actavis 40**
✱ Powder – Only in combination	52.00	5 g	✔	**Midwest**
Only in extemporaneously compounded omeprazole suspension.				
✱ Inj 40 mg ampoule with diluent	37.38	5	✔	**Dr Reddy's Omeprazole**
			✔	**Ocicure** S29

PANTOPRAZOLE

✱ Tab EC 20 mg	1.81	90	✔	**Panzop Relief**
Panzop Relief to be Principal Supply on 1 May 2026				
✱ Tab EC 40 mg	2.70	90	✔	**Panzop Relief**
Panzop Relief to be Principal Supply on 1 May 2026				

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Site Protective Agents				
COLLOIDAL BISMUTH SUBCITRATE				
Tab 120 mg	14.51	50	✔	**Gastrodenol** S29
SUCRALFATE				
Tab 1 g	35.50 (48.28)	120		Carafate
Bile and Liver Therapy				
RIFAXIMIN – Special Authority see SA1461 below – Retail pharmacy				
Tab 550 mg	625.00	56	✔	**Xifaxan**

SA1461 Special Authority for Subsidy
Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.
Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Diabetes

Hyperglycaemic Agents

DIAZOXIDE – Special Authority see SA1320 below – Retail pharmacy				
Cap 25 mg	110.00	100	✔	**Proglicem** S29
Cap 100 mg	280.00	100	✔	**Proglicem** S29
Oral liq 50 mg per ml	620.00	30 ml OP	✔	**e5 Pharma** S29

SA1320 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.
Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

GLUCAGON HYDROCHLORIDE				
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	✔	**Glucagen Hypokit**

Insulin - Short-acting Preparations

INSULIN NEUTRAL				
▲ Inj human 100 u per ml, 3 ml	42.66	5	✔	**Actrapid Penfill**
			✔	**Humulin R**
▲ Inj human 100 u per ml, 10 ml vial	25.26	1 OP	✔	**Actrapid**
			✔	**Humulin R**

Insulin - Intermediate-acting Preparations

INSULIN ASPART WITH INSULIN ASPART PROTAMINE				
▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✔	**NovoMix 30 FlexPen**
INSULIN DEGLUDEC WITH INSULIN ASPART				
▲ Inj degludec 70 u with insulin aspart 30 u, 100 u per ml, 3 ml	80.00	5	✔	**Ryzodeg 70/30 Penfill**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
INSULIN ISOPHANE				
▲ Inj human 100 u per ml, 3 ml	29.86	5	✔	**Humulin NPH**
			✔	**Protaphane Penfill**
▲ Inj human 100 u per ml, 10 ml vial	17.68	1 OP	✔	**Humulin NPH**
			✔	**Protaphane**
INSULIN ISOPHANE WITH INSULIN NEUTRAL				
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✔	**Humulin 30/70**
			✔	**PenMix 30**
▲ Inj human with neutral insulin 100 u per ml, 10 ml vial	25.26	1 OP	✔	**Humulin 30/70**
(PenMix 30 Inj human with neutral insulin 100 u per ml, 3 ml to be delisted 1 May 2026)				
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml	42.66	5	✔	**Humalog Mix 25**
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml	42.66	5	✔	**Humalog Mix 50**

Insulin - Long-acting Preparations

INSULIN GLARGINE				
▲ Inj 100 u per ml, 10 ml	63.00	1	✔	**Lantus**
▲ Inj 100 u per ml, 3 ml	94.50	5	✔	**Lantus**
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	✔	**Lantus SoloStar**

Insulin - Rapid Acting Preparations

INSULIN ASPART				
▲ Inj 100 u per ml, 10 ml	30.03	1	✔	**NovoRapid**
▲ Inj 100 u per ml, 3 ml	51.19	5	✔	**NovoRapid Penfill**
▲ Inj 100 u per ml, 3 ml syringe	51.19	5	✔	**NovoRapid FlexPen**
INSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	✔	**Apidra**
▲ Inj 100 u per ml, 3 ml	46.07	5	✔	**Apidra**
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	✔	**Apidra SoloStar**
INSULIN LISPRO				
▲ Inj 100 u per ml, 3 ml	59.52	5	✔	**Humalog**
▲ Inj 100 u per ml, 10 ml vial	34.92	1 OP	✔	**Humalog**

Alpha Glucosidase Inhibitors

ACARBOSE				
✻ Tab 50 mg	11.20	90	✔	**Accarb**
✻ Tab 100 mg	17.38	90	✔	**Accarb**

Oral Hypoglycaemic Agents

GLIBENCLAMIDE				
✻ Tab 5 mg	7.50	100	✔	**Daonil**
GLICLAZIDE				
✻ Tab 80 mg	20.10	500	✔	**Glizide**
GLIPIZIDE				
✻ Tab 5 mg	6.86	100	✔	**Minidiab**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
METFORMIN HYDROCHLORIDE				
✻ Tab immediate-release 500 mg	14.74	1,000	✔	**Metformin Viatris**
✻ Tab immediate-release 850 mg	11.28	500	✔	**Metformin Viatris**
PIOGLITAZONE				
✻ Tab 15 mg	6.15	90	✔	**Vexazone**
✻ Tab 30 mg	7.25	90	✔	**Vexazone**
✻ Tab 45 mg	12.00	90	✔	**Vexazone**
VILDAGLIPTIN				
✻ Tab 50 mg	35.00	60	✔	**Galvus**
VILDAGLIPTIN WITH METFORMIN HYDROCHLORIDE				
✻ Tab 50 mg with 1,000 mg metformin hydrochloride	35.00	60	✔	**Galvumet**
✻ Tab 50 mg with 850 mg metformin hydrochloride	35.00	60	✔	**Galvumet**

GLP-1 Agonists

DULAGLUTIDE – Special Authority see SA2509 below – Retail pharmacy

Note: Not to be given in combination with another funded GLP-1 agonist or empagliflozin / empagliflozin with metformin hydrochloride unless receiving empagliflozin / empagliflozin with metformin hydrochloride for the treatment of heart failure.

Inj 1.5mg per 0.5 ml prefilled pen	115.23	4	✔	**Trulicity**

➠SA2509 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1. Patient has type 2 diabetes; and
2. Target HbA1c (of 53 mmol/mol or less) has not been achieved despite the regular use of all of the following funded blood glucose lowering agents for a period of least 6 months, where clinically appropriate: empagliflozin, metformin, and vildagliptin; and
3. Any of the following:
   - 3.1 Patient is Māori or any Pacific ethnicity*; or
   - 3.2 Patient has pre-existing cardiovascular disease or risk equivalent (see note a)*; or
   - 3.3 Patient has an absolute 5-year cardiovascular disease risk of 15% or greater according to a validated cardiovascular risk assessment calculator*; or
   - 3.4 Patient has a high lifetime cardiovascular risk due to being diagnosed with type 2 diabetes during childhood or as a young adult*; or
   - 3.5 Patient has diabetic kidney disease (see note b)*.

Notes: * Criteria intended to describe patients at high risk of cardiovascular or renal complications of diabetes.

a) Pre-existing cardiovascular disease or risk equivalent defined as: prior cardiovascular disease event (i.e. angina, myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, transient ischaemic attack, ischaemic stroke, peripheral vascular disease), congestive heart failure or familial hypercholesterolaemia.

b) Diabetic kidney disease defined as: persistent albuminuria (albumin:creatinine ratio greater than or equal to 3 mg/mmol, in at least two out of three samples over a 3-6 month period) and/or eGFR less than 60 mL/min/1.73m2 in the presence of diabetes, without alternative cause identified.

c) Funded GLP-1a treatment is not to be given in combination with funded (empagliflozin /empagliflozin with metformin hydrochloride) unless receiving funded (empagliflozin or empagliflozin in combination with metformin hydrochloride) for the treatment of heart failure.

LIRAGLUTIDE – Special Authority see SA2510 on the next page – Retail pharmacy

a) No more than 0.1 inj per day

b) Note: Not to be given in combination with another funded GLP-1 agonist or empagliflozin / empagliflozin with metformin hydrochloride unless receiving empagliflozin / empagliflozin with metformin hydrochloride for the treatment of heart failure.

Inj 6 mg per ml, 3 ml prefilled pen	383.72	3	✔	**Victoza**

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2510 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 Patient has type 2 diabetes; and
2 Target HbA1c (of 53 mmol/mol or less) has not been achieved despite the regular use of all of the following funded blood glucose lowering agents for a period of least 6 months, where clinically appropriate: empagliflozin, metformin, and vildagliptin; and
3 Any of the following:
   3.1 Patient is Māori or any Pacific ethnicity*; or
   3.2 Patient has pre-existing cardiovascular disease or risk equivalent (see note a)*; or
   3.3 Patient has an absolute 5-year cardiovascular disease risk of 15% or greater according to a validated cardiovascular risk assessment calculator*; or
   3.4 Patient has a high lifetime cardiovascular risk due to being diagnosed with type 2 diabetes during childhood or as a young adult*; or
   3.5 Patient has diabetic kidney disease (see note b)*.

Notes: * Criteria intended to describe patients at high risk of cardiovascular or renal complications of diabetes.

a) Pre-existing cardiovascular disease or risk equivalent defined as: prior cardiovascular disease event (i.e. angina, myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, transient ischaemic attack, ischaemic stroke, peripheral vascular disease), congestive heart failure or familial hypercholesterolaemia.
b) Diabetic kidney disease defined as: persistent albuminuria (albumin:creatinine ratio greater than or equal to 3 mg/mmol, in at least two out of three samples over a 3-6 month period) and/or eGFR less than 60 mL/min/1.73m2 in the presence of diabetes, without alternative cause identified.
c) Funded GLP-1a treatment is not to be given in combination with funded (empagliflozin /empagliflozin with metformin hydrochloride) unless receiving funded (empagliflozin or empagliflozin in combination with metformin hydrochloride) for the treatment of heart failure.

SGLT2 Inhibitors

➠SA2408 Special Authority for Subsidy
Initial application — (heart failure reduced ejection fraction) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 Patient has heart failure; and
2 Patient is in NYHA functional class II or III or IV; and
3 Either:
   3.1 Patient has a documented left ventricular ejection fraction (LVEF) of less than or equal to 40%; or
   3.2 An ECHO is not reasonably practicable, and in the opinion of the treating practitioner the patient would benefit from treatment; and
4 Patient is receiving concomitant optimal standard funded chronic heart failure treatment.

Initial application — (Type 2 Diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Either:

1 Patient has previously received an initial approval for a GLP-1 agonist; or
2 All of the following:
   2.1 Patient has type 2 diabetes; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2 Any of the following:
- 2.2.1 Patient is Māori or any Pacific ethnicity*; or
- 2.2.2 Patient has pre-existing cardiovascular disease or risk equivalent (see note a)*; or
- 2.2.3 Patient has an absolute 5-year cardiovascular disease risk of 15% or greater according to a validated cardiovascular risk assessment calculator*; or
- 2.2.4 Patient has a high lifetime cardiovascular risk due to being diagnosed with type 2 diabetes during childhood or as a young adult*; or
- 2.2.5 Patient has diabetic kidney disease (see note b)*; and

2.3 Target HbA1c (of 53 mmol/mol or less) has not been achieved despite the regular use of at least one blood-glucose lowering agent (e.g. metformin, vildagliptin, or insulin) for at least 3 months.

Notes: * Criteria intended to describe patients at high risk of cardiovascular or renal complications of diabetes.

a) Pre-existing cardiovascular disease or risk equivalent defined as: prior cardiovascular disease event (i.e. angina, myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, transient ischaemic attack, ischaemic stroke, peripheral vascular disease), congestive heart failure or familial hypercholesterolaemia.

b) Diabetic kidney disease defined as: persistent albuminuria (albumin:creatinine ratio greater than or equal to 3 mg/mmol, in at least two out of three samples over a 3-6 month period) and/or eGFR less than 60 mL/min/1.73m2 in the presence of diabetes, without alternative cause.

c) Funded [empagliflozin / empagliflozin with metformin hydrochloride] treatment is not to be given in combination with a funded GLP-1 unless receiving (empagliflozin / empagliflozin with metformin hydrochloride] for the treatment of heart failure.

EMPAGLIFLOZIN – Special Authority see SA2408 on the previous page – Retail pharmacy

❋ Tab 10 mg	58.56	30	✔	**Jardiance**
❋ Tab 25 mg	58.56	30	✔	**Jardiance**

EMPAGLIFLOZIN WITH METFORMIN HYDROCHLORIDE – Special Authority see SA2408 on the previous page – Retail pharmacy

❋ Tab 5 mg with 1,000 mg metformin hydrochloride	58.56	60	✔	**Jardiamet**
❋ Tab 5 mg with 500 mg metformin hydrochloride	58.56	60	✔	**Jardiamet**
❋ Tab 12.5 mg with 1,000 mg metformin hydrochloride	58.56	60	✔	**Jardiamet**
❋ Tab 12.5 mg with 500 mg metformin hydrochloride	58.56	60	✔	**Jardiamet**

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST STRIP – Subsidy by endorsement

a) Not on a BSO
b) Maximum of 20 strip per prescription
c) Up to 10 strip available on a PSO
d) Patient has any of the following:
   1) type 1 diabetes; or
   2) permanent neonatal diabetes; or
   3) undergone a pancreatectomy; or
   4) cystic fibrosis-related diabetes; or
   5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.

The prescription must be endorsed accordingly.

Test strips	15.50	10 strip OP	✔	**KetoSens**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Dual Blood Glucose and Blood Ketone Testing

DUAL BLOOD GLUCOSE AND BLOOD KETONE DIAGNOSTIC TEST METER – Subsidy by endorsement

a) Maximum of 1 pack per prescription
b) Up to 1 pack available on a PSO
c) A dual blood glucose and blood ketone diagnostic test meter is subsidised for a patient who has:
   1) type 1 diabetes; or
   2) permanent neonatal diabetes; or
   3) undergone a pancreatectomy; or
   4) cystic fibrosis-related diabetes; or
   5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.

The prescription must be endorsed accordingly. Only 1 meter per patient will be subsidised (no repeat prescriptions). For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

Meter with 50 lancets, a lancing device and 10 blood glucose diagnostic test strips	20.00	1 OP	✔ **CareSens Dual**

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endorsement

a) Maximum of 1 pack per prescription
b) Up to 1 pack available on a PSO
c) A diagnostic blood glucose test meter is subsidised for a patient who:
   1) is receiving insulin or sulphonylurea therapy; or
   2) is pregnant with diabetes; or
   3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
   4) has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and metabolic syndrome.

The prescription must be endorsed accordingly. Only one CareSens meter per patient will be subsidised (no repeat prescriptions). Patients already using the CareSens N POP meter and CareSens N meter are not eligible for a new meter, unless they have:

1) type 1 diabetes; or
2) permanent neonatal diabetes; or
3) undergone a pancreatectomy; or
4) cystic fibrosis-related diabetes.

For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

Meter with 50 lancets, a lancing device and 10 diagnostic test strips	10.00	1 OP	✔ **CareSens N**
			✔ **CareSens N POP**
	20.00		✔ **CareSens N Premier**

Note: Only 1 meter available per PSO

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP – Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Test strips	10.56	50 test OP	✔	**CareSens N**
			✔	**CareSens PRO**

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips	33.69	50 test OP	✔	**SensoCard**

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or liraglutide or when prescribed for a patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or liraglutide.

INSULIN PEN NEEDLES

Maximum of 200 dev per three months

❋ 29 g × 12.7 mm	10.95	100	✔	**B-D Micro-Fine**
❋ 31 g × 5 mm	12.26	100	✔	**B-D Micro-Fine**
❋ 31 g × 6 mm	9.50	100	✔	**Berpu**
❋ 31 g × 8 mm	10.95	100	✔	**B-D Micro-Fine**
❋ 32 g × 4 mm	10.95	100	✔	**B-D Micro-Fine**

✔ **fully subsidised**

Principal Supply

S29 Unapproved medicine supplied under Section 29

Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE				
Maximum of 200 dev per three months				
✱ Syringe 0.3 ml with 29 g × 12.7 mm needle	13.56	100	✔	**B-D Ultra Fine**
	1.36	10		
	(1.99)			B-D Ultra Fine
✱ Syringe 0.3 ml with 31 g × 8 mm needle	13.56	100	✔	**B-D Ultra Fine II**
	1.30	10		
	(1.99)			B-D Ultra Fine II
✱ Syringe 0.5 ml with 29 g × 12.7 mm needle	13.56	100	✔	**B-D Ultra Fine**
	1.36	10		
	(1.99)			B-D Ultra Fine
✱ Syringe 0.5 ml with 31 g × 8 mm needle	13.56	100	✔	**B-D Ultra Fine II**
	1.36	10		
	(1.99)			B-D Ultra Fine II
✱ Syringe 1 ml with 29 g × 12.7 mm needle	13.56	100	✔	**B-D Ultra Fine**
	1.36	10		
	(1.99)			B-D Ultra Fine
✱ Syringe 1 ml with 31 g × 8 mm needle	13.56	100	✔	**B-D Ultra Fine II**
	1.36	10		
	(1.99)			B-D Ultra Fine II

Insulin Pumps

INSULIN PUMP WITH ALGORITHM – Special Authority see SA2367 below – Retail pharmacy

a) Maximum of 1 dev per prescription
b) Only on a prescription
c) Maximum of 1 insulin pump per patient each four year period.

Min basal rate 0.02 U/h	8,970.00	1	✔	**mylife YpsoPump with CamAPS FX**
Min basal rate 0.1 U/h	7,653.00	1	✔	**Tandem t:slim X2 with Basal-IQ**
			✔	**Tandem t:slim X2 with Control-IQ+**

➠SA2367 Special Authority for Subsidy

Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Any of the following:
   1.1 The patient has type 1 diabetes; or
   1.2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist as likely to benefit; or
   1.3 The patient has Type 3c diabetes considered by the treating endocrinologist as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
   1.4 The patient has atypical inherited forms of diabetes; and
2 Patient has been evaluated by a diabetes multidisciplinary team for their suitability for insulin pump therapy; and
3 In the opinion of the treating relevant practitioner the patient would benefit from an Automated Insulin Delivery (AID) system.

Renewal — (type 1 diabetes) from any relevant practitioner. Approvals valid for 6 months where the patient is continuing to derive benefit according to the treatment plan agreed at induction.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Insulin Pump Consumables

➠SA2536 **Special Authority for Subsidy**
Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 Any of the following:
   1.1 The patient has type 1 diabetes; or
   1.2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist as likely to benefit; or
   1.3 The patient has Type 3c diabetes considered by the treating endocrinologist as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
   1.4 The patient has atypical inherited forms of diabetes; and
2 Patient has been evaluated by a diabetes multidisciplinary team for their suitability for insulin pump therapy; and
3 In the opinion of the treating relevant practitioner the patient would benefit from an Automated Insulin Delivery (AID) system.

INSULIN PUMP CARTRIDGE – Special Authority see SA2536 above – Retail pharmacy
a) Only on a prescription
b) Maximum of 190 cartridges will be funded per year.
c) Maximum of 50 cart per three months

❋	Cartridge 300 u, t:lock × 10	86.00	10 OP	✔ **Tandem Cartridge**

INSULIN PUMP INFUSION SET (STEEL CANNULA) – Special Authority see SA2536 above – Retail pharmacy
a) Only on a prescription
b) Maximum of 19 infusion sets will be funded per year.
c) Maximum of 5 set per three months

❋	6 mm steel needle; 60 cm tubing × 10	219.00	1 OP	✔ **MiniMed Sure-T MMT-864A**
❋	6 mm steel needle; 80 cm tubing × 10	219.00	1 OP	✔ **MiniMed Sure-T MMT-866A**
❋	8 mm steel needle; 60 cm tubing × 10	219.00	1 OP	✔ **MiniMed Sure-T MMT-874A**
❋	8 mm steel needle; 80 cm tubing × 10	219.00	1 OP	✔ **MiniMed Sure-T MMT-876A**

(MiniMed Sure-T MMT-864A 6 mm steel needle; 60 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Sure-T MMT-866A 6 mm steel needle; 80 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Sure-T MMT-874A 8 mm steel needle; 60 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Sure-T MMT-876A 8 mm steel needle; 80 cm tubing × 10 to be delisted 1 October 2026)

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (STEEL CANNULA, STRAIGHT INSERTION) – Special Authority see SA2536 on the previous page – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 19 infusion sets will be funded per year.				
c) Maximum of 5 sets per three months				
✻ 5.5 mm steel cannula; straight insertion; 45 cm line × 10 with 10 needles	136.00	1 OP	✔	**mylife Orbit micro**
✻ 5.5 mm steel needle; straight insertion; 60 cm line × 10 with 10 needles	136.00	1 OP	✔	**mylife Orbit micro**
✻ 5.5 mm steel needle; straight insertion; 80 cm line × 10 with 10 needles	136.00	1 OP	✔	**mylife Orbit micro**
✻ 8.5 mm steel needle; straight insertion; 60 cm line × 10 with 10 needles	136.00	1 OP	✔	**mylife Orbit micro**
✻ 8.5 mm steel needle; straight insertion; 80 cm line × 10 with 10 needles	136.00	1 OP	✔	**mylife Orbit micro**
✻ 6 mm steel cannula; straight insertion; 80 cm line × 10 with 10 needles	182.00	1 OP	✔	**TruSteel**
✻ 8 mm steel cannula; straight insertion; 80 cm line × 10 with 10 needles	182.00	1 OP	✔	**TruSteel**
✻ 6 mm steel cannula; straight insertion; 60 cm line × 10 with 10 needles	182.00	1 OP	✔	**TruSteel**
✻ 8 mm steel cannula; straight insertion; 60 cm line × 10 with 10 needles	182.00	1 OP	✔	**TruSteel**
INSULIN PUMP INFUSION SET (TEFLON CANNULA) – Special Authority see SA2536 on the previous page – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 19 infusion sets will be funded per year.				
c) Maximum of 5 set per three months				
✻ 13 mm teflon needle, 60 cm tubing × 10	219.00	1 OP	✔	**MiniMed Silhouette MMT-381A**
✻ 17 mm teflon needle, 110 cm tubing × 10	219.00	1 OP	✔	**MiniMed Silhouette MMT-377A**
✻ 17 mm teflon needle, 60 cm tubing × 10	219.00	1 OP	✔	**MiniMed Silhouette MMT-378A**
✻ 6 mm teflon needle, 110 cm tubing × 10	219.00	1 OP	✔	**MiniMed Quick-Set MMT-398A**
✻ 6 mm teflon needle, 60 cm tubing × 10	219.00	1 OP	✔	**MiniMed Quick-Set MMT-399A**
✻ 9 mm teflon needle, 110 cm tubing × 10	219.00	1 OP	✔	**MiniMed Quick-Set MMT-396A**
✻ 9 mm teflon needle, 60 cm tubing × 10	219.00	1 OP	✔	**MiniMed Quick-Set MMT-397A**

(MiniMed Silhouette MMT-381A 13 mm teflon needle, 60 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Silhouette MMT-377A 17 mm teflon needle, 110 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Silhouette MMT-378A 17 mm teflon needle, 60 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Quick-Set MMT-398A 6 mm teflon needle, 110 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Quick-Set MMT-399A 6 mm teflon needle, 60 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Quick-Set MMT-396A 9 mm teflon needle, 110 cm tubing × 10 to be delisted 1 October 2026)
(MiniMed Quick-Set MMT-397A 9 mm teflon needle, 60 cm tubing × 10 to be delisted 1 October 2026)

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) – Special Authority see SA2536 on page 18 – Retail pharmacy a) Only on a prescription b) Maximum of 19 infusion sets will be funded per year. c) Maximum of 5 sets per three months				
❋ 6 mm teflon cannula; angle insertion; insertion device; 60 cm line × 4 with 4 needles	210.00	1 OP	✔	**Med Adv Ext Infusion Set MDT-MMT-431AK**
❋ 6 mm teflon cannula; angle insertion; insertion device; 80 cm line × 4 with 4 needles	210.00	1 OP	✔	**Med Adv Ext Infusion Set MDT-MMT-432AK**
❋ 9 mm teflon cannula; angle insertion; insertion device; 60 cm line × 4 with 4 needles	210.00	1 OP	✔	**Med Adv Ext Infusion Set MDT-MMT-441AK**
❋ 9 mm teflon cannula; angle insertion; insertion device; 80 cm line × 4 with 4 needles	210.00	1 OP	✔	**Med Adv Ext Infusion Set MDT-MMT-442AK**
❋ 13 mm teflon cannula; angle insertion; insertion device; 110 cm line × 10 with 10 needles	182.00	1 OP	✔	**AutoSoft 30**
❋ 13 mm teflon cannula; angle insertion; insertion device; 60 cm line × 10 with 10 needles	182.00	1 OP	✔	**AutoSoft 30**

(Med Adv Ext Infusion Set MDT-MMT-431AK 6 mm teflon cannula; angle insertion; insertion device; 60 cm line × 4 with 4 needles to be delisted 1 October 2026)
(Med Adv Ext Infusion Set MDT-MMT-432AK 6 mm teflon cannula; angle insertion; insertion device; 80 cm line × 4 with 4 needles to be delisted 1 October 2026)
(Med Adv Ext Infusion Set MDT-MMT-441AK 9 mm teflon cannula; angle insertion; insertion device; 60 cm line × 4 with 4 needles to be delisted 1 October 2026)
(Med Adv Ext Infusion Set MDT-MMT-442AK 9 mm teflon cannula; angle insertion; insertion device; 80 cm line × 4 with 4 needles to be delisted 1 October 2026)

INSULIN PUMP INFUSION SET (TEFLON CANNULA, FLEXIBLE INSERTION WITH INSERTION DEVICE) – Special Authority see SA2536 on page 18 – Retail pharmacy a) Only on a prescription b) Maximum of 19 infusion sets will be funded per year. c) Maximum of 5 set per three months				
❋ 6 mm teflon cannula; flexible insertion; insertion device; 46 cm line × 10 with 10 needles	157.00	1 OP	✔	**mylife Inset soft**
❋ 6 mm teflon cannula; flexible insertion; insertion device; 60 cm line with integrated inserter × 10 with 10 needles	157.00	1 OP	✔	**mylife Inset soft**
❋ 6 mm teflon cannula; flexible insertion; insertion device; 80 cm line × 10 with 10 needles	157.00	1 OP	✔	**mylife Inset soft**
❋ 9 mm teflon cannula; flexible insertion; insertion device; 60 cm line × 10 with 10 needles	157.00	1 OP	✔	**mylife Inset soft**
❋ 9 mm teflon cannula; flexible insertion; insertion device; 80 cm line × 10 with 10 needles	157.00	1 OP	✔	**mylife Inset soft**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) – Special Authority see SA2536 on page 18 – Retail pharmacy a) Only on a prescription b) Maximum of 19 infusion sets will be funded per year. c) Maximum of 5 sets per three months				
✻ 6 mm teflon cannula; straight insertion; insertion device; 110 cm line × 10 with 10 needles	182.00	1 OP	✔	**AutoSoft 90**
✻ 6 mm teflon cannula; straight insertion; insertion device; 60 cm line × 10 with 10 needles	182.00	1 OP	✔	**AutoSoft 90**
✻ 9 mm teflon cannula; straight insertion; insertion device; 110 cm line × 10 with 10 needles	182.00	1 OP	✔	**AutoSoft 90**
✻ 9 mm teflon cannula; straight insertion; insertion device; 60 cm line × 10 with 10 needles	182.00	1 OP	✔	**AutoSoft 90**
INSULIN PUMP INFUSION SET (TEFLON CANNULA, VARIABLE INSERTION) – Special Authority see SA2536 on page 18 – Retail pharmacy a) Only on a prescription b) Maximum of 19 infusion sets will be funded per year. c) Maximum of 5 set per three months				
✻ 13 mm teflon cannula; variable insertion; 60 cm line × 10 with 10 needles	182.00	1 OP	✔	**VariSoft**
INSULIN PUMP RESERVOIR – Special Authority see SA2536 on page 18 – Retail pharmacy a) Only on a prescription b) Maximum of 360 reservoirs will be funded per year. c) Maximum of 90 cart per three months				
✻ 10 × 1.6 ml glass reservoir for YpsoPump	50.00	10 OP	✔	**mylife YpsoPump Reservoir**
✻ 10 × luer lock conversion cartridges 1.8 ml for paradigm pumps	50.00	10 OP	✔	**ADR Cartridge 1.8**
✻ Cartridge for 7 series pump; 3.0 ml × 10	98.00	10 OP	✔	**MiniMed 3.0 Reservoir MMT-332A**
✻ Cartridge for 7 series pump; 3.0 ml × 5	102.00	5 OP	✔	**MiniMed 3.0 Ext Reservoir MDT-MMT-342G**

(ADR Cartridge 1.8 10 × luer lock conversion cartridges 1.8 ml for paradigm pumps to be delisted 1 October 2026)
(MiniMed 3.0 Reservoir MMT-332A Cartridge for 7 series pump; 3.0 ml × 10 to be delisted 1 October 2026)
(MiniMed 3.0 Ext Reservoir MDT-MMT-342G Cartridge for 7 series pump; 3.0 ml × 5 to be delisted 1 October 2026)

Continuous Glucose Monitor

CONTINUOUS GLUCOSE MONITOR (INTEROPERABLE) – Special Authority see SA2537 on the next page – Retail pharmacy Only on a prescription				
✻ Sensor (9) and transmitter (Dexcom G6) a) Maximum of 5 dev will be funded per year. b) Maximum of 1 dev per three months	990.00	1 OP	✔	**Dexcom G6**
✻ Sensor (Dexcom G7) a) Maximum of 40 dev will be funded per year. b) Maximum of 9 dev per three months	110.00	1	✔	**Dexcom G7**
✻ Sensor (Freestyle Libre 3 Plus) a) Maximum of 28 dev will be funded per year. b) Maximum of 6 dev per three months	99.46	1	✔	**Freestyle Libre 3 Plus**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA2537 Special Authority for Subsidy

Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Any of the following:
   1.1 The patient has type 1 diabetes; or
   1.2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit; or
   1.3 The patient has Type 3c diabetes considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
   1.4 The patient has atypical inherited forms of diabetes; and
2 In the opinion of the treating relevant practitioner the patient would benefit from an Automated Insulin Delivery (AID) system.

CONTINUOUS GLUCOSE MONITOR (STANDALONE) – Special Authority see SA2538 below – Retail pharmacy
Only on a prescription

❋ Sensor (Dexcom ONE+)	81.00	1	✔	**Dexcom ONE+**
a) Maximum of 40 dev will be funded per year.				
b) Maximum of 9 dev per three months				
❋ Sensor (Freestyle Libre 2 Plus)	99.46	1	✔	**Freestyle Libre 2 Plus**
a) Maximum of 28 dev will be funded per year.				
b) Maximum of 6 dev per three months				
❋ Sensor (Freestyle Libre 2)	92.83	1	✔	**Freestyle Libre 2**
a) Maximum of 29 dev will be funded per year.				
b) Maximum of 7 dev per three months				

(Freestyle Libre 2 Sensor (Freestyle Libre 2) to be delisted 1 May 2026)

SA2538 Special Authority for Subsidy

Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 The patient has type 1 diabetes; or
2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit; or
3 The patient has Type 3c diabetes considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
4 The patient has atypical inherited forms of diabetes.

Digestives Including Enzymes

PANCREATIC ENZYME

Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase 10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✔	**Creon 10000**
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase 25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✔	**Creon 25000**
Modified release granules pancreatin 60.12 mg (amylase 3,600 Ph Eur U, lipase 5,000 Ph Eur U, protease 200 Ph Eur U)	34.93	20 g OP	✔	**Creon Micro**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
URSODEOXYCHOLIC ACID – Special Authority see SA2448 below – Retail pharmacy				
Cap 250 mg	33.95	100	✔	**Ursosan**

SA2448 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Either:

1 Patient has been diagnosed with Alagille syndrome; or
2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 Patient has chronic severe drug induced cholestatic liver injury; and
2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Primary biliary cholangitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Primary biliary cholangitis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Primary biliary cholangitis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Initial application — (prevention of sinusoidal obstruction syndrome) from any relevant practitioner. Approvals valid without further renewal unless notified where the individual has leukaemia/lymphoma and requires prophylaxis for medications/therapies with a high risk of sinusoidal obstruction syndrome.

Laxatives

Bulk-forming Agents

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription				
✻ Powder for oral soln	22.10	500 g OP	✔	**Konsyl-D**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Faecal Softeners				
DOCUSATE SODIUM – Only on a prescription				
❋ Tab 50 mg	3.20	100	✔	**Coloxyl**
❋ Tab 120 mg	4.98	100	✔	**Coloxyl**
DOCUSATE SODIUM WITH SENNOSIDES				
Tab 50 mg with sennosides 8 mg	1.50	100	✔	**Solax**
	3.50	200	✔	**Laxsol**
Solax to be Principal Supply on 1 May 2026				
(Laxsol Tab 50 mg with sennosides 8 mg to be delisted 1 May 2026)				
POLOXAMER – Only on a prescription				
Not funded for use in the ear.				
❋ Oral drops 10%	4.17	30 ml OP	✔	**Coloxyl**
Opioid Receptor Antagonists - Peripheral				
METHYLNALTREXONE BROMIDE – Special Authority see SA1691 below – Retail pharmacy				
Inj 12 mg per 0.6 ml vial	36.00	1	✔	**Relistor**
	246.00	7	✔	**Relistor**

➠**SA1691** **Special Authority for Subsidy**

Initial application — (Opioid induced constipation) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 The patient is receiving palliative care; and

2 Either:

2.1 Oral and rectal treatments for opioid induced constipation are ineffective; or

2.2 Oral and rectal treatments for opioid induced constipation are unable to be tolerated.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Osmotic Laxatives				
GLYCEROL				
❋ Suppos 2.8/4.0 g – Only on a prescription	12.39	20	✔	**Lax-suppositories Glycerol**
LACTULOSE – Only on a prescription				
❋ Oral liq 10 g per 15 ml	6.16	500 ml	✔	**Laevolac**
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE AND SODIUM CHLORIDE				
Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chloride 350.7 mg	10.15	30	✔	**Molaxole**
	12.19		✔	**Movicol**
SODIUM ACID PHOSPHATE – Only on a prescription				
Enema 16% with sodium phosphate 8%	3.70	1	✔	**Fleet Phosphate Enema**
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE – Only on a prescription				
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml, 5 ml	36.89	50	✔	**Micolette**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Stimulant Laxatives				
BISACODYL – Only on a prescription				
✱ Tab 5 mg	6.28	200	✔	**Bisacodyl-AFT**
	10.00		✔	**Bisacodyl Viatris**
✱ Suppos 10 mg	4.14	10	✔	**Lax-Suppositories**
(Bisacodyl Viatris Tab 5 mg to be delisted 1 July 2026)				
SENNA – Only on a prescription				
✱ Tab, standardised	2.17	100		
	(9.38)			Senokot
	0.43	20		
	(2.06)			Senokot
SODIUM PICOSULFATE – Special Authority see SA2053 below – Retail pharmacy				
Oral soln 7.5 mg per ml	7.40	30 ml OP	✔	**Dulcolax SP Drop**

➠SA2053 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The patient is a child with problematic constipation despite an adequate trial of other oral pharmacotherapies including macrogol where practicable; and
2 The patient would otherwise require a high-volume bowel cleansing preparation or hospital admission.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Metabolic Disorder Agents

ALGLUCOSIDASE ALFA – Special Authority see SA1986 below – Retail pharmacy				
Inj 50 mg vial	1,142.60	1	✔	**Myozyme**

➠SA1986 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
2 Any of the following:
   2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
   2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
   2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
   2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT); and
4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
7 There is no evidence of new or progressive cardiomyopathy.

ARGININE – Special Authority see SA2042 below – Retail pharmacy

Tab 1,000 mg	CBS	90	✔	**Clinicians**
Cap 500 mg	CBS	50	✔	**Solgar**
Powder	CBS	400 g	✔	**Biomed**

➠SA2042 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to arginine supplementation.

Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to arginine supplementation; and
2 The treatment remains appropriate and the patient is benefiting from treatment.

BETAINE – Special Authority see SA1987 below – Retail pharmacy

Powder for oral soln	575.00	180 g OP	✔	**Cystadane**

➠SA1987 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 The patient has a confirmed diagnosis of homocystinuria; and
2 Any of the following:
   2.1 A cystathionine beta-synthase (CBS) deficiency; or
   2.2 A 5,10-methylene-tetrahydrofolate reductase (MTHFR) deficiency; or
   2.3 A disorder of intracellular cobalamin metabolism; and
3 An appropriate homocysteine level has not been achieved despite a sufficient trial of appropriate vitamin supplementation.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

COENZYME Q10 – Special Authority see SA2039 below – Retail pharmacy

Cap 120 mg	CBS	30	✔	**Solgar**
Cap 160 mg	CBS	60	✔	**Go Healthy**

➠SA2039 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to coenzyme Q10 supplementation.

Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to coenzyme Q10 supplementation; and
2 The treatment remains appropriate and the patient is benefiting from treatment.

GALSULFASE – Special Authority see SA1988 on the next page – Retail pharmacy

Inj 1 mg per ml, 5 ml vial	2,234.00	1	✔	**Naglazyme**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA1988 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 The patient has been diagnosed with mucopolysaccharidosis VI; and
2 Either:
  2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
  2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE – Special Authority see SA1623 below – Retail pharmacy
Inj 2 mg per ml, 3 ml vial.....4,608.30 1 ✔ **Elaprase**

➠SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria:
All of the following:

1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
2 Either:
  2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
  2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and
4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

LARONIDASE – Special Authority see SA1695 below – Retail pharmacy
Inj 100 U per ml, 5 ml vial.....1,335.16 1 ✔ **Aldurazyme**

➠SA1695 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria:
All of the following:

1 The patient has been diagnosed with Hurler Syndrome (mucopolysacchardosis I-H); and
2 Either:
  2.1 Diagnosis confirmed by demonstration of alpha-L-iduronidase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
  2.2 Detection of two disease causing mutations in the alpha-L-iduronidase gene and patient has a sibling who is known to have Hurler syndrome; and
3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with laronidase would be bridging treatment to transplant; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
5 Laronidase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 post-HSCT) at doses no greater than 100 units/kg every week.

LEVOCARNITINE – Special Authority see SA2040 below – Retail pharmacy

Tab 500 mg	CBS	30	✔	**Solgar**
Cap 250 mg	CBS	30	✔	**Solgar**
Cap 500 mg	CBS	60	✔	**Balance**
		300	✔	**Metabolics**
Oral liq 1 g per 10 ml	CBS	118 ml	✔	**Lacuna** S29
Oral liq 500 mg per 10 ml	CBS	300 ml	✔	**Balance**

➠SA2040 Special Authority for Subsidy
Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to carnitine supplementation.
Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:
Both:

1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to carnitine supplementation; and
2 The treatment remains appropriate and the patient is benefiting from treatment.

NITISINONE – Special Authority see SA2561 below – Retail pharmacy

Cap 2 mg	676.00	60	✔	**Nitisinone LogixX Pharma**
Cap 5 mg	1,302.00	60	✔	**Nitisinone LogixX Pharma**
Cap 10 mg	1,704.00	60	✔	**Nitisinone LogixX Pharma**

➠SA2561 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient requires nitisinone for the management of inherited metabolic disorders.

RIBOFLAVIN – Special Authority see SA2041 below – Retail pharmacy

Tab 100 mg	CBS	100	✔	**Country Life**
			✔	**Puritan's Pride Vitamin B-2 100 mg** S29
Cap 100 mg	CBS	100	✔	**Solgar**

➠SA2041 Special Authority for Subsidy
Initial application only from a metabolic physician or neurologist. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to riboflavin supplementation.
Renewal only from a metabolic physician or neurologist. Approvals valid for 24 months for applications meeting the following criteria:
Both:

1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to riboflavin supplementation; and
2 The treatment remains appropriate and the patient is benefiting from treatment.

SAPROPTERIN DIHYDROCHLORIDE – Special Authority see SA1989 on the next page – Retail pharmacy

Tab soluble 100 mg	1,452.70	30 OP	✔	**Kuvan**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA1989 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 1 month for applications meeting the following criteria:
All of the following:

1 Patient has phenylketonuria (PKU) and is pregnant or actively planning to become pregnant; and
2 Treatment with sapropterin is required to support management of PKU during pregnancy; and
3 Sapropterin to be administered at doses no greater than a total daily dose of 20 mg/kg; and
4 Sapropterin to be used alone or in combination with PKU dietary management; and
5 Total treatment duration with sapropterin will not exceed 22 months for each pregnancy (includes time for planning and becoming pregnant) and treatment will be stopped after delivery.

Renewal only from a metabolic physician or any relevant practitioner on the recommendation of a metabolic physician.
Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Either:
  1.1 Following the initial one-month approval, the patient has demonstrated an adequate response to a 2 to 4 week trial of sapropterin with a clinically appropriate reduction in phenylalanine levels to support management of PKU during pregnancy; or
  1.2 On subsequent renewal applications, the patient has previously demonstrated response to treatment with sapropterin and maintained adequate phenylalanine levels to support management of PKU during pregnancy; and
2 Any of the following:
  2.1 Patient continues to be pregnant and treatment with sapropterin will not continue after delivery; or
  2.2 Patient is actively planning a pregnancy and this is the first renewal for treatment with sapropterin; or
  2.3 Treatment with sapropterin is required for a second or subsequent pregnancy to support management of their PKU during pregnancy; and
3 Sapropterin to be administered at doses no greater than a total daily dose of 20 mg/kg; and
4 Sapropterin to be used alone or in combination with PKU dietary management; and
5 Total treatment duration with sapropterin will not exceed 22 months for each pregnancy (includes time for planning and becoming pregnant) and treatment will be stopped after delivery.

SODIUM BENZOATE – Special Authority see SA1599 below – Retail pharmacy

Soln 100 mg per ml	CBS	100 ml	✔	**Amzoate** S29

➠SA1599 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.
Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE – Special Authority see SA1990 below – Retail pharmacy

Grans 483 mg per g	2,016.00	174 g OP	✔	**Pheburane**

➠SA1990 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.
Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

TAURINE – Special Authority see SA2043 on the next page – Retail pharmacy

Cap 500 mg	CBS	50	✔	**Solgar**
Cap 1,000 mg	CBS	90	✔	**Life Extension**
Powder	CBS	300 g	✔	**Life Extension**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA2043 Special Authority for Subsidy
Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected specific mitochondrial disorder that may respond taurine supplementation.
Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:
Both:

1 The patient has confirmed diagnosis of a specific mitochondrial disorder which responds to taurine supplementation; and
2 The treatment remains appropriate and the patient is benefiting from treatment.

TRIENTINE – Special Authority see SA2324 below – Retail pharmacy
Cap 250 mg ..... 2,022.00 100 ✔ **Trientine Waymade**

SA2324 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 Patient has confirmed Wilson disease; and
2 Treatment with D-penicillamine has been trialled and discontinued because the person has experienced intolerable side effects or has not received sufficient benefit; and
3 Treatment with zinc has been trailled and discontinued because the person has experienced intolerable side effects or has not received sufficient benefit, or zinc is considered clinically inappropriate as the person has symptomatic liver disease and requires copper chelation.

Gaucher's Disease

TALIGLUCERASE ALFA – Special Authority see SA2137 below – Retail pharmacy
Inj 200 unit vial ..... 1,072.00 1 ✔ **Elelyso**

SA2137 Special Authority for Subsidy
Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 The patient has a diagnosis of symptomatic type 1 or type 3* Gaucher disease confirmed by the demonstration of specific deficiency of glucocerebrosidase in leukocytes or cultured skin fibroblasts, and genotypic analysis; and
2 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by enzyme replacement therapy (ERT) or the disease might be reasonably expected to compromise a response to ERT; and
3 Any of the following:
   3.1 Patient has haematological complications of Gaucher disease; or
   3.2 Patient has skeletal complications of Gaucher disease; or
   3.3 Patient has significant liver dysfunction or hepatomegaly attributable to Gaucher disease; or
   3.4 Patient has reduced vital capacity from clinically significant or progressive pulmonary disease due to Gaucher disease; or
   3.5 Patient is a child and has experienced growth failure with significant decrease in percentile linear growth over a 6-12 month period; and
4 Taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units).

Note: Indication marked with * is an unapproved indication
Renewal only from a metabolic physician or any relevant practitioner on the recommendation of a metabolic physician.
Approvals valid for 3 years for applications meeting the following criteria:
All of the following:

1 Patient has demonstrated a symptomatic improvement and has maintained improvements in the main symptom or symptoms for which therapy was started; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Patient has demonstrated a clinically objective improvement or no deterioration in haemoglobin levels, platelet counts and liver and spleen size; and
3 Radiological (MRI) signs of bone activity performed at two years since initiation of treatment, and five yearly thereafter, demonstrate no deterioration shown by the MRI, compared with MRI taken immediately prior to commencement of therapy or adjusted dose; and
4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
5 Patient is adherent with regular treatment and taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units).

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE				
Soln 0.15% – Higher subsidy of $22.60 per 500 ml with Endorsement	9.00	500 ml		
	(22.60)			Difflam
Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.				
CARMELLOSE SODIUM WITH GELATIN AND PECTIN				
Paste	17.20	56.7 g OP	✔	**Stomahesive**
	4.55	15 g OP		
	(7.90)			Orabase
	1.52	5 g OP		
	(3.60)			Orabase
Powder	8.48	28 g OP		
	(10.95)			Stomahesive
TRIAMCINOLONE ACETONIDE				
Paste 0.1%	5.49	5 g OP	✔	**Kenalog in Orabase**

Oropharyngeal Anti-infectives

AMPHOTERICIN B				
Lozenges 10 mg	5.86	20	✔	**Fungilin**
MICONAZOLE				
Oral gel 20 mg per g	5.19	40 g OP	✔	**Decozol**
NYSTATIN				
Oral liq 100,000 u per ml	2.22	24 ml OP	✔	**Nilstat**

Vitamins

Vitamin B

HYDROXOCOBALAMIN				
✱ Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a PSO	3.95	3	✔	**Hydroxocobalamin Panpharma**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
PYRIDOXINE HYDROCHLORIDE				
a) No more than 100 mg per dose				
b) Only on a prescription				
✻ Tab 25 mg – No patient co-payment payable	3.43	90	✔	**Vitamin B6 25**
✻ Tab 50 mg	23.45	500	✔	**Pyridoxine multichem**
THIAMINE HYDROCHLORIDE – Only on a prescription				
✻ Tab 50 mg	4.65	100	✔	**Thiamine multichem**
VITAMIN B COMPLEX				
✻ Tab, strong, BPC	11.25	500	✔	**Bplex**

Vitamin C

ASCORBIC ACID				
a) No more than 100 mg per dose				
b) Only on a prescription				
✻ Tab 100 mg	16.00	500	✔	**Cvite**

Vitamin D

ALFACALCIDOL				
✻ Cap 0.25 mcg	26.32	100	✔	**One-Alpha**
✻ Cap 1 mcg	87.98	100	✔	**One-Alpha**
✻ Oral drops 2 mcg per ml	60.68	20 ml OP	✔	**One-Alpha**
CALCITRIOL				
✻ Cap 0.25 mcg	7.89	100	✔	**Calcitriol XL** S29
			✔	**Calcitriol-AFT**
✻ Cap 0.5 mcg	13.68	100	✔	**Calcitriol XL** S29
			✔	**Calcitriol-AFT**
COLECALCIFEROL				
✻ Cap 1.25 mg (50,000 iu)	3.65	12	✔	**Vit.D3**
Maximum of 12 cap per three months				
✻ Oral liq 188 mcg per ml (7,500 iu per ml)	9.00	5 ml OP	✔	**Clinicians**

Multivitamin Preparations

MULTIVITAMIN RENAL – Special Authority see SA1546 below – Retail pharmacy				
✻ Cap	7.28	30	✔	**Clinicians Renal Vit**

➠SA1546 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis; or
2 The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m^2 body surface area (BSA).

MULTIVITAMINS – Special Authority see SA1036 on the next page – Retail pharmacy				
✻ Powder	74.88	200 g OP	✔	**Paediatric Seravit**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA1036 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.
Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

✱ Tab (BPC cap strength)	24.00	1,000	✔ **Mvite**
✱ Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1720 below – Retail pharmacy	23.40	60	✔ **Vitabdeck**

SA1720 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Any of the following:

1 Patient has cystic fibrosis with pancreatic insufficiency; or
2 Patient is an infant or child with liver disease or short gut syndrome; or
3 Patient has severe malabsorption syndrome.

Minerals

Calcium

CALCIUM CARBONATE

✱ Tab 1.25 g (500 mg elemental)	7.28	250	✔ **Calci-Tab 500**
✱ Tab eff 1.25 g (500 mg elemental) – Subsidy by endorsement	260.00	100	✔ **Calcium 500 mg Hexal** S29

Subsidy by endorsement – Only when prescribed for paediatric patients (< 5 years) where calcium carbonate oral liquid is considered unsuitable.

CALCIUM GLUCONATE

✱ Inj 10%, 10 ml ampoule	32.00	10	✔ **Max Health - Hameln** S29

Iodine

POTASSIUM IODATE

✱ Tab 253 mcg (150 mcg elemental iodine)	5.99	90	✔ **NeuroTabs**

Iron

FERROUS FUMARATE

✱ Tab 200 mg (65.7 mg elemental)	3.49	100	✔ **Ferro-tab**

FERROUS FUMARATE WITH FOLIC ACID

✱ Tab 310 mg (100 mg elemental) with folic acid 350 mcg	5.98	100	✔ **Ferro-F-Tabs**

FERROUS SULFATE

✱ Oral liq 30 mg (6 mg elemental) per 1 ml	10.25	250 ml	✔ **Ferro-Liquid**

IRON (AS FERRIC CARBOXYMALTOSE) – Special Authority see SA2394 on the next page – Retail pharmacy

Inj 50 mg per ml, 10 ml vial	150.00	1	✔ **Ferinject**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2394 Special Authority for Subsidy

Initial application — (Anaemia) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with anaemia; and
2 Any of the following:
  2.1 Serum ferritin level is 20 mcg/L or less; or
  2.2 Both:
    2.2.1 Serum ferritin is between 20 and 50 mcg/L; and
    2.2.2 C-Reactive Protein (CRP) is at least 5 mg/L; or
  2.3 Patient has chronic inflammatory disease with symptoms of anaemia despite normal iron levels; and
3 Any of the following:
  3.1 Oral iron treatment has proven ineffective; or
  3.2 Oral iron treatment has resulted in dose-limiting intolerance; or
  3.3 Rapid correction of anaemia is required.

Renewal — (Anaemia) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient continues to have anaemia with a serum ferritin level of 20 mcg/L, or less or between 20 and 50 mcg/L with CRP of at least 5 mg/L, or has chronic inflammatory disease with symptoms of anaemia despite normal iron levels; and
2 A trial (or re-trial) with oral iron is clinically inappropriate.

Initial application — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient has been diagnosed with iron-deficiency anaemia; and
2 Any of the following:
  2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
  2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
  2.3 Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective; or
  2.4 Rapid correction of anaemia is required.

Renewal — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of a internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient continues to have iron-deficiency anaemia; and
2 A re-trial with oral iron is clinically inappropriate.

IRON POLYMALTOSE

❋ Inj 50 mg per ml, 2 ml ampoule	41.75	5	✔ **Ferrosig**

Magnesium

MAGNESIUM HYDROXIDE

Suspension 8%	33.60	355 ml	✔ **Phillips Milk of Magnesia** S29

MAGNESIUM SULPHATE

❋ Inj 2 mmol per ml, 5 ml ampoule	37.53	10	✔ **Martindale**
❋ Inj 2 mmol per ml, 10 ml ampoule	75.06	10	✔ **Inresa** S29

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Zinc				
ZINC SULPHATE				
✻ Cap 220 mg (50 mg elemental)	29.14	100	✔	**Rugby** S29
✻ Cap 137.4 mg (50 mg elemental)	11.00	100	✔	**Zincaps**
			✔	**Zincaps S29** S29

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

SA2539 Special Authority for Subsidy

Initial application — (chronic renal failure) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Patient in chronic renal failure; and
2 Haemoglobin is less than or equal to 100g/L; and
3 Any of the following:
  3.1 Both:
    3.1.1 Patient does not have diabetes mellitus; and
    3.1.2 Glomerular filtration rate is less than or equal to 30ml/min; or
  3.2 Both:
    3.2.1 Patient has diabetes mellitus; and
    3.2.2 Glomerular filtration rate is less than or equal to 45ml/min; or
  3.3 Patient is on haemodialysis or peritoneal dialysis.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*; and
2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
5 Patient has a serum epoetin level of < 500 IU/L; and
6 The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an unapproved indication

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
2 Transformation to acute myeloid leukaemia has not occurred; and
3 The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an unapproved indication

EPOETIN ALFA – Special Authority see SA2539 above – Retail pharmacy

Wastage claimable

Inj 1,000 iu in 0.5 ml, syringe	250.00	6	✔ **Binocrit**
Inj 2,000 iu in 1 ml, syringe	100.00	6	✔ **Binocrit**
Inj 3,000 iu in 0.3 ml, syringe	150.00	6	✔ **Binocrit**
Inj 4,000 iu in 0.4 ml, syringe	96.50	6	✔ **Binocrit**
Inj 5,000 iu in 0.5 ml, syringe	125.00	6	✔ **Binocrit**
Inj 6,000 iu in 0.6 ml, syringe	145.00	6	✔ **Binocrit**
Inj 8,000 iu in 0.8 ml, syringe	175.00	6	✔ **Binocrit**
Inj 10,000 iu in 1 ml, syringe	197.50	6	✔ **Binocrit**
Inj 40,000 iu in 1 ml, syringe	250.00	1	✔ **Binocrit**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Megaloblastic				
FOLIC ACID				
✻ Tab 0.8 mg	26.60	1,000	✔	**Folic Acid multichem**
✻ Tab 5 mg	5.82	100	✔	**Folic Acid Viatris**
Oral liq 50 mcg per ml	31.77	25 ml OP	✔	**Biomed**
Antifibrinolytics, Haemostatics and Local Sclerosants				
EFTRENONACOG ALFA [RECOMBINANT FACTOR IX] – [Xpharm]				
For patients with haemophilia B receiving prophylaxis treatment. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management group.				
Inj 250 iu vial	612.50	1	✔	**Alprolix**
Inj 500 iu vial	1,225.00	1	✔	**Alprolix**
Inj 1,000 iu vial	2,450.00	1	✔	**Alprolix**
Inj 2,000 iu vial	4,900.00	1	✔	**Alprolix**
Inj 3,000 iu vial	7,350.00	1	✔	**Alprolix**
Inj 4,000 iu vial	9,800.00	1	✔	**Alprolix**
ELTROMBOPAG – Special Authority see SA1743 below – Retail pharmacy				
Wastage claimable				
Tab 25 mg	1,550.00	28	✔	**Revolade**
Tab 50 mg	3,100.00	28	✔	**Revolade**

SA1743 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:
All of the following:

1 Patient has had a splenectomy; and
2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
3 Any of the following:
   3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
   3.2 Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding; or
   3.3 Patient has a platelet count of less than or equal to 10,000 platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Initial application — (idiopathic thrombocytopenic purpura contraindicated to splenectomy) only from a haematologist. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 Patient has a significant and well-documented contraindication to splenectomy for clinical reasons; and
2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
3 Either:
   3.1 Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microliter; or
   3.2 Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

and significant mucocutaneous bleeding.

Initial application — (severe aplastic anaemia) only from a haematologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Two immunosuppressive therapies have been trialled and failed after therapy of at least 3 months duration; and
2 Either:
   2.1 Patient has severe aplastic anaemia with a platelet count of less than or equal to 20,000 platelets per microliter; or
   2.2 Patient has severe aplastic anaemia with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

Renewal — (idiopathic thrombocytopenic purpura contraindicated to splenectomy) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 The patient's significant contraindication to splenectomy remains; and
2 The patient has obtained a response from treatment during the initial approval period; and
3 Patient has maintained a platelet count of at least 50,000 platelets per microlitre on treatment; and
4 Further treatment with eltrombopag is required to maintain response.

Renewal — (severe aplastic anaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has obtained a response from treatment of at least 20,000 platelets per microlitre above baseline during the initial approval period; and
2 Platelet transfusion independence for a minimum of 8 weeks during the initial approval period.

EMICIZUMAB – [Xpharm] – Special Authority see SA2272 below

Inj 30 mg in 1 ml vial	3,570.00	1	✔	**Hemlibra**
Inj 60 mg in 0.4 ml vial	7,138.00	1	✔	**Hemlibra**
Inj 105 mg in 0.7 ml vial	12,492.00	1	✔	**Hemlibra**
Inj 150 mg in 1 ml vial	17,846.00	1	✔	**Hemlibra**

➠SA2272 Special Authority for Subsidy

Initial application — (Severe Haemophilia A with or without FVIII inhibitors) only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has severe congenital haemophilia A with a severe bleeding phenotype (endogenous factor VIII activity less than or equal to 2%); and
2 Emicizumab is to be administered at a dose of no greater than 3 mg/kg weekly for 4 weeks followed by the equivalent of 1.5 mg/kg weekly.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] – [Xpharm]

For patients with haemophilia. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group. Rare Clinical Circumstances Brand of bypassing agent for > 14 days predicted use. Access to funded treatment for > 14 days predicted use is by named patient application to the Haemophilia Treaters Group, subject to access criteria.

Inj 1 mg syringe	1,178.30	1	✔	**NovoSeven RT**
Inj 2 mg syringe	2,356.60	1	✔	**NovoSeven RT**
Inj 5 mg syringe	5,891.50	1	✔	**NovoSeven RT**
Inj 8 mg syringe	9,426.40	1	✔	**NovoSeven RT**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
FACTOR EIGHT INHIBITOR BYPASSING FRACTION – [Xpharm]				
For patients with haemophilia. Preferred Brand of bypassing agent for > 14 days predicted use. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.				
Inj 500 U	1,315.00	1	✔	**FEIBA NF**
Inj 1,000 U	2,630.00	1	✔	**FEIBA NF**
Inj 2,500 U	6,575.00	1	✔	**FEIBA NF**
MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] – [Xpharm]				
For patients with haemophilia. Rare Clinical Circumstances Brand of short half-life recombinant factor VIII. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group, subject to criteria.				
Inj 250 iu prefilled syringe	287.50	1	✔	**Xyntha**
Inj 500 iu prefilled syringe	575.00	1	✔	**Xyntha**
Inj 1,000 iu prefilled syringe	1,150.00	1	✔	**Xyntha**
Inj 2,000 iu prefilled syringe	2,300.00	1	✔	**Xyntha**
Inj 3,000 iu prefilled syringe	3,450.00	1	✔	**Xyntha**
NONACOG GAMMA, [RECOMBINANT FACTOR IX] – [Xpharm]				
For patients with haemophilia. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.				
Inj 1,000 iu vial	870.00	1	✔	**RIXUBIS**
Inj 2,000 iu vial	1,740.00	1	✔	**RIXUBIS**
Inj 3,000 iu vial	2,610.00	1	✔	**RIXUBIS**
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) – [Xpharm]				
For patients with haemophilia. Preferred Brand of short half-life recombinant factor VIII. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.				
Inj 500 iu vial	420.00	1	✔	**Advate**
Inj 1,000 iu vial	840.00	1	✔	**Advate**
Inj 2,000 iu vial	1,680.00	1	✔	**Advate**
Inj 3,000 iu vial	2,520.00	1	✔	**Advate**
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGENATE FS) – [Xpharm]				
For patients with haemophilia. Rare Clinical Circumstances Brand of short half-life recombinant factor VIII. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group, subject to criteria.				
Inj 250 iu vial	237.50	1	✔	**Kogenate FS**
Inj 500 iu vial	475.00	1	✔	**Kogenate FS**
Inj 1,000 iu vial	950.00	1	✔	**Kogenate FS**
Inj 2,000 iu vial	1,900.00	1	✔	**Kogenate FS**
Inj 3,000 iu vial	2,850.00	1	✔	**Kogenate FS**
RURIOCTOCOG ALFA PEGOL [RECOMBINANT FACTOR VIII] – [Xpharm]				
For patients with haemophilia A receiving prophylaxis treatment. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management group.				
Inj 1,000 iu vial	1,200.00	1	✔	**Adynovate**
Inj 2,000 iu vial	2,400.00	1	✔	**Adynovate**
SODIUM TETRADECYL SULPHATE				
✱ Inj 3% 2 ml	28.50	5		
	(140.00)			Fibro-vein

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
TRANEXAMIC ACID				
Tab 500 mg	9.93	60	✔	**Mercury Pharma**
Mercury Pharma to be Principal Supply on 1 May 2026				
Inj 100 mg per ml, 10 ml ampoule – Subsidy by endorsement	7.99	5	✔	**Tranexamic-AFT**
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
c) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service or for the treatment of post-partum haemorrhage (PPH) and the PSO is endorsed accordingly.				

Vitamin K

PHYTOMENADIONE				
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5	✔	**Konakion MM Paediatric**
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	9.21	5	✔	**Konakion MM**

Antithrombotic Agents

Antiplatelet Agents

ASPIRIN				
✱ Tab 100 mg	12.65	990	✔	**Ethics Aspirin EC**
CLOPIDOGREL				
✱ Tab 75 mg	5.07	84	✔	**Arrow - Clopid**
DIPYRIDAMOLE				
Note: No new patients to be initiated on dipyridamole.				
Cap modified-release 200 mg	55.13	60	✔	**Dipyridamole - Strides** S29
TICAGRELOR – Special Authority see SA2530 below – Retail pharmacy				
✱ Tab 90 mg	20.35	56	✔	**Ticagrelor Sandoz**
			✔	**Ticagrelor Sandoz S29** S29
	23.85		✔	**Ticagrelor Mylan** S29

SA2530 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Initial application — (thrombosis prevention neurological stenting) from any relevant practitioner. Approvals valid for 12

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
months for applications meeting the following criteria:
Both:

1 Either:
   1.1 Patient has had a neurological stenting procedure* in the last 60 days; or
   1.2 Patient is about to have a neurological stenting procedure performed*; and
2 Either:
   2.1 Patient has demonstrated clopidogrel resistance using the P2Y12 (VerifyNow) assay or another appropriate platelet function assay and requires antiplatelet treatment with ticagrelor; or
   2.2 Either:
      2.2.1 Clopidogrel resistance has been demonstrated by the occurrence of a new cerebral ischemic event; or
      2.2.2 Clopidogrel resistance has been demonstrated by the occurrence of transient ischemic attack symptoms referable to the stent.

Renewal — (thrombosis prevention neurological stenting) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 Patient is continuing to benefit from treatment; and
2 Treatment continues to be clinically appropriate.

Initial application — (Percutaneous coronary intervention with stent deployment) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has undergone percutaneous coronary intervention; and
2 Patient has had a stent deployed in the previous 4 weeks; and
3 Patient is clopidogrel-allergic**.

Renewal — (Percutaneous coronary intervention with stent deployment) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has undergone percutaneous coronary intervention; and
2 Patient has had a stent deployed in the previous 4 weeks; and
3 Patient is clopidogrel-allergic**.

Initial application — (Stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Initial application — (acute minor stroke or high-risk transient ischemic attack (TIA)*) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:
All of the following:

1 Patient has been diagnosed with a minor stroke (NIHSS† score 3 or less), high-risk TIA (ABCD2 score 4 or more) or Crescendo TIA; and
2 Either:
   2.1 Patient is expected to be a poor metaboliser of clopidogrel, with documented clinical rationale; or
   2.2 Patient is allergic to clopidogrel**; and
3 Ticagrelor to be prescribed for a maximum of 21 days following minor stroke or TIA.

Renewal — (subsequent minor stroke or TIA, or Crescendo TIA) from any relevant practitioner. Approvals valid for 1 month where patient has been diagnosed with a minor stroke (NIHSS score 3 or less) or high-risk transient ischemic attack (ABCD2 score 4 or more) or Crescendo TIA.

Notes: indications marked with * are unapproved indications.

Note:** Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

Note:NIHSS† National Institutes of Health Stroke Scale.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Heparin and Antagonist Preparations

ENOXAPARIN SODIUM – Subsidy by endorsement; can be waived by Special Authority see SA2628 below

Subsidy by Endorsement - Available on PSO for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.

Inj 20 mg in 0.2 ml syringe	21.90	10	✔	**Clexane**
Inj 40 mg in 0.4 ml syringe	29.74	10	✔	**Clexane**
Inj 60 mg in 0.6 ml syringe	42.47	10	✔	**Clexane**
Inj 80 mg in 0.8 ml syringe	56.62	10	✔	**Clexane**
Inj 100 mg in 1 ml syringe – Up to 2 inj available on a PSO	70.91	10	✔	**Clexane**
Inj 120 mg in 0.8 ml syringe	88.11	10	✔	**Clexane Forte**
Inj 150 mg in 1 ml syringe	100.70	10	✔	**Clexane Forte**

SA2628 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1. Low molecular weight heparin treatment is required during a patients pregnancy; or
2. For the treatment of venous thromboembolism where the patient has a malignancy; or
3. For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

1. For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
2. For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
3. To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
4. For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
5. To be used in association with cardioversion of atrial fibrillation.

Initial application — (Short-term use during treatment of COVID-19 with nirmatrelvir with ritonavir) from any relevant practitioner. Approvals valid for 2 weeks for applications meeting the following criteria:

All of the following:

1. Patient is receiving an anticoagulation treatment that has drug/drug interactions with ritonavir that increases risk of bleeding; and
2. Patient meets the Access Criteria for COVID-19 antivirals published on the Pharmac website*; and
3. Other antiviral treatments for COVID-19 have been considered and are not clinically suitable options.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1. Low molecular weight heparin treatment is required during a patient's pregnancy; or
2. For the treatment of venous thromboembolism where the patient has a malignancy; or
3. For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
HEPARIN SODIUM				
Inj 1,000 iu per ml, 5 ml ampoule	164.40	50	✔	**Pfizer**
Inj 10 iu per ml, 5 ml ampoule (flushing solution)	19.38	10	✔	**Wockhardt** S29
Inj 5,000 iu per ml, 5 ml vial	83.00	10	✔	**Heparin Sodium Panpharma**
Inj 5,000 iu per ml, 1 ml	70.33	5	✔	**Hospira**
Inj 5,000 iu per ml, 5 ml ampoule	406.15	50	✔	**Pfizer**
Pfizer to be Principal Supply on 1 May 2026				
Inj 25,000 iu per ml, 0.2 ml	25.78	5	✔	**Hospira**
(Heparin Sodium Panpharma Inj 5,000 iu per ml, 5 ml vial to be delisted 1 May 2026)				
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	96.91	50	✔	**Pfizer**

Oral Anticoagulants

DABIGATRAN				
Cap 75 mg – No more than 2 cap per day	27.99	60	✔	**Pradaxa**
Cap 110 mg	27.99	60	✔	**Pradaxa**
Cap 150 mg	27.99	60	✔	**Pradaxa**
RIVAROXABAN				
Tab 10 mg – No more than 1 tab per day	15.60	30	✔	**Xarelto**
Tab 15 mg – Up to 14 tab available on a PSO	14.56	28	✔	**Xarelto**
Tab 20 mg	14.56	28	✔	**Xarelto**
WARFARIN SODIUM				
Note: Marevan and Coumadin are not interchangeable.				
✻ Tab 1 mg	3.46	50	✔	**Coumadin**
	7.50	100	✔	**Marevan**
✻ Tab 2 mg	4.31	50	✔	**Coumadin**
✻ Tab 3 mg	12.00	100	✔	**Marevan**
✻ Tab 5 mg	5.93	50	✔	**Coumadin**
	13.50	100	✔	**Marevan**

Blood Colony-stimulating Factors

FILGRASTIM – Special Authority see SA2613 below – Retail pharmacy				
Inj 300 mcg per 0.5 ml prefilled syringe	86.60	10	✔	**Nivestim**
Inj 480 mcg per 0.5 ml prefilled syringe	133.72	10	✔	**Nivestim**

SA2613 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1. Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*); or
2. Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
3. Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
4. Treatment of severe chronic neutropenia (ANC < 0.5×10^9/L); or
5. Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^9/L).

Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM – Special Authority see SA2614 on the next page – Retail pharmacy				
Inj 6 mg per 0.6 ml syringe	69.50	1	✔	**Ziextenzo**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2614 **Special Authority for Subsidy**
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 5%*).
Note: *Febrile neutropenia risk greater than or equal to 5% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

GLUCOSE [DEXTROSE]

❋ Inj 5%, 100 ml bag – Subsidy by endorsement	97.00	50	✔ **Fresenius Kabi**
a) Up to 50 inj available on a PSO b) Only on a PSO c) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.			
❋ Inj 10%, 500 ml bag – Subsidy by endorsement	126.00	18	✔ **Baxter Glucose 10%**
a) Up to 18 inj available on a PSO b) Only on a PSO c) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.			
❋ Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO	34.75	5	✔ **Biomed**
❋ Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO	17.50	1	✔ **Biomed**

POTASSIUM CHLORIDE

❋ Inj 75 mg per ml, 10 ml	65.00	50	✔ **Juno** ✔ **LumaCina** ✔ **Pfizer** S29

SODIUM BICARBONATE

Inj 8.4%, 50 ml	24.70	1	✔ **Biomed**
a) Up to 5 inj available on a PSO b) Not in combination			
Inj 8.4%, 100 ml	25.31	1	✔ **Biomed**
a) Up to 5 inj available on a PSO b) Not in combination			

SODIUM CHLORIDE

Not funded for use as a nasal drop. Not funded for nebuliser use except when used in conjunction with an antibiotic intended for nebuliser use.

Inj 23.4% (4 mmol/ml), 20 ml ampoule	40.15	5	✔ **Biomed**
For Sodium chloride oral liquid formulation refer Standard Formulae, page 279			
Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO	4.12	20	✔ **Fresenius Kabi**
Inj 0.9%, 10 ml ampoule – Up to 5 inj available on a PSO	7.50	50	✔ **Fresenius Kabi**
Inj 0.9%, 20 ml ampoule	5.20	20	✔ **Fresenius Kabi**
Inj 0.9%, 1,000 ml bag – Up to 2 bag available on a PSO	1.58	1	✔ **Baxter**
Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs)			
Inj 0.9%, 500 ml bag – Up to 4 bag available on a PSO	1.53	1	✔ **Baxter**
Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs)			

TOTAL PARENTERAL NUTRITION (TPN)

Infusion	CBS	1 OP	✔ **TPN**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
WATER				
1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or				
2) On a bulk supply order; or				
3) When used in the extemporaneous compounding of eye drops; or				
4) When used for the dilution of sodium chloride soln 7% for cystic fibrosis patients only.				
Inj 10 ml ampoule – Up to 5 inj available on a PSO	7.60	50	✔	**Fresenius Kabi**
			✔	**Multichem**
Inj 20 ml ampoule – Up to 5 inj available on a PSO	5.00	20	✔	**Fresenius Kabi**

Oral Administration

CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	✔	**Calcium Resonium**
			✔	**Roma** S29
COMPOUND ELECTROLYTES				
Powder for oral soln – Up to 5 sach available on a PSO	9.50	50	✔	**Electral**
COMPOUND ELECTROLYTES WITH GLUCOSE [DEXTROSE]				
Soln with electrolytes	6.53	1 OP	✔	**Hydralyte - Lemonade**
Soln with electrolytes (2 × 500 ml)	8.45	1 OP	✔	**Pedialyte**
(Hydralyte - Lemonade Soln with electrolytes to be delisted 1 July 2026)				
PHOSPHORUS				
Tab eff 500 mg (16 mmol)	82.50	100	✔	**Phosphate Phebra**
POTASSIUM CHLORIDE				
✻ Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (17.10)	60		Chlorvescent
✻ Tab long-acting 600 mg (8 mmol)	16.15	200	✔	**Span-K**
SODIUM BICARBONATE				
Cap 840 mg	8.52	100	✔	**Sodibic**
			✔	**Sodibic**
SODIUM POLYSTYRENE SULPHONATE				
Powder	84.65	454 g OP	✔	**Resonium-A**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Alpha-Adrenoceptor Blockers				
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
❋ Tab 2 mg	17.35	500	✔	**Doxazosin Clinect**
❋ Tab 4 mg	20.94	500	✔	**Doxazosin Clinect**
PHENOXYBENZAMINE HYDROCHLORIDE				
❋ Cap 10 mg	65.00	30	✔	**BNM** S29
PRAZOSIN				
❋ Tab 1 mg	5.53	100	✔	**Arrotex-Prazosin S29** S29
	9.98		✔	**Minipress** S29
❋ Tab 2 mg	7.00	100	✔	**Arrotex-Prazosin S29** S29
	13.29		✔	**Minipress** S29
❋ Tab 5 mg	11.70	100	✔	**Arrotex-Prazosin S29** S29
	22.00		✔	**Minipress** S29
❋ Cap 1 mg	15.40	100	✔	**Prazosin Mylan** S29
❋ Cap 2 mg	15.58	100	✔	**Prazosin Mylan** S29
❋ Cap 5 mg	23.32	100	✔	**Prazosin Mylan** S29
Agents Affecting the Renin-Angiotensin System				
ACE Inhibitors				
CAPTOPRIL				
❋ Oral liq 5 mg per ml	86.00	100 ml OP	✔	**DP-Captopril**
Oral liquid restricted to children under 12 years of age.				
ENALAPRIL MALEATE				
❋ Tab 5 mg	1.40	90	✔	**Ipca-Enalapril**
	4.25		✔	**Acetec**
❋ Tab 10 mg	1.58	90	✔	**Ipca-Enalapril**
	5.50		✔	**Acetec**
❋ Tab 20 mg	2.00	90	✔	**Ipca-Enalapril**
	6.50		✔	**Acetec**
(Acetec Tab 5 mg to be delisted 1 July 2026)				
(Acetec Tab 10 mg to be delisted 1 July 2026)				
(Acetec Tab 20 mg to be delisted 1 July 2026)				
LISINOPRIL				
❋ Tab 5 mg	12.00	90	✔	**Teva Lisinopril**
❋ Tab 10 mg	12.00	90	✔	**Teva Lisinopril**
❋ Tab 20 mg	16.00	90	✔	**Teva Lisinopril**
PERINDOPRIL				
❋ Tab 2 mg	1.79	30	✔	**Coversyl**
❋ Tab 4 mg	2.44	30	✔	**Coversyl**
❋ Tab 8 mg	3.94	30	✔	**Coversyl**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
QUINAPRIL				
✻ Tab 5 mg	10.24	90	✔	**Arrow-Quinapril 5**
✻ Tab 10 mg	12.51	90	✔	**Arrow-Quinapril 10**
✻ Tab 20 mg	14.83	90	✔	**Arrow-Quinapril 20**
RAMIPRIL				
✻ Cap 1.25 mg	17.25	90	✔	**Tryzan**
✻ Cap 2.5 mg	16.50	90	✔	**Tryzan**
✻ Cap 5 mg	16.88	90	✔	**Tryzan**
✻ Cap 10 mg	17.63	90	✔	**Tryzan**

Angiotensin II Antagonists

CANDESARTAN CILEXETIL				
✻ Tab 4 mg	2.68	90	✔	**Candestar**
✻ Tab 8 mg	2.67	90	✔	**Candestar**
✻ Tab 16 mg	4.22	90	✔	**Candestar**
✻ Tab 32 mg	5.24	90	✔	**Candestar**
LOSARTAN POTASSIUM				
✻ Tab 12.5 mg	2.00	84	✔	**Losartan Actavis**
✻ Tab 25 mg	2.29	84	✔	**Losartan Actavis**
✻ Tab 50 mg	2.86	84	✔	**Losartan Actavis**
✻ Tab 100 mg	4.57	84	✔	**Losartan Actavis**

Angiotensin II Antagonists with Diuretics

CANDESARTAN CILEXETIL WITH HYDROCHLOROTHIAZIDE				
✻ Tab 16 mg with hydrochlorothiazide 12.5 mg	4.10	30	✔	**APO-Candesartan HCTZ 16/12.5**
✻ Tab 32 mg with hydrochlorothiazide 12.5 mg	5.25	30	✔	**APO-Candesartan HCTZ 32/12.5**
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE				
✻ Tab 50 mg with hydrochlorothiazide 12.5 mg	4.31	30	✔	**Arrow-Losartan & Hydrochlorothiazide**
	7.25	90	✔	**Losartan & Hydrochlorothiazide (Ipca)**

(Arrow-Losartan & Hydrochlorothiazide Tab 50 mg with hydrochlorothiazide 12.5 mg to be delisted 1 July 2026)

Angiotensin II Antagonists with Neprilysin Inhibitors

SACUBITRIL WITH VALSARTAN – Special Authority see SA2302 below – Retail pharmacy				
Tab 24.3 mg with valsartan 25.7 mg	190.00	56	✔	**Entresto 24/26**
Tab 48.6 mg with valsartan 51.4 mg	190.00	56	✔	**Entresto 49/51**
Tab 97.2 mg with valsartan 102.8 mg	190.00	56	✔	**Entresto 97/103**

➠SA2302 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Patient has heart failure; and
2 Any of the following:
  2.1 Patient is in NYHA/WHO functional class II; or
  2.2 Patient is in NYHA/WHO functional class III; or
  2.3 Patient is in NYHA/WHO functional class IV; and
3 Either:
  3.1 Patient has a documented left ventricular ejection fraction (LVEF) of less than or equal to 35%; or
  3.2 An ECHO is not reasonably practical, and in the opinion of the treating practitioner the patient would benefit from treatment; and
4 Patient is receiving concomitant optimal standard chronic heart failure treatments.

Antiarrhythmics

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 122

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
AMIODARONE HYDROCHLORIDE				
▲ Tab 100 mg	4.95	30	✔	**Aratac**
▲ Tab 200 mg	5.86	30	✔	**Aratac**
Inj 50 mg per ml, 3 ml ampoule – Up to 10 inj available on a PSO	17.96	10	✔	**Max Health**
ATROPINE SULPHATE				
❋ Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	16.10	10	✔	**Hikma** S29
			✔	**Martindale**
DIGOXIN				
❋ Tab 62.5 mcg – Up to 30 tab available on a PSO	8.58	240	✔	**Lanoxin PG**
❋ Tab 250 mcg – Up to 30 tab available on a PSO	18.75	240	✔	**Lanoxin**
❋ Oral liq 50 mcg per ml	16.60	60 ml	✔	**Lanoxin**
			✔	**Lanoxin S29** S29
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	55.90	84	✔	**Rythmodan - Cheplafarm** S29
			✔	**Rythmodan Neon** S29
FLECAINIDE ACETATE				
▲ Tab 50 mg	19.95	60	✔	**Flecainide BNM**
▲ Cap long-acting 100 mg	35.78	90	✔	**Flecainide Controlled Release Teva**
▲ Cap long-acting 200 mg	54.28	90	✔	**Flecainide Controlled Release Teva**
Inj 10 mg per ml, 15 ml ampoule	102.79	5	✔	**Almarytm** S29
	108.16		✔	**Tambocor**
			✔	**Tambocor German** S29
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	162.00	100	✔	**Teva** S29
▲ Cap 250 mg	202.00	100	✔	**Teva** S29

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
PROPAFENONE HYDROCHLORIDE				
▲ Tab 150 mg	40.90	50	✔	**Rytmonorm**

Antihypotensives

MIDODRINE – Special Authority see SA1474 below – Retail pharmacy				
Tab 2.5 mg	36.68	100	✔	**Midodrine Medsurge**
Tab 5 mg	58.88	100	✔	**Midodrine Medsurge**

➠**SA1474** **Special Authority for Subsidy**
Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.
Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta-Adrenoceptor Blockers

Beta Adrenoceptor Blockers

ATENOLOL				
✻ Tab 50 mg	11.00	500	✔	**Viatris**
✻ Tab 100 mg	18.50	500	✔	**Atenolol Viatris**
✻ Oral liq 25 mg per 5 ml	49.85	300 ml OP	✔	**Atenolol AFT**
Restricted to children under 12 years of age.				
BISOPROLOL FUMARATE				
✻ Tab 2.5 mg	1.36	90	✔	**Ipca-Bisoprolol**
✻ Tab 5 mg	1.91	90	✔	**Ipca-Bisoprolol**
✻ Tab 10 mg	2.71	90	✔	**Ipca-Bisoprolol**
CARVEDILOL				
✻ Tab 6.25 mg	1.97	60	✔	**Carvedilol Sandoz**
✻ Tab 12.5 mg	2.03	60	✔	**Carvedilol Sandoz**
✻ Tab 25 mg	2.46	60	✔	**Carvedilol Sandoz**
LABETALOL				
✻ Tab 100 mg	14.50	100	✔	**Trandate**
	49.54		✔	**Biocon** S29
✻ Tab 200 mg	27.00	100	✔	**Trandate**
	42.07		✔	**Presolol** S29
✻ Inj 5 mg per ml, 20 ml ampoule	59.06	5		
	(88.60)			Trandate
METOPROLOL SUCCINATE				
✻ Tab long-acting 23.75 mg	4.20	90	✔	**Myloc CR**
✻ Tab long-acting 47.5 mg	3.65	90	✔	**Myloc CR**
✻ Tab long-acting 95 mg	5.24	90	✔	**Myloc CR**
✻ Tab long-acting 190 mg	9.76	90	✔	**Myloc CR**
METOPROLOL TARTRATE				
✻ Tab 50 mg	5.66	100	✔	**IPCA-Metoprolol**
✻ Tab 100 mg	7.55	60	✔	**IPCA-Metoprolol**
✻ Tab long-acting 200 mg	23.40	28	✔	**Slow-Lopresor**
✻ Inj 1 mg per ml, 5 ml vial	26.50	5	✔	**Metoprolol IV Mylan**
			✔	**Metoprolol IV Viatris**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
NADOLOL				
❋ Tab 40 mg	19.19	100	✔	**Nadolol BNM**
❋ Tab 80 mg	30.39	100	✔	**Nadolol BNM**
PROPRANOLOL				
❋ Tab 10 mg	7.04	100	✔	**Drofate**
❋ Tab 40 mg	8.75	100	✔	**IPCA-Propranolol**
❋ Cap long-acting 160 mg	18.17	100	✔	**Cardinol LA**
❋ Oral liq 4 mg per ml – Special Authority see SA1327 below – Retail pharmacy	CBS	500 ml	✔	**Hikma-Propranolol** S29
			✔	**Roxane-Propranolol** S29

➠SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1. For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
2. For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1. For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
2. For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL				
❋ Tab 80 mg	40.00	500	✔	**Mylan**
❋ Tab 160 mg	20.00	100	✔	**Mylan**

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

AMLODIPINE				
❋ Tab 2.5 mg	1.45	90	✔	**Vasorex**
❋ Tab 5 mg	1.21	90	✔	**Vasorex**
❋ Tab 10 mg	1.31	90	✔	**Vasorex**
FELODIPINE				
❋ Tab long-acting 2.5 mg	2.18	30	✔	**Plendil ER**
❋ Tab long-acting 5 mg	6.57	90	✔	**Felo 5 ER**
❋ Tab long-acting 10 mg	6.95	90	✔	**Felo 10 ER**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
NIFEDIPINE				
✻ Tab long-acting 10 mg – Subsidy by endorsement	19.42	56	✔	**Tensipine MR10** S29
Subsidised for patients who were taking nifedipine tab long-acting 10 mg prior to 1 July 2023 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of nifedipine tab long-acting 10 mg.				
✻ Tab long-acting 20 mg	9.92	56	✔	**Valni Retard** S29
	17.72	100	✔	**Nyefax Retard**
✻ Tab long-acting 30 mg	4.78	14	✔	**Mylan Italy (24 hr release)** S29
	34.10	100	✔	**Mylan (24 hr release)** S29
✻ Tab long-acting 60 mg	52.81	100	✔	**Mylan (24 hr release)** S29

Other Calcium Channel Blockers

DILTIAZEM HYDROCHLORIDE				
✻ Cap long-acting 120 mg	65.35	500	✔	**Diltiazem CD Clinect**
✻ Cap long-acting 180 mg	7.00	30	✔	**Cardizem CD**
✻ Cap long-acting 240 mg	9.30	30	✔	**Cardizem CD**
PERHEXILINE MALEATE				
✻ Tab 100 mg	62.90	100	✔	**Pexsig**
VERAPAMIL HYDROCHLORIDE				
✻ Tab 40 mg	7.01	100	✔	**Isoptin**
✻ Tab 80 mg	11.74	100	✔	**Isoptin**
✻ Tab long-acting 120 mg	36.02	100	✔	**Isoptin Retard** S29
			✔	**Isoptin SR**
✻ Tab long-acting 240 mg	15.12	30	✔	**Isoptin SR**
✻ Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	25.00	5	✔	**Isoptin**

Centrally-Acting Agents

CLONIDINE				
✻ Patch 2.5 mg, 100 mcg per day – Only on a prescription	11.70	4	✔	**Mylan**
✻ Patch 5 mg, 200 mcg per day – Only on a prescription	12.80	4	✔	**Mylan**
✻ Patch 7.5 mg, 300 mcg per day – Only on a prescription	17.90	4	✔	**Mylan**
CLONIDINE HYDROCHLORIDE				
✻ Tab 25 mcg	29.74	112	✔	**Clonidine Teva**
✻ Tab 150 mcg	40.41	100	✔	**Catapres**
✻ Inj 150 mcg per ml, 1 ml ampoule	14.10	5	✔	**Catapres**
METHYLDOPA				
✻ Tab 250 mg	15.10	100	✔	**Methyldopa Viatris**

Diuretics

Loop Diuretics

BUMETANIDE				
✻ Tab 1 mg	16.36	100	✔	**Burinex**
✻ Inj 500 mcg per ml, 4 ml vial	7.95	5	✔	**Burinex**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
FUROSEMIDE [FRUSEMIDE]				
Tab 40 mg – Up to 30 tab available on a PSO	12.80	1,000	✔	**IPCA-Frusemide**
❋ Tab 500 mg	25.00	50	✔	**Urex Forte**
❋ Oral liq 10 mg per ml	11.20	30 ml OP	✔	**Lasix**
❋ Inj 10 mg per ml, 25 ml ampoule	60.65	6	✔	**Lasix**
❋ Inj 10 mg per ml, 2 ml ampoule – Up to 10 inj available on a PSO	2.40	5	✔	**Furosemide-Baxter**
	3.97	10	✔	**Furosemide-AFT**

(Furosemide-Baxter Inj 10 mg per ml, 2 ml ampoule to be delisted 1 August 2026)

Potassium Sparing Diuretics

AMILORIDE HYDROCHLORIDE				
Tab 5 mg	81.07	100	✔	**Padagis** S29
	171.41	28	✔	**Wockhardt** S29
Oral liq 1 mg per ml	35.40	25 ml OP	✔	**Biomed**
EPLERENONE – Special Authority see SA1728 below – Retail pharmacy				
Tab 25 mg	15.84	30	✔	**Inspra**
Tab 50 mg	25.00	30	✔	**Inspra**

➠**SA1728** **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has heart failure with ejection fraction less than 40%; and

2 Either:

2.1 Patient is intolerant to optimal dosing of spironolactone; or

2.2 Patient has experienced a clinically significant adverse effect while on optimal dosing of spironolactone.

SPIRONOLACTONE				
❋ Tab 25 mg	4.20	100	✔	**Spiractin**
❋ Tab 100 mg	11.40	100	✔	**Spiractin**
Oral liq 5 mg per ml	35.70	25 ml OP	✔	**Biomed**

Potassium Sparing Combination Diuretics

AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE				
❋ Tab 5 mg with furosemide 40 mg	8.63	28	✔	**Frumil**
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZIDE				
❋ Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✔	**Moduretic**

Thiazide and Related Diuretics

BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]				
❋ Tab 2.5 mg – Up to 150 tab available on a PSO	51.50	500	✔	**Arrow-Bendrofluazide**
May be supplied on a PSO for reasons other than emergency.				
❋ Tab 5 mg	61.00	500	✔	**Arrow-Bendrofluazide**
CHLOROTHIAZIDE				
Oral liq 50 mg per ml	30.67	25 ml OP	✔	**Biomed**

✔ **fully subsidised**

Principal Supply

S29 Unapproved medicine supplied under Section 29

Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
CHLORTALIDONE [CHLORTHALIDONE]				
✻ Tab 25 mg	6.95	50	✔	**Hygroton**
INDAPAMIDE				
✻ Tab 2.5 mg	16.00	90	✔	**Dapa-Tabs**
METOLAZONE				
Tab 5 mg	CBS	50	✔	**Zaroxolyn** S29

Vasopressin receptor antagonists

TOLVAPTAN – Special Authority see SA2166 below – Retail pharmacy				
Tab 15 mg	873.50	28 OP	✔	**Jinarc**
Tab 30 mg	873.50	28 OP	✔	**Jinarc**
Tab 45 mg + 15 mg	1,747.00	56 OP	✔	**Jinarc**
Tab 60 mg + 30 mg	1,747.00	56 OP	✔	**Jinarc**
Tab 90 mg + 30 mg	1,747.00	56 OP	✔	**Jinarc**

➠SA2166 Special Authority for Subsidy

Initial application — (autosomal dominant polycystic kidney disease) only from a renal physician or any relevant practitioner on the recommendation of a renal physician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient has a confirmed diagnosis of autosomal dominant polycystic kidney disease; and
2 Patient has an estimated glomerular filtration rate (eGFR) of greater than or equal to 25 ml/min/1.73 m^2 at treatment initiation; and
3 Either:
   3.1 Patient's disease is rapidly progressing, with a decline in eGFR of greater than or equal to 5 mL/min/1.73 m^2 within one-year; or
   3.2 Patient's disease is rapidly progressing, with an average decline in eGFR of greater than or equal to 2.5 mL/min/1.73 m^2 per year over a five-year period.

Renewal — (autosomal dominant polycystic kidney disease) only from a renal physician or any relevant practitioner on the recommendation of a renal physician. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 Patient has not developed end-stage renal disease, defined as an eGFR of less than 15 mL/min/1.73 m^2; and
2 Patient has not undergone a kidney transplant.

Lipid-Modifying Agents

Fibrates

BEZAFIBRATE				
✻ Tab 200 mg	22.65	90	✔	**Bezalip**
✻ Tab long-acting 400 mg	21.54	30	✔	**Bezalip Retard**

Other Lipid-Modifying Agents

ACIPIMOX				
✻ Cap 250 mg	38.19	30	✔	**Olbetam**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Resins				
COLESTYRAMINE				
Powder for oral suspension 4 g sachet	61.50	50	✔	**Colestyramine - Mylan** S29
			✔	**Quantalan sugar free** S29
HMG CoA Reductase Inhibitors (Statins)				
ATORVASTATIN				
❋ Tab 10 mg	0.31	30	✔	**Lorstat**
	5.16	500	✔	**Lorstat**
❋ Tab 20 mg	8.12	500	✔	**Lorstat**
❋ Tab 40 mg	13.79	500	✔	**Lorstat**
❋ Tab 80 mg	1.52	30	✔	**Lorstat**
	25.39	500	✔	**Lorstat**
PRAVASTATIN				
❋ Tab 20 mg	7.16	100	✔	**Clinect**
❋ Tab 40 mg	12.25	100	✔	**Clinect**
ROSUVASTATIN – Special Authority see SA2093 below – Retail pharmacy				
❋ Tab 5 mg	1.29	30	✔	**Rosuvastatin Viatris**
	4.21		✔	**Rosuvastatin - Sandoz**
❋ Tab 10 mg	1.69	30	✔	**Rosuvastatin Viatris**
❋ Tab 20 mg	2.71	30	✔	**Rosuvastatin Viatris**
	4.21		✔	**Rosuvastatin- Sandoz**
❋ Tab 40 mg	4.55	30	✔	**Rosuvastatin Viatris**

SA2093 Special Authority for Subsidy

Initial application — (cardiovascular disease risk) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Both:
   1.1 Patient is considered to be at risk of cardiovascular disease; and
   1.2 Patient is Māori or any Pacific ethnicity; or

2 Both:
   2.1 Patient has a calculated risk of cardiovascular disease of at least 15% over 5 years; and
   2.2 LDL cholesterol has not reduced to less than 1.8 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

Initial application — (familial hypercholesterolemia) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has familial hypercholesterolemia (defined as a Dutch Lipid Criteria score greater than or equal to 6); and
2 LDL cholesterol has not reduced to less than 1.8 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

Initial application — (established cardiovascular disease) from any relevant practitioner. Approvals valid without further

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
renewal unless notified for applications meeting the following criteria:
Both:

1 Any of the following:
   1.1 Patient has proven coronary artery disease (CAD); or
   1.2 Patient has proven peripheral artery disease (PAD); or
   1.3 Patient has experienced an ischaemic stroke; and
2 LDL cholesterol has not reduced to less than 1.4 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

Initial application — (recurrent major cardiovascular events) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

1 Patient has experienced a recurrent major cardiovascular event (defined as myocardial infarction, ischaemic stroke, coronary revascularisation, hospitalisation for unstable angina) in the last 2 years; and
2 LDL cholesterol has not reduced to less than 1.0 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

SIMVASTATIN				
✱ Tab 10 mg	1.68	90	✔	**Simvastatin Mylan**
			✔	**Simvastatin Viatris**
✱ Tab 20 mg	2.54	90	✔	**Simvastatin Viatris**
✱ Tab 40 mg	4.11	90	✔	**Simvastatin Viatris**
✱ Tab 80 mg	8.81	90	✔	**Simvastatin Viatris**

Selective Cholesterol Absorption Inhibitors

EZETIMIBE				
✱ Tab 10 mg	1.76	30	✔	**Ezetimibe Sandoz**
EZETIMIBE WITH SIMVASTATIN				
Tab 10 mg with simvastatin 10 mg	11.86	30	✔	**Zimybe**
Tab 10 mg with simvastatin 20 mg	12.55	30	✔	**Zimybe**
Tab 10 mg with simvastatin 40 mg	11.55	30	✔	**Zimybe**
Tab 10 mg with simvastatin 80 mg	14.27	30	✔	**Zimybe**

Nitrates

GLYCERYL TRINITRATE				
✱ Oral pump spray, 400 mcg per dose – Up to 250 dose available on a PSO	7.48	250 dose OP	✔	**Nitrolingual Pump Spray**
✱ Patch 25 mg, 5 mg per day	15.73	30	✔	**Nitroderm TTS**
✱ Patch 50 mg, 10 mg per day	18.62	30	✔	**Nitroderm TTS**
ISOSORBIDE MONONITRATE				
✱ Tab 20 mg	22.49	100	✔	**Ismo 20**
✱ Tab long-acting 40 mg	9.80	30	✔	**Ismo 40 Retard**
✱ Tab long-acting 60 mg	13.50	90	✔	**Duride**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Sympathomimetics

ADRENALINE

Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO	4.98	5	✔	**Aspen Adrenaline**
	17.78		✔	**DBL Adrenaline**

1) Note: adrenaline inj 1 in 1,000, 1 ml ampoule can be supplied on BSO to a Vaccinator (other than a Pharmacist) under the provisions in Part I of Section A
2) Note: Direct Provision by a pharmacist of Inj 1 in 1,000, 1 ml ampoule permitted under the provisions in Part I of Section A.

Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO	36.18	5	✔	**Hospira**
	49.00	10	✔	**Aspen Adrenaline**

Vasodilators

HYDRALAZINE HYDROCHLORIDE

❋ Tab 25 mg – Special Authority see SA1321 below – Retail pharmacy	CBS	1	✔	**Hydralazine**
		56	✔	**Onelink** S29
		84	✔	**AMDIPHARM** S29
		100	✔	**Camber** S29
❋ Inj 20 mg ampoule	25.90	5	✔	**Apresoline**

➠SA1321 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 For the treatment of refractory hypertension; or
2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

MINOXIDIL

▲ Tab 10 mg	47.04	60	✔	**Minoxidil Roma** S29
	78.40	100	✔	**Loniten**

NICORANDIL

▲ Tab 10 mg	27.81	60	✔	**Max Health**
▲ Tab 20 mg	35.12	60	✔	**Max Health**

PAPAVERINE HYDROCHLORIDE

❋ Inj 12 mg per ml, 10 ml ampoule	257.12	5	✔	**Hospira**

PENTOXIFYLLINE [OXPENTIFYLLINE]

Tab 400 mg	44.37	50	✔	**Trental 400**

Endothelin Receptor Antagonists

AMBRISENTAN – Special Authority see SA2556 on the next page – Retail pharmacy

Tab 5 mg	200.00	30	✔	**Ambrisentan Viatris**
Tab 10 mg	200.00	30	✔	**Ambrisentan Viatris**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2556 Special Authority for Subsidy

Initial application — (PAH monotherapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has pulmonary arterial hypertension (PAH); and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
  4.1 All of the following:
    4.1.1 PAH has been confirmed by right heart catheterisation; and
    4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
    4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
    4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
    4.1.5 Any of the following:
      4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
      4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
      4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
  4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
  4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
5 Both:
  5.1 Ambrisentan is to be used as PAH monotherapy; and
  5.2 Any of the following:
    5.2.1 Patient has experienced intolerable side effects with both sildenafil and bosentan; or
    5.2.2 Patient has an absolute contraindication to sildenafil and an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease); or
    5.2.3 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease.

Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has pulmonary arterial hypertension (PAH); and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
  4.1 All of the following:
    4.1.1 PAH has been confirmed by right heart catheterisation; and
    4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
    4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
    4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
    4.1.5 Any of the following:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
5 Both:
5.1 Ambrisentan is to be used as PAH dual therapy; and
5.2 Any of the following:
5.2.1 Patient has tried bosentan (either as PAH monotherapy, or PAH dual therapy with sildenafil) for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**; or
5.2.2 Patient has experienced intolerable side effects on bosentan; or
5.2.3 Patient has an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease); or
5.2.4 Patient is presenting in NYHA/WHO functional class III or IV, and would benefit from initial dual therapy in the opinion of the treating clinician and has an absolute or relative contraindication to bosentan (eg. due to current liver disease or use of a combined oral contraceptive).

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:
1 Patient has pulmonary arterial hypertension (PAH); and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
4.1 All of the following:
4.1.1 PAH has been confirmed by right heart catheterisation; and
4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
4.1.5 Any of the following:
4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
5 Both:
5.1 Ambrisentan is to be used as PAH triple therapy; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5.2 Any of the following:
5.2.1 Patient is on the lung transplant list; or
5.2.2 Both:
5.2.2.1 Patient is presenting in NYHA/WHO functional class IV; and
5.2.2.2 Patient has an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease); or
5.2.3 Both:
5.2.3.1 Patient has tried PAH dual therapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool**; and
5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where the patient is continuing to derive benefit from ambrisentan treatment according to a validated PAH risk stratification tool**.
Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

BOSENTAN – Special Authority see SA2557 below – Retail pharmacy

Tab 62.5 mg	100.00	60	✔	**Bosentan Dr Reddy's**
Tab 125 mg	100.00	60	✔	**Bosentan Dr Reddy's**

➽SA2557 Special Authority for Subsidy
Initial application — (PAH monotherapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH)*; and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
4.1 All of the following:
4.1.1 PAH has been confirmed by right heart catheterisation; and
4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
4.1.5 Any of the following:
4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5 Both:
  5.1 Bosentan is to be used as PAH monotherapy; and
  5.2 Any of the following:
    5.2.1 Patient has experienced intolerable side effects on sildenafil; or
    5.2.2 Patient has an absolute contraindication to sildenafil; or
    5.2.3 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease.

Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH)*; and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
  4.1 All of the following:
    4.1.1 PAH has been confirmed by right heart catheterisation; and
    4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
    4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
    4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
    4.1.5 Any of the following:
      4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
      4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
      4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
  4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
  4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
5 Bosentan is to be used as part of PAH dual therapy; and
6 Either:
  6.1 Patient has tried a PAH monotherapy (sildenafil) for at least three months and has experienced an inadequate therapeutic response to treatment according to a validated risk stratification tool**; or
  6.2 Patient is presenting in NYHA/WHO functional class III or IV, and in the opinion of the treating clinician would likely benefit from initial dual therapy.

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH)*; and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
  4.1 All of the following:
    4.1.1 PAH has been confirmed by right heart catheterisation; and
    4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
4.1.5 Any of the following:
4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and

5 Both:
5.1 Bosentan is to be used as part of PAH triple therapy; and
5.2 Any of the following:
5.2.1 Patient is on the lung transplant list; or
5.2.2 Patient is presenting in NYHA/WHO functional class IV; or
5.2.3 Both:
5.2.3.1 Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**; and
5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where patient is continuing to derive benefit from bosentan treatment according to a validated PAH risk stratification tool**.
Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

Phosphodiesterase Type 5 Inhibitors

SILDENAFIL – Special Authority see SA2558 below – Retail pharmacy

Tab 25 mg	0.72	4	✔	**Vedafil**
Tab 50 mg	1.45	4	✔	**Vedafil**
Tab 100 mg	11.22	12	✔	**Vedafil**

➠SA2558 Special Authority for Subsidy
Initial application — (Raynaud's Phenomenon*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 Patient has Raynaud's Phenomenon*; and
2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Initial application — (Pulmonary arterial hypertension*) only from a respiratory specialist, cardiologist, rheumatologist or any

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH)*; and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
  4.1 All of the following:
    4.1.1 PAH is confirmed by right heart catheterisation; and
    4.1.2 A mean pulmonary artery pressure (PAPm) of greater than 20 mmHg; and
    4.1.3 A pulmonary capillary wedge pressure (PCWP) that is less than or equal to 15 mmHg; and
    4.1.4 Pulmonary vascular resistance (PVR) of at least 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
    4.1.5 Any of the following:
      4.1.5.1 PAH is non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
      4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
      4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
  4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
  4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures.

Initial application — (erectile dysfunction due to spinal cord injury) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient has a documented history of traumatic or non-traumatic spinal cord injury; and
2 Patient has erectile dysfunction secondary to spinal cord injury requiring pharmacological treatment.

Renewal — (erectile dysfunction due to spinal cord injury) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.
Notes: Indications marked with * are Unapproved Indications.
** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

Prostacyclin Analogues

EPOPROSTENOL – Special Authority see SA2559 below – Retail pharmacy

Inj 500 mcg vial	36.61	1	✔	**Veletri**
Inj 1.5 mg vial	73.21	1	✔	**Veletri**

SA2559 Special Authority for Subsidy
Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH); and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class III or IV; and
4 Any of the following:
4.1 All of the following:
4.1.1 PAH has been confirmed by right heart catheterisation; and
4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
4.1.5 Any of the following:
4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and
5 All of the following:
5.1 Epoprostenol is to be used as part of PAH dual therapy with either sildenafil or an endothelin receptor antagonist; and
5.2 Patient is presenting in NYHA/WHO functional class IV; and
5.3 Patient has tried a PAH monotherapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool.

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH); and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class III or IV; and
4 Any of the following:
4.1 All of the following:
4.1.1 PAH has been confirmed by right heart catheterisation; and
4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
4.1.5 Any of the following:
4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and

5 Both:

5.1 Epoprostenol is to be used as PAH triple therapy; and

5.2 Any of the following:

5.2.1 Patient is on the lung transplant list; or

5.2.2 Patient is presenting in NYHA/WHO functional class IV; or

5.2.3 Both:

5.2.3.1 Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool; and

5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where patient is continuing to derive benefit from epoprostenol treatment according to a validated PAH risk stratification tool**.

Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

ILOPROST – Special Authority see SA2560 below – Retail pharmacy

Nebuliser soln 10 mcg per ml, 2 ml	166.53	30	✔	**Vebulis**
			✔	**Vebulis S29** S29

➠SA2560 Special Authority for Subsidy

Initial application — (PAH monotherapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has pulmonary arterial hypertension (PAH); and

2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and

3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and

4 Any of the following:

4.1 All of the following:

4.1.1 PAH has been confirmed by right heart catheterisation; and

4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and

4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and

4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and

4.1.5 Any of the following:

4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or

4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or

4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or

4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or

4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and

5 Both:

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5.1 Iloprost is to be used as PAH monotherapy; and
5.2 Either:
5.2.1 Patient has experienced intolerable side effects on sildenafil and both the funded endothelin receptor antagonists (i.e. both bosentan and ambrisentan); or
5.2.2 Patient has an absolute contraindication to sildenafil and an absolute or relative contraindication to endothelin receptor antagonists.

Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH); and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
4 Any of the following:
4.1 All of the following:
4.1.1 PAH has been confirmed by right heart catheterisation; and
4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and
4.1.5 Any of the following:
4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and
5 All of the following:
5.1 Iloprost is to be used as PAH dual therapy with either sildenafil or an endothelin receptor antagonist; and
5.2 Either:
5.2.1 Patient has an absolute contraindication to or has experienced intolerable side effects on sildenafil; or
5.2.2 Patient has an absolute or relative contraindication to or experienced intolerable side effects with a funded endothelin receptor antagonist; and
5.3 Either:
5.3.1 Patient has tried a PAH monotherapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool**; or
5.3.2 Patient is presenting in NYHA/WHO functional class III or IV, and in the opinion of the treating clinician would benefit from initial dual therapy.

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has pulmonary arterial hypertension (PAH); and
2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and

4 Any of the following:

4.1 All of the following:

4.1.1 PAH has been confirmed by right heart catheterisation; and

4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and

4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and

4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm^{-5}); and

4.1.5 Any of the following:

4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or

4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or

4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or

4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or

4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and

5 Both:

5.1 Iloprost is to be used as PAH triple therapy; and

5.2 Any of the following:

5.2.1 Patient is on the lung transplant list; or

5.2.2 Patient is presenting in NYHA/WHO functional class IV; or

5.2.3 Both:

5.2.3.1 Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**; and

5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where patient is continuing to derive benefit from iloprost treatment according to a validated PAH risk stratification tool**.

Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 93

ADAPALENE – Only on a prescription
Maximum of 30 g per three months

Gel 0.1%	22.89	30 g OP	✔ **Differin**

ISOTRETINOIN – Special Authority see SA2584 below – Retail pharmacy

Cap 5 mg	11.26	60	✔ **Oratane**
Cap 10 mg	18.75	120	✔ **Oratane**
Cap 20 mg	26.73	120	✔ **Oratane**

SA2584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
All of the following:

1. Applicant is a vocationally registered dermatologist, paediatrician, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
2. Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
3. Any of the following:
   - 3.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
   - 3.2 Patient is not of child bearing potential; or
   - 3.3 Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

1. Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
2. Patient is not of child bearing potential; or
3. Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

Initial application — (Neuroblastoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1. The patient has neuroblastoma; and
2. Any of the following:
   - 2.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
   - 2.2 Patient is not of child bearing potential; or
   - 2.3 Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

Renewal — (Neuroblastoma) from any relevant practitioner. Approvals valid for 12 months for applications meeting the

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
following criteria:
Both:

1 The patient has neuroblastoma; and
2 Any of the following:
   2.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
   2.2 Patient is not of child bearing potential; or
   2.3 Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

TRETINOIN
Crm 0.5 mg per g.....16.82 | 50 g OP | ✔ **ReTrieve**
Maximum of 50 g per three months

Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 93

HYDROGEN PEROXIDE
❋ Crm 1%.....4.89 | 15 g OP | ✔ **Crystaderm**

MUPIROCIN
Oint 2%.....6.60 (13.00) | 15 g OP | Bactroban
a) Only on a prescription
b) Not in combination

SODIUM FUSIDATE [FUSIDIC ACID]
Crm 2%.....1.69 | 5 g OP | ✔ **Foban**
a) Maximum of 5 g per prescription
b) Only on a prescription
c) Not in combination
Oint 2%.....1.69 | 5 g OP | ✔ **Foban**
a) Maximum of 5 g per prescription
b) Only on a prescription
c) Not in combination

SULFADIAZINE SILVER
Crm 1%.....10.80 | 50 g OP | ✔ **Flamazine**
a) Up to 250 g available on a PSO
b) Not in combination

Antifungals Topical

For systemic antifungals, refer to INFECTIONS, Antifungals, page 100

AMOROLFINE
a) Only on a prescription
b) Not in combination
Nail soln 5%.....21.87 | 5 ml OP | ✔ **MycoNail**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
CLOTRIMAZOLE				
❋ Crm 1%	1.15	20 g OP	✔	**Clomazol**
a) Only on a prescription				
b) Not in combination				
❋ Soln 1%	4.36	20 ml OP		
	(11.58)			Canesten
a) Only on a prescription				
b) Not in combination				
ECONAZOLE NITRATE				
Crm 1%	8.04	20 g OP	✔	**Pevaryl**
a) Only on a prescription				
b) Not in combination				
Foaming soln 1%, 10 ml sachets	9.89	3		
	(18.64)			Pevaryl
a) Only on a prescription				
b) Not in combination				
MICONAZOLE NITRATE				
❋ Crm 2%	0.90	15 g OP	✔	**Multichem**
a) Only on a prescription				
b) Not in combination				
❋ Lotn 2%	4.36	30 ml OP		
	(10.03)			Daktarin
a) Only on a prescription				
b) Not in combination				
❋ Tinct 2%	4.36	30 ml OP		
	(12.10)			Daktarin
a) Only on a prescription				
b) Not in combination				

Antipruritic Preparations

CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP	3.45	100 g	✔	**healthE Calamine Aqueous**
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.49	20 g OP	✔	**Itch-Soothe**
MENTHOL – Only in combination				
1) Only in combination with a dermatological base or proprietary Topical Corticosteriod – Plain				
2) With or without other dermatological galenicals.				
Crystals	12.60	25 g	✔	**MidWest**
	36.80	100 g	✔	**MidWest**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
❋Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 84

Corticosteroids - Plain

	Subsidy $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
BETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96	15 g OP	✔	**Diprosone**
	36.00	50 g OP	✔	**Diprosone**
Oint 0.05%	2.96	15 g OP	✔	**Diprosone**
	36.00	50 g OP	✔	**Diprosone**
Oint 0.05% in propylene glycol base	4.33	30 g OP	✔	**Diprosone OV**
BETAMETHASONE VALERATE				
❋ Crm 0.1%	5.85	50 g OP	✔	**Beta Cream**
❋ Oint 0.1%	7.90	50 g OP	✔	**Beta Ointment**
❋ Lotn 0.1%	30.00	50 ml OP	✔	**Betnovate**
CLOBETASOL PROPIONATE				
❋ Crm 0.05%	3.75	30 g OP	✔	**Dermol**
❋ Oint 0.05%	3.68	30 g OP	✔	**Dermol**
CLOBETASONE BUTYRATE				
Crm 0.05%	5.38	30 g OP		
	(10.00)			Eumovate
HYDROCORTISONE				
❋ Crm 1% – Only on a prescription	1.75	30 g OP	✔	**Ethics**
	20.40	500 g	✔	**Noumed**
❋ Powder – Only in combination	49.95	25 g	✔	**ABM**
Up to 5% in a dermatological base (not proprietary Topical Corticosteriod – Plain) with or without other dermatological galenicals				
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN				
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% – Only on a prescription	12.83	250 ml	✔	**DP Lotn HC**
HYDROCORTISONE BUTYRATE				
Lipocream 0.1%	4.85	100 g OP	✔	**Locoid Lipocream**
Oint 0.1%	10.28	100 g OP	✔	**Locoid**
Milky emul 0.1%	12.33	100 ml OP	✔	**Locoid Crelo**
METHYLPREDNISOLONE ACEPONATE				
Crm 0.1%	4.95	15 g OP	✔	**Advantan**
Oint 0.1%	4.95	15 g OP	✔	**Advantan**
MOMETASONE FUROATE				
Crm 0.1%	2.25	15 g OP	✔	**Elocon Alcohol Free**
	3.50	50 g OP	✔	**Elocon Alcohol Free**
Oint 0.1%	2.25	15 g OP	✔	**Elocon**
	3.50	50 g OP	✔	**Elocon**
Lotn 0.1%	4.99	30 ml OP	✔	**Elocon**
TRIAMCINOLONE ACETONIDE				
Crm 0.02%	6.49	100 g OP	✔	**Aristocort**
Oint 0.02%	6.54	100 g OP	✔	**Aristocort**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Corticosteroids - Combination				
BETAMETHASONE VALERATE WITH SODIUM FUSIDATE [FUSIDIC ACID]				
Crm 0.1% with sodium fusidate (fusidic acid) 2%	3.49	15 g OP		
	(10.45)			Fucicort
a) Maximum of 15 g per prescription				
b) Only on a prescription				
HYDROCORTISONE WITH MICONAZOLE – Only on a prescription				
❋ Crm 1% with miconazole nitrate 2%	2.85	15 g OP	✔	**Micreme H**
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription				
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	4.34	15 g OP	✔	**Pimafucort**
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN				
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g – Only on a prescription	3.49	15 g OP		
	(9.28)			Viaderm KC
Barrier Creams and Emollients				
Barrier Creams				
DIMETHICONE				
❋ Crm 5% pump bottle	4.14	460 g OP	✔	**Hydralock**
	4.30		✔	**healthE Dimethicone 5%**
Hydralock to be Principal Supply on 1 June 2026				
❋ Crm 10% pump bottle	4.52	460 g OP	✔	**healthE Dimethicone 10%**
(healthE Dimethicone 5% Crm 5% pump bottle to be delisted 1 June 2026)				
ZINC AND CASTOR OIL				
❋ Oint	4.25	500 g	✔	**Evara**
Emollients				
AQUEOUS CREAM				
❋ Crm	1.65	500 g	✔	**Evara**
CETOMACROGOL				
❋ Crm BP	2.29	500 g	✔	**Cetomacrogol-AFT**
CETOMACROGOL WITH GLYCEROL				
Crm 90% with glycerol 10%	1.92	460 g OP	✔	**Evara**
	3.25	920 g OP	✔	**Evara**
EMULSIFYING OINTMENT				
❋ Oint BP	3.13	500 g	✔	**Evara Emulsifying Ointment**
OIL IN WATER EMULSION				
❋ Crm	2.10	500 g	✔	**Fatty Emulsion Cream (Evara)**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
❋Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
PARAFFIN				
Oint liquid paraffin 50% with white soft paraffin 50%	4.45	500 g OP	✔	**EVARA Paraffin Ointment 50/50**
	4.94		✔	**White Soft Liquid Paraffin AFT**
EVARA Paraffin Ointment 50/50 to be Principal Supply on 1 June 2026				
(White Soft Liquid Paraffin AFT Oint liquid paraffin 50% with white soft paraffin 50% to be delisted 1 June 2026)				
UREA				
❋ Crm 10%	1.37	100 g OP	✔	**healthE Urea Cream**
WOOL FAT WITH MINERAL OIL – Only on a prescription				
❋ Lotn hydrous 3% with mineral oil	5.60	1,000 ml		
	(14.96)			DP Lotion
	(20.53)			Alpha-Keri Lotion
	1.40	250 ml OP		
	(5.87)			DP Lotion
	5.60	1,000 ml		
	(23.91)			BK Lotion
	1.40	250 ml OP		
	(7.73)			BK Lotion

Other Dermatological Bases

PARAFFIN				
White soft – Only in combination	4.74	450 g	✔	**EVARA White Soft Paraffin**
	19.00	2,500 g	✔	**EVARA White Soft Paraffin**
Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.				

Minor Skin Infections

POVIDONE IODINE				
Oint 10%	7.40	65 g OP	✔	**Betadine**
a) Maximum of 130 g per prescription				
b) Only on a prescription				
Antiseptic Solution 10%	4.99	100 ml	✔	**Riodine**
Antiseptic soln 10%	3.83	15 ml	✔	**Riodine**
	6.99	500 ml	✔	**Riodine**
Skin preparation, povidone iodine 10% with 30% alcohol	1.63	100 ml		
	(3.48)			Betadine Skin Prep

Parasiticidal Preparations

DIMETHICONE				
❋ Lotn 4%	4.60	200 ml OP	✔	**healthE Dimethicone 4% Lotion**
healthE Dimethicone 4% Lotion to be Principal Supply on 1 June 2026				

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
IVERMECTIN – Special Authority see SA2511 below – Retail pharmacy				
Tab 3 mg – Up to 100 tab available on a PSO	17.20	4	✔	**Stromectol**

1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or prisons.

➠SA2511 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Either:

1 The person has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
2 Both:
  2.1 The person has a confirmed diagnosis of scabies or is a close contact of a scabies case; and
  2.2 Either:
    2.2.1 The person is unable to complete topical therapy; or
    2.2.2 Previous treatment with topical therapy has been tried and not cleared the infestation.

Initial application — (Other parasitic infections) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

1 filariasis; or
2 cutaneous larva migrans (creeping eruption); or
3 strongyloidiasis; or
4 The individual has a travel or residence history that requires presumptive parasite treatment.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Either:

1 The person has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
2 Both:
  2.1 The person has a confirmed diagnosis of scabies or is a close contact of a scabies case; and
  2.2 Either:
    2.2.1 The person is unable to complete topical therapy; or
    2.2.2 Previous treatment with topical therapy has been tried and not cleared the infestation.

Renewal — (Other parasitic infections) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

1 filariasis; or
2 cutaneous larva migrans (creeping eruption); or
3 strongyloidiasis.

PERMETHRIN				
Lotn 5%	4.28	30 ml OP	✔	**A-Scabies**

Psoriasis and Eczema Preparations

ACITRETIN – Special Authority see SA2024 on the next page – Retail pharmacy				
Cap 10 mg	26.20	60	✔	**Novatretin**
Cap 25 mg	57.37	60	✔	**Novatretin**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2024 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
All of the following:

1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
3 Either:
   3.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and that they must not become pregnant during treatment and for a period of three years after the completion of treatment; or
   3.2 Patient is not of child bearing potential.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Either:

1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and that they must not become pregnant during treatment and for a period of three years after the completion of treatment; or
2 Patient is not of child bearing potential.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Foam spray 500 mcg with calcipotriol 50 mcg per g	59.95	60 g OP	✔	**Enstilar**
Gel 500 mcg with calcipotriol 50 mcg per g	40.92	60 g OP	✔	**Daivobet**
Oint 500 mcg with calcipotriol 50 mcg per g	14.31	30 g OP	✔	**Daivobet**

CALCIPOTRIOL

Oint 50 mcg per g	40.00	120 g OP	✔	**Daivonex**

COAL TAR

Soln BP – Only in combination	46.00	200 ml	✔	**Midwest**

1) Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod – Plain
2) With or without other dermatological galenicals.

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and allantoin crm 2.5%	6.59	75 g OP		
	(8.00)			Egopsoryl TA
	3.43	30 g OP		
	(4.35)			Egopsoryl TA

COAL TAR WITH SALICYLIC ACID AND SULPHUR

Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✔	**Coco-Scalp**

PIMECROLIMUS – Special Authority see SA1970 below – Retail pharmacy

a) Maximum of 15 g per prescription
b) Note: a maximum of 15 g per prescription and no more than one prescription per 12 weeks.

Cream 1%	33.00	15 g OP	✔	**Elidel**

➠SA1970 Special Authority for Subsidy

Initial application only from a dermatologist, paediatrician, ophthalmologist or any relevant practitioner on the recommendation of a dermatologist, paediatrician or ophthalmologist. Approvals valid without further renewal unless notified for applications

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
meeting the following criteria:
Both:

1 Patient has atopic dermatitis on the eyelid; and
2 Patient has at least one of the following contraindications to topical corticosteroids: periorificial dermatitis, rosacea, documented epidermal atrophy, documented allergy to topical corticosteroids, cataracts, glaucoma, or raised intraocular pressure.

PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORESCEIN – Only on a prescription
✱ Soln 2.3% with trolamine laurilsulfate and fluorescein sodium.....5.41 500 ml ✔ **Pinetarsol**

SALICYLIC ACID
Powder – Only in combination.....29.00 250 g ✔ **Midwest**

1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain or collodion flexible
2) With or without other dermatological galenicals.

SULPHUR
Precipitated – Only in combination.....6.35 100 g ✔ **Midwest**

1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain
2) With or without other dermatological galenicals.

(Midwest Precipitated to be delisted 1 October 2028)

TACROLIMUS
Oint 0.1% – Special Authority see SA2074 below – Retail pharmacy.....33.00 30 g OP ✔ **Zematop**

a) Maximum of 30 g per prescription
b) Note: a maximum of 30 g per prescription and no more than one prescription per 12 weeks.

SA2074 Special Authority for Subsidy
Initial application only from a dermatologist, paediatrician or any relevant practitioner on the recommendation of a dermatologist, paediatrician, . Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

1 Patient has atopic dermatitis on the face; and
2 Patient has at least one of the following contraindications to topical corticosteroids: periorificial dermatitis, rosacea, documented epidermal atrophy or documented allergy to topical corticosteroids.

Scalp Preparations

BETAMETHASONE VALERATE
✱ Scalp app 0.1% .....12.95 100 ml OP ✔ **Beta Scalp**

CLOBETASOL PROPIONATE
✱ Scalp app 0.05% .....6.90 30 ml OP ✔ **Dermol**

HYDROCORTISONE BUTYRATE
Scalp lotn 0.1%.....6.57 100 ml OP ✔ **Locoid**

KETOCONAZOLE
Shampoo 2%.....4.09 100 ml OP ✔ **Sebizole**

a) Maximum of 100 ml per prescription
b) Only on a prescription

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Sunscreens

SUNSCREENS, PROPRIETARY – Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

Lotn,	6.50	200 g OP	✔	**Marine Blue Lotion SPF 50+**

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 73

PODOPHYLLOTOXIN

Soln 0.5%	33.60	3.5 ml OP	✔	**Condyline**
			✔	**Condyline S29** S29

a) Maximum of 3.5 ml per prescription
b) Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

Crm 5%	5.56	20 g OP	✔	**Efudix**

IMIQUIMOD

Crm 5%, 250 mg sachet	21.72	24	✔	**Padagis**
			✔	**Perrigo**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
CONDOMS				
❋ 49 mm – Up to 144 dev available on a PSO	14.25	144	✔	**Moments**
❋ 53 mm	1.15	10	✔	**Moments**
	14.25	144	✔	**Moments**
a) Maximum of 60 dev per prescription				
b) Up to 60 dev available on a PSO				
❋ 53 mm, 0.05 mm thickness	1.15	10	✔	**Moments**
	14.25	144	✔	**Moments**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 53 mm, chocolate, brown	1.15	10	✔	**Moments**
	14.25	144	✔	**Moments**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 53 mm, strawberry, red	1.15	10	✔	**Moments**
	14.25	144	✔	**Moments**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 56 mm	1.15	10	✔	**Moments**
	14.50	144	✔	**Moments**
a) Maximum of 60 dev per prescription				
b) Up to 60 dev available on a PSO				
❋ 56 mm, 0.05 mm thickness	2.00	12	✔	**Gold Knight**
	24.10	144	✔	**Gold Knight**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 56 mm, 0.05mm thickness (bulk pack)	20.17	144	✔	**Gold Knight**
a) Maximum of 60 dev per prescription				
b) Up to 60 dev available on a PSO				
❋ 56 mm, 0.08 mm thickness	1.15	10	✔	**Moments**
	14.25	144	✔	**Moments**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 56 mm, 0.08 mm thickness, red	1.15	10	✔	**Moments**
	14.25	144	✔	**Moments**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 56 mm, chocolate	1.79	12	✔	**Gold Knight**
	21.45	144	✔	**Gold Knight**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 56 mm, strawberry	1.79	12	✔	**Gold Knight**
	21.45	144	✔	**Gold Knight**
a) Up to 60 dev available on a PSO				
b) Maximum of 60 dev per prescription				
❋ 60 mm	1.82	12	✔	**Gold Knight XL**
	21.89	144	✔	**Gold Knight XL**
a) Maximum of 60 dev per prescription				
b) Up to 60 dev available on a PSO				
❋ 60 mm (bulk pack)	17.78	144	✔	**Gold Knight XL**

✔ Fully Subsidised
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
a) Maximum of 60 dev per prescription				
b) Up to 60 dev available on a PSO				

Contraceptive Devices

INTRA-UTERINE DEVICE

a) Up to 40 dev available on a PSO
b) Only on a PSO

✱ IUD 29.1 mm length × 23.2 mm width	29.80	1	✔	**Choice 380 7med Nsha Silver/ copper Short**
✱ IUD 33.6 mm length × 29.9 mm width	26.80	1	✔	**TCu 380 Plus Normal**
✱ IUD 35.5 mm length × 19.6 mm width	33.00	1	✔	**Cu 375 Standard**

Contraceptives - Hormonal

Combined Oral Contraceptives

ETHINYLOESTRADIOL WITH DESOGESTREL

✱ Tab 20 mcg with desogestrel 150 mcg and 7 inert tab – Up to 84 tab available on a PSO	10.00	84	✔	**Mercilon 28**

ETHINYLOESTRADIOL WITH LEVONORGESTREL

✱ Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tablets – Up to 84 tab available on a PSO Lo-Oralcon 20 ED to be Principal Supply on 1 April 2026	2.00	84	✔	**Lo-Oralcon 20 ED**
✱ Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tablets – Up to 84 tab available on a PSO Oralcon 30 ED to be Principal Supply on 1 April 2026	2.30	84	✔	**Oralcon 30 ED**

ETHINYLOESTRADIOL WITH NORETHISTERONE

Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO	14.09	84	✔	**Brevinor 1/28**
Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – Up to 112 tab available on a PSO	23.75	84	✔	**Norimin**
	29.32	112	✔	**Norimin**

Progestogen-only Contraceptives

DESOGESTREL

✱ Tab 75 mcg – Up to 84 tab available on a PSO	24.50	84	✔	**Cerazette**

LEVONORGESTREL

✱ Tab 30 mcg – Up to 112 tab available on a PSO	22.00	112	✔	**Microlut**
✱ Intra-uterine device 52 mg – Up to 25 dev available on a PSO	269.50	1	✔	**Mirena**
✱ Intra-uterine device 13.5 mg – Up to 10 dev available on a PSO	215.60	1	✔	**Jaydess**
✱ Subdermal implant (2 × 75 mg rods) – Up to 40 impl available on a PSO	106.92	2 OP	✔	**Jadelle**

MEDROXYPROGESTERONE ACETATE

Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO	10.56	1	✔	**Depo-Provera**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
NORETHISTERONE				
Tab 350 mcg – Up to 84 tab available on a PSO	12.25	84	✔	**Noriday**
	13.23		✔	**Noriday 28**

Emergency Contraceptives

LEVONORGESTREL				
❋ Tab 1.5 mg	1.31	1	✔	**Levonorgestrel -1 (Lupin)**
	1.75		✔	**Levonorgestrel BNM**

a) Maximum of 2 tab per prescription
b) Up to 5 tab available on a PSO
c) Note: Direct Provision by a pharmacist permitted under the provisions in Part I of Section A.
d) Levonorgestrel -1 (Lupin) to be Principal Supply on 1 June 2026

(Levonorgestrel BNM Tab 1.5 mg to be delisted 1 June 2026)

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- A maximum $5.00 prescription charge (patient co-payment) may apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to any non contraceptive prescription charges that apply, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL				
❋ Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 168 tab available on a PSO	5.08	168	✔	**Ginet**

Gynaecological Anti-infectives

ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID				
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator	8.43 (24.87)	100 g OP		Aci-Jel
CLOTRIMAZOLE				
❋ Vaginal crm 1% with applicators	4.20	35 g OP	✔	**Clomazol**
❋ Vaginal crm 2% with applicators	4.60	20 g OP	✔	**Clomazol**
MICONAZOLE NITRATE				
❋ Vaginal crm 2% with applicator	6.89	40 g OP	✔	**Micreme**
NYSTATIN				
Vaginal crm 100,000 u per 5 g with applicator(s)	5.70	75 g OP	✔	**Nilstat**

Myometrial and Vaginal Hormone Preparations

ERGOMETRINE MALEATE				
Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	160.00	5	✔	**DBL Ergometrine**
OESTRIOL				
❋ Crm 1 mg per g with applicator	6.95	15 g OP	✔	**Ovestin**
❋ Pessaries 500 mcg	7.55	15	✔	**Ovestin**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
OXYTOCIN – Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml ampoule	5.98	5	✔	**Oxytocin BNM**
Inj 10 iu per ml, 1 ml ampoule	7.18	5	✔	**Oxytocin BNM**
OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj available on a PSO				
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml ampoule	41.47	5	✔	**Syntometrine**

Pregnancy Tests - hCG Urine

BETA-HCG LOW SENSITIVITY URINE TEST KIT – Up to 15 test available on a PSO				
Note: For use in abortion services only.				
Midstream	16.28	1 test OP	✔	**CheckTop**
PREGNANCY TESTS - HCG URINE				
a) Up to 200 test available on a PSO				
b) Only on a PSO				
Cassette	16.00	40 test OP	✔	**David One Step Cassette Pregnancy Test**

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 112

5-Alpha Reductase Inhibitors

FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy				
✱ Tab 5 mg	4.79	100	✔	**Ricit**

➠SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has symptomatic benign prostatic hyperplasia; and
2 Either:
  2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE – Special Authority see SA1032 below – Retail pharmacy				
✱ Cap 400 mcg	28.56	100	✔	**Tamsulosin-Rex**

➠SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has symptomatic benign prostatic hyperplasia; and
2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN				
✱ Tab 5 mg	5.42	100	✔	**Alchemy Oxybutynin**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
POTASSIUM CITRATE				
Oral liq 3 mmol per ml – Special Authority see SA1083 below –				
Retail pharmacy	37.49	200 ml OP	✔	**Biomed**

➠SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 The patient has recurrent calcium oxalate urolithiasis; and
2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE				
❋ Grans eff 4 g sachets	3.50	28	✔	**Ural**
SOLIFENACIN SUCCINATE				
Tab 5 mg	1.95	30	✔	**Solifenacin succinate Max Health**
Tab 10 mg	3.53	30	✔	**Solifenacin succinate Max Health**

Detection of Substances in Urine

ORTHO-TOLIDINE				
❋ Compound diagnostic sticks	7.50	50 test OP		
	(8.25)			Hemastix
TETRABROMOPHENOL				
❋ Blue diagnostic strips	13.92	100 test OP	✔	**Albustix**

Obstetric Preparations

Antiprogesterones

MIFEPRISTONE				
Tab 200 mg – Up to 15 tab available on a PSO	83.90	1	✔	**Mifegyne**
	180.00	3	✔	**Mifegyne**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Calcium Homeostasis

CALCITONIN

✱ Inj 100 iu per ml, 1 ml ampoule	121.00	5	✔	**Miacalcic**
			✔	**Miacalcic S29** S29

CINACALCET – Special Authority see SA2170 below – Retail pharmacy

Tab 30 mg – Wastage claimable	25.24	28	✔	**Cinacalet Devatis**
Tab 60 mg – Wastage claimable	50.47	28	✔	**Cinacalet Devatis**

➠**SA2170** **Special Authority for Subsidy**

Initial application — (parathyroid carcinoma or calciphylaxis) only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 All of the following:
   - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
   - 1.2 The patient has persistent hypercalcaemia (serum calcium greater than or equal to 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
   - 1.3 The patient is symptomatic; or

2 All of the following:
   - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
   - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium greater than or equal to 3 mmol/L); and
   - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal — (parathyroid carcinoma or calciphylaxis) only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 The patient's serum calcium level has fallen to < 3mmol/L; and
2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

Initial application — (primary hyperparathyroidism) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Patient has primary hyperparathyroidism; and
2 Either:
   - 2.1 Patient has hypercalcaemia of more than 3 mmol/L with or without symptoms; or
   - 2.2 Patient has hypercalcaemia of more than 2.85 mmol/L with symptoms; and
3 Surgery is not feasible or has failed; and
4 Patient has other comorbidities, severe bone pain, or calciphylaxis.

Initial application — (secondary or tertiary hyperparathyroidism) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:
   - 1.1 Patient has tertiary hyperparathyroidism and markedly elevated parathyroid hormone (PTH) with hypercalcaemia; or
   - 1.2 Patient has symptomatic secondary hyperparathyroidism and elevated PTH; and
2 Patient is on renal replacement therapy; and
3 Any of the following:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3.1 Residual parathyroid tissue has not been localised despite repeat unsuccessful parathyroid explorations; or
3.2 Parathyroid tissue is surgically inaccessible; or
3.3 Parathyroid surgery is not feasible.

Renewal — (secondary or tertiary hyperparathyroidism) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Either:

1 The patient has had a kidney transplant, and following a treatment free interval of at least 12 weeks a clinically acceptable parathyroid hormone (PTH) level to support ongoing cessation of treatment has not been reached; or
2 The patient has not received a kidney transplant and trial of withdrawal of cinacalcet is clinically inappropriate.

ZOLEDRONIC ACID				
Inj 4 mg per 5 ml, vial	15.65	1	✔	**Zoledronic acid Injection Mylan** S29
			✔	**Zoledronic acid Viatris**

Corticosteroids and Related Agents for Systemic Use

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE				
❋ Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml	19.20 (36.96)	5		Celestone Chronodose
DEXAMETHASONE				
❋ Tab 0.5 mg – Up to 60 tab available on a PSO	1.80	30	✔	**Dexmethsone**
❋ Tab 4 mg – Up to 30 tab available on a PSO	3.18	30	✔	**Dexmethsone**
Oral liq 1 mg per ml	53.86	25 ml OP	✔	**Biomed**
DEXAMETHASONE PHOSPHATE				
Dexamethasone phosphate injection will not be funded for oral use.				
❋ Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	6.88	10	✔	**Dexamethasone Medsurge**
❋ Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	10.98	10	✔	**Dexamethasone Medsurge**
FLUDROCORTISONE ACETATE				
❋ Tab 100 mcg	8.05	100	✔	**Florinef**
HYDROCORTISONE				
❋ Tab 5 mg	8.10	100	✔	**Douglas**
❋ Tab 20 mg	20.32	100	✔	**Douglas**
❋ Inj 100 mg vial	3.96	1	✔	**Solu-Cortef**
a) Not on a BSO				
b) Up to 5 inj available on a PSO				
METHYLPREDNISOLONE				
❋ Tab 4 mg	112.00	100	✔	**Medrol**
❋ Tab 100 mg	223.10	20	✔	**Medrol**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
METHYLPREDNISOLONE (AS SODIUM SUCCINATE)				
Inj 40 mg vial	22.30	1	✔	**Solu-Medrol-Act-O-Vial**
Inj 125 mg vial	34.10	1	✔	**Solu-Medrol-Act-O-Vial**
Inj 500 mg vial	43.01	1	✔	**Solu-Medrol-Act-O-Vial**
Inj 1 g vial	52.54	1	✔	**Solu-Medrol**
METHYLPREDNISOLONE ACETATE				
Inj 40 mg per ml, 1 ml vial	47.06	5	✔	**Depo-Medrol**
PREDNISOLONE				
✱ Oral liq 5 mg per ml – Up to 30 ml available on a PSO Restricted to children under 12 years of age.	6.00	30 ml OP	✔	**Redipred**
PREDNISONE				
✱ Tab 1 mg	18.58	500	✔	**Prednisone Clinect**
✱ Tab 2.5 mg	21.04	500	✔	**Prednisone Clinect**
✱ Tab 5 mg – Up to 30 tab available on a PSO	19.30	500	✔	**Prednisone Clinect**
✱ Tab 20 mg – Up to 30 tab available on a PSO	50.51	500	✔	**Prednisone Clinect**
TETRACOSACTRIN				
✱ Inj 250 mcg per ml, 1 ml ampoule	86.25	1	✔	**Synacthen** ✔ **UK Synacthen**
✱ Inj 1 mg per ml, 1 ml ampoule	690.00	1	✔	**Synacthen Depot** ✔ **Synacthene Retard** S29
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	21.42	5	✔	**Kenacort-A 10**
Inj 40 mg per ml, 1 ml ampoule	52.63	5	✔	**Kenacort-A 40**

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE				
Tab 50 mg	17.05	50	✔	**Siterone**
Tab 100 mg	31.00	50	✔	**Siterone**
TESTOSTERONE				
Gel (transdermal) 16.2 mg per g, 88 g	52.00	60 OP	✔	**Testogel**
TESTOSTERONE CIPIONATE				
Inj 100 mg per ml, 10 ml vial	97.75	1	✔	**Depo-Testosterone**
TESTOSTERONE ESTERS				
Inj 250 mg per ml, 1 ml	12.98	1	✔	**Sustanon Ampoules**
TESTOSTERONE UNDECANOATE				
Cap 40 mg – Subsidy by endorsement Subsidy by endorsement – subsidised for patients who were taking testosterone undecanoate cap 40mg prior to 1 November 2021 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of testosterone undecanoate cap 40 mg in the preceding 12 months.	36.00	100	✔	**Steril-Gene** S29
Inj 250 mg per ml, 4 ml vial	86.00	1	✔	**Reandron 1000**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Hormone Replacement Therapy - Systemic				
Oestrogens				
OESTRADIOL				
❋ Tab 1 mg	4.12	28 OP		
	(11.10)			Estrofem
❋ Tab 2 mg	4.12	28 OP		
	(11.10)			Estrofem
❋ Gel (transdermal) 0.06% (750 mcg/actuation)	14.25	80 g OP	✔	**Estrogel**
Patch 25 mcg per day	8.89	8	✔	**Estradiol TDP Mylan**
	16.23		✔	**Estradot**
a) No more than 2 patch per week				
b) Only on a prescription				
Patch 50 mcg per day	9.26	8	✔	**Estradiol TDP Mylan**
	15.79		✔	**Estradot**
a) No more than 2 patch per week				
b) Only on a prescription				
Patch 75 mcg per day	10.33	8	✔	**Estradiol TDP Mylan**
	16.53		✔	**Estradot**
a) No more than 2 patch per week				
b) Only on a prescription				
Patch 100 mcg per day	10.59	8	✔	**Estradiol TDP Mylan**
	16.18		✔	**Estradot**
a) No more than 2 patch per week				
b) Only on a prescription				
OESTRADIOL VALERATE				
❋ Tab 1 mg	12.36	84	✔	**Progynova**
❋ Tab 2 mg	12.36	84	✔	**Progynova**
OESTROGENS				
❋ Conjugated, equine tab 300 mcg	3.01	28		
	(19.25)			Premarin
❋ Conjugated, equine tab 625 mcg	4.12	28		
	(19.25)			Premarin
Progestogens				
MEDROXYPROGESTERONE ACETATE				
❋ Tab 2.5 mg	7.54	30	✔	**Provera**
	8.75	56	✔	**Provera**
❋ Tab 5 mg	9.80	56	✔	**Provera**
	23.15	100	✔	**Provera**
❋ Tab 10 mg	11.10	30	✔	**Provera**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Progestogen and Oestrogen Combined Preparations				
OESTRADIOL WITH NORETHISTERONE				
✱ Tab 1 mg with 0.5 mg norethisterone acetate	5.40 (18.10)	28 OP		Kliovance
✱ Tab 2 mg with 1 mg norethisterone acetate	5.40 (18.10)	28 OP		Kliogest
✱ Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40 (18.10)	28 OP		Trisequens
Other Oestrogen Preparations				
OESTRIOL				
✱ Tab 2 mg	7.70	30	✔	**Ovestin**
Other Progestogen Preparations				
MEDROXYPROGESTERONE ACETATE				
Tab 100 mg	153.60	100	✔	**Provera HD**
NORETHISTERONE				
✱ Tab 5 mg – Up to 30 tab available on a PSO	5.49	30	✔	**Primolut N**
PROGESTERONE				
✱ Cap 100 mg	14.85	30	✔	**Utrogestan**
Thyroid and Antithyroid Agents				
CARBIMAZOLE				
✱ Tab 5 mg	7.56	100	✔	**Neo-Mercazole**
LEVOTHYROXINE				
✱ Tab 25 mcg	5.55	90	✔	**Synthroid**
✱ Tab 50 mcg	1.71	28	✔	**Mercury Pharma**
	5.79	90	✔	**Synthroid**
	64.28	1,000	✔	**Eltroxin**
✱ Tablet 50 mcg	12.86	200	✔	**Eltroxin**
✱ Tab 100 mcg	1.78	28	✔	**Mercury Pharma**
	6.01	90	✔	**Synthroid**
	66.78	1,000	✔	**Eltroxin**
✱ Tablet 100 mcg	13.36	200	✔	**Eltroxin**
PROPYLTHIOURACIL – Special Authority see SA1199 below – Retail pharmacy				
Tab 50 mg	35.00	100	✔	**PTU** S29

SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 The patient has hyperthyroidism; and
2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Trophic Hormones

Growth Hormones

SOMATROPIN (OMNITROPE) – Special Authority see SA2032 below – Retail pharmacy

❋ Inj 5 mg cartridge	80.21	1	✔	**Omnitrope**
			✔	**Omnitrope AU** S29
❋ Inj 10 mg cartridge	80.21	1	✔	**Omnitrope**
❋ Inj 15 mg cartridge	139.50	1	✔	**Omnitrope**

➠SA2032 **Special Authority for Subsidy**

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or

2 All of the following:

2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and

2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and

2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and

2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and

2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and

2 Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and

3 Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months; and

4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and

5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 The patient has a post-natal genotype confirming Turner Syndrome; and

2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and

3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and

continued…

✔ **fully subsidised**

Principal Supply

S29 Unapproved medicine supplied under Section 29

Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Height velocity is greater than or equal to 2 cm per year, calculated over six months; and
3 A current bone age is 14 years or under ; and
4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:

1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
3 A current bone age is < 14 years or under (female patients) or < 16 years (male patients); and
4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:

1 The patient's height is more than 2 standard deviations below the mean; and
2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
3 A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients); and
4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
5 The patient is under the supervision of a specialist with expertise in renal medicine; and
6 Either:
   6.1 The patient has a GFR less than or equal to 30 ml/min/1.73m^2 as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l)) × 40 = corrected GFR (ml/min/1.73m^2) in a child who may or may not be receiving dialysis; or
   6.2 The patient has received a renal transplant and has received < 5mg/ m^2/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
5 No malignancy has developed after growth hormone therapy was commenced; and
6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
7 The patient has not received renal transplantation since starting growth hormone treatment; and
8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:

1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
2 The patient is aged six months or older; and
3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
4 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
5 Either:
   5.1 Both:
      5.1.1 The patient is aged two years or older; and
      5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months; or
   5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
5 No malignancy has developed after growth hormone therapy was commenced; and
6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:

1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
3 The patient has severe growth hormone deficiency (see notes); and
4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

1 All of the following:
   - 1.1 The patient has been treated with somatropin for < 12 months; and
   - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
   - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
   - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or

2 All of the following:
   - 2.1 The patient has been treated with somatropin for more than 12 months; and
   - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
   - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
   - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients; or

3 All of the following:
   - 3.1 The patient has had a Special Authority approval for somatropin for childhood deficiency in children and no longer meets the renewal criteria under this indication; and
   - 3.2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
   - 3.3 The patient has severe growth hormone deficiency (see notes); and
   - 3.4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
   - 3.5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
doses of corticosteroid and levothyroxine.

GnRH Analogues

GOSERELIN				
Implant 3.6 mg, syringe	66.48	1	✔	**Zoladex**
Implant 10.8 mg, syringe	138.23	1	✔	**Zoladex**
LEUPRORELIN				
Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly.				
Inj 3.75 mg prefilled dual chamber syringe – Higher subsidy of $221.60 per 1 inj with Endorsement	66.48	1		
	(221.60)			Lucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syringe – Higher subsidy of $591.68 per 1 inj with Endorsement	177.50	1		
	(591.68)			Lucrin Depot 3-month

Vasopressin Agonists

DESMOPRESSIN				
Wafer 120 mcg	47.00	30	✔	**Minirin Melt**
DESMOPRESSIN ACETATE				
Tab 100 mcg	25.00	30	✔	**Minirin**
Tab 200 mcg	54.45	30	✔	**Minirin**
Inj 4 mcg per ml, 1 ml	67.18	10	✔	**Minirin**
▲ Nasal spray 10 mcg per dose, 6 ml	34.95	60 OP	✔	**Desmopressin-PH&T**

Other Endocrine Agents

CABERGOLINE				
Tab 0.5 mg – Maximum of 2 tab per prescription; can be waived by Special Authority see SA2070 below	4.43	2	✔	**Dostinex**
	17.94	8	✔	**Dostinex**

➠SA2070 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 Hyperprolactinemia; or
2 Acromegaly*; or
3 Inhibition of lactation.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an unapproved indication.

CLOMIFENE CITRATE				
Tab 50 mg	29.84	10	✔	**Mylan Clomiphen** S29
METYRAPONE				
Cap 250 mg	558.00	50	✔	**Metopirone**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Anthelmintics

ALBENDAZOLE – Special Authority see SA2512 below – Retail pharmacy

Tab 400 mg	469.20	60	✔	**Eskazole** S29

SA2512 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Either:

1 The individual has hydatids; or
2 The individual has a travel or residence history that requires presumptive parasite treatment.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE – Only on a prescription

Tab 100 mg	5.18	6	✔	**Vermox**
Oral liq 100 mg per 5 ml	2.18	15 ml		
	(7.83)			Vermox

PRAZIQUANTEL

Tab 600 mg	68.00	8	✔	**Biltricide**
	87.68		✔	**Distoside** S29

(Biltricide Tab 600 mg to be delisted 1 April 2026)

Antibacterials

a) For topical antibacterials, refer to DERMATOLOGICALS, page 68
b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 272

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE

Cap 250 mg	29.73	100	✔	**Ranbaxy-Cefaclor**
Grans for oral liq 125 mg per 5 ml – Wastage claimable	5.83	100 ml	✔	**Ranbaxy-Cefaclor**

CEFALEXIN

Cap 250 mg	3.85	20	✔	**Cephalexin ABM**
	3.90		✔	**Cefalexin Lupin**
Cap 500 mg	3.33	20	✔	**Cefalexin Sandoz**
	5.85		✔	**Cephalexin ABM**
Grans for oral liq 25 mg per ml – Wastage claimable	7.88	100 ml	✔	**Flynn**
Grans for oral liq 50 mg per ml – Wastage claimable	10.38	100 ml	✔	**Flynn**
	11.75		✔	**Cefalexin Sandoz**

(Cephalexin ABM Cap 250 mg to be delisted 1 July 2026)
(Cephalexin ABM Cap 500 mg to be delisted 1 July 2026)

CEFAZOLIN – Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a Health NZ Hospital approved protocol and the prescription is endorsed accordingly.

Inj 500 mg vial	3.39	5	✔	**Cefazolin-AFT**
Inj 1 g vial	3.59	5	✔	**Cefazolin-AFT**
Inj 2 g vial	7.09	5	✔	**Cefazolin-AFT**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
CEFTRIAXONE – Subsidy by endorsement				
a) Up to 10 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningococcal disease, and the prescription or PSO is endorsed accordingly.				
Inj 500 mg vial	0.94	1	✔	**Ceftriaxone-AFT**
Inj 1 g vial	3.49	5	✔	**Ceftriaxone-AFT**
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.				
Tab 250 mg	CBS	20	✔	**Ascend-Cefuroxime** S29

Macrolides

AZITHROMYCIN – Maximum of 5 days treatment per prescription; can be waived by Special Authority see SA1683 below				
A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised on Special Authority.				
Tab 250 mg	8.19	30	✔	**Apo-Azithromycin**
Tab 500 mg – Up to 8 tab available on a PSO	2.80	2	✔	**Zithromax**
Grans for oral liq 200 mg per 5 ml (40 mg per ml) – Wastage claimable	16.97	15 ml	✔	**Zithromax**

➠SA1683 **Special Authority for Waiver of Rule**

Initial application — (bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Any of the following:

1 Patient has received a lung transplant, stem cell transplant, or bone marrow transplant and requires treatment for bronchiolitis obliterans syndrome*; or
2 Patient has received a lung transplant and requires prophylaxis for bronchiolitis obliterans syndrome*; or
3 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms*; or
4 Patient has an atypical Mycobacterium infection.

Note: Indications marked with * are unapproved indications.

Initial application — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis*; and
2 Patient is aged 18 and under; and
3 Either:
   3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
   3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with * are unapproved indications.

Renewal — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with * are unapproved indications

CLARITHROMYCIN – Maximum of 500 mg per prescription; can be waived by Special Authority see SA1857 below				
Tab 250 mg	7.31	12	✔	**Klaricid** S29
	8.53	14	✔	**Klacid**
Grans for oral liq 250 mg per 5 ml – Wastage claimable	192.00	50 ml	✔	**Klacid**

SA1857 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Atypical mycobacterial infection; or

2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Initial application — (Helicobacter pylori eradication) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 For the eradication of helicobacter pylori in a patient unable to swallow tablets; and

2 For use only in combination with omeprazole and amoxicillin as part of a triple therapy regimen.

Initial application — (Prophylaxis of infective endocarditis) from any relevant practitioner. Approvals valid for 3 months where prophylaxis of infective endocarditis associated with surgical or dental procedures if amoxicillin is contra-indicated.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN (AS LACTOBIONATE)				
Inj 1 g vial	10.00	1	✔	**Erythrocin IV**
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg	35.82	100	✔	**E-Mycin**
a) Up to 20 tab available on a PSO b) Up to 2 x the maximum PSO quantity for RFPP				
Grans for oral liq 200 mg per 5 ml	6.53	100 ml	✔	**E-Mycin**
a) Up to 300 ml available on a PSO b) Up to 2 x the maximum PSO quantity for RFPP c) Wastage claimable				
Grans for oral liq 400 mg per 5 ml	9.41	100 ml	✔	**E-Mycin**
a) Up to 200 ml available on a PSO b) Wastage claimable				
ROXITHROMYCIN				
Tab 150 mg	13.19	50	✔	**Arrow-Roxithromycin**
Tab 300 mg	25.00	50	✔	**Arrow-Roxithromycin**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Penicillins				
AMOXICILLIN				
Cap 250 mg	54.00	500	✔	**Miro-Amoxicillin**
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP				
Cap 500 mg	41.00	500	✔	**Miro-Amoxicillin**
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP				
Grans for oral liq 125 mg per 5 ml	2.22	100 ml	✔	**Alphamox 125**
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Grans for oral liq 250 mg per 5 ml	2.81	100 ml	✔	**Alphamox 250**
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP				
c) Wastage claimable				
Inj 250 mg vial	15.97	10	✔	**Ibiamox**
Inj 500 mg vial	17.43	10	✔	**Ibiamox**
Inj 1 g vial – Up to 5 inj available on a PSO	21.64	10	✔	**Ibiamox**
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab available on a PSO	1.59	10	✔	**Curam Duo 500/125**
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25 mg per ml	8.50	100 ml	✔	**Augmentin**
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Grans for oral liq amoxicillin 50 mg with clavulanic acid 12.5 mg per ml – Up to 200 ml available on a PSO	5.61	100 ml OP	✔	**Amoxiclav Devatis Forte**
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) vial	43.24	1	✔	**Benzetacil** S29
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj available on a PSO	432.37	10	✔	**Bicillin LA**
BENZYLPENICILLIN SODIUM [PENICILLIN G]				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a PSO	16.50	10	✔	**Sandoz**
FLUCLOXACILLIN				
Cap 250 mg – Up to 30 cap available on a PSO	22.58	250	✔	**Staphlex**
Cap 500 mg – Up to 30 cap available on a PSO	72.71	500	✔	**Staphlex**
Grans for oral liq 25 mg per ml	4.89	100 ml	✔	**AFT**
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Grans for oral liq 50 mg per ml	5.89	100 ml	✔	**AFT**
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Inj 250 mg vial	42.60	10	✔	**Flucloxin**
Inj 500 mg vial	45.63	10	✔	**Flucloxin**
Inj 1 g vial – Up to 5 inj available on a PSO	6.00	5	✔	**Flucil**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg – Up to 30 cap available on a PSO	7.68	50	✔	**Cilicaine VK**
Cap 500 mg	13.72	50	✔	**Cilicaine VK**
a) Up to 20 cap available on a PSO b) Up to 2 x the maximum PSO quantity for RFPP				
Grans for oral liq 125 mg per 5 ml	5.75	100 ml	✔	**AFT**
a) Up to 200 ml available on a PSO b) Wastage claimable				
Grans for oral liq 250 mg per 5 ml	5.89	100 ml	✔	**AFT**
a) Up to 300 ml available on a PSO b) Up to 2 x the maximum PSO quantity for RFPP c) Wastage claimable				

Tetracyclines

DOXYCYCLINE				
✻ Tab 100 mg – Up to 30 tab available on a PSO	64.43	500	✔	**Doxine**
MINOCYCLINE HYDROCHLORIDE				
✻ Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy	5.79	60		
	(12.05)			Mino-tabs
✻ Cap 100 mg	19.32	100		
	(52.04)			Minomycin

➠SA1355 Special Authority for Manufacturers Price

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has rosacea.

TETRACYCLINE – Special Authority see SA2513 below – Retail pharmacy				
Tab 250 mg	68.44	28	✔	**Accord** S29

➠SA2513 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:
Both:

1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:
Both:

1 For the eradication of helicobacter pylori following unsuccessful treatment with, or noncompletion of second line therapy; and
2 For use only in combination with bismuth as part of a quadruple therapy regimen.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Other Antibiotics

For topical antibiotics, refer to DERMATOLOGICALS, page 68

CIPROFLOXACIN

Recommended for patients with any of the following:

i) microbiologically confirmed and clinically significant pseudomonas infection; or
ii) prostatitis; or
iii) pyelonephritis; or
iv) gonorrhoea.

Tab 250 mg – Up to 5 tab available on a PSO	1.95	28	✔	**Ipca-Ciprofloxacin**
Tab 500 mg – Up to 5 tab available on a PSO	3.10	28	✔	**Ipca-Ciprofloxacin**
Tab 750 mg	4.80	28	✔	**Ipca-Ciprofloxacin**

CLINDAMYCIN

Cap hydrochloride 150 mg	4.94	24	✔	**Dalacin C**
Inj 150 mg per ml, 4 ml ampoule	48.78	10	✔	**Dalacin C**

COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Inj 2 million iu, 10 ml vial	216.67	10	✔	**Colomycin** S29

GENTAMICIN SULPHATE

Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement	36.70	5	✔	**Cidomycin P/Free** S29

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

Inj 10 mg per ml, 1 ml ampoule – Subsidy by endorsement	102.60	5	✔	**DBL Gentamicin**

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement	18.38	10	✔	**Pfizer**

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

MOXIFLOXACIN – Special Authority see SA1740 below – Retail pharmacy

No patient co-payment payable

Tab 400 mg	42.00	5	✔	**Avelox**

➠SA1740 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1 Both:
- 1.1 Active tuberculosis*; and
- 1.2 Any of the following:
  - 1.2.1 Documented resistance to one or more first-line medications; or
  - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
  - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
  - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
  - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*; or
3 Patient is under five years of age and has had close contact with a confirmed multi-drug resistant tuberculosis case.

Note: Indications marked with * are unapproved indications.

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) only from a sexual health specialist or Practitioner on the recommendation of a sexual health specialist. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium* and is symptomatic; and
2 Either:
   2.1 Has tried and failed to clear infection using azithromycin; or
   2.2 Has laboratory confirmed azithromycin resistance; and
3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are unapproved indications.

PAROMOMYCIN – Special Authority see SA1689 below – Retail pharmacy

Cap 250 mg ..... 126.00 16 ✔ **Humatin** S29

SA1689 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month for applications meeting the following criteria:

Either:

1 Patient has confirmed cryptosporidium infection; or
2 For the eradication of Entamoeba histolytica carriage.

Renewal only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month for applications meeting the following criteria:

Either:

1 Patient has confirmed cryptosporidium infection; or
2 For the eradication of Entamoeba histolytica carriage.

SODIUM FUSIDATE [FUSIDIC ACID]

Tab 250 mg ..... 135.70 36 ✔ **Fucidin**

SULFADIAZINE SODIUM – Special Authority see SA1331 below – Retail pharmacy

Tab 500 mg ..... 150.70 100 ✔ **Sulfadiazin-Heyl** S29

SA1331 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
2 For pregnant patients for the term of the pregnancy; or
3 For infants with congenital toxoplasmosis until 12 months of age.

TOBRAMYCIN

Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement ..... 15.50 5 ✔ **Tobramycin (Viatris)**

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Solution for inhalation 60 mg per ml, 5 ml – Subsidy by endorsement ..... 395.00 56 dose ✔ **Tobramycin BNM**

a) Wastage claimable
b) Only if prescribed for a cystic fibrosis patient and the prescription is endorsed accordingly.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
TRIMETHOPRIM				
❋ Tab 300 mg – Up to 30 tab available on a PSO	27.83	50	✔	**TMP**
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMOXAZOLE]				
❋ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO	115.74	500	✔	**Trisul**
❋ Oral liq 8 mg sulphamethoxazole 40 mg per ml – Up to 200 ml available on a PSO	4.95	100 ml	✔	**Deprim**
VANCOMYCIN – Subsidy by endorsement				
Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis or for treatment of Clostridium difficile following metronidazole failure and the prescription is endorsed accordingly.				
Inj 500 mg vial	3.38	1	✔	**Vancomycin Viatris**

Antifungals

a) For topical antifungals refer to DERMATOLOGICALS, page 68
b) For topical antifungals refer to GENITO URINARY, page 80

FLUCONAZOLE				
Cap 50 mg	4.10	28	✔	**Mylan**
Cap 150 mg	0.45	1	✔	**Mylan**
Cap 200 mg	8.90	28	✔	**Mylan**
Powder for oral suspension 10 mg per ml – Special Authority see SA1359 below – Retail pharmacy Wastage claimable	129.02	35 ml	✔	**Diflucan**

➠SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:
Both:

1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient is immunocompromised; and
2 Patient is at moderate to high risk of invasive fungal infection; and
3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:
Both:

1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient remains immunocompromised; and
2 Patient remains at moderate to high risk of invasive fungal infection; and
3 Patient is unable to swallow capsules.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ITRACONAZOLE				
Cap 100 mg	6.83	15	✔	**Itraconazole Cresent** S29
			✔	**Itrazole**
Oral liq 10 mg per ml – Special Authority see SA1322 below –				
Retail pharmacy	141.80	150 ml OP	✔	**Itraconazole Kent** S29

SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE				
Tab 200 mg – PCT	CBS	30	✔	**Burel** S29
		100	✔	**Strides Shasun** S29
			✔	**Taro** S29
			✔	**Teva-Ketoconazole** S29
NYSTATIN				
Tab 500,000 u	14.16 (17.09)	50		Nilstat
Cap 500,000 u	12.81 (15.47)	50		Nilstat
POSACONAZOLE – Special Authority see SA2383 below – Retail pharmacy				
Tab modified-release 100 mg	123.60	24	✔	**Posaconazole Juno**
Oral liq 40 mg per ml	308.26	105 ml OP	✔	**Devatis**

SA2383 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
immunosuppressive agents or types of treatment.

Initial application — (Invasive fungal infection prophylaxis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The patient is at risk of invasive fungal infection; and
2 Either:
  2.1 Posaconazole is prescribed by, or recommended by a haematologist, transplant physician, infectious disease specialist, paediatric haematologist or paediatric oncologist; or
  2.2 Prescribing posaconazole is in accordance with a protocol or guideline that has been endorsed by the Health New Zealand - Te Whatu Ora Hospital in the specific settings where there is a greater than 10% risk of invasive fungal infection (IFI).

Renewal — (Invasive fungal infection prophylaxis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The patient is at risk of invasive fungal infection; and
2 Either:
  2.1 Posaconazole is prescribed by, or recommended by a haematologist, transplant physician, infectious disease specialist, paediatric haematologist or paediatric oncologist; or
  2.2 Prescribing posaconazole is in accordance with a protocol or guideline that has been endorsed by the Health New Zealand - Te Whatu Ora Hospital in the specific settings where there is a greater than 10% risk of invasive fungal infection (IFI).

TERBINAFINE
❋ Tab 250 mg ..... 8.97 — 84 — ✔ **Deolate**

VORICONAZOLE – Special Authority see SA2384 below – Retail pharmacy
Tab 50 mg ..... 71.00 — 56 — ✔ **Vttack**
Tab 200 mg ..... 263.00 — 56 — ✔ **Vttack**
Powder for oral suspension 40 mg per ml – Wastage claimable ..... 1,523.22 — 70 ml — ✔ **Vfend**

➠SA2384 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 Patient is immunocompromised; and
2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
3 Any of the following:
  3.1 Patient has proven or probable invasive aspergillus infection; or
  3.2 Patient has possible invasive aspergillus infection; or
  3.3 Patient has fluconazole resistant candidiasis; or
  3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 Patient is immunocompromised; and
2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
3 Any of the following:
  3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
3.3 Patient has fluconazole resistant candidiasis; or
3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Initial application — (Invasive fungal infection prophylaxis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:
1 The patient is at risk of invasive fungal infection; and
2 Either:
2.1 Voriconazole is prescribed by, or recommended by a haematologist, transplant physician, infectious disease specialist, paediatric haematologist or paediatric oncologist; or
2.2 Prescribing voriconazole is in accordance with a protocol or guideline that has been endorsed by the Health New Zealand - Te Whatu Ora Hospital in the specific settings where there is a greater than 10% risk of invasive fungal infection (IFI).

Renewal — (Invasive fungal infection prophylaxis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:
1 The patient is at risk of invasive fungal infection; and
2 Either:
2.1 Voriconazole is prescribed by, or recommended by a haematologist, transplant physician, infectious disease specialist, paediatric haematologist or paediatric oncologist; or
2.2 Prescribing voriconazole is in accordance with a protocol or guideline that has been endorsed by the Health New Zealand - Te Whatu Ora Hospital in the specific settings where there is a greater than 10% risk of invasive fungal infection (IFI).

Antimalarials

PRIMAQUINE – Special Authority see SA1684 below – Retail pharmacy

Tab 15 mg	395.00	100	✔	**Bayshore** S29
	400.00		✔	**Sanofi**
				Primaquine S29

➠SA1684 Special Authority for Subsidy
Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:
Both:
1 The patient has vivax or ovale malaria; and
2 Primaquine is to be given for a maximum of 21 days.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:
Both:
1 The patient has relapsed vivax or ovale malaria; and
2 Primaquine is to be given for a maximum of 21 days.

Antitrichomonal Agents

METRONIDAZOLE

Tab 200 mg – Up to 30 tab available on a PSO	25.86	250	✔	**Metronidamed**
Tab 400 mg – Up to 15 tab available on a PSO	4.29	21	✔	**Metronidamed**
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✔	**Flagyl-S**
Suppos 500 mg	24.48	10	✔	**Flagyl**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ORNIDAZOLE				
Tab 500 mg	36.52	10	✔	**Arrow-Ornidazole**

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

BEDAQUILINE – Special Authority see SA2244 below – Retail pharmacy
No patient co-payment payable

Tab 100mg	3,084.51	24 OP	✔	**Sirturo**

➠**SA2244** **Special Authority for Subsidy**
Initial application — (multi-drug resistant tuberculosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The person has multi-drug resistant tuberculosis (MDR-TB); and
2 Ministry of Health's Tuberculosis Clinical Network has reviewed the individual case and recommends bedaquiline as part of the treatment regimen.

CLOFAZIMINE – Retail pharmacy-Specialist
a) No patient co-payment payable
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

❋ Cap 50 mg	442.00	100	✔	**Lamprene** S29

CYCLOSERINE – Retail pharmacy-Specialist
a) No patient co-payment payable
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

Cap 250 mg	344.00	60	✔	**Cyclorin** S29

DAPSONE – Retail pharmacy-Specialist
a) No patient co-payment payable
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

Tab 25 mg	268.50	100	✔	**Dapsone**
Tab 100 mg	329.50	100	✔	**Dapsone**

ETHAMBUTOL HYDROCHLORIDE – Retail pharmacy-Specialist
a) No patient co-payment payable
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician

Tab 100 mg	85.73	100	✔	**EMB Fatol** S29
Tab 400 mg	49.34	56	✔	**Myambutol** S29

ISONIAZID – Retail pharmacy-Specialist
a) No patient co-payment payable
b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician

❋ Tab 100 mg	94.50	100	✔	**Isoniazid Teva** S29
	327.41		✔	**Noumed Isoniazid**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ISONIAZID WITH RIFAMPICIN – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician				
✱ Tab 100 mg with rifampicin 150 mg	89.82	100	✔	**Rifinah**
✱ Tab 150 mg with rifampicin 300 mg	179.13	100	✔	**Rifinah**
✱ Cap 100 mg with rifampicin 150 mg	199.00	100	✔	**Rifamazid** S29
LINEZOLID – Special Authority see SA2234 below – Retail pharmacy				
No patient co-payment payable				
Tab 600 mg	194.60	10	✔	**Zyvox**
Oral liq 20 mg per ml	1,879.00	150 ml	✔	**Zyvox**

SA2234 Special Authority for Subsidy

Initial application — (multi-drug resistant tuberculosis) from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria:

Both:

1 The person has multi-drug resistant tuberculosis (MDR-TB); and
2 Ministry of Health's Tuberculosis Clinical Network has reviewed the individual case and recommends linezolid as part of the treatment regimen.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
PARA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendation of, an infectious disease specialist, clinical microbiologist or respiratory physician				
Grans for oral liq 4 g sachet	280.00	30	✔	**Paser** S29
PROTIONAMIDE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendation of, an infectious disease specialist, clinical microbiologist or respiratory physician				
Tab 250 mg	305.00	100	✔	**Peteha** S29
PYRAZINAMIDE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician				
✱ Tab 500 mg	64.95	100	✔	**AFT-Pyrazinamide**
RIFABUTIN – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist				
✱ Cap 150 mg	353.71	30	✔	**Mycobutin**
RIFAMPICIN – Subsidy by endorsement				
a) No patient co-payment payable				
b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.				
✱ Cap 150 mg	58.54	100	✔	**Rifadin**
✱ Cap 300 mg	122.06	100	✔	**Rifadin**
			✔	**Rifadin Sanofi**
✱ Oral liq 100 mg per 5 ml	12.60	60 ml	✔	**Rifadin**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 272

Hepatitis B Treatment

ENTECAVIR

✻ Tab 0.5 mg	12.04	30	✔	**Entecavir (Rex)**

LAMIVUDINE – Special Authority see SA1685 below – Retail pharmacy

✻ Tab 100 mg	12.06	28	✔	**Zetlam**
✻ Oral liq 5 mg per ml	270.00	240 ml OP	✔	**Zeffix**

SA1685 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year where used for the treatment or prevention of hepatitis B.

Renewal from any relevant practitioner. Approvals valid for 2 years where used for the treatment or prevention of hepatitis B.

TENOFOVIR DISOPROXIL

Tenofovir disoproxil prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA2139., page 110

✻ Tab 245 mg (300 mg as a maleate)	13.80	30	✔	**Tenofovir Disoproxil Viatris**
✻ Tab 245 mg (300 mg as a fumarate)	13.80	30	✔	**Ricovir** S29

Herpesvirus Treatments

ACICLOVIR

✻ Tab dispersible 200 mg	2.05	25	✔	**Lovir**
✻ Tab dispersible 400 mg	7.55	56	✔	**Lovir**
✻ Tab dispersible 800 mg	7.43	35	✔	**Lovir**

VALACICLOVIR

Tab 500 mg	9.64	30	✔	**Vaclovir**
Tab 1,000 mg	17.78	30	✔	**Vaclovir**

VALGANCICLOVIR – Special Authority see SA2514 below – Retail pharmacy

Tab 450 mg	140.89	60	✔	**Valganciclovir Viatris**

SA2514 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 Both:

1.1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and

1.2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin; or

2 Both:

2.1 Patient has received pulse methylprednisolone for acute rejection and requires further valganciclovir therapy for CMV prophylaxis; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following pulse methylprednisolone.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient has undergone a lung transplant; and
2 Either:
   2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
   2.2 The recipient is cytomegalovirus positive; and
3 Patient has a high risk of CMV disease.

Renewal — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient has undergone a lung re-transplant; and
2 Either:
   2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
   2.2 The recipient is cytomegalovirus positive; and
3 Patient has a high risk of CMV disease.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

1 Patient is immunocompromised; and
2 Any of the following:
   2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
   2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
   2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

1 Patient is immunocompromised; and
2 Any of the following:
   2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
   2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
   2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Hepatitis C Treatment

GLECAPREVIR WITH PIBRENTASVIR – [Xpharm]

Note the supply of treatment is via Pharmac's approved direct distribution supply. Further details can be found on Pharmac's website https://pharmac.govt.nz/maviret

Tab 100 mg with pibrentasvir 40 mg	24,750.00	84 OP	✔	**Maviret**

LEDIPASVIR WITH SOFOSBUVIR – [Xpharm] – Special Authority see SA1605 below

No patient co-payment payable

Tab 90 mg with sofosbuvir 400 mg	24,363.46	28	✔	**Harvoni**

➠SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)
Notes: By application to the Hepatitis C Treatment Panel (HepCTP).
Applications will be considered by HepCTP and approved subject to confirmation of eligibility.
Application details may be obtained from Pharmac's website http://www.pharmac.govt.nz/harvoni or:
The Coordinator, Hepatitis C Treatment Panel
Pharmac, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,
Email: hepcpanel@pharmac.govt.nz

HIV Prophylaxis and Treatment

EMTRICITABINE WITH TENOFOVIR DISOPROXIL – Subsidy by endorsement; can be waived by Special Authority see SA2520 below

a) Funding for emtricitabine with tenofovir disoproxil for use as PrEP or PEP, should be applied using Special Authority SA2520.

b) Endorsement for treatment of conditions approved via Special Authority SA2139 (antiretrovirals for confirmed HIV, prevention of maternal transmission, post-exposure prophylaxis following exposure to HIV (when co-prescribed with other antiretrovirals) and percutaneous exposure): Prescription is deemed to be endorsed if emtricitabine with tenofovir disoproxil is co-prescribed with another antiretroviral subsidised under Special Authority SA2139 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.
Note: Emtricitabine with tenofovir disoproxil prescribed under endorsement, for treatment of conditions approved via Special Authority SA2139 (antiretrovirals for confirmed HIV, prevention of maternal transmission, post-exposure prophylaxis following exposure to HIV and percutaneous exposure), is included in the count of up to 4 subsidised antiretrovirals, and counts as two antiretroviral medications, for the purposes of Special Authority SA2139, page 110
There is an approval process to become a named specialist to prescribe antiretroviral therapy in New Zealand. Further information is available on the Pharmac website.

✻ Tab 200 mg with tenofovir disoproxil 245 mg (300 mg as a fumarate)	13.45	30	✔	**Tenofovir Disoproxil Emtricitabine Mylan** S29
✻ Tab 200 mg with tenofovir disoproxil 245 mg (300 mg as a maleate)	13.45	30	✔	**Tenofovir Disoproxil Emtricitabine Viatr**

➠SA2520 Special Authority for Subsidy

Initial application — (Pre-exposure prophylaxis) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:
Both:

1 Patient has tested HIV negative, does not have signs or symptoms of acute HIV infection and has been assessed for HIV seroconversion; and
2 The Practitioner considers the patient is at elevated risk of HIV exposure and use of PrEP is clinically appropriate.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Notes: Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines:
https://ashm.org.au/HIV/PrEP/

Renewal — (Pre-exposure prophylaxis) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 Patient has tested HIV negative, does not have signs or symptoms of acute HIV infection and has been assessed for HIV seroconversion; and
2 The Practitioner considers the patient is at elevated risk of HIV exposure and use of PrEP is clinically appropriate.

Notes: Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines:
https://ashm.org.au/HIV/PrEP/

Initial application — (post-exposure prophylaxis following exposure to HIV) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and
2 Any of the following:
  2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
  2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is appropriate; or
  2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.
Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines for PEP (https://www.ashm.org.au/hiv/hiv-management/pep/).

Renewal — (second or subsequent post-exposure prophylaxis) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and
2 Any of the following:
  2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
  2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is appropriate; or
  2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

COVID-19 Treatments

NIRMATRELVIR WITH RITONAVIR – PCT – Subsidy by endorsement

Subsidised for patients meeting access criteria for oral COVID-19 antiviral treatments (as on Pharmac's website) and where the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed when supplying by Direct Provision under the provisions in Part I of Section A of the Pharmaceutical Schedule.

Tab 150 mg with ritonavir 100 mg ..... 1,274.00 30 OP ✔ **Paxlovid**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
REMDESIVIR – PCT only				
Note: Subsidised for patients meeting access criteria for oral antiviral treatments (as on Pharmac's website).				
Inj 100 mg vial	615.23	1	✔	**Veklury**

Antiretrovirals

➠SA2139 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Prevention of maternal foetal transmission; or
2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following exposure to HIV) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and
2 Any of the following:
  2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
  2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required; or
  2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines for PEP (https://www.ashm.org.au/hiv/hiv-management/pep/).

Renewal — (second or subsequent post-exposure prophylaxis) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Treatment course to be initiated within 72 hours post exposure; and
2 Any of the following:
  2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
  2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required; or
  2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.
Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.
Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see SA2139 on the previous page – Retail pharmacy
Note: No new patients to be initiated on efavirenz.
✱ Tab 600 mg ..... 65.38 30 ✔ **Efavirenz Milpharm** S29

(Efavirenz Milpharm S29 Tab 600 mg to be delisted 1 November 2026)

ETRAVIRINE – Special Authority see SA2139 on the previous page – Retail pharmacy
✱ Tab 200 mg ..... 770.00 60 ✔ **Intelence**

NEVIRAPINE – Special Authority see SA2139 on the previous page – Retail pharmacy
✱ Tab 200 mg ..... 198.25 60 ✔ **Nevirapine Viatris**
✱ Oral suspension 10 mg per ml ..... 203.55 240 ml OP ✔ **Viramune Suspension**

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE – Special Authority see SA2139 on the previous page – Retail pharmacy
✱ Tab 300 mg ..... 180.00 60 ✔ **Ziagen**

ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority see SA2139 on the previous page – Retail pharmacy
Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.
✱ Tab 600 mg with lamivudine 300 mg ..... 35.00 30 ✔ **Abacavir/ Lamivudine Viatris**

EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL – Special Authority see SA2139 on the previous page – Retail pharmacy
Note: Efavirenz with emtricitabine and tenofovir disoproxil counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority
✱ Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil 245 mg (300 mg as a fumarate) ..... 106.88 30 ✔ **TEEVIR** S29
✱ Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil 245 mg (300 mg as a maleate) ..... 106.88 30 ✔ **Viatris**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
EMTRICITABINE – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Cap 200 mg	307.20	30	✔	**Emtriva**
LAMIVUDINE – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Tab 150 mg	98.00	60	✔	**Lamivudine Viatris**
✻ Oral liq 10 mg per ml	102.50	240 ml OP	✔	**3TC**
ZIDOVUDINE – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Cap 100 mg	152.25	100	✔	**Retrovir**
✻ Oral liq 10 mg per ml	30.45	200 ml OP	✔	**Retrovir**
ZIDOVUDINE WITH LAMIVUDINE – Special Authority see SA2139 on page 110 – Retail pharmacy Note: zidovudine [AZT] with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.				
✻ Tab 300 mg with lamivudine 150 mg	92.40	60	✔	**Lamivudine/ Zidovudine Viatris**

Protease Inhibitors

ATAZANAVIR SULPHATE – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Cap 150 mg	102.50	60	✔	**Atazanavir Viatris**
✻ Cap 200 mg	152.30	60	✔	**Atazanavir Viatris**
DARUNAVIR – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Tab 400 mg	150.00	60	✔	**Darunavir Viatris**
✻ Tab 600 mg	225.00	60	✔	**Darunavir Viatris**
LOPINAVIR WITH RITONAVIR – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Tab 200 mg with ritonavir 50 mg	875.00	120	✔	**Lopinavir/Ritonavir Mylan**
RITONAVIR – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Tab 100 mg	43.31	30	✔	**Norvir**

Strand Transfer Inhibitors

DOLUTEGRAVIR – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Tab 50 mg	1,090.00	30	✔	**Tivicay**
DOLUTEGRAVIR WITH LAMIVUDINE – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Tab 50 mg with lamivudine 300 mg	1,090.00	30	✔	**Dovato**
RALTEGRAVIR POTASSIUM – Special Authority see SA2139 on page 110 – Retail pharmacy				
✻ Tab 400 mg	1,090.00	60	✔	**Isentress**
✻ Tab 600 mg	1,090.00	60	✔	**Isentress HD**

Immune Modulators

PEGYLATED INTERFERON ALFA-2A – Special Authority see SA2034 on the next page – Retail pharmacy Note: Pharmac will consider funding ribavirin for the small group of patients who have a clinical need for ribavirin and meet Special Authority criteria. Please contact the Hepatitis C Coordinator at Pharmac on 0800-023-588 option 4.				
Inj 135 mcg prefilled syringe	887.35	1	✔	**Pegasys (S29)** S29
Inj 180 mcg prefilled syringe	1,074.79	4	✔	**Pegasys**
	1,355.71		✔	**Pegasys S29** S29

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA2034 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:
Both:

1 Any of the following:
  1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
  1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
2 Maximum of 48 weeks therapy.

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:
All of the following:

1 Patient has chronic hepatitis C, genotype 1; and
2 Patient has had previous treatment with pegylated interferon and ribavirin; and
3 Either:
  3.1 Patient has responder relapsed; or
  3.2 Patient was a partial responder; and
4 Patient is to be treated in combination with boceprevir; and
5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:
All of the following:

1 Patient has chronic hepatitis C, genotype 1; and
2 Patient has had previous treatment with pegylated interferon and ribavirin; and
3 Any of the following:
  3.1 Patient has responder relapsed; or
  3.2 Patient was a partial responder; or
  3.3 Patient received interferon treatment prior to 2004; and
4 Patient is to be treated in combination with boceprevir; and
5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:
All of the following:

1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
2 Patient is Hepatitis B treatment-naive; and
3 ALT > 2 times Upper Limit of Normal; and
4 HBV DNA < 10 log10 IU/ml; and
5 Either:
  5.1 HBeAg positive; or
  5.2 serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis); and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

6 Compensated liver disease; and
7 No continuing alcohol abuse or intravenous drug use; and
8 Not co-infected with HCV, HIV or HDV; and
9 Neither ALT nor AST > 10 times upper limit of normal; and
10 No history of hypersensitivity or contraindications to pegylated interferon; and
11 Maximum of 48 weeks therapy.

Initial application — (myeloproliferative disorder or cutaneous T cell lymphoma) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Any of the following:

1 Patient has a cutaneous T cell lymphoma*; or
2 All of the following:
  2.1 Patient has a myeloproliferative disorder*; and
  2.2 Patient is intolerant of hydroxyurea; and
  2.3 Treatment with anagrelide and busulfan is not clinically appropriate; or
3 Both:
  3.1 Patient has a myeloproliferative disorder; and
  3.2 Patient is pregnant, planning pregnancy or lactating.

Renewal — (myeloproliferative disorder or cutaneous T cell lymphoma) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 No evidence of disease progression; and
2 The treatment remains appropriate and patient is benefitting from treatment; and
3 Either:
  3.1 Patient has a cutaneous T cell lymphoma*; or
  3.2 Both:
    3.2.1 Patient has a myeloproliferative disorder*; and
    3.2.2 Either:
      3.2.2.1 Remains intolerant of hydroxyurea and treatment with anagrelide and busulfan remains clinically inappropriate; or
      3.2.2.2 Patient is pregnant, planning pregnancy or lactating.

Note: Indications marked with * are unapproved indications.

Initial application — (post-allogenic bone marrow transplant) from any relevant practitioner. Approvals valid for 3 months where patient has received an allogeneic bone marrow transplant* and has evidence of disease relapse.

Renewal — (post-allogenic bone marrow transplant) from any relevant practitioner. Approvals valid for 3 months where patient is responding and ongoing treatment remains appropriate.

Note: Indications marked with * are unapproved indications.

Urinary Tract Infections

FOSFOMYCIN – Special Authority see SA2406 below – Retail pharmacy
Powder for oral solution, 3 g sachet ..... 18.70 1 ✔ **UroFos**

SA2406 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:
Both:

1 Patient has an acute, symptomatic, bacteriologically-proven uncomplicated urinary tract infection (UTI)/cystitis with Escherichia Coli; and
2 Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.1 Microbiological testing confirms the pathogen is resistant to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin; or

2.2 The patient has a contraindication or intolerance to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin that the pathogen is susceptible to.

Renewal from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:
Both:

1 Patient has an acute, symptomatic, bacteriologically-proven uncomplicated urinary tract infection (UTI)/cystitis with Escherichia Coli; and

2 Either:

2.1 Microbiological testing confirms the pathogen is resistant to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin; or

2.2 The patient has a contraindication or intolerance to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin that the pathogen is susceptible to.

METHENAMINE (HEXAMINE) HIPPURATE

✱ Tab 1 g	19.95	100	✔	**Hiprex**

NITROFURANTOIN

✱ Tab 50 mg – Up to 30 tab available on a PSO	22.20	100	✔	**Nifuran**
✱ Tab 100 mg	37.50	100	✔	**Nifuran**
✱ Cap modified-release 100 mg – Up to 15 cap available on a PSO	81.20	100	✔	**Macrobid**

NORFLOXACIN

Tab 400 mg – Subsidy by endorsement	245.00	100	✔	**Arrow-Norfloxacin**

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	48.25	10	✔	**Max Health**
PYRIDOSTIGMINE BROMIDE				
▲ Tab 60 mg	50.28	100	✔	**Mestinon**
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
❋ Tab EC 25 mg	2.19	50	✔	**Diclofenac Sandoz**
❋ Tab 50 mg dispersible	1.50	20	✔	**Voltaren D**
❋ Tab EC 50 mg	2.19	50	✔	**Diclofenac Sandoz**
❋ Tab long-acting 75 mg	10.00	100	✔	**Voltaren SR**
❋ Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a PSO	13.20	5	✔	**Voltaren**
❋ Suppos 12.5 mg	2.04	10	✔	**Voltaren**
❋ Suppos 25 mg	2.44	10	✔	**Voltaren**
❋ Suppos 50 mg – Up to 10 supp available on a PSO	4.22	10	✔	**Voltaren**
❋ Suppos 100 mg	7.00	10	✔	**Voltaren**
IBUPROFEN				
❋ Tab 200 mg	21.40	1,000	✔	**Relieve**
❋ Tab long-acting 800 mg	3.65	30	✔	**Ibuprofen SR BNM**
❋ Oral liq 20 mg per ml	2.85	200 ml	✔	**Ethics**
KETOPROFEN				
❋ Cap long-acting 200 mg	12.07	28	✔	**Oruvail SR**
(Oruvail SR Cap long-acting 200 mg to be delisted 1 October 2026)				
MEFENAMIC ACID				
❋ Cap 250 mg	1.25	50		
	(10.82)			Ponstan
	0.50	20		
	(7.50)			Ponstan
NAPROXEN				
❋ Tab 250 mg	39.23	500	✔	**Noflam 250**
❋ Tab 500 mg	34.45	250	✔	**Noflam 500**
❋ Tab long-acting 750 mg	10.40	28	✔	**Naprosyn SR 750**
❋ Tab long-acting 1 g	11.50	28	✔	**Naprosyn SR 1000**
TENOXICAM				
❋ Tab 20 mg	23.50	100	✔	**Tilcotil**
❋ Inj 20 mg vial	9.95	1	✔	**AFT**
NSAIDs Other				
CELECOXIB				
Cap 100 mg	3.60	60	✔	**Celebrex**
Cap 200 mg	2.55	30	✔	**Celostea**
	3.20		✔	**Celebrex**
			✔	**Celecoxib Pfizer**

(Celebrex Cap 200 mg to be delisted 1 July 2026)
(Celecoxib Pfizer Cap 200 mg to be delisted 1 July 2026)

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% – Special Authority see SA1289 below – Retail pharmacy	9.75	45 g OP	✔ **Zo-Rub Osteo** ✔ **Zostrix**

SA1289 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

HYDROXYCHLOROQUINE SULPHATE

✱ Tab 200 mg	7.80	100	✔ **Ipca-Hydroxychloroquine**

LEFLUNOMIDE

✱ Tab 10 mg	6.00	30	✔ **Arava**
✱ Tab 20 mg	6.00	30	✔ **Arava**

PENICILLAMINE

Tab 125 mg	67.23	100	✔ **D-Penamine**
Tab 250 mg	110.12	100	✔ **D-Penamine**

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

ALENDRONATE SODIUM

✱ Tab 70 mg	3.10	4	✔ **Fosamax**

ALENDRONATE SODIUM WITH COLECALCIFEROL

✱ Tab 70 mg with colecalciferol 5,600 iu	1.99	4	✔ **Fosamax Plus**

Other Treatments

DENOSUMAB – Special Authority see SA2441 below – Retail pharmacy

Note: Denosumab inj 60 mg per 1 ml pre-filled syringe is Medsafe approved for use in osteoporosis. Denosumab inj 120 mg per 1.7 ml vial is Medsafe approved for use in hypercalcaemia of malignancy.

Inj 120 mg per 1.7 ml vial	375.00	1	✔ **Xgeva**
Inj 60 mg per 1 ml prefilled syringe	187.50	1	✔ **Prolia**

SA2441 Special Authority for Subsidy
Initial application — (Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 The patient has established osteoporosis; and
2 Any of the following:

2.1 History of one significant osteoporotic fracture demonstrated radiologically, with a documented T-Score less than or equal to -2.5, that incorporates BMD measured using dual-energy x-ray absorptiometry (DEXA); or
2.2 History of one significant osteoporotic fracture, demonstrated radiologically, and either the patient is elderly, or

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

densitometry scanning cannot be performed because of logistical, technical or pathophysiological reasons; or

2.3 History of two significant osteoporotic fractures demonstrated radiologically; or

2.4 Documented T-Score less than or equal to -3.0; or

2.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm that incorporates BMD measured using DEXA; and

3 Any of the following:

3.1 Bisphosphonates are contraindicated because the patient's creatinine clearance or eGFR is less than 35 mL/min; or

3.2 The patient has experienced at least two symptomatic new fractures or a BMD loss greater than 2% per year, after at least 12 months' continuous therapy with a funded antiresorptive agent; or

3.3 Bisphosphonates result in intolerable side effects; or

3.4 Intravenous bisphosphonates cannot be administered due to logistical or technical reasons.

Initial application — (Hypercalcaemia) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has hypercalcaemia of malignancy; and

2 Patient has severe renal impairment.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	32.49	1	✔ **Pamisol**
Inj 6 mg per ml, 10 ml vial	88.11	1	✔ **Pamisol**
Inj 9 mg per ml, 10 ml vial	94.34	1	✔ **Pamisol**

RALOXIFENE HYDROCHLORIDE – Special Authority see SA1779 below – Retail pharmacy

❋ Tab 60 mg	53.76	28	✔ **Evista**

(Evista Tab 60 mg to be delisted 1 April 2026)

➠SA1779 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Notes); or

2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or

3 History of two significant osteoporotic fractures demonstrated radiologically; or

4 Documented T-Score less than or equal to -3.0 (see Notes); or

5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or

6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause – Osteoporosis) or has had a Special Authority approval for alendronate (Underlying cause - Osteoporosis) prior to 1 February 2019.

Notes:

a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.

b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for raloxifene funding.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM				
Tab 35 mg	3.00	4	✔	**Risedronate Sandoz**
TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy				
Inj 250 mcg per ml, 2.4 ml	200.27	1	✔	**Teriparatide - Teva**
	490.00		✔	**Forteo** S29

➠SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

1 The patient has severe, established osteoporosis; and
2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
3 The patient has had two or more fractures due to minimal trauma; and
4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable

b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.

c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID				
Inj 0.05 mg per ml, 100 ml, bag	19.45	1	✔	**Zoledronic Acid Viatris**

Hyperuricaemia and Antigout

ALLOPURINOL				
✻ Tab 100 mg	17.99	1,000	✔	**Ipca-Allopurinol**
✻ Tab 300 mg	22.50	500	✔	**Ipca-Allopurinol**
BENZBROMARONE – Special Authority see SA1963 on the next page – Retail pharmacy				
Tab 50 mg	32.00	100	✔	**Narcaricin mite** S29

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA1963 Special Authority for Subsidy

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefitting from the treatment; and
2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

COLCHICINE

❋ Tab 500 mcg	6.30	100	✔ **Colgout**

FEBUXOSTAT – Special Authority see SA2555 below – Retail pharmacy

Tab 80 mg	4.73	28	✔ **Febuxostat (Teva)**
Tab 120 mg	11.78	28	✔ **Febuxostat (Teva)**

➠SA2555 Special Authority for Subsidy

Initial application — (Gout) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has been diagnosed with gout; and
2 Any of the following:
  2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol ; or
  2.4 The patient has previously had an initial Special Authority approval for benzbromarone for treatment of gout..

Initial application — (Tumour lysis syndrome) only from a haematologist or oncologist. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

1 Patient is scheduled to receive cancer therapy carrying an intermediate or high risk of tumour lysis syndrome; and
2 Patient has a documented history of allopurinol intolerance.

Renewal — (Tumour lysis syndrome) only from a haematologist or oncologist. Approvals valid for 6 weeks where the treatment remains appropriate and the patient is benefitting from treatment.

PROBENECID

❋ Tab 500 mg	66.95	100	✔ **Probenecid-AFT**

Muscle Relaxants

BACLOFEN

❋ Tab 10 mg	3.70	100	✔ **Pacifen**
Inj 0.05 mg per ml, 1 ml ampoule – Subsidy by endorsement	11.55	1	✔ **Lioresal Intrathecal**

Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement	490.91	10	✔ **Sintetica Baclofen Intrathecal**

Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

DANTROLENE

Cap 25 mg	145.77	100	✔ **Dantrium S29** S29
Cap 50 mg	77.00	100	✔ **Dantrium**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ORPHENADRINE CITRATE				
Tab 100 mg	23.25	100	✔	**Norflex**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Agents for Parkinsonism and Related Disorders				
Dopamine Agonists and Related Agents				
AMANTADINE HYDROCHLORIDE				
▲ Cap 100 mg	38.24	60	✔	**Symmetrel**
	63.73	100	✔	**Symmetrel**
APOMORPHINE HYDROCHLORIDE				
▲ Inj 10 mg per ml, 2 ml ampoule	59.50	5	✔	**Movapo**
▲ Inj 10 mg per ml, 5 ml ampoule	121.84	5	✔	**Movapo**
ENTACAPONE				
▲ Tab 200 mg	13.73	100	✔	**Entacapone Viatris**
LEVODOPA WITH BENSERAZIDE				
❋ Tab dispersible 50 mg with benserazide 12.5 mg	13.25	100	✔	**Madopar Rapid**
❋ Cap 50 mg with benserazide 12.5 mg	13.75	100	✔	**Madopar 62.5**
❋ Cap 100 mg with benserazide 25 mg	15.80	100	✔	**Madopar 125**
❋ Cap long-acting 100 mg with benserazide 25 mg	22.85	100	✔	**Madopar HBS**
❋ Cap 200 mg with benserazide 50 mg	26.25	100	✔	**Madopar 250**
LEVODOPA WITH CARBIDOPA				
❋ Tab 100 mg with carbidopa 25 mg	26.49	100	✔	**Sinemet**
❋ Tab long-acting 200 mg with carbidopa 50 mg	44.99	100	✔	**Sinemet CR**
❋ Tab 250 mg with carbidopa 25 mg	39.49	100	✔	**Sinemet**
LEVODOPA WITH CARBIDOPA AND ENTACAPONE				
❋ Tab 50 mg with carbidopa 12.5 mg and entacapone 200 mg	27.01	100	✔	**Stalevo**
❋ Tab 100 mg with carbidopa 25 mg and entacapone 200 mg	34.18	100	✔	**Stalevo**
❋ Tab 150 mg with carbidopa 37.5 mg and entacapone 200 mg	44.96	100	✔	**Stalevo**
❋ Tab 200 mg with carbidopa 50 mg and entacapone 200 mg	51.23	100	✔	**Stalevo**
PRAMIPEXOLE HYDROCHLORIDE				
▲ Tab 0.25 mg	5.23	100	✔	**Ramipex**
▲ Tab 1 mg	17.73	100	✔	**Ramipex**
RASAGILINE				
❋ Tab 1 mg	53.50	30	✔	**Azilect** S29
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	8.83	84	✔	**Ropin**
▲ Tab 1 mg	10.09	84	✔	**Ropin**
▲ Tab 2 mg	12.29	84	✔	**Ropin**
▲ Tab 5 mg	25.94	84	✔	**Ropin**
TOLCAPONE				
▲ Tab 100 mg	152.38	100	✔	**Tasmar**
Anticholinergics				
BENZATROPINE MESYLATE				
Tab 2 mg	10.99	60	✔	**Benztrop**
Inj 1 mg per ml, 2 ml	95.00	5	✔	**Phebra**
a) Up to 10 inj available on a PSO				
b) Only on a PSO				
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	15.00	100	✔	**Kemadrin**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Agents for Essential Tremor, Chorea and Related Disorders

RILUZOLE – Special Authority see SA1403 below – Retail pharmacy
Wastage claimable
Tab 50 mg ..... 117.00 56 ✔ **Rilutek**

SA1403 Special Authority for Subsidy
Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
3 The patient has not undergone a tracheostomy; and
4 The patient has not experienced respiratory failure; and
5 Any of the following:
   5.1 The patient is ambulatory; or
   5.2 The patient is able to use upper limbs; or
   5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria:
All of the following:

1 The patient has not undergone a tracheostomy; and
2 The patient has not experienced respiratory failure; and
3 Any of the following:
   3.1 The patient is ambulatory; or
   3.2 The patient is able to use upper limbs; or
   3.3 The patient is able to swallow.

TETRABENAZINE
Tab 25 mg ..... 126.02 112 ✔ **Motetis**

Anaesthetics

Local

LIDOCAINE [LIGNOCAINE]
Gel 2%, tube – Subsidy by endorsement ..... 14.50 30 ml ✔ **Xylocaine 2% Jelly**
a) Up to 150 ml available on a PSO
b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.
Gel 2%, 11 ml urethral syringe – Subsidy by endorsement..... 65.45 10 ✔ **Instillagel Lido**
a) Up to 5 each available on a PSO
b) Subsidised only if prescribed for urethral, cervical or rectal administration and the prescription is endorsed accordingly.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (gel) soln 2%	30.80	200 ml	✔	**Mucosoothe**
			✔	**Xylocaine Viscous**
Xylocaine Viscous to be Principal Supply on 1 April 2026				
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO	15.00	25	✔	**Lidocaine-Baxter**
	17.50	50		
	(35.00)			Xylocaine
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO	27.50	25	✔	**Lidocaine-Baxter**
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO	12.00	5		
	(20.00)			Xylocaine
Inj 1%, 20 ml vial – Up to 5 inj available on a PSO	19.50	5	✔	**Lidocaine-Baxter**
Inj 2%, 20 ml vial – Up to 5 inj available on a PSO	14.00	5	✔	**Lidocaine-Baxter**
Inj 10%, 5 ml ampoule – Subsidy by endorsement	CBS	10	✔	**Xylocard 500** S29

Subsidised only for people receiving palliative care services where other analgesic agents haven't been effective.

(Mucosoothe Oral (gel) soln 2% to be delisted 1 April 2026)

Topical Local Anaesthetics

➠SA0906 **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] – Special Authority see SA0906 above – Retail pharmacy				
Crm 4%	7.60	5 g OP	✔	**LMX4**
	30.00	30 g OP	✔	**LMX4**
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy				
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	✔	**EMLA**
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	✔	**EMLA**

General Anaesthetics

KETAMINE – Subsidy by endorsement

a) Up to 5 inj available on a PSO
b) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service or to treat intractable pain in palliative care* and the prescription or PSO is endorsed accordingly. Note: Indication marked with * is an unapproved indication.

Inj 100 mg per ml, 2 ml vial	91.98	5	✔	**Ketalar**

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 116

Non-opioid Analgesics

ASPIRIN

❋ Tab dispersible 300 mg – Up to 30 tab available on a PSO	5.65	100	✔	**Ethics Aspirin**

CAPSAICIN – Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

Crm 0.075%	11.95	45 g OP	✔	**Zo-Rub HP**
			✔	**Zostrix HP**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
METHOXYFLURANE – Subsidy by endorsement				
a) Only on a PSO				
b) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.				
Soln for inhalation 999.9 mg per g, 3 ml bottle – Up to 10 btl available on a PSO	276.00	10	✔	**Penthrox**
Soln for inhalation 999.9 mg per g, 3 ml bottle with inhaler device and activated carbon chamber – Up to 2 pack available on a PSO	54.00	1 OP	✔	**Penthrox**
NEFOPAM HYDROCHLORIDE				
Tab 30 mg	23.40	90	✔	**Acupan**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✳Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
PARACETAMOL				
Tab 500 mg - blister pack	19.75	1,000	✔	**Pacimol**

a) Maximum of 300 tab per prescription; can be waived by endorsement
b) Up to 30 tab available on a PSO
c)
1) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater, and the prescription is annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition.
2) Maximum of 100 tab per dispensing for non-endorsed patients. If quantities prescribed for more than 100 tabs (for non-endorsed patients), then dispense in repeat dispensings not exceeding 100 tab per dispensing.

Tab 500 mg - bottle pack – Maximum of 300 tab per prescription; can be waived by endorsement	17.92	1,000	✔	**Noumed Paracetamol**

1) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater, and the prescription is annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition.
2) Maximum of 100 tab per dispensing for non-endorsed patients. If quantities prescribed for more than 100 tabs (for non-endorsed patients), then dispense in repeat dispensings not exceeding 100 tab per dispensing.

Oral liq 120 mg per 5 ml	3.98	200 ml	✔	**Paracetamol (Ethics)**

a) Maximum of 600 ml per prescription; can be waived by endorsement
b) Up to 200 ml available on a PSO
c) Not in combination
d)
1) Maximum of 200 ml per dispensing for non-endorsed patients. If quantities prescribed exceed 200 ml (for non-endorsed patients), then dispense in repeat dispensing not exceeding 200 ml per dispensing.
2) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater and the prescription is endorsed or annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition.
3) Note: 200 ml presentations of paracetamol oral liquid may be supplied on BSO to a Vaccinator (other than a Pharmacist) under the provisions in Part I of Section A
4) Note: Direct Provision by a pharmacist of up to 200 ml permitted under the provisions in Part I of Section A in conjunction with immunisation of a child under 2 years of age with meningococcal B multicomponent vaccine.

Oral liq 250 mg per 5 ml	3.18	200 ml	✔	**Pamol**

a) Maximum of 600 ml per prescription; can be waived by endorsement
b) Up to 200 ml available on a PSO
c) Not in combination
d)
1) Maximum of 200 ml per dispensing for non-endorsed patients. If quantities prescribed exceed 200 ml (for non-endorsed patients), then dispense in repeat dispensing not exceeding 200 ml per dispensing.
2) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater and the prescription is endorsed or annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition.
3) Note: 200 ml presentations of paracetamol oral liquid may be supplied on BSO to a Vaccinator (other than a Pharmacist) under the provisions in Part I of Section A
4) Note: Direct Provision by a pharmacist of up to 200 ml permitted under the provisions in Part I of Section A in conjunction with immunisation of a child under 2 years of age with meningococcal B multicomponent vaccine.

❋ Suppos 125 mg	4.29	10	✔	**Gacet**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
✱ Suppos 250 mg	5.39	10	✔	**Gacet**
✱ Suppos 500 mg	16.55	50	✔	**Gacet**

Opioid Analgesics

CODEINE PHOSPHATE – Safety medicine; prescriber may determine dispensing frequency				
Tab 15 mg	5.82	100	✔	**Noumed**
Tab 30 mg	6.88	100	✔	**Noumed**
Tab 60 mg	13.89	100	✔	**Noumed**
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	9.20	60	✔	**DHC Continus**
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Inj 50 mcg per ml, 2 ml ampoule	4.25	10	✔	**Boucher and Muir**
Inj 50 mcg per ml, 10 ml ampoule	9.41	10	✔	**Boucher and Muir**
Patch 12 mcg per hour	6.02	5	✔	**Fentanyl Sandoz**
Patch 25 mcg per hour	6.91	5	✔	**Fentanyl Sandoz**
Patch 50 mcg per hour	9.28	5	✔	**Fentanyl Sandoz**
Patch 75 mcg per hour	15.50	5	✔	**Fentanyl Sandoz**
Patch 100 mcg per hour	16.37	5	✔	**Fentanyl Sandoz**
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab 5 mg	1.45	10	✔	**Methadone BNM**
Oral liq 2 mg per ml	7.80	200 ml	✔	**Biodone**
Oral liq 5 mg per ml	7.80	200 ml	✔	**Biodone Forte**
Oral liq 10 mg per ml	9.65	200 ml	✔	**Biodone Extra Forte**
Inj 10 mg per ml, 1 ml	72.99	10	✔	**AFT**
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Oral liq 1 mg per ml	19.00	200 ml	✔	**RA-Morph**
Oral liq 2 mg per ml	23.55	200 ml	✔	**RA-Morph**
Oral liq 5 mg per ml	28.20	200 ml	✔	**RA-Morph**
Oral liq 10 mg per ml	40.25	200 ml	✔	**RA-Morph**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab immediate-release 10 mg	2.80	10	✔	**Sevredol**
Tab immediate-release 20 mg	5.52	10	✔	**Sevredol**
Cap long-acting 10 mg	4.10	10	✔	**m-Eslon**
Cap long-acting 30 mg	6.05	10	✔	**m-Eslon**
Cap long-acting 60 mg	12.10	10	✔	**m-Eslon**
Cap long-acting 100 mg	14.50	10	✔	**m-Eslon**
Oral liq 2 mg per ml	16.31	100 ml	✔	**Wockhardt** S29
	29.80		✔	**Oramorph**
			✔	**Oramorph CDC S29** S29
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	5.96	5	✔	**Medsurge**
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	4.99	5	✔	**Medsurge**
Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	6.93	5	✔	**Medsurge**
Inj 30 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	7.28	5	✔	**Medsurge**
OXYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab controlled-release 5 mg	2.49	20	✔	**Oxycodone Sandoz**
Tab immediate-release 5 mg	13.77	100	✔	**Oxycodone Amneal**
Tab controlled-release 10 mg	2.49	20	✔	**Oxycodone Sandoz**
Tab immediate-release 10 mg	18.77	100	✔	**Oxycodone Amneal**
Tab controlled-release 20 mg	3.41	20	✔	**Oxycodone Sandoz**
Tab immediate-release 20 mg	26.77	100	✔	**Oxycodone Amneal**
Tab controlled-release 40 mg	6.67	20	✔	**Oxycodone Sandoz**
Tab controlled-release 80 mg	12.99	20	✔	**Oxycodone Sandoz**
Oral liq 1 mg per ml	37.08	250 ml	✔	**Oxycodone Lucis**
			✔	**Rosemont**
Inj 10 mg per ml, 1 ml ampoule	4.37	5	✔	**Hameln**
Inj 10 mg per ml, 2 ml ampoule	8.62	5	✔	**Hameln**
Inj 50 mg per ml, 1 ml ampoule	14.90	5	✔	**Hameln**
(Oxycodone Lucis Oral liq 1 mg per ml to be delisted 1 June 2026)				
PARACETAMOL WITH CODEINE – Safety medicine; prescriber may determine dispensing frequency				
✻ Tab paracetamol 500 mg with codeine phosphate 8 mg	31.95	1,000	✔	**Paracetamol + Codeine (Relieve)**
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab 50 mg	8.68	10	✔	**Noumed Pethidine**
Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	29.88	5	✔	**DBL Pethidine Hydrochloride**
Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	30.72	5	✔	**DBL Pethidine Hydrochloride**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	1.95	20	✔	**Tramal SR 100**
Tab sustained-release 150 mg	2.95	20	✔	**Tramal SR 150**
Tab sustained-release 200 mg	3.80	20	✔	**Tramal SR 200**
Cap 50 mg	3.33	100	✔	**Arrow-Tramadol**

Antidepressants

Cyclic and Related Agents

AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	2.99	100	✔	**Arrow-Amitriptyline**
Tab 25 mg	1.99	100	✔	**Arrow-Amitriptyline**
Tab 50 mg	3.14	100	✔	**Arrow-Amitriptyline**
CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	16.99	50	✔	**APO Clomipramine**
Cap 10 mg	35.50	28	✔	**Clomipramine Teva**

(Clomipramine Teva Cap 10 mg to be delisted 1 April 2026)

DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Subsidy by endorsement

a) Safety medicine; prescriber may determine dispensing frequency
b) Subsidy by endorsement – Subsidised for patients who were taking dosulepin [dothiepin] hydrochloride prior to 1 June 2019 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of dosulepin [dothiepin] hydrochloride.

Tab 75 mg	3.85	30	✔	**Dosulepin Viatris**
Cap 25 mg	7.83	50	✔	**Dosulepin Viatris** S29

IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	5.48	50	✔	**Tofranil**
	10.96	100	✔	**Tofranil**
Tab 25 mg	4.93	28	✔	**Imipramine Crescent** S29
	8.80	50	✔	**Tofranil**
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	2.24	50	✔	**Allegron**
Tab 25 mg	2.95	50	✔	**Allegron**

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

TRANYLCYPROMINE SULPHATE				
✱ Tab 10 mg	22.94	50	✔	**Parnate**

Monoamine-Oxidase Type A Inhibitors

MOCLOBEMIDE				
✱ Tab 150 mg	23.60	60	✔	**Aurorix**
✱ Tab 300 mg	38.50	60	✔	**Aurorix**

Selective Serotonin Reuptake Inhibitors

CITALOPRAM HYDROBROMIDE				
✱ Tab 20 mg	3.55	84	✔	**Celapram**

Celapram to be Principal Supply on 1 May 2026

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ESCITALOPRAM				
❋ Tab 10 mg	0.79	28	✔	**Ipca-Escitalopram**
	1.07		✔	**Escitalopram (Ethics)**
❋ Tab 20 mg	1.49	28	✔	**Ipca-Escitalopram**
FLUOXETINE HYDROCHLORIDE				
❋ Tab dispersible 20 mg, scored – Subsidy by endorsement	2.37	28	✔	**Fluox**
Subsidised by endorsement 1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or 2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.				
❋ Cap 20 mg	3.50	90	✔	**Arrow-Fluoxetine**
PAROXETINE				
❋ Tab 20 mg	4.98	90	✔	**Loxamine**
SERTRALINE				
❋ Tab 50 mg	1.24	30	✔	**Setrona**
Setrona to be Principal Supply on 1 April 2026				
❋ Tab 100 mg	2.00	30	✔	**Setrona**
Setrona to be Principal Supply on 1 April 2026				

Other Antidepressants

MIRTAZAPINE				
Tab 30 mg	2.34	30	✔	**Noumed**
Tab 45 mg	3.10	30	✔	**Noumed**
VENLAFAXINE				
❋ Cap 37.5 mg	8.29	84	✔	**Enlafax XR**
❋ Cap 75 mg	10.32	84	✔	**Enlafax XR**
❋ Cap 150 mg	13.95	84	✔	**Enlafax XR**

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement	27.92	5	✔	**Hospira**
a) Up to 5 inj available on a PSO b) Only on a PSO c) PSO must be endorsed "not for anaesthetic procedures".				
Rectal tubes 5 mg – Up to 5 tube available on a PSO	54.58	5	✔	**Stesolid**
PHENYTOIN SODIUM				
❋ Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO	154.01	5	✔	**Hospira**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Control of Epilepsy

CARBAMAZEPINE

✻	Tab 200 mg	14.53	100	✔ **Tegretol**
✻	Tab long-acting 200 mg	16.98	100	✔ **Tegretol CR**
		33.96	200	✔ **Tegretol CR**
✻	Tab 400 mg	34.58	100	✔ **Tegretol**
✻	Tab long-acting 400 mg	39.17	100	✔ **Tegretol CR**
✻	Oral liq 20 mg per ml	26.37	250 ml	✔ **Tegretol**

CLOBAZAM – Safety medicine; prescriber may determine dispensing frequency

	Tab 10 mg	9.12	50	✔ **Frisium**

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency

	Oral drops 2.5 mg per ml	7.38	10 ml OP	✔ **Rivotril**

ETHOSUXIMIDE

	Cap 250 mg	140.88	100	✔ **Zarontin**
	Oral liq 250 mg per 5 ml	56.35	200 ml	✔ **Zarontin**

GABAPENTIN

Note: Not subsidised in combination with subsidised pregabalin

✻	Cap 100 mg	6.45	100	✔ **Nupentin**
✻	Cap 300 mg	8.45	100	✔ **Nupentin**
✻	Cap 400 mg	10.26	100	✔ **Nupentin**

LACOSAMIDE – Special Authority see SA2267 below – Retail pharmacy

▲	Tab 50 mg	25.04	14	✔ **Vimpat**
▲	Tab 100 mg	50.06	14	✔ **Vimpat**
		200.24	56	✔ **Vimpat**
▲	Tab 150 mg	75.10	14	✔ **Vimpat**
		300.40	56	✔ **Vimpat**
▲	Tab 200 mg	400.55	56	✔ **Vimpat**

➠SA2267 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Patient has focal epilepsy; and
2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: Those of childbearing potential are not required to trial phenytoin sodium, sodium valproate, or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment.

LAMOTRIGINE

▲	Tab dispersible 2 mg	55.00	30	✔ **Lamictal**
▲	Tab dispersible 5 mg	50.00	30	✔ **Lamictal**
✻	Tab dispersible 25 mg	4.20	56	✔ **Logem**
✻	Tab dispersible 50 mg	5.11	56	✔ **Logem**
✻	Tab dispersible 100 mg	6.75	56	✔ **Logem**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
LEVETIRACETAM				
Tab 250 mg	5.84	60	✔	**Everet**
Tab 500 mg	10.51	60	✔	**Everet**
Tab 750 mg	16.71	60	✔	**Everet**
Tab 1,000 mg	21.82	60	✔	**Everet**
Oral liq 100 mg per ml	44.78	300 ml OP	✔	**Levetiracetam-AFT**
Inj 100 mg per ml, 5 ml vial	38.95	10	✔	**Levetiracetam-AFT**
PHENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, page 279				
Tab 15 mg	248.50	500	✔	**Noumed Phenobarbitone**
Tab 30 mg	398.50	500	✔	**Noumed Phenobarbitone**
PHENYTOIN SODIUM				
❋ Tab 50 mg	75.00	200	✔	**Dilantin Infatab**
Cap 30 mg	74.00	200	✔	**Dilantin**
Cap 100 mg	37.00	200	✔	**Dilantin**
❋ Oral liq 30 mg per 5 ml	22.03	500 ml	✔	**Dilantin Paediatric**
PREGABALIN – Brand switch fee payable (Pharmacode 2723727) - see page 277 for details				
Note: Not subsidised in combination with subsidised gabapentin				
❋ Cap 25 mg	2.25	56	✔	**Lyrica**
			✔	**Pregabalin Pfizer**
❋ Cap 75 mg	2.65	56	✔	**Lyrica**
			✔	**Pregabalin Pfizer**
❋ Cap 150 mg	4.01	56	✔	**Lyrica**
			✔	**Pregabalin Pfizer**
❋ Cap 300 mg	7.38	56	✔	**Lyrica**
			✔	**Pregabalin Pfizer**
PRIMIDONE				
❋ Tab 250 mg	37.35	100	✔	**Primidone Clinect**
SODIUM VALPROATE				
Tab 100 mg	13.65	100	✔	**Epilim Crushable**
Tab 200 mg EC	27.44	100	✔	**Epilim**
Tab 500 mg EC	52.24	100	✔	**Epilim**
❋ Oral liq 200 mg per 5 ml	20.48	300 ml	✔	**Epilim S/F Liquid**
			✔	**Epilim Syrup**
❋ Inj 100 mg per ml, 4 ml	41.50	1	✔	**Epilim IV**
STIRIPENTOL – Special Authority see SA2268 below – Retail pharmacy				
Cap 250 mg	509.29	60	✔	**Diacomit**
Powder for oral liq 250 mg sachet	509.29	60	✔	**Diacomit**

➠SA2268 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist.
Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient has confirmed diagnosis of Dravet syndrome; and
2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Note: Those of childbearing potential are not required to trial sodium valproate or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ Tab 25 mg	11.07	60	✔ **Arrow-Topiramate**
			✔ **Topiramate Actavis**
	26.04		✔ **Topamax**
▲ Tab 50 mg	18.81	60	✔ **Arrow-Topiramate**
			✔ **Topiramate Actavis**
	44.26		✔ **Topamax**
▲ Tab 100 mg	31.99	60	✔ **Arrow-Topiramate**
			✔ **Topiramate Actavis**
	75.25		✔ **Topamax**
▲ Tab 200 mg	55.19	60	✔ **Arrow-Topiramate**
			✔ **Topiramate Actavis**
	129.85		✔ **Topamax**
▲ Sprinkle cap 15 mg	20.84	60	✔ **Topamax**
▲ Sprinkle cap 25 mg	26.04	60	✔ **Topamax**

VIGABATRIN – Special Authority see SA2088 below – Retail pharmacy

▲ Tab 500 mg	119.30	100	✔ **Sabril**
▲ Powder for oral soln 500 mg per sachet	71.58	60	✔ **Sabril** S29

(Sabril S29 Powder for oral soln 500 mg per sachet to be delisted 1 May 2026)

➠SA2088 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

1 Any of the following:
- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Either:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; or
- 1.3 Patient has tuberous sclerosis complex; and

2 Either:
- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields..

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and

2 Either:
- 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields..

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 116

Acute Migraine Treatment

RIZATRIPTAN				
Tab orodispersible 10 mg	4.84	30	✔	**Rizamelt**
SUMATRIPTAN				
Tab 50 mg	14.41	90	✔	**Sumagran**
Tab 100 mg	22.68	90	✔	**Sumagran**
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per prescription	29.80	2 OP	✔	**Clustran**

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 49

PIZOTIFEN				
❋ Tab 500 mcg	23.21	100	✔	**Sandomigran**

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 8

APREPITANT – Special Authority see SA0987 below – Retail pharmacy

Cap 2 × 80 mg and 1 × 125 mg	21.90	3 OP	✔	**Emend Tri-Pack**

➠SA0987 **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE				
❋ Tab 16 mg	3.70	100	✔	**Serc**
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.66	10	✔	**Nausicalm**
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml ampoule – Up to 10 inj available on a PSO	16.36	10	✔	**Hameln**
DOMPERIDONE				
❋ Tab 10 mg	3.80	100	✔	**Domperidone Viatris**

DROPERIDOL – Subsidy by endorsement

a) Up to 10 inj available on a PSO
b) Only on a PSO
c) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.

Inj 2.5 mg per ml, 1 ml ampoule	28.68	10	✔	**Droperidol Medsurge**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
HYOSCINE HYDROBROMIDE				
✱ Inj 400 mcg per ml, 1 ml ampoule	93.00	10	✔	**Martindale** S29
Patch 1 mg per 72 hours – Special Authority see SA1998 below – Retail pharmacy	88.50	10	✔	**Scopolamine Transdermal System Viatris**

SA1998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

1. Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
2. Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE				
✱ Tab 10 mg – Up to 30 tab available on a PSO	1.57	100	✔	**Metoclopramide Actavis 10**
✱ Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	5.48	10	✔	**Medsurge**
	7.00		✔	**Baxter**
Medsurge to be Principal Supply on 1 April 2026				
(Baxter Inj 5 mg per ml, 2 ml ampoule to be delisted 1 April 2026)				
ONDANSETRON				
✱ Tab 4 mg	1.95	50	✔	**Periset**
Tab disp 4 mg – Up to 10 tab available on a PSO	0.56	10	✔	**Periset ODT**
✱ Tab 8 mg	3.50	50	✔	**Periset**
Tab disp 8 mg – Up to 10 tab available on a PSO	0.90	10	✔	**Periset ODT**
PROCHLORPERAZINE				
✱ Tab 3 mg buccal	5.97	50		
	(30.00)			Prochlorperazine maleate (Brown & Burk)
✱ Tab 5 mg – Up to 30 tab available on a PSO	25.00	250	✔	**Nausafix**
✱ Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO	25.81	10	✔	**Stemetil**

Antipsychotics

General

AMISULPRIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 100 mg	5.84	30	✔	**Sulprix**
Tab 200 mg	14.47	60	✔	**Sulprix**
Tab 400 mg	35.06	60	✔	**Sulprix**
ARIPIPRAZOLE – Safety medicine; prescriber may determine dispensing frequency				
Tab 5 mg	10.50	30	✔	**Aripiprazole Sandoz**
Tab 10 mg	10.50	30	✔	**Aripiprazole Sandoz**
Tab 15 mg	10.50	30	✔	**Aripiprazole Sandoz**
Tab 20 mg	10.50	30	✔	**Aripiprazole Sandoz**
Tab 30 mg	10.50	30	✔	**Aripiprazole Sandoz**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
CHLORPROMAZINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg – Up to 30 tab available on a PSO	15.62	100	✔	**Largactil**
Tab 100 mg – Up to 30 tab available on a PSO	36.73	100	✔	**Largactil**
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	30.79	10	✔	**Largactil**
CLOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	6.69	50	✔	**Clopine**
			✔	**Clozaril**
	13.37	100	✔	**Clopine**
			✔	**Clozaril**
Tab 50 mg	8.67	50	✔	**Clopine**
	17.33	100	✔	**Clopine**
Tab 100 mg	17.33	50	✔	**Clopine**
			✔	**Clozaril**
	34.65	100	✔	**Clopine**
			✔	**Clozaril**
Tab 200 mg	34.65	50	✔	**Clopine**
	69.30	100	✔	**Clopine**
Suspension 50 mg per ml	173.30	100 ml	✔	**Versacloz**
HALOPERIDOL – Safety medicine; prescriber may determine dispensing frequency				
Tab 500 mcg – Up to 30 tab available on a PSO	6.23	100	✔	**Serenace**
Tab 1.5 mg – Up to 30 tab available on a PSO	9.43	100	✔	**Serenace**
Tab 5 mg – Up to 30 tab available on a PSO	14.86	50	✔	**Serenace**
	29.72	100	✔	**Serenace**
Oral liq 2 mg per ml – Up to 200 ml available on a PSO	23.84	100 ml	✔	**Serenace**
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	12.93	10	✔	**Serenace**
LEVOMEPROMAZINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg (33.8 mg as a maleate)	16.10	100	✔	**Nozinan (Swiss)**
Tab 25 mg as a maleate	16.10	100	✔	**Nozinan**
Tab 100 mg (135 mg as a maleate)	41.75	100	✔	**Nozinan (Swiss)**
Tab 100 mg as a maleate	41.75	100	✔	**Nozinan**
LEVOMEPROMAZINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Inj 25 mg per ml, 1 ml ampoule	23.26	10	✔	**Wockhardt**
LITHIUM CARBONATE – Safety medicine; prescriber may determine dispensing frequency				
Tab long-acting 400 mg	82.80	100	✔	**Priadel**
Cap 250 mg	35.78	100	✔	**Douglas**
OLANZAPINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 2.5 mg	1.40	30	✔	**Zypine**
Tab 5 mg	1.93	30	✔	**Zypine**
Tab orodispersible 5 mg	2.42	28	✔	**Zypine ODT**
Tab 10 mg	1.80	28	✔	**Zypine**
	1.93	30	✔	**Zypine**
Tab orodispersible 10 mg	2.89	28	✔	**Olanzapina Mylan** S29
			✔	**Olanzapina Mylan Pharma** S29
			✔	**Zypine ODT**
PERICYAZINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 2.5 mg	13.61	100	✔	**Neulactil**
Tab 10 mg	48.45	100	✔	**Neulactil**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
QUETIAPINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	0.79	30	✔	**Quetiapine Viatris** S29
	2.36	90	✔	**Quetapel**
	13.11	500	✔	**Quetiapine Viatris** S29
Tab 100 mg	6.40	90	✔	**Quetapel**
Tab 200 mg	10.97	90	✔	**Quetapel**
Tab 300 mg	15.83	90	✔	**Quetapel**
RISPERIDONE – Safety medicine; prescriber may determine dispensing frequency				
Tab 0.5 mg	2.17	60	✔	**Risperidone (Teva)**
Tab 1 mg	2.44	60	✔	**Risperidone (Teva)**
Tab 2 mg	2.72	60	✔	**Risperidone (Teva)**
Tab 3 mg	4.50	60	✔	**Risperidone (Teva)**
Tab 4 mg	6.25	60	✔	**Risperdal**
			✔	**Risperidone (Teva)**
Oral liq 1 mg per ml	10.29	30 ml	✔	**Risperon**
	34.30	100 ml	✔	**Risperon**
ZIPRASIDONE – Safety medicine; prescriber may determine dispensing frequency				
Cap 20 mg	17.90	60	✔	**Zusdone**
Cap 40 mg	27.41	60	✔	**Zusdone**
Cap 60 mg	38.39	60	✔	**Zusdone**
Cap 80 mg	46.55	60	✔	**Zusdone**
ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	31.45	100	✔	**Clopixol**

Depot Injections

ARIPIPRAZOLE – Special Authority see SA2395 below – Retail pharmacy				
Safety medicine; prescriber may determine dispensing frequency				
Inj 300 mg vial	273.56	1	✔	**Abilify Maintena**
Inj 400 mg vial	341.96	1	✔	**Abilify Maintena**

SA2395 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Either:

1.1 The patient has had an initial Special Authority approval for risperidone depot injection, paliperidone depot injection or olanzapine depot injection; or

1.2 All of the following:

1.2.1 The patient has schizophrenia or other psychotic disorder; and

1.2.2 The patient has received treatment with oral atypical antipsychotic agents but has been unable to adhere; and

1.2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months; or

2 Patient has been unable to access olanzapine depot injection due to supply issues with olanzapine depot injection, or otherwise would have been started on olanzapine depot injection but has been unable to due to supply issues with olanzapine depot injection.

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Notes: The Olanzapine depot injection Special Authority criteria that apply to criterion 2 in this Aripiprazole Special Authority application are as follows:

- The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- All of the following:
  - The patient has schizophrenia; and
  - The patient has not been able to adhere with treatment using oral atypical antipsychotic agents; and
  - The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

FLUPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	13.14	5	✔ **Fluanxol**
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO	20.90	5	✔ **Fluanxol**
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	40.87	5	✔ **Fluanxol**

HALOPERIDOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5	✔ **Haldol**
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	✔ **Haldol Concentrate**
			✔ **Haldol Decanoas** S29

OLANZAPINE – Special Authority see SA2586 below – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 210 mg vial	252.00	1	✔ **Zyprexa Relprevv**
Inj 300 mg vial	414.00	1	✔ **Zyprexa Relprevv**
Inj 405 mg vial	504.00	1	✔ **Zyprexa Relprevv**

SA2586 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

1 Either:
  1.1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
  1.2 All of the following:
    1.2.1 The patient has schizophrenia or other psychotic disorder; and
    1.2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
    1.2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months; and
2 The patient has trialled other funded depot antipsychotics (aripiprazole, risperidone, and paliperidone) unless it is considered clinically inappropriate to use these; and
3 The patient continues to have difficulties with adherence on oral antipsychotic treatments; and
4 Prescribing clinician has relevant Clinical Director (Mental Health and Addiction services) approval.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

PALIPERIDONE – Special Authority see SA2396 on the next page – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg syringe	194.25	1	✔ **Invega Sustenna**
Inj 50 mg syringe	271.95	1	✔ **Invega Sustenna**
Inj 75 mg syringe	357.42	1	✔ **Invega Sustenna**
Inj 100 mg syringe	435.12	1	✔ **Invega Sustenna**
Inj 150 mg syringe	435.12	1	✔ **Invega Sustenna**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2396 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Either:

1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection or aripiprazole depot injection; or
2 All of the following:
  2.1 The patient has schizophrenia or other psychotic disorder; and
  2.2 Has been unable to adhere to treatment using oral atypical antipsychotic agents; and
  2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

PALIPERIDONE PALMITATE – Special Authority see SA2167 below – Retail pharmacy

Inj 175 mg syringe	815.85	1	✔	**Invega Trinza**
Inj 263 mg syringe	1,072.26	1	✔	**Invega Trinza**
Inj 350 mg syringe	1,305.36	1	✔	**Invega Trinza**
Inj 525 mg syringe	1,305.36	1	✔	**Invega Trinza**

➠SA2167 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 The patient has schizophrenia; and
2 The patient has had an initial Special Authority approval for paliperidone once-monthly depot injection.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

RISPERIDONE – Special Authority see SA2397 below – Retail pharmacy
Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg vial	135.98	1	✔	**Risperdal Consta**
Inj 37.5 mg vial	178.71	1	✔	**Risperdal Consta**
Inj 50 mg vial	217.56	1	✔	**Risperdal Consta**

➠SA2397 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Either:

1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection or aripiprazole depot injection; or
2 All of the following:
  2.1 The patient has schizophrenia or other psychotic disorder; and
  2.2 Has not been able to adhere with treatment using oral atypical antipsychotic agents; and
  2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

ZUCLOPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	19.80	5	✔	**Clopixol**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Anxiolytics

BUSPIRONE HYDROCHLORIDE

❋ Tab 5 mg	13.95	100	✔	**Buspirone Viatris**
❋ Tab 10 mg	12.50	100	✔	**Buspirone Viatris**

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency

Tab 500 mcg	5.64	100	✔	**Paxam**
Tab 2 mg	10.78	100	✔	**Paxam**

DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency

Tab 2 mg	95.00	500	✔	**Arrow-Diazepam**
Tab 5 mg	115.00	500	✔	**Arrow-Diazepam**

LORAZEPAM – Safety medicine; prescriber may determine dispensing frequency

Tab 1 mg	10.20	250	✔	**Ativan**
Tab 2.5 mg	13.13	100	✔	**Ativan**

Multiple Sclerosis Treatments

➠SA2274 **Special Authority for Subsidy**

Initial application — (Multiple Sclerosis - dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab and teriflunomide) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 All of the following:

1.1 Diagnosis of multiple sclerosis (MS) meets the McDonald 2017 diagnostic criteria for MS and has been confirmed by a neurologist; and

1.2 Patient has an EDSS score between 0 – 6.0; and

1.3 Patient has had at least one significant attack of MS in the previous 12 months or two significant attacks in the past 24 months; and

1.4 All of the following:

1.4.1 Each significant attack must be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the attack, but the neurologist/physician must be satisfied that the clinical features were characteristic); and

1.4.2 Each significant attack is associated with characteristic new symptom(s)/sign(s) or substantially worsening of previously experienced symptoms(s)/sign(s); and

1.4.3 Each significant attack has lasted at least one week and has started at least one month after the onset of a previous attack (where relevant); and

1.4.4 Each significant attack can be distinguished from the effects of general fatigue; and is not associated with a fever (T> 37.5°C); and

1.4.5 Either:

1.4.5.1 Each significant attack is severe enough to change either the EDSS or at least one of the Kurtze Functional System scores by at least 1 point; or

1.4.5.2 Each significant attack is a recurrent paroxysmal symptom of multiple sclerosis (tonic seizures/spasms, trigeminal neuralgia, Lhermitte's symptom); and

1.5 Evidence of new inflammatory activity on an MRI scan within the past 24 months; and

1.6 Any of the following:

1.6.1 A sign of that new inflammatory activity on MRI scanning (in criterion 5 immediately above) is a gadolinium enhancing lesion; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.6.2 A sign of that new inflammatory activity is a lesion showing diffusion restriction; or
1.6.3 A sign of that new inflammatory is a T2 lesion with associated local swelling; or
1.6.4 A sign of that new inflammatory activity is a prominent T2 lesion that clearly is responsible for the clinical features of a recent attack that occurred within the last 2 years; or
1.6.5 A sign of that new inflammatory activity is new T2 lesions compared with a previous MRI scan; or

2 Patient has an active approval for ocrelizumab and does not have primary progressive MS.

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Renewal — (Multiple Sclerosis - dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab and teriflunomide) from any relevant practitioner. Approvals valid for 12 months where patient has had an EDSS score of 0 to 6.0 (inclusive) with or without the use of unilateral or bilateral aids at any time in the last six months (ie the patient has walked 100 metres or more with or without aids in the last six months).

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

DIMETHYL FUMARATE – Special Authority see SA2274 on the previous page – Retail pharmacy

a) Wastage claimable
b) Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Cap 120 mg	520.00	14	✔	**Tecfidera**
Cap 240 mg	2,000.00	56	✔	**Tecfidera**

FINGOLIMOD – Special Authority see SA2274 on the previous page – Retail pharmacy

a) Wastage claimable
b) Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Cap 0.5 mg	2,200.00	28	✔	**Gilenya**

GLATIRAMER ACETATE – Special Authority see SA2274 on the previous page – Retail pharmacy

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Inj 40 mg prefilled syringe	1,500.00	12	✔	**Copaxone**

INTERFERON BETA-1-ALPHA – Special Authority see SA2274 on the previous page – Retail pharmacy

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Inj 6 million iu prefilled syringe	1,170.00	4	✔	**Avonex**

INTERFERON BETA-1-BETA – Special Authority see SA2274 on the previous page – Retail pharmacy

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Inj 8 million iu per 1 ml	1,322.89	15	✔	**Betaferon**

NATALIZUMAB – Special Authority see SA2274 on the previous page – Retail pharmacy

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Inj 20 mg per ml, 15 ml vial	1,750.00	1	✔	**Tysabri**

TERIFLUNOMIDE – Special Authority see SA2274 on the previous page – Retail pharmacy

a) Wastage claimable
b) Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Tab 14 mg	263.96	28	✔	**Teriflunomide Sandoz**

Multiple Sclerosis Treatments - Other

OCRELIZUMAB – Special Authority see SA2273 on the next page – Retail pharmacy

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Inj 30 mg per ml, 10 ml vial	8,450.00	1	✔	**Ocrevus**
Inj 40 mg per ml, 23 ml vial	16,900.00	1	✔	**Ocrevus SC**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA2273 Special Authority for Subsidy

Initial application — (Multiple Sclerosis - ocrelizumab) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 All of the following:

1.1 Diagnosis of multiple sclerosis (MS) meets the McDonald 2017 diagnostic criteria for MS and has been confirmed by a neurologist; and

1.2 Patient has an EDSS score between 0 – 6.0; and

1.3 Patient has had at least one significant attack of MS in the previous 12 months or two significant attacks in the past 24 months; and

1.4 All of the following:

1.4.1 Each significant attack must be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the attack, but the neurologist/physician must be satisfied that the clinical features were characteristic); and

1.4.2 Each significant attack is associated with characteristic new symptom(s)/sign(s) or substantially worsening of previously experienced symptoms(s)/sign(s); and

1.4.3 Each significant attack has lasted at least one week and has started at least one month after the onset of a previous attack (where relevant); and

1.4.4 Each significant attack can be distinguished from the effects of general fatigue; and is not associated with a fever (T> 37.5°C); and

1.4.5 Either:

1.4.5.1 Each significant attack is severe enough to change either the EDSS or at least one of the Kurtze Functional System scores by at least 1 point; or

1.4.5.2 Each significant attack is a recurrent paroxysmal symptom of multiple sclerosis (tonic seizures/spasms, trigeminal neuralgia, Lhermitte's symptom); and

1.5 Evidence of new inflammatory activity on an MRI scan within the past 24 months; and

1.6 Any of the following:

1.6.1 A sign of that new inflammatory activity on MRI scanning (in criterion 5 immediately above) is a gadolinium enhancing lesion; or

1.6.2 A sign of that new inflammatory activity is a lesion showing diffusion restriction; or

1.6.3 A sign of that new inflammatory is a T2 lesion with associated local swelling; or

1.6.4 A sign of that new inflammatory activity is a prominent T2 lesion that clearly is responsible for the clinical features of a recent attack that occurred within the last 2 years; or

1.6.5 A sign of that new inflammatory activity is new T2 lesions compared with a previous MRI scan; or

2 Patient has an active Special Authority approval for either dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab or teriflunomide.

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Renewal — (Multiple Sclerosis - ocrelizumab) from any relevant practitioner. Approvals valid for 12 months where patient has had an EDSS score of 0 to 6.0 (inclusive) with or without the use of unilateral or bilateral aids at any time in the last six months (ie the patient has walked 100 metres or more with or without aids in the last six months).

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Initial application — (Primary Progressive Multiple Sclerosis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Diagnosis of primary progressive multiple sclerosis (PPMS) meets the 2017 McDonald criteria and has been confirmed by a neurologist; and

2 Patient has an EDSS 2.0 (score equal to or greater than 2 on pyramidal functions) to EDSS 6.5; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3 Patient has no history of relapsing remitting multiple sclerosis.

Renewal — (Primary Progressive Multiple Sclerosis) from any relevant practitioner. Approvals valid for 12 months where patient has had an EDSS score of less than or equal to 6.5 at any time in the last six months (ie patient has walked 20 metres with bilateral assistance/aids, without rest in the last six months).

Sedatives and Hypnotics

MELATONIN – Special Authority see SA2523 below – Retail pharmacy

Tab modified-release 2 mg – No more than 5 tab per day ..... 5.80 30 ✔ **Vigisom**

Restricted to patients aged 18 years or under.

SA2523 Special Authority for Subsidy

Initial application only from a psychiatrist, paediatrician, neurologist, respiratory specialist or any relevant practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)*; and
2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
4 Patient is aged 18 years or under*.

Renewal only from a psychiatrist, paediatrician, neurologist, respiratory specialist or any relevant practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient is aged 18 years or under*; and
2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with * are unapproved indications.

MIDAZOLAM – Safety medicine; prescriber may determine dispensing frequency

Inj 1 mg per ml, 5 ml ampoule ..... 7.80 10 ✔ **Midazolam-Baxter**

Inj 1 mg per ml, 5 ml plastic ampoule – Up to 10 inj available on a PSO ..... 46.65 10 ✔ **Midazolam-Pfizer**

On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only.

Inj 5 mg per ml, 1 ml plastic ampoule – Up to 10 inj available on a PSO ..... 22.50 10 ✔ **Midazolam-Pfizer**

On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only.

Inj 5 mg per ml, 3 ml ampoule ..... 4.75 5 ✔ **Midazolam-Baxter**

Inj 5 mg per ml, 3 ml plastic ampoule – Up to 5 inj available on a PSO ..... 35.10 5 ✔ **Midazolam-Pfizer**

On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only.

PHENOBARBITONE SODIUM – Special Authority see SA1386 on the next page – Retail pharmacy

Inj 200 mg per ml, 1 ml ampoule ..... 113.37 10 ✔ **Max Health** S29

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA1386 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

1 For the treatment of terminal agitation that is unresponsive to other agents; and
2 The applicant is part of a multidisciplinary team working in palliative care.

TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	1.40	25	✔	**Normison**
ZOPICLONE – Safety medicine; prescriber may determine dispensing frequency				
Tab 7.5 mg	21.85	500	✔	**Zopiclone Actavis**

Spinal Muscular Atrophy

NUSINERSEN – PCT only – Special Authority see SA2174 below				
Inj 12 mg per 5 ml vial	120,000.00	1	✔	**Spinraza**

SA2174 Special Authority for Subsidy
Initial application — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient has genetic documentation of homozygous SMN1 gene deletion, homozygous SMN1 point mutation, or compound heterozygous mutation; and
2 Patient is 18 years of age or under; and
3 Either:
   3.1 Patient has experienced the defined signs and symptoms of SMA type I, II or IIIa prior to three years of age; or
   3.2 Both:
      3.2.1 Patient is pre-symptomatic; and
      3.2.2 Patient has three or less copies of SMN2.

Renewal — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 There has been demonstrated maintenance of motor milestone function since treatment initiation; and
2 Patient does not require invasive permanent ventilation (at least 16 hours per day) in the absence of a potentially reversible cause while being treated with nusinersen; and
3 Nusinersen not to be administered in combination other SMA disease modifying treatments or gene therapy.

RISDIPLAM – [Xpharm] – Special Authority see SA2203 below				
Note: the supply of risdiplam is via Pharmac's approved direct distribution supply. Further details can be found on Pharmac's website https://pharmac.govt.nz/risdiplam				
Powder for oral soln 750 mcg per ml, 60 mg per bottle	14,100.00	80 ml OP	✔	**Evrysdi**

SA2203 Special Authority for Subsidy
Initial application — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient has genetic documentation of homozygous SMN1 gene deletion, homozygous SMN1 point mutation, or compound heterozygous mutation; and
2 Patient is 18 years of age or under; and
3 Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3.1 Patient has experienced the defined signs and symptoms of SMA type I, II or IIIa prior to three years of age; or
3.2 Both:
3.2.1 Patient is pre-symptomatic; and
3.2.2 Patient has three or less copies of SMN2.

Renewal — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 There has been demonstrated maintenance of motor milestone function since treatment initiation; and
2 Patient does not require invasive permanent ventilation (at least 16 hours per day) in the absence of a potentially reversible cause while being treated with risdiplam; and
3 Risdiplam not to be administered in combination other SMA disease modifying treatments or gene therapy.

Stimulants/ADHD Treatments

ATOMOXETINE

Cap 10 mg	43.02	28	✔	**APO-Atomoxetine**
Cap 18 mg	45.57	28	✔	**APO-Atomoxetine**
Cap 25 mg	44.30	28	✔	**APO-Atomoxetine**
Cap 40 mg	46.21	28	✔	**APO-Atomoxetine**
Cap 60 mg	51.31	28	✔	**APO-Atomoxetine**
Cap 80 mg	65.20	28	✔	**APO-Atomoxetine**
Cap 100 mg	65.71	28	✔	**APO-Atomoxetine**

DEXAMFETAMINE SULFATE – Special Authority see SA2587 below – Retail pharmacy

a) Only on a controlled drug form
b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg	29.80	100	✔	**Noumed Dexamfetamine**

➠SA2587 Special Authority for Subsidy

Initial application — (ADHD in patients aged 5 years or over) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients aged 5 years or over; and
2 Diagnosed according to DSM-IV or ICD 10 criteria; and
3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for dexamfetamine (see note).

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22 as of April 2025).

Initial application — (ADHD in patients aged under 5 years) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients under 5 years of age; and
2 Diagnosed according to DSM-IV or ICD 10 criteria; and
3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for dexamfetamine (see note).

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22 as of April 2025).

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified where the patient suffers from narcolepsy.

LISDEXAMFETAMINE DIMESILATE – Special Authority see SA2588 below – Retail pharmacy

a) Only on a controlled drug form
b) Safety medicine; prescriber may determine dispensing frequency

Cap 30 mg – No more than 1 cap per day	60.00	30	✔	**Vyvanse**
Cap 50 mg	60.00	30	✔	**Vyvanse**
Cap 70 mg	60.00	30	✔	**Vyvanse**

➠SA2588 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Patient is currently on treatment with lisdexamfetamine dimesilate and met all the following criteria prior to commencing treatment; or
2 All of the following:
  2.1 ADHD (Attention Deficit and Hyperactivity Disorder); and
  2.2 Diagnosed according to DSM-5 or ICD 11 criteria; and
  2.3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for lisdexamfetamine (see note); and
  2.4 Any of the following:
    2.4.1 Patient is taking a currently subsidised formulation of atomoxetine or methylphenidate hydrochloride (extended-release) for ADHD and has not received sufficient clinical benefit or has experienced intolerable side effects; or
    2.4.2 Patient is taking a currently subsidised formulation of dexamfetamine sulfate (immediate-release) which has not been effective due to significant administration and/or treatment adherence difficulties; or
    2.4.3 There is significant concern regarding the risk of diversion or abuse of immediate release dexamfetamine sulfate; or
    2.4.4 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained release) which has not been effective due to significant administration and/or treatment adherence difficulties; or
    2.4.5 There is significant concern regarding the risk of diversion or abuse of immediate release methylphenidate hydrochloride; or
    2.4.6 Both:
      2.4.6.1 Patient would have been prescribed a subsidised formulation of methylphenidate hydrochloride (extended-release) but has been unable to access due to supply issues with methylphenidate hydrochloride (extended-release); and
      2.4.6.2 Other alternative stimulant presentations (methylphenidate or dexamfetamine) are not appropriate; and
  2.5 Lisdexamfetamine dimesilate is not to be used in combination with another funded methylphenidate presentation.

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22 as of April 2025).

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE – Special Authority see SA2590 below – Retail pharmacy				
a) Only on a controlled drug form				
b) Safety medicine; prescriber may determine dispensing frequency				
Tab modified-release 18 mg	15.25	30	✔	**Methylphenidate Sandoz XR**
Tab modified-release 27 mg	16.25	30	✔	**Methylphenidate Sandoz XR**
Tab modified-release 36 mg	21.25	30	✔	**Methylphenidate Sandoz XR**
Tab modified-release 54 mg	24.25	30	✔	**Methylphenidate Sandoz XR**
Tab immediate-release 5 mg	3.20	30	✔	**Rubifen**
Tab immediate-release 10 mg	3.00	30	✔	**Rubifen**
	4.00		✔	**Ritalin**
Tab extended-release 18 mg	15.25	30	✔	**Methylphenidate ER - Teva**
Tab immediate-release 20 mg	7.85	30	✔	**Rubifen**
Tab sustained-release 20 mg	10.95	30	✔	**Rubifen SR**
Tab extended-release 27 mg	16.25	30	✔	**Methylphenidate ER - Teva**
Tab extended-release 36 mg	21.25	30	✔	**Methylphenidate ER - Teva**
Tab extended-release 54 mg	24.25	30	✔	**Methylphenidate ER - Teva**

SA2590 Special Authority for Subsidy

Initial application — (ADHD in patients aged 5 years or over) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients aged 5 years or over; and
2 Diagnosed according to DSM-IV or ICD 10 criteria; and
3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for methylphenidate (see note).

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22 as of April 2025).

Initial application — (ADHD in patients aged under 5 years) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients under 5 years of age; and
2 Diagnosed according to DSM-IV or ICD 10 criteria; and
3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for methylphenidate (see note).

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22 as

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
of April 2025).

Initial application — (Narcolepsy*) only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified where the patient suffers from narcolepsy.

Note: *narcolepsy is not a registered indication for Methylphenidate ER – Teva or Methylphenidate Sandoz XR.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE – Special Authority see SA2591 below – Retail pharmacy

a) Only on a controlled drug form
b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg	58.96	30	✔ **Concerta**
Tab extended-release 27 mg	65.44	30	✔ **Concerta**
Tab extended-release 36 mg	71.93	30	✔ **Concerta**
Tab extended-release 54 mg	86.24	30	✔ **Concerta**
Cap modified-release 10 mg	19.41	30	✔ **Ritalin LA**
Cap modified-release 20 mg	27.72	30	✔ **Ritalin LA**
Cap modified-release 30 mg	34.39	30	✔ **Ritalin LA**
Cap modified-release 40 mg	38.67	30	✔ **Ritalin LA**

SA2591 Special Authority for Subsidy

Initial application — (ADHD) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 All of the following:
- 1.1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 1.2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 1.3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for methylphenidate (see note); and
- 1.4 Either:
  - 1.4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or difficulties with adherence; or
  - 1.4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride; or

2 Both:
- 2.1 Patient meets the Special Authority criteria for SA2590 methylphenidate hydrochloride; and
- 2.2 Patient is unable to access other methylphenidate hydrochloride presentations under Special Authority criteria SA2590 due to an out of stock (see note).

Notes: Criterion 2 is to permit short-term funding to cover an out-of-stock on tab extended-release Methylphenidate ER – Teva and tab sustained-release 20 mg Rubifen SR subsidised under SA2590 (https://schedule.pharmac.govt.nz/latest/SA2590.pdf). Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22 as of April 2025).

Initial application — (Narcolepsy*) only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified where the patient suffers from narcolepsy.

Note: *narcolepsy is not a registered indication for Concerta or Ritalin LA.

MODAFINIL – Special Authority see SA2451 on the next page – Retail pharmacy

Tab 100 mg	14.27	30	✔ **Modafinil Max Health**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2451 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 All of the following:

1.1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and

1.2 Either:

1.2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or

1.2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

1.3 Either:

1.3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or

1.3.2 Methylphenidate and dexamfetamine are contraindicated; or

2 Both:

2.1 Patient meets the Special Authority criteria for methylphenidate hydrochloride or methylphenidate hydrochloride extended-release for narcolepsy; and

2.2 Patient is unable to access methylphenidate hydrochloride presentations due to an out of stock (see note).

Note: Criterion 2 is to permit short-term funding to cover an out-of-stock of methylphenidate hydrochloride or methylphenidate hydrochloride extended release.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
✻ Tab 5 mg	3.70	84	✔ **Ipca-Donepezil**
✻ Tab 10 mg	5.50	84	✔ **Ipca-Donepezil**
RIVASTIGMINE – Special Authority see SA2524 below – Retail pharmacy			
Patch 4.6 mg per 24 hour	49.40	30	✔ **Rivastigmine Patch BNM 5**
Patch 9.5 mg per 24 hour	49.40	30	✔ **Rivastigmine Patch BNM 10**

➠SA2524 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 The patient has been diagnosed with dementia; and

2 The patient is contraindicated to or has experienced intolerable side effects from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate; and

2 The patient has demonstrated a significant and sustained benefit from treatment.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE – Special Authority see SA2592 below – Retail pharmacy

a) No patient co-payment payable
b) Safety medicine; prescriber may determine dispensing frequency

Tab sublingual 2 mg with naloxone 0.5 mg	11.76	28	✔	**Buprenorphine Naloxone BNM**
Buprenorphine Naloxone BNM to be Principal Supply on 1 May 2026				
Tab sublingual 8 mg with naloxone 2 mg	26.86	28	✔	**Buprenorphine Naloxone BNM**
Buprenorphine Naloxone BNM to be Principal Supply on 1 May 2026				

➠SA2592 **Special Authority for Subsidy**

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:
All of the following:

1 Patient is opioid dependent; and
2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
3 Applicant works in an opioid treatment service approved by the Ministry of Health..

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient is opioid dependent; and
2 Patient will not be receiving methadone; and
3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:
All of the following:

1 Patient is opioid dependent; and
2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient received but failed detoxification with buprenorphine with naloxone; and
2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
4 Applicant works in an opioid treatment service approved by the Ministry of Health.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
BUPROPION HYDROCHLORIDE				
Tab modified-release 150 mg	15.00	30	✔	**Zyban**
DISULFIRAM				
Tab 200 mg	236.40	100	✔	**Antabuse**
NALTREXONE HYDROCHLORIDE – Special Authority see SA1408 below – Retail pharmacy				
Tab 50 mg	83.33	30	✔	**Naltraccord**

SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
2 Applicant works in or with a community Alcohol and Drug Service contracted to Health NZ or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Compliance with the medication (prescriber determined); and
2 Any of the following:
   2.1 Patient is still unstable and requires further treatment; or
   2.2 Patient achieved significant improvement but requires further treatment; or
   2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

a) Nicotine will not be funded in amounts less than 4 weeks of treatment.
b) Note: Direct Provision by a pharmacist permitted under the provisions in Part I of Section A.

Patch 7 mg – Up to 28 patch available on a PSO	19.62	28	✔	**Habitrol**
Patch 14 mg – Up to 28 patch available on a PSO	21.57	28	✔	**Habitrol**
Patch 14 mg for direct distribution only – [Xpharm]	12.49	7	✔	**Habitrol**
Patch 21 mg – Up to 28 patch available on a PSO	24.72	28	✔	**Habitrol**
Patch 21 mg for direct distribution only – [Xpharm]	13.19	7	✔	**Habitrol**
Lozenge 1 mg – Up to 216 loz available on a PSO	22.53	216	✔	**Habitrol**
Lozenge 1 mg for direct distribution only – [Xpharm]	12.89	36	✔	**Habitrol**
Lozenge 2 mg – Up to 216 loz available on a PSO	24.68	216	✔	**Habitrol**
Lozenge 2 mg for direct distribution only – [Xpharm]	13.25	36	✔	**Habitrol**
Gum 2 mg (Fruit) – Up to 204 piece available on a PSO	23.02	204	✔	**Habitrol**
Gum 2 mg (Fruit) for direct distribution only – [Xpharm]	17.57	96	✔	**Habitrol**
Gum 2 mg (Mint) – Up to 204 piece available on a PSO	23.02	204	✔	**Habitrol**
Gum 2 mg (Mint) for direct distribution only – [Xpharm]	17.57	96	✔	**Habitrol**
Gum 4 mg (Fruit) – Up to 204 piece available on a PSO	25.98	204	✔	**Habitrol**
Gum 4 mg (Fruit) for direct distribution only – [Xpharm]	23.87	96	✔	**Habitrol**
Gum 4 mg (Mint) – Up to 204 piece available on a PSO	25.98	204	✔	**Habitrol**
Gum 4 mg (Mint) for direct distribution only – [Xpharm]	23.87	96	✔	**Habitrol**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
VARENICLINE TARTRATE – Special Authority see SA1845 below – Retail pharmacy				
a) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack				
b) Varenicline will not be funded in amounts less than 4 weeks of treatment.				
c) The 6-month time period in which a patient can receive a funded 12-week course of varenicline tartrate starts from the date the Special Authority is approved.				
Tab 0.5 mg × 11 and 1 mg × 42	15.99	53 OP	✔	**Pharmacor Varenicline**
	16.67		✔	**Champix**
Tab 1 mg	10.99	56	✔	**Pharmacor Varenicline**
	17.62		✔	**Champix**

(Champix Tab 0.5 mg × 11 and 1 mg × 42 to be delisted 1 September 2026)
(Champix Tab 1 mg to be delisted 1 September 2026)

SA1845 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:
All of the following:

1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
3 Either:
   3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
   3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
4 The patient has not had a Special Authority for varenicline approved in the last 6 months; and
5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
6 The patient is not pregnant; and
7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:
All of the following:

1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
3 It has been 6 months since the patient's previous Special Authority was approved; and
4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
5 The patient is not pregnant; and
6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 6 months.
Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.
This includes the 4-week 'starter' pack.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BENDAMUSTINE HYDROCHLORIDE – PCT only – Specialist – Special Authority see SA2398 below

Inj 25 mg vial	50.05	1	✔	**Bendamustine Sandoz**
	77.00		✔	**Ribomustin**
Inj 100 mg vial	200.20	1	✔	**Bendamustine Sandoz**
	308.00		✔	**Ribomustin**
Inj 1 mg for ECP	2.11	1 mg	✔	**Baxter**

➠SA2398 **Special Authority for Subsidy**

Initial application — (CLL*) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 The patient has chronic lymphocytic leukaemia requiring treatment; and
2 Patient has ECOG performance status of 0-2; and
3 Bendamustine is to be administered at a maximum dose of 100 mg/m^2 on days 1 and 2 every 4 weeks for a maximum of 6 cycles.

Note: Indication marked with a * includes indications that are unapproved. 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL).

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:

1 The patient has indolent low grade NHL requiring treatment; and
2 The patient has ECOG performance status of 0-2; and
3 Any of the following:
  3.1 Both:
    3.1.1 Patient is treatment naive; and
    3.1.2 Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+); or
  3.2 Both:
    3.2.1 Patient is refractory to or has relapsed within 12 months of a rituximab containing combined chemo-immunotherapy regimen; and
    3.2.2 Bendamustine is to be administered in combination with obinutuzumab for a maximum of 6 cycles; or
  3.3 All of the following:
    3.3.1 The patient has not received prior bendamustine therapy; and
    3.3.2 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
    3.3.3 Patient has had a rituximab treatment-free interval of 12 months or more; or
  3.4 Bendamustine is to be administered as monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:
Either:

1 Both:
  1.1 Patient is refractory to or has relapsed within 12 months of rituximab in combination with bendamustine; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2 Bendamustine is to be administered in combination with obinutuzumab for a maximum of 6 cycles; or

2 Both:

2.1 Patients have not received a bendamustine regimen within the last 12 months; and

2.2 Either:

2.2.1 Both:

2.2.1.1 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and

2.2.1.2 Patient has had a rituximab treatment-free interval of 12 months or more; or

2.2.2 Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Note: 'indolent, low-grade lymphomas' includes follicular, mantle cell, marginal zone and lymphoplasmacytic/ Waldenstrom's macroglobulinaemia.

Initial application — (Hodgkin's lymphoma*) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has Hodgkin's lymphoma requiring treatment; and
2 Patient has a ECOG performance status of 0-2; and
3 Patient has received one prior line of chemotherapy; and
4 Patient's disease relapsed or was refractory following prior chemotherapy; and
5 Bendamustine is to be administered in combination with gemcitabine and vinorelbine (BeGeV) at a maximum dose of no greater than 90 mg/m2 twice per cycle, for a maximum of four cycles.

Note: Indications marked with * are unapproved indications.

BUSULFAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	89.25	100	✔	**Myleran**
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 45 ml vial	25.73	1	✔	**Carboplatin Accord**
	32.59		✔	**DBL Carboplatin**
	48.50		✔	**Carbaccord**
Inj 1 mg for ECP	0.06	1 mg	✔	**Baxter**
CARMUSTINE – PCT only – Specialist				
Inj 100 mg vial	710.00	1	✔	**BiCNU**
Inj 100 mg for ECP	710.00	100 mg OP	✔	**Baxter**
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	29.06	25	✔	**Leukeran FC**
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml vial	9.45	1	✔	**Cisplatin Accord**
	15.00		✔	**Cisplatin Ebewe**
Inj 1 mg per ml, 100 ml vial	18.90	1	✔	**Cisplatin Accord**
	21.00		✔	**Cisplatin Ebewe**
	29.66		✔	**DBL Cisplatin**
Inj 1 mg for ECP	0.19	1 mg	✔	**Baxter**
CYCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist	145.00	50	✔	**Cyclonex**
Inj 1 g vial – PCT – Retail pharmacy-Specialist	47.46	1	✔	**Endoxan**
	127.80	6	✔	**Cytoxan**
Inj 2 g vial – PCT only – Specialist	95.06	1	✔	**Endoxan**
Inj 1 mg for ECP – PCT only – Specialist	0.05	1 mg	✔	**Baxter**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
IFOSFAMIDE – PCT only – Specialist				
Inj 1 g	96.00	1	✔	**Holoxan**
Inj 2 g	180.00	1	✔	**Holoxan**
Inj 1 mg for ECP	0.10	1 mg	✔	**Baxter**
LOMUSTINE – PCT – Retail pharmacy-Specialist				
Cap 40 mg	880.00	20	✔	**Medac** S29
MELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist	40.70	25	✔	**Alkeran**
Inj 50 mg – PCT only – Specialist	48.25	1	✔	**Melpha**
	67.80		✔	**Alkeran**
OXALIPLATIN – PCT only – Specialist				
Inj 100 mg vial	25.01	1	✔	**Oxaliplatin Actavis 100**
	110.00		✔	**Oxaliplatin Ebewe**
Inj 5 mg per ml, 20 ml vial	33.35	1	✔	**Alchemy Oxaliplatin**
	46.32		✔	**Oxaliplatin Accord**
Inj 1 mg for ECP	0.35	1 mg	✔	**Baxter**
THIOTEPA – PCT only – Specialist				
Inj 15 mg vial	CBS	1	✔	**Bedford** S29
			✔	**Max Health** S29
			✔	**THIO-TEPA** S29
	398.00		✔	**Tepadina**
Inj 100 mg vial	CBS	1	✔	**Max Health** S29
	1,800.00		✔	**Tepadina**

Antimetabolites

AZACITIDINE – PCT only – Specialist – Special Authority see SA2479 below				
Inj 100 mg vial	50.00	1	✔	**Azacitidine Dr Reddy's**
Inj 1 mg for ECP	0.54	1 mg	✔	**Baxter**

SA2479 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 Any of the following:

1.1 The individual has intermediate or high risk MDS based on an internationally recognised scoring system; or

1.2 The individual has chronic myelomonocytic leukaemia (based on an intermediate or high risk score from an internationally recognised scoring system or 10%-29% marrow blasts without myeloproliferative disorder); or

1.3 The individual has acute myeloid leukaemia according to World Health Organisation Classification (WHO); and

2 The individual has an estimated life expectancy of at least 3 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
CALCIUM FOLINATE				
Tab 15 mg – PCT – Retail pharmacy-Specialist	135.33	10	✔	**DBL Leucovorin Calcium**
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	17.10	5	✔	**Hospira**
Inj 10 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist	112.20	5	✔	**Eurofolic**
Inj 50 mg – PCT – Retail pharmacy-Specialist	72.80	10	✔	**Leucovorin Pharmacia** S29
Inj 10 mg per ml, 10 ml vial – PCT only – Specialist	163.35	5	✔	**Eurofolic**
Inj 100 mg – PCT only – Specialist	94.90	10	✔	**Leucovorin Pharmacia** S29
Inj 300 mg – PCT only – Specialist	21.55	1	✔	**Leucovorin DBL** S29
Inj 10 mg per ml, 100 ml vial – PCT only – Specialist	139.48	1	✔	**Eurofolic**
Inj 1 mg for ECP – PCT only – Specialist	0.14	1 mg	✔	**Baxter**
CAPECITABINE – Retail pharmacy-Specialist				
Tab 150 mg	10.92	60	✔	**Capecitabine Viatris**
Tab 500 mg	50.96	120	✔	**Capecitabine Viatris**
CLADRIBINE – PCT only – Specialist				
Inj 1 mg per ml, 10 ml	749.96	1	✔	**Leustatin**
Inj 10 mg for ECP	749.96	10 mg OP	✔	**Baxter**
CYTARABINE				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist	472.00	5	✔	**Pfizer**
Inj 100 mg per ml, 20 ml vial – PCT – Retail pharmacy-Specialist	48.80	1	✔	**Cytarabine DBL**
			✔	**Pfizer**
Inj 1 mg for ECP – PCT only – Specialist	0.29	10 mg	✔	**Baxter**
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist	94.40	100 mg OP	✔	**Baxter**
FLUDARABINE PHOSPHATE				
Tab 10 mg – PCT – Retail pharmacy-Specialist	412.00	20	✔	**Fludara Oral**
Inj 50 mg vial – PCT only – Specialist	634.00	5	✔	**Fludarabine Ebewe**
Inj 50 mg for ECP – PCT only – Specialist	126.80	50 mg OP	✔	**Baxter**
FLUOROURACIL				
Inj 50 mg per ml, 20 ml vial – PCT only – Specialist	10.51	1	✔	**Fluorouracil Accord**
Inj 50 mg per ml, 50 ml vial – PCT only – Specialist	14.72	1	✔	**Fluorouracil Accord**
Inj 50 mg per ml, 100 ml vial – PCT only – Specialist	19.36	1	✔	**Fluorouracil Accord**
Inj 1 mg for ECP – PCT only – Specialist	0.41	100 mg	✔	**Baxter**
GEMCITABINE HYDROCHLORIDE – PCT only – Specialist				
Inj 43.3 mg per ml (equivalent to 38 mg per ml gemcitabine), 26.3 ml vial	18.94	1	✔	**DBL Gemcitabine**
Inj 1 g	15.89	1	✔	**Gemcitabine Ebewe**
Inj 1 mg for ECP	0.02	1 mg	✔	**Baxter**
IRINOTECAN HYDROCHLORIDE – PCT only – Specialist				
Inj 20 mg per ml, 5 ml vial	52.57	1	✔	**Accord**
	71.44		✔	**Irinotecan Actavis 100**
	100.00		✔	**Irinotecan-Rex**
Inj 20 mg per ml, 25 ml vial	262.85	1	✔	**Accord** S29
Inj 1 mg for ECP	0.54	1 mg	✔	**Baxter**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
MERCAPTOPURINE				
Tab 50 mg – PCT – Retail pharmacy-Specialist	19.50	25	✔	Puri-nethol
Oral suspension 20 mg per ml – Retail pharmacy-Specialist – Special Authority see SA1725 below	428.00	100 ml OP	✔	Allmercap
			✔	Xaluprine S29

SA1725 Special Authority for Subsidy

Initial application only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months where the patient requires a total dose of less than one full 50 mg tablet per day.

Renewal only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months where patient still requires a total dose of less than one full 50 mg tablet per day.

METHOTREXATE				
✻ Tab 2.5 mg – PCT	7.80	90	✔	Trexate
✻ Tab 10 mg – PCT	26.40	90	✔	Trexate
✻ Inj 2.5 mg per ml, 2 ml – PCT	95.29	5	✔	Methotrexate DBL
✻ Inj 7.5 mg prefilled syringe	29.17	1	✔	Methotrexate Sandoz
✻ Inj 10 mg prefilled syringe	19.09	1	✔	Methotrexate Sandoz
✻ Inj 15 mg prefilled syringe	24.53	1	✔	Methotrexate Sandoz
✻ Inj 20 mg prefilled syringe	16.64	1	✔	Methotrexate Sandoz
✻ Inj 25 mg prefilled syringe	20.72	1	✔	Methotrexate Sandoz
✻ Inj 30 mg prefilled syringe	55.00	1	✔	Methotrexate Sandoz
✻ Inj 25 mg per ml, 2 ml vial – PCT	30.00	5	✔	Methotrexate DBL Onco-Vial
✻ Inj 25 mg per ml, 20 ml vial – PCT	45.00	1	✔	DBL Methotrexate Onco-Vial
✻ Inj 100 mg per ml, 10 ml – PCT	25.00	1	✔	Methotrexate Ebewe
✻ Inj 100 mg per ml, 50 ml vial – PCT	67.99	1	✔	Methotrexate Ebewe
✻ Inj 1 mg for ECP – PCT only – Specialist	0.06	1 mg	✔	Baxter
✻ Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist	19.06	5 mg OP	✔	Baxter
PEMETREXED – PCT only – Specialist				
Inj 100 mg vial	8.99	1	✔	Pemetrexed-AFT
	60.89		✔	Juno Pemetrexed
Inj 500 mg vial	29.99	1	✔	Pemetrexed-AFT
	217.77		✔	Juno Pemetrexed
Inj 1 mg for ECP	0.11	1 mg	✔	Baxter
THIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg	126.31	25	✔	Lanvis

Other Cytotoxic Agents

AMSACRINE – PCT only – Specialist				
Inj 50 mg per ml, 1.5 ml ampoule	4,736.00	6	✔	Amsidine S29
Inj 75 mg	6,218.00	5	✔	AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Specialist				
Cap 0.5 mg	1,175.87	100	✔	Agrylin

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 1 mg per ml, 10 ml vial	4,817.00	10	✔	**Phenasen**
Inj 10 mg for ECP	481.70	10 mg OP	✔	**Baxter**
BLEOMYCIN SULPHATE – PCT only – Specialist				
Inj 15,000 iu, vial	185.16	1	✔	**DBL Bleomycin Sulfate**
Inj 1,000 iu for ECP	14.32	1,000 iu	✔	**Baxter**
BORTEZOMIB – PCT only – Specialist – Special Authority see SA2593 below				
Inj 3.5 mg vial	74.93	1	✔	**DBL Bortezomib**
Inj 1 mg for ECP	22.26	1 mg	✔	**Baxter**

SA2593 Special Authority for Subsidy

Initial application — (plasma cell dyscrasia) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment.

Initial application — (Waldenström Macroglobulinaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has Waldenström Macroglobulinaemia/Lymphoplasmacytic Lymphoma requiring treatment; and
2 The patient has not received prior bortezomib treatment.

Renewal — (Waldenström Macroglobulinaemia) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of clinical disease progression during bortezomib use.

DACARBAZINE – PCT only – Specialist				
Inj 200 mg vial	72.11	1	✔	**DBL Dacarbazine**
Inj 200 mg for ECP	72.11	200 mg OP	✔	**Baxter**
DACTINOMYCIN [ACTINOMYCIN D] – PCT only – Specialist				
Inj 0.5 mg vial	255.00	1	✔	**Cosmegen**
Inj 0.5 mg for ECP	255.00	0.5 mg OP	✔	**Baxter**
DAUNORUBICIN – PCT only – Specialist				
Inj 20 mg vial	171.93	1	✔	**Cerubidine**
Inj 18.7 mg for ECP	160.75	18.7 mg OP	✔	**Baxter**
Inj 20 mg for ECP	171.93	20 mg OP	✔	**Baxter**
Inj 18.7 mg vial	160.75	1	✔	**Pfizer**
DOCETAXEL – PCT only – Specialist				
Inj 20 mg	48.75	1	✔	**Docetaxel Sandoz**
Inj 10 mg per ml, 8 ml vial	24.91	1	✔	**DBL Docetaxel**
Inj 20 mg per ml, 4 ml vial	26.95	1	✔	**Docetaxel Accord** S29
Inj 80 mg	195.00	1	✔	**Docetaxel Sandoz**
Inj 1 mg for ECP	0.35	1 mg	✔	**Baxter**
DOXORUBICIN HYDROCHLORIDE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml vial	10.00	1	✔	**Doxorubicin Ebewe**
Inj 2 mg per ml, 25 ml vial	11.50	1	✔	**Doxorubicin Ebewe**
	17.00		✔	**Arrow-Doxorubicin**
Inj 2 mg per ml, 50 ml vial	23.00	1	✔	**Doxorubicin Ebewe**
Inj 2 mg per ml, 100 ml vial	65.00	1	✔	**Arrow-Doxorubicin**
	69.99		✔	**Doxorubicin Ebewe**
Inj 1 mg for ECP	0.35	1 mg	✔	**Baxter**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
EPIRUBICIN HYDROCHLORIDE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml vial	25.00	1	✔	**Epirubicin Ebewe**
Inj 2 mg per ml, 25 ml vial	30.00	1	✔	**Epirubicin Ebewe**
Inj 2 mg per ml, 100 ml vial	99.99	1	✔	**Epirubicin Ebewe**
Inj 1 mg for ECP	0.50	1 mg	✔	**Baxter**
ETOPOSIDE				
Cap 50 mg – PCT – Retail pharmacy-Specialist Wastage claimable	340.73	20	✔	**Vepesid**
Cap 100 mg – PCT – Retail pharmacy-Specialist Wastage claimable	340.73	10	✔	**Vepesid**
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist	7.90	1	✔	**Rex Medical**
Inj 1 mg for ECP – PCT only – Specialist	0.09	1 mg	✔	**Baxter**
ETOPOSIDE PHOSPHATE – PCT only – Specialist				
Inj 100 mg (of etoposide base)	40.00	1	✔	**Etopophos**
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✔	**Baxter**
HYDROXYUREA [HYDROXYCARBAMIDE] – PCT – Retail pharmacy-Specialist				
Cap 500 mg	20.72	100	✔	**Devatis**
IBRUTINIB – Special Authority see SA2480 below – Retail pharmacy				
Tab 140 mg	3,217.00	30	✔	**Imbruvica**
Tab 420 mg	9,652.00	30	✔	**Imbruvica**

➠SA2480 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia (CLL)) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Individual has chronic lymphocytic leukaemia (CLL) requiring therapy; and
2 Individual has not previously received funded ibrutinib; and
3 Ibrutinib is to be used as monotherapy; and
4 Any of the following:
  4.1 Both:
    4.1.1 There is documentation confirming that the individual has 17p deletion or TP53 mutation; and
    4.1.2 Individual has experienced intolerable side effects with venetoclax monotherapy; or
  4.2 All of the following:
    4.2.1 Individual has received at least one prior immunochemotherapy for CLL; and
    4.2.2 Individual's CLL has relapsed; and
    4.2.3 Individual has experienced intolerable side effects with venetoclax in combination with rituximab regimen; or
  4.3 Individual's CLL is refractory to or has relapsed following a venetoclax regimen.

Renewal — (chronic lymphocytic leukaemia (CLL)) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL) and B-cell prolymphocytic leukaemia (B-PLL)*. Indications marked with * are Unapproved indications.

IDARUBICIN HYDROCHLORIDE				
Inj 5 mg vial – PCT only – Specialist	109.74	1	✔	**Zavedos**
Inj 10 mg vial – PCT only – Specialist	233.64	1	✔	**Zavedos**
Inj 1 mg for ECP – PCT only – Specialist	25.77	1 mg	✔	**Baxter**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
LENALIDOMIDE (VIATRIS) – Special Authority see SA2353 below – Retail pharmacy				
Cap 5 mg	76.92	21	✔	**Lenalidomide Viatris**
Cap 10 mg	50.30	21	✔	**Lenalidomide Viatris**
Cap 15 mg	62.13	21	✔	**Lenalidomide Viatris**
Cap 25 mg	65.09	21	✔	**Lenalidomide Viatris**

SA2353 Special Authority for Subsidy

Initial application — (Plasma cell dyscrasia) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment; and
2 Patient is not refractory to prior lenalidomide use.

Initial application — (Myelodysplastic syndrome) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Patient has low or intermediate-1 risk myelodysplastic syndrome (based on IPSS or an IPSS-R score of less than 3.5) associated with a deletion 5q cytogenetic abnormality; and
2 Patient has transfusion-dependent anaemia.

Renewal — (Myelodysplastic syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Patient has not needed a transfusion in the last 4 months; and
2 No evidence of disease progression.

MESNA				
Tab 400 mg – PCT – Retail pharmacy-Specialist	314.00	50	✔	**Uromitexan**
Tab 600 mg – PCT – Retail pharmacy-Specialist	448.50	50	✔	**Uromitexan**
Inj 100 mg per ml, 4 ml ampoule – PCT only – Specialist	177.45	15	✔	**Uromitexan**
Inj 100 mg per ml, 10 ml ampoule – PCT only – Specialist	407.40	15	✔	**Uromitexan**
Inj 1 mg for ECP – PCT only – Specialist	2.96	100 mg	✔	**Baxter**
MITOMYCIN C – PCT only – Specialist				
Inj 5 mg vial	517.65	1	✔	**Accord** S29
			✔	**Mitomycin (Fresenius Kabi)** S29
	526.00		✔	**Mitomycin (Sagent)** S29
Inj 20 mg vial	1,129.94	1	✔	**Teva**
Inj 1 mg for ECP	119.67	1 mg	✔	**Baxter**
MITOZANTRONE – PCT only – Specialist				
Inj 2 mg per ml, 10 ml vial	97.50	1	✔	**Mitozantrone Ebewe**
Inj 1 mg for ECP	5.51	1 mg	✔	**Baxter**
NIRAPARIB – Special Authority see SA2325 on the next page – Retail pharmacy				
Wastage claimable				
Tab 100 mg	8,929.84	56	✔	**Zejula**
	13,393.50	84	✔	**Zejula**
Cap 100 mg	8,929.84	56	✔	**Zejula**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2325 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has advanced high-grade serous* epithelial ovarian, fallopian tube, or primary peritoneal cancer; and
2 Patient has received at least one line** of treatment with platinum-based chemotherapy; and
3 Patient has experienced a partial or complete response to the preceding treatment with platinum-based chemotherapy; and
4 Patient has not previously received funded treatment with a PARP inhibitor; and
5 Either:
  5.1 Treatment will be commenced within 12 weeks of the patient's last dose of the preceding platinum-based regimen; or
  5.2 Patient commenced treatment with niraparib prior to 1 May 2024; and
6 Treatment to be administered as maintenance treatment; and
7 Treatment not to be administered in combination with other chemotherapy.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 No evidence of progressive disease; and
2 Treatment to be administered as maintenance treatment; and
3 Treatment not to be administered in combination with other chemotherapy; and
4 Either:
  4.1 Treatment with niraparib to cease after a total duration of 36 months from commencement; or
  4.2 Treatment with niraparib is being used in the second-line or later maintenance setting.

Notes: * "high-grade serous" includes tumours with high-grade serous features or a high-grade serous component.
**A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments

OLAPARIB – Retail pharmacy-Specialist – Special Authority see SA2163 below

Tab 100 mg	3,701.00	56	✔	**Lynparza**
Tab 150 mg	3,701.00	56	✔	**Lynparza**

➠SA2163 Special Authority for Subsidy

Initial application — (Ovarian cancer) only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient has a high-grade serous* epithelial ovarian, fallopian tube, or primary peritoneal cancer; and
2 There is documentation confirming pathogenic germline BRCA1 or BRCA2 gene mutation; and
3 Either:
  3.1 All of the following:
    3.1.1 Patient has newly diagnosed, advanced disease; and
    3.1.2 Patient has received one line** of previous treatment with platinum-based chemotherapy; and
    3.1.3 Patient's disease must have experienced a partial or complete response to the first-line platinum-based regimen; or
  3.2 All of the following:
    3.2.1 Patient has received at least two lines** of previous treatment with platinum-based chemotherapy; and
    3.2.2 Patient has platinum sensitive disease defined as disease progression occurring at least 6 months after the last dose of the penultimate line** of platinum-based chemotherapy; and
    3.2.3 Patient's disease must have experienced a partial or complete response to treatment with the immediately preceding platinum-based regimen; and
    3.2.4 Patient has not previously received funded olaparib treatment; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

4 Treatment will be commenced within 12 weeks of the patient's last dose of the immediately preceding platinum-based regimen; and
5 Treatment to be administered as maintenance treatment; and
6 Treatment not to be administered in combination with other chemotherapy.

Renewal — (Ovarian cancer) only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Treatment remains clinically appropriate and patient is benefitting from treatment; and
2 Either:
  2.1 No evidence of progressive disease; or
  2.2 Evidence of residual (not progressive) disease and the patient would continue to benefit from treatment in the clinician's opinion; and
3 Treatment to be administered as maintenance treatment; and
4 Treatment not to be administered in combination with other chemotherapy; and
5 Either:
  5.1 Both:
    5.1.1 Patient has received one line** of previous treatment with platinum-based chemotherapy; and
    5.1.2 Documentation confirming that the patient has been informed and acknowledges that the funded treatment period of olaparib will not be continued beyond 2 years if the patient experiences a complete response to treatment and there is no radiological evidence of disease at 2 years; or
  5.2 Patient has received at least two lines** of previous treatment with platinum-based chemotherapy.

Notes: *Note "high-grade serous" includes tumours with high-grade serous features or a high-grade serous component.
**A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

PACLITAXEL – PCT only – Specialist

Inj 30 mg	47.30	5	✔ **Paclitaxel Ebewe**
Inj 6 mg per ml, 16.7 ml vial	19.59	1	✔ **Anzatax**
	24.00		✔ **Paclitaxel Ebewe**
	91.67		✔ **Paclitaxel Actavis**
Inj 150 mg	26.69	1	✔ **Paclitaxel Ebewe**
	137.50		✔ **Anzatax**
			✔ **Paclitaxel Actavis**
Inj 6 mg per ml, 50 ml vial	37.89	1	✔ **Anzatax**
	44.00		✔ **Paclitaxel Ebewe**
	275.00		✔ **Paclitaxel Actavis**
Inj 1 mg for ECP	0.17	1 mg	✔ **Baxter**

PEGASPARGASE – PCT only – Special Authority see SA2618 below

Inj 750 iu per ml, 5 ml vial	3,973.25	1	✔ **Oncaspar LYO**

➠SA2618 Special Authority for Subsidy

Initial application — (Acute lymphoblastic leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:
Both:

1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol.

Initial application — (Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has lymphoma requiring L-asparaginase containing protocols (e.g.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
SMILE).
Renewal — (Acute lymphoblastic leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 The patient has relapsed acute lymphoblastic leukaemia; and
2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol.

PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist				
Inj 10 mg	CBS	1	✔	**Nipent** S29
POMALIDOMIDE – Special Authority see SA2354 below – Retail pharmacy				
Cap 1 mg	47.45	14	✔	**Pomolide**
	71.18	21	✔	**Pomolide**
Cap 2 mg	94.90	14	✔	**Pomolide**
	142.35	21	✔	**Pomolide**
Cap 3 mg	142.35	14	✔	**Pomolide**
	213.53	21	✔	**Pomolide**
Cap 4 mg	189.81	14	✔	**Pomolide**
	284.71	21	✔	**Pomolide**

SA2354 Special Authority for Subsidy
Initial application — (Relapsed/refractory plasma cell dyscrasia) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient has relapsed or refractory plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment; and
2 Patient has not received prior funded pomalidomide.

Renewal — (Relapsed/refractory plasma cell dyscrasia) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.

PROCARBAZINE HYDROCHLORIDE – PCT – Retail pharmacy-Specialist				
Cap 50 mg	980.00	50	✔	**Natulan** S29
TEMOZOLOMIDE – Special Authority see SA2594 below – Retail pharmacy				
Cap 5 mg	9.13	5	✔	**Temaccord**
			✔	**Temozolomide-Taro** S29
Cap 20 mg	16.38	5	✔	**Temaccord**
	18.30		✔	**Apo-Temozolomide**
Cap 100 mg	35.98	5	✔	**Temaccord**
	40.20		✔	**Apo-Temozolomide**
Cap 140 mg	50.12	5	✔	**Temaccord**
Cap 250 mg	86.34	5	✔	**Temaccord**

SA2594 Special Authority for Subsidy
Initial application — (gliomas) only from a relevant specialist. Approvals valid for 12 months where the patient has a glioma.
Renewal — (gliomas) only from a relevant specialist. Approvals valid for 12 months where treatment remains appropriate and patient is benefitting from treatment.
Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
2 Temozolomide is to be given in combination with capecitabine; and
3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m^2 per day; and
4 Temozolomide to be discontinued at disease progression.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 No evidence of disease progression; and
2 The treatment remains appropriate and the patient is benefitting from treatment.

Initial application — (ewing's sarcoma) only from a relevant specialist. Approvals valid for 9 months where the patient has relapsed/refractory Ewing's sarcoma.
Renewal — (ewing's sarcoma) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 No evidence of disease progression; and
2 The treatment remains appropriate and the patient is benefitting from treatment.

Initial application — (Neuroblastoma) from any relevant practitioner. Approvals valid for 12 months where the patient has neuroblastoma.
Renewal — (Neuroblastoma) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.
Note: Indication marked with a * is an unapproved indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE – Retail pharmacy-Specialist – Special Authority see SA2356 below

Cap 50 mg	378.00	28	✔	**Thalomid**
Cap 100 mg	756.00	28	✔	**Thalomid**

➠SA2356 **Special Authority for Subsidy**
Initial application from any relevant practitioner. Approvals valid for 12 months where the patient has plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment.
Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.
Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.
Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN

Cap 10 mg – PCT – Retail pharmacy-Specialist Wastage claimable	479.50	100	✔	**Vesanoid**

VENETOCLAX – Retail pharmacy-Specialist – Special Authority see SA2595 below

Tab 14 × 10 mg, 7 × 50 mg, 21 × 100 mg	1,771.86	42 OP	✔	**Venclexta**
Tab 10 mg	13.68	2 OP	✔	**Venclexta**
Tab 50 mg	239.44	7 OP	✔	**Venclexta**
Tab 100 mg – Wastage claimable	8,209.41	120	✔	**Venclexta**

➠SA2595 **Special Authority for Subsidy**
Initial application — (relapsed/refractory chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 8 months for applications meeting the following criteria:
All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Individual has chronic lymphocytic leukaemia requiring treatment; and
2 Individual has received at least one prior therapy for chronic lymphocytic leukaemia; and
3 Individual has not previously received funded venetoclax; and
4 The individual's disease has relapsed; and
5 Venetoclax to be used in combination with six 28-day cycles of rituximab commencing after the 5-week dose titration schedule with venetoclax; and
6 Individual has an ECOG performance status of 0-2.

Renewal — (relapsed/refractory chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Treatment remains clinically appropriate and the individual is benefitting from and tolerating treatment; and
2 Venetoclax is to be discontinued after a maximum of 24 months of treatment following the titration schedule unless earlier discontinuation is required due to disease progression or unacceptable toxicity.

Initial application — (previously untreated chronic lymphocytic leukaemia with 17p deletion or TP53 mutation*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Individual has previously untreated chronic lymphocytic leukaemia; and
2 There is documentation confirming that individual has 17p deletion by FISH testing or TP53 mutation by sequencing; and
3 Individual has an ECOG performance status of 0-2.

Renewal — (previously untreated chronic lymphocytic leukaemia with 17p deletion or TP53 mutation*) from any relevant practitioner. Approvals valid for 6 months where the treatment remains clinically appropriate and the patient is benefitting from and tolerating treatment.
Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL)* and B-cell prolymphocytic leukaemia (B-PLL)*. Indications marked with * are Unapproved indications

Initial application — (previously untreated acute myeloid leukaemia) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 The individual is currently on treatment with venetoclax and met all remaining special authority criteria prior to commencing treatment; or
2 All of the following:
   2.1 Individual has previously untreated acute myeloid leukaemia (see note a), according to World Health Organization (WHO) Classification; and
   2.2 Venetoclax not to be used in combination with standard intensive remission induction chemotherapy; and
   2.3 Venetoclax to be used in combination with azacitidine or low dose cytarabine.

Renewal — (previously untreated acute myeloid leukaemia) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.
Notes:

a) 'Acute myeloid leukaemia' includes myeloid sarcoma*
b) Indications marked with * are Unapproved indications

VINBLASTINE SULPHATE			
Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist	270.37	5	✔ **Hospira**
Inj 1 mg for ECP – PCT only – Specialist	6.00	1 mg	✔ **Baxter**
VINCRISTINE SULPHATE			
Inj 1 mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist	74.52	5	✔ **DBL Vincristine Sulfate**
Inj 1 mg per ml, 2 ml vial – PCT – Retail pharmacy-Specialist	102.73	5	✔ **DBL Vincristine Sulfate**
Inj 1 mg for ECP – PCT only – Specialist	12.60	1 mg	✔ **Baxter**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
VINORELBINE				
Cap 20 mg	32.10	1	✔	**Vinorelbine Te Arai**
Cap 30 mg	42.80	1	✔	**Vinorelbine Te Arai**
Cap 80 mg	80.00	1	✔	**Vinorelbine Te Arai**
Inj 10 mg per ml, 1 ml vial – PCT only – Specialist	42.00	1	✔	**Vinorelbine Ebewe**
Inj 10 mg per ml, 5 ml vial – PCT only – Specialist	155.00	1	✔	**Vinorelbine Ebewe**
	168.00		✔	**Navelbine S29** S29
Inj 1 mg for ECP – PCT only – Specialist	3.51	1 mg	✔	**Baxter**

Protein-tyrosine Kinase Inhibitors

ALECTINIB – Retail pharmacy-Specialist – Special Authority see SA1870 below

Wastage claimable				
Cap 150 mg	7,935.00	224	✔	**Alecensa**

➠SA1870 Special Authority for Subsidy

Initial application only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1. Patient has locally advanced, or metastatic, unresectable, non-small cell lung cancer; and
2. There is documentation confirming that the patient has an ALK tyrosine kinase gene rearrangement using an appropriate ALK test; and
3. Patient has an ECOG performance score of 0-2.

Renewal only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1. No evidence of progressive disease according to RECIST criteria; and
2. The patient is benefitting from and tolerating treatment.

AXITINIB – Special Authority see SA2458 below – Retail pharmacy

Wastage claimable				
Tab 1 mg	536.40	28	✔	**Inlyta**
Tab 5 mg	2,682.00	28	✔	**Inlyta**

➠SA2458 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1. The patient has metastatic renal cell carcinoma; and
2. The disease is of predominant clear cell histology; and
3. The patient has documented disease progression following one previous line of treatment; and
4. The patient has ECOG performance status of 0-2.

Renewal from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression..

CRIZOTINIB – Special Authority see SA2547 below – Retail pharmacy

Cap 200 mg	7,250.00	60	✔	**Xalkori**
Cap 250 mg	7,250.00	60	✔	**Xalkori**

➠SA2547 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1. Individual has locally advanced or metastatic, unresectable, non-squamous non-small cell lung cancer; and
2. Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.1 The individual has not received entrectinib; or
2.2 Both:
2.2.1 The individual has received an initial Special Authority approval for entrectinib and has discontinued entrectinib due to intolerance; and
2.2.2 The cancer did not progress while the individual was on entrectinib; and

3 There is documentation confirming that the patient has a ROS1 rearrangement using an appropriate ROS1 test; and
4 Individual has ECOG performance score of 0-3; and
5 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Response to treatment has been determined by comparable radiological assessment following the most recent treatment period; and
2 No evidence of disease progression.

DABRAFENIB – Special Authority see SA2548 below – Retail pharmacy

Cap 50 mg	6,320.86	120	✔ **Tafinlar**
Cap 75 mg	9,481.29	120	✔ **Tafinlar**

➠SA2548 Special Authority for Subsidy

Initial application — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Either:
1.1 The individual has resected stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note a); or
1.2 Both:
1.2.1 The individual has received neoadjuvant treatment with a PD-1/PD-L1 inhibitor; and
1.2.2 Adjuvant treatment with dabrafenib is required; and

2 The individual has not received prior funded systemic treatment in the adjuvant setting for stage IIIB, IIIC, IIID or IV melanoma; and
3 Treatment must be adjuvant to complete surgical resection; and
4 Treatment must be initiated within 13 weeks of surgical resection, unless delay is necessary due to post-surgery recovery (see note b); and
5 The individual has a confirmed BRAF mutation; and
6 Dabrafenib must be administered in combination with trametinib; and
7 The individual has ECOG performance score 0-2.

Notes:

a) Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
b) Initiating treatment within 13 weeks of complete surgical resection means 13 weeks after resection (primary or lymphadenectomy)

Renewal — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Any of the following:

1 All of the following:
1.1 No evidence of disease recurrence; and
1.2 Dabrafenib must be administered in combination with trametinib; and
1.3 Treatment to be discontinued at signs of disease recurrence or at completion of 12 months' total treatment course, including any systemic neoadjuvant treatment; or

2 All of the following:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
2.2 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
2.3 The individual meets initial application criteria for dabrafenib for unresectable or metastatic melanoma; or

3 All of the following:
3.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
3.2 The individual has received a BRAF/MEK inhibitor for unresectable or metastatic melanoma; and
3.3 The individual meets renewal criteria for dabrafenib for unresectable or metastatic melanoma.

Initial application — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
3 The individual has ECOG performance score 0-2; and
4 The individual has confirmed BRAF mutation; and
5 Dabrafenib must be administered in combination with trametinib; and
6 Any of the following:
6.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
6.2 The individual did not receive treatment in the adjuvant setting with a BRAF/MEK inhibitor; or
6.3 All of the following:
6.3.1 The individual received treatment in the adjuvant setting with a BRAF/MEK inhibitor; and
6.3.2 The individual did not experience disease recurrence while on treatment with that BRAF/MEK inhibitor; and
6.3.3 The individual did not experience disease recurrence within six months of completing adjuvant treatment with a BRAF/MEK inhibitor.

Renewal — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Both:

1 Any of the following:
1.1 The individual's disease has had a complete response to treatment; or
1.2 The individual's disease has had a partial response to treatment; or
1.3 The individual has stable disease with treatment; and
2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

DASATINIB – Special Authority see SA2385 below – Retail pharmacy
Wastage claimable

Tab 20 mg	132.88	60	✔	**Dasatinib-Teva**
Tab 50 mg	304.13	60	✔	**Dasatinib-Teva**
Tab 70 mg	415.75	60	✔	**Dasatinib-Teva**

SA2385 Special Authority for Subsidy
Initial application only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:
Any of the following:

1 The patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis or accelerated phase; or
2 The patient has a diagnosis of Philadelphia chromosome-positive acute lymphoid leukaemia (Ph+ ALL); or
3 Both:
3.1 The patient has a diagnosis of CML in chronic phase; and
3.2 Any of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3.2.1 Patient has documented treatment failure* with imatinib; or
3.2.2 Patient has experienced treatment-limiting toxicity with imatinib precluding further treatment with imatinib; or
3.2.3 Patient has high-risk chronic-phase CML defined by the Sokal or EURO scoring system.

Renewal only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Lack of treatment failure while on dasatinib*; and
2 Dasatinib treatment remains appropriate and the patient is benefiting from treatment.

Note: *treatment failure for CML as defined by Leukaemia Net Guidelines.

ENTRECTINIB – Special Authority see SA2532 below – Retail pharmacy

Cap 200 mg	9,610.00	90	✔	**Rozlytrek**

➠SA2532 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Individual has locally advanced or metastatic, unresectable, non-squamous non-small cell lung cancer; and
2 Either:
  2.1 The individual has not received crizotinib; or
  2.2 Both:
    2.2.1 The individual has received an initial Special Authority approval for crizotinib and has discontinued crizotinib due to intolerance; and
    2.2.2 The cancer did not progress while the individual was on crizotinib; and
3 There is documentation confirming that the patient has a ROS1 rearrangement using an appropriate ROS1 test; and
4 Individual has ECOG performance score of 0-3; and
5 Baseline measurement of overall tumour burden is documented clinically and radiologicallyy.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Response to treatment has been determined by comparable radiological assessment following the most recent treatment period; and
2 No evidence of disease progression.

ERLOTINIB – Retail pharmacy-Specialist – Special Authority see SA2422 below

Tab 100 mg	280.84	30	✔	**Alchemy**
Tab 150 mg	484.24	30	✔	**Alchemy**

➠SA2422 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
2 There is documentation confirming that the disease expresses activating mutations of EGFR; and
3 Any of the following:
  3.1 Patient is treatment naive; or
  3.2 Patient has received prior treatment in the adjuvant setting and/or while awaiting EGFR results; or
  3.3 Both:
    3.3.1 The patient has discontinued osimertinib or gefitinib due to intolerance; and
    3.3.2 The cancer did not progress while on osimertinib or gefitinib.

Renewal from any relevant practitioner. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB – Retail pharmacy-Specialist – Special Authority see SA2423 on the next page

Tab 250 mg	918.00	30	✔	**Iressa**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2423 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
2 Any of the following:
  2.1 Patient is treatment naive; or
  2.2 Patient has received prior treatment in the adjuvant setting and/or while awaiting EGFR results; or
  2.3 Both:
    2.3.1 The patient has discontinued osimertinib or erlotinib due to intolerance; and
    2.3.2 The cancer did not progress whilst on osimertinib or erlotinib; and
3 There is documentation confirming that disease expresses activating mutations of EGFR.

Renewal from any relevant practitioner. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

❋ Cap 100 mg	44.93	60	✔	**Imatinib-Rex**
❋ Cap 400 mg	69.76	30	✔	**Imatinib-Rex**

LENVATINIB – Special Authority see SA2442 below – Retail pharmacy
Wastage claimable

Cap 4 mg	3,407.40	30	✔	**Lenvima**
Cap 10 mg	3,407.40	30	✔	**Lenvima**

➠SA2442 Special Authority for Subsidy

Initial application — (thyroid cancer) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Patient is currently on treatment with lenvatinib and met all remaining criteria prior to commencing treatment; or
2 All of the following:
  2.1 The patient has locally advanced or metastatic differentiated thyroid cancer; and
  2.2 Either:
    2.2.1 Patient must have symptomatic progressive disease prior to treatment; or
    2.2.2 Patient must progressive disease at critical anatomical sites with a high risk of morbidity or mortality where local control cannot be achieved by other measures; and
  2.3 Any of the following:
    2.3.1 A lesion without iodine uptake in a RAI scan; or
    2.3.2 Receiving cumulative RAI greater than or equal to 600 mCi; or
    2.3.3 Experiencing disease progression after a RAI treatment within 12 months; or
    2.3.4 Experiencing disease progression after two RAI treatments administered within 12 months of each other; and
  2.4 Patient has thyroid stimulating hormone (TSH) adequately supressed; and
  2.5 Patient is not a candidate for radiotherapy with curative intent; and
  2.6 Surgery is clinically inappropriate; and
  2.7 Patient has an ECOG performance status of 0-2.

Renewal — (thyroid cancer) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

Initial application — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Patient has unresectable hepatocellular carcinoma; and
2 Patient has preserved liver function (Childs-Pugh A); and
3 Transarterial chemoembolisation (TACE) is unsuitable; and
4 Patient has an ECOG performance status of 0-2; and
5 Either:
  5.1 Patient has not received prior systemic therapy for their disease in the palliative setting; or
  5.2 Both:
    5.2.1 Patient has experienced treatment-limiting toxicity from treatment with atezolizumab with bevacizumab; and
    5.2.2 No disease progression since initiation of atezolizumab with bevacizumab.

Renewal — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

Initial application — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 All of the following:
  1.1 The patient has metastatic renal cell carcinoma; and
  1.2 The disease is of predominant clear-cell histology; and
  1.3 The patient has documented disease progression following one previous line of treatment; and
  1.4 The patient has an ECOG performance status of 0-2; and
  1.5 Lenvatinib is to be used in combination with everolimus; or
2 All of the following:
  2.1 Patient has received funded treatment with nivolumab for the second line treatment of metastatic renal cell carcinoma; and
  2.2 Patient has experienced treatment limiting toxicity from treatment with nivolumab; and
  2.3 Lenvatinib is to be used in combination with everolimus; and
  2.4 There is no evidence of disease progression.

Renewal — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression.

MIDOSTAURIN – PCT only – Special Authority see SA2342 below

Cap 25 mg	10,981.00	56	✔	**Rydapt**

➠SA2342 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 Patient has a diagnosis of acute myeloid leukaemia; and
2 Condition must be FMS tyrosine kinase 3 (FLT3) mutation positive; and
3 Patient must not have received a prior line of intensive chemotherapy for acute myeloid leukaemia; and
4 Patient is to receive standard intensive chemotherapy in combination with midostaurin only; and
5 Midostaurin to be funded for a maximum of 4 cycles.

NILOTINIB – Special Authority see SA2301 below – Retail pharmacy

Wastage claimable

Cap 150 mg	4,680.00	120	✔	**Tasigna**
Cap 200 mg	6,532.00	120	✔	**Tasigna**

➠SA2301 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, high risk chronic phase, or in chronic phase; and
2 Either:
  2.1 Patient has documented CML treatment failure* with a tyrosine kinase inhibitor (TKI); or
  2.2 Patient has experienced treatment limiting toxicity with a tyrosine kinase inhibitor (TKI) precluding further treatment; and
3 Maximum nilotinib dose of 800 mg/day; and
4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
3 Maximum nilotinib dose of 800 mg/day; and
4 Subsidised for use as monotherapy only.

OSIMERTINIB – Special Authority see SA2418 below – Retail pharmacy

Tab 40 mg	9,310.00	30	✔	**Tagrisso**
Tab 80 mg	9,310.00	30	✔	**Tagrisso**

SA2418 Special Authority for Subsidy

Initial application — (NSCLC – first line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Patient is currently on treatment with osimertinib and met all remaining criteria prior to commencing treatment; or
2 All of the following:
  2.1 Patient has locally advanced or metastatic, incurable, non-squamous non-small cell lung cancer (NSCLC); and
  2.2 Any of the following:
    2.2.1 Patient is treatment naïve; or
    2.2.2 Patient has received prior chemotherapy in the adjuvant setting and/or while awaiting EGFR results; or
    2.2.3 Both:
      2.2.3.1 The patient has discontinued gefitinib or erlotinib due to intolerance; and
      2.2.3.2 The cancer did not progress while on gefitinib or erlotinib; and
  2.3 There is documentation confirming that the cancer expresses activating mutations of EGFR; and
  2.4 Patient has an ECOG performance status 0-3; and
  2.5 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (NSCLC – first line) from any relevant practitioner. Approvals valid for 6 months where response to or stable disease with treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

Initial application — (NSCLC – second line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Patient is currently on treatment with osimertinib and met all remaining criteria prior to commencing treatment; or
2 All of the following:
  2.1 Patient has locally advanced or metastatic, incurable, non-squamous non-small cell lung cancer (NSCLC); and
  2.2 Patient has an ECOG performance status 0-3; and
  2.3 The patient must have received previous treatment with erlotinib or gefitinib; and
  2.4 There is documentation confirming that the cancer expresses T790M mutation of EGFR following progression on or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

after erlotinib or gefitinib; and

2.5 The treatment must be given as monotherapy; and

2.6 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (NSCLC – second line) from any relevant practitioner. Approvals valid for 6 months where response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

PALBOCICLIB – Special Authority see SA2345 below – Retail pharmacy

Wastage claimable

Tab 75 mg	1,200.00	21	✔	**Palbociclib Pfizer**
Tab 100 mg	1,200.00	21	✔	**Palbociclib Pfizer**
Tab 125 mg	1,200.00	21	✔	**Palbociclib Pfizer**

➠SA2345 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 All of the following:

1.1 Patient has unresectable locally advanced or metastatic breast cancer; and

1.2 There is documentation confirming disease is hormone-receptor positive and HER2-negative; and

1.3 Patient has an ECOG performance score of 0-2; and

1.4 Either:

1.4.1 Disease has relapsed or progressed during prior endocrine therapy; or

1.4.2 Both:

1.4.2.1 Patient is amenorrhoeic, either naturally or induced, with endocrine levels consistent with a postmenopausal or without menstrual-potential state; and

1.4.2.2 Patient has not received prior systemic treatment for metastatic disease; and

1.5 Treatment must be used in combination with an endocrine partner; and

1.6 Patient has not received prior funded treatment with a CDK4/6 inhibitor; or

2 All of the following:

2.1 Patient has an active Special Authority approval for ribociclib; and

2.2 Patient has experienced a grade 3 or 4 adverse reaction to ribociclib that cannot be managed by dose reductions and requires treatment discontinuation; and

2.3 Treatment must be used in combination with an endocrine partner; and

2.4 There is no evidence of progressive disease since initiation of ribociclib.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Treatment must be used in combination with an endocrine partner; and

2 There is no evidence of progressive disease since initiation of palbociclib.

PAZOPANIB – Special Authority see SA2596 below – Retail pharmacy

Tab 200 mg	172.88	30	✔	**Pazopanib Teva**
Tab 400 mg	464.00	30	✔	**Pazopanib Teva**

➠SA2596 Special Authority for Subsidy

Initial application only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 All of the following:

1.1 The patient has metastatic renal cell carcinoma of predominantly clear cell histology; and

1.2 Either:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2.1 The patient is treatment naive; or
1.2.2 The patient has only received prior cytokine treatment; and
1.3 The patient has an ECOG performance score of 0-2; and
The patient has intermediate or poor prognosis defined as:
1.4 Any of the following:
1.4.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
1.4.2 Haemoglobin level < lower limit of normal; or
1.4.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
1.4.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
1.4.5 Karnofsky performance score of less than or equal to 70; or
1.4.6 2 or more sites of organ metastasis; and
1.5 Pazopanib to be used for a maximum of 3 months; or
2 All of the following:
2.1 The patient has metastatic renal cell carcinoma; and
2.2 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
2.3 The cancer did not progress whilst on sunitinib; and
2.4 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months where there is no evidence of disease progression.

RIBOCICLIB – Special Authority see SA2495 below – Retail pharmacy
Wastage claimable

Tab 200 mg	1,883.00	21	✔	**Kisqali**
	3,767.00	42	✔	**Kisqali**
	5,650.00	63	✔	**Kisqali**

➠SA2495 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:
1 All of the following:
1.1 Patient has unresectable locally advanced or metastatic breast cancer; and
1.2 There is documentation confirming disease is hormone-receptor positive and HER2-negative; and
1.3 Patient has an ECOG performance score of 0-2; and
1.4 Either:
1.4.1 Disease has relapsed or progressed during prior endocrine therapy; or
1.4.2 Both:
1.4.2.1 Patient is amenorrhoeic, either naturally or induced, with endocrine levels consistent with a postmenopausal or without menstrual-potential state; and
1.4.2.2 Patient has not received prior systemic endocrine treatment for metastatic disease; and
1.5 Treatment to be used in combination with an endocrine partner; and
1.6 Patient has not received prior funded treatment with a CDK4/6 inhibitor; or
2 All of the following:
2.1 Patient has an active Special Authority approval for palbociclib; and
2.2 Patient has experienced a grade 3 or 4 adverse reaction to palbociclib that cannot be managed by dose reductions and requires treatment discontinuation; and
2.3 Treatment must be used in combination with an endocrine partner; and
2.4 There is no evidence of progressive disease since initiation of palbociclib.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:
1 Treatment must be used in combination with an endocrine partner; and
2 There is no evidence of progressive disease since initiation of ribociclib.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
RUXOLITINIB – Special Authority see SA1890 below – Retail pharmacy				
Wastage claimable				
Tab 5 mg	2,500.00	56	✔	**Jakavi**
Tab 10mg	5,000.00	56	✔	**Jakavi**
Tab 15 mg	5,000.00	56	✔	**Jakavi**
Tab 20 mg	5,000.00	56	✔	**Jakavi**

SA1890 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 The patient has primary myelofibrosis or post-polycythemia vera myelofibrosis or post-essential thrombocythemia myelofibrosis; and
2 Either:
  2.1 A classification of risk of intermediate-2 or high-risk myelofibrosis according to either the International Prognostic Scoring System (IPSS), Dynamic International Prognostic Scoring System (DIPSS), or the Age-Adjusted DIPSS; or
  2.2 Both:
    2.2.1 A classification of risk of intermediate-1 myelofibrosis according to either the International Prognostic Scoring System (IPSS), Dynamic International Prognostic Scoring System (DIPSS), or the Age-Adjusted DIPSS; and
    2.2.2 Patient has severe disease-related symptoms that are resistant, refractory or intolerant to available therapy; and
3 A maximum dose of 20 mg twice daily is to be given.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 A maximum dose of 20 mg twice daily is to be given.

SUNITINIB – Special Authority see SA2452 below – Retail pharmacy				
Cap 12.5 mg	103.11	28	✔	**Sunitinib Rex**
Cap 25 mg	203.15	28	✔	**Sunitinib Rex**
Cap 50 mg	343.19	28	✔	**Sunitinib Rex**
	694.62		✔	**Sunitinib Pfizer**

Sunitinib Rex to be Principal Supply on 1 May 2026
(Sunitinib Pfizer Cap 50 mg to be delisted 1 May 2026)

SA2452 Special Authority for Subsidy

Initial application — (RCC) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Both:

1 The patient has metastatic renal cell carcinoma; and
2 The patient has not previously received funded sunitinib.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
2 Either:
  2.1 The patient's disease has progressed following treatment with imatinib; or
  2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

progression.

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

1 Any of the following:
   - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
   - 1.2 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease); or
   - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Renewal — (GIST pandemic circumstances) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 The patient has unresectable or metastatic malignant gastrointestinal stromal (GIST); and
2 The patient is clinically benifiting from treatment and continued treatment remains appropriate; and
3 Sunitinib is to be discontinued at progression; and
4 The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector.

TRAMETINIB – Special Authority see SA2549 below – Retail pharmacy

Tab 0.5 mg	2,370.32	30	✔	**Mekinist**
Tab 2 mg	9,481.29	30	✔	**Mekinist**

➠SA2549 Special Authority for Subsidy

Initial application — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Either:
   - 1.1 The individual has resected stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note a); or
   - 1.2 Both:
     - 1.2.1 The individual has received neoadjuvant treatment with a PD-1/PD-L1 inhibitor; and
     - 1.2.2 Adjuvant treatment with trametinib is required; and
2 The individual has not received prior funded systemic treatment in the adjuvant setting for stage IIIB, IIIC, IIID or IV melanoma; and
3 Treatment must be adjuvant to complete surgical resection; and
4 Treatment must be initiated within 13 weeks of surgical resection, unless delay is necessary due to post-surgery recovery (see note b); and
5 The individual has a confirmed BRAF mutation; and
6 Trametinib must be administered in combination with dabrafenib; and
7 The individual has ECOG performance score 0-2.

Notes:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

a) Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
b) Initiating treatment within 13 weeks of complete surgical resection means 13 weeks after resection (primary or lymphadenectomy)

Renewal — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Any of the following:

1 All of the following:
  1.1 No evidence of disease recurrence; and
  1.2 Trametinib must be administered in combination with dabrafenib; and
  1.3 Treatment to be discontinued at signs of disease recurrence or at completion of 12 months' total treatment course, including any systemic neoadjuvant treatment; or
2 All of the following:
  2.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
  2.2 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
  2.3 The individual meets initial application criteria for trametinib for unresectable or metastatic melanoma; or
3 All of the following:
  3.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
  3.2 The individual has received a BRAF/MEK inhibitor for unresectable or metastatic melanoma; and
  3.3 The individual meets renewal criteria for trametinib for unresectable or metastatic melanoma.

Initial application — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 The individual has metastatic or unresectable melanoma (excluding uveal melanoma) stage III or IV; and
2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
3 The individual has ECOG performance score 0-2; and
4 The individual has confirmed BRAF mutation; and
5 Trametinib must be administered in combination with dabrafenib; and
6 Any of the following:
  6.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
  6.2 The individual did not receive treatment in the adjuvant setting with a BRAF/MEK inhibitor; or
  6.3 All of the following:
    6.3.1 The individual received treatment in the adjuvant setting with a BRAF/MEK inhibitor; and
    6.3.2 The individual did not experience disease recurrence while on treatment with that BRAF/MEK inhibitor; and
    6.3.3 The individual did not experience disease recurrence within six months of completing adjuvant treatment with a BRAF/MEK inhibitor.

Renewal — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Both:

1 Any of the following:
  1.1 The individual's disease has had a complete response to treatment; or
  1.2 The individual's disease has had a partial response to treatment; or
  1.3 The individual has stable disease with treatment; and
2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Endocrine Therapy

For GnRH ANALOGUES – refer to HORMONE PREPARATIONS, Trophic Hormones, page 88

ABIRATERONE ACETATE – Retail pharmacy-Specialist – Special Authority see SA2118 below

Wastage claimable

Tab 250 mg	4,276.19	120	✔	**Zytiga**

SA2118 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has prostate cancer; and
2 Patient has metastases; and
3 Patient's disease is castration resistant; and
4 Either:
  4.1 All of the following:
    4.1.1 Patient is symptomatic; and
    4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
    4.1.3 Patient has ECOG performance score of 0-1; and
    4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
  4.2 All of the following:
    4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
    4.2.2 Patient has ECOG performance score of 0-2; and
    4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Significant decrease in serum PSA from baseline; and
2 No evidence of clinical disease progression; and
3 No initiation of taxane chemotherapy with abiraterone; and
4 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (pandemic circumstances) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 The patient is clinically benefiting from treatment and continued treatment remains appropriate; and
2 Abiraterone acetate to be discontinued at progression; and
3 No initiation of taxane chemotherapy with abiraterone; and
4 The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector.

BICALUTAMIDE

Tab 50 mg	4.18	28	✔	**Binarex**

FLUTAMIDE

Tab 250 mg	107.55	90	✔	**Prostacur** S29
	119.50	100	✔	**Flutamin**

FULVESTRANT – Retail pharmacy-Specialist – Special Authority see SA1895 on the next page

Inj 50 mg per ml, 5 ml prefilled syringe	181.00	2	✔	**Fulvestrant EVER Pharma**
	1,068.00		✔	**Faslodex**

Fulvestrant EVER Pharma to be Principal Supply on 1 May 2026
(Faslodex Inj 50 mg per ml, 5 ml prefilled syringe to be delisted 1 May 2026)

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA1895 Special Authority for Subsidy

Initial application only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1. Patient has oestrogen-receptor positive locally advanced or metastatic breast cancer; and
2. Patient has disease progression following prior treatment with an aromatase inhibitor or tamoxifen for their locally advanced or metastatic disease; and
3. Treatment to be given at a dose of 500 mg monthly following loading doses; and
4. Treatment to be discontinued at disease progression.

Renewal only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1. Treatment remains appropriate and patient is benefitting from treatment; and
2. Treatment to be given at a dose of 500 mg monthly; and
3. There is no evidence of disease progression.

OCTREOTIDE			
Inj 100 mg per ml, 1 ml ampoule	32.71	5	✔ **Max Health**
			✔ **Octreotide GH** S29
			✔ **Sun Pharma** S29
Inj 100 mg per ml, 1 ml vial	48.50	5	✔ **Omega** S29
Inj 50 mg per ml, 1 ml vial	27.58	5	✔ **Omega** S29
Inj 500 mg per ml, 1 ml vial	113.10	5	✔ **Omega** S29
Inj 50 mg per ml, 1 ml ampoule	27.58	5	✔ **Max Health**
			✔ **Octreotide GH** S29
Inj 500 mg per ml, 1 ml ampoule	113.10	5	✔ **Max Health**
			✔ **Octreotide GH** S29
			✔ **Sun Pharma** S29
TAMOXIFEN CITRATE			
✱ Tab 10 mg	15.00	60	✔ **Tamoxifen Sandoz**
✱ Tab 20 mg	5.32	60	✔ **Tamoxifen Sandoz**

Long-acting Somatostatin Analogues

SA2445 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

1. The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
2. Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has not been successful; and
3. Treatment to be given for up to 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

All of the following:

1 The patient has acromegaly; and
2 Either:
  2.1 Treatment with surgery and radiotherapy is not suitable or was unsuccessful; or
  2.2 Treatment is for an interim period while awaiting the beneficial effects of radiotherapy; and
3 Treatment with a dopamine agonist has been unsuccessful.

Renewal — (Acromegaly) from any relevant practitioner. Approvals valid for 2 years where iGF1 levels have decreased since starting treatment.

Note: In patients with acromegaly, treatment should be discontinued if IGF1 levels have not decreased 3 months after treatment. In patients treated with radiotherapy treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following treatment withdrawal for at least 4 weeks

Initial application — (pre-operative acromegaly) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has acromegaly; and
2 Patient has a large pituitary tumour, greater than 10 mm at its widest; and
3 Patient is scheduled to undergo pituitary surgery in the next six months.

Initial application — (Other Indications) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 VIPomas and Glucagonomas - for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
2 Both:
  2.1 Gastrinoma; and
  2.2 Either:
    2.2.1 Surgery has been unsuccessful; or
    2.2.2 Patient has metastatic disease after treatment with H2 antagonist or proton pump inhibitors has been unsuccessful; or
3 Both:
  3.1 Insulinomas; and
  3.2 Surgery is contraindicated or has not been successful; or
4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
5 Both:
  5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of a long-acting somatostatin analogue in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded under Special Authority

Renewal — (Other Indications) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LANREOTIDE – Special Authority see SA2445 on the previous page – Retail pharmacy

Inj 60 mg per 0.5 ml, 0.5 ml syringe	382.77	1	✔	**Mytolac**
			✔	**Mytolac S29** S29
	1,543.79		✔	**Somatuline Autogel**
Inj 90 mg per 0.5 ml, 0.5 ml syringe	562.92	1	✔	**Mytolac**
	2,054.40		✔	**Somatuline Autogel**
Inj 120 mg per 0.5 ml, 0.5 ml syringe	646.70	1	✔	**Mytolac**
	2,570.44		✔	**Somatuline Autogel**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
OCTREOTIDE LONG-ACTING – Special Authority see SA2445 on page 179 – Retail pharmacy				
Inj depot 10 mg prefilled syringe	438.40	1	✔	**Sandostatin LAR**
Inj depot 20 mg prefilled syringe	583.70	1	✔	**Sandostatin LAR**
Inj depot 30 mg prefilled syringe	670.80	1	✔	**Sandostatin LAR**

Aromatase Inhibitors

ANASTROZOLE				
✱ Tab 1 mg	4.39	30	✔	**Anatrole**
EXEMESTANE				
✱ Tab 25 mg	9.86	30	✔	**Pfizer Exemestane**
LETROZOLE				
✱ Tab 2.5 mg	4.36	28	✔	**Accord** S29
	4.67	30	✔	**Letrole**

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE				
✱ Tab 25 mg	10.15	60	✔	**Azamun**
✱ Tab 50 mg	10.34	100	✔	**Azamun**
MYCOPHENOLATE MOFETIL				
Tab 500 mg	35.90	50	✔	**Cellcept**
Cap 250 mg	35.90	100	✔	**Cellcept**
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement	187.25	165 ml OP	✔	**Cellcept**

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Fusion Proteins

ETANERCEPT – Special Authority see SA2619 below – Retail pharmacy				
Inj 25 mg	690.00	4	✔	**Enbrel**
Inj 25 mg autoinjector	690.00	4	✔	**Enbrel**
Inj 50 mg autoinjector	1,050.00	4	✔	**Enbrel**
Inj 50 mg prefilled syringe	1,050.00	4	✔	**Enbrel**

➠SA2619 Special Authority for Subsidy

Initial application — (Stills disease - adult-onset (AOSD)) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Both:

1.1 Patient has had a Special Authority approval for adalimumab or tocilizumab for AOSD; and

1.2 Either:

1.2.1 Patient has experienced intolerable side effects; or

1.2.2 Patient has received insufficient benefit to meet the renewal criteria from at least a 3-month trial of adalimumab or tocilizumab; or

2 All of the following:

2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria; and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2 Patient has tried and received insufficient benefit from at least 6 months of corticosteroids at a dose of at least 0.5 mg/kg prednisone-equivalents, NSAIDs and methotrexate, unless contraindicated; and
2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Initial application — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Both:
1.1 Patient has had a Special Authority approval for adalimumab for ankylosing spondylitis; and
1.2 Either:
1.2.1 Patient has experienced intolerable side effects; or
1.2.2 Patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis; or
2 All of the following:
2.1 Patient has a confirmed diagnosis of ankylosing spondylitis; and
2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
2.3 Patient has bilateral sacroiliitis demonstrated by radiologic imaging; and
2.4 Disease has not responded adequately to treatment with two or more NSAIDs (unless contraindicated), while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
2.5 Either:
2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following BASMI measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender; and
2.6 BASDAI of at least 6 on a 10-point scale completed after 3-month exercise trial before ceasing any previous pharmacological treatment and not more than 1 month before the application.

Renewal — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 BASDAI has improved from pre-treatment baseline either by at least 4 points on a 10-point scale, or by at least 50%; and
2 Maximum dose 50 mg every 7 days.

Initial application — (arthritis - polyarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Any of the following:

1 Both:
1.1 Patient has had a Special Authority approval for adalimumab for polyarticular course juvenile idiopathic arthritis (JIA); and
1.2 Either:
1.2.1 Patient has experienced intolerable side effects; or
1.2.2 Patient has received insufficient benefit to meet the renewal criteria for polyarticular course JIA; or
2 At least 5 active joints and at least 3 joints with pain, tenderness or a limited range of motion, after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated; or
3 Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated; or
4 Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate.

Renewal — (arthritis - polyarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
2 On subsequent reapplications, at least a continuing 30% improvement in active joint count from baseline.

Initial application — (arthritis - oligoarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Any of the following:

1 Both:
  1.1 Patient has had a Special Authority approval for adalimumab for oligoarticular course juvenile idiopathic arthritis (JIA); and
  1.2 Either:
    1.2.1 Patient has experienced intolerable side effects; or
    1.2.2 Patient has received insufficient benefit to meet the renewal criteria for oligoarticular course JIA; or
2 At least 2 active joints with pain, tenderness or a limited range of motion, after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated; or
3 Moderate or high disease activity (cJADAS10 score greater than 1.5) with poor prognostic features after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated.

Renewal — (arthritis - oligoarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
2 On subsequent reapplications, at least a continuing 30% improvement in active joint count from baseline.

Initial application — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Both:
  1.1 Patient has had a Special Authority approval for adalimumab or secukinumab for psoriatic arthritis; and
  1.2 Either:
    1.2.1 Patient has experienced intolerable side effects; or
    1.2.2 Patient has received insufficient benefit to meet the renewal criteria for psoriatic arthritis; or
2 All of the following:
  2.1 Patient has received insufficient benefit from at least 3 months of methotrexate at maximum tolerated dose unless contraindicated; and
  2.2 Patient received insufficient benefit from at least 3 months of sulfasalazine or leflunomide at maximum tolerated dose unless contraindicated; and
  2.3 Either:
    2.3.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 joints; or
    2.3.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  2.4 Any of the following:
    2.4.1 Patient has a CRP greater than 15 mg/L measured within one month before the application; or
    2.4.2 Patient has an ESR greater than 25 mm per hour measured within one month before the application; or
    2.4.3 ESR and CRP not measured as patient is receiving prednisone therapy greater than 5 mg per day received for more than 3 months.

Renewal — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 Either:
  1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2 At least a continuing 30% improvement in active joint count from baseline; and

2 Maximum dose 50 mg every 7 days.

Initial application — (pyoderma gangrenosum*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has received insufficient benefit from 3 months of conventional therapy including a minimum of 3 pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate). Where conventional pharmaceuticals are contraindicated, a 3 month trial has occurred of those that are not contraindicated; and

2 Maximum of 8 doses every 4 months.

Note: Indications marked with * are unapproved indications.

Initial application — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 Patient has had a Special Authority approval for adalimumab for rheumatoid arthritis; and

1.2 Either:

1.2.1 Patient has experienced intolerable side effects; or

1.2.2 Patient has received insufficient benefit to meet the renewal criteria for rheumatoid arthritis; or

2 All of the following:

2.1 Patient has had rheumatoid arthritis (either confirmed by radiologic imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive); and

2.2 Patient has received insufficient benefit from at least 3 months of methotrexate at a maximum tolerated dose (unless contraindicated); and

2.3 Patient has received insufficient benefit from at least 3 months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses unless contraindicated); and

2.4 Either:

2.4.1 Patient has received insufficient benefit from at least 3 months of methotrexate in combination with the maximum tolerated dose of ciclosporin, unless contraindicated; or

2.4.2 Patient has received insufficient benefit from at least 3 months of therapy at the maximum tolerated dose of leflunomide alone or in combination with methotrexate, unless contraindicated; and

2.5 Either:

2.5.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 joints; or

2.5.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip.

Renewal — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Either:

1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or

1.2 On subsequent reapplications, at least a continuing 30% improvement in active joint count from baseline; and

2 Maximum dose 50 mg every 7 days.

Initial application — (Plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 Patient has had a Special Authority approval for adalimumab for plaque psoriasis; and

1.2 Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2.1 Patient has experienced intolerable side effects; or
1.2.2 Patient has received insufficient benefit to meet the renewal criteria for plaque psoriasis; or

2 All of the following:
2.1 Any of the following:
2.1.1 Patient has "whole body" plaque psoriasis with a PASI score of greater than 10; or
2.1.2 Patient has plaque psoriasis of the face, or palm of a hand or sole of a foot; or
2.1.3 Patient has localised genital or flexural plaque psoriasis with a DLQI score greater than 10; and
2.2 Patient has received insufficient benefit from (see Note), or has experienced intolerable side effects from, at least 3 of the following at maximum tolerated doses (unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
2.3 A PASI assessment or DLQI assessment has been completed for the most recent prior treatment course within 1 month of stopping that treatment; and
2.4 The most recent PASI or DLQI assessment is within 1 month before the application.

Note: "Insufficient benefit " is defined as: for whole body plaque psoriasis, a PASI score of greater than 10, for plaque psoriasis of the face, hand, foot, genital or flexural areas at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and for the face, palm of a hand or sole of a foot the skin area affected is 30% or more of the face, palm of a hand or sole of a foot. As assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Renewal — (Plaque psoriasis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Any of the following:
1.1 Both:
1.1.1 Patient had "whole body" plaque psoriasis at the start of treatment; and
1.1.2 Either:
1.1.2.1 Patient has a PASI score which is reduced by 75% or more, or is sustained at this level, compared with the pre-treatment baseline; or
1.1.2.2 Patient has a DLQI improvement of 5 or more, compared with the pre-treatment baseline; or
1.2 Both:
1.2.1 Patient had plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
1.2.2 Either:
1.2.2.1 Patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, compared to the pre-treatment baseline; or
1.2.2.2 Patient has a reduction of 75% or more in the skin area affected, or sustained at this level, compared to the pre-treatment baseline; or
1.3 Both:
1.3.1 Patient has localised genital or flexural plaque psoriasis at the start of treatment; and
1.3.2 Either:
1.3.2.1 Patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, compared to the pre-treatment baseline; or
1.3.2.2 Patient has a DLQI improvement of 5 or more, compared to the pre-treatment baseline; and

2 Maximum dose 50 mg every 7 days.

Initial application — (undifferentiated spondyloarthritis*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has undifferentiated peripheral spondyloarthritis with active peripheral joint arthritis in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Patient has received insufficient benefit from least 3 months of each of methotrexate, sulfasalazine, and leflunomide at maximum tolerated doses, unless contraindicated; and
3 Any of the following:
  3.1 Patient has a CRP level greater than 15 mg/L measured within one month before the application; or
  3.2 Patient has an ESR greater than 25 mm per hour measured within one month before the application; or
  3.3 ESR and CRP not measured as patient is currently receiving prednisone therapy greater than 5 mg per day received for more than 3 months.

Note: Indications marked with * are unapproved indications.

Renewal — (undifferentiated spondyloarthritis*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Either:
  1.1 Following initial treatment, the patient has experienced at least a 50% decrease in active joint count from baseline; or
  1.2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline; and
2 Maximum dose 50 mg every 7 days.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist

Inj 50 mg per ml, 5 ml	4,439.17	5	✔ **ATGAM**

BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist

Subsidised only for bladder cancer.

Inj 2-8 × 100 million CFU	149.37	1	✔ **OncoTICE**
Inj 40 mg per ml, vial	182.45	3	✔ **SII-Onco-BCG** S29

Monoclonal Antibodies

ADALIMUMAB (AMGEVITA) – Special Authority see SA2525 below – Retail pharmacy

Inj 20 mg per 0.4 ml prefilled syringe	190.00	1	✔ **Amgevita**
Inj 40 mg per 0.8 ml prefilled pen	375.00	2	✔ **Amgevita**
Inj 40 mg per 0.8 ml prefilled syringe	375.00	2	✔ **Amgevita**

➠SA2525 Special Authority for Subsidy

Initial application — (Behcet's disease - severe) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 The patient has severe Behcet's disease* that is significantly impacting the patient's quality of life; and
2 Either:
  2.1 The patient has severe ocular, neurological, and/or vasculitic symptoms and has not responded adequately to one or more treatment(s) appropriate for the particular symptom(s); or
  2.2 The patient has severe gastrointestinal, rheumatological, and/or mucocutaneous symptoms and has not responded adequately to two or more treatments appropriate for the particular symptom(s).

Note: Indications marked with * are unapproved indications.

Initial application — (Hidradenitis suppurativa) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has hidradenitis suppurativa Hurley Stage II or Hurley Stage III lesions in distinct anatomic areas; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Patient has tried, but had an inadequate response to at least a 90 day trial of systemic antibiotics or has demonstrated intolerance to or has contraindications for systemic antibiotics; and
3 Patient has 3 or more active lesions; and
4 The patient has a DLQI of 10 or more and the assessment is no more than 1 month old at time of application.

Renewal — (Hidradenitis suppurativa) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 The patient has a reduction in active lesions (e.g. inflammatory nodules, abscesses, draining fistulae) of 25% or more from baseline; and
2 The patient has a DLQI improvement of 4 or more from baseline.

Initial application — (Plaque psoriasis - severe chronic) only from a dermatologist or any relevant practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Both:
  1.1 Patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
  1.2 Either:
    1.2.1 Patient has experienced intolerable side effects; or
    1.2.2 Patient has received insufficient benefit to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
2 All of the following:
  2.1 Any of the following:
    2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a PASI score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; or
    2.1.3 Patient has severe chronic localised genital or flexural plaque psoriasis where the plaques or lesions have been present for at least 6 months from the time of initial diagnosis, and with a Dermatology Life Quality Index (DLQI) score greater than 10; and
  2.2 Patient has tried, but had an inadequate response to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  2.3 A PASI assessment or DLQI assessment has been completed for at least the most recent prior treatment course but no longer than 1 month following cessation of each prior treatment course and is no more than 1 month old at the time of application.

Renewal — (Plaque psoriasis - severe chronic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Any of the following:

1 Both:
  1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
  1.2 Either:
    1.2.1 The patient has experienced a 75% or more reduction in PASI score, or is sustained at this level, when compared with the pre-treatment baseline value; or
    1.2.2 The patient has a DLQI improvement of 5 or more, when compared with the pre-treatment baseline value; or
2 Both:
  2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
  2.2 Either:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2.1 The patient has experienced reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or

2.2.2 The patient has experienced reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre treatment baseline value; or

3 Both:

3.1 Patient had severe chronic localised genital or flexural plaque psoriasis at the start of treatment; and

3.2 Either:

3.2.1 The patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; or

3.2.2 Patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, as compared to baseline DLQI prior to commencing adalimumab.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

1 Patient has pyoderma gangrenosum*; and

2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and has not received an adequate response.

Note: Indications marked with * are unapproved indications.

Initial application — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has active Crohn's disease; and

2 Any of the following:

2.1 Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10; or

2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or

2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or

2.4 Patient has an ileostomy or colostomy and has intestinal inflammation; and

3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

Renewal — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Any of the following:

1 CDAI score has reduced by 100 points from the CDAI score, or HBI score has reduced by 3 points, from when the patient was initiated on adalimumab; or

2 CDAI score is 150 or less, or HBI is 4 or less; or

3 The patient has demonstrated an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed.

Initial application — (Crohn's disease - children) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Paediatric patient has active Crohn's disease; and

2 Either:

2.1 Patient has a PCDAI score of greater than or equal to 30; or

2.2 Patient has extensive small intestine disease; and

3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Renewal — (Crohn's disease - children) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Any of the following:

1 PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on adalimumab; or
2 PCDAI score is 15 or less; or
3 The patient has demonstrated an adequate response to treatment but PCDAI score cannot be assessed.

Initial application — (Crohn's disease - fistulising) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has confirmed Crohn's disease; and
2 Any of the following:
  2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  2.2 Patient has one or more rectovaginal fistula(e); or
  2.3 Patient has complex peri-anal fistula; and
3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application.

Renewal — (Crohn's disease - fistulising) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1 The number of open draining fistulae have decreased from baseline by at least 50%; or
2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Initial application — (Ocular inflammation - chronic) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 The patient has had an initial Special Authority approval for infliximab for chronic ocular inflammation; or
2 Both:
  2.1 Patient has severe uveitis uncontrolled with treatment of steroids and other immunosuppressants with a severe risk of vision loss; and
  2.2 Any of the following:
    2.2.1 Patient is 18 years or older and treatment with at least two other immunomodulatory agents has proven ineffective; or
    2.2.2 Patient is under 18 years and treatment with methotrexate has proven ineffective or is not tolerated at a therapeutic dose; or
    2.2.3 Patient is under 8 years and treatment with steroids or methotrexate has proven ineffective or is not tolerated at a therapeutic dose; or disease requires control to prevent irreversible vision loss prior to achieving a therapeutic dose of methotrexate.

Renewal — (Ocular inflammation - chronic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Any of the following:

1 The patient has had a good clinical response following 12 weeks' initial treatment; or
2 Following each 2 year treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
3 Following each 2 year treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old.

Initial application — (Ocular inflammation - severe) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Either:

1 Patient has had an initial Special Authority approval for infliximab for severe ocular inflammation; or
2 Both:
  2.1 Patient has severe, vision-threatening ocular inflammation requiring rapid control; and
  2.2 Any of the following:
    2.2.1 Treatment with high-dose steroids (intravenous methylprednisolone) followed by high dose oral steroids has proven ineffective at controlling symptoms; or
    2.2.2 Patient developed new inflammatory symptoms while receiving high dose steroids; or
    2.2.3 Patient is aged under 8 years and treatment with high dose oral steroids and other immunosuppressants has proven ineffective at controlling symptoms.

Renewal — (Ocular inflammation - severe) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 The patient has had a good clinical response following 3 initial doses; or
2 Following each 2 year treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
3 Following each 2 year treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:
  1.1 Patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  1.2 Either:
    1.2.1 The patient has experienced intolerable side effects; or
    1.2.2 The patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis; or
2 All of the following:
  2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  2.3 Patient has bilateral sacroiliitis demonstrated by radiology imaging; and
  2.4 Patient has not responded adequately to treatment with two or more NSAIDs, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
  2.5 Either:
    2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following BASMI measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender; and
  2.6 A BASDAI of at least 6 on a 0-10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment and is no more than 1 month old at the time of application.

Renewal — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 2 years where treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less.

Initial application — (Arthritis - oligoarticular course juvenile idiopathic) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Both:
  1.1 The patient has had an initial Special Authority approval for etanercept for oligoarticular course juvenile idiopathic arthritis (JIA); and
  1.2 Either:
    1.2.1 Patient has experienced intolerable side effects; or
    1.2.2 Patient has received insufficient benefit to meet the renewal criteria for oligoarticular course JIA; or
2 All of the following:
  2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  2.2 Patient has had oligoarticular course JIA for 6 months duration or longer; and
  2.3 Either:
    2.3.1 At least 2 active joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose); or
    2.3.2 Moderate or high disease activity (cJADAS10 score greater than 1.5) with poor prognostic features after a 3-month trial of methotrexate (at the maximum tolerated dose).

Renewal — (Arthritis - oligoarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:
1 Following initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - polyarticular course juvenile idiopathic) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Either:
1 Both:
  1.1 Patient has had an initial Special Authority approval for etanercept for polyarticular course juvenile idiopathic arthritis (JIA); and
  1.2 Either:
    1.2.1 Patient has experienced intolerable side effects; or
    1.2.2 Patient has received insufficient benefit to meet the renewal criteria for polyarticular course JIA; or
2 All of the following:
  2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  2.2 Patient has had polyarticular course JIA for 6 months duration or longer; and
  2.3 Any of the following:
    2.3.1 At least 5 active joints and at least 3 joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose); or
    2.3.2 Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate (at the maximum tolerated dose); or
    2.3.3 Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate.

Renewal — (Arthritis - polyarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:
1 Following initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - psoriatic) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:
- 1.1 Patient has had an initial Special Authority approval for etanercept or secukinumab for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects; or
  - 1.2.2 The patient has received insufficient benefit from to meet the renewal criteria for psoriatic arthritis; or

2 All of the following:
- 2.1 Patient has had active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of methotrexate at a maximum tolerated dose (unless contraindicated); and
- 2.3 Patient has tried and not responded to at least three months of sulfasalazine or leflunomide at maximum tolerated doses (unless contraindicated); and
- 2.4 Either:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen joints; or
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an ESR greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (Arthritis - psoriatic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Following initial treatment, the patient has at least a 50% decrease in swollen joint count from baseline and a clinically significant response in the opinion of the physician; or

2 Patient demonstrates at least a continuing 30% improvement in swollen joint count from baseline and a clinically significant response in the opinion of the treating physician.

Initial application — (Arthritis - rheumatoid) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:
- 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for rheumatoid arthritis; or

2 All of the following:
- 2.1 Patient has had rheumatoid arthritis (either confirmed by radiology imaging, or the patient is CCP antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.3 Patient has tried and not responded to at least three months of methotrexate at a maximum tolerated dose (unless contraindicated); and
2.4 Patient has tried and not responded to at least three months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate at maximum tolerated doses (unless contraindicated); and
2.5 Either:
2.5.1 Patient has tried and not responded to at least three months of methotrexate in combination with the maximum tolerated dose of ciclosporin (unless contraindicated); or
2.5.2 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide (unless contraindicated) alone or in combination with methotrexate; and
2.6 Either:
2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen joints; or
2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip.

Renewal — (Arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1 Following initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

Initial application — (Still's disease - adult-onset (AOSD)) only from a rheumatologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Either:

1 Both:
1.1 The patient has had an initial Special Authority approval for etanercept and/or tocilizumab for AOSD; and
1.2 Either:
1.2.1 Patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
1.2.2 Patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab; or
2 All of the following:
2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria; and
2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, NSAIDs and methotrexate; and
2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 Patient has active ulcerative colitis; and
2 Either:
2.1 Patient's SCCAI score is greater than or equal to 4; or
2.2 Patient's PUCAI score is greater than or equal to 20; and
3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from prior therapy with immunomodulators and systemic corticosteroids; and
4 Surgery (or further surgery) is considered to be clinically inappropriate.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 The SCCAI score has reduced by 2 points or more from the SCCAI score when the patient was initiated on biologic therapy; or
2 The PUCAI score has reduced by 10 points or more from the PUCAI score when the patient was initiation on biologic therapy.

Initial application — (undifferentiated spondyloarthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has undifferentiated peripheral spondyloarthritis* with active peripheral joint arthritis in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
2 Patient has tried and not responded to at least three months of each of methotrexate, sulfasalazine and leflunomide, at maximum tolerated doses (unless contraindicated); and
3 Any of the following:
   3.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
   3.2 Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application; or
   3.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Note: Indications marked with * are unapproved indications

Renewal — (undifferentiated spondyloarthritis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1 Following initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response in the opinion of the treating physician.

Initial application — (inflammatory bowel arthritis – axial) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
2 Patient has axial inflammatory pain for six months or more; and
3 Patient is unable to take NSAIDs; and
4 Patient has unequivocal sacroiliitis demonstrated by radiological imaging or MRI; and
5 Patient has not responded adequately to prior treatment consisting of at least 3 months of an exercise regime supervised by a physiotherapist; and
6 A BASDAI of at least 6 on a 0-10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment.

Renewal — (inflammatory bowel arthritis – axial) from any relevant practitioner. Approvals valid for 2 years where treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less.

Initial application — (inflammatory bowel arthritis – peripheral) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
2 Patient has active arthritis in at least four joints from the following: hip, knee, ankle, subtalar, tarsus, forefoot, wrist, elbow, shoulder, sternoclavicular; and
3 Patient has tried and not experienced a response to at least three months of methotrexate, or azathioprine at a maximum tolerated dose (unless contraindicated); and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

4 Patient has tried and not experienced a response to at least three months of sulfasalazine at a maximum tolerated dose (unless contraindicated); and
5 Any of the following:
   5.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
   5.2 Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application; or
   5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (inflammatory bowel arthritis – peripheral) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1 Following initial treatment, patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline in the opinion of the treating physician.

ADALIMUMAB (HUMIRA - ALTERNATIVE BRAND) – Special Authority see SA2157 below – Retail pharmacy

Inj 20 mg per 0.2 ml prefilled syringe	595.50	2	✔	**Humira**
Inj 40 mg per 0.4 ml prefilled pen	595.50	2	✔	**HumiraPen**
Inj 40 mg per 0.4 ml prefilled syringe	595.50	2	✔	**Humira**

➠SA2157 Special Authority for Subsidy

Initial application — (Behcet's disease – severe) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Behcet's disease – severe) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The patient has had a good clinical response to treatment with measurably improved quality of life; and
2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Hidradenitis suppurativa) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
4 Adalimumab to be administered at doses no greater than 40 mg every 7 days. Fortnightly dosing has been considered.

Renewal — (Hidradenitis suppurativa) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 The patient has a reduction in active lesions (e.g. inflammatory nodules, abscesses, draining fistulae) of 25% or more from baseline; and
2 The patient has a Dermatology Quality of Life Index improvement of 4 or more from baseline; and
3 Adalimumab is to be administered at doses no greater than 40mg every 7 days. Fortnightly dosing has been considered.

Initial application — (Psoriasis - severe chronic plaque) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
  1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
  1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Psoriasis - severe chronic plaque) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Either:
  1.1 Both:
    1.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    1.1.2 Either:
      1.1.2.1 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
      1.1.2.2 Following each prior adalimumab treatment course the patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, when compared with the pre-treatment baseline value; or
  1.2 Both:
    1.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    1.2.2 Either:
      1.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      1.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Pyoderma gangrenosum) only from a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and

2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
4 A maximum of 8 doses.

Renewal — (Pyoderma gangrenosum) only from a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The patient has demonstrated clinical improvement and continues to require treatment; and
2 A maximum of 8 doses.

Initial application — (Crohn's disease - adult) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevitat; or
1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
1.3 Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment; and

2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Crohn's disease - adult) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Any of the following:
1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
1.2 CDAI score is 150 or less; or
1.3 The patient has demonstrated an adequate response to treatment, but CDAI score cannot be assessed; and

2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Crohn's disease - children) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
1.3 Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment; and

2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Renewal — (Crohn's disease - children) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Any of the following:
   1.1 PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on adalimumab; or
   1.2 PCDAI score is 15 or less; or
   1.3 The patient has demonstrated an adequate response to treatment, but PCDAI score cannot be assessed; and
2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Crohn's disease - fistulising) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
   1.3 Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment; and
2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Crohn's disease - fistulising) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Either:
   1.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
   1.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain; and
2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Ocular inflammation – chronic) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with Amgevita, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
   1.3 Patient has uveitis and is considered to be at risk of vision loss if they were to change treatment; and
2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Ocular inflammation – chronic) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 Any of the following:
   1.1 The patient has had a good clinical response following 12 weeks' initial treatment; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2 Following each 12-month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or

1.3 Following each 12-month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old; and

2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Ocular inflammation – severe) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Any of the following:

1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or

1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with Amgevita, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or

1.3 Patient has uveitis and is considered to be at risk of vision loss if they were to change treatment; and

2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and

3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Ocular inflammation – severe) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 Any of the following:

1.1 The patient has had a good clinical response following 3 initial doses; or

1.2 Following each 12-month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or

1.3 Following each 12-month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old; and

2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:

1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or

1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita); and

2 Patient has received a maximum of 6 months treatment with Amgevita; and

3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and

4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and

2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✳Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Initial application — (Arthritis – oligoarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication.

Renewal — (Arthritis – oligoarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months where the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - polyarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication.

Renewal — (Arthritis - polyarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months where the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - psoriatic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Arthritis - psoriatic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Initial application — (Arthritis – rheumatoid) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
4 Either:
   4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
   4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Arthritis – rheumatoid) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
2 Either:
   2.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
   2.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Initial application — (Still's disease – adult-onset (AOSD)) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
   1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
2 Patient has received a maximum of 6 months treatment with Amgevita; and
3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication.

Renewal — (Still's disease – adult-onset (AOSD)) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months where the patient has demonstrated a sustained improvement in inflammatory markers and functional status.

AFLIBERCEPT – Special Authority see SA2550 below – Retail pharmacy

Inj 40 mg per ml, 0.1 ml vial	1,250.00	1	✔	**Eylea**

➠SA2550 Special Authority for Subsidy

Initial application — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient has centre involving diabetic macular oedema (DMO); and
2 Patient's disease is non responsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly; and
3 Patient has reduced visual acuity between 6/9 – 6/36 with functional awareness of reduction in vision; and
4 Patient has DMO within central OCT (ocular coherence tomography) subfield > 350 micrometers; and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5 There is no centre-involving sub-retinal fibrosis or foveal atrophy; and
6 Patient has not previously been treated with faricimab for longer than 3 months.

Renewal — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 There is stability or two lines of Snellen visual acuity gain; and
2 There is structural improvement on OCT scan (with reduction in intra-retinal cysts, central retinal thickness, and sub-retinal fluid); and
3 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
4 There is no centre-involving sub-retinal fibrosis or foveal atrophy.

Initial application — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:
Either:

1 All of the following:
   1.1 Any of the following:
      1.1.1 Wet age-related macular degeneration (wet AMD); or
      1.1.2 Polypoidal choroidal vasculopathy; or
      1.1.3 Choroidal neovascular membrane from causes other than wet AMD; and
   1.2 Either:
      1.2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab; or
      1.2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart; and
   1.3 There is no structural damage to the central fovea of the treated eye; and
   1.4 Patient has not previously been treated with ranibizumab or faricimab for longer than 3 months; or
2 Either:
   2.1 Patient has current approval to use ranibizumab or faricimab for treatment of wAMD and was found to be intolerant within 3 months; or
   2.2 Patient has previously* (*before June 2018) received treatment with ranibizumab for wAMD and disease was stable while on treatment.

Renewal — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Documented benefit must be demonstrated to continue; and
2 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
3 There is no structural damage to the central fovea of the treated eye.

BENRALIZUMAB – Special Authority see SA2151 below – Retail pharmacy
Inj 30 mg per ml, 1 ml prefilled pen ..... 3,539.00 1 ✔ **Fasenra**

➠SA2151 Special Authority for Subsidy
Initial application — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Patient must be aged 12 years or older; and
2 Patient must have a diagnosis of severe eosinophilic asthma documented by a respiratory physician or clinical immunologist; and
3 Conditions that mimic asthma eg. vocal cord dysfunction, central airway obstruction, bronchiolitis etc. have been

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

excluded; and

4 Patient has a blood eosinophil count of greater than 0.5 × 10ˆ9 cells/L in the last 12 months; and
5 Patient must be adherent to optimised asthma therapy including inhaled corticosteroids (equivalent to at least 1000 mcg per day of fluticasone propionate) plus long-acting beta-2 agonist, or budesonide/formoterol as part of the anti-inflammatory reliever therapy plus maintenance regimen, unless contraindicated or not tolerated; and
6 Either:
  6.1 Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral corticosteroids; or
  6.2 Patient has received continuous oral corticosteroids of at least the equivalent of 10 mg per day over the previous 3 months; and
7 Treatment is not to be used in combination with subsidised mepolizumab; and
8 Patient has an Asthma Control Test (ACT) score of 10 or less. Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 52 weeks after the first dose to assess response to treatment; and
9 Either:
  9.1 Patient has not previously received an anti-IL5 biological therapy for their severe eosinophilic asthma; or
  9.2 Both:
    9.2.1 Patient was refractory or intolerant to previous anti-IL5 biological therapy; and
    9.2.2 Patient was not eligible to continue treatment with previous anti-IL5 biological therapy and discontinued within 12 months of commencing treatment.

Renewal — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 An increase in the Asthma Control Test (ACT) score of at least 5 from baseline; and
2 Either:
  2.1 Exacerbations have been reduced from baseline by 50% as a result of treatment with benralizumab; or
  2.2 Reduction in continuous oral corticosteroid use by 50% or by 10 mg/day while maintaining or improving asthma control.

BEVACIZUMAB – PCT only – Special Authority see SA2453 below

Inj 25 mg per ml, 4 ml vial	69.00	1	✔ **Vegzelma**
Inj 25 mg per ml, 16 ml vial	276.00	1	✔ **Vegzelma**
Inj 1 mg for ECP	0.71	1 mg	✔ **Baxter**

➠SA2453 Special Authority for Subsidy
Initial application — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Patient is currently on treatment with bevacizumab, and met all remaining criteria prior to commencing treatment; or
2 All of the following:
  2.1 Patient has locally advanced or metastatic, unresectable hepatocellular carcinoma; and
  2.2 Patient has preserved liver function (Child-Pugh A); and
  2.3 Transarterial chemoembolisation (TACE) is unsuitable; and
  2.4 Any of the following:
    2.4.1 Patient has not received prior systemic therapy for the treatment of hepatocellular carcinoma; or
    2.4.2 Patient received funded lenvatinib before 1 March 2025; or
    2.4.3 Both:
      2.4.3.1 Patient has experienced treatment-limiting toxicity from treatment with lenvatinib; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.4.3.2 No disease progression since initiation of lenvatinib; and
2.5 Patient has an ECOG performance status of 0-2; and
2.6 To be given in combination with atezolizumab.

Renewal — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

Initial application — (advanced or metastatic ovarian cancer) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Either:
1.1 The patient has FIGO Stage IV epithelial ovarian, fallopian tube, or primary peritoneal cancer; or
1.2 Both:
1.2.1 The patient has previously untreated advanced (FIGO Stage IIIB or IIIC) epithelial ovarian, fallopian tube, or primary peritoneal cancer; and
1.2.2 Either:
1.2.2.1 Debulking surgery is inappropriate; or
1.2.2.2 The cancer is sub-optimally debulked (maximum diameter of any gross residual disease greater than 1cm); and
2 Bevacizumab to be administered at a maximum dose of 15 mg/kg every three weeks; and
3 18 weeks concurrent treatment with chemotherapy is planned.

Renewal — (advanced or metastatic ovarian cancer) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression.

Initial application — (Recurrent Respiratory Papillomatosis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Maximum of 6 doses; and
2 The patient has recurrent respiratory papillomatosis; and
3 The treatment is for intra-lesional administration.

Renewal — (Recurrent Respiratory Papillomatosis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Maximum of 6 doses; and
2 The treatment is for intra-lesional administration; and
3 There has been a reduction in surgical treatments or disease regrowth as a result of treatment.

Initial application — (Ocular Conditions) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Either:

1 Ocular neovascularisation; or
2 Exudative ocular angiopathy.

BRENTUXIMAB VEDOTIN – PCT only – Special Authority see SA2289 below
Inj 50 mg vial ..... 5,275.18 1 ✔ **Adcetris**

SA2289 Special Authority for Subsidy

Initial application — (relapsed/refractory Hodgkin lymphoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Either:
1.1 Both:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.1.1 Patient has relapsed/refractory CD30-positive Hodgkin lymphoma after two or more lines of chemotherapy; and
1.1.2 Patient is ineligible for autologous stem cell transplant; or
1.2 Both:
1.2.1 Patient has relapsed/refractory CD30-positive Hodgkin lymphoma; and
1.2.2 Patient has previously undergone autologous stem cell transplant; and
2 Patient has not previously received funded brentuximab vedotin; and
3 Response to brentuximab vedotin treatment is to be reviewed after a maximum of 6 treatment cycles; and
4 Brentuximab vedotin to be administered at doses no greater than 1.8 mg/kg every 3 weeks.

Renewal — (relapsed/refractory Hodgkin lymphoma) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:
1 Patient has achieved a partial or complete response to brentuximab vedotin after 6 treatment cycles; and
2 Treatment remains clinically appropriate and the patient is benefitting from treatment and treatment is being tolerated; and
3 Patient is to receive a maximum of 16 total cycles of brentuximab vedotin treatment.

Initial application — (anaplastic large cell lymphoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:
1 Patient has relapsed/refractory CD30-positive systemic anaplastic large cell lymphoma; and
2 Patient has an ECOG performance status of 0-1; and
3 Patient has not previously received brentuximab vedotin; and
4 Response to brentuximab vedotin treatment is to be reviewed after a maximum of 6 treatment cycles; and
5 Brentuximab vedotin to be administered at doses no greater than 1.8 mg/kg every 3 weeks.

Renewal — (anaplastic large cell lymphoma) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:
All of the following:
1 Patient has achieved a partial or complete response to brentuximab vedotin after 6 treatment cycles; and
2 Treatment remains clinically appropriate and the patient is benefitting from treatment and treatment is being tolerated; and
3 Patient is to receive a maximum of 16 total cycles of brentuximab vedotin treatment.

CETUXIMAB – PCT only – Specialist – Special Authority see SA2401 below

Inj 5 mg per ml, 20 ml vial	364.00	1	✔	**Erbitux**
Inj 5 mg per ml, 100 ml vial	1,820.00	1	✔	**Erbitux**
Inj 1 mg for ECP	3.82	1 mg	✔	**Baxter**

SA2401 Special Authority for Subsidy

Initial application — (head and neck cancer, locally advanced) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:
1 Patient has locally advanced, non-metastatic, squamous cell cancer of the head and neck; and
2 Cisplatin is contraindicated or has resulted in intolerable side effects; and
3 Patient has an ECOG performance score of 0-2; and
4 To be administered in combination with radiation therapy.

Initial application — (colorectal cancer, metastatic) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:
1 Patient has metastatic colorectal cancer located on the left side of the colon (see Note); and
2 There is documentation confirming disease is RAS and BRAF wild-type; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3 Patient has an ECOG performance score of 0-2; and
4 Patient has not received prior funded treatment with cetuximab; and
5 Either:
  5.1 Cetuximab is to be used in combination with chemotherapy; or
  5.2 Chemotherapy is determined to not be in the best interest of the patient based on clinician assessment.

Renewal — (colorectal cancer, metastatic) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where there is no evidence of disease progression.
Note: Left-sided colorectal cancer comprises of the distal one-third of the transverse colon, the splenic flexure, the descending colon, the sigmoid colon, or the rectum.

FARICIMAB – Special Authority see SA2533 below – Retail pharmacy

Inj 120 mg per ml, 0.24 ml vial	1,565.00	1	✔	**Vabysmo**

➠SA2533 Special Authority for Subsidy

Initial application — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient has centre involving diabetic macular oedema (DMO); and
2 Patient's disease is nonresponsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly; and
3 Patient has reduced visual acuity between 6/9 – 6/36 with functional awareness of reduction in vision; and
4 Patient has DMO within central OCT (ocular coherence tomography) subfield > 350 micrometers; and
5 There is no centre-involving sub-retinal fibrosis or foveal atrophy; and
6 Patient has not previously been treated with aflibercept for longer than 3 months.

Renewal — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 There is stability or two lines of Snellen visual acuity gain; and
2 There is structural improvement on OCT scan (with reduction in intra-retinal cysts, central retinal thickness, and sub-retinal fluid); and
3 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
4 There is no centre-involving sub-retinal fibrosis or foveal atrophy.

Initial application — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
  1.1 Wet age-related macular degeneration (wet AMD); or
  1.2 Polypoidal choroidal vasculopathy; or
  1.3 Choroidal neovascular membrane from causes other than wet AMD; and
2 Either:
  2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab; or
  2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart; and
3 There is no structural damage to the central fovea of the treated eye; and
4 Patient has not previously been treated with ranibizumab or aflibercept for longer than 3 months.

Renewal — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
2 There is no structural damage to the central fovea of the treated eye.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
GEMTUZUMAB OZOGAMICIN – PCT only – Specialist – Special Authority see SA2269 below				
Inj 5 mg vial	12,973.00	1	✔	**Mylotarg**

SA2269 Special Authority for Subsidy

Initial application only from a haematologist, paediatric haematologist or paediatric oncologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has not received prior chemotherapy for this condition; and
2 Patient has de novo CD33-positive acute myeloid leukaemia; and
3 Patient does not have acute promyelocytic leukaemia; and
4 Gemtuzumab ozogamicin will be used in combination with standard anthracycline and cytarabine (AraC); and
5 Patient is being treated with curative intent; and
6 Patient's disease risk has been assessed by cytogenetic testing to be good or intermediate; and
7 Patient must be considered eligible for standard intensive remission induction chemotherapy with standard anthracycline and cytarabine (AraC); and
8 Gemtuzumab ozogamicin to be funded for one course only (one dose at 3 mg per m^2 body surface area or up to 2 vials of 5 mg as separate doses).

Note: Acute myeloid leukaemia excludes acute promyelocytic leukaemia and acute myeloid leukaemia that is secondary to another haematological disorder (eg myelodysplasia or myeloproliferative disorder).

INFLIXIMAB – PCT only – Special Authority see SA2620 below				
Inj 100 mg	428.00	1	✔	**Remicade**
Inj 1 mg for ECP	4.40	1 mg	✔	**Baxter**

SA2620 Special Authority for Subsidy

Initial application — (Crohn's disease (adults)) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has active Crohn's disease; and
2 Any of the following:
  2.1 Patient has a CDAI score of greater than or equal to 300 or HBI score of greater than or equal to 10; or
  2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
3 Patient has tried but has experienced an inadequate response to, or intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

Renewal — (Crohn's disease (adults)) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Any of the following:
  1.1 CDAI score has reduced by 100 points from the CDAI score, or HBI score has reduced by 3 points, from when the patient was initiated on infliximab; or
  1.2 CDAI score is 150 or less, or HBI is 4 or less; or
  1.3 The patient has demonstrated an adequate response to treatment but CDAI score and/or HBI score cannot be assessed; and
2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (Crohn's disease (children)) from any relevant practitioner. Approvals valid for 6 months for applications

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
meeting the following criteria:
All of the following:

1 Paediatric patient has active Crohn's disease; and
2 Either:
  2.1 Patient has a PCDAI score of greater than or equal to 30; or
  2.2 Patient has extensive small intestine disease; and
3 Patient has tried but experienced an inadequate response to, or intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

Renewal — (Crohn's disease (children)) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 Any of the following:
  1.1 PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on infliximab; or
  1.2 PCDAI score is 15 or less; or
  1.3 The patient has demonstrated an adequate response to treatment but PCDAI score cannot be assessed; and
2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (Graft vs host disease) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has steroid-refractory acute graft vs. host disease of the gut.

Initial application — (Pulmonary sarcoidosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has life-threatening pulmonary sarcoidosis diagnosed by a multidisciplinary team that is refractory to other treatments.

Initial application — (acute fulminant ulcerative colitis) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 weeks for applications meeting the following criteria:
Both:

1 Patient has acute, fulminant ulcerative colitis; and
2 Treatment with intravenous or high dose oral corticosteroids has not been successful.

Initial application — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has had a Special Authority approval for adalimumab or etanercept for ankylosing spondylitis; and
2 Either:
  2.1 Patient has experienced intolerable side effects; or
  2.2 Patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis; and
3 Following initial induction doses, maximum dose 5mg/kg every 6-8 weeks.

Renewal — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 BASDAI has improved from pre-treatment baseline either by at least 4 points on a 10-point scale, or by at least 50%; and
2 Maximum dose 5 mg/kg every 6-8 weeks.

Initial application — (ocular inflammation - chronic*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Both:
  1.1 Patient has had a Special Authority approval for adalimumab for chronic ocular inflammation; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2 Either:
1.2.1 Patient has experienced intolerable side effects; or
1.2.2 Patient has received insufficient benefit to meet the renewal criteria for chronic ocular inflammation; or

2 Both:
2.1 Patient has severe uveitis with a severe risk of vision loss uncontrolled by treatment with corticosteroids and other immunosuppressants; and
2.2 Any of the following:
2.2.1 Patient is 18 years or older and treatment with at least two other immunomodulatory agents has been ineffective or are contraindicated; or
2.2.2 Patient is under 18 years and treatment with methotrexate has been ineffective, is contraindicated or is not tolerated at a therapeutic dose; or
2.2.3 Patient is under 8 years and treatment with corticosteroids or methotrexate has been ineffective, is contraindicated or is not tolerated at a therapeutic dose; or disease requires control to prevent irreversible vision loss prior to achieving a therapeutic dose of methotrexate.

Note: Indications marked with * are unapproved indications

Renewal — (ocular inflammation - chronic*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:
1 Patient has received a good clinical response following 3 initial doses; or
2 Following each 2 year treatment period, the patient has experienced a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
3 Following each 2 year treatment period, the patient has a sustained corticosteroid sparing effect, allowing reduction in prednisone to < 10mg daily, or corticosteroid drops less than twice daily if under 18 years old.

Note: A trial withdrawal should be considered after every 24 months of stability, unless the patient is deemed to have extremely high risk of irreversible vision loss if infliximab is withdrawn. Indications marked with * are unapproved indications

Initial application — (fistulising Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:
1 Patient has confirmed Crohn's disease; and
2 Any of the following:
2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
2.2 Patient has one or more rectovaginal fistula(e); or
2.3 Patent has complex peri-anal fistula.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 2 years for applications meeting the following criteria:

Both:
1 Either:
1.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
1.2 There has been a marked reduction in drainage of all fistula(e) from baseline (in the case of adult patients, as demonstrated by a reduction in the Fistula Assessment score), together with less induration and patient reported pain; and
2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (neurosarcoidosis) only from a neurologist or Practitioner on the recommendation of a neurologist.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Approvals valid for 18 months for applications meeting the following criteria:
All of the following:

1 Patient has been diagnosed with neurosarcoiosis by a multidisciplinary team; and
2 Patient has CNS involvement; and
3 Patient has steroid-refractory disease; and
4 Either:
  4.1 IV cyclophosphamide has been tried; or
  4.2 Treatment with IV cyclophosphamide is clinically inappropriate.

Renewal — (neurosarcoidosis) only from a neurologist or Practitioner on the recommendation of a neurologist. Approvals valid for 18 months for applications meeting the following criteria:
Either:

1 A withdrawal period has been tried and the patient has relapsed; or
2 All of the following:
  2.1 A withdrawal period has been considered but would not be clinically appropriate; and
  2.2 There has been a marked reduction in prednisone dose; and
  2.3 Either:
    2.3.1 There has been an improvement in MRI appearances; or
    2.3.2 Marked improvement in other symptomology.

Initial application — (plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Both:
  1.1 Patient had a Special Authority approval for adalimumab, etanercept or secukinumab for plaque psoriasis; and
  1.2 Either:
    1.2.1 Patient has experienced intolerable side effects; or
    1.2.2 Patient has received insufficient benefit to meet the renewal criteria for plaque psoriasis; or
2 All of the following:
  2.1 Any of the following:
    2.1.1 Patient has "whole body" plaque psoriasis with a PASI score of greater than 10; or
    2.1.2 Patient has plaque psoriasis of the face, or palm of a hand or sole of a foot; or
    2.1.3 Patient has localised genital or flexural plaque psoriasis with a DLQI score greater than 10; and
  2.2 Patient has received insufficient benefit (see Note) or has experienced intolerable side effects from at least 3 of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  2.3 A PASI assessment has been completed for the most recent prior treatment course within 1 month of stopping that treatment; and
  2.4 The most recent PASI assessment is within 1 month before the application.

Note: "Insufficient benefit" is defined as: for whole body plaque psoriasis, a PASI score of greater than 10; for plaque psoriasis of the face, hand, foot, genital or flexural areas at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and for the face, palm of a hand or sole of a foot the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Renewal — (plaque psoriasis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 Any of the following:
  1.1 Both:

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.1.1 Patient had "whole body" plaque psoriasis at the start of treatment; and
1.1.2 Patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab baseline; or

1.2 Both:
1.2.1 Patient had plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
1.2.2 Either:
1.2.2.1 Patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the pre-infliximab baseline; or
1.2.2.2 Patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab baseline; or

1.3 Both:
1.3.1 Patient had localised genital or flexural plaque psoriasis at the start of treatment; and
1.3.2 Either:
1.3.2.1 Patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline; or
1.3.2.2 Patient has a DLQI improvement of 5 or more, as compared to the pre-infliximab baseline; and

2 Maximum dose 5 mg/kg every 8 weeks.

Initial application — (previous use) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient was being treated with infliximab prior to 1 February 2019; and
2 Any of the following:
2.1 Rheumatoid arthritis; or
2.2 Ankylosing spondylitis; or
2.3 Psoriatic arthritis; or
2.4 Severe ocular inflammation; or
2.5 Chronic ocular inflammation; or
2.6 Crohn's disease (adults); or
2.7 Crohn's disease (children); or
2.8 Fistulising Crohn's disease; or
2.9 Severe fulminant ulcerative colitis; or
2.10 Severe ulcerative colitis; or
2.11 Plaque psoriasis; or
2.12 Neurosarcoidosis; or
2.13 Severe Behcet's disease.

Initial application — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has had a Special Authority approval for adalimumab or etanercept or secukinumab for psoriatic arthritis; and
2 Either:
2.1 Patient has experienced intolerable side effects; or
2.2 Patient has received insufficient benefit to meet the renewal criteria for psoriatic arthritis; and
3 Following initial induction doses, maximum dose 5mg/kg every 8 weeks.

Renewal — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
1.2 At least a continuing 30% improvement in active joint count from baseline; and

2 Maximum dose 5 mg/kg every 8 weeks.

Initial application — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has had a Special Authority approval for adalimumab or etanercept for rheumatoid arthritis; and
2 Either:
2.1 Patient has experienced intolerable side effects; or
2.2 Patient has received insufficient benefit to meet the renewal criteria for rheumatoid arthritis; and
3 Following initial induction doses, maximum dose 3mg/kg every 8 weeks.

Renewal — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 Either:
1.1 Following initial treatment, the patient has experienced at least a 50% decrease in active joint count from baseline; or
1.2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline; and
2 Maximum dose 3 mg/kg every 8 weeks.

Initial application — (Behcet disease) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
All of the following:

1 Patient has severe Behcet disease which is significantly impacting their quality of life; and
2 Either:
2.1 Patient has severe ocular, neurological and/or vasculitic symptoms and has received insufficient benefit from 1 or more treatment(s) appropriate for the particular symptom(s); or
2.2 Patient has severe gastrointestinal, rheumatologic and/or mucocutaneous symptoms and has received insufficient benefit from 2 or more treatments appropriate for the particular symptom(s); and
3 Following initial loading doses, maximum dose 5mg/kg every 8 weeks.

Renewal — (fulminant ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Both:

1 Where maintenance treatment is considered appropriate, infliximab should be used in combination with immunomodulators and reassessed every 6 months; and
2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (ocular inflammation - severe*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Both:
1.1 Patient has had an initial Special Authority approval for adalimumab for severe ocular inflammation; and
1.2 Either:
1.2.1 Patient has experienced intolerable side effects; or
1.2.2 Patient has received insufficient benefit to meet the renewal criteria for severe ocular inflammation; or

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Both:
  2.1 Patient has severe, vision-threatening ocular inflammation requiring rapid control; and
  2.2 Any of the following:
    2.2.1 Treatment with high-dose IV corticosteroids followed by high dose oral corticosteroids has been ineffective at controlling symptoms; or
    2.2.2 Patient developed new inflammatory symptoms while receiving high dose corticosteroids; or
    2.2.3 Patient is aged under 8 years and treatment with high dose oral corticosteroids and other immunosuppressants has been ineffective at controlling symptoms; or
    2.2.4 High dose corticosteroids are contraindicated.

Note: Indications marked with * are unapproved indications.

Renewal — (ocular inflammation - severe*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 Patient has received a good clinical response following 3 initial doses; or
2 Following each 2 year treatment period, the patient has experienced a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
3 Following each 2 year treatment period, patient has a sustained corticosteroid sparing effect, allowing reduction in prednisone to < 10mg daily, or corticosteroid drops less than twice daily if under 18 years old.

Note: A trial withdrawal should be considered after every 24 months of stability, unless the patient is deemed to have extremely high risk of irreversible vision loss if infliximab is withdrawn. Indications marked with * are unapproved indications

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has active ulcerative colitis; and
2 Either:
  2.1 Patients SCCAI is greater than or equal to 4; or
  2.2 Patients PUCAI score is greater than or equal to 20; and
3 Patient has tried but has experienced an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and systemic corticosteroids.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Either:
  1.1 The SCCAI score has reduced by 2 points or more from the SCCAI score when the patient was initiated on infliximab; or
  1.2 The PUCAI score has reduced by 10 points or more from the PUCAI score when the patient was initiated on infliximab; and
2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (pyoderma gangrenosum*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has received insufficient benefit from 3 months of conventional therapy including a minimum of 3 pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate). Where conventional pharmaceuticals are contraindicated,

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

a 3-month trial has occurred of those that are not contraindicated; and

2 Maximum of 8 doses every 4 months.

Note: Note: Indications marked with * are unapproved indications.

Initial application — (inflammatory bowel arthritis – axial) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
2 Patient has had axial inflammatory pain for six months or more; and
3 Patient is unable to take NSAIDs; and
4 Patient has unequivocal sacroiliitis demonstrated by radiological imaging or MRI; and
5 Patient's disease has not responded adequately to prior treatment consisting of at least 3 months of an exercise regime supervised by a physiotherapist; and
6 Patient has a BASDAI of at least 6 on a 0 - 10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment .

Renewal — (inflammatory bowel arthritis – axial) from any relevant practitioner. Approvals valid for 2 years where treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10-point scale, or an improvement in BASDAI of 50%, whichever is less.

Initial application — (inflammatory bowel arthritis – peripheral) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
2 Patient has active arthritis in at least four joints from the following: hip, knee, ankle, subtalar, tarsus, forefoot, wrist, elbow, shoulder, sternoclavicular; and
3 Patient has tried and not experienced a response to at least three months of methotrexate or azathioprine at a maximum tolerated dose (unless contraindicated); and
4 Patient has tried and not experienced a response to at least three months of sulfasalazine at a maximum tolerated dose (unless contraindicated); and
5 Any of the following:
   5.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
   5.2 Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application; or
   5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (inflammatory bowel arthritis – peripheral) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Following initial treatment, patient has experienced at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline in the opinion of the treating physician.

Initial application — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 The individual requires treatment for moderate to severe autoimmune toxicity following immune checkpoint inhibitor treatment for malignancy; and
2 The individual has received insufficient benefit from use of corticosteroids; and
3 Infliximab is to be administered at up to 5mg/kg for up to four doses.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Renewal — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Both:

1 The individual has shown clinical improvement and ongoing treatment is required; and
2 Infliximab is to be administered at up to 5mg/kg for up to a total of 8 doses.

Note: Indications marked with * are unapproved indications.

INOTUZUMAB OZOGAMICIN – PCT only – Specialist – Special Authority see SA2460 below

Inj 1 mg vial	14,457.00	1	✔	**Besponsa**
Inj 1 mg for ECP	14,457.00	1 mg	✔	**Baxter**

➠SA2460 Special Authority for Subsidy

Initial application only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has relapsed or refractory CD22-positive B-cell acute lymphoblastic leukaemia/lymphoma, including minimal residual disease; and
2 Patient has ECOG performance status of 0-2; and
3 Either:
  3.1 Both:
    3.1.1 Patient has Philadelphia chromosome positive B-Cell ALL; and
    3.1.2 Patient has previously received a tyrosine kinase inhibitor; or
  3.2 Patient has received one prior line of treatment involving intensive chemotherapy; and
4 Treatment is to be administered for a maximum of 3 cycles.

Renewal only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient is not proceeding to a stem cell transplant; and
2 Either:
  2.1 Patient has experienced complete disease response; or
  2.2 Patient has experienced complete remission with incomplete haematological recovery; and
3 Treatment with inotuzumab ozogamicin is to cease after a total duration of 6 cycles.

MEPOLIZUMAB – Special Authority see SA2331 below – Retail pharmacy

Inj 100 mg prefilled pen	1,638.00	1	✔	**Nucala**

➠SA2331 Special Authority for Subsidy

Initial application — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient must be aged 12 years or older; and
2 Patient must have a diagnosis of severe eosinophilic asthma documented by a respiratory physician or clinical immunologist; and
3 Conditions that mimic asthma eg. vocal cord dysfunction, central airway obstruction, bronchiolitis etc. have been excluded; and
4 Patient has a blood eosinophil count of greater than 0.5 × 10ˆ9 cells/L in the last 12 months; and
5 Patient must be adherent to optimised asthma therapy including inhaled corticosteroids (equivalent to at least 1000 mcg per day of fluticasone propionate) plus long acting beta-2 agonist, or budesonide/formoterol as part of the single maintenance and reliever therapy regimen, unless contraindicated or not tolerated; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

6 Either:
  6.1 Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral corticosteroids; or
  6.2 Patient has received continuous oral corticosteroids of at least the equivalent of 10 mg per day over the previous 3 months; and
7 Treatment is not to be used in combination with subsidised benralizumab; and
8 Patient has an Asthma Control Test (ACT) score of 10 or less. Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 52 weeks after the first dose to assess response to treatment; and
9 Either:
  9.1 Patient has not previously received an anti-IL5 biological therapy for their severe eosinophilic asthma; or
  9.2 Both:
    9.2.1 Patient was refractory or intolerant to previous anti-IL5 biological therapy; and
    9.2.2 Patient was not eligible to continue treatment with previous anti-IL5 biological therapy and discontinued within 12 months of commencing treatment.

Renewal — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 2 years for applications meeting the following criteria:
Both:
1 An increase in the Asthma Control Test (ACT) score of at least 5 from baseline; and
2 Either:
  2.1 Exacerbations have been reduced from baseline by 50% as a result of treatment with mepolizumab; or
  2.2 Reduction in continuous oral corticosteroid use by 50% or by 10 mg/day while maintaining or improving asthma control.

Initial application — (eosinophilic granulomatosis with polyangiitis) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:
1 The patient has eosinophilic granulomatosis with polyangiitis; and
2 The patient has trialled and not received adequate benefit from at least one of the following for at least three months (unless contraindicated to all): azathioprine, cyclophosphamide, leflunomide, methotrexate, mycophenolate, or rituximab; and
3 Either:
  3.1 The patient has trialled prednisone for a minimum of three months and is unable to maintain disease control at doses below 7.5 mg per day; or
  3.2 Corticosteroids are contraindicated.

Renewal — (eosinophilic granulomatosis with polyangiitis) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where patient has no evidence of clinical disease progression.

OBINUTUZUMAB – PCT only – Specialist – Special Authority see SA2551 below

Inj 25 mg per ml, 40 ml vial	5,910.00	1	✔	**Gazyva**
Inj 1 mg for ECP	6.21	1 mg	✔	**Baxter**

SA2551 Special Authority for Subsidy
Initial application — (chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
2 The patient is obinutuzumab treatment naive; and
3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and
4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL; and
5 Patient has good performance status; and
6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

* Neutrophil greater than or equal to 1.5×10^9/L and platelets greater than or equal to 75×10^9/L.

Initial application — (follicular / marginal zone lymphoma) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 Either:
  1.1 Patient has follicular lymphoma; or
  1.2 Patient has marginal zone lymphoma; and
2 Patient is refractory to or has relapsed within 12 months of a rituximab containing combined chemo-immunotherapy regimen*; and
3 Patient has an ECOG performance status of 0-2; and
4 Patient has been previously treated with no more than four chemotherapy regimens; and
5 Obinutuzumab to be administered at a maximum dose of 1000 mg for a maximum of 6 cycles in combination with chemotherapy*.

Note: * includes unapproved indications

Renewal — (follicular / marginal zone lymphoma) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

1 Patient has no evidence of disease progression following obinutuzumab induction therapy; and
2 Obinutuzumab to be administered at a maximum of 1000 mg every 2 months for a maximum of 2 years; and
3 Obinutuzumab to be discontinued at disease progression.

OMALIZUMAB – Special Authority see SA2597 below – Retail pharmacy

Inj 150 mg prefilled syringe	450.00	1	✔ **Xolair** ✔ **Xolair AU**
Inj 150 mg vial	450.00	1	✔ **Xolair**

➠SA2597 Special Authority for Subsidy

Initial application — (severe asthma) only from a respiratory specialist or clinical immunologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient must be aged 6 years or older; and
2 Patient has a diagnosis of severe asthma; and
3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
5 Proven adherence with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1,600 mcg per day or fluticasone propionate 1,000 mcg per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

50 mcg bd or eformoterol 12 mcg bd) for at least 12 months, unless contraindicated or not tolerated; and

6 Either:

6.1 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; or

6.2 Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral steroids; and

7 Patient has an Asthma Control Test (ACT) score of 10 or less; and

8 Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 26 weeks after the first dose to assess response to treatment.

Initial application — (severe chronic spontaneous urticaria) only from a clinical immunologist or dermatologist. Approvals valid for 7 months for applications meeting the following criteria:

All of the following:

1 Patient must be aged 12 years or older; and

2 Either:

2.1 Both:

2.1.1 Patient is symptomatic with Urticaria Activity Score 7 (UAS7) of 20 or above; and

2.1.2 Patient has a Dermatology life quality index (DLQI) of 10 or greater; or

2.2 Patient has a Urticaria Control Test (UCT) of 8 or less; and

3 Any of the following:

3.1 Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and ciclosporin (> 3 mg/kg day) for at least 6 weeks; or

3.2 Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and at least 3 courses of systemic corticosteroids (> 20 mg prednisone per day for at least 5 days) in the previous 6 months; or

3.3 Patient has developed significant adverse effects whilst on corticosteroids or ciclosporin; and

4 Either:

4.1 Treatment to be stopped if inadequate response* following 4 doses; or

4.2 Complete response* to 6 doses of omalizumab.

Renewal — (severe asthma) only from a clinical immunologist or respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 An increase in the Asthma Control Test (ACT) score of at least 5 from baseline; and

2 A reduction in the maintenance oral corticosteroid dose or number of exacerbations of at least 50% from baseline.

Renewal — (severe chronic spontaneous urticaria) only from a clinical immunologist or dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Patient has previously adequately responded* to 6 doses of omalizumab; or

2 Both:

2.1 Patient has previously had a complete response* to 6 doses of omalizumab; and

2.2 Patient has relapsed after cessation of omalizumab therapy.

Note: *Inadequate response defined as less than 50% reduction in baseline UAS7 and DLQI score, or an increase in Urticaria Control Test (UCT) score of less than 4 from baseline. Patient is to be reassessed for response after 4 doses of omalizumab. Complete response is defined as UAS7 less than or equal to 6 and DLQI less than or equal to 5; or UCT of 16. Relapse of chronic urticaria on stopping prednisone/ciclosporin does not justify the funding of omalizumab.

PALIVIZUMAB – PCT only – Special Authority see SA2621 on the next page

Inj 100 mg per ml, 1 ml vial	1,700.00	1	✔	**Synagis**

✔ **fully subsidised**

Principal Supply

S29 Unapproved medicine supplied under Section 29

Sole Subsidised Supply

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised	Brand or Generic Manufacturer

SA2621 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 Palivizumab to be administered during the annual RSV season; and
2 Either:
  2.1 Both:
    2.1.1 Infant was born in the last 12 months; and
    2.1.2 Infant was born at less than 32 weeks zero days' gestation; or
  2.2 Both:
    2.2.1 Child was born in the last 24 months; and
    2.2.2 Any of the following:
      2.2.2.1 Child has severe lung, airway, neurological or neuromuscular disease that requires ongoing ventilatory/respiratory support (see Note A) in the community; or
      2.2.2.2 Both:
        2.2.2.2.1 Child has haemodynamically significant heart disease; and
        2.2.2.2.2 Any of the following:
          2.2.2.2.2.1 Child has unoperated simple congenital heart disease with significant left to right shunt (see Note B); or
          2.2.2.2.2.2 Child has unoperated or surgically palliated complex congenital heart disease; or
          2.2.2.2.2.3 Child has severe pulmonary hypertension (see Note C); or
          2.2.2.2.2.4 Child has moderate or severe left ventricular (LV) failure (see Note D); or
      2.2.2.3 Child has severe combined immune deficiency, confirmed by an immunologist, but has not received a stem cell transplant; or
      2.2.2.4 Child has inborn errors of immunity (see Note E) that increase susceptibility to life-threatening viral respiratory infections, confirmed by an immunologist.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Palivizumab to be administered during the annual RSV season; and
2 Child was born in the last 24 months; and
3 Any of the following:
  3.1 Child has severe lung, airway, neurological or neuromuscular disease that requires ongoing ventilatory/respiratory support (see Note A) in the community; or
  3.2 Both:
    3.2.1 Child has haemodynamically significant heart disease; and
    3.2.2 Any of the following:
      3.2.2.1 Child has unoperated simple congenital heart disease with significant left to right shunt (see Note B); or
      3.2.2.2 Child has unoperated or surgically palliated complex congenital heart disease; or
      3.2.2.3 Child has severe pulmonary hypertension (see Note C); or
      3.2.2.4 Child has moderate or severe left ventricular (LV) failure (see Note D); or
  3.3 Child has severe combined immune deficiency, confirmed by an immunologist, but has not received a stem cell transplant; or
  3.4 Child has inborn errors of immunity (see Note E) that increase susceptibility to life-threatening viral respiratory infections, confirmed by an immunologist.

Notes:

a) Ventilatory/respiratory support includes those on home oxygen, CPAP/VPAP and those with tracheostomies in situ managed at home

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

b) Child requires/will require heart failure medication, and/or child has significant pulmonary hypertension, and/or infant will require surgical palliation/definitive repair within the next 3 months
c) Mean pulmonary artery pressure more than 25 mmHg
d) LV Ejection Fraction less than 40%
e) Inborn errors of immunity include, but are not limited to, IFNAR deficiencies

PERTUZUMAB – PCT only – Specialist – Special Authority see SA2276 below

Inj 30 mg per ml, 14 ml vial	3,927.00	1	✔	**Perjeta**
Inj 420 mg for ECP	3,927.00	420 mg OP	✔	**Baxter**

➠SA2276 Special Authority for Subsidy

Initial application — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
2 Either:
  2.1 Patient is chemotherapy treatment naïve; or
  2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
3 The patient has good performance status (ECOG grade 0-1); and
4 Pertuzumab to be administered in combination with trastuzumab; and
5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 Both:
  1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  1.2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab; or
2 All of the following:
  2.1 Patient has previously discontinued treatment with pertuzumab and trastuzumab for reasons other than severe toxicity or disease progression; and
  2.2 Patient has signs of disease progression; and
  2.3 Disease has not progressed during previous treatment with pertuzumab and trastuzumab.

PERTUZUMAB WITH TRASTUZUMAB – PCT only – Special Authority see SA2534 below

Inj 600 mg with trastuzumab 600 mg, 10 ml vial	7,707.00	1	✔	**Phesgo**
Inj 1,200 mg with trastuzumab 600 mg, 15 ml vial	12,894.00	1	✔	**Phesgo**

➠SA2534 Special Authority for Subsidy

Initial application — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 Both:
  1.1 The individual has received an initial Special Authority approval for intravenous pertuzumab and trastuzumab for metastatic breast cancer; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2 Pertuzumab with trastuzumab to be administered subcutaneously at a maximum dose of 600 mg pertuzumab with 600 mg trastuzumab every three weeks (or equivalent); or

2 All of the following:

2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

2.2 Either:

2.2.1 Patient is chemotherapy treatment naïve; or

2.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and

2.3 The patient has good performance status (ECOG grade 0-1); and

2.4 Loading dose of pertuzumab with trastuzumab to be administered subcutaneously at a maximum dose of 1200 mg pertuzumab with 600 mg trastuzumab, respectively; and

2.5 Maintenance doses of pertuzumab with trastuzumab to be administered subcutaneously at a maximum dose of 600 mg pertuzumab with 600 mg trastuzumab every three weeks (or equivalent); and

2.6 Pertuzumab with trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The individual has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

1.2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab; or

2 All of the following:

2.1 Individual has previously discontinued treatment with pertuzumab with trastuzumab for reasons other than severe toxicity or disease progression; and

2.2 Individual has signs of disease progression; and

2.3 Disease has not progressed during previous treatment with pertuzumab with trastuzumab.

RITUXIMAB (MABTHERA) – PCT only – Specialist – Special Authority see SA2622 below

Inj 100 mg per 10 ml vial	1,075.50	2	✔	**Mabthera**
Inj 500 mg per 50 ml vial	2,688.30	1	✔	**Mabthera**
Inj 1 mg for ECP	5.64	1 mg	✔	**Baxter (Mabthera)**

➠SA2622 Special Authority for Subsidy

Initial application — (arthritis - rheumatoid - TNF inhibitors contraindicated) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Treatment with a Tumour Necrosis Factor alpha inhibitor is contraindicated; and

2 Patient has had rheumatoid arthritis (either confirmed by radiologic imaging, or the patient is CCP antibody positive); and

3 Disease has not responded to at least 3 months of methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose, unless contraindicated; and

4 Disease has not responded to at least 3 months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses), unless contraindicated; and

5 Either:

5.1 Disease has not responded to at least 3 months of methotrexate in combination with the maximum tolerated dose of ciclosporin, unless contraindicated; or

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5.2 Disease has not responded to at least 3 months of therapy at the maximum tolerated dose of leflunomide alone or in combination with methotrexate, unless contraindicated; and

6 Either:

6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 joints; or

6.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, shoulder, or hip; and

7 Either:

7.1 Patient has CRP greater than 15 mg/L measured within one month before the application; or

7.2 CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day received for more than 3 months; and

8 Maximum of two 1000 mg infusions given two weeks apart.

Initial application — (arthritis - rheumatoid - prior TNF inhibitor use) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient has had a Special Authority approval for etanercept or adalimumab for rheumatoid arthritis; and

2 Either:

2.1 Patient has experienced intolerable side effects; or

2.2 Following at least a 4 month trial of adalimumab or etanercept, the renewal criteria for rheumatoid arthritis were not met; and

3 Maximum of two 1000 mg infusions given two weeks apart.

Renewal — (arthritis - rheumatoid - re-treatment for people who have experienced a partial response to rituximab) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Any of the following:

1.1 Following the initial course of rituximab the patient experienced between a 30% and 50% decrease in active joint count from baseline; or

1.2 Following the second course of rituximab the patient experienced at least a 50% decrease in active joint count from baseline; or

1.3 Following the third and subsequent courses of rituximab, the patient experienced at least a continuing 30% improvement in active joint count from baseline; and

2 Rituximab re-treatment not to be given within 6 months of the previous course of treatment; and

3 Maximum of two 1000 mg infusions given two weeks apart.

Renewal — (arthritis - rheumatoid - re-treatment for people who experience a response to rituximab) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Either:

1.1 Following the initial course of rituximab infusions the patient experienced at least a 50% decrease in active joint count from baseline; or

1.2 Following the second and subsequent courses of rituximab, the patient experienced at least a continuing 30% improvement in active joint count from baseline; and

2 Rituximab re-treatment not to be given within 6 months of the previous course of treatment; and

3 Maximum of two 1000 mg infusions per course given two weeks apart.

RITUXIMAB (RIXIMYO) – PCT only – Specialist – Special Authority see SA2623 on the next page

Inj 100 mg per 10 ml vial	275.33	2	✔	**Riximyo**
Inj 500 mg per 50 ml vial	688.20	1	✔	**Riximyo**
Inj 1 mg for ECP	1.38	1 mg	✔	**Baxter (Riximyo)**

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2623 Special Authority for Subsidy

Initial application — (ABO-incompatible organ transplant) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is to undergo an ABO-incompatible solid organ transplant*.

Note: Indications marked with * are unapproved indications.

Initial application — (ANCA associated vasculitis) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with ANCA associated vasculitis*; and
2 The total rituximab dose would not exceed the equivalent of 375 mg/m^2 of body-surface area per week for a total of 4 weeks; and
3 Any of the following:
  3.1 Induction therapy with daily oral or pulse intravenous cyclophosphamide has failed to achieve significant improvement of disease after at least 3 months; or
  3.2 Patient has previously had a cumulative dose of cyclophosphamide > 15 g or a further repeat 3 month induction course of cyclophosphamide would result in a cumulative dose > 15 g; or
  3.3 Cyclophosphamide and methotrexate are contraindicated; or
  3.4 Patient is a female of child-bearing potential; or
  3.5 Patient has a previous history of haemorrhagic cystitis, urological malignancy or haematological malignancy.

Note: Indications marked with * are unapproved indications.

Renewal — (ANCA associated vasculitis) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with ANCA associated vasculitis*; and
2 Patient has previously responded to treatment with rituximab but is now experiencing an acute flare of vasculitis; and
3 The total rituximab dose would not exceed the equivalent of 375 mg/m^2 of body-surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Initial application — (Antibody-mediated organ transplant rejection) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has been diagnosed with antibody-mediated organ transplant rejection*.

Note: Indications marked with * are unapproved indications.

Initial application — (Chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
2 Any of the following:
  2.1 The patient is rituximab treatment naive; or
  2.2 Either:
    2.2.1 The patient is chemotherapy treatment naive; or
    2.2.2 Both:
      2.2.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
      2.2.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; or
  2.3 The patient's disease has relapsed and rituximab treatment is to be used in combination with funded venetoclax; and
3 The patient has good performance status; and
4 Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

4.1 The patient does not have chromosome 17p deletion CLL; or
4.2 Rituximab treatment is to be used in combination with funded venetoclax for relapsed/refractory chronic lymphocytic leukaemia; and

5 Rituximab to be administered in combination with fludarabine and cyclophosphamide, bendamustine or venetoclax for a maximum of 6 treatment cycles; and
6 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration), bendamustine or venetoclax.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2.

Renewal — (Chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Either:
1.1 The patient's disease has relapsed and rituximab treatment is to be used in combination with funded venetoclax; or
1.2 All of the following:
1.2.1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
1.2.2 The patient has had an interval of 36 months or more since commencement of initial rituximab treatment; and
1.2.3 The patient does not have chromosome 17p deletion CLL; and
1.2.4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and

2 Rituximab to be administered in combination with fludarabine and cyclophosphamide, bendamustine or venetoclax for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — (neuromyelitis optica spectrum disorder (NMOSD)*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Cumulative dose up to 1,500 mg/m^2 body surface area up to 2,000 mg total per cycle; and
2 Either:
2.1 Patient has experienced a severe episode or attack of NMOSD (rapidly progressing symptoms with supporting clinical investigations); or
2.2 All of the following:
2.2.1 Patient has experienced a breakthrough attack of NMOSD; and
2.2.2 Patient is receiving treatment with mycophenolate unless contraindicated or not tolerated; and
2.2.3 Patient is receiving treatment with corticosteroids unless contraindicated or not tolerated; and

3 Each treatment cycle at least 6 months apart.

Note: Indications marked with * are unapproved indications.

Initial application — (Post-transplant) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are unapproved indications.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Renewal — (Post-transplant) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

1 The patient has had a rituximab treatment-free interval of 12 months or more; and
2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are unapproved indications.

Initial application — (refractory myasthenia gravis*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Cumulative dose up to 1,500 mg/m^2 body surface area up to 2,000 mg total per cycle; and
2 Either:
  2.1 Treatment with corticosteroids and at least one other immunosuppressant for a minimum period of 12 months has been ineffective; or
  2.2 Both:
    2.2.1 Treatment with at least one other immunosuppressant for a period of at least 12 months; and
    2.2.2 Corticosteroids have been trialed for at least 12 months and have been discontinued due to unacceptable side effects.

Note: Indications marked with * are unapproved indications.

Renewal — (refractory myasthenia gravis*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

1 Cumulative dose up to 1,500 mg/m^2 body surface area up to 2,000 mg total per cycle; and
2 An initial response lasting at least 12 months was demonstrated; and
3 Either:
  3.1 Patient has relapsed despite treatment with corticosteroids and at least one other immunosuppressant for a period of at least 12 months; or
  3.2 Both:
    3.2.1 Patient's myasthenia gravis has relapsed despite treatment with at least one immunosuppressant for a period of at least 12 months; and
    3.2.2 Corticosteroids have been trialed for at least 12 months and have been discontinued due to unacceptable side effects.

Note: Indications marked with * are unapproved indications.

Initial application — (Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS)) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient is a child with SDNS* or FRNS*; and
2 Treatment with corticosteroids, ciclosporin, and mycophenolate for at least 3 months for each agent has been ineffective, not tolerated, or is contraindicated; and
3 The total rituximab dose used would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS)) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient who was previously treated with rituximab for nephrotic syndrome*; and
2 Treatment with rituximab was previously successful and has demonstrated sustained response for greater than 6 months,

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

but the condition has relapsed and the patient now requires repeat treatment; and

3 The total rituximab dose used would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Initial application — (Steroid resistant nephrotic syndrome (SRNS)) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient is a child with SRNS* and treatment with corticosteroids, ciclosporin and tacrolimus for at least 3 months for each agent has been ineffective, not tolerated, or is contraindicated; and
2 Genetic causes of nephrotic syndrome have been excluded; and
3 The total rituximab dose per cycle would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (Steroid resistant nephrotic syndrome (SRNS)) only from a nephrologist or Practitioner on the recommendation of a nephrologist. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient who was previously treated with rituximab for nephrotic syndrome*; and
2 Treatment with rituximab was previously successful and has demonstrated sustained response for greater than 6 months, but the condition has relapsed and the patient now requires repeat treatment; and
3 The total rituximab dose used would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Initial application — (aggressive CD20 positive NHL) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 All of the following:
   1.1 The patient has treatment naive aggressive CD20 positive NHL; and
   1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
   1.3 To be used for a maximum of 8 treatment cycles; or
2 Both:
   2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
   2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (aggressive CD20 positive NHL) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 The patient has had a rituximab treatment-free interval of 12 months or more; and
2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (haemophilia with inhibitors) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

1 Patient has mild congenital haemophilia complicated by inhibitors; or
2 Patient has severe congenital haemophilia complicated by inhibitors and has failed immune tolerance therapy; or
3 Patient has acquired haemophilia.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Renewal — (haemophilia with inhibitors) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient was previously treated with rituximab for haemophilia with inhibitors; and
2 An initial response lasting at least 12 months was demonstrated; and
3 Patient now requires repeat treatment.

Initial application — (immune thrombocytopenic purpura (ITP)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:
All of the following:

1 Either:
  1.1 Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microlitre; or
  1.2 Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding; and
2 Any of the following:
  2.1 Treatment with steroids and splenectomy have been ineffective; or
  2.2 Treatment with steroids has been ineffective and splenectomy is an absolute contraindication; or
  2.3 Other treatments including steroids have been ineffective and patient is being prepared for elective surgery (e.g. splenectomy); and
3 The total rituximab dose used would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (immune thrombocytopenic purpura (ITP)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:
Either:

1 Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m^2 weekly for 4 weeks) is now planned; or
2 All of the following:
  2.1 Patient was previously treated with rituximab for immune thrombocytopenic purpura*; and
  2.2 An initial response lasting at least 12 months was demonstrated; and
  2.3 Patient now requires repeat treatment.

Note: Indications marked with * are unapproved indications.

Initial application — (indolent, low-grade lymphomas or hairy cell leukaemia*) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:
Either:

1 Both:
  1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
  1.2 To be used for a maximum of 6 treatment cycles; or
2 Both:
  2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
  2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Unapproved indication. 'Hairy cell leukaemia' also includes hairy cell leukaemia variant.

Renewal — (indolent, low-grade lymphomas or hairy cell leukaemia*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

All of the following:

1 The patient has had a rituximab treatment-free interval of 12 months or more; and
2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Unapproved indication. 'Hairy cell leukaemia' also includes hairy cell leukaemia variant.

Initial application — (pure red cell aplasia (PRCA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 weeks where patient has autoimmune pure red cell aplasia* associated with a demonstrable B-cell lymphoproliferative disorder.

Note: Indications marked with * are unapproved indications.

Renewal — (pure red cell aplasia (PRCA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 weeks where patient was previously treated with rituximab for pure red cell aplasia* associated with a demonstrable B-cell lymphoproliferative disorder and demonstrated an initial response lasting at least 12 months.

Note: Indications marked with * are unapproved indications.

Initial application — (severe cold haemagglutinin disease (CHAD)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient has cold haemagglutinin disease*; and
2 Patient has severe disease which is characterized by symptomatic anaemia, transfusion dependence or disabling circulatory symptoms; and
3 The total rituximab dose used would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (severe cold haemagglutinin disease (CHAD)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

Either:

1 Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m^2 weekly for 4 weeks) is now planned; or
2 All of the following:
   2.1 Patient was previously treated with rituximab for severe cold haemagglutinin disease*; and
   2.2 An initial response lasting at least 12 months was demonstrated; and
   2.3 Patient now requires repeat treatment.

Note: Indications marked with * are unapproved indications.

Initial application — (thrombotic thrombocytopenic purpura (TTP)*) only from a haematologist or any relevant practitioner on the recommendation of a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 The total rituximab dose per cycle would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks; and
2 Each treatment cycle at least 6 months apart; and
3 Either:
   3.1 Patient has experienced progression of clinical symptoms or persistent thrombocytopenia despite plasma exchange; or
   3.2 Patient has acute idiopathic TTP* with neurological or cardiovascular pathology.

Note: Indications marked with * are unapproved indications.

Initial application — (treatment refractory systemic lupus erythematosus (SLE)*) only from a rheumatologist, nephrologist or any relevant practitioner on the recommendation of a rheumatologist or nephrologist. Approvals valid without further renewal

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

unless notified for applications meeting the following criteria:

All of the following:

1 Patient has severe, immediately life- or organ-threatening SLE*; and
2 The condition has been refractory to treatment with corticosteroids at a dose of at least 1 mg/kg unless contraindicated; and
3 The condition has relapsed following prior treatment for at least 6 months with maximal tolerated doses of azathioprine, mycophenolate mofetil and high dose cyclophosphamide, or cyclophosphamide is contraindicated; and
4 Initial treatment maximum of four 1000 mg infusions; and
5 Treatment for relapse following initial partial response to rituximab up to a maximum of two 1000 mg infusions every 6 months.

Note: Indications marked with * are unapproved indications.

Initial application — (warm autoimmune haemolytic anaemia (warm AIHA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

1 Patient has warm autoimmune haemolytic anaemia*; and
2 One of the following treatments has been ineffective: steroids (including if patient requires ongoing steroids at doses equivalent to > 5 mg prednisone daily), cytotoxic agents (e.g. cyclophosphamide monotherapy or in combination), intravenous immunoglobulin; and
3 The total rituximab dose used would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (warm autoimmune haemolytic anaemia (warm AIHA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

Either:

1 Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m^2 weekly for 4 weeks) is now planned; or
2 All of the following:
   2.1 Patient was previously treated with rituximab for warm autoimmune haemolytic anaemia*; and
   2.2 An initial response lasting at least 12 months was demonstrated; and
   2.3 Patient now requires repeat treatment.

Note: Indications marked with * are unapproved indications.

Initial application — (antisynthetase syndrome) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Patient has severe, immediately life- or organ-threatening disease, including interstitial lung disease; and
2 Either:
   2.1 Treatment with at least 3 immunosuppressants (oral corticosteroids, cyclophosphamide, methotrexate, mycophenolate, ciclosporin, azathioprine) has been ineffective controlling active disease; or
   2.2 Rapid treatment is required for life threatening complications; and
3 Maximum of two 1000mg infusions every 6 months.

Initial application — (graft versus host disease) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Patient has refractory graft versus host disease following transplant; and
2 Treatment with at least 3 immunosuppressants (oral steroids, ciclosporin, tacrolimus, mycophenolate, sirolimus) has not be effective at controlling active disease; and
3 The total rituximab dose used would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Initial application — (chronic inflammatory demyelinating polyneuropathy (CIPD)*) only from a neurologist or any relevant practitioner on the recommendation of a neurologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Either:
  1.1 Both:
    1.1.1 Treatment with corticosteroids and intravenous immunoglobulin and/or plasma exchange has been ineffective controlling active disease, is not tolerated, or is contraindicated; and
    1.1.2 At least one other immunosuppressant (cyclophosphamide, ciclosporin, tacrolimus, mycophenolate) is not tolerated or has been ineffective controlling active disease. If an immunosuppressant is contraindicated, a trial has occurred of one of those which is not contraindicated (unless all are contraindicated); or
  1.2 Rapid treatment is required for life threatening complications; and
2 Cumulative dose up to 1500 mg/m^2 body surface area up to 2000 mg total per cycle; and
3 Each treatment cycle at least 6 months apart.

Note: Indications marked with * are unapproved indications.

Initial application — (anti-NMDA receptor autoimmune encephalitis*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Either:
  1.1 Both:
    1.1.1 Treatment with corticosteroids and intravenous immunoglobulin and/or plasma exchange has been ineffective controlling active disease, is not tolerated or is contraindicated; and
    1.1.2 At least one other immunosuppressant (cyclophosphamide, ciclosporin, tacrolimus, mycophenolate) has been ineffective controlling active disease, is not tolerated or is contraindicated; or
  1.2 Rapid treatment is required for life threatening complications; and
2 Cumulative dose up to 1500 mg/m^2 body surface area up to 2000 mg total per cycle; and
3 Each treatment cycle at least 6 months apart.

Note: Indications marked with * are unapproved indications.

Initial application — (CD20+ low grade or follicular B-cell NHL) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

Either:

1 Both:
  1.1 The patient has CD20+ low grade or follicular B-cell NHL with relapsed disease following prior chemotherapy; and
  1.2 To be used for a maximum of 6 treatment cycles; or
2 Both:
  2.1 The patient has CD20+ low grade or follicular B-cell NHL requiring first-line systemic chemotherapy; and
  2.2 To be used for a maximum of 6 treatment cycles.

Renewal — (CD20+ low grade or follicular B-cell NHL) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 Rituximab is to be used for maintenance in CD20+ low grade or follicular B-cell NHL following induction with first-line systemic chemotherapy; and
2 Patient is intended to receive rituximab maintenance therapy for 2 years at a dose of 375 mg/m^2 every 8 weeks (maximum of 12 cycles).

Initial application — (Membranous nephropathy) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Either:
   1.1 Patient has biopsy-proven primary/idiopathic membranous nephropathy*; or
   1.2 Patient has PLA2 antibodies with no evidence of secondary cause, and an eGFR of > 60ml/min/1.73m^2; and
2 Patient remains at high risk of progression to end-stage kidney disease despite more than 3 months of treatment with conservative measures that include (unless contraindicated or the patient has experienced intolerable side effects) renin-angiotensin system blockade, blood-pressure management, dietary sodium and protein restriction, treatment of dyslipidaemia, and anticoagulation agents; and
3 The total rituximab dose per cycle would not exceed the equivalent of 375 mg/m^2 of body surface area per week for a total of 4 weeks; and
4 Subsequent retreatment only for disease relapse or after partial response.

Note: Indications marked with * are unapproved indications.

Initial application — (B-cell acute lymphoblastic leukaemia/lymphoma*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

1 Patient has newly diagnosed B-cell acute lymphoblastic leukaemia/lymphoma*; and
2 Treatment must be in combination with an intensive chemotherapy protocol with curative intent; and
3 The total rituximab dose would not exceed the equivalent of 375 mg/m^2 per dose for a maximum of 18 doses.

Note: Indications marked with * are unapproved indications.

Initial application — (desensisation prior to transplant) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

1 Patient requires desensitisation prior to mismatched allogenic stem cell transplant*; and
2 Patient would receive no more than two doses at 375 mg/m^2 of body-surface area.

Note: Indications marked with * are unapproved indications.

Initial application — (pemiphigus*) only from a dermatologist or relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 All of the following:
   1.1 Patient has severe rapidly progressive pemphigus; and
   1.2 Is used in combination with systemic corticosteroids (20 mg/day); and
   1.3 Any of the following:
      1.3.1 Skin involvement is at least 5% body surface area; or
      1.3.2 Significant mucosal involvement (10 or more mucosal erosions) or diffuse gingivitis or confluent large erosions; or
      1.3.3 Involvement of two or more mucosal sites; or
2 Both:
   2.1 Patient has pemphigus; and
   2.2 Patient has not experienced adequate clinical benefit from systemic corticosteroids (20 mg/day) in combination with a steroid sparing agent, unless contraindicated.

Note: Indications marked with * are unapproved indications.

Renewal — (pemiphigus*) only from a dermatologist or relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Patient has experienced adequate clinical benefit from rituximab treatment, with improvement in symptoms and healing of skin ulceration and reduction in corticosteroid requirement; and
2 Patient has not received rituximab in the previous 6 months.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Note: Indications marked with * are unapproved indications.

Initial application — (immunoglobulin G4-related disease (IgG4-RD*)) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

1 Patient has confirmed diagnosis of IgG4-RD*; and

2 Either:

2.1 Treatment with corticosteroids and/or disease modifying anti-rheumatic drugs for at least 3 months has been ineffective in lowering corticosteroid dose below 5 mg per day (prednisone equivalent) without relapse; or

2.2 Treatment with corticosteroids and/or disease modifying anti-rheumatic drugs is contraindicated or associated with evidence of toxicity or intolerance; and

3 Total rituximab dose used should not exceed a maximum of two 1000 mg infusions of rituximab given two weeks apart.

Note: Indications marked with * are unapproved indications.

Renewal — (immunoglobulin G4-related disease (IgG4-RD*)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Treatment with rituximab for IgG4-RD* was previously successful and patient's disease has demonstrated sustained response, but the condition has relapsed; or

1.2 Patient is receiving maintenance treatment for IgG4-RD*; and

2 Rituximab re-treatment not to be given within 6 months of previous course of treatment; and

3 Maximum of two 1000 mg infusions of rituximab given two weeks apart.

Note: Indications marked with * are unapproved indications.

SECUKINUMAB – Special Authority see SA2624 below – Retail pharmacy

Inj 150 mg per ml, 1 ml prefilled syringe	799.50	1	✔ **Cosentyx**
	1,599.00	2	✔ **Cosentyx**

➠SA2624 Special Authority for Subsidy

Initial application — (plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 All of the following:

1.1 Any of the following:

1.1.1 Patient has "whole body" plaque psoriasis with a PASI score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis; or

1.1.2 Patient has plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; or

1.1.3 Patient has localised genital or flexural plaque psoriasis where the plaques or lesions have been present for at least 6 months from the time of initial diagnosis, and with a DLQI score greater than 10; and

1.2 Patient has received insufficient benefit (see Note) or has experienced intolerable side effects from at least 3 of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and

1.3 A PASI assessment or DLQI assessment has been completed for the most recent prior treatment course, within 1 month of stopping that treatment; and

1.4 The most recent PASI or DQLI assessment is within 1 month before the application; or

2 All of the following:

2.1 Patient has had a Special Authority approval for adalimumab, etanercept, or infliximab, for plaque psoriasis; and

2.2 Either:

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2.1 Patient has experienced intolerable side effects; or
2.2.2 Patient has received insufficient benefit to meet the renewal criteria for plaque psoriasis; and
2.3 A PASI assessment or DLQI assessment has been completed for the most recent prior treatment within 1 month of stopping that treatment; and
2.4 The most recent PASI or DQLI assessment is within 1 month before the application.

Note: A treatment course is defined as a minimum of 12 weeks of treatment. "Insufficient benefit" is defined as: for whole body plaque psoriasis, a PASI score of greater than 10; for plaque psoriasis of the face, hand, foot, genital or flexural areas, at least 2 of the 3 PASI symptom sub scores for erythema, thickness and scaling are rated as severe or very severe, and for the face, palm of a hand or sole of a foot the skin area affected is 30% or more of the face, palm of a hand or sole of a foot. As assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment

Renewal — (plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Any of the following:
1.1 Patient's PASI score has reduced by 75% or more compared to pre-secukinumab baseline; or
1.2 Patient has a DLQI improvement of 5 or more, compared to pre-secukinumab baseline; or
1.3 Both:
1.3.1 Patient had localised genital or flexural plaque psoriasis at the start of treatment; and
1.3.2 Either:
1.3.2.1 Patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, compared to the pre-secukinumab baseline; or
1.3.2.2 Patient has a DLQI improvement of 5 or more, compared to pre-secukinumab baseline; and
2 Maximum dose 300 mg monthly.

Initial application — (ankylosing spondylitis – second-line biologic) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient has had a Special Authority approval for adalimumab or etanercept for ankylosing spondylitis; and
2 Either:
2.1 Patient has experienced intolerable side effects; or
2.2 Patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis.

Renewal — (ankylosing spondylitis – second-line biologic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 BASDAI has improved from the pre-secukinumab baseline either by at least 4 points on a 10-point scale, or by at least 50%, whichever is less; and
2 Maximum dose 300 mg monthly.

Initial application — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:
1.1 Patient has had a Special Authority approval for adalimumab, etanercept or infliximab for psoriatic arthritis; and
1.2 Either:
1.2.1 Patient has experienced intolerable side effects; or
1.2.2 Patient has received insufficient benefit to meet the renewal criteria for psoriatic arthritis; or
2 All of the following:
2.1 Patient has received insufficient benefit from at least 3 months of methotrexate at a maximum tolerated dose unless contraindicated; and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2 Patient has received insufficient benefit from at least 3 months of sulfasalazine or leflunomide at maximum tolerated doses unless contraindicated; and

2.3 Either:

2.3.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 joints; or

2.3.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.4 Any of the following:

2.4.1 CRP greater than 15 mg/L measured within one month before the application; or

2.4.2 ESR greater than 25 mm per hour measured within one month before the application; or

2.4.3 ESR and CRP not measured as patient is receiving prednisone therapy greater than 5 mg per day received for more than 3 months.

Renewal — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Either:

1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or

1.2 At least a continuing 30% improvement in active joint count from baseline; and

2 Maximum dose 300 mg monthly.

SILTUXIMAB – Special Authority see SA1596 below – Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial	770.57	1	✔	**Sylvant**
Inj 400 mg vial	3,082.33	1	✔	**Sylvant**

➠SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and

2 Treatment with an adequate trial of corticosteroids has proven ineffective; and

3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TOCILIZUMAB – PCT only – Special Authority see SA2489 below

Inj 20 mg per ml, 4 ml vial	220.00	1	✔	**Actemra**
Inj 20 mg per ml, 10 ml vial	550.00	1	✔	**Actemra**
Inj 20 mg per ml, 20 ml vial	1,100.00	1	✔	**Actemra**
Inj 1 mg for ECP	2.85	1 mg	✔	**Baxter**

➠SA2489 Special Authority for Subsidy

Initial application — (cytokine release syndrome) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has developed grade 3 or 4 cytokine release syndrome associated with the administration of blinatumomab for the treatment of acute lymphoblastic leukaemia; and

1.2 Tocilizumab is to be administered at doses no greater than 8 mg/kg IV for a maximum of 3 doses (if less than 30kg, maximum of 12 mg/kg); or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 All of the following:
  2.1 The patient is enrolled in the Malaghan Institute of Medical Research ENABLE trial programme; and
  2.2 The patient has developed CRS or Immune Effector Cell-Associated Neurotoxicity Syndrome (ICANS) following CAR T-cell therapy for the treatment of relapsed or refractory B-cell non-Hodgkin lymphoma; and
  2.3 Tocilizumab is to be administered according to the consensus guidelines for CRS or ICANS for CAR T-cell therapy at doses no greater than 8 mg/kg IV for a maximum of 3 doses.

Initial application — (previous use) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:
1 Patient was being treated with tocilizumab prior to 1 February 2019; and
2 Any of the following:
  2.1 rheumatoid arthritis; or
  2.2 systemic juvenile idiopathic arthritis; or
  2.3 adult-onset Still's disease; or
  2.4 polyarticular juvenile idiopathic arthritis; or
  2.5 idiopathic multicentric Castleman's disease.

Initial application — (Rheumatoid Arthritis (patients previously treated with adalimumab or etanercept)) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:
1 The patient has had an initial Special Authority approval for adalimumab and/or etanercept for rheumatoid arthritis; and
2 Either:
  2.1 The patient has experienced intolerable side effects from adalimumab and/or etanercept; or
  2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for rheumatoid arthritis; and
3 Either:
  3.1 The patient is seronegative for both anti-cyclic citrullinated peptide (CCP) antibodies and rheumatoid factor; or
  3.2 Both:
    3.2.1 The patient has been started on rituximab for rheumatoid arthritis in a Health NZ Hospital; and
    3.2.2 Either:
      3.2.2.1 The patient has experienced intolerable side effects from rituximab; or
      3.2.2.2 At four months following the initial course of rituximab the patient has received insufficient benefit such that they do not meet the renewal criteria for rheumatoid arthritis.

Initial application — (Rheumatoid Arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:
1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
2 Tocilizumab is to be used as monotherapy; and
3 Either:
  3.1 Treatment with methotrexate is contraindicated; or
  3.2 Patient has tried and did not tolerate oral and/or parenteral methotrexate; and
4 Either:
  4.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of ciclosporin alone or in combination with another agent; or
  4.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5 Either:
  5.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  5.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
6 Either:
  6.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  6.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (systemic juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:
1 Patient diagnosed with systemic juvenile idiopathic arthritis; and
2 Patient has tried and not responded to a reasonable trial of all of the following, either alone or in combination: oral or parenteral methotrexate; non-steroidal anti-inflammatory drugs (NSAIDs); and systemic corticosteroids.

Initial application — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Either:
1 Both:
  1.1 Either:
    1.1.1 The patient has had an initial Special Authority approval for adalimumab and/or etanercept for adult-onset Still's disease (AOSD); or
    1.1.2 The patient has been started on tocilizumab for AOSD in a Health NZ Hospital; and
  1.2 Either:
    1.2.1 The patient has experienced intolerable side effects from adalimumab and/or etanercept; or
    1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for AOSD; or
2 All of the following:
  2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
  2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal antiinflammatory drugs (NSAIDs) and methotrexate; and
  2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Initial application — (polyarticular juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:
Either:
1 Both:
  1.1 The patient has had an initial Special Authority approval for both etanercept and adalimumab for polyarticular course juvenile idiopathic arthritis (JIA); and
  1.2 The patient has experienced intolerable side effects, or has received insufficient benefit from, both etanercept and adalimumab; or
2 All of the following:
  2.1 Treatment with a tumour necrosis factor alpha inhibitor is contraindicated; and
  2.2 Patient has had polyarticular course JIA for 6 months duration or longer; and
  2.3 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  2.4 Any of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.4.1 At least 5 active joints and at least 3 joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose); or
2.4.2 Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate (at the maximum tolerated dose); or
2.4.3 Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate.

Initial application — (idiopathic multicentric Castleman's disease) only from a haematologist, rheumatologist or Practitioner on the recommendation of a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's disease; and
2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
3 Tocilizumab to be administered at doses no greater than 8 mg/kg IV every 3-4 weeks.

Initial application — (moderate to severe COVID-19) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:
All of the following:

1 Patient has confirmed (or probable) COVID-19; and
2 Oxygen saturation of < 92% on room air, or requiring supplemental oxygen; and
3 Patient is receiving adjunct systemic corticosteroids, or systemic corticosteroids are contraindicated; and
4 Tocilizumab is to be administered at doses no greater than 8mg/kg IV for a maximum of one dose; and
5 Tocilizumab is not to be administered in combination with barcitinib.

Renewal — (Rheumatoid Arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Following 6 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

Renewal — (systemic juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Following up to 6 months' initial treatment, the patient has achieved at least an American College of Rheumatology paediatric 30% improvement criteria (ACR Pedi 30) response from baseline; or
2 On subsequent reapplications, the patient demonstrates at least a continuing ACR Pedi 30 response from baseline.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months where the patient has a sustained improvement in inflammatory markers and functional status.
Renewal — (polyarticular juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
2 Either:
   2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
   2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (idiopathic multicentric Castleman's disease) only from a haematologist, rheumatologist or Practitioner on the recommendation of a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
and the patient has a sustained improvement in inflammatory markers and functional status.

Initial application — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 The individual requires treatment for moderate to severe autoimmune toxicity following immune checkpoint inhibitor treatment for malignancy; and
2 The individual has received insufficient benefit from use of corticosteroids; and
3 Tocilizumab is to be administered at a maximum dose of 8 mg/kg fortnightly.

Renewal — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Both:

1 The individual has shown clinical improvement and ongoing treatment is required; and
2 Tocilizumab is to be administered at a maximum dose of 8 mg/kg fortnightly.

Note: Indications marked with * are unapproved indications.

TRASTUZUMAB (HERZUMA) – PCT only – Special Authority see SA2293 below

Inj 150 mg vial	100.00	1	✔	**Herzuma**
Inj 440 mg vial	293.35	1	✔	**Herzuma**
Inj 1 mg for ECP	0.70	1 mg	✔	**Baxter**

➠SA2293 Special Authority for Subsidy

Initial application — (early breast cancer) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

1 The patient has early breast cancer expressing HER-2 IHC 3+ or ISH + (including FISH or other current technology); and
2 Maximum cumulative dose of 106 mg/kg (12 months' treatment).

Renewal — (early breast cancer*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 All of the following:
  1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  1.2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
  1.3 Any of the following:
    1.3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
    1.3.2 The patient discontinued lapatinib within 3 months due to intolerable side effects and the cancer did not progress whilst on lapatinib; or
    1.3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
  1.4 Either:
    1.4.1 Trastuzumab will not be given in combination with pertuzumab; or
    1.4.2 All of the following:
      1.4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
      1.4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
      1.4.2.3 The patient has good performance status (ECOG grade 0-1); and
  1.5 Trastuzumab to be discontinued at disease progression; or
2 All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.1 Patient has previously discontinued treatment with trastuzumab in the metastatic setting for reasons other than severe toxicity or disease progression; and
2.2 Patient has signs of disease progression; and
2.3 Disease has not progressed during previous treatment with trastuzumab.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer

Initial application — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
2 Either:
  2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
  2.2 The patient discontinued lapatinib within 3 months due to intolerable side effects and the cancer did not progress whilst on lapatinib; and
3 Either:
  3.1 Trastuzumab will not be given in combination with pertuzumab; or
  3.2 All of the following:
    3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
    3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
    3.2.3 The patient has good performance status (ECOG grade 0-1); and
4 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Either:

1 All of the following:
  1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  1.2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
  1.3 Trastuzumab to be discontinued at disease progression; or
2 All of the following:
  2.1 Patient has previously discontinued treatment with trastuzumab for reasons other than severe toxicity or disease progression; and
  2.2 Patient has signs of disease progression; and
  2.3 Disease has not progressed during previous treatment with trastuzumab.

Initial application — (gastric, gastro-oesophageal junction and oesophageal cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 The patient has locally advanced or metastatic gastric, gastro-oesophageal junction or oesophageal cancer expressing HER-2 IHC 2+ FISH+ or IHC3+ (or other current technology); and
2 Patient has an ECOG score of 0-2.

Renewal — (gastric, gastro-oesophageal junction and oesophageal cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Trastuzumab to be discontinued at disease progression.

TRASTUZUMAB DERUXTECAN – PCT only – Special Authority see SA2420 below

Inj 100 mg per ml, 1 ml vial	2,550.00	1	✔	**Enhertu**
Inj 1 mg for ECP	27.05	1 mg	✔	**Baxter**

SA2420 Special Authority for Subsidy

Initial application only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Patient is currently on treatment with trastuzumab deruxtecan and met all remaining criteria prior to commencing treatment; or

2 All of the following:

2.1 Patient has metastatic breast cancer expressing HER-2 IHC3+ or ISH+ (including FISH or other current technology); and

2.2 Patient has previously received trastuzumab and chemotherapy, separately or in combination; and

2.3 Either:

2.3.1 The patient has received prior therapy for metastatic disease; or

2.3.2 The patient developed disease recurrence during, or within six months of completing adjuvant therapy; and

2.4 Patient has a good performance status (ECOG 0-1); and

2.5 Patient has not received prior funded trastuzumab deruxtecan treatment; and

2.6 Treatment to be discontinued at disease progression.

Renewal only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 The cancer has not progressed at any time point during the previous approval period whilst on trastuzumab deruxtecan; and

2 Treatment to be discontinued at disease progression.

Note: Prior or adjuvant therapy includes anthracycline, other chemotherapy, biological drugs, or endocrine therapy.

TRASTUZUMAB EMTANSINE – PCT only – Specialist – Special Authority see SA2424 below

Inj 100 mg vial	2,320.00	1	✔	**Kadcyla**
Inj 160 mg vial	3,712.00	1	✔	**Kadcyla**
Inj 1 mg for ECP	24.52	1 mg	✔	**Baxter**

SA2424 Special Authority for Subsidy

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has early breast cancer expressing HER2 IHC3+ or ISH+; and

2 Documentation of pathological invasive residual disease in the breast and/or axiliary lymph nodes following completion of surgery; and

3 Patient has completed systemic neoadjuvant therapy with trastuzumab and chemotherapy prior to surgery; and

4 Disease has not progressed during neoadjuvant therapy; and

5 Patient has left ventricular ejection fraction of 45% or greater; and

6 Adjuvant treatment with trastuzumab emtansine to be commenced within 12 weeks of surgery; and

7 Trastuzumab emtansine to be discontinued at disease progression; and

8 Total adjuvant treatment duration must not exceed 42 weeks (14 cycles).

Initial application — (metastatic breast cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

All of the following:

1 Patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
2 Patient has previously received trastuzumab and chemotherapy, separately or in combination; and
3 Either:
  3.1 The patient has received prior therapy for metastatic disease*; or
  3.2 The patient developed disease recurrence during, or within six months of completing adjuvant therapy*; and
4 Patient has a good performance status (ECOG 0-1); and
5 Either:
  5.1 Patient does not have symptomatic brain metastases; or
  5.2 Patient has brain metastases and has received prior local CNS therapy; and
6 Either:
  6.1 Patient has not received prior funded trastuzumab emtansine or trastuzumab deruxtecan treatment; or
  6.2 Both:
    6.2.1 Patient has discontinued trastuzumab deruxtecan due to intolerance; and
    6.2.2 The cancer did not progress while on trastuzumab deruxtecan; and
7 Treatment to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 The cancer has not progressed at any time point during the previous approval period whilst on trastuzumab emtansine; and
2 Treatment to be discontinued at disease progression.

Note: Prior or adjuvant therapy includes anthracycline, other chemotherapy, biological drugs, or endocrine therapy.

USTEKINUMAB – Special Authority see SA2182 below – Retail pharmacy

Inj 90 mg per ml, 1 ml pre-filled syringe	4,162.00	1	✔	**Stelara**

➠SA2182 Special Authority for Subsidy

Initial application — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment; or
2 Both:
  2.1 Patient has active Crohn's disease; and
  2.2 Either:
    2.2.1 Patient has had an initial approval for prior biologic therapy for Crohn's disease and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or
    2.2.2 Both:
      2.2.2.1 Patient meets the initiation criteria for prior biologic therapies for Crohn's disease; and
      2.2.2.2 Other biologics for Crohn's disease are contraindicated.

Renewal — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Any of the following:
  1.1 CDAI score has reduced by 100 points, or HBI score has reduced by 3 points, from when the patient was initiated on biologic therapy; or
  1.2 CDAI score is 150 or less, or HBI is 4 or less; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.3 The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed; and

2 Ustekinumab to be administered at a dose no greater than 90 mg every 8 weeks.

Initial application — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment; or

2 Both:

2.1 Patient has active Crohn's disease; and

2.2 Either:

2.2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

2.2.2 Both:

2.2.2.1 Patient meets the initiation criteria for prior biologic therapies for Crohn's disease; and

2.2.2.2 Other biologics for Crohn's disease are contraindicated.

Note: Indication marked with * is an unapproved indication.

Renewal — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Any of the following:

1.1 PCDAI score has reduced by 10 points from when the patient was initiated on biologic therapy; or

1.2 PCDAI score is 15 or less; or

1.3 The patient has experienced an adequate response to treatment, but CDAI score cannot be assessed; and

2 Ustekinumab to administered at a dose no greater than 90 mg every 8 weeks.

Note: Indication marked with * is an unapproved indication.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment; or

2 Both:

2.1 Patient has active ulcerative colitis; and

2.2 Either:

2.2.1 Patient has had an initial approval for prior biologic therapy for ulcerative colitis and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

2.2.2 Both:

2.2.2.1 Patient meets the initiation criteria for prior biologic therapies for ulcerative colitis; and

2.2.2.2 Other biologics for ulcerative colitis are contraindicated.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Either:

1.1 The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy; or

1.2 PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy*; and

2 Ustekinumab will be used at a dose no greater than 90 mg intravenously every 8 weeks.

Note: Criterion marked with * is for an unapproved indication.

VEDOLIZUMAB – PCT only – Special Authority see SA2183 on the next page

Inj 300 mg vial	3,313.00	1	✔	**Entyvio**

✔ **fully subsidised**

Principal Supply

S29 Unapproved medicine supplied under Section 29

Sole Subsidised Supply

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2183 Special Authority for Subsidy

Initial application — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has active Crohn's disease; and
2 Any of the following:
  2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated); or
  2.2 Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10; or
  2.3 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  2.4 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  2.5 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
3 Any of the following:
  3.1 Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids; or
  3.2 Patient has experienced intolerable side effects from immunomodulators and corticosteroids; or
  3.3 Immunomodulators and corticosteroids are contraindicated.

Renewal — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Any of the following:
  1.1 CDAI score has reduced by 100 points, or HBI score has reduced by 3 points, from when the patient was initiated on biologic therapy; or
  1.2 CDAI score is 150 or less, or HBI is 4 or less; or
  1.3 The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed; and
2 Vedolizumab to administered at a dose no greater than 300 mg every 8 weeks.

Initial application — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Paediatric patient has active Crohn's disease; and
2 Any of the following:
  2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated); or
  2.2 Patient has a Paediatric Crohn's Disease Activity Index (PCDAI) score of greater than or equal to 30; or
  2.3 Patient has extensive small intestine disease; and
3 Any of the following:
  3.1 Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids; or
  3.2 Patient has experienced intolerable side effects from immunomodulators and corticosteroids; or
  3.3 Immunomodulators and corticosteroids are contraindicated.

Note: Indication marked with * is an unapproved indication.

Renewal — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Any of the following:
  1.1 PCDAI score has reduced by 10 points from when the patient was initiated on biologic therapy; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.2 PCDAI score is 15 or less; or
1.3 The patient has experienced an adequate response to treatment, but CDAI score cannot be assessed; and

2 Vedolizumab to administered at a dose no greater than 300mg every 8 weeks.

Note: Indication marked with * is an unapproved indication.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has active ulcerative colitis; and
2 Any of the following:
   2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated); or
   2.2 Patient has a SCCAI score is greater than or equal to 4; or
   2.3 Patient's PUCAI score is greater than or equal to 20*; and
3 Any of the following:
   3.1 Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids; or
   3.2 Patient has experienced intolerable side effects from immunomodulators and corticosteroids; or
   3.3 Immunomodulators and corticosteroids are contraindicated.

Note: Indication marked with * is an unapproved indication.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Either:
   1.1 The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy; or
   1.2 The PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy *; and
2 Vedolizumab will be used at a dose no greater than 300 mg intravenously every 8 weeks.

Note: Indication marked with * is an unapproved indication.

Programmed Cell Death-1 (PD-1) Inhibitors

ATEZOLIZUMAB – PCT only – Specialist – Special Authority see SA2443 below

Inj 60 mg per ml, 20 ml vial	9,503.00	1	✔	**Tecentriq**
Inj 1 mg for ECP	8.08	1 mg	✔	**Baxter**

➠SA2443 Special Authority for Subsidy

Initial application — (non-small cell lung cancer second line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has locally advanced or metastatic non-small cell lung cancer; and
2 Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC; and
3 For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain; and
4 Patient has an ECOG 0-2; and
5 Patient has documented disease progression following treatment with at least two cycles of platinum-based chemotherapy; and
6 Atezolizumab is to be used as monotherapy at a dose of 1200 mg every three weeks (or equivalent) for a maximum of 16 weeks; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

7 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (non-small cell lung cancer second line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
   1.1 Patient's disease has had a complete response to treatment; or
   1.2 Patient's disease has had a partial response to treatment; or
   1.3 Patient has stable disease; and
2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; and
3 No evidence of disease progression; and
4 The treatment remains clinically appropriate and patient is benefitting from treatment; and
5 Atezolizumab to be used at a maximum dose of 1200 mg every three weeks (or equivalent); and
6 Treatment with atezolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Patient is currently on treatment with atezolizumab and met all remaining criteria prior to commencing treatment; or
2 All of the following:
   2.1 Patient has locally advanced or metastatic, unresectable hepatocellular carcinoma; and
   2.2 Patient has preserved liver function (Child-Pugh A); and
   2.3 Transarterial chemoembolisation (TACE) is unsuitable; and
   2.4 Any of the following:
      2.4.1 Patient has not received prior systemic therapy for the treatment of hepatocellular carcinoma; or
      2.4.2 Patient received funded lenvatinib before 1 March 2025; or
      2.4.3 Both:
         2.4.3.1 Patient has experienced treatment-limiting toxicity from treatment with lenvatinib; and
         2.4.3.2 No disease progression since initiation of lenvatinib; and
   2.5 Patient has an ECOG performance status of 0-2; and
   2.6 To be given in combination with bevacizumab.

Renewal — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

DURVALUMAB – PCT only – Specialist – Special Authority see SA2425 below

Inj 50 mg per ml, 10 ml vial	4,700.00	1	✔	**Imfinzi**
Inj 50 mg per ml, 2.4 ml vial	1,128.00	1	✔	**Imfinzi**
Inj 1 mg for ECP	9.59	1 mg	✔	**Baxter**

➠SA2425 Special Authority for Subsidy

Initial application — (Non-small cell lung cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Either:
   1.1 Patient has histologically or cytologically documented stage III, locally advanced, unresectable non-small cell lung cancer (NSCLC); or
   1.2 Patient has histologically or cytologically documented stage IIb (T1N2a only), locally advanced, unresectable non-small cell lung cancer (NSCLC); and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 Patient has received two or more cycles of platinum-based chemotherapy concurrently with definitive radiation therapy; and
3 Patient has no disease progression following the second or subsequent cycle of platinum-based chemotherapy with definitive radiation therapy treatment; and
4 Patient has a ECOG performance status of 0 or 1; and
5 Patient has completed last radiation dose within 8 weeks of starting treatment with durvalumab; and
6 Patient must not have received prior PD-1 or PD-L1 inhibitor therapy for this condition; and
7 Either:
  7.1 Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks; or
  7.2 Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks; and
8 Treatment with durvalumab to cease upon signs of disease progression.

Renewal — (Non-small cell lung cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 The treatment remains clinically appropriate and the patient is benefitting from treatment; and
2 Either:
  2.1 Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks; or
  2.2 Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks; and
3 Treatment with durvalumab to cease upon signs of disease progression; and
4 Total continuous treatment duration must not exceed 12 months.

IPILIMUMAB – PCT only – Specialist – Special Authority see SA2461 below

Inj 5 mg per ml, 10 ml vial	5,000.00	1	✔ **Yervoy**
Inj 5 mg per ml, 40 ml vial	20,000.00	1	✔ **Yervoy**
Inj 1 mg for ECP	106.00	1 mg	✔ **Baxter**

➠SA2461 Special Authority for Subsidy

Initial application — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 The patient is currently on treatment with ipilimumab and met all remaining criteria prior to commencing treatment; or
2 All of the following:
  2.1 The patient has metastatic renal cell carcinoma; and
  2.2 The patient is treatment naive; and
  2.3 The patient has ECOG performance status 0-2; and
  2.4 The disease is predominantly of clear cell histology; and
  2.5 Any of the following:
    2.5.1 The patient has sarcomatoid histology; or
    2.5.2 Haemoglobin levels less than the lower limit of normal; or
    2.5.3 Corrected serum calcium level greater than 10 mg/dL (2.5 mmol/L); or
    2.5.4 Neutrophils greater than the upper limit of normal; or
    2.5.5 Platelets greater than the upper limit of normal; or
    2.5.6 Interval of less than 1 year from original diagnosis to the start of systemic therapy; or
    2.5.7 Karnofsky performance score of less than or equal to 70; and
  2.6 Ipilimumab is to be used at a maximum dose of 1 mg/kg for up to four cycles in combination with nivolumab..

NIVOLUMAB – PCT only – Specialist – Special Authority see SA2490 on the next page

Inj 10 mg per ml, 4 ml vial	1,051.98	1	✔ **Opdivo**
Inj 10 mg per ml, 10 ml vial	2,629.96	1	✔ **Opdivo**
Inj 1 mg for ECP	27.22	1 mg	✔ **Baxter**

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA2490 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
3 The individual has ECOG performance 0-2; and
4 Either:
  4.1 The individual has not received funded pembrolizumab; or
  4.2 Both:
    4.2.1 The individual has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
    4.2.2 The cancer did not progress while the indvidual was on pembrolizumab; and
5 Any of the following:
  5.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
  5.2 The individual did not receive treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; or
  5.3 All of the following:
    5.3.1 The individual received treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; and
    5.3.2 The individual did not experience disease recurrence while on treatment with that PD-1/PD-L1 inhibitor; and
    5.3.3 The individual did not experience disease recurrence within six months of completing perioperative treatment with a PD-1/PD-L1 inhibitor.

Renewal — (unresectable or metastatic melanoma, less than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Both:
  1.1 Any of the following:
    1.1.1 The individual's disease has had a complete response to treatment; or
    1.1.2 The individual's disease has had a partial response to treatment; or
    1.1.3 The individual has stable disease; and
  1.2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; or
2 All of the following:
  2.1 The individual has previously discontinued treatment with nivolumab for reasons other than severe toxicity or disease progression; and
  2.2 The individual has signs of disease progression; and
  2.3 Disease has not progressed during previous treatment with nivolumab.

Renewal — (unresectable or metastatic melanoma, more than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Both:

1 The individual has been on treatment for more than 24 months; and
2 Either:
  2.1 Both:
    2.1.1 Any of the following:
      2.1.1.1 The individual's disease has had a complete response to treatment; or

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.1.1.2 The individual's disease has had a partial response to treatment; or
2.1.1.3 The individual has stable disease; and
2.1.2 Response to treatment in target lesions has been determined by comparable radiologic or clinical assessment following the most recent treatment period; or
2.2 All of the following:
2.2.1 The individual has previously discontinued treatment with nivolumab for reasons other than severe toxicity or disease progression; and
2.2.2 The individual has signs of disease progression; and
2.2.3 Disease has not progressed during previous treatment with nivolumab.

Initial application — (renal cell carcinoma, first line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
Either:
1 Patient is currently on treatment with nivolumab and met all remaining criteria prior to commencing treatment; or
2 All of the following:
2.1 The patient has metastatic renal cell carcinoma; and
2.2 The patient is treatment naive; and
2.3 The patient has ECOG performance status 0-2; and
2.4 The disease is predominantly of clear cell histology; and
2.5 Any of the following:
2.5.1 The patient has sarcomatoid histology; or
2.5.2 Haemoglobin levels less than the lower limit of normal; or
2.5.3 Corrected serum calcium level greater than 10 mg/dL (2.5 mmol/L); or
2.5.4 Neutrophils greater than the upper limit of normal; or
2.5.5 Platelets greater than the upper limit of normal; or
2.5.6 Interval of less than 1 year from original diagnosis to the start of systemic therapy; or
2.5.7 Karnofsky performance score of less than or equal to 70; and
2.6 Nivolumab is to be used in combination with ipilimumab for the first four treatment cycles at a maximum dose of 3 mg/kg; and
2.7 Nivolumab is to be used as monotherapy at a maximum maintenance dose of 240 mg every 2 weeks (or equivalent).

Initial application — (Renal cell carcinoma, second line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:
1 Patient has metastatic renal-cell carcinoma; and
2 The disease is of predominant clear-cell histology; and
3 Patient has ECOG performance status 0-2; and
4 Patient has documented disease progression following one or two previous regimens of antiangiogenic therapy; and
5 Patient has not previously received a funded immune checkpoint inhibitor; and
6 Nivolumab is to be used as monotherapy at a maximum dose of 240 mg every 2 weeks (or equivalent) and discontinued at disease progression.

Renewal — (Renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:
1 Any of the following:
1.1 Patient's disease has had a complete response to treatment; or
1.2 Patient's disease has had a partial response to treatment; or
1.3 Patient has stable disease; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2 No evidence of disease progression; and
3 Nivolumab is to be used as monotherapy at a maximum dose of 240 mg every 2 weeks (or equivalent) and discontinued at disease progression.

PEMBROLIZUMAB – PCT only – Specialist – Special Authority see SA2553 below

Inj 25 mg per ml, 4 ml vial	4,680.00	1	✔	**Keytruda**
Inj 1 mg for ECP	47.74	1 mg	✔	**Baxter**

SA2553 Special Authority for Subsidy

Initial application — (stage III or IV resectable melanoma - neoadjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 The individual has resectable stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note); and
2 The individual has not received prior funded systemic treatment in the perioperative setting for their stage IIIB, IIIC, IIID or IV melanoma; and
3 Treatment must be prior to complete surgical resection; and
4 Pembrolizumab must be administered as monotherapy; and
5 The individual has ECOG performance score 0-2; and
6 Pembrolizumab to be administered at a fixed dose of 200 mg every 3 weeks (or equivalent).

Renewal — (stage III or IV resectable melanoma - neoadjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Any of the following:

1 Both:
  1.1 The individual has received neoadjuvant treatment with an immune checkpoint inhibitor; and
  1.2 The individual meets initial application criteria for pembrolizumab for stage III or IV resected melanoma – adjuvant; or
2 Both:
  2.1 The individual has received neoadjuvant and adjuvant treatment with an immune checkpoint inhibitor; and
  2.2 The individual meets renewal criteria for pembrolizumab for stage III or IV resected melanoma – adjuvant; or
3 All of the following:
  3.1 The individual has received neoadjuvant and adjuvant treatment with an immune checkpoint inhibitor; and
  3.2 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
  3.3 The individual meets initial application criteria for pembrolizumab for unresectable or metastatic melanoma; or
4 All of the following:
  4.1 The individual has received neoadjuvant and adjuvant treatment with an immune checkpoint inhibitor; and
  4.2 The individual has received treatment with an immune checkpoint inhibitor for unresectable or metastatic melanoma; and
  4.3 The individual meets renewal criteria for pembrolizumab for unresectable or metastatic melanoma.

Notes:

a) Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
b) Initiating treatment within 13 weeks of complete surgical resection means either 13 weeks after resection (primary or lymphadenectomy) or 13 weeks prior to the scheduled date of the resection (primary or lymphadenectomy)

Initial application — (stage III or IV resected melanoma - adjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 The individual has resected stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note a); and
2 Adjuvant treatment with pembrolizumab is required; and

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3 The individual has not received prior funded systemic treatment in the adjuvant setting for stage IIIB, IIIC, IIID or IV melanoma; and
4 Treatment must be in addition to complete surgical resection; and
5 Treatment must be initiated within 13 weeks of complete surgical resection, unless delay is necessary due to post-surgery recovery (see note b); and
6 Pembrolizumab must be administered as monotherapy; and
7 The individual has ECOG performance score 0-2; and
8 Pembrolizumab to be administered at a fixed dose of 200 mg every 3 weeks (or equivalent).

Notes:

a) Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
b) Initiating treatment within 13 weeks of complete surgical resection means 13 weeks after resection (primary or lymphadenectomy)

Renewal — (stage III or IV resected melanoma - adjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Any of the following:

1 All of the following:
   1.1 No evidence of disease recurrence; and
   1.2 Pembrolizumab must be administered as monotherapy; and
   1.3 Pembrolizumab to be administered at a fixed dose of 200 mg every three weeks (or equivalent) for a maximum of 12 months total treatment course, including any systemic neoadjuvant treatment; and
   1.4 Treatment to be discontinued at signs of disease recurrence or at completion of 12 months total treatment course (equivalent to 18 cycles at a dose of 200 mg every 3 weeks), including any systemic neoadjuvant treatment; or
2 All of the following:
   2.1 The individual has received adjuvant treatment with an immune checkpoint inhibitor; and
   2.2 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
   2.3 The individual meets initial application criteria for pembrolizumab for unresectable or metastatic melanoma; or
3 All of the following:
   3.1 The individual has received adjuvant treatment with an immune checkpoint inhibitor; and
   3.2 The individual has received treatment with an immune checkpoint inhibitor for unresectable or metastatic melanoma; and
   3.3 The individual meets renewal criteria for pembrolizumab for unresectable or metastatic melanoma.

Initial application — (unresectable or metastatic melanoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
3 The individual has ECOG performance score of 0-2; and
4 Either:
   4.1 The individual has not received funded nivolumab; or
   4.2 Both:
      4.2.1 The individual has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
      4.2.2 The cancer did not progress while the individual was on nivolumab; and
5 Any of the following:
   5.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
   5.2 The individual did not receive treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; or
   5.3 All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5.3.1 The individual received treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; and
5.3.2 The individual did not experience disease recurrence while on treatment with that PD-1/PD-L1 inhibitor; and
5.3.3 The individual did not experience disease recurrence within six months of completing perioperative treatment with a PD-1/PD-L1 inhibitor.

Renewal — (unresectable or metastatic melanoma, less than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Both:
1.1 Any of the following:
1.1.1 The individual's disease has had a complete response to treatment; or
1.1.2 The individual's disease has had a partial response to treatment; or
1.1.3 The individual has stable disease; and
1.2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; or
2 All of the following:
2.1 The individual has previously discontinued treatment with pembrolizumab for reasons other than severe toxicity or disease progression; and
2.2 The individual has signs of disease progression; and
2.3 Disease has not progressed during previous treatment with pembrolizumab.

Renewal — (unresectable or metastatic melanoma, more than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Both:

1 The individual has been on treatment for more than 24 months; and
2 Either:
2.1 Both:
2.1.1 Any of the following:
2.1.1.1 The individual's disease has had a complete response to treatment; or
2.1.1.2 The individual's disease has had a partial response to treatment; or
2.1.1.3 The individual has stable disease; and
2.1.2 Response to treatment in target lesions has been determined by comparable radiologic or clinical assessment following the most recent treatment period; or
2.2 All of the following:
2.2.1 The individual has previously discontinued treatment with pembrolizumab for reasons other than severe toxicity or disease progression; and
2.2.2 The individual has signs of disease progression; and
2.2.3 Disease has not progressed during previous treatment with pembrolizumab.

Initial application — (non-small cell lung cancer first-line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient has locally advanced or metastatic, unresectable, non-small cell lung cancer; and
2 Patient has not had chemotherapy for their disease in the palliative setting; and
3 Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC; and
4 For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain; and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

5 Pembrolizumab to be used as monotherapy; and
6 Either:
  6.1 There is documentation confirming the disease expresses PD-L1 at a level greater than or equal to 50% as determined by a validated test unless not possible to ascertain; or
  6.2 Both:
    6.2.1 There is documentation confirming the disease expresses PD-L1 at a level greater than or equal to 1% as determined by a validated test unless not possible to ascertain; and
    6.2.2 Chemotherapy is determined to be not in the best interest of the patient based on clinician assessment; and
7 Patient has an ECOG 0-2; and
8 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks; and
9 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (non-small cell lung cancer first line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
  1.1 Patient's disease has had a complete response to treatment; or
  1.2 Patient's disease has had a partial response to treatment; or
  1.3 Patient has stable disease; and
2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; and
3 No evidence of disease progression; and
4 The treatment remains clinically appropriate and patient is benefitting from treatment; and
5 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
6 Treatment with pembrolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (non-small cell lung cancer first-line combination therapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Patient has locally advanced or metastatic, unresectable, non-small cell lung cancer; and
2 The patient has not had chemotherapy for their disease in the palliative setting; and
3 Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC; and
4 For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain; and
5 Pembrolizumab to be used in combination with platinum-based chemotherapy; and
6 Patient has an ECOG 0-2; and
7 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks; and
8 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (non-small cell lung cancer first line combination therapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
  1.1 Patient's disease has had a complete response to treatment; or
  1.2 Patient's disease has had a partial response to treatment; or

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1.3 Patient has stable disease; and

2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; and

3 No evidence of disease progression; and

4 The treatment remains clinically appropriate and patient is benefitting from treatment; and

5 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and

6 Treatment with pembrolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (breast cancer, advanced) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
Either:

1 Patient is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or

2 All of the following:

2.1 Either:

2.1.1 Patient has recurrent or de novo unresectable, inoperable locally advanced triple-negative breast cancer (that does not express ER, PR or HER2 IHC3+ or ISH+ [including FISH or other technology]); or

2.1.2 Patient has recurrent or de novo metastatic triple-negative breast cancer (that does not express ER, PR or HER2 IHC3+ or ISH+ [including FISH or other technology]); and

2.2 Patient is treated with palliative intent; and

2.3 Patient's cancer has confirmed PD-L1 Combined Positive Score (CPS) is greater than or equal to 10; and

2.4 Patient has received no prior systemic therapy in the palliative setting; and

2.5 Patient has an ECOG score of 0–2; and

2.6 Pembrolizumab is to be used in combination with chemotherapy; and

2.7 Baseline measurement of overall tumour burden is documented clinically and radiologically; and

2.8 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (breast cancer, advanced) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Any of the following:

1.1 Patient's disease has had a complete response to treatment; or

1.2 Patient's disease has had a partial response to treatment; or

1.3 Patient has stable disease; and

2 No evidence of disease progression; and

3 Response to treatment in target lesions has been determined by a comparable radiologic assessment following the most recent treatment period; and

4 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent); and

5 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (head and neck squamous cell carcinoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Patient is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or

2 All of the following:

2.1 Patient has recurrent or metastatic head and neck squamous cell carcinoma of mucosal origin (excluding nasopharyngeal carcinoma) that is incurable by local therapies; and

2.2 Patient has not received prior systemic therapy in the recurrent or metastatic setting; and

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.3 Patient has a positive PD-L1 combined positive score (CPS) of greater than or equal to 1; and
2.4 Patient has an ECOG performance score of 0-2; and
2.5 Either:
2.5.1 Pembrolizumab to be used in combination with platinum-based chemotherapy; or
2.5.2 Pembrolizumab to be used as monotherapy; and
2.6 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (head and neck squamous cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:
1 Any of the following:
1.1 Patient's disease has had a complete response to treatment; or
1.2 Patient's disease has had a partial response to treatment; or
1.3 Patient has stable disease; and
2 No evidence of disease progression; and
3 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
4 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (MSI-H/dMMR advanced colorectal cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Either:
1 Individual is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
2 All of the following:
2.1 Either:
2.1.1 Individual has deficient mismatch repair (dMMR) or microsatellite instability-high (MSI-H) metastatic colorectal cancer; or
2.1.2 Individual has deficient mismatch repair (dMMR) or microsatellite instability-high (MSI-H) unresectable colorectal cancer; and
2.2 Individual is treated with palliative intent; and
2.3 Individual has not previously received funded treatment with pembrolizumab for MSI-H/dMMR advanced colorectal cancer; and
2.4 Individual has an ECOG performance score of 0-2; and
2.5 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
2.6 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (MSI-H/dMMR advanced colorectal cancer) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:
1 No evidence of disease progression; and
2 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
3 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (Urothelial carcinoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Either:
1 Patient is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
2 All of the following:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.1 Patient has inoperable locally advanced (T4) or metastatic urothelial carcinoma; and
2.2 Patient has an ECOG performance score of 0-2; and
2.3 Patient has documented disease progression following treatment with chemotherapy; and
2.4 Pembrolizumab to be used as monotherapy at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (Urothelial carcinoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

1 Any of the following:
1.1 Patient's disease has had a complete response to treatment; or
1.2 Patient's disease has had a partial response to treatment; or
1.3 Patient has stable disease; and
2 No evidence of disease progression; and
3 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
4 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (relapsed/refractory Hodgkin lymphoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:
Either:

1 Individual is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
2 All of the following:
2.1 Either:
2.1.1 Both:
2.1.1.1 Individual has relapsed/refractory Hodgkin lymphoma after two or more lines of chemotherapy; and
2.1.1.2 Individual is ineligible for autologous stem cell transplant; or
2.1.2 Individual has relapsed/refractory Hodgkin lymphoma and has previously undergone an autologous stem cell transplant; and
2.2 Individual has not previously received funded pembrolizumab for relapsed/refractory Hodgkin lymphoma; and
2.3 Pembrolizumab to be administered at doses no greater than 200 mg once every 3 weeks.

Renewal — (relapsed/refractory Hodgkin lymphoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient has received a partial or complete response to pembrolizumab; and
2 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Other Immunosuppressants

CICLOSPORIN

Cap 25 mg	44.63	50	✔	**Neoral**
Cap 50 mg	88.91	50	✔	**Neoral**
Cap 100 mg	177.81	50	✔	**Neoral**
Oral liq 100 mg per ml	198.13	50 ml OP	✔	**Neoral**

EVEROLIMUS – Special Authority see SA2598 on the next page – Retail pharmacy
Wastage claimable

Tab 10 mg	6,512.29	30	✔	**Afinitor**
Tab 5 mg	4,555.76	30	✔	**Afinitor**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA2598 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 4 months for applications meeting the following criteria:

Both:

1 Patient has tuberous sclerosis; and
2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
2 The treatment remains appropriate and the patient is benefiting from treatment; and
3 Everolimus to be discontinued at progression of SEGAs.

Initial application — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 All of the following:
  1.1 The patient has metastatic renal cell carcinoma; and
  1.2 The disease is of predominant clear-cell histology; and
  1.3 The patient has documented disease progression following one previous line of treatment; and
  1.4 The patient has an ECOG performance status of 0-2; and
  1.5 Everolimus is to be used in combination with lenvatinib; or
2 All of the following:
  2.1 Patient has received funded treatment with nivolumab for the second line treatment of metastatic renal cell carcinoma; and
  2.2 Patient has experienced treatment limiting toxicity from treatment with nivolumab; and
  2.3 Everolimus is to be used in combination with lenvatinib; and
  2.4 There is no evidence of disease progression.

Renewal — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression.

SIROLIMUS – Special Authority see SA2270 below – Retail pharmacy

Tab 1 mg	749.99	100	✔	**Rapamune**
Tab 2 mg	1,499.99	100	✔	**Rapamune**
Oral liq 1 mg per ml	449.99	60 ml OP	✔	**Rapamune**

SA2270 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

Initial application — (severe non-malignant lymphovascular malformations*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

continued…

Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Patient has severe non-malignant lymphovascular malformation*; and
2 Any of the following:
  2.1 Malformations are not adequately controlled by sclerotherapy and surgery; or
  2.2 Malformations are widespread/extensive and sclerotherapy and surgery are not considered clinically appropriate; or
  2.3 Sirolimus is to be used to reduce malformation prior to consideration of surgery; and
3 Patient is being treated by a specialist lymphovascular malformation multi-disciplinary team; and
4 Patient has measurable disease as defined by RECIST version 1.1 (see Note).

Renewal — (severe non-malignant lymphovascular malformations*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Either:
  1.1 Patient's disease has had either a complete response or a partial response to treatment, or patient has stable disease according to RECIST version 1.1 (see Note); or
  1.2 Patient's disease has stabilised or responded clinically and disease response to treatment has been clearly documents in patient notes; and
2 No evidence of progressive disease; and
3 The treatment remains clinically appropriate and the patient is benefitting from the treatment.

Notes: Baseline assessment and disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer et al. Eur J Cancer 2009;45:228-47)
Indications marked with * are unapproved indications

Initial application — (renal angiomyolipoma(s) associated with tuberous sclerosis complex*) only from a nephrologist or urologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

1 Patient has tuberous sclerosis complex*; and
2 Evidence of renal angiomyolipoma(s) measuring 3 cm or greater and that have shown interval growth.

Renewal — (renal angiomyolipoma(s) associated with tuberous sclerosis complex*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

1 Documented evidence of renal angiomyolipoma reduction or stability by magnetic resonance imaging (MRI) or ultrasound; and
2 Demonstrated stabilisation or improvement in renal function; and
3 The patient has not experienced angiomyolipoma haemorrhage or significant adverse effects to sirolimus treatment; and
4 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indications marked with * are unapproved indications

Initial application — (refractory seizures associated with tuberous sclerosis complex*) only from a neurologist. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

1 Patient has epilepsy with a background of documented tuberous sclerosis complex; and
2 Either:
  2.1 Both:
    2.1.1 Vigabatrin has been trialled and has not adequately controlled seizures; and
    2.1.2 Seizures are not adequately controlled by, or the patient has experienced unacceptable side effects from, optimal treatment with at least two of the following: sodium valproate, topiramate, levetiracetam, carbamazepine, lamotrigine, phenytoin sodium, and lacosamide (see Note); or
  2.2 Both:
    2.2.1 Vigabatrin is contraindicated; and

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.2.2 Seizures are not adequately controlled by, or the patient has experienced unacceptable side effects from, optimal treatment with at least three of the following: sodium valproate, topiramate, levetiracetam, carbamazepine, lamotrigine, phenytoin sodium, and lacosamide (see Note); and

3 Seizures have a significant impact on quality of life; and

4 Patient has been assessed and surgery is considered inappropriate for this patient, or the patient has been assessed and would benefit from mTOR inhibitor treatment prior to surgery.

Note: Those of childbearing age potential are not required to trial phenytoin sodium, sodium valproate, or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal — (refractory seizures associated with tuberous sclerosis complex*) only from a neurologist. Approvals valid for 12 months where demonstrated significant and sustained improvement in seizure rate (e.g. 50% reduction in seizure frequency) or severity and/or patient quality of life compared with baseline prior to starting sirolimus treatment.

Note: Indications marked with * are unapproved indications

TACROLIMUS – Special Authority see SA2455 below – Retail pharmacy

Cap 0.5 mg	49.60	100	✔ **Tacrolimus Sandoz**
Cap 0.75 mg	99.30	100	✔ **Tacrolimus Sandoz**
Cap 1 mg	84.30	100	✔ **Tacrolimus Sandoz**
Cap 5 mg	248.20	50	✔ **Tacrolimus Sandoz**

SA2455 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 The individual is an organ transplant recipient; or

2 The individual is receiving induction therapy for an organ transplant.

Note: Subsidy applies for either primary or rescue therapy.

Initial application — (non-transplant indications*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient requires long-term systemic immunosuppression; and

2 Either:

2.1 Ciclosporin has been trialled and discontinued treatment because of unacceptable side effects or inadequate clinical response; or

2.2 Patient is a child with nephrotic syndrome*.

Note: Indications marked with * are unapproved indications

JAK inhibitors

UPADACITINIB – Special Authority see SA2599 below – Retail pharmacy

Tab modified-release 15 mg	1,271.00	28	✔ **Rinvoq**
Tab modified-release 30 mg	2,033.00	28	✔ **Rinvoq**
Tab modified-release 45 mg	3,049.00	28	✔ **Rinvoq**

SA2599 Special Authority for Subsidy

Initial application — (Rheumatoid Arthritis (previously treated with adalimumab or etanercept)) from any relevant practitioner. Approvals valid for 7 months for applications meeting the following criteria:

All of the following:

1 The individual has had an initial Special Authority approval for adalimumab and/or etanercept for rheumatoid arthritis; and

2 Either:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

2.1 The individual has experienced intolerable side effects with adalimumab and/or etanercept; or
2.2 The individual has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for rheumatoid arthritis; and

3 Any of the following:
3.1 Rituximab is not clinically appropriate; or
3.2 The individual is seronegative for both anti-cyclic citrullinated peptide (CCP) antibodies and rheumatoid factor; or
3.3 Both:
3.3.1 The individual has been started on rituximab for rheumatoid arthritis in a Health NZ Hospital; and
3.3.2 Either:
3.3.2.1 The individual has experienced intolerable side effects with rituximab; or
3.3.2.2 At four months following the initial course of rituximab the individual has received insufficient benefit such that they do not meet the renewal criteria for rheumatoid arthritis.

Renewal — (Rheumatoid Arthritis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:
1 Following 6 months' initial treatment, the individual has experienced at least a 50% decrease in active joint count from baseline; or
2 On subsequent reapplications, the individual has experienced at least a continuing 30% improvement in active joint count from baseline.

Initial application — (atopic dermatitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:
1 Individual is currently on treatment with upadacitinib for atopic dermatitis and met all remaining criteria prior to commencing treatment; or
2 All of the following:
2.1 Individual has moderate to severe atopic dermatitis, severity as defined by an Eczema Area and Severity Index (EASI) score of greater than or equal to 16 or a Dermatology Life Quality Index (DLQI) score of greater than or equal to 10; and
2.2 Individual has received insufficient benefit from topical therapy (including topical corticosteroids or topical calcineurin inhibitors) for a 28-day trial within the last 6 months, unless contraindicated to all; and
2.3 Individual has trialled and received insufficient benefit from at least one systemic therapy for a minimum of three months (eg ciclosporin, azathioprine, methotrexate or mycophenolate mofetil), unless contraindicated to all; and
2.4 An EASI assessment or DLQI assessment has been completed for at least the most recent prior treatment course, preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
2.5 The most recent EASI or DQLI assessment is no more than 1 month old at the time of application.

Renewal — (atopic dermatitis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Either:
1 Individual has received a 75% or greater reduction in EASI score (EASI 75) as compared to baseline EASI prior to commencing upadacitinib; or
2 Individual has received a DLQI improvement of 4 or more as compared to baseline DLQI prior to commencing upadacitinib.

Initial application — (Crohn's disease - adult) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Either:
1 Individual is currently on treatment with upadacitinib for Crohn's disease and met all remaining criteria prior to commencing

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

treatment; or

2 Both:

2.1 Individual has active Crohn's disease; and

2.2 Either:

2.2.1 Individual has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

2.2.2 Both:

2.2.2.1 Individual meets the initiation criteria for prior biologic therapies for Crohn's disease; and

2.2.2.2 Other biologic therapies for Crohn's disease are contraindicated.

Renewal — (Crohn's disease - adult) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 CDAI score has reduced by 100 points from the CDAI score when the individual was initiated on biologic therapy; or

2 HBI score has reduced by 3 points from when individual was initiated on biologic therapy; or

3 CDAI score is 150 or less; or

4 HBI score is 4 or less; or

5 The individual has experienced an adequate response to treatment, but CDAI score cannot be assessed.

Initial application — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Individual is currently on treatment with upadacitinib for Crohn's disease and met all remaining criteria prior to commencing treatment; or

2 Both:

2.1 Child has active Crohn's disease; and

2.2 Either:

2.2.1 Child has had an initial approval for prior biologic therapy for Crohn's disease and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

2.2.2 Both:

2.2.2.1 Child meets the initiation criteria for prior biologic therapies for Crohn's disease; and

2.2.2.2 Other biologic therapies for Crohn's disease are contraindicated.

Renewal — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 PCDAI score has reduced by 10 points from the child was initiated on treatment; or

2 PCDAI score is 15 or less; or

3 The child has experienced an adequate response to treatment, but PCDAI score cannot be assessed.

Note: Indications marked with * are unapproved indications.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Individual is currently on treatment with upadacitinib for ulcerative colitis and met all remaining criteria prior to commencing treatment; or

2 Both:

2.1 Individual has active ulcerative colitis; and

2.2 Either:

2.2.1 Individual has had an initial approval for prior biologic therapy for ulcerative colitis and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised	Brand or Generic Manufacturer

continued…

2.2.2 Both:

2.2.2.1 Individual meets the initiation criteria for prior biologic therapies for ulcerative colitis; and

2.2.2.2 Other biologic therapies for ulcerative colitis are contraindicated.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 The SCCAI score has reduced by 2 points or more from the SCCAI score when the individual was initiated on treatment; or

2 PUCAI score has reduced by 10 points or more from the PUCAI score when the individual was initiated on treatment.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

✳Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Antiallergy Preparations

Allergic Emergencies

ADRENALINE – Special Authority see SA2185 below – Retail pharmacy

a) Maximum of 2 inj per prescription
b) Additional prescriptions limited to replacement of up to two devices prior to expiry, or replacement of used device for treatment of anaphylaxis.

Inj 0.15 mg per 0.3 ml auto-injector	85.50	1 OP	✔	**Epipen Jr**
Inj 0.3 mg per 0.3 ml auto-injector	85.50	1 OP	✔	**Epipen**

SA2185 Special Authority for Subsidy

Initial application — (anaphylaxis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Either:
   1.1 Patient has experienced an anaphylactic reaction which has resulted in presentation to a hospital or emergency department; or
   1.2 Patient has been assessed to be at significant risk of anaphylaxis by a relevant practitioner; and
2 Patient is not to be prescribed more than two devices in initial prescription.

ICATIBANT – Special Authority see SA1558 below – Retail pharmacy

Inj 10 mg per ml, 3 ml prefilled syringe	2,668.00	1	✔	**Firazyr**

SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 RAST or skin test positive; and
2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT – Special Authority see SA1367 above – Retail pharmacy

Initiation kit - 1 vial freeze dried venom with diluent	305.00	1 OP	✔	**VENOX** S29
Maintenance kit - 1 vial freeze dried venom with diluent	305.00	1 OP	✔	**VENOX** S29
Maintenance kit - 6 vials 120 mcg freeze dried venom, with diluent	285.00	1 OP	✔	**Venomil** S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	334.39	1 OP	✔	**Albey**
Treatment kit - 1 vial 550 mcg freeze dried venom, with diluent	305.00	1 OP	✔	**Hymenoptera** S29

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
WASP VENOM ALLERGY TREATMENT – Special Authority see SA1367 on the previous page – Retail pharmacy				
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polistes venom, 1 diluent 9 ml, 3 diluent 1.8 ml	382.23	1 OP	✔	**Albey**
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried venom, with diluent	305.00	1 OP	✔	**Hymenoptera** S29
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✔	**Venomil** S29
Treatment kit (Yellow Jacket venom) - 1 vial 550 mcg freeze dried venom, with diluent	305.00	1 OP	✔	**Hymenoptera** S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 3 diluent 1.8 ml	431.24	1 OP	✔	**Albey**
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✔	**Venomil** S29

Antihistamines

CETIRIZINE HYDROCHLORIDE				
✱ Tab 10 mg	1.71	100	✔	**Zista**
✱ Oral liq 1 mg per ml	3.99	200 ml	✔	**Histaclear**
DEXTROCHLORPHENIRAMINE MALEATE				
✱ Tab 2 mg	2.02	40		
	(8.40)			Polaramine
	1.01	20		
	(5.99)			Polaramine
✱ Oral liq 2 mg per 5 ml	1.77	100 ml		
	(10.29)			Polaramine
FEXOFENADINE HYDROCHLORIDE				
✱ Tab 60 mg	4.34	20		
	(8.23)			Telfast
✱ Tab 120 mg	3.49	30	✔	**Fexaclear**
✱ Tab 180 mg	4.10	30	✔	**Fexaclear**
LORATADINE				
✱ Tab 10 mg	1.59	100	✔	**Loratadine Noumed**
	6.02		✔	**Lorafix**
Loratadine Noumed to be Principal Supply on 1 June 2026				
✱ Oral liq 1 mg per ml	1.43	100 ml	✔	**Haylor syrup**
(Lorafix Tab 10 mg to be delisted 1 June 2026)				
PROMETHAZINE HYDROCHLORIDE				
✱ Tab 10 mg	2.19	100	✔	**Allersoothe**
✱ Tab 25 mg	2.69	100	✔	**Allersoothe**
✱ Oral liq 1 mg per 1 ml	3.39	100 ml	✔	**Allersoothe**
✱ Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	21.09	5	✔	**Hospira**

Inhaled Corticosteroids

BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose	14.01	200 dose OP	✔	**Qvar**
Aerosol inhaler, 50 mcg per dose CFC-free	8.54	200 dose OP	✔	**Beclazone 50**
Aerosol inhaler, 100 mcg per dose	17.52	200 dose OP	✔	**Qvar**
Aerosol inhaler, 100 mcg per dose CFC-free	12.50	200 dose OP	✔	**Beclazone 100**
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 dose OP	✔	**Beclazone 250**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✔	**Pulmicort Turbuhaler**
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✔	**Pulmicort Turbuhaler**
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	✔	**Pulmicort Turbuhaler**
FLUTICASONE				
Aerosol inhaler, 50 mcg per dose	7.19	120 dose OP	✔	**Flixotide**
Powder for inhalation, 50 mcg per dose	8.61	60 dose OP	✔	**Flixotide Accuhaler**
Powder for inhalation, 100 mcg per dose	7.81	60 dose OP	✔	**Flixotide Accuhaler**
Aerosol inhaler, 125 mcg per dose	13.60	120 dose OP	✔	**Flixotide**
Aerosol inhaler, 250 mcg per dose	24.62	120 dose OP	✔	**Flixotide**
Powder for inhalation, 250 mcg per dose	11.93	60 dose OP	✔	**Flixotide Accuhaler**

Inhaled Long-acting Beta-adrenoceptor Agonists

EFORMOTEROL FUMARATE DIHYDRATE				
Powder for inhalation 4.5 mcg per dose, breath activated (equivalent to eformoterol fumarate 6 mcg metered dose)	10.32 (16.90)	60 dose OP		Oxis Turbuhaler
INDACATEROL				
Powder for inhalation 150 mcg	61.00	30 dose OP	✔	**Onbrez Breezhaler**
Powder for inhalation 300 mcg	61.00	30 dose OP	✔	**Onbrez Breezhaler**
SALMETEROL				
Aerosol inhaler CFC-free, 25 mcg per dose	26.25	120 dose OP	✔	**Serevent**
Powder for inhalation, 50 mcg per dose, breath activated	26.25	60 dose OP	✔	**Serevent Accuhaler**

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

BUDESONIDE WITH EFORMOTEROL				
❋ Powder for inhalation 160 mcg with 4.5 mcg eformoterol fumarate per dose (equivalent to 200 mcg budesonide with 6 mcg eformoterol fumarate metered dose) – Up to 120 dose available on a PSO	41.50	120 dose OP	✔	**DuoResp Spiromax**
Powder for inhalation 320 mcg with 9 mcg eformoterol fumarate per dose (equivalent to 400 mcg budesonide with 12 mcg eformoterol fumarate metered dose) – No more than 2 dose per day	82.50	120 dose OP	✔	**DuoResp Spiromax**
❋ Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	18.23	120 dose OP	✔	**Vannair**
❋ Powder for inhalation 100 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	33.74	120 dose OP	✔	**Symbicort Turbuhaler 100/6**
❋ Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	21.40	120 dose OP	✔	**Vannair**
❋ Powder for inhalation 200 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	33.74	120 dose OP	✔	**Symbicort Turbuhaler 200/6**
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg – No more than 2 dose per day	33.74	60 dose OP	✔	**Symbicort Turbuhaler 400/12**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
FLUTICASONE FUROATE WITH VILANTEROL				
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✔	**Breo Ellipta**
FLUTICASONE WITH SALMETEROL				
Aerosol inhaler 50 mcg with salmeterol 25 mcg	25.79	120 dose OP	✔	**Seretide**
Aerosol inhaler 125 mcg with salmeterol 25 mcg	32.60	120 dose OP	✔	**Seretide**
Powder for inhalation 100 mcg with salmeterol 50 mcg – No more than 2 dose per day	33.74	60 dose OP	✔	**Seretide Accuhaler**
Powder for inhalation 250 mcg with salmeterol 50 mcg – No more than 2 dose per day	44.08	60 dose OP	✔	**Seretide Accuhaler**

Beta-Adrenoceptor Agonists

SALBUTAMOL				
Oral liq 400 mcg per ml	50.00	150 ml	✔	**Ventolin**
Infusion 1 mg per ml, 5 ml	130.00	10	✔	**Ventolin**
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO	130.00	5	✔	**Ventolin**

Inhaled Beta-Adrenoceptor Agonists

SALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO	4.18 (7.45)	200 dose OP	✔	**SalAir** Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO	8.96	20	✔	**Asthalin**
			✔	**UK Cipla** S29
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO	9.43	20	✔	**Asthalin**
			✔	**UK Cipla** S29
TERBUTALINE SULPHATE				
Powder for inhalation, 200 mcg per dose (equivalent to 250 mcg metered dose), breath activated	22.20	120 dose OP	✔	**Bricanyl Turbuhaler**

Anticholinergic Agents

IPRATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dose available on a PSO	16.20	200 dose OP	✔	**Atrovent**
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	11.73	20	✔	**Accord** S29
			✔	**Univent**

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg per dose CFC-free	12.19	200 dose OP	✔	**Duolin HFA**
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 3 ml vial	16.56	30	✔	**Cipla** S29
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSO	11.04	20	✔	**Duolin**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists

GLYCOPYRRONIUM – Subsidy by endorsement

a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.
b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry if spirometry is possible, and the prescription is endorsed accordingly.

Powder for inhalation 50 mcg per dose	61.00	30 dose	OP	✔ **Seebri Breezhaler**

TIOTROPIUM BROMIDE – Subsidy by endorsement

a) Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.
b) Tiotropium bromide is subsidised only for patients who have been diagnosed as having COPD using spirometry if spirometry is possible, and the prescription is endorsed accordingly. Patients who had tiotropium dispensed before 1 October 2018 with a valid Special Authority are deemed endorsed.

Powder for inhalation, 18 mcg per dose	50.37	30 dose		✔ **Spiriva**
Soln for inhalation 2.5 mcg per dose	50.37	60 dose	OP	✔ **Spiriva Respimat**

UMECLIDINIUM – Subsidy by endorsement

a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry if spirometry is possible, and the prescription is endorsed accordingly.

Powder for inhalation 62.5 mcg per dose	61.50	30 dose	OP	✔ **Incruse Ellipta**

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

SA2554 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has been stabilised on a long acting muscarinic antagonist; and
2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

GLYCOPYRRONIUM WITH INDACATEROL – Special Authority see SA2554 above – Retail pharmacy

Powder for Inhalation 50 mcg with indacaterol 110 mcg	81.00	30 dose	OP	✔ **Ultibro Breezhaler**

TIOTROPIUM BROMIDE WITH OLODATEROL – Special Authority see SA2554 above – Retail pharmacy

Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg	81.00	60 dose	OP	✔ **Spiolto Respimat**

UMECLIDINIUM WITH VILANTEROL – Special Authority see SA2554 above – Retail pharmacy

Powder for inhalation 62.5 mcg with vilanterol 25 mcg	77.00	30 dose	OP	✔ **Anoro Ellipta**

Inhaled Corticosteroid with Long-Acting Muscarinic Antagonist and Beta Agonist

BUDESONIDE WITH GLYCOPYRRONIUM AND EFORMOTEROL – Special Authority see SA2421 on the next page – Retail pharmacy

Aerosol inhaler budesonide 160 mcg with glycopyrronium 7.2 mcg and formoterol 5 mcg per dose	79.15	120 dose	OP	✔ **Breztri Aerosphere**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

SA2421 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:
1 Patient has a diagnosis of COPD confirmed by spirometry or spirometry has been attempted and technically acceptable results are not possible; and
2 Either:
2.1 Both:
2.1.1 Patient is currently receiving an inhaled corticosteroid with long acting beta-2 agonist (ICS/LABA) or a long acting muscarinic antagonist with long acting beta-2 agonist (LAMA/LABA); and
2.1.2 Any of the following:
Clinical criteria:
2.1.2.1 Patient has a COPD Assessment Test (CAT) score greater than 10; or
2.1.2.2 Patient has had 2 or more exacerbations in the previous 12 months; or
2.1.2.3 Patient has had one exacerbation requiring hospitalisation in the previous 12 months; or
2.1.2.4 Patient has had an eosinophil count greater than or equal to 0.3 × 10ˆ9 cells/L in the previous 12 months; or
2.2 Patient is currently receiving multiple inhaler triple therapy (inhaled corticosteroid with long-acting muscarinic antagonist and long-acting beta-2 agonist – ICS/LAMA/LABA) and met at least one of the clinical criteria above prior to commencing multiple inhaler therapy.

FLUTICASONE FUROATE WITH UMECLIDINIUM AND VILANTEROL – Special Authority see SA2326 below – Retail pharmacy
Powder for inhalation fluticasone furoate 100 mcg with
umeclidinium 62.5 mcg and vilanterol 25 mcg.....104.24 30 dose OP ✔ **Trelegy Ellipta**

SA2326 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:
1 Patient has a diagnosis of COPD confirmed by spirometry or spirometry has been attempted and technically acceptable results are not possible; and
2 Either:
2.1 Both:
2.1.1 Patient is currently receiving an inhaled corticosteroid with long acting beta-2 agonist (ICS/LABA) or a long acting muscarinic antagonist with long acting beta-2 agonist (LAMA/LABA); and
2.1.2 Any of the following:
Clinical criteria:
2.1.2.1 Patient has a COPD Assessment Test (CAT) score greater than 10; or
2.1.2.2 Patient has had 2 or more exacerbations in the previous 12 months; or
2.1.2.3 Patient has had one exacerbation requiring hospitalisation in the previous 12 months; or
2.1.2.4 Patient has had an eosinophil count greater than or equal to 0.3 × 10ˆ9 cells/L in the previous 12 months; or
2.2 Patient is currently receiving multiple inhaler triple therapy (inhaled corticosteroid with long acting muscarinic antagonist and long acting beta-2 agonist – ICS/LAMA/LABA) and met at least one of the clinical criteria above prior to commencing multiple inhaler triple therapy.

Antifibrotics

NINTEDANIB – Special Authority see SA2012 on the next page – Retail pharmacy
Note: Nintedanib not subsidised in combination with subsidised pirfenidone.
Cap 100 mg.....2,554.00 60 OP ✔ **Ofev**
Cap 150 mg.....3,870.00 60 OP ✔ **Ofev**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA2012 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist; and
2 Forced vital capacity is between 50% and 90% predicted; and
3 Nintedanib is to be discontinued at disease progression (See Note); and
4 Nintedanib is not to be used in combination with subsidised pirfenidone; and
5 Any of the following:
  5.1 The patient has not previously received treatment with pirfenidone; or
  5.2 Patient has previously received pirfenidone, but discontinued pirfenidone within 12 weeks due to intolerance; or
  5.3 Patient has previously received pirfenidone, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with pirfenidone).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
2 Nintedanib is not to be used in combination with subsidised pirfenidone; and
3 Nintedanib is to be discontinued at disease progression (See Note).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

PIRFENIDONE – Retail pharmacy-Specialist – Special Authority see SA2013 below

Note: Pirfenidone is not subsidised in combination with subsidised nintedanib.

Tab 801 mg	3,645.00	90 OP	✔	**Esbriet**
Tab 267 mg	1,215.00	90	✔	**Esbriet**

➠SA2013 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist; and
2 Forced vital capacity is between 50% and 90% predicted; and
3 Pirfenidone is to be discontinued at disease progression (See Note); and
4 Pirfenidone is not to be used in combination with subsidised nintedanib; and
5 Any of the following:
  5.1 The patient has not previously received treatment with nintedanib; or
  5.2 Patient has previously received nintedanib, but discontinued nintedanib within 12 weeks due to intolerance; or
  5.3 Patient has previously received nintedanib, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with nintedanib).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
2 Pirfenidone is not to be used in combination with subsidised nintedanib; and
3 Pirfenidone is to be discontinued at disease progression (See Note).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Leukotriene Receptor Antagonists				
MONTELUKAST				
✻ Tab 4 mg	3.10	28	✔	**Montelukast Viatris**
✻ Tab 5 mg	3.10	28	✔	**Montelukast Viatris**
✻ Tab 10 mg	2.45	28	✔	**Montelukast Viatris**
Methylxanthines				
AMINOPHYLLINE				
✻ Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj available on a PSO	180.00	5	✔	**DBL Aminophylline**
THEOPHYLLINE				
✻ Tab long-acting 250 mg	25.65	100	✔	**Nuelin-SR**
✻ Oral liq 80 mg per 15 ml	18.49	500 ml	✔	**Nuelin**
Mucolytics				
DORNASE ALFA – Special Authority see SA1978 below – Retail pharmacy				
Nebuliser soln, 2.5 mg per 2.5 ml ampoule	250.00	6	✔	**Pulmozyme**

➠SA1978 Special Authority for Subsidy

Initial application — (cystic fibrosis) only from a respiratory physician or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has a confirmed diagnosis of cystic fibrosis; and
2 Patient has previously undergone a trial with, or is currently being treated with, hypertonic saline; and
3 Any of the following:
   3.1 Patient has required one or more hospital inpatient respiratory admissions in the previous 12 month period; or
   3.2 Patient has had 3 exacerbations due to CF, requiring oral or intravenous (IV) antibiotics in the previous 12 month period; or
   3.3 Patient has had 1 exacerbation due to CF, requiring oral or IV antibiotics in the previous 12 month period and a Brasfield score of < 22/25; or
   3.4 Patient has a diagnosis of allergic bronchopulmonary aspergillosis (ABPA).

Renewal — (cystic fibrosis) only from a respiratory physician or paediatrician. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient continues to benefit from treatment.

ELEXACAFTOR WITH TEZACAFTOR, IVACAFTOR AND IVACAFTOR – PCT only – Special Authority see SA2456 below				
Tab elexacaftor 50 mg with tezacaftor 25 mg, ivacaftor 37.5 mg (56) and ivacaftor 75 mg (28)	27,647.39	84 OP	✔	**Trikafta**
Tab elexacaftor 100 mg with tezacaftor 50 mg, ivacaftor 75 mg (56) and ivacaftor 150 mg (28)	27,647.39	84 OP	✔	**Trikafta**

➠SA2456 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with cystic fibrosis; and
2 Patient is 6 years of age or older; and
3 Either:

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3.1 Patient has two cystic fibrosis-causing mutations in the cystic fibrosis transmembrane regulator (CFTR) gene (one from each parental allele); or
3.2 Patient has a sweat chloride value of at least 60 mmol/L by quantitative pilocarpine iontophoresis or by Macroduct sweat collection system; and

4 Either:
4.1 Patient has a heterozygous or homozygous F508del mutation; or
4.2 Patient has a G551D mutation or other mutation responsive in vitro to elexacaftor/tezacaftor/ivacaftor (see note a); and

5 The treatment must be the sole funded CFTR modulator therapy for this condition; and
6 Treatment with elexacaftor/tezacaftor/ivacaftor must be given concomitantly with standard therapy for this condition.

Notes:

a) Eligible mutations are listed in the Food and Drug Administration (FDA) Trikafta prescribing information https://nctr-crs.fda.gov/fdalabel/services/spl/set-ids/f354423a-85c2-41c3-a9db-0f3aee135d8d/spl-doc

IVACAFTOR – PCT only – Specialist – Special Authority see SA2017 below

Tab 150 mg	29,386.00	56	✔ **Kalydeco**
Oral granules 50 mg, sachet	29,386.00	56	✔ **Kalydeco**
Oral granules 75 mg, sachet	29,386.00	56	✔ **Kalydeco**

SA2017 Special Authority for Subsidy

Initial application only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 Patient has been diagnosed with cystic fibrosis; and
2 Either:
2.1 Patient must have G551D mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene on at least 1 allele; or
2.2 Patient must have other gating (class III) mutation (G1244E, G1349D, G178R, G551S, S1251N, S1255P, S549N and S549R) in the CFTR gene on at least 1 allele; and
3 Patients must have a sweat chloride value of at least 60 mmol/L by quantitative pilocarpine iontophoresis or by Macroduct sweat collection system; and
4 Treatment with ivacaftor must be given concomitantly with standard therapy for this condition; and
5 Patient must not have an acute upper or lower respiratory infection, pulmonary exacerbation, or changes in therapy (including antibiotics) for pulmonary disease in the last 4 weeks prior to commencing treatment with ivacaftor; and
6 The dose of ivacaftor will not exceed one tablet or one sachet twice daily; and
7 Applicant has experience and expertise in the management of cystic fibrosis.

SODIUM CHLORIDE

Not funded for use as a nasal drop.

Soln 7%	25.73	90 ml OP	✔ **Biomed**

Nasal Preparations

Allergy Prophylactics

BUDESONIDE

Metered aqueous nasal spray, 50 mcg per dose	2.59	200 dose OP	✔ **SteroClear**
Metered aqueous nasal spray, 100 mcg per dose	2.89	200 dose OP	✔ **SteroClear**

FLUTICASONE PROPIONATE

Metered aqueous nasal spray, 50 mcg per dose	2.57	120 dose OP	✔ **Flixonase Hayfever & Allergy**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
IPRATROPIUM BROMIDE				
Aqueous nasal spray, 0.03%	5.23	15 ml OP	✔	**Univent**

Respiratory Devices

MASK FOR SPACER DEVICE				
a) Up to 50 dev available on a PSO				
b) Only on a PSO				
c) Only for children aged six years and under				
Small	2.70	1	✔	**e-chamber Mask**
PEAK FLOW METER				
a) Up to 25 dev available on a PSO				
b) Only on a PSO				
Low range	9.54	1	✔	**Mini-Wright AFS Low Range**
Normal range	9.54	1	✔	**Mini-Wright Standard**
SPACER DEVICE				
a) Up to 50 dev available on a PSO				
b) Only on a PSO				
220 ml (single patient)	3.65	1	✔	**e-chamber Turbo**
510 ml (single patient)	5.95	1	✔	**e-chamber La Grande**
800 ml	6.50	1	✔	**Volumatic**

Respiratory Stimulants

CAFFEINE CITRATE				
Oral liq 20 mg per ml (10 mg base per ml)	16.91	25 ml OP	✔	**Biomed**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Ear Preparations				
FLUMETASONE PIVALATE				
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✔	**Locacorten-Viaform ED's**
			✔	**Locorten-Vioform**
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN				
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	✔	**Kenacomb**
Ear/Eye Preparations				
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN				
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml	4.50 (9.27)	8 ml OP		Sofradex
FRAMYCETIN SULPHATE				
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP		Soframycin
Eye Preparations				
Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.				
Anti-Infective Preparations				
ACICLOVIR				
❋ Eye oint 3%	15.89	4.5 g OP	✔	**ViruPOS**
CHLORAMPHENICOL				
Eye oint 1%	1.55	5 g OP	✔	**Devatis**
Eye drops 0.5%	1.84	10 ml OP	✔	**Chlorafast**
Funded for use in the ear*. Indications marked with * are unapproved indications.				
CIPROFLOXACIN				
Eye drops 0.3% – Subsidy by endorsement	10.85	5 ml OP	✔	**Ciprofloxacin Teva**
When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly. Note: Indication marked with a * is an unapproved indication.				
SODIUM FUSIDATE [FUSIDIC ACID]				
Eye drops 1%	5.29	5 g OP	✔	**Fucithalmic**
			✔	**Fucithalmic Canada (ON)** S29
			✔	**Fucithalmic Spain** S29
TOBRAMYCIN				
Eye oint 0.3%	10.45	3.5 g OP	✔	**Tobrex**
Eye drops 0.3%	11.48	5 ml OP	✔	**Tobrex**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Corticosteroids and Other Anti-Inflammatory Preparations

DEXAMETHASONE

✻ Eye oint 0.1%	5.86	3.5 g OP	✔	**Maxidex**
✻ Eye drops 0.1%	4.50	5 ml OP	✔	**Maxidex**
Ocular implant 700 mcg – Special Authority see SA1680 below				
– Retail pharmacy	1,444.50	1	✔	**Ozurdex**

➠SA1680 Special Authority for Subsidy

Initial application — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has diabetic macular oedema with pseudophakic lens; and
2 Patient has reduced visual acuity of between 6/9 - 6/48 with functional awareness of reduction in vision; and
3 Either:
  3.1 Patient's disease has progressed despite 3 injections with bevacizumab; or
  3.2 Patient is unsuitable or contraindicated to treatment with anti-VEGF agents; and
4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Patient's vision is stable or has improved (prescriber determined); and
2 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Initial application — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient has diabetic macular oedema; and
2 Patient has reduced visual acuity of between 6/9 - 6/48 with functional awareness of reduction in vision; and
3 Patient is of child bearing potential and has not yet completed a family; and
4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

Renewal — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient's vision is stable or has improved (prescriber determined); and
2 Patient is of child bearing potential and has not yet completed a family; and
3 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.

DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMYXIN B SULPHATE

✻ Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per g	5.39	3.5 g OP	✔	**Maxitrol**
✻ Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per ml	4.50	5 ml OP	✔	**Maxitrol**

DICLOFENAC SODIUM

Eye drops 0.1%, single dose	1.85	10 dose	✔	**Diclofenac Devatis**
	5.54	30 dose	✔	**Diclofenac Devatis**

FLUOROMETHOLONE

✻ Eye drops 0.1%	3.09	5 ml OP	✔	**FML**
	5.20		✔	**Flucon**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71	4 ml OP		
	(10.34)			Livostin
LODOXAMIDE				
Eye drops 0.1%	8.71	10 ml OP	✔	**Lomide**
PREDNISOLONE ACETATE				
Eye drops 1%	6.92	10 ml OP	✔	**Prednisolone-AFT**
	7.00	5 ml OP	✔	**Pred Forte**
PREDNISOLONE SODIUM PHOSPHATE – Special Authority see SA1715 below – Retail pharmacy				
Eye drops 0.5%, single dose (preservative free)	43.26	20 dose	✔	**Minims Prednisolone**

➠SA1715 Special Authority for Subsidy

Initial application only from an ophthalmologist or optometrist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Patient has severe inflammation; and
2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLICATE				
Eye drops 2%	2.91	10 ml OP	✔	**Allerfix**

Glaucoma Preparations - Beta Blockers

TIMOLOL				
❋ Eye drops 0.25%	2.42	5 ml OP	✔	**Arrow-Timolol**
❋ Eye drops 0.5%	2.50	5 ml OP	✔	**Arrow-Timolol**

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

ACETAZOLAMIDE				
❋ Tab 250 mg	13.96	100	✔	**Medsurge**
BRINZOLAMIDE				
❋ Eye drops 1%	5.11	5 ml OP	✔	**Azopt**
DORZOLAMIDE WITH TIMOLOL				
❋ Eye drops 2% with timolol 0.5%	3.58	5 ml OP	✔	**Dortimopt**

Glaucoma Preparations - Prostaglandin Analogues

BIMATOPROST				
❋ Eye drops 0.03%	5.15	3 ml OP	✔	**Lumigan**
LATANOPROST				
❋ Eye drops 0.005%	2.08	2.5 ml OP	✔	**Teva**
TRAVOPROST				
❋ Eye drops 0.004%	6.80	2.5 ml OP	✔	**Travatan**

Glaucoma Preparations - Other

BRIMONIDINE TARTRATE				
❋ Eye drops 0.2%	5.16	5 ml OP	✔	**Arrow-Brimonidine**

✔ **fully subsidised**
Principal Supply
S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE				
✱ Eye drops 0.2% with timolol maleate 0.5%	7.13	5 ml OP	✔	**Combigan**
LATANOPROST WITH TIMOLOL				
✱ Eye drops 0.005% with timolol 0.5%	4.95	2.5 ml OP	✔	**Arrow - Lattim**
PILOCARPINE HYDROCHLORIDE				
✱ Eye drops 1%	4.26	15 ml OP	✔	**Isopto Carpine**
✱ Eye drops 2%	5.35	15 ml OP	✔	**Isopto Carpine**
✱ Eye drops 4%	7.99	15 ml OP	✔	**Isopto Carpine**
Subsidised for oral use pursuant to the Standard Formulae.				
PILOCARPINE NITRATE				
✱ Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy	35.90	20 dose	✔	**Minims Pilocarpine**

➠SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.
Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE				
✱ Eye drops 1%	18.27	15 ml OP	✔	**Atropt**
CYCLOPENTOLATE HYDROCHLORIDE				
✱ Eye drops 1%	25.16	15 ml OP	✔	**Cyclogyl**
TROPICAMIDE				
✱ Eye drops 0.5%	20.52	15 ml OP	✔	**Mydriacyl**
✱ Eye drops 1%	24.82	15 ml OP	✔	**Mydriacyl**

Preparations for Tear Deficiency

For acetylcysteine eye drops refer Standard Formulae, page 279

HYPROMELLOSE				
✱ Eye drops 0.5%	19.50	15 ml OP	✔	**Methopt**
HYPROMELLOSE WITH DEXTRAN				
✱ Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✔	**Poly-Tears**

Preservative Free Ocular Lubricants

➠SA2431 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

1 Confirmed diagnosis by slit lamp or Schirmer test of severe secretory dry eye; and
2 Either:
  2.1 Patient is using eye drops more than four times daily on a regular basis; or
  2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
POLYETHYLENE GLYCOL 400 AND PROPYLENE GLYCOL – Special Authority see SA2431 on the previous page – Retail pharmacy				
Eye drops 0.4% and propylene glycol 0.3%, 0.8 ml	10.78	30	✔	**Systane Unit Dose**
SODIUM HYALURONATE [HYALURONIC ACID] – Special Authority see SA2431 on the previous page – Retail pharmacy				
Eye drops 1 mg per ml	13.58	10 ml OP	✔	**Hylo-Fresh**
Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.				

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE				
❋ Eye drops 0.1%	5.65	15 ml OP	✔	**Albalon**
OLOPATADINE				
Eye drops 0.1%	3.39	5 ml OP	✔	**Olopatadine Teva**
PARAFFIN LIQUID WITH WOOL FAT				
❋ Eye oint 3% with wool fat 3%	3.63	3.5 g OP	✔	**Poly-Visc**
RETINOL PALMITATE				
Eye oint 138 mcg per g	3.80	5 g OP	✔	**VitA-POS**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Various

PHARMACY SERVICES

✱ Brand switch fee	4.50	1 fee	✔ **BSF Lyrica**
a) May only be claimed once per patient.			
b) The Pharmacode for BSF Lyrica is 2723727 - see also page 132			
✱ Immunisation administration fee - flu	0.00	1 fee	✔ **Immunisation - Flu**
✱ Immunisation administration fee - other	0.00	1 fee	✔ **Immunisation Other**
✱ Immunisation co-administration fee - flu and shingles	0.00	1 fee	✔ **Immunisation Flu and Shingles**
✱ Paxlovid fee (Pharmacist initiated)	0.00	1 fee	✔ **Paxlovid fee**

(BSF Lyrica Brand switch fee to be delisted 1 July 2026)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE

Inj 200 mg per ml, 10 ml ampoule	42.99	10	✔ **DBL Acetylcysteine**
Inj 200 mg per ml, 10 ml vial	42.99	10	✔ **Hikma Acetylcysteine** S29

NALOXONE HYDROCHLORIDE

a) Up to 10 inj available on a PSO
b) Only on a PSO

✱ Inj 400 mcg per ml, 1 ml ampoule	13.29	5	✔ **DBL Naloxone Hydrochloride**

Removal and Elimination

CHARCOAL

✱ Oral liq 50 g per 250 ml	59.85	250 ml OP	✔ **Carbosorb-X**

a) Up to 250 ml available on a PSO
b) Only on a PSO

DEFERASIROX – Special Authority see SA1492 below – Retail pharmacy
Wastage claimable

Tab 125 mg dispersible	276.00	28	✔ **Exjade**
Tab 250 mg dispersible	552.00	28	✔ **Exjade**
Tab 500 mg dispersible	1,105.00	28	✔ **Exjade**

SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria:
All of the following:

1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
3 Any of the following:

3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or

continued…

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

3.3 Treatment with deferiprone has resulted in arthritis; or

3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per µL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per µL).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria:
Either:

1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or

2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE – Special Authority see SA1480 below – Retail pharmacy

Tab 500 mg	533.17	100	✔	**Ferriprox**
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✔	**Ferriprox**

➠SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Either:

1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or

2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESILATE

❋ Inj 500 mg vial	332.88	10	✔	**DBL Desferrioxamine Mesylate for Inj BP**

SODIUM CALCIUM EDETATE

❋ Inj 200 mg per ml, 5 ml	53.31 (156.71)	6		Calcium Disodium Versenate

Standard Formulae

ACETYLCYSTEINE EYE DROPS

Acetylcysteine inj 200 mg per ml, 10 ml	qs
Suitable eye drop base	qs

CODEINE LINCTUS (3 mg per 5 ml)

Codeine phosphate	60 mg
Glycerol	40 ml
Preservative	qs
Water	to 100 ml

CODEINE LINCTUS (15 mg per 5 ml)

Codeine phosphate	300 mg
Glycerol	40 ml
Preservative	qs
Water	to 100 ml

FOLINIC MOUTHWASH

Calcium folinate 15 mg tab	1 tab
Preservative	qs
Water	to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

METHYL HYDROXYBENZOATE 10% SOLUTION

Methyl hydroxybenzoate	10 g
Propylene glycol	to 100 ml

(Use 1 ml of the 10% solution per 100 ml of oral liquid mixture)

OMEPRAZOLE SUSPENSION

Omeprazole capsules or powder	qs
Sodium bicarbonate powder BP	8.4 g
Water	to 100 ml

PHENOBARBITONE ORAL LIQUID

Phenobarbitone Sodium	1 g
Glycerol BP	70 ml
Water	to 100 ml

PHENOBARBITONE SODIUM PAEDIATRIC ORAL LIQUID (10 mg per ml)

Phenobarbitone Sodium	400 mg
Glycerol BP	4 ml
Water	to 40 ml

PILOCARPINE ORAL LIQUID

Pilocarpine 4% eye drops	qs
Preservative	qs
Water	to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days.)

SALIVA SUBSTITUTE FORMULA

Methylcellulose	5 g
Preservative	qs
Water	to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

SODIUM CHLORIDE ORAL LIQUID

Sodium chloride inj 23.4%, 20 ml	qs
Water	qs

(Only funded if prescribed for treatment of hyponatraemia)

VANCOMYCIN ORAL SOLUTION (25 mg per ml)

Vancomycin 500 mg injection	5 vials
Glycerin with sucrose suspension	37.5 ml
Water	to 100 ml

(Only funded if prescribed for treatment of Clostridium difficile following metronidazole failure)

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Extemporaneously Compounded Preparations and Galenicals				
COLLODION FLEXIBLE				
Note: This product is no longer being manufactured by the supplier and will be delisted from the Schedule at a date to be determined.				
Collodion flexible	19.30	100 ml	✔	**PSM**
COMPOUND HYDROXYBENZOATE – Only in combination				
Only in extemporaneously compounded oral mixtures.				
Soln	36.00	100 ml	✔	**Midwest**
GLYCERIN WITH SODIUM SACCHARIN – Only in combination				
Suspension	38.00	473 ml	✔	**Ora-Sweet SF**
GLYCERIN WITH SUCROSE – Only in combination				
Suspension	38.00	473 ml	✔	**Ora-Sweet**
GLYCEROL				
❋ Liquid – Only in combination	3.23	500 ml	✔	**healthE Glycerol BP**
Only in extemporaneously compounded oral liquid preparations.				
METHYL HYDROXYBENZOATE				
Powder	11.00	25 g	✔	**Midwest**
METHYLCELLULOSE				
Powder	44.00	100 g	✔	**MidWest**
Suspension – Only in combination	38.00	473 ml	✔	**Ora-Plus**
(MidWest Powder to be delisted 1 February 2028)				
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHARIN – Only in combination				
Suspension	38.00	473 ml	✔	**Ora-Blend SF**
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE – Only in combination				
Suspension	38.00	473 ml	✔	**Ora-Blend**
PHENOBARBITONE SODIUM				
Powder – Only in combination	125.00	10 g	✔	**MidWest**
Only in children up to 12 years				
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.				
Liq	16.00	500 ml	✔	**Midwest**
SODIUM BICARBONATE				
Powder BP – Only in combination	13.50	500 g	✔	**Midwest**
Only in extemporaneously compounded omeprazole and lansoprazole suspension.				
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparations.				
Liq	25.00	500 ml	✔	**Midwest**
WATER				
Tap – Only in combination	0.00	1 ml	✔	**Tap water**

✔ **fully subsidised**

Principal Supply

S29 Unapproved medicine supplied under Section 29

Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

➠SA1930 **Special Authority for Subsidy**
Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Either:

1 cystic fibrosis; or
2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

1 cancer in children; or
2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
3 faltering growth in an infant/child; or
4 bronchopulmonary dysplasia; or
5 premature and post premature infant; or
6 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.
Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.
Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian,relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA1930 above – Hospital pharmacy [HP3]
Powder .....6.72 400 g OP ✔ **Polycal**

Carbohydrate And Fat

➠SA1376 **Special Authority for Subsidy**
Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Both:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Infant or child aged four years or under; and
2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 infant or child aged four years or under; and
2 Any of the following:
   2.1 cancer in children; or
   2.2 faltering growth; or
   2.3 bronchopulmonary dysplasia; or
   2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT – Special Authority see SA1376 on the previous page – Hospital pharmacy [HP3]

Powder (neutral)	71.77	400 g OP	✔	**Duocal Super Soluble Powder**

Fat

SA2204 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified where the patient has an inborn error of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

1 faltering growth in an infant/child; or
2 bronchopulmonary dysplasia; or
3 fat malabsorption; or
4 lymphangiectasia; or
5 short bowel syndrome; or
6 infants with necrotising enterocolitis; or
7 biliary atresia; or
8 for use in a ketogenic diet; or
9 chyle leak; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

10 ascites; or
11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.
Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT – Special Authority see SA2204 on the previous page – Hospital pharmacy [HP3]

Emulsion (neutral)	15.38	200 ml OP	✔ **Calogen**
Emulsion (strawberry)	15.38	200 ml OP	✔ **Calogen**
Oil	37.50	500 ml OP	✔ **MCT oil (Nutricia)**
MCT Emulsion, 250 ml	143.65	4 OP	✔ **Liquigen**

Protein

➠SA1524 Special Authority for Subsidy
Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

1 protein losing enteropathy; or
2 high protein needs; or
3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.
Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT – Special Authority see SA1524 above – Hospital pharmacy [HP3]

Powder	8.95	227 g OP	✔ **Resource Beneprotein**
	13.82	225 g OP	✔ **Protifar**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Oral and Enteral Feeds

Diabetic Products

➠SA1095 Special Authority for Subsidy
Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.
Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1095 above – Hospital pharmacy [HP3]

Liquid, 500 ml bottle	4.65	1 OP	✔	**Glucerna Select**

DIABETIC ORAL FEED 1KCAL/ML – Special Authority see SA1095 above – Hospital pharmacy [HP3]

Liquid (strawberry), 200 ml bottle	2.25	1 OP	✔	**Diasip**
Liquid (vanilla), 200 ml bottle	2.25	1 OP	✔	**Diasip**
	8.40	4	✔	**Nutren Diabetes**

Fat Modified Products

➠SA2205 Special Authority for Subsidy
Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified where the patient has an inborn error of metabolism.
Initial application — (Indications other than errors of inborn metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Either:

1 Patient has a chyle leak; or
2 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.
Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED – Special Authority see SA2205 above – Hospital pharmacy [HP3]

Powder	62.90	400 g OP	✔	**Monogen**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Paediatric Products For Children Awaiting Liver Transplant

➠SA1098 Special Authority for Subsidy
Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.
Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1098 above – Hospital pharmacy [HP3]
Powder (unflavoured) .....93.97 400 g OP ✔ **Heparon Junior**

Paediatric Products For Children With Chronic Renal Failure

➠SA1099 Special Authority for Subsidy
Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.
Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1099 above – Hospital pharmacy [HP3]
Powder .....64.26 400 g OP ✔ **Kindergen**

Paediatric Products

➠SA1379 Special Authority for Subsidy
Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 Child is aged one to ten years; and
2 Any of the following:
  2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
  2.2 any condition causing malabsorption; or
  2.3 faltering growth in an infant/child; or
  2.4 increased nutritional requirements; or
  2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…
applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]				
Liquid, 500 ml bottle	7.46	1 OP	✔	**Nutrini Energy RTH**
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]				
Liquid, 500 ml bottle	3.32	1 OP	✔	**Pediasure RTH**
	4.69		✔	**Nutrini RTH**
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]				
Liquid, 500 ml bottle	7.14	1 OP	✔	**Nutrini Energy Multi Fibre**
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]				
Liquid (strawberry), 200 ml bottle	1.90	1 OP	✔	**Fortini**
Liquid (vanilla), 200 ml bottle	1.90	1 OP	✔	**Fortini**
Liquid (vanilla), 500 ml bottle	8.67	1 OP	✔	**Pediasure Plus**
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]				
Liquid (chocolate), 200 ml bottle	1.33	1 OP	✔	**Pediasure**
Liquid (strawberry), 200 ml bottle	1.33	1 OP	✔	**Pediasure**
Liquid (vanilla), 200 ml bottle	1.33	1 OP	✔	**Pediasure**
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]				
Liquid (chocolate), 200 ml bottle	1.90	1 OP	✔	**Fortini Multi Fibre**
Liquid (strawberry), 200 ml bottle	1.90	1 OP	✔	**Fortini Multi Fibre**
Liquid (unflavoured), 200 ml bottle	1.90	1 OP	✔	**Fortini Multi Fibre**
Liquid (vanilla), 200 ml bottle	1.90	1 OP	✔	**Fortini Multi Fibre**
PEPTIDE-BASED ORAL FEED – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]				
Powder	43.60	400 g OP	✔	**Peptamen Junior**

Renal Products

➠SA1101 Special Authority for Subsidy
Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.
Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA1101 above – Hospital pharmacy [HP3]				
Liquid, 220 ml bottle	3.31	1 OP	✔	**Nepro HP (strawberry)**
			✔	**Nepro HP (vanilla)**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
RENAL ORAL FEED 2 KCAL/ML – Special Authority see SA1101 on the previous page – Hospital pharmacy [HP3]				
Liquid, 200 ml bottle	13.24	4 OP	✔	**NovaSource Renal**
Liquid (apricot) 125 ml	13.72	4 OP	✔	**Renilon 7.5**
Liquid (caramel) 125 ml	13.72	4 OP	✔	**Renilon 7.5**

Specialised And Elemental Products

➠SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1. malabsorption; or
2. short bowel syndrome; or
3. enterocutaneous fistulas; or
4. eosinophilic oesophagitis; or
5. inflammatory bowel disease; or
6. patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1. The treatment remains appropriate and the patient is benefiting from treatment; and
2. General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	22.39	1 OP	✔	**Vital**
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]				
Liquid (grapefruit), 250 ml carton	179.46	18 OP	✔	**Elemental 028 Extra**
Liquid (pineapple & orange), 250 ml carton	179.46	18 OP	✔	**Elemental 028 Extra**
Liquid (summer fruits), 250 ml carton	179.46	18 OP	✔	**Elemental 028 Extra**
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]				
Powder (unflavoured), 80 g sachet	45.00	10	✔	**Vivonex TEN**
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]				
Liquid, 500 ml bottle	7.47	1 OP	✔	**Nutrison Advanced Peptisorb**

Paediatric Products For Children With Low Energy Requirements

➠SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

1 Child aged one to eight years; and
2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML – Special Authority see SA1196 on the previous page – Hospital pharmacy [HP3]

Liquid, 500 ml bottle	6.27	1 OP	✔	**Nutrini Low Energy Multi Fibre**

Standard Supplements

➠SA1859 **Special Authority for Subsidy**

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
All of the following:

1 The patient is under 18 years of age; and
2 Any of the following:
   2.1 The patient has a condition causing malabsorption; or
   2.2 The patient has failure to thrive; or
   2.3 The patient has increased nutritional requirements; and
3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
All of the following:

1 The patient is under 18 years of age; and
2 The treatment remains appropriate and the patient is benefiting from treatment; and
3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 The patient is under 18 years of age; and
2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) from any relevant practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

1 The patient is under 18 years of age; and
2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Initial application — (Adults) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m^2; or

1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or

1.3 Patient has a BMI of less than 20 kg/m^2 and unintentional weight loss greater than 5% within the last 3-6 months; and

2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

2.1 Increasing their food intake frequency (eg snacks between meals); or

2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or

2.3 Using over the counter supplements (e.g. Complan); and

3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 A nutrition goal has been set (eg reach a specific weight or BMI); and

2 Any of the following:

Patient is Malnourished

2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m^2; or

2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or

2.3 Patient has a BMI of less than 20 kg/m^2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or

2 Malignancy and is considered likely to develop malnutrition as a result; or

3 Is undergoing a bone marrow transplant; or

4 Tempomandibular surgery or glossectomy; or

5 Both:

5.1 Pregnant; and

5.2 Any of the following:

5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or

5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or

5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1 Is being fed via a nasogastric tube; or

2 Malignancy and is considered likely to develop malnutrition as a result; or

3 Has undergone a bone marrow transplant; or

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

4 Tempomandibular surgery or glossectomy; or
5 Both:
  5.1 Pregnant; and
  5.2 Any of the following:
    5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
    5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Any of the following:

1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
2 Cystic Fibrosis; or
3 Liver disease; or
4 Chronic Renal failure; or
5 Inflammatory bowel disease; or
6 Chronic obstructive pulmonary disease with hypercapnia; or
7 Short bowel syndrome; or
8 Bowel fistula; or
9 Severe chronic neurological conditions; or
10 Epidermolysis bullosa; or
11 AIDS (CD4 count < 200 cells/mm^3); or
12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Any of the following:

1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
2 Cystic Fibrosis; or
3 Liver disease; or
4 Chronic Renal failure; or
5 Inflammatory bowel disease; or
6 Chronic obstructive pulmonary disease with hypercapnia; or
7 Short bowel syndrome; or
8 Bowel fistula; or
9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]

Liquid, 1,000 ml bottle	8.68	1 OP	✔	**Ensure Plus HN RTH**
	9.00		✔	**Nutrison Energy**

ENTERAL FEED 1KCAL/ML – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]

Liquid, 1,000 ml bottle	6.56	1 OP	✔	**Osmolite RTH**
	6.90		✔	**Nutrison RTH**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	9.05	1 OP	✔	**Nutrison 800 Complete Multi Fibre**
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	6.56	1 OP	✔	**Jevity RTH**
	7.21		✔	**Nutrison Multi Fibre**
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	8.68	1 OP	✔	**Jevity HiCal RTH**
			✔	**Nutrison Energy Multi Fibre**
ORAL FEED (POWDER) – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]				
Powder (chocolate)	15.90	840 g OP	✔	**Sustagen Hospital Formula**
	40.00	850 g OP	✔	**Ensure**
Powder (vanilla)	15.90	840 g OP	✔	**Sustagen Hospital Formula**
	40.00	850 g OP	✔	**Ensure**
ORAL FEED 1.5KCAL/ML – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]				
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition for the treatment of Crohn's disease, or for patients with COPD and hypercapnia, defined as CO2 value exceeding 55mmHg. The prescription must be endorsed accordingly.				
Liquid (banana), 200 ml bottle – Higher subsidy of up to $1.76 per 1 btl with Endorsement	0.72	1 OP		
	(1.56)			Ensure Plus
	(1.76)			Fortisip
Liquid (chocolate), 200 ml bottle – Higher subsidy of up to $1.76 per 1 btl with Endorsement	0.72	1 OP		
	(1.56)			Ensure Plus
	(1.76)			Fortisip
Liquid (fruit of the forest), 200 ml bottle – Higher subsidy of $1.56 per 1 btl with Endorsement	0.72	1 OP		
	(1.56)			Ensure Plus
Liquid (strawberry), 200 ml bottle – Higher subsidy of $1.76 per 1 btl with Endorsement	0.72	1 OP		
	(1.76)			Fortisip
Liquid (vanilla), 200 ml bottle – Higher subsidy of up to $1.76 per 1 btl with Endorsement	0.72	1 OP		
	(1.56)			Ensure Plus
	(1.76)			Fortisip
Liquid (vanilla), 237 ml can – Higher subsidy of $1.65 per 1 can with Endorsement	0.85	1 OP		
	(1.65)			Ensure Plus

(Ensure Plus Liquid (vanilla), 237 ml can to be delisted 1 July 2026)

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see SA1859 on page 288 – Hospital pharmacy [HP3]				
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.				
Liquid (chocolate), 200 ml bottle – Higher subsidy of $1.76 per				
1 btl with Endorsement	0.72	1 OP		
	(1.76)			Fortisip Multi Fibre
Liquid (strawberry), 200 ml bottle – Higher subsidy of $1.76 per				
1 btl with Endorsement	0.72	1 OP		
	(1.76)			Fortisip Multi Fibre
Liquid (vanilla), 200 ml bottle – Higher subsidy of $1.76 per				
1 btl with Endorsement	0.72	1 OP		
	(1.76)			Fortisip Multi Fibre

High Calorie Products

SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
All of the following:

1 Cystic fibrosis; and
2 other lower calorie products have been tried; and
3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
All of the following:

1 Any of the following:
  1.1 any condition causing malabsorption; or
  1.2 faltering growth in an infant/child; or
  1.3 increased nutritional requirements; or
  1.4 fluid restricted; and
2 other lower calorie products have been tried; and
3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 on the previous page – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	13.64	1 OP	✔	**Ensure Two Cal HN RTH**
Liquid, 500 ml bottle	6.82	1 OP	✔	**Nutrison Concentrated**
ORAL FEED 2 KCAL/ML – Special Authority see SA1195 on the previous page – Hospital pharmacy [HP3]				
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.				
Liquid (vanilla), 200 ml bottle – Higher subsidy of $2.34 per				
1 btl with Endorsement	0.96	1 OP		
	(2.34)			Two Cal HN

Food Thickeners

SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER – Special Authority see SA1106 above – Hospital pharmacy [HP3]				
Powder	8.29	300 g OP	✔	**Nutilis**
	24.00	380 g OP	✔	**Aptamil Feed Thickener**

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by Pharmac from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

SA1729 Special Authority for Subsidy

Initial application — (all patients) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Gluten enteropathy has been diagnosed by biopsy; or
2 Patient suffers from dermatitis herpetiformis.

Initial application — (paediatric patients diagnosed by ESPGHAN criteria) only from a paediatric gastroenterologist. Approvals valid without further renewal unless notified where the paediatric patient fulfils ESPGHAN criteria for biopsy free diagnosis of coeliac disease.

GLUTEN FREE BAKING MIX – Special Authority see SA1729 above – Hospital pharmacy [HP3]			
Powder	2.81	1,000 g OP	
	(5.15)		Healtheries Simple Baking Mix

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
GLUTEN FREE BREAD MIX – Special Authority see SA1729 on the previous page – Hospital pharmacy [HP3]				
Powder	3.93	1,000 g OP		
	(7.32)			NZB Low Gluten Bread Mix
	3.51			
	(10.87)			Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA1729 on the previous page – Hospital pharmacy [HP3]				
Powder	5.62	2,000 g OP		
	(18.10)			Horleys Flour

Foods And Supplements For Inherited Metabolic Disease

➠SA2357 Special Authority for Subsidy
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient requires dietary management of inherited metabolic disorders.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE – Special Authority see SA2357 above – Hospital pharmacy [HP3]				
Powder (neutral), 36 g sachets	750.30	30	✔	**HCU Anamix Junior**
Powder, 12.5 g sachets	349.65	30	✔	**HCU Explore 5**
Powder, 25 g sachets	1,048.95	30	✔	**HCU Express 15**
Powder (neutral), can	480.42	500 g OP	✔	**XMET Maxamum**
Powder (unflavoured), can	260.00	400 g OP	✔	**HCU Anamix Infant**
Liquid (juicy berries), 125 ml bottle	1,684.80	30	✔	**HCU Lophlex LQ**
Liquid (orange), 125 ml bottle	941.40	36	✔	**HCU Anamix Junior LQ**

Supplements For MSUD and short chain enoyl coA hydratase deficiency

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA2357 above – Hospital pharmacy [HP3]				
Powder (neutral) 36 g sachets	750.00	30	✔	**MSUD Anamix Junior**
Powder, 12.5 g sachets	349.65	30	✔	**MSUD Explore 5**
Powder, 25 g sachets	1,048.95	30	✔	**MSUD Express 15**
Powder (neutral), can	454.71	500 g OP	✔	**MSUD Maxamum**
Powder (orange), can	454.71	500 g OP	✔	**MSUD Maxamum**
Powder (unflavoured), can	260.00	400 g OP	✔	**MSUD Anamix Infant**
Liquid (orange) 125 ml bottles	941.40	36	✔	**MSUD Anamix Junior LQ**
Liquid (juicy berries) 125 ml pouches	1,684.80	30	✔	**MSUD Lophlex LQ 20**

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA2357 on the previous page – Hospital pharmacy [HP3]

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
Tabs	99.00	75 OP	✔	**Phlexy 10**
Powder (Lemon), 34 g sachets	883.50	30	✔	**PKU Express 20**
Powder (Neutral), 12.5 g sachets	220.88	30	✔	**PKU Explore 5**
Powder (Neutral), 34 g sachets	883.50	30	✔	**PKU Express 20**
Powder (Orange), 25 g sachets	441.75	30	✔	**PKU Explore 10**
Powder (Orange), 34 g sachets	883.50	30	✔	**PKU Express 20**
Powder (Raspberry), 25 g sachets	441.75	30	✔	**PKU Explore 10**
Powder (Tropical), 34 g sachets	883.50	30	✔	**PKU Express 20**
Powder (berry) 28 g sachets	936.00	30	✔	**PKU Lophlex Powder**
Powder (chocolate) 36 g sachet	393.00	30	✔	**PKU Anamix Junior Chocolate**
Powder (neutral) 28 g sachets	936.00	30	✔	**PKU Lophlex Powder**
Powder (neutral) 36 g sachets	393.00	30	✔	**PKU Anamix Junior**
Powder (orange) 28 g sachets	936.00	30	✔	**PKU Lophlex Powder**
Powder (orange) 36 g sachet	393.00	30	✔	**PKU Anamix Junior Orange**
Powder (unflavoured) 12.5 g sachets	234.00	30	✔	**PKU First Spoon**
Powder (vanilla) 36 g sachet	393.00	30	✔	**PKU Anamix Junior Vanilla**
Infant formula	174.72	400 g OP	✔	**PKU Anamix Infant**
Powder (neutral), 4 × 400 g can	715.16	1,600 g OP	✔	**Pku Start**
Powder (orange)	320.00	500 g OP	✔	**XP Maxamum**
Powder (unflavoured)	320.00	500 g OP	✔	**XP Maxamum**
Liquid (berry), 125 ml bottle	13.10	1 OP	✔	**PKU Anamix Junior LQ**
Liquid (orange), 125 ml bottle	13.10	1 OP	✔	**PKU Anamix Junior LQ**
Liquid (forest berries), 250 ml carton	540.00	18 OP	✔	**Easiphen Liquid**
Liquid (juicy tropical) 125 ml	936.00	30 OP	✔	**PKU Lophlex LQ 20**
Oral semi-solid (berries) 109 g	1,123.20	36 OP	✔	**PKU Lophlex Sensation 20**
Liquid (juicy berries) 62.5 ml	939.00	60 OP	✔	**PKU Lophlex LQ 10**
Liquid (juicy berries) 125 ml	936.00	30 OP	✔	**PKU Lophlex LQ 20**
Liquid (juicy orange) 125 ml	936.00	30 OP	✔	**PKU Lophlex LQ 20**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
GLYCOMACROPEPTIDE AND AMINO ACID CONTAINS SOME PHENYLALANINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (Banana) 35 g sachets	930.00	30	✔	**PKU sphere20 Banana**
Powder (Berry), 20 g sachets	449.28	60	✔	**PKU Restore Powder**
Powder (Chocolate) 32 g sachets	898.56	30	✔	**PKU Build 20 Chocolate**
Powder (Chocolate) 35 g sachets	930.00	30	✔	**PKU sphere20 Chocolate**
Powder (Lemon) 35 g sachets	930.00	30	✔	**PKU sphere20 Lemon**
Powder (Lemonade) 33.4 g sachets	936.00	30	✔	**PKU GMPro Ultra Lemonade**
Powder (Neutral), 15 g sachets	449.28	30	✔	**PKU Build 10**
Powder (Orange), 20 g sachets	449.28	60	✔	**PKU Restore Powder**
Powder (Raspberry Lemonade) 31 g sachets	898.56	30	✔	**PKU Build 20 Raspberry Lemonade**
Powder (Smooth) 31 g sachets	898.56	30	✔	**PKU Build 20 Smooth**
Powder (Vanilla) 33 g sachets	898.56	30	✔	**PKU Build 20 Vanilla**
Powder (neutral), 40 g sachets	673.92	30	✔	**Glytactin Bettermilk**
Powder (unflavoured) 12.5 g sachets	468.00	30	✔	**PKU GMPro Mix-In**
Powder (vanilla) 33.4 g sachets	936.00	30	✔	**PKU GMPro Ultra Vanilla**
Powder (Red Berry) 35 g sachets	930.00	30	✔	**PKU sphere20 Red Berry**
Powder (Vanilla) 35 g sachets	930.00	30	✔	**PKU sphere20 Vanilla**
Liquid (neutral), 250 ml carton	280.80	18	✔	**PKU GMPro LQ**
Liquid (original), 250 ml carton	684.45	30 OP	✔	**PKU Glytactin RTD 15**
Liquid (Coffee Mocha), 250 ml carton	684.45	30 OP	✔	**PKU Glytactin RTD 15 Lite**
Liquid (chocolate), 250 ml carton	684.45	30 OP	✔	**PKU Glytactin RTD 15**
Liquid (vanilla), 250 ml carton	684.45	30 OP	✔	**PKU Glytactin RTD 15 Lite**

Foods

LOW PROTEIN BAKING MIX – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder	8.55	500 g OP	✔	**Loprofin Mix**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
LOW PROTEIN PASTA – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Animal shapes	12.39	500 g OP	✔	**Loprofin**
Lasagne	6.19	250 g OP	✔	**Loprofin**
Low protein rice pasta	12.39	500 g OP	✔	**Loprofin**
Macaroni	6.19	250 g OP	✔	**Loprofin**
Penne	12.39	500 g OP	✔	**Loprofin**
Spaghetti	12.39	500 g OP	✔	**Loprofin**
Spirals	12.39	500 g OP	✔	**Loprofin**

Supplements for Tyrosinaemia

AMINOACID FORMULA WITHOUT PHENYLALANINE AND TYROSINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (Neutral), 12.5 g sachets	349.65	30	✔	**TYR Explore 5**
Powder (neutral) 36 g sachets	471.00	30	✔	**TYR Anamix Junior**
Powder, can	260.00	400 g OP	✔	**TYR Anamix Infant**
Liquid (juicy berries) 125 ml pouches	1,684.80	30	✔	**TYR Lophlex LQ 20**
Liquid (orange) 125 ml bottle	941.40	36	✔	**TYR Anamix Junior LQ**
GLYCOMACROPEPTIDE AND AMINO ACID CONTAINS SOME TYROSINE AND PHENYLALANINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (Red Berry), 35 g sachets	1,398.60	30	✔	**TYR Sphere 20**
Powder (Vanilla), 35 g sachets	1,398.60	30	✔	**TYR Sphere 20**

Supplements for Organic Acidaemias

AMINOACID FORMULA WITHOUT ISOLEUCINE, METHIONINE, THREONINE AND VALINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, can	260.00	400 g OP	✔	**MMA/PA Anamix Infant**
AMINOACID FORMULA WITHOUT METHIONINE, THREONINE AND VALINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (neutral), 18 g sachets	750.30	30	✔	**MMA/PA Anamix Junior**
Powder, 12.5 g sachets	349.65	30	✔	**MMA/PA Explore 5**
Powder, 25 g sachets	1,048.95	30	✔	**MMA/PA Express 15**

Supplements for Glutaric Aciduria type 1

AMINOACID FORMULA WITHOUT LYSINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (neutral), 18 g sachets	750.30	30	✔	**GA1 Anamix Junior**
Powder, 12.5 g sachets	349.65	30	✔	**GA Explore 5**
Powder, can	260.00	400 g OP	✔	**GA1 Anamix Infant**

Supplements for Glycogen Storage Disease

HIGH AMYLOPECTIN CORN-STARCH – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 60 g sachets	241.62	30	✔	**Glycosade**

Single dose amino acids

ARGININE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 4 g sachets	211.45	30	✔	**Arginine2000**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
CITRULLINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 4 g sachets	211.45	30	✔	**Citrulline1000**
ISOLEUCINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 4 g sachets	141.05	30	✔	**Isoleucine50**
LEUCINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 4 g sachets	141.05	30	✔	**Leucine100**
PHENYLALANINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 4 g sachets	141.05	30	✔	**Phenylalanine50**
TYROSINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 4 g sachets	211.45	30	✔	**Tyrosine1000**
VALINE – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder, 4 g sachets	141.05	30	✔	**Valine50**

Other Fat Modified Products

ELEMENTAL FEED WITH HIGH MEDIUM CHAIN TRIGLYCERIDES – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (neutral), 100 g sachets	47.01	10	✔	**Emsogen**

Carbohydrate and Fat with added vitamins and minerals

PROTEIN FREE SUPPLEMENT CONTAINING CARBOHYDRATE, FAT WITH ADDED VITAMINS AND MINERALS – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (neutral), can	49.29	400 g OP	✔	**Energivit**

Essential Amino Acids

ESSENTIAL AMINOACID FORMULA – Special Authority see SA2357 on page 294 – Hospital pharmacy [HP3]				
Powder (neutral), can	313.73	200 g OP	✔	**Essential Amino Acid Mix**

Infant Formulae

For Williams Syndrome

SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1. The treatment remains appropriate and the patient is benefiting from treatment; and
2. General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]				
Powder	46.18	400 g OP	✔	**Locasol**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA – Special Authority see SA2092 below – Hospital pharmacy [HP3]

Powder	43.60	400 g OP	✔	**Alfamino**
			✔	**Alfamino Junior**
Powder (unflavoured)	55.61	400 g OP	✔	**Neocate Gold**
			✔	**Neocate Junior Unflavoured**
			✔	**Neocate SYNEO**
	65.72		✔	**Elecare**
			✔	**Elecare LCP**
Powder (vanilla)	55.61	400 g OP	✔	**Neocate Junior Vanilla**
	65.72		✔	**Elecare**

SA2092 Special Authority for Subsidy

Initial application — (Infants under 12 months of age) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

1 History of anaphylaxis to cow's milk protein formula or dairy products; or
2 Eosinophilic oesophagitis; or
3 Ultra-short gut; or
4 Severe Immune deficiency; or
5 Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate; or
6 Both:
  6.1 Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption; and
  6.2 Either:
    6.2.1 The patient has a valid Special Authority approval for extensively hydrolysed formula: approval number; or
    6.2.2 Patient has IgE mediated allergy.

Initial application — (Children 12 months of age and over) only from a paediatrician, paediatric gastroenterologist, paediatric immunologist or dietitian on the recommendation of a paediatrician, paediatric gastroenterologist or paediatric immunologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Either:
  1.1 Applicant is a paediatrician, paediatric gastroenterologist or paediatric immunologist; or
  1.2 Applicant is a dietitian and confirms that a paediatrician, paediatric gastroenterologist or paediatric immunologist has been consulted within the last 12 months and has recommended treatment for the patient; and
2 Any of the following:
  2.1 History of anaphylaxis to cow's milk protein formula or dairy products; or
  2.2 Eosinophilic oesophagitis; or
  2.3 Ultra-short gut; or
  2.4 Severe Immune deficiency; or
  2.5 Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate; or
  2.6 Both:
    2.6.1 Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption; and
    2.6.2 Either:
      2.6.2.1 The patient has a valid Special Authority approval for extensively hydrolysed formula: approval

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

number; or

2.6.2.2 Patient has IgE mediated allergy.

Renewal — (Infants up to 12 months of age) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:
- 1.1 Patient has IgE mediated allergy; and
- 1.2 All of the following:
  - 1.2.1 Patient remains allergic to cow's milk; and
  - 1.2.2 An assessment as to whether the infant can be transitioned to a cow's milk protein, soy or extensively hydrolysed infant formula has been undertaken; and
  - 1.2.3 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
  - 1.2.4 Amino acid formula is required for a nutritional deficit; and
  - 1.2.5 It has been more than three months from the previous approval; or

2 Both:
- 2.1 Patient has non IgE mediated severe gastrointestinal intolerance (including eosinophilic oesophagitis, ultra-short gut and severe immune deficiency); and
- 2.2 All of the following:
  - 2.2.1 An assessment as to whether the infant can be transitioned to a cow's milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
  - 2.2.2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
  - 2.2.3 Amino acid formula is required for a nutritional deficit; and
  - 2.2.4 It has been more than three months from the previous approval.

Renewal — (Children 12 months of age and over) only from a paediatrician, paediatric gastroenterologist, paediatric immunologist or dietitian on the recommendation of a paediatrician, paediatric gastroenterologist or paediatric immunologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Either:
- 1.1 Applicant is a paediatrician, paediatric gastroenterologist or paediatric immunologist; or
- 1.2 Applicant is a dietitian and confirms that a paediatrician, paediatric gastroenterologist or paediatric immunologist has been consulted within the last 12 months and has recommended treatment for the patient; and

2 Any of the following:
- 2.1 History of anaphylaxis to cow's milk protein formula or dairy products; or
- 2.2 Eosinophilic oesophagitis; or
- 2.3 Ultra-short gut; or
- 2.4 Severe Immune deficiency; or
- 2.5 Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate; or
- 2.6 Both:
  - 2.6.1 Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption; and
  - 2.6.2 Either:
    - 2.6.2.1 The patient has a valid Special Authority approval for extensively hydrolysed formula: approval number; or
    - 2.6.2.2 Patient has IgE mediated allergy.

Initial application — (for patients who have a current funding under Special Authority form SA1557) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

All of the following:

1 Patient has a valid Special Authority approval for extensively hydrolysed formula (SA1557); and
2 Extensively hydrolysed formula (Aptamil Gold+ Pepti Junior, AllerPro SYNEO 1 and 2) is unable to be supplied at this time; and
3 The approval only applies to funded dispensings of Neocate Gold and Neocate Syneo.

Note: This criteria is short term funding to cover an out-of-stock situation on some extensively hydrolysed formula powder funded under Special Authority form SA1557. There is no renewal criteria under this restriction.

ENTERAL LIQUID PEPTIDE FORMULA – Special Authority see SA1953 below – Hospital pharmacy [HP3]

Liquid 1 kcal/ml, 500 ml bottle	12.44	1 OP	✔	**Nutrini Peptisorb**
Liquid 1.5 kcal/ml, 500 ml bottle	18.66	1 OP	✔	**Nutrini Peptisorb Energy**

SA1953 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has impaired gastrointestinal function and either cannot tolerate polymeric feeds, or polymeric feeds are unsuitable; and
2 Any of the following:
  2.1 Severe malabsorption; or
  2.2 Short bowel syndrome; or
  2.3 Intractable diarrhoea; or
  2.4 Biliary atresia; or
  2.5 Cholestatic liver diseases causing malabsorption; or
  2.6 Cystic fibrosis; or
  2.7 Proven fat malabsorption; or
  2.8 Severe intestinal motility disorders causing significant malabsorption; or
  2.9 Intestinal failure; or
  2.10 Both:
    2.10.1 The patient is currently receiving funded amino acid formula; and
    2.10.2 The patient is to be trialled on, or transitioned to, an enteral liquid peptide formula; and
3 Either:
  3.1 A semi-elemental or partially hydrolysed powdered feed has been reasonably trialled and considered unsuitable; or
  3.2 For step down from intravenous nutrition.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 An assessment as to whether the patient can be transitioned to a cows milk protein or soy infant formula or extensively hydrolysed formula has been undertaken; and
2 The outcome of the assessment is that the patient continues to require an enteral liquid peptide formula; and
3 General practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

EXTENSIVELY HYDROLYSED FORMULA – Special Authority see SA1557 on the next page – Hospital pharmacy [HP3]

Powder	18.10	450 g OP	✔	**Pepti-Junior**
	36.20	900 g OP	✔	**Allerpro Syneo 1**
			✔	**Allerpro Syneo 2**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

➠SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

1 Both:
  1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  1.2 Either:
    1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
    1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
2 Severe malabsorption; or
3 Short bowel syndrome; or
4 Intractable diarrhoea; or
5 Biliary atresia; or
6 Cholestatic liver diseases causing malsorption; or
7 Cystic fibrosis; or
8 Proven fat malabsorption; or
9 Severe intestinal motility disorders causing significant malabsorption; or
10 Intestinal failure; or
11 All of the following:
  11.1 For step down from Amino Acid Formula; and
  11.2 The infant is currently receiving funded amino acid formula; and
  11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
  11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Fluid Restricted

PAEDIATRIC ORAL/ENTERAL FEED 1 KCAL/ML – Special Authority see SA1698 below – Hospital pharmacy [HP3]

Liquid, 125 ml bottle .....2.80 1 OP ✔ **Infatrini**

➠SA1698 Special Authority for Subsidy

Initial application only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient is fluid restricted or volume intolerant and has been diagnosed with faltering growth; and
2 Patient is under the care of a paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
3 Patient is under 18 months of age or weighs less than 8 kg.

continued…

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

continued…

Note: 'Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Renewal only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient continues to be fluid restricted or volume intolerant and has faltering growth; and
2 Patient is under the care of a hospital paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
3 Patient is under 18 months of age or weighs less than 8 kg.

Note: 'Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Ketogenic Diet

SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA – Special Authority see SA1197 above – Hospital pharmacy [HP3]

Powder (unflavoured)	36.92	300 g OP	✔ **KetoCal 4:1**
			✔ **Ketocal 3:1**
Powder (vanilla)	36.92	300 g OP	✔ **KetoCal 4:1**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Vaccinations

BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

1) living in a house or family with a person with current or past history of TB; or
2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

Danish strain 1331, live attenuated, vial with diluent.....	0.00	10	✔	**BCG Vaccine AJV**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
COVID-19 VACCINE – [Xpharm]				
Inj 3 mcg SARS-CoV-2 spike protein (mRNA) LP.8.1 per 0.3 ml, 0.48 ml multi-dose vial; infant vaccine, yellow cap	0.00	10	✔	**Comirnaty (LP.8.1)**
Any of the following: 1) Up to three doses for previously unvaccinated children aged 6 months - 4 years at high risk of severe illness or highly immunocompromised; or 2) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 6 months to 4 years; or 3) One additional dose with the most current variant-matched vaccine every 12 months for children aged 6 months to 4 years old at high risk of severe illness.				
Inj 3 mcg bretovameran per 0.3 ml, 0.48 ml vial; infant vaccine, yellow cap	0.00	10	✔	**Comirnaty Omicron (JN.1)**
Any of the following: 1) Up to three doses for previously unvaccinated children aged 6 months - 4 years at high risk of severe illness or highly immunocompromised; or 2) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 6 months to 4 years; or 3) One additional dose with the most current variant-matched vaccine every 12 months for children aged 6 months to 4 years old at high risk of severe illness.				
Inj 10 mcg SARS-CoV-2 spike protein (mRNA) LP.8.1 per 0.3 ml, 0.48 ml single-dose vial; paediatric vaccine, light blue cap	0.00	10	✔	**Comirnaty (LP.8.1)**
Any of the following: 1) One dose for previously unvaccinated children aged 5–11 years old; or 2) Up to three doses for immunocompromised children aged 5-11 years old; or 3) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 5 to 11 years; or 4) One additional dose with the most current variant-matched vaccine up to every 12 months for children aged 5 to 11 years old at high risk of severe illness.				
Inj 10 mcg bretovameran per 0.3 ml, 0.48 ml vial; paediatric vaccine, light blue cap	0.00	10	✔	**Comirnaty Omicron (JN.1)**
Any of the following: 1) One dose for previously unvaccinated children aged 5–11 years old; or 2) Up to three doses for immunocompromised children aged 5-11 years old; or 3) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 5 to 11 years; or 4) One additional dose with the most current variant-matched vaccine up to every 12 months for children aged 5 to 11 years old at high risk of severe illness.				
Inj 30 mcg SARS-CoV-2 spike protein (mRNA) LP.8.1 per 0.3 ml, pre-filled syringe; adult dose	0.00	10	✔	**Comirnaty (LP.8.1)**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

Any of the following:

1) One dose for previously unvaccinated people aged 12-15 years and over 30 years old; or
2) Two doses for previously unvaccinated people aged 16-29 years old; or
3) Up to three doses for previously unvaccinated immunocompromised people from 12 years old; or
4) Up to four doses for people at risk of severe illness aged from 12-29 years; or
5) One additional dose with the most current variant-matched vaccine every 6 months, any of the following criteria:
   i) Previously vaccinated people aged 30 years and over; or
   ii) Previously vaccinated immunocompromised people from 12 years; or
   iii) Previously vaccinated people at high-risk from 12 years.

Inj 30 mcg bretovameran per 0.3 ml, 0.48 ml vial; adult vaccine, light grey cap	0.00	10	✔	**Comirnaty Omicron (JN.1)**

Any of the following:

1) One dose for previously unvaccinated people aged 12-15 years and over 30 years old; or
2) Two doses for previously unvaccinated people aged 16-29 years old; or
3) Up to three doses for previously unvaccinated immunocompromised people from 12 years old; or
4) Up to four doses for people at risk of severe illness aged from 12-29 years; or
5) One additional dose with the most current variant-matched vaccine every 6 months, any of the following criteria:
   i) Previously vaccinated people aged 30 years and over; or
   ii) Previously vaccinated immunocompromised people from 12 years; or
   iii) Previously vaccinated people at high-risk from 12 years.

(Comirnaty Omicron (JN.1) Inj 3 mcg bretovameran per 0.3 ml, 0.48 ml vial; infant vaccine, yellow cap to be delisted 1 June 2026)
(Comirnaty Omicron (JN.1) Inj 10 mcg bretovameran per 0.3 ml, 0.48 ml vial; paediatric vaccine, light blue cap to be delisted 1 June 2026)
(Comirnaty Omicron (JN.1) Inj 30 mcg bretovameran per 0.3 ml, 0.48 ml vial; adult vaccine, light grey cap to be delisted 1 June 2026)

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE

a) Only on a prescription
b) No patient co-payment payable
c)
   A) Funded for any of the following criteria:
      1) A single dose for pregnant women in the second or third trimester of each pregnancy; or
      2) A single dose for parents or primary caregivers of infants admitted to a Neonatal Intensive Care Unit or Specialist Care Baby Unit for more than 3 days, who had not been exposed to maternal vaccination at least 14 days prior to birth; or
      3) A course of up to four doses is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
      4) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens; or
      5) A single dose for vaccination of patients aged from 65 years old; or
      6) A single dose for vaccination of patients aged from 45 years old who have not had 4 previous tetanus doses; or
      7) For vaccination of previously unimmunised or partially immunised patients; or
      8) For revaccination following immunosuppression; or
      9) For boosting of patients with tetanus-prone wounds.

   Notes: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

   B) Contractors will be entitled to claim payment from the Funder for the supply of diphtheria, tetanus and pertussis vaccine to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the diphtheria, tetanus and pertussis vaccine listed in the Pharmaceutical Schedule.
   C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs 1 – 9 above.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagglutinin and 2.5 mcg pertactin in 0.5 ml prefilled syringe	0.00	10	✔	**Boostrix**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE

a) Only on a prescription
b) No patient co-payment payable
c)
  A) Funded for any of the following:
    1) A single dose for children up to the age of 7 who have completed primary immunisation; or
    2) A course of four vaccines is funded for catch up programmes for children (to the age of 10 years) to complete full primary immunisation; or
    3) An additional four doses (as appropriate) are funded for (re-)immunisation for people post HSCT, or chemotherapy; pre- or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens; or
    4) Five doses will be funded for children requiring solid organ transplantation.
  B) Contractors will be entitled to claim payment from the Funder for the supply of Diphtheria, tetanus, pertussis and polio vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Diphtheria, tetanus, pertussis and polio vaccine listed in the Pharmaceutical Schedule.
  C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagglutinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe ..... 0.00 10 ✔ **Infanrix IPV**

DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AND HAEMOPHILUS INFLUENZAE TYPE B VACCINE

a) Only on a prescription
b) No patient co-payment payable
c)
  A) Funded for children meeting any of the following criteria
    1) Up to four doses for children under the age of 10 years for primary immunisation; or
    2) An additional four doses (as appropriate) for (re-)immunisation of children under the age of 18 years post haematopoietic stem cell transplantation; or
    3) An additional four doses (as appropriate) for (re-)immunisation of children under the age of 10 years who are post chemotherapy; pre or post splenectomy; undergoing renal dialysis and other severely immunosuppressive regimens; or
    4) Up to five doses for children under the age of 10 years receiving solid organ transplantation.
  B) Contractors will be entitled to claim payment from the Funder for the supply of Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type b vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type b vaccine listed in the Pharmaceutical Schedule.
  C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Note: A course of up-to four vaccines is funded for catch up programmes for children (up to and under the age of 10 years) to complete full primary immunisation. Please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes.

Inj 30IU diphtheria with 40IU tetanus and 25mcg pertussis toxoids, 25mcg pertussis filamentous haemagglutinin, 8mcg pertactin, 80D-AgU polio virus, 10mcg hepatitis B antigen, 10mcg H. influenzae type b with tetanus toxoid 20-40mcg in 0.5ml syringe ..... 0.00 10 ✔ **Infanrix-hexa**

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
HAEMOPHILUS INFLUENZAE TYPE B VACCINE				

a) Only on a prescription
b) No patient co-payment payable
c)
  A) One dose for people meeting any of the following:
    1) For primary vaccination in children; or
    2) An additional dose (as appropriate) is funded for (re-)immunisation for people post haematopoietic stem cell transplantation, or chemotherapy; functional asplenic; pre or post splenectomy; pre- or post solid organ transplant, pre or post cochlear implants, renal dialysis and other severely immunosuppressive regimens; or
    3) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.
  B) Contractors will be entitled to claim payment from the Funder for the supply of Haemophilus influenzae type b vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Haemophilus influenzae type b vaccine listed in the Pharmaceutical Schedule.
  C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Inj 10 mcg vial with diluent syringe	0.00	1	✔	**Act-HIB**

HEPATITIS A VACCINE – [Xpharm]

Funded for patients meeting any of the following criteria:
1) Two vaccinations for use in transplant patients; or
2) Two vaccinations for use in children with chronic liver disease; or
3) One dose of vaccine for close contacts of known hepatitis A cases.

Inj 1440 ELISA units in 1 ml syringe	0.00	1	✔	**Havrix 1440**
Inj 720 ELISA units in 0.5 ml syringe	0.00	1	✔	**Havrix Junior**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✳Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE – [Xpharm]				
Inj 10 mcg per 0.5 ml prefilled syringe	0.00	1	✔	**Engerix-B**

Funded for patients meeting any of the following criteria:

1) for household or sexual contacts of known acute hepatitis B patients or hepatitis B carriers; or
2) for children born to mothers who are hepatitis B surface antigen (HBsAg) positive; or
3) for children up to and under the age of 18 years inclusive who are considered not to have achieved a positive serology and require additional vaccination or require a primary course of vaccination; or
4) for HIV positive patients; or
5) for hepatitis C positive patients; or
6) for patients following non-consensual sexual intercourse; or
7) for patients prior to planned immunosuppression for greater than 28 days; or
8) for patients following immunosuppression; or
9) for solid organ transplant patients; or
10) for post-haematopoietic stem cell transplant (HSCT) patients; or
11) following needle stick injury.

Inj 20 mcg per 1 ml prefilled syringe	0.00	1	✔	**Engerix-B**

Funded for patients meeting any of the following criteria:

1) for household or sexual contacts of known acute hepatitis B patients or hepatitis B carriers; or
2) for children born to mothers who are hepatitis B surface antigen (HBsAg) positive; or
3) for children up to and under the age of 18 years inclusive who are considered not to have achieved a positive serology and require additional vaccination or require a primary course of vaccination; or
4) for HIV positive patients; or
5) for hepatitis C positive patients; or
6) for patients following non-consensual sexual intercourse; or
7) for patients prior to planned immunosuppression for greater than 28 days; or
8) for patients following immunosuppression; or
9) for solid organ transplant patients; or
10) for post-haematopoietic stem cell transplant (HSCT) patients; or
11) following needle stick injury; or
12) for chronic kidney disease (CKD) stage 4 or 5 patients; or
13) for liver or kidney transplant patients.

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 58) VACCINE [HPV]				
a) Maximum of 1 inj per prescription				
b) Only on a prescription				
c) No patient co-payment payable				
d)				
a) A) Any of the following:				
1) Maximum of two doses for children aged 14 years and under; or				
2) Maximum of three doses for people meeting any of the following criteria:				
1) People aged 15 to 26 years inclusive; or				
2) Either: People aged 9 to 26 years inclusive who have				
1) Confirmed HIV infection; or				
2) Received a transplant (including stem cell): or				
3) Maximum of four doses for people aged 9 to 26 years inclusive post chemotherapy				
B) Contractors will be entitled to claim payment from the Funder for the supply of Human papillomavirus vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Human papillomavirus vaccine listed in the Pharmaceutical Schedule.				
C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A above.				
Inj 270 mcg in 0.5 ml syringe	0.00	10	✔	**Gardasil 9**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
INFLUENZA VACCINE				
Inj 60 mcg in 0.5 ml syringe (quadrivalent vaccine)	120.00	10	✔	**Influvac Tetra (2026 formulation)**

✔ **fully subsidised**

Principal Supply

S29 Unapproved medicine supplied under Section 29

Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

a) Maximum of 1 inj per prescription
b) Only on a prescription
c) No patient co-payment payable
d)

A) **INFLUENZA VACCINE**

is available each year for patients who meet the following criteria, as set by Pharmac:

a) all people 65 years of age and over; or
b) people under 65 years of age who:
   i) have any of the following cardiovascular diseases:
      a) ischaemic heart disease, or
      b) congestive heart failure, or
      c) rheumatic heart disease, or
      d) congenital heart disease, or
      e) cerebo-vascular disease; or
   ii) have either of the following chronic respiratory diseases:
      a) asthma, if on a regular preventative therapy, or
      b) other chronic respiratory disease with impaired lung function; or
   iii) have diabetes; or
   iv) have chronic renal disease; or
   v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
   vi) have any of the following other conditions:
      a) autoimmune disease, or
      b) immune suppression or immune deficiency, or
      c) HIV, or
      d) transplant recipients, or
      e) neuromuscular and CNS diseases/disorders, or
      f) haemoglobinopathies, or
      g) are children on long term aspirin, or
      h) have a cochlear implant, or
      i) errors of metabolism at risk of major metabolic decompensation, or
      j) pre and post splenectomy, or
      k) Down syndrome, or
   vii) are pregnant; or
c) children 4 years of age and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness; or
d) people under 65 years of age who:
   i) have any of the following serious mental health conditions:
      a) schizophrenia, or
      b) major depressive disorder, or
      c) bipolar disorder, or
      d) schizoaffective disorder, or
   ii) are currently accessing secondary or tertiary mental health and addiction services; or

Unless meeting the criteria set out above, the following conditions are excluded from funding:

a) asthma not requiring regular preventative therapy,
b) hypertension and/or dyslipidaemia without evidence of end-organ disease.

B) Contractors will be entitled to claim payment for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with Health NZ for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.

C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

MEASLES, MUMPS AND RUBELLA VACCINE

a) Only on a prescription
b) No patient co-payment payable
c)
A) **Measles, mumps and rubella vaccine**
A maximum of two doses for any patient meeting the following criteria:
1) For primary vaccination in children; or
2) For revaccination following immunosuppression; or
3) For any individual susceptible to measles, mumps or rubella; or
4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes. Although a price is listed for the vaccine, doctors can still order measles mumps and rubella vaccine free of charge, as with other Schedule vaccines.

B) Contractors will be entitled to claim payment for the supply of measles, mumps and rubella vaccine to patients eligible under the above criteria pursuant to their contract with Health NZ for subsidised immunisation, and they may only do so in respect of the measles, mumps and rubella vaccine listed in the Pharmaceutical Schedule.

C) Contractors can only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Inj, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml	0.00	10	✔	**Priorix**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE				
Inj 10 mcg of each meningococcal polysaccharide conjugated to a total of approximately 55 mcg of tetanus toxoid carrier per 0.5 ml vial	0.00	1	✔	**MenQuadfi**

a) Only on a prescription
b) No patient co-payment payable
c)
  A) Any of the following:
    1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
    2) One dose for close contacts of meningococcal cases of any group; or
    3) One dose for person who has previously had meningococcal disease of any group; or
    4) A maximum of two doses for bone marrow transplant patients; or
    5) A maximum of two doses for person pre- and post-immunosuppression*; or
  B) Both:
    1) Person is aged between 13 and 25 years, inclusive; and
    2) Either:
      1) One dose for individuals who are entering within the next three months, or in their first year of living in boarding school hostels, tertiary education halls of residence, military barracks, Youth Justice residences, or prisons; or
      2) One dose for individuals who turn 13 years of age while living in boarding school hostels.
  C) Contractors will be entitled to claim payment from the Funder for the supply of Meningococcal A, C, Y and W-135 vaccine to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Meningococcal A, C, Y and W-135 vaccine listed in the Pharmaceutical Schedule.
  D) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A-B above.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.
*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 5 mcg of each meningococcal polysaccharide conjugated to a total of approximately 44 mcg of tetanus toxoid carrier per 0.5 ml vial – [Xpharm]	0.00	1	✔	**Nimenrix**

A) Both:
  1) The child is under 12 months of age; and
  2) Any of the following:
    1) A maximum of three doses (dependant on age at first dose) for patients pre- and post- splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre- or post- solid organ transplant; or
    2) A maximum of three doses (dependant on age at first dose) for close contacts of meningococcal cases of any group; or
    3) A maximum of three doses (dependant on age at first dose) for child who has previously had meningococcal disease of any group; or
    4) A maximum of three doses (dependant on age at first dose) for bone marrow transplant patients; or
    5) A maximum of three doses (dependant on age at first dose) for child pre- and post-immunosuppression*.

Note: infants from 6 weeks to less than 6 months of age require a 2+1 schedule, infants from 6 months to less than 12 months of age require a 1+1 schedule. Refer to the Immunisation Handbook for recommended booster schedules with meningococcal ACWY vaccine.
*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

MENINGOCOCCAL B MULTICOMPONENT VACCINE

a) Only on a prescription
b) No patient co-payment payable
c) Any of the following:
   A) A primary course of up to three doses for children up to the age of 59 months inclusive; or
   B) Both:
      1) Person is 5 years of age or over; and
      2) Any of the following:
         i) up to two doses and a booster every five years for patients pre- and post-splenectomy; or
         ii) up to two doses and a booster every five years for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited); or
         iii) up to two doses and a booster every five years pre- or post-solid organ transplant; or
         iv) up to two doses for close contacts of meningococcal cases of any group; or
         v) up to two doses for person who has previously had meningococcal disease of any group; or
         vi) up to two doses for bone marrow transplant patients; or
         vii) up to two doses for person pre- and post-immunosuppression*; or
   C) Both:
      1) Person is aged between 13 and 25 years (inclusive); and
      2) Either:
         i) Two doses for individuals who are entering within the next three months, or in their first year of living in boarding school hostels, tertiary education halls of residence, military barracks, Youth Justice residences or prison; or
         ii) Two doses for individuals who turn 13 years of age while living in boarding school hostels.
   D) Contractors will be entitled to claim payment from the Funder for the supply of Meningococcal B multicomponent vaccine to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Meningococcal B multicomponent vaccine listed in the Pharmaceutical Schedule.
   E) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A-C above.

*Immunosuppression due to corticosteroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 175 mcg per 0.5 ml prefilled syringe	0.00	1	✔	**Bexsero**
		10	✔	**Bexsero**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE

a) Only on a prescription
b) No patient co-payment payable
c)
  A) Any of the following:
    1) A course of three doses for previously unvaccinated children up to the age of 59 months inclusive; or
    2) Two doses are funded for high risk individuals (over the age of 12 months and under 18 years) who have previously received two doses of the primary course of PCV10; or
    3) Up to an additional four doses (as appropriate) are funded for the (re)immunisation of high risk children aged under 5 years with any of the following:
      a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
      b) primary immune deficiencies; or
      c) HIV infection; or
      d) renal failure, or nephrotic syndrome; or
      e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
      f) cochlear implants or intracranial shunts; or
      g) cerebrospinal fluid leaks; or
      h) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
      i) chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
      j) pre term infants, born before 28 weeks gestation; or
      k) cardiac disease, with cyanosis or failure; or
      l) diabetes; or
      m) Down syndrome; or
      n) who are pre-or post-splenectomy, or with functional asplenia; or
    4) Up to an additional four doses (as appropriate) are funded for the (re-)immunisation of individuals 5 years and over with HIV, pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, intracranial shunts, cerebrospinal fluid leaks or primary immunodeficiency; or
    5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.
  B) Contractors will be entitled to claim payment from the Funder for the supply of Pneumococcal (PCV13) conjugate vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Pneumococcal (PCV13) conjugate vaccine listed in the Pharmaceutical Schedule.
  C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes

Inj 30.8 mcg of pneumococcal polysaccharide serotypes 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml syringe	0.00	10	✔	**Prevenar 13**
		1	✔	**Prevenar 13**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✱Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE – [Xpharm]

Any of the following:

1) Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy; pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
2) All of the following:
   a) Patient is a child under 18 years for (re-)immunisation; and
   b) Treatment is for a maximum of two doses; and
   c) Any of the following:
      i) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
      ii) with primary immune deficiencies; or
      iii) with HIV infection; or
      iv) with renal failure, or nephrotic syndrome; or
      v) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
      vi) with cochlear implants or intracranial shunts; or
      vii) with cerebrospinal fluid leaks; or
      viii) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
      ix) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
      x) pre term infants, born before 28 weeks gestation; or
      xi) with cardiac disease, with cyanosis or failure; or
      xii) with diabetes; or
      xiii) with Down syndrome; or
      xiv) who are pre-or post-splenectomy, or with functional asplenia; or
3) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician

Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)	0.00	1	✔	**Pneumovax 23**

POLIOMYELITIS VACCINE – [Xpharm]

Up to three doses for patients meeting either of the following:

1) For partially vaccinated or previously unvaccinated individuals; or
2) For revaccination following immunosuppression.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes.

Inj 80D antigen units in 0.5 ml syringe	0.00	1	✔	**IPOL**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer
ROTAVIRUS ORAL VACCINE				
a) Only on a prescription				
b) No patient co-payment payable				
c)				
A) Maximum of two doses for people meeting the following:				
1) first dose to be administered in infants aged under 14 weeks of age; and				
2) no vaccination being administered to children aged 24 weeks or over.				
B) Contractors will be entitled to claim payment from the Funder for the supply of Rotavirus oral vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Rotavirus oral vaccine listed in the Pharmaceutical Schedule.				
C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.				
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, squeezable tube	0.00	10	✔	**Rotarix**
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, squeezable tube (PVC free)	0.00	10	✔	**Rotarix**
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, prefilled oral applicator	0.00	10	✔	**Rotarix**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

VARICELLA VACCINE [CHICKENPOX VACCINE]

a) Only on a prescription
b) No patient co-payment payable
c)
  A) Either:
    1) Maximum of one dose for primary vaccination for either:
      a) Any infant born on or after 1 April 2016; or
      b) For previously unvaccinated children turning 11 years old on or after 1 July 2017, who have not previously had a varicella infection (chickenpox), or
    2) Maximum of two doses for any of the following:
      a) Any of the following for non-immune individuals:
        i) with chronic liver disease who may in future be candidates for transplantation; or
        ii) with deteriorating renal function before transplantation; or
        iii) prior to solid organ transplant; or
        iv) prior to any elective immunosuppression*; or
        v) for post exposure prophylaxis who are immune competent inpatients; or
      b) For individuals at least 2 years after bone marrow transplantation, on advice of their specialist; or
      c) For individuals at least 6 months after completion of chemotherapy, on advice of their specialist; or
      d) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist; or
      e) For individuals with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella; or
      f) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella; or
      g) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
  B) Contractors will be entitled to claim payment from the Funder for the supply of Varicella vaccine [Chickenpox vaccine] vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Varicella vaccine [Chickenpox vaccine] listed in the Pharmaceutical Schedule.
  C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A above.

* immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than 28 days

Inj 2000 PFU prefilled syringe plus vial	0.00	10	✔	**Varilrix**

✔ **fully subsidised**
Principal Supply

S29 Unapproved medicine supplied under Section 29
Sole Subsidised Supply

	Subsidy (Manufacturer's Price) $	Per	Fully Subsidised ✔	Brand or Generic Manufacturer

VARICELLA ZOSTER VACCINE [SHINGLES VACCINE]

a) Only on a prescription
b) No patient co-payment payable
c)
  A) Funded for patients meeting the following criteria:
    1) Either:
      1) Two doses for all people aged 65 years, or
      2) Two doses for people 18 years of age or older with any of the following:
        a) pre- and post-haematopoietic stem cell transplant or cellular therapy; or
        b) pre- or post-solid organ transplant; or
        c) haematological malignancies; or
        d) people living with poorly controlled HIV infection; or
        e) planned or receiving disease modifying anti-rheumatic drugs (DMARDs – targeted synthetic, biologic, or conventional synthetic) for polymyalgia rheumatica, systemic lupus erythematosus or rheumatoid arthritis; or
        f) end stage kidney disease (CKD 4 or 5); or
        g) primary immunodeficiency
  B) Contractors will be entitled to claim payment from the Funder for the supply of Varicella zoster vaccine (Shingles vaccine) to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Varicella zoster vaccine [Shingles vaccine] listed in the Pharmaceutical Schedule.
  C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Inj 50 mcg per 0.5 ml vial plus vial	0.00	1	✔	**Shingrix**
		10	✔	**Shingrix**

Diagnostic Agents

TUBERCULIN PPD [MANTOUX] TEST – [Xpharm]

Inj 5 TU per 0.1 ml, 1 ml vial	0.00	1	✔	**Tubersol**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.
✻Three months or six months, as applicable, dispensed at one time

- Symbols -

3TC ... 112

- A -

A-Scabies ... 73
Abacavir sulphate ... 111
Abacavir sulphate with lamivudine ... 111
Abacavir/Lamivudine Viatris ... 111
Abilify Maintena ... 137
Abiraterone acetate ... 178
Acarbose ... 11
Accarb ... 11
Acetazolamide ... 274
Acetec ... 46
Acetic acid with hydroxyquinoline and ricinoleic acid ... 80
Acetylcysteine ... 277
Aci-Jel ... 80
Aciclovir
  Infection ... 106
  Sensory ... 272
Acidex ... 6
Acipimox ... 53
Acitretin ... 73
Act-HIB ... 309
Actemra ... 234
Actinomycin D ... 158
Actrapid ... 10
Actrapid Penfill ... 10
Acupan ... 125
Adalimumab (Amgevita) ... 186
Adalimumab (Humira - Alternative brand) ... 195
Adapalene ... 67
Adcetris ... 204
ADR Cartridge 1.8 ... 21
Adrenaline
  Cardiovascular ... 56
  Respiratory ... 262
Advantan ... 70
Advate ... 39
Adynovate ... 39
Afinitor ... 255
Aflibercept ... 201
AFT-Pyrazinamide ... 105
Agents Affecting the Renin-Angiotensin System ... 46
Agents for Parkinsonism and Related Disorders ... 122
Agents Used in the Treatment of Poisonings ... 277
Agrylin ... 157
Albalon ... 276
Albendazole ... 93
Albey ... 262–263
Albustix ... 82
Alchemy Oxaliplatin ... 155
Alchemy Oxybutynin ... 81
Aldurazyme ... 27
Alecensa ... 166
Alectinib ... 166
Alendronate sodium ... 117
Alendronate sodium with colecalciferol ... 117
Alfacalcidol ... 32
Alfamino ... 299
Alfamino Junior ... 299
Alginic acid ... 6
Alglucosidase alfa ... 25
Alkeran ... 155
Allegron ... 129
Allerfix ... 274
Allergoval ... 8
Allerpro Syneo 1 ... 301
Allerpro Syneo 2 ... 301
Allersoothe ... 263
Allmercap ... 157
Allopurinol ... 119
Almarytm ... 48
Alpha-Adrenoceptor Blockers ... 46
Alpha-Keri Lotion ... 72
Alphamox 125 ... 96
Alphamox 250 ... 96
Alprolix ... 37
Alu-Tab ... 6
Aluminium hydroxide ... 6
Amantadine hydrochloride ... 122
Ambrisentan ... 56
Ambrisentan Viatris ... 56
Amgevita ... 186
Amiloride hydrochloride ... 52
Amiloride hydrochloride with furosemide ... 52
Amiloride hydrochloride with hydrochlorothiazide ... 52
Aminophylline ... 269
Amiodarone hydrochloride ... 48
Amisulpride ... 135
Amitriptyline ... 129
Amlodipine ... 50
Amorolfine ... 68
Amoxicillin ... 96
Amoxicillin with clavulanic acid ... 96
Amoxiclav Devatis Forte ... 96
Amphotericin B ... 31
Amsacrine ... 157
AmsaLyo ... 157
Amsidine ... 157
Amzoate ... 29
Anaesthetics ... 123
Anagrelide hydrochloride ... 157
Analgesics ... 124
Anastrozole ... 181
Anatrole ... 181
Anoro Ellipta ... 266
Antabuse ... 151
Antacids and Antiflatulents ... 6
Anthelmintics ... 93
Antiacne Preparations ... 67
Antiallergy Preparations ... 262
Antianaemics ... 36
Antiandrogen Oral Contraceptives ... 80
Antiarrhythmics ... 48
Antibacterials ... 93
Antibacterials Topical ... 68
Anticholinergic Agents ... 265
Anticholinesterases ... 116
Antidepressants ... 129
Antidiarrhoeals ... 6
Antiepilepsy Drugs ... 130
Antifibrinolytics, Haemostatics and Local Sclerosants ... 37
Antifibrotics ... 267
Antifungals ... 100
Antifungals Topical ... 68
Antihistamines ... 263
Antihypotensives ... 49
Antimalarials ... 103
Antimigraine Preparations ... 134
Antinausea and Vertigo Agents ... 134
Antipruritic Preparations ... 69
Antipsychotics ... 135
Antiretrovirals ... 110
Antirheumatoid Agents ... 117
Antispasmodics and Other Agents Altering Gut Motility ... 8
Antithrombotic Agents ... 40
Antithymocyte globulin (equine) ... 186
Antitrichomonal Agents ... 103
Antituberculotics and Antileprotics ... 104
Antiulcerants ... 9
Antivirals ... 106
Anxiolytics ... 140
Anzatax ... 162
Apidra ... 11
Apidra SoloStar ... 11
APO Clomipramine ... 129
APO-Atomoxetine ... 145
Apo-Azithromycin ... 94

APO-Candesartan HCTZ 16/12.5 ... 47
APO-Candesartan HCTZ 32/12.5 ... 47
Apo-Temozolomide ... 163
Apomorphine hydrochloride ... 122
Aprepitant ... 134
Apresoline ... 56
Aptamil Feed Thickener ... 293
Aqueous cream ... 71
Aratac ... 48
Arava ... 117
Arginine ... 26
Arginine2000 ... 297
Aripiprazole ... 135, 137
Aripiprazole Sandoz ... 135
Aristocort ... 70
Arrotex-Prazosin S29 ... 46
Arrow - Clopid ... 40
Arrow - Lattim ... 275
Arrow-Amitriptyline ... 129
Arrow-Bendrofluazide ... 52
Arrow-Brimonidine ... 274
Arrow-Diazepam ... 140
Arrow-Doxorubicin ... 158
Arrow-Fluoxetine ... 130
Arrow-Losartan & Hydrochlorothiazide ... 47
Arrow-Norfloxacin ... 115
Arrow-Ornidazole ... 104
Arrow-Quinapril 10 ... 47
Arrow-Quinapril 20 ... 47
Arrow-Quinapril 5 ... 47
Arrow-Roxithromycin ... 95
Arrow-Timolol ... 274
Arrow-Topiramate ... 133
Arrow-Tramadol ... 129
Arsenic trioxide ... 158
Asacol ... 7
Asacol S29 ... 7
Ascend-Cefuroxime ... 94
Ascorbic acid ... 32
Aspen Adrenaline ... 56
Aspirin
Blood ... 40
Nervous ... 124
Asthalin ... 265
Atazanavir sulphate ... 112
Atazanavir Viatris ... 112
Atenolol ... 49
Atenolol AFT ... 49
Atenolol Viatris ... 49
Atezolizumab ... 244
ATGAM ... 186
Ativan ... 140
Atnahs Olsalazine ... 8
Atomoxetine ... 145
Atorvastatin ... 54
Atropine sulphate
Cardiovascular ... 48
Sensory ... 275
Atropt ... 275
Atrovent ... 265
Augmentin ... 96
Aurorix ... 129
AutoSoft 30 ... 20
AutoSoft 90 ... 21
Avelox ... 98
Avonex ... 141
Axitinib ... 166
Azacitidine ... 155
Azacitidine Dr Reddy's ... 155
Azamun ... 181
Azathioprine ... 181
Azilect ... 122
Azithromycin ... 94
Azopt ... 274

- B -

B-D Micro-Fine ... 16
B-D Ultra Fine ... 17
B-D Ultra Fine II ... 17
Bacillus Calmette-Guerin (BCG) vaccine ... 186
Bacillus Calmette-Guerin vaccine ... 304
Baclofen ... 120
Bactroban ... 68
Balance ... 28
Barrier Creams and Emollients ... 71
Bayshore ... 103
BCG Vaccine AJV ... 304
Beclazone 100 ... 263
Beclazone 250 ... 263
Beclazone 50 ... 263
Beclomethasone dipropionate ... 263
Bedaquiline ... 104
Bee venom allergy treatment ... 262
Bendamustine hydrochloride ... 153
Bendamustine Sandoz ... 153
Bendrofluazide ... 52
Bendroflumethiazide [Bendrofluazide] ... 52
Benralizumab ... 202
Benzathine benzylpenicillin ... 96
Benzatropine mesylate ... 122
Benzbromarone ... 119
Benzetacil ... 96
Benztrop ... 122
Benzydamine hydrochloride ... 31
Benzylpenicillin sodium [Penicillin G] ... 96
Besponsa ... 215
Beta Cream ... 70
Beta Ointment ... 70
Beta Scalp ... 75
Beta-Adrenoceptor Agonists ... 265
Beta-Adrenoceptor Blockers ... 49
Beta-hCG low sensitivity urine test kit ... 81
Betadine ... 72
Betadine Skin Prep ... 72
Betaferon ... 141
Betahistine dihydrochloride ... 134
Betaine ... 26
Betamethasone dipropionate ... 70
Betamethasone dipropionate with calcipotriol ... 74
Betamethasone sodium phosphate with betamethasone acetate ... 84
Betamethasone valerate ... 70, 75
Betamethasone valerate with sodium fusidate [fusidic acid] ... 71
Betnovate ... 70
Bevacizumab ... 203
Bexsero ... 316
Bezafibrate ... 53
Bezalip ... 53
Bezalip Retard ... 53
Bicalutamide ... 178
Bicillin LA ... 96
BiCNU ... 154
Bile and Liver Therapy ... 10
Biltricide ... 93
Bimatoprost ... 274
Binarex ... 178
Binocrit ... 36
Biocon ... 49
Biodone ... 127
Biodone Extra Forte ... 127
Biodone Forte ... 127
Bisacodyl ... 25
Bisacodyl Viatris ... 25
Bisacodyl-AFT ... 25
Bisoprolol fumarate ... 49
BK Lotion ... 72
Bleomycin sulphate ... 158
Blood Colony-stimulating Factors ... 43
Blood glucose diagnostic test meter ... 15
Blood glucose diagnostic test strip ... 16
Blood glucose test strips (visually impaired) ... 16
Blood Ketone Diagnostic Test Strip ... 14
Boostrix ... 307
Bortezomib ... 158

Bosentan 59
Bosentan Dr Reddy's 59
Bplex 32
Brentuximab Vedotin 204
Breo Ellipta 265
Brevinor 1/28 79
Breztri Aerosphere 266
Bricanyl Turbuhaler 265
Brimonidine tartrate 274
Brimonidine tartrate with timolol maleate 275
Brinzolamide 274
BSF Lyrica 277
Budesonide
  Alimentary 6
  Respiratory 264, 270
Budesonide Te Arai 6
Budesonide with eformoterol 264
Budesonide with glycopyrronium and eformoterol 266
Bumetanide 51
Buprenorphine Naloxone BNM 150
Buprenorphine with naloxone 150
Bupropion hydrochloride 151
Burel 101
Burinex 51
Buspirone hydrochloride 140
Buspirone Viatris 140
Busulfan 154

- C -

Cabergoline 92
Caffeine citrate 271
Calamine 69
Calci-Tab 500 33
Calcipotriol 74
Calcitonin 83
Calcitriol 32
Calcitriol XL 32
Calcitriol-AFT 32
Calcium 500 mg Hexal 33
Calcium carbonate 6, 33
Calcium carbonate PAI 6
Calcium Channel Blockers 50
Calcium Disodium Versenate 278
Calcium folinate 156
Calcium gluconate 33
Calcium Homeostasis 83
Calcium polystyrene sulphonate 45
Calcium Resonium 45
Calogen 283
Camber 56
Candesartan cilexetil 47
Candesartan cilexetil with hydrochlorothiazide 47
Candestar 47
Canesten 69
Capecitabine 156
Capecitabine Viatris 156
Capsaicin
  Musculoskeletal 117
  Nervous 124
Captopril 46
Carafate 10
Carbaccord 154
Carbamazepine 131
Carbimazole 87
Carboplatin 154
Carboplatin Accord 154
Carbosorb-X 277
Cardinol LA 50
Cardizem CD 51
CareSens Dual 15
CareSens N 15–16
CareSens N POP 15
CareSens N Premier 15
CareSens PRO 16
Carmellose sodium with gelatin and pectin 31
Carmustine 154
Carvedilol 49
Carvedilol Sandoz 49
Catapres 51
Cefaclor monohydrate 93
Cefalexin 93
Cefalexin Lupin 93
Cefalexin Sandoz 93
Cefazolin 93
Cefazolin-AFT 93
Ceftriaxone 94
Ceftriaxone-AFT 94
Cefuroxime axetil 94
Celapram 129
Celebrex 116
Celecoxib 116
Celecoxib Pfizer 116
Celestone Chronodose 84
Cellcept 181
Celostea 116
Centrally-Acting Agents 51
Cephalexin ABM 93
Cerazette 79
Cerubidine 158
Cetirizine hydrochloride 263
Cetomacrogol 71
Cetomacrogol with glycerol 71
Cetomacrogol-AFT 71
Cetuximab 205
Champix 152
Charcoal 277
CheckTop 81
Chemotherapeutic Agents 153
Chickenpox vaccine 320
Chlorafast 272
Chlorambucil 154
Chloramphenicol 272
Chlorothiazide 52
Chlorpromazine hydrochloride 136
Chlortalidone [Chlorthalidone] 53
Chlorthalidone 53
Chlorvescent 45
Choice 380 7med Nsha Silver/copper Short 79
Ciclosporin 255
Cidomycin P/Free 98
Cilicaine VK 97
Cinacalcet 83
Cinacalet Devatis 83
Cipla 265
Ciprofloxacin
  Infection 98
  Sensory 272
Ciprofloxacin Teva 272
Cisplatin 154
Cisplatin Accord 154
Cisplatin Ebewe 154
Citalopram hydrobromide 129
Citrulline1000 298
Cladribine 156
Clarithromycin
  Alimentary 9
  Infection 95
Clexane 42
Clexane Forte 42
Clindamycin 98
Clinicians 26, 32
Clinicians Renal Vit 32
Clobazam 131
Clobetasol propionate 70, 75
Clobetasone butyrate 70
Clofazimine 104
Clomazol
  Dermatological 69
  Genito-Urinary 80
Clomifene citrate 92
Clomipramine hydrochloride 129
Clomipramine Teva 129
Clonazepam 131, 140
Clonidine 51
Clonidine hydrochloride 51
Clonidine Teva 51
Clopidogrel 40
Clopine 136
Clopixol 137, 139
Clotrimazole
  Dermatological 69
  Genito-Urinary 80
Clozapine 136
Clozaril 136

Clustran 134
Co-trimoxazole 100
Coal tar 74
Coal tar with allantoin, menthol, phenol and sulphur 74
Coal tar with salicylic acid and sulphur 74
Coco-Scalp 74
Codeine phosphate 127
Coenzyme Q10 26
Colchicine 120
Colecalciferol 32
Colestyramine 54
Colestyramine - Mylan 54
Colgout 120
Colifoam 7
Colistin sulphomethate 98
Collodion flexible 280
Colloidal bismuth subcitrate 10
Colofac 8
Colomycin 98
Coloxyl 24
Combigan 275
Comirnaty (LP.8.1) 305
Comirnaty Omicron (JN.1) 305–306
Compound electrolytes 45
Compound electrolytes with glucose [Dextrose] 45
Compound hydroxybenzoate 280
Concerta 148
Condoms 78
Condyline 76
Condyline S29 76
Continuous glucose monitor (interoperable) 21
Continuous glucose monitor (standalone) 22
Contraceptives - Hormonal 79
Contraceptives - Non-hormonal 77
Copaxone 141
Corticosteroids and Related Agents for Systemic Use 84
Corticosteroids Topical 70
Cosentyx 232
Cosmegen 158
Coumadin 43
Country Life 28
Coversyl 46
COVID-19 vaccine 305
Creon 10000 22
Creon 25000 22
Creon Micro 22
Crizotinib 166
Crotamiton 69
Crystaderm 68
Cu 375 Standard 79
Curam Duo 500/125 96
Cvite 32
Cyclizine hydrochloride 134
Cyclizine lactate 134
Cyclogyl 275
Cyclonex 154
Cyclopentolate hydrochloride 275
Cyclophosphamide 154
Cyclorin 104
Cycloserine 104
Cyproterone acetate 85
Cyproterone acetate with ethinyloestradiol 80
Cystadane 26
Cytarabine 156
Cytotec 9
Cytoxan 154

- D -

D-Penamine 117
Dabigatran 43
Dabrafenib 167
Dacarbazine 158
Dactinomycin [Actinomycin D] 158
Daivobet 74
Daivonex 74
Daktarin 69
Dalacin C 98
Dantrium 120
Dantrium S29 120
Dantrolene 120
Daonil 11
Dapa-Tabs 53
Dapsone 104
Darunavir 112
Darunavir Viatris 112
Dasatinib 168
Dasatinib-Teva 168
Daunorubicin 158
David One Step Cassette Pregnancy Test 81
DBL Acetylcysteine 277
DBL Adrenaline 56
DBL Aminophylline 269
DBL Bleomycin Sulfate 158
DBL Bortezomib 158
DBL Carboplatin 154
DBL Cisplatin 154
DBL Dacarbazine 158
DBL Desferrioxamine Mesylate for Inj BP 278
DBL Docetaxel 158
DBL Ergometrine 80
DBL Gemcitabine 156
DBL Gentamicin 98
DBL Leucovorin Calcium 156
DBL Methotrexate Onco-Vial 157
DBL Naloxone Hydrochloride 277
DBL Pethidine Hydrochloride 128
DBL Vincristine Sulfate 165
Decozol 31
Deferasirox 277
Deferiprone 278
Denosumab 117
Deolate 102
Deoxycoformycin 163
Depo-Medrol 85
Depo-Provera 79
Depo-Testosterone 85
Deprim 100
Dermol 70, 75
Desferrioxamine mesilate 278
Desmopressin 92
Desmopressin acetate 92
Desmopressin-PH&T 92
Desogestrel 79
Detection of Substances in Urine 82
Dexamethasone
Hormone 84
Sensory 273
Dexamethasone phosphate 84
Dexamethasone with framycetin and gramicidin 272
Dexamethasone with neomycin sulphate and polymyxin B sulphate 273
Dexamfetamine sulfate 145
Dexcom G6 21
Dexcom G7 21
Dexcom ONE+ 22
Dexmethsone 84
Dextrochlorpheniramine maleate 263
Dextrose 44–45
DHC Continus 127
Diabetes 10
Diabetes Management 14
Diacomit 132
Diagnostic Agents 321
Diamide Relief 6
Diasip 284
Diazepam 130, 140
Diazoxide 10
Diclofenac Devatis 273
Diclofenac Sandoz 116
Diclofenac sodium
Musculoskeletal 116
Sensory 273
Differin 67
Difflam 31
Diflucan 100

Digestives Including Enzymes 22
Digoxin 48
Dihydrocodeine tartrate 127
Dilantin 132
Dilantin Infatab 132
Dilantin Paediatric 132
Diltiazem CD Clinect 51
Diltiazem hydrochloride 51
Dimethicone 71–72
Dimethyl fumarate 141
Dipentum 8
Diphtheria, tetanus and pertussis vaccine 307
Diphtheria, tetanus, pertussis and polio vaccine 308
Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type B vaccine 308
Diprosone 70
Diprosone OV 70
Dipyridamole 40
Dipyridamole - Strides 40
Disopyramide phosphate 48
Distoside 93
Disulfiram 151
Diuretics 51
Docetaxel 158
Docetaxel Accord 158
Docetaxel Sandoz 158
Docusate sodium 24
Docusate sodium with sennosides 24
Dolutegravir 112
Dolutegravir with lamivudine 112
Domperidone 134
Domperidone Viatris 134
Donepezil hydrochloride 149
Dornase alfa 269
Dortimopt 274
Dorzolamide with timolol 274
Dostinex 92
Dosulepin [Dothiepin] hydrochloride 129
Dosulepin Viatris 129
Dothiepin 129
Dovato 112
Doxazosin 46
Doxazosin Clinect 46
Doxine 97
Doxorubicin Ebewe 158
Doxorubicin hydrochloride 158
Doxycycline 97
DP Lotion 72
DP Lotn HC 70
DP-Captopril 46
Dr Reddy's Omeprazole 9
Drofate 50
Droperidol 134
Drugs Affecting Bone Metabolism 117
Dual blood glucose and blood ketone diagnostic test meter 15
Dulaglutide 12
Dulcolax SP Drop 25
Duocal Super Soluble Powder 282
Duolin 265
Duolin HFA 265
DuoResp Spiromax 264
Duride 55
Durvalumab 245

- E -

e-chamber La Grande 271
e-chamber Mask 271
e-chamber Turbo 271
E-Mycin 95
e5 Pharma 10
Ear Preparations 272
Ear/Eye Preparations 272
Easiphen Liquid 295
Econazole nitrate 69
Efavirenz 111
Efavirenz Milpharm 111
Efavirenz with emtricitabine and tenofovir disoproxil 111
Eformoterol fumarate dihydrate 264
Eftrenonacog alfa [Recombinant factor IX] 37
Efudix 76
Egopsoryl TA 74
Elaprase 27
Elecare 299
Elecare LCP 299
Electral 45
Elelyso 30
Elemental 028 Extra 287
Elexacaftor with tezacaftor, ivacaftor and ivacaftor 269
Elidel 74
Elocon 70
Elocon Alcohol Free 70
Eltrombopag 37
Eltroxin 87
EMB Fatol 104
Emend Tri-Pack 134
Emicizumab 38
EMLA 124
Empagliflozin 14
Empagliflozin with metformin hydrochloride 14
Emsogen 298
Emtricitabine 112
Emtricitabine with tenofovir disoproxil 108
Emtriva 112
Emulsifying ointment 71
Enalapril maleate 46
Enbrel 181
Endocrine Therapy 178
Endoxan 154
Energivit 298
Engerix-B 310
Enhertu 240
Enlafax XR 130
Enoxaparin sodium 42
Enstilar 74
Ensure 291
Ensure Plus 291
Ensure Plus HN RTH 290
Ensure Two Cal HN RTH 293
Entacapone 122
Entacapone Viatris 122
Entecavir 106
Entecavir (Rex) 106
Entrectinib 169
Entresto 24/26 47
Entresto 49/51 47
Entresto 97/103 47
Entyvio 242
Epilim 132
Epilim Crushable 132
Epilim IV 132
Epilim S/F Liquid 132
Epilim Syrup 132
Epipen 262
Epipen Jr 262
Epirubicin Ebewe 159
Epirubicin hydrochloride 159
Eplerenone 52
Epoetin alfa 36
Epoprostenol 62
Eptacog alfa [Recombinant factor VIIa] 38
Erbitux 205
Ergometrine maleate 80
Erlotinib 169
Erythrocin IV 95
Erythromycin (as lactobionate) 95
Erythromycin ethyl succinate 95
Esbriet 268
Escitalopram 130
Escitalopram (Ethics) 130
Eskazole 93
Essential Amino Acid Mix 298
Estradiol TDP Mylan 86
Estradot 86
Estrofem 86
Estrogel 86
Etanercept 181

Ethambutol hydrochloride 104
Ethics Aspirin 124
Ethics Aspirin EC 40
Ethinyloestradiol with desogestrel 79
Ethinyloestradiol with levonorgestrel 79
Ethinyloestradiol with norethisterone 79
Ethosuximide 131
Etopophos 159
Etoposide 159
Etoposide phosphate 159
Etravirine 111
Eumovate 70
Eurofolic 156
Evara 71
Evara Emulsifying Ointment 71
EVARA Paraffin Ointment 50/50 72
EVARA White Soft Paraffin 72
Everet 132
Everolimus 255
Evista 118
Evrysdi 144
Exemestane 181
Exjade 277
Extemporaneously Compounded Preparations and Galenicals 280
Eye Preparations 272
Eylea 201
Ezetimibe 55
Ezetimibe Sandoz 55
Ezetimibe with simvastatin 55

- F -

Factor eight inhibitor bypassing fraction 39
Famotidine 9
Famotidine Hovid 9
Famotidine Hovid MY 9
Faricimab 206
Fasenra 202
Faslodex 178
Fatty Emulsion Cream (Evara) 71
Febuxostat 120
Febuxostat (Teva) 120
FEIBA NF 39
Felo 10 ER 50
Felo 5 ER 50
Felodipine 50
Fentanyl 127
Fentanyl Sandoz 127
Ferinject 33
Ferriprox 278
Ferro-F-Tabs 33
Ferro-Liquid 33
Ferro-tab 33
Ferrosig 34
Ferrous fumarate 33
Ferrous fumarate with folic acid 33
Ferrous sulfate 33
Fexaclear 263
Fexofenadine hydrochloride 263
Fibro-vein 39
Filgrastim 43
Finasteride 81
Fingolimod 141
Firazyr 262
Flagyl 103
Flagyl-S 103
Flamazine 68
Flecainide acetate 48
Flecainide BNM 48
Flecainide Controlled Release Teva 48
Fleet Phosphate Enema 24
Flixonase Hayfever & Allergy 270
Flixotide 264
Flixotide Accuhaler 264
Florinef 84
Fluanxol 138
Flucil 96
Flucloxacillin 96
Flucloxin 96
Flucon 273
Fluconazole 100
Fludara Oral 156
Fludarabine Ebewe 156
Fludarabine phosphate 156
Fludrocortisone acetate 84
Fluids and Electrolytes 44
Flumetasone pivalate 272
Fluocortolone caproate with fluocortolone pivalate and cinchocaine 8
Fluorometholone 273
Fluorouracil 156
Fluorouracil Accord 156
Fluorouracil sodium 76
Fluox 130
Fluoxetine hydrochloride 130
Flupenthixol decanoate 138
Flutamide 178
Flutamin 178
Fluticasone 264
Fluticasone furoate with umeclidinium and vilanterol 267
Fluticasone furoate with vilanterol 265
Fluticasone propionate 270
Fluticasone with salmeterol 265
Flynn 93
FML 273
Foban 68
Folic acid 37
Folic Acid multichem 37
Folic Acid Viatris 37
Food Thickeners 293
Foods And Supplements For Inherited Metabolic Disease 294
Forteo 119
Fortini 286
Fortini Multi Fibre 286
Fortisip 291
Fortisip Multi Fibre 292
Fosamax 117
Fosamax Plus 117
Fosfomycin 114
Framycetin sulphate 272
Freestyle Libre 2 22
Freestyle Libre 2 Plus 22
Freestyle Libre 3 Plus 21
Frisium 131
Frumil 52
Frusemide 52
Fucicort 71
Fucidin 99
Fucithalmic 272
Fucithalmic Canada (ON) 272
Fucithalmic Spain 272
Fulvestrant 178
Fulvestrant EVER Pharma 178
Fungilin 31
Furosemide [Frusemide] 52
Furosemide-AFT 52
Furosemide-Baxter 52
fusidic acid
Dermatological 68, 71
Infection 99
Sensory 272

- G -

GA Explore 5 297
GA1 Anamix Infant 297
GA1 Anamix Junior 297
Gabapentin 131
Gacet 126–127
Galsulfase 26
Galvumet 12
Galvus 12
Gardasil 9 311
Gastrodenol 10
Gaviscon Extra Strength 6
Gaviscon Infant 6
Gazyva 216
Gefitinib 169
Gemcitabine Ebewe 156
Gemcitabine hydrochloride 156
Gemtuzumab ozogamicin 207

Gentamicin sulphate 98
Gilenya 141
Ginet 80
Glatiramer acetate 141
Glecaprevir with pibrentasvir 108
Glibenclamide 11
Gliclazide 11
Glipizide 11
Glizide 11
Glucagen Hypokit 10
Glucagon hydrochloride 10
Glucerna Select 284
Glucose [Dextrose] 44
Gluten Free Foods 293
Glycerin with sodium saccharin 280
Glycerin with sucrose 280
Glycerol
  Alimentary 24
  Extemporaneous 280
Glyceryl trinitrate
  Alimentary 8
  Cardiovascular 55
Glycopyrronium 266
Glycopyrronium bromide 8
Glycopyrronium with indacaterol 266
Glycopyrronium-AFT 8
Glycosade 297
Glytactin Bettermilk 296
Gold Knight 78
Gold Knight XL 78
Goserelin 92
Gynaecological Anti-infectives 80

- H -

Habitrol 151
Haemophilus influenzae type B vaccine 309
Haldol 138
Haldol Concentrate 138
Haldol Decanoas 138
Haloperidol 136
Haloperidol decanoate 138
Harvoni 108
Havrix 1440 309
Havrix Junior 309
Haylor syrup 263
HCU Anamix Infant 294
HCU Anamix Junior 294
HCU Anamix Junior LQ 294
HCU Explore 5 294
HCU Express 15 294
HCU Lophlex LQ 294
healthE Calamine Aqueous 69
healthE Dimethicone 10% 71
healthE Dimethicone 4% Lotion 72
healthE Dimethicone 5% 71
healthE Glycerol BP 280
healthE Urea Cream 72
Healtheries Simple Baking Mix 293
Hemastix 82
Hemlibra 38
Heparin sodium 43
Heparin Sodium Panpharma 43
Heparinised saline 43
Heparon Junior 285
Hepatitis A vaccine 309
Hepatitis B recombinant vaccine 310
Herzuma 238
Hikma 48
Hikma Acetylcysteine 277
Hikma-Propranolol 50
Hiprex 115
Histaclear 263
Holoxan 155
Horleys Bread Mix 294
Horleys Flour 294
Hormone Replacement Therapy - Systemic 86
HPV 311
Humalog 11
Humalog Mix 25 11
Humalog Mix 50 11
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 311
Humatin 99
Humira 195
HumiraPen 195
Humulin 30/70 11
Humulin NPH 11
Humulin R 10
Hyaluronic acid 276
Hydralazine 56
Hydralazine hydrochloride 56
Hydralock 71
Hydralyte - Lemonade 45
Hydrocortisone
  Dermatological 70
  Hormone 84
Hydrocortisone acetate 7
Hydrocortisone acetate with pramoxine hydrochloride 7
Hydrocortisone and paraffin liquid and lanolin 70
Hydrocortisone butyrate 70, 75
Hydrocortisone with cinchocaine 8
Hydrocortisone with miconazole 71
Hydrocortisone with natamycin and neomycin 71
Hydrogen peroxide 68
Hydroxocobalamin 31
Hydroxocobalamin Panpharma 31
hydroxycarbamide 159
Hydroxychloroquine sulphate 117
Hydroxyurea [hydroxycarbamide] 159
Hygroton 53
Hylo-Fresh 276
Hymenoptera 262–263
Hyoscine butylbromide 8
Hyoscine Butylbromide (Adiramedica) 8
Hyoscine hydrobromide 135
Hyperuricaemia and Antigout 119
Hypromellose 275
Hypromellose with dextran 275

- I -

Ibiamox 96
Ibrutinib 159
Ibuprofen 116
Ibuprofen SR BNM 116
Icatibant 262
Idarubicin hydrochloride 159
Idursulfase 27
Ifosfamide 155
Iloprost 64
Imatinib mesilate 170
Imatinib-Rex 170
Imbruvica 159
Imfinzi 245
Imipramine Crescent 129
Imipramine hydrochloride 129
Imiquimod 76
Immune Modulators 112
Immunisation - Flu 277
Immunisation Flu and Shingles 277
Immunisation Other 277
Immunosuppressants 181
Incruse Ellipta 266
Indacaterol 264
Indapamide 53
Infanrix IPV 308
Infanrix-hexa 308
Infant Formulae 298
Infatrini 302
Infliximab 207
Influenza vaccine 312
Influvac Tetra (2026 formulation) 312
Inhaled Corticosteroids 263
Inhaled Long-acting Beta-adrenoceptor Agonists 264
Inlyta 166
Inotuzumab ozogamicin 215
Inresa 34
Inspra 52
Instillagel Lido 123

Insulin aspart 11
Insulin aspart with insulin aspart protamine..... 10
Insulin degludec with insulin aspart..... 10
Insulin glargine 11
Insulin glulisine 11
Insulin isophane..... 11
Insulin isophane with insulin neutral..... 11
Insulin lispro..... 11
Insulin lispro with insulin lispro protamine..... 11
Insulin neutral 10
Insulin pen needles..... 16
Insulin pump cartridge 18
Insulin pump infusion set (steel cannula)..... 18
Insulin pump infusion set (steel cannula, straight insertion) 19
Insulin pump infusion set (teflon cannula)..... 19
Insulin pump infusion set (teflon cannula, angle insertion with insertion device) 20
Insulin pump infusion set (teflon cannula, flexible insertion with insertion device) 20
Insulin pump infusion set (teflon cannula, straight insertion with insertion device) 21
Insulin pump infusion set (teflon cannula, variable insertion)..... 21
Insulin pump reservoir 21
Insulin pump with algorithm 17
Insulin syringes, disposable with attached needle 17
Intelence 111
Interferon beta-1-alpha 141
Interferon beta-1-beta..... 141
Intra-uterine device..... 79
Invega Sustenna..... 138
Invega Trinza..... 139
Ipca-Allopurinol..... 119
Ipca-Bisoprolol..... 49
Ipca-Ciprofloxacin..... 98
Ipca-Donepezil..... 149
Ipca-Enalapril..... 46
Ipca-Escitalopram..... 130
IPCA-Frusemide 52
Ipca-Hydroxychloroquine..... 117
IPCA-Metoprolol 49
IPCA-Propranolol..... 50
Ipilimumab 246
IPOL 318
Ipratropium bromide 265, 271
Iressa..... 169
Irinotecan Actavis 100 156
Irinotecan hydrochloride 156
Irinotecan-Rex 156
Iron (as ferric carboxymaltose) 33
Iron polymaltose 34
Isentress 112
Isentress HD..... 112
Ismo 20..... 55
Ismo 40 Retard..... 55
Isoleucine50 298
Isoniazid 104
Isoniazid Teva 104
Isoniazid with rifampicin..... 105
Isoptin 51
Isoptin Retard 51
Isoptin SR 51
Isopto Carpine 275
Isosorbide mononitrate 55
Isotretinoin 67
Ispaghula (psyllium) husk 23
Itch-Soothe 69
Itraconazole 101
Itraconazole Cresent 101
Itraconazole Kent..... 101
Itrazole..... 101
Ivacaftor..... 270
Ivermectin 73

- J -

Jadelle 79
Jakavi 175
Jardiamet..... 14
Jardiance 14
Jaydess 79
Jevity HiCal RTH 291
Jevity RTH..... 291
Jinarc 53
Juno Pemetrexed 157

- K -

Kadcyla..... 240
Kalydeco..... 270
Kemadrin 122
Kenacomb 272
Kenacort-A 10..... 85
Kenacort-A 40..... 85
Kenalog in Orabase..... 31
Ketalar 124
Ketamine 124
Ketocal 3:1..... 303
KetoCal 4:1..... 303
Ketoconazole
Dermatological 75
Infection 101
Ketogenic Diet 303
Ketoprofen 116
KetoSens 14
Keytruda 249
Kindergen 285
Kisqali 174
Klacid
Alimentary 9
Infection 95
Klaricid..... 95
Kliogest..... 87
Kliovance 87
Kogenate FS..... 39
Konakion MM..... 40
Konakion MM Paediatric..... 40
Konsyl-D 23
Kuvan 28

- L -

Labetalol 49
Lacosamide 131
Lactulose 24
Lacuna..... 28
Laevolac 24
Lamictal 131
Lamivudine 106, 112
Lamivudine Viatris 112
Lamivudine/Zidovudine Viatris..... 112
Lamotrigine..... 131
Lamprene 104
Lanoxin 48
Lanoxin PG..... 48
Lanoxin S29..... 48
Lanreotide..... 180
Lansoprazole 9
Lantus..... 11
Lantus SoloStar 11
Lanvis 157
Lanzol Relief..... 9
Largactil 136
Laronidase..... 27
Lasix 52
Latanoprost..... 274
Latanoprost with timolol..... 275
Lax-Suppositories..... 25
Lax-suppositories Glycerol 24
Laxatives 23
Laxsol 24
Ledipasvir with sofosbuvir 108
Leflunomide 117
Lenalidomide (Viatris)..... 160
Lenalidomide Viatris 160
Lenvatinib 170
Lenvima 170
Letrole..... 181
Letrozole..... 181
Leucine100..... 298
Leukeran FC..... 154
Leukotriene Receptor
Antagonists..... 269

Leuprorelin....92
Leustatin....156
Levetiracetam....132
Levetiracetam-AFT....132
Levocabastine....274
Levocarnitine....28
Levodopa with benserazide....122
Levodopa with carbidopa....122
Levodopa with carbidopa and entacapone....122
Levomepromazine....136
Levomepromazine hydrochloride....136
Levonorgestrel....79–80
Levonorgestrel -1 (Lupin)....80
Levonorgestrel BNM....80
Levothyroxine....87
Lidocaine [Lignocaine]....123–124
Lidocaine [Lignocaine] hydrochloride....124
Lidocaine [Lignocaine] with prilocaine....124
Lidocaine-Baxter....124
Life Extension....29
Lignocaine....123–124
Linezolid....105
Lioresal Intrathecal....120
Lipid-Modifying Agents....53
Liquigen....283
Liraglutide....12
Lisdexamfetamine dimesilate....146
Lisinopril....46
Lithium carbonate....136
Livostin....274
LMX4....124
Lo-Oralcon 20 ED....79
Locacorten-Viaform ED's....272
Local preparations for Anal and Rectal Disorders....8
Locasol....298
Locoid....70, 75
Locoid Crelo....70
Locoid Lipocream....70
Locorten-Vioform....272
Lodoxamide....274
Logem....131
Lomide....274
Lomustine....155
Loniten....56
Loperamide hydrochloride....6
Lopinavir with ritonavir....112
Lopinavir/Ritonavir Mylan....112
Loprofin....297
Loprofin Mix....296
Lorafix....263
Loratadine....263
Lorazepam....140
Lorstat....54
Losartan & Hydrochlorothiazide (lpca)....47
Losartan Actavis....47
Losartan potassium....47
Losartan potassium with hydrochlorothiazide....47
Lovir....106
Loxamine....130
Lucrin Depot 1-month....92
Lucrin Depot 3-month....92
LumaCina....44
Lumigan....274
Lynparza....161
Lyrica....132

- M -

m-Eslon....128
Mabthera....221
Macrobid....115
Macrogol 3350 with potassium chloride, sodium bicarbonate and sodium chloride....24
Madopar 125....122
Madopar 250....122
Madopar 62.5....122
Madopar HBS....122
Madopar Rapid....122
Magnesium hydroxide....34
Magnesium sulphate....34
Mantoux....321
Marevan....43
Marine Blue Lotion SPF 50+....76
Mask for spacer device....271
Maviret....108
Maxidex....273
Maxitrol....273
MCT oil (Nutricia)....283
Measles, mumps and rubella vaccine....314
Mebendazole....93
Mebeverine hydrochloride....8
Med Adv Ext Infusion Set MDT-MMT-431AK....20
Med Adv Ext Infusion Set MDT-MMT-432AK....20
Med Adv Ext Infusion Set MDT-MMT-441AK....20
Med Adv Ext Infusion Set MDT-MMT-442AK....20
Medac....155
Medrol....84
Medroxyprogesterone acetate Genito-Urinary....79
Hormone....86–87
Mefenamic acid....116
Mekinist....176
Melatonin....143
Melpha....155
Melphalan....155
Meningococcal (groups A, C, Y and W-135) conjugate vaccine....315
Meningococcal B multicomponent vaccine....316
MenQuadfi....315
Menthol....69
Mepolizumab....215
Mercaptopurine....157
Mercilon 28....79
Mesalazine....7
Mesna....160
Mestinon....116
Metabolic Disorder Agents....25
Metabolics....28
Metformin hydrochloride....12
Metformin Viatris....12
Methadone BNM....127
Methadone hydrochloride....127
Methenamine (hexamine) hippurate....115
Methopt....275
Methotrexate....157
Methotrexate DBL Onco-Vial....157
Methotrexate Ebewe....157
Methotrexate Sandoz....157
Methoxyflurane....125
Methyl hydroxybenzoate....280
Methylcellulose....280
Methylcellulose with glycerin and sodium saccharin....280
Methylcellulose with glycerin and sucrose....280
Methyldopa....51
Methyldopa Viatris....51
Methylnaltrexone bromide....24
Methylphenidate ER - Teva....147
Methylphenidate hydrochloride....147
Methylphenidate hydrochloride extended-release....148
Methylphenidate Sandoz XR....147
Methylprednisolone....84
Methylprednisolone (as sodium succinate)....85
Methylprednisolone aceponate....70
Methylprednisolone acetate....85
Methylxanthines....269
Metoclopramide Actavis 10....135
Metoclopramide hydrochloride....135
Metolazone....53
Metopirone....92
Metoprolol IV Mylan....49
Metoprolol IV Viatris....49

Metoprolol succinate 49
Metoprolol tartrate 49
Metronidamed 103
Metronidazole 103
Metyrapone 92
Mexiletine hydrochloride 48
Miacalcic 83
Miacalcic S29 83
Micolette 24
Miconazole 31
Miconazole nitrate
Dermatological 69
Genito-Urinary 80
Micreme 80
Micreme H 71
Microlut 79
Midazolam 143
Midazolam-Baxter 143
Midazolam-Pfizer 143
Midodrine 49
Midostaurin 171
Mifegyne 82
Mifepristone 82
Minerals 33
Mini-Wright AFS Low Range 271
Mini-Wright Standard 271
Minidiab 11
MiniMed 3.0 Ext Reservoir
MDT-MMT-342G 21
MiniMed 3.0 Reservoir
MMT-332A 21
MiniMed Quick-Set MMT-396A 19
MiniMed Quick-Set MMT-397A 19
MiniMed Quick-Set MMT-398A 19
MiniMed Quick-Set MMT-399A 19
MiniMed Silhouette MMT-377A 19
MiniMed Silhouette MMT-378A 19
MiniMed Silhouette MMT-381A 19
MiniMed Sure-T MMT-864A 18
MiniMed Sure-T MMT-866A 18
MiniMed Sure-T MMT-874A 18
MiniMed Sure-T MMT-876A 18
Minims Pilocarpine 275
Minims Prednisolone 274
Minipress 46
Minirin 92
Minirin Melt 92
Mino-tabs 97
Minocycline hydrochloride 97
Minomycin 97
Minor Skin Infections 72
Minoxidil 56
Minoxidil Roma 56
Mirena 79
Miro-Amoxicillin 96
Mirtazapine 130
Misoprostol 9
Mitomycin (Fresenius Kabi) 160
Mitomycin (Sagent) 160
Mitomycin C 160
Mitozantrone 160
Mitozantrone Ebewe 160
MMA/PA Anamix Infant 297
MMA/PA Anamix Junior 297
MMA/PA Explore 5 297
MMA/PA Express 15 297
Moclobemide 129
Modafinil 148
Modafinil Max Health 148
Moduretic 52
Molaxole 24
Moments 78
Mometasone furoate 70
Monogen 284
Montelukast 269
Montelukast Viatris 269
Moroctocog alfa [Recombinant factor VIII] 39
Morphine hydrochloride 127
Morphine sulphate 128
Motetis 123
Mouth and Throat 31
Movapo 122
Movicol 24
Moxifloxacin 98
MSUD Anamix Infant 294
MSUD Anamix Junior 294
MSUD Anamix Junior LQ 294
MSUD Explore 5 294
MSUD Express 15 294
MSUD Lophlex LQ 20 294
MSUD Maxamum 294
Mucolytics 269
Mucosoothe 124
Multiple Sclerosis Treatments 140
Multivitamin renal 32
Multivitamins 32
Mupirocin 68
Muscle Relaxants 120
Mvite 33
Myambutol 104
Mycobutin 105
MycoNail 68
Mycophenolate mofetil 181
Mydriacyl 275
Mylan (24 hr release) 51
Mylan Clomiphen 92
Mylan Italy (24 hr release) 51
Myleran 154
mylife Inset soft 20
mylife Orbit micro 19
mylife YpsoPump Reservoir 21
mylife YpsoPump with CamAPS FX 17
Myloc CR 49
Mylotarg 207
Myometrial and Vaginal Hormone Preparations 80
Myozyme 25
Mytolac 180
Mytolac S29 180

- N -

Nadolol 50
Nadolol BNM 50
Naglazyme 26
Nalcrom 8
Naloxone hydrochloride 277
Naltraccord 151
Naltrexone hydrochloride 151
Naphazoline hydrochloride 276
Naprosyn SR 1000 116
Naprosyn SR 750 116
Naproxen 116
Narcaricin mite 119
Nasal Preparations 270
Natalizumab 141
Natulan 163
Nausafix 135
Nausicalm 134
Navelbine S29 166
Nefopam hydrochloride 125
Neo-Mercazole 87
Neocate Gold 299
Neocate Junior Unflavoured 299
Neocate Junior Vanilla 299
Neocate SYNEO 299
Neoral 255
Neostigmine metilsulfate 116
Nepro HP (strawberry) 286
Nepro HP (vanilla) 286
Neulactil 136
NeuroTabs 33
Nevirapine 111
Nevirapine Viatris 111
Nicorandil 56
Nicotine 151
Nifedipine 51
Nifuran 115
Nilotinib 171
Nilstat
Alimentary 31
Genito-Urinary 80
Infection 101
Nimenrix 315
Nintedanib 267
Nipent 163
Niraparib 160
Nirmatrelvir with ritonavir 109

Nitisinone ... 28
Nitisinone LogixX Pharma ... 28
Nitrates ... 55
Nitroderm TTS ... 55
Nitrofurantoin ... 115
Nitrolingual Pump Spray ... 55
Nivestim ... 43
Nivolumab ... 246
Nodia ... 6
Noflam 250 ... 116
Noflam 500 ... 116
Non-Steroidal Anti-Inflammatory Drugs ... 116
Nonacog gamma, [Recombinant Factor IX] ... 39
Norethisterone
  Genito-Urinary ... 80
  Hormone ... 87
Norflex ... 121
Norfloxacin ... 115
Noriday ... 80
Noriday 28 ... 80
Norimin ... 79
Normison ... 144
Nortriptyline hydrochloride ... 129
Norvir ... 112
Noumed Dexamfetamine ... 145
Noumed Isoniazid ... 104
Noumed Paracetamol ... 126
Noumed Pethidine ... 128
Noumed Phenobarbitone ... 132
NovaSource Renal ... 287
Novatretin ... 73
NovoMix 30 FlexPen ... 10
NovoRapid ... 11
NovoRapid FlexPen ... 11
NovoRapid Penfill ... 11
NovoSeven RT ... 38
Nozinan ... 136
Nozinan (Swiss) ... 136
Nucala ... 215
Nuelin ... 269
Nuelin-SR ... 269
Nupentin ... 131
Nusinersen ... 144
Nutilis ... 293
Nutren Diabetes ... 284
Nutrient Modules ... 281
Nutrini Energy Multi Fibre ... 286
Nutrini Energy RTH ... 286
Nutrini Low Energy Multi Fibre ... 288
Nutrini Peptisorb ... 301
Nutrini Peptisorb Energy ... 301
Nutrini RTH ... 286
Nutrison 800 Complete Multi Fibre ... 291
Nutrison Advanced Peptisorb ... 287
Nutrison Concentrated ... 293
Nutrison Energy ... 290
Nutrison Energy Multi Fibre ... 291
Nutrison Multi Fibre ... 291
Nutrison RTH ... 290
Nyefax Retard ... 51
Nystatin
  Alimentary ... 31
  Genito-Urinary ... 80
  Infection ... 101
NZB Low Gluten Bread Mix ... 294

- O -

Obinutuzumab ... 216
Obstetric Preparations ... 82
Ocicure ... 9
Ocrelizumab ... 141
Ocrevus ... 141
Ocrevus SC ... 141
Octasa ... 7
Octocog alfa [Recombinant factor VIII] (Advate) ... 39
Octocog alfa [Recombinant factor VIII] (Kogenate FS) ... 39
Octreotide ... 179
Octreotide GH ... 179
Octreotide long-acting ... 181
Oestradiol ... 86
Oestradiol valerate ... 86
Oestradiol with norethisterone ... 87
Oestriol
  Genito-Urinary ... 80
  Hormone ... 87
Oestrogens ... 86
Ofev ... 267
Oil in water emulsion ... 71
Olanzapina Mylan ... 136
Olanzapina Mylan Pharma ... 136
Olanzapine ... 136, 138
Olaparib ... 161
Olbetam ... 53
Olopatadine ... 276
Olopatadine Teva ... 276
Olsalazine ... 8
Omalizumab ... 217
Omeprazole ... 9
Omeprazole actavis 10 ... 9
Omeprazole actavis 20 ... 9
Omeprazole actavis 40 ... 9
Omeprazole Teva ... 9
Omnitrope ... 88
Omnitrope AU ... 88
Onbrez Breezhaler ... 264
Oncaspar LYO ... 162
OncoTICE ... 186
Ondansetron ... 135
One-Alpha ... 32
Opdivo ... 246
Ora-Blend ... 280
Ora-Blend SF ... 280
Ora-Plus ... 280
Ora-Sweet ... 280
Ora-Sweet SF ... 280
Orabase ... 31
Oral and Enteral Feeds ... 284
Oralcon 30 ED ... 79
Oramorph ... 128
Oramorph CDC S29 ... 128
Oratane ... 67
Ornidazole ... 104
Orphenadrine citrate ... 121
Ortho-tolidine ... 82
Oruvail SR ... 116
Osimertinib ... 172
Osmolite RTH ... 290
Other Endocrine Agents ... 92
Other Oestrogen Preparations ... 87
Other Progestogen Preparations ... 87
Other Skin Preparations ... 76
Ovestin
  Genito-Urinary ... 80
  Hormone ... 87
Oxaliplatin ... 155
Oxaliplatin Accord ... 155
Oxaliplatin Actavis 100 ... 155
Oxaliplatin Ebewe ... 155
Oxis Turbuhaler ... 264
Oxpentifylline ... 56
Oxybutynin ... 81
Oxycodone Amneal ... 128
Oxycodone hydrochloride ... 128
Oxycodone Lucis ... 128
Oxycodone Sandoz ... 128
Oxytocin ... 81
Oxytocin BNM ... 81
Oxytocin with ergometrine maleate ... 81
Ozurdex ... 273

- P -

Pacifen ... 120
Pacimol ... 126
Paclitaxel ... 162
Paclitaxel Actavis ... 162
Paclitaxel Ebewe ... 162
Padagis
  Cardiovascular ... 52
  Dermatological ... 76
Paediatric Seravit ... 32
Palbociclib ... 173
Palbociclib Pfizer ... 173
Paliperidone ... 138

Paliperidone palmitate 139
Palivizumab 218
Pamidronate disodium 118
Pamisol 118
Pamol 126
Pancreatic enzyme 22
Pantoprazole 9
Panzop Relief 9
Papaverine hydrochloride 56
Para-amino salicylic acid 105
Paracetamol 126
Paracetamol (Ethics) 126
Paracetamol + Codeine (Relieve) 128
Paracetamol with codeine 128
Paraffin 72
Paraffin liquid with wool fat 276
Parasiticidal Preparations 72
Parnate 129
Paromomycin 99
Paroxetine 130
Paser 105
Paxam 140
Paxlovid 109
Paxlovid fee 277
Pazopanib 173
Pazopanib Teva 173
Peak flow meter 271
Pedialyte 45
Pediasure 286
Pediasure Plus 286
Pediasure RTH 286
Pegaspargase 162
Pegasys 112
Pegasys (S29) 112
Pegasys S29 112
Pegfilgrastim 43
Pegylated interferon alfa-2a 112
Pembrolizumab 249
Pemetrexed 157
Pemetrexed-AFT 157
Penicillamine 117
Penicillin G 96
PenMix 30 11
Pentasa 7
Penthrox 125
Pentostatin [Deoxycoformycin] 163
Pentoxifylline [Oxpentifylline] 56
Peptamen Junior 286
Pepti-Junior 301
Perhexiline maleate 51
Pericyazine 136
Perindopril 46
Periset 135
Periset ODT 135
Perjeta 220
Permethrin 73
Perrigo 76
Pertuzumab 220
Pertuzumab with trastuzumab 220
Peteha 105
Pethidine hydrochloride 128
Pevaryl 69
Pexsig 51
Pfizer Exemestane 181
Pharmacor Varenicline 152
Pharmacy Services 277
Pheburane 29
Phenasen 158
Phenobarbitone 132
Phenobarbitone sodium Extemporaneous 280
Nervous 143
Phenoxybenzamine hydrochloride 46
Phenoxymethylpenicillin (Penicillin V) 97
Phenylalanine50 298
Phenytoin sodium 130, 132
Phesgo 220
Phillips Milk of Magnesia 34
Phlexy 10 295
Phosphate Phebra 45
Phosphorus 45
Phytomenadione 40
Pilocarpine hydrochloride 275
Pilocarpine nitrate 275
Pimafucort 71
Pimecrolimus 74
Pine tar with trolamine laurilsulfate and fluorescein 75
Pinetarsol 75
Pioglitazone 12
Pirfenidone 268
Pizotifen 134
PKU Anamix Infant 295
PKU Anamix Junior 295
PKU Anamix Junior Chocolate 295
PKU Anamix Junior LQ 295
PKU Anamix Junior Orange 295
PKU Anamix Junior Vanilla 295
PKU Build 10 296
PKU Build 20 Chocolate 296
PKU Build 20 Raspberry Lemonade 296
PKU Build 20 Smooth 296
PKU Build 20 Vanilla 296
PKU Explore 10 295
PKU Explore 5 295
PKU Express 20 295
PKU First Spoon 295
PKU Glytactin RTD 15 296
PKU Glytactin RTD 15 Lite 296
PKU GMPro LQ 296
PKU GMPro Mix-In 296
PKU GMPro Ultra Lemonade 296
PKU GMPro Ultra Vanilla 296
PKU Lophlex LQ 10 295
PKU Lophlex LQ 20 295
PKU Lophlex Powder 295
PKU Lophlex Sensation 20 295
PKU Restore Powder 296
PKU sphere20 Banana 296
PKU sphere20 Chocolate 296
PKU sphere20 Lemon 296
PKU sphere20 Red Berry 296
PKU sphere20 Vanilla 296
Pku Start 295
Plendil ER 50
Pneumococcal (PCV13) conjugate vaccine 317
Pneumococcal (PPV23) polysaccharide vaccine 318
Pneumovax 23 318
Podophyllotoxin 76
Polaramine 263
Poliomyelitis vaccine 318
Poloxamer 24
Poly-Tears 275
Poly-Visc 276
Polycal 281
Polyethylene glycol 400 and propylene glycol 276
Pomalidomide 163
Pomolide 163
Ponstan 116
Posaconazole 101
Posaconazole Juno 101
Potassium chloride 44–45
Potassium citrate 82
Potassium iodate 33
Povidone iodine 72
Pradaxa 43
Pramipexole hydrochloride 122
Pravastatin 54
Praziquantel 93
Prazosin 46
Prazosin Mylan 46
Pred Forte 274
Prednisolone 85
Prednisolone acetate 274
Prednisolone sodium phosphate 274
Prednisolone-AFT 274
Prednisone 85
Prednisone Clinect 85
Pregabalin 132
Pregabalin Pfizer 132

Pregnancy Tests - hCG Urine 81
Premarin 86
Presolol 49
Prevenar 13 317
Priadel 136
Primaquine 103
Primidone 132
Primidone Clinect 132
Primolut N 87
Priorix 314
Probenecid 120
Probenecid-AFT 120
Procarbazine hydrochloride 163
Prochlorperazine 135
Prochlorperazine maleate (Brown & Burk) 135
Proctofoam 7
Proctosedyl 8
Procyclidine hydrochloride 122
Progesterone 87
Proglicem 10
Progynova 86
Prolia 117
Promethazine hydrochloride 263
Propafenone hydrochloride 49
Propranolol 50
Propylene glycol 280
Propylthiouracil 87
Prostacur 178
Protaphane 11
Protaphane Penfill 11
Protifar 283
Protionamide 105
Provera 86
Provera HD 87
Psoriasis and Eczema Preparations 73
PTU 87
Pulmicort Turbuhaler 264
Pulmozyme 269
Puri-nethol 157
Puritan's Pride Vitamin B-2 100 mg 28
Pyrazinamide 105
Pyridostigmine bromide 116
Pyridoxine hydrochloride 32
Pyridoxine multichem 32

- Q -

Quantalan sugar free 54
Quetapel 137
Quetiapine 137
Quetiapine Viatris 137
Quinapril 47
Qvar 263

- R -

RA-Morph 127
Ralicrom 8
Raloxifene hydrochloride 118
Raltegravir potassium 112
Ramipex 122
Ramipril 47
Ranbaxy-Cefaclor 93
Rapamune 256
Rasagiline 122
Reandron 1000 85
Recombinant factor IX 37, 39
Recombinant factor VIIa 38
Recombinant factor VIII 39
Rectogesic 8
Redipred 85
Relieve 116
Relistor 24
Remdesivir 110
Remicade 207
Renilon 7.5 287
Resonium-A 45
Resource Beneprotein 283
Respiratory Devices 271
Respiratory Stimulants 271
Retinol palmitate 276
ReTrieve 68
Retrovir 112
Revolade 37
Ribociclib 174
Riboflavin 28
Ribomustin 153
Ricit 81
Ricovir 106
Rifabutin 105
Rifadin 105
Rifadin Sanofi 105
Rifamazid 105
Rifampicin 105
Rifaximin 10
Rifinah 105
Rilutek 123
Riluzole 123
Rinvoq 258
Riodine 72
Risdiplam 144
Risedronate Sandoz 119
Risedronate sodium 119
Risperdal 137
Risperdal Consta 139
Risperidone 137, 139
Risperidone (Teva) 137
Risperon 137
Ritalin 147
Ritalin LA 148
Ritonavir 112
Rituximab (Mabthera) 221
Rituximab (Riximyo) 222
Rivaroxaban 43
Rivastigmine 149
Rivastigmine Patch BNM 10 149
Rivastigmine Patch BNM 5 149
Rivotril 131
Riximyo 222
RIXUBIS 39
Rizamelt 134
Rizatriptan 134
Robinul 8
Roma 45
Ropin 122
Ropinirole hydrochloride 122
Rosemont 128
Rosuvastatin 54
Rosuvastatin - Sandoz 54
Rosuvastatin Viatris 54
Rosuvastatin-Sandoz 54
Rotarix 319
Rotavirus oral vaccine 319
Roxane-Propranolol 50
Roxithromycin 95
Rozlytrek 169
Rubifen 147
Rubifen SR 147
Rugby 35
Rurioctocog alfa pegol [Recombinant factor VIII] 39
Ruxolitinib 175
Rydapt 171
Rythmodan - Cheplafarm 48
Rythmodan Neon 48
Rytmonorm 49
Ryzodeg 70/30 Penfill 10

- S -

Sabril 133
Sacubitril with valsartan 47
SalAir 265
Salazopyrin 8
Salazopyrin EN 8
Salbutamol 265
Salbutamol with ipratropium bromide 265
Salicylic acid 75
Salmeterol 264
Sandomigran 134
Sandostatin LAR 181
Sanofi Primaquine 103
Sapropterin dihydrochloride 28
Scalp Preparations 75
Scopolamine Transdermal System Viatris 135
Sebizole 75
Secukinumab 232
Sedatives and Hypnotics 143
Seebri Breezhaler 266

Senna ... 25
Senokot ... 25
SensoCard ... 16
Serc ... 134
Serenace ... 136
Seretide ... 265
Seretide Accuhaler ... 265
Serevent ... 264
Serevent Accuhaler ... 264
Sertraline ... 130
Setrona ... 130
Sevredol ... 128
Sex Hormones Non Contraceptive ... 85
Shingles vaccine ... 321
Shingrix ... 321
SII-Onco-BCG ... 186
Sildenafil ... 61
Siltuximab ... 234
Simvastatin ... 55
Simvastatin Mylan ... 55
Simvastatin Viatris ... 55
Sinemet ... 122
Sinemet CR ... 122
Sintetica Baclofen Intrathecal ... 120
Sirolimus ... 256
Sirturo ... 104
Siterone ... 85
Slow-Lopresor ... 49
Sodibic ... 45
Sodium acid phosphate ... 24
Sodium alginate ... 6
Sodium benzoate ... 29
Sodium bicarbonate
Blood ... 44–45
Extemporaneous ... 280
Sodium calcium edetate ... 278
Sodium chloride
Blood ... 44
Respiratory ... 270
Sodium citrate with sodium lauryl sulphoacetate ... 24
Sodium citro-tartrate ... 82
Sodium cromoglicate
Alimentary ... 8
Sensory ... 274
Sodium Fusidate [fusidic acid]
Dermatological ... 68
Infection ... 99
Sensory ... 272
Sodium hyaluronate [Hyaluronic acid] ... 276
Sodium phenylbutyrate ... 29
Sodium picosulfate ... 25
Sodium polystyrene sulphonate ... 45
Sodium tetradecyl sulphate ... 39
Sodium valproate ... 132
Sofradex ... 272
Soframycin ... 272
Solax ... 24
Solgar ... 26, 28–29
Solifenacin succinate ... 82
Solifenacin succinate Max Health ... 82
Solu-Cortef ... 84
Solu-Medrol ... 85
Solu-Medrol-Act-O-Vial ... 85
Somatropin (Omnitrope) ... 88
Somatuline Autogel ... 180
Somex ... 8
Sotalol ... 50
Spacer device ... 271
Span-K ... 45
Spazmol ... 8
Spinal Muscular Atrophy ... 144
Spinraza ... 144
Spiolto Respimat ... 266
Spiractin ... 52
Spiriva ... 266
Spiriva Respimat ... 266
Spironolactone ... 52
Stalevo ... 122
Staphlex ... 96
Stelara ... 241
Stemetil ... 135
Steril-Gene ... 85
SteroClear ... 270
Stesolid ... 130
Stimulants/ADHD Treatments ... 145
Stiripentol ... 132
Stomahesive ... 31
Strides Shasun ... 101
Stromectol ... 73
Sucralfate ... 10
Sulfadiazin-Heyl ... 99
Sulfadiazine Silver ... 68
Sulfadiazine sodium ... 99
Sulfasalazine ... 8
Sulphur ... 75
Sulprix ... 135
Sumagran ... 134
Sumatriptan ... 134
Sunitinib ... 175
Sunitinib Pfizer ... 175
Sunitinib Rex ... 175
Sunscreens ... 76
Sunscreens, proprietary ... 76
Sustagen Hospital Formula ... 291
Sustanon Ampoules ... 85
Sylvant ... 234
Symbicort Turbuhaler 100/6 ... 264
Symbicort Turbuhaler 200/6 ... 264
Symbicort Turbuhaler 400/12 ... 264
Symmetrel ... 122
Sympathomimetics ... 56
Synacthen ... 85
Synacthen Depot ... 85
Synacthene Retard ... 85
Synagis ... 218
Synthroid ... 87
Syntometrine ... 81
Syrup (pharmaceutical grade) ... 280
Systane Unit Dose ... 276

- T -

Tacrolimus
Dermatological ... 75
Oncology ... 258
Tacrolimus Sandoz ... 258
Tafinlar ... 167
Tagrisso ... 172
Taliglucerase alfa ... 30
Tambocor ... 48
Tambocor German ... 48
Tamoxifen citrate ... 179
Tamoxifen Sandoz ... 179
Tamsulosin hydrochloride ... 81
Tamsulosin-Rex ... 81
Tandem Cartridge ... 18
Tandem t:slim X2 with Basal-IQ ... 17
Tandem t:slim X2 with Control-IQ+ ... 17
Tap water ... 280
Taro ... 101
Tasigna ... 171
Tasmar ... 122
Taurine ... 29
TCu 380 Plus Normal ... 79
Tecentriq ... 244
Tecfidera ... 141
TEEVIR ... 111
Tegretol ... 131
Tegretol CR ... 131
Telfast ... 263
Temaccord ... 163
Temazepam ... 144
Temozolomide ... 163
Temozolomide-Taro ... 163
Tenofovir disoproxil ... 106
Tenofovir Disoproxil Emtricitabine Mylan ... 108
Tenofovir Disoproxil Emtricitabine Viatr ... 108
Tenofovir Disoproxil Viatris ... 106
Tenoxicam ... 116
Tensipine MR10 ... 51
Tepadina ... 155
Terbinafine ... 102
Terbutaline sulphate ... 265

Teriflunomide 141
Teriflunomide Sandoz 141
Teriparatide 119
Teriparatide - Teva 119
Testogel 85
Testosterone 85
Testosterone cipionate 85
Testosterone esters 85
Testosterone undecanoate 85
Tetrabenazine 123
Tetrabromophenol 82
Tetracosactrin 85
Tetracycline 97
Teva Lisinopril 46
Teva-Ketoconazole 101
Thalidomide 164
Thalomid 164
Theophylline 269
Thiamine hydrochloride 32
Thiamine multichem 32
THIO-TEPA 155
Thioguanine 157
Thiotepa 155
Thyroid and Antithyroid Agents 87
Ticagrelor 40
Ticagrelor Mylan 40
Ticagrelor Sandoz 40
Ticagrelor Sandoz S29 40
Tilcotil 116
Timolol 274
Tiotropium bromide 266
Tiotropium bromide with
olodaterol 266
Tivicay 112
TMP 100
Tobramycin
Infection 99
Sensory 272
Tobramycin (Viatris) 99
Tobramycin BNM 99
Tobrex 272
Tocilizumab 234
Tofranil 129
Tolcapone 122
Tolvaptan 53
Topamax 133
Topical Products for Joint and
Muscular Pain 117
Topiramate 133
Topiramate Actavis 133
Total parenteral nutrition (TPN) 44
TPN 44
Tramadol hydrochloride 129
Tramal SR 100 129
Tramal SR 150 129
Tramal SR 200 129
Trametinib 176
Trandate 49
Tranexamic acid 40
Tranexamic-AFT 40
Tranylcypromine sulphate 129
Trastuzumab (Herzuma) 238
Trastuzumab deruxtecan 240
Trastuzumab emtansine 240
Travatan 274
Travoprost 274
Treatments for Dementia 149
Treatments for Substance
Dependence 150
Trelegy Ellipta 267
Trental 400 56
Tretinoin
Dermatological 68
Oncology 164
Trexate 157
Triamcinolone acetonide
Alimentary 31
Dermatological 70
Hormone 85
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological 71
Sensory 272
Trientine 30
Trientine Waymade 30
Trikafta 269
Trimethoprim 100
Trimethoprim with
sulphamethoxazole
[Co-trimoxazole] 100
Trisequens 87
Trisul 100
Trophic Hormones 88
Tropicamide 275
Trulicity 12
TruSteel 19
Tryzan 47
Tuberculin PPD [Mantoux] test 321
Tubersol 321
Two Cal HN 293
TYR Anamix Infant 297
TYR Anamix Junior 297
TYR Anamix Junior LQ 297
TYR Explore 5 297
TYR Lophlex LQ 20 297
TYR Sphere 20 297
Tyrosine1000 298
Tysabri 141
- U -
UK Cipla 265
UK Synacthen 85
Ultibro Breezhaler 266
Ultraproct 8
Umeclidinium 266
Umeclidinium with vilanterol 266
Univent 265, 271
Upadacitinib 258
Ural 82
Urea 72
Urex Forte 52
Urinary Agents 81
Urinary Tract Infections 114
UroFos 114
Uromitexan 160
Ursodeoxycholic acid 23
Ursosan 23
Ustekinumab 241
Utrogestan 87
- V -
Vabysmo 206
Vaccinations 304
Vaclovir 106
Valaciclovir 106
Valganciclovir 106
Valganciclovir Viatris 106
Valine50 298
Valni Retard 51
Vancomycin 100
Vancomycin Viatris 100
Vannair 264
Varenicline tartrate 152
Varicella vaccine [Chickenpox
vaccine] 320
Varicella zoster vaccine [Shingles
vaccine] 321
Varilrix 320
Various 277
VariSoft 21
Vasodilators 56
Vasopressin Agonists 92
Vasorex 50
Vebulis 64
Vebulis S29 64
Vedafil 61
Vedolizumab 242
Vegzelma 203
Veklury 110
Veletri 62
Venclexta 164
Venetoclax 164
Venlafaxine 130
Venomil 262–263
VENOX 262
Ventolin 265
Vepesid 159
Verapamil hydrochloride 51
Vermox 93
Versacloz 136

Vesanoid....164
Vexazone....12
Vfend....102
Viaderm KC....71
Victoza....12
Vigabatrin....133
Vigisom....143
Vildagliptin....12
Vildagliptin with metformin
hydrochloride....12
Vimpat....131
Vinblastine sulphate....165
Vincristine sulphate....165
Vinorelbine....166
Vinorelbine Ebewe....166
Vinorelbine Te Arai....166
Viramune Suspension....111
ViruPOS....272
Vit.D3....32
VitA-POS....276
Vitabdeck....33
Vital....287
Vitamin B complex....32
Vitamin B6 25....32
Vitamins....31, 33
Vivonex TEN....287
Voltaren....116
Voltaren D....116
Voltaren SR....116
Volumatic....271
Voriconazole....102
Vttack....102
Vyvanse....146

- W -

Warfarin sodium....43
Wart Preparations....76
Wasp venom allergy treatment....263
Water
Blood....45
Extemporaneous....280
White Soft Liquid Paraffin AFT....72
Wool fat with mineral oil....72

- X -

Xalkori....166
Xaluprine....157
Xarelto....43
Xgeva....117
Xifaxan....10
XMET Maxamum....294
Xolair....217
Xolair AU....217
XP Maxamum....295
Xylocaine....124
Xylocaine 2% Jelly....123
Xylocaine Viscous....124
Xylocard 500....124
Xyntha....39

- Y -

Yervoy....246

- Z -

Zarontin....131
Zaroxolyn....53
Zavedos....159
Zeffix....106
Zejula....160
Zematop....75
Zetlam....106
Ziagen....111
Zidovudine....112
Zidovudine with lamivudine....112
Ziextenzo....43
Zimybe....55
Zinc and castor oil....71
Zinc sulphate....35
Zincaps....35
Zincaps S29....35
Ziprasidone....137
Zista....263
Zithromax....94
Zo-Rub HP....124
Zo-Rub Osteo....117
Zoladex....92
Zoledronic acid
Hormone....84
Musculoskeletal....119
Zoledronic acid Injection Mylan....84
Zoledronic acid Viatris
Hormone....84
Musculoskeletal....119
Zopiclone....144
Zopiclone Actavis....144
Zostrix....117
Zostrix HP....124
Zuclopenthixol decanoate....139
Zuclopenthixol hydrochloride....137
Zusdone....137
Zyban....151
Zypine....136
Zypine ODT....136
Zyprexa Relprevv....138
Zytiga....178
Zyvox....105