

March 2026

Volume 33

Editors:

Kaye Wilson, Doris Chong, Teresa Tay
email: enquiry@pharmac.govt.nz
Telephone +64 4 460 4990
Level 9, 40 Mercer Street
PO Box 10 254 Wellington

Freephone Information Line

0800 66 00 50 (9am – 5pm weekdays)

Circulation

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month by subscribing at pharmac.govt.nz/subscribe.

Production

Typeset automatically from XML and T_EX.
XML version of the Schedule available from schedule.pharmac.govt.nz/pub/schedule

Programmers

Anrik Drenth

email: texschedule@pharmac.govt.nz
©Pharmaceutical Management Agency



ISSN 1179-3686

This work is licensed under the Creative Commons Attribution 4.0 International licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to Pharmac and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/by/4.0/.

Attribution to Pharmac should be in written form and not by reproduction of the Pharmac logo. While care has been taken in compiling this Schedule, Pharmac takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing Pharmac **2**

Section A General Rules **5**

Section B Alimentary Tract & Metabolism **6**

Blood & Blood Forming Organs **37**

Cardiovascular System **47**

Dermatologicals **68**

Genito Urinary System **78**

Hormone Preparations – Systemic **84**

Infections – Agents For Systemic Use **94**

Musculoskeletal System **117**

Nervous System **123**

Oncology Agents & Immunosuppressants **154**

Respiratory System & Allergies **263**

Sensory Organs **273**

Various **278**

Section C Extemporaneous Compounds (ECPs) **280**

Section D Special Foods **282**

Section I National Immunisation Schedule **305**

Index **323**

Introducing Pharmac

The Pharmaceutical Management Agency (Pharmac) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. Pharmac negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list.

Pharmac's role:

“to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.”

Pae Ora (Healthy Futures) Act 2022

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about Pharmac and the way we make funding decisions can be found on the Pharmac website at <https://pharmac.govt.nz/about>.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in Health NZ Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in Health NZ Hospitals for which national prices have been negotiated by Pharmac.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to Health NZ Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements Pharmac has with the supplier and, for Pharmaceuticals used in Health NZ Hospitals, on any logistics arrangements put in place.

This book contains sections A to D and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in Health NZ Hospitals. Section H lists the Pharmaceuticals that can be used in Health NZ Hospitals and is a separate publication.

The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example

		Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
		\$	Per	Manufacturer
ANATOMICAL HEADING				
THERAPEUTIC HEADING				
CHEMICAL				
Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.	▲ Presentation, form and strength	10.00	100	Brand A ✓ Brand B
	Presentation - Available on a PSO	15.00	50	✓ Brand C
Practitioner's Supply Order	Presentation - Retail pharmacy-specialist	18.00	250 ml OP	✓ Brand D
	a) Prescriptions must be written by a paediatrician or paediatric cardiologist; or b) on the recommendation of a paediatrician or a paediatric cardiologist			
Conditions of and restrictions on prescribing (including Special Authority where it applies)				
Three months or six months, as applicable, dispensed at one time	⊛ Presentation, form and strength	26.53	100	Brand E
		(35.27)		
Sole Supply/Principal Supply ▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. ✓ Fully Subsidised				

Brand or manufacturer's name

Sole Subsidised Supply product or Principal Supply Status

Fully subsidised product

Original Pack - Subsidy is rounded up to a multiple of whole packs

Quantity the Subsidy applies to

Subsidy paid on a product before mark-ups and GST

Manufacturer's Price if different from Subsidy

Glossary

Units of Measure

gram g
kilogram kg
international unit iu

microgram mcg
milligram mg
millilitre ml

millimole mmol
unit u

Abbreviations

Ampoule Amp
Capsule Cap
Cream Crm
Device Dev
Dispersible Disp
Effervescent Eff
Emulsion Emul
Enteric Coated EC

Gelatinous Gel
Granules Gran
Infusion Inf
Injection Inj
Liquid Liq
Long Acting LA
Ointment Oint
Sachet Sach

Solution Soln
Suppository Supp
Tablet Tab
Tincture Tinc
Trans Dermal Delivery
System TDDS

Read the [General Rules](https://pharmac.govt.nz/section-a) : <https://pharmac.govt.nz/section-a>.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Antacids and Antiflatulents

Antacids and Reflux Barrier Agents

ALGINIC ACID

Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet.....	8.06	30	✓	Gaviscon Infant
---	------	----	---	------------------------

SODIUM ALGINATE

* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour.....	1.80 (17.99)	60		Gaviscon Extra Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml.....	1.50 (7.50)	500 ml		Acidex

Phosphate Binding Agents

ALUMINIUM HYDROXIDE

* Tab 600 mg	12.56	100	✓	Alu-Tab
--------------------	-------	-----	---	----------------

CALCIUM CARBONATE

Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) –				
Subsidy by endorsement.....	39.00 47.30	500 ml 473 ml	✓	Roxane ✓ Calcium carbonate PAI ^{S29}

Only when prescribed for patients unable to swallow calcium carbonate tablets or where calcium carbonate tablets are inappropriate and the prescription is endorsed accordingly.

Antidiarrhoeals

Agents Which Reduce Motility

LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO

* Tab 2 mg	10.75	400	✓	Nodia
* Cap 2 mg.....	12.00	400	✓	Diamide Relief

Rectal and Colonic Anti-inflammatories

BUDESONIDE

Cap modified-release 3 mg – Special Authority see SA2535 below – Retail pharmacy	33.38	90	✓	Budesonide Te Arai
---	-------	----	---	---------------------------

➔ [SA2535](#) Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an unapproved indication.

Initial application — (non-cirrhotic autoimmune hepatitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has autoimmune hepatitis*; and
- 2 Patient does not have cirrhosis; and
- 3 Any of the following:
 - 3.1 Diabetes; or
 - 3.2 Cushingoid habitus; or
 - 3.3 Osteoporosis where there is significant risk of fracture; or
 - 3.4 Severe acne following treatment with conventional corticosteroid therapy; or
 - 3.5 History of severe psychiatric problems associated with corticosteroid treatment; or
 - 3.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
 - 3.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated); or
 - 3.8 Adolescents with poor linear growth (where conventional corticosteroid use may limit further growth) .

Note: Indication marked with * is an unapproved indication.

Renewal — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (non-cirrhotic autoimmune hepatitis) from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)..... 57.09 15 g OP ✓ Colifoam

HYDROCORTISONE ACETATE WITH PRAMOXINE HYDROCHLORIDE

Topical aerosol foam, 1% with pramoxine hydrochloride 1%..... 26.55 10 g OP ✓ Proctofoam S29

MESALAZINE

Tab 400 mg	49.50	100	✓ Asacol
	71.00	90	✓ Octasa S29
Tab long-acting 500 mg.....	56.10	100	✓ Pentasa
Tab 800 mg	85.50	90	✓ Asacol
			✓ Asacol S29 S29
Tab 1,600 mg	85.50	60	✓ Asacol S29
Modified release granules, 1 g	118.10	100 OP	✓ Pentasa
Enema 1 g per 100 ml	41.30	7	✓ Pentasa
Suppos 500 mg	22.80	20	✓ Asacol
Suppos 1 g	50.96	28	✓ Pentasa

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OLSALAZINE				
Tab 500 mg	56.02	60	✓	Atnahs Olsalazine ^{S29}
	93.37	100	✓	Dipentum
Cap 250 mg	53.00	100	✓	Dipentum
SODIUM CROMOGLICATE				
Cap 100 mg	44.50	20	✓	Nalcrom ^{S29}
	113.35	100	✓	Ralicrom
	125.70		✓	Allergoval ^{S29}
	365.00		✓	Somex ^{S29}
SULFASALAZINE				
* Tab 500 mg	19.49	100	✓	Salazopyrin
* Tab EC 500 mg	20.54	100	✓	Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE				
Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cinchocaine hydrochloride 5 mg per g	13.05	30 g OP	✓	Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg	8.61	12	✓	Ultraproct
HYDROCORTISONE WITH CINCHOCAINE				
Oint 5 mg with cinchocaine hydrochloride 5 mg per g	15.00	30 g OP	✓	Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g	9.90	12	✓	Proctosedyl
PREDNISOLONE HEXANOATE WITH CINCHOCAINE HYDROCHLORIDE				
Suppos 1.3 mg with cinchocaine hydrochloride 1 mg per g	8.61	12	✓	Scheriproct ^{S29}

Management of Anal Fissures

GLYCERYL TRINITRATE – Special Authority see [SA1329 below](#) – Retail pharmacy

* Oint 0.2%	22.00	30 g OP	✓	Rectogesic
-------------------	-------	---------	---	-------------------

► [SA1329](#) Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

Antispasmodics and Other Agents Altering Gut Motility

GLYCOPYRRONIUM BROMIDE				
Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available on a PSO	11.99	10	✓	Glycopyrronium- AFT
	19.00	5	✓	Robinul
<i>(Robinul Inj 200 mcg per ml, 1 ml ampoule to be delisted 1 July 2026)</i>				
HYOSCINE BUTYLBROMIDE				
* Tab 10 mg	2.25	20	✓	Hyoscine Butylbromide (Adiramédica)
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	1.91	5	✓	Spazmol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
MEBEVERINE HYDROCHLORIDE				
* Tab 135 mg	8.50	90	✓	Colofac

Antiulcerants

Antisecretory and Cytoprotective

MISOPROSTOL – Wastage claimable				
* Tab 200 mcg – Up to 120 tab available on a PSO	47.73	120	✓	Cytotec

Helicobacter Pylori Eradication

CLARITHROMYCIN				
Tab 500 mg – Subsidy by endorsement.....	14.58	14	✓	Klacid
a) Maximum of 28 tab per prescription				
b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.				
Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.				

H2 Antagonists

FAMOTIDINE – Only on a prescription				
* Tab 20 mg	4.86	100	✓	Famotidine Hovid ^{S29}
* Tab 40 mg	10.27	100	✓	Famotidine Hovid MY ^{S29}
* Inj 10 mg per ml, 4 ml – Subsidy by endorsement	CBS	10	✓	Mylan ^{S29}
Subsidy by endorsement – Subsidised for patients receiving treatment as part of palliative care.				

Proton Pump Inhibitors

LANSOPRAZOLE				
* Cap 15 mg	4.04	100	✓	Lanzol Relief
* Cap 30 mg	5.43	100	✓	Lanzol Relief
OMEPRAZOLE				
For omeprazole suspension refer Standard Formulae, page 280				
* Cap 10 mg	2.06	90	✓	Omeprazole Teva Omeprazole actavis 10
* Cap 20 mg	2.02	90	✓	Omeprazole Teva Omeprazole actavis 20
* Cap 40 mg	3.18	90	✓	Omeprazole Teva Omeprazole actavis 40
* Powder – Only in combination.....	52.00	5 g	✓	Midwest
Only in extemporaneously compounded omeprazole suspension.				
* Inj 40 mg ampoule with diluent.....	37.38	5	✓	Dr Reddy's Omeprazole Ocicure ^{S29}

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PANTOPRAZOLE				
* Tab EC 20 mg	1.81	90	✓	Panzop Relief
Panzop Relief to be Principal Supply on 1 May 2026				
* Tab EC 40 mg	2.70	90	✓	Panzop Relief
Panzop Relief to be Principal Supply on 1 May 2026				

Site Protective Agents

COLLOIDAL BISMUTH SUBCITRATE				
Tab 120 mg	14.51	50	✓	Gastrodenol ^{S29}
SUCRALFATE				
Tab 1 g	35.50 (48.28)	120		Carafate

Bile and Liver Therapy

RIFAXIMIN – Special Authority see SA1461 below – Retail pharmacy				
Tab 550 mg	625.00	56	✓	Xifaxan

►SA1461 Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Diabetes

Hyperglycaemic Agents

DIAZOXIDE – Special Authority see SA1320 below – Retail pharmacy				
Cap 25 mg	110.00	100	✓	Proglicem ^{S29}
Cap 100 mg	280.00	100	✓	Proglicem ^{S29}
Oral liq 50 mg per ml	620.00	30 ml OP	✓	e5 Pharma ^{S29}

►SA1320 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

GLUCAGON HYDROCHLORIDE				
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	✓	Glucagen Hypokit

Insulin - Short-acting Preparations

INSULIN NEUTRAL				
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓	Actrapid Penfill
			✓	Humulin R
▲ Inj human 100 u per ml, 10 ml vial	25.26	1 OP	✓	Actrapid
			✓	Humulin R

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
Insulin - Intermediate-acting Preparations			
INSULIN ASPART WITH INSULIN ASPART PROTAMINE			
▲ Inj 100 u per ml, 3 ml prefilled pen.....	52.15	5	✓ NovoMix 30 FlexPen
INSULIN DEGLUDEC WITH INSULIN ASPART			
▲ Inj degludec 70 u with insulin aspart 30 u, 100 u per ml, 3 ml.....	80.00	5	✓ Ryzodeg 70/30 Penfill
INSULIN ISOPHANE			
▲ Inj human 100 u per ml, 3 ml.....	29.86	5	✓ Humulin NPH ✓ Protaphane Penfill
▲ Inj human 100 u per ml, 10 ml vial.....	17.68	1 OP	✓ Humulin NPH ✓ Protaphane
INSULIN ISOPHANE WITH INSULIN NEUTRAL			
▲ Inj human with neutral insulin 100 u per ml, 3 ml.....	42.66	5	✓ Humulin 30/70 ✓ PenMix 30
▲ Inj human with neutral insulin 100 u per ml, 10 ml vial.....	25.26	1 OP	✓ Humulin 30/70
<i>(PenMix 30 Inj human with neutral insulin 100 u per ml, 3 ml to be delisted 1 May 2026)</i>			
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml.....	42.66	5	✓ Humalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml.....	42.66	5	✓ Humalog Mix 50
Insulin - Long-acting Preparations			
INSULIN GLARGINE			
▲ Inj 100 u per ml, 10 ml.....	63.00	1	✓ Lantus
▲ Inj 100 u per ml, 3 ml.....	94.50	5	✓ Lantus
▲ Inj 100 u per ml, 3 ml disposable pen.....	94.50	5	✓ Lantus SoloStar
Insulin - Rapid Acting Preparations			
INSULIN ASPART			
▲ Inj 100 u per ml, 10 ml.....	30.03	1	✓ NovoRapid
▲ Inj 100 u per ml, 3 ml.....	51.19	5	✓ NovoRapid Penfill
▲ Inj 100 u per ml, 3 ml syringe.....	51.19	5	✓ NovoRapid FlexPen
INSULIN GLULISINE			
▲ Inj 100 u per ml, 10 ml.....	27.03	1	✓ Apidra
▲ Inj 100 u per ml, 3 ml.....	46.07	5	✓ Apidra
▲ Inj 100 u per ml, 3 ml disposable pen.....	46.07	5	✓ Apidra SoloStar
INSULIN LISPRO			
▲ Inj 100 u per ml, 3 ml.....	59.52	5	✓ Humalog
▲ Inj 100 u per ml, 10 ml vial.....	34.92	1 OP	✓ Humalog
Alpha Glucosidase Inhibitors			
ACARBOSE			
* Tab 50 mg.....	11.20	90	✓ Accarb
* Tab 100 mg.....	17.38	90	✓ Accarb

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	7.50	100	✓	Daonil
GLICLAZIDE				
* Tab 80 mg	20.10	500	✓	Glizide
GLIPIZIDE				
* Tab 5 mg	6.86	100	✓	Minidiab
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg	14.74	1,000	✓	Metformin Viatris
* Tab immediate-release 850 mg	11.28	500	✓	Metformin Viatris
PIOGLITAZONE				
* Tab 15 mg	6.15	90	✓	Vexazone
* Tab 30 mg	7.25	90	✓	Vexazone
* Tab 45 mg	12.00	90	✓	Vexazone
VILDAGLIPTIN				
* Tab 50 mg	35.00	60	✓	Galvus
VILDAGLIPTIN WITH METFORMIN HYDROCHLORIDE				
* Tab 50 mg with 1,000 mg metformin hydrochloride	35.00	60	✓	Galvumet
* Tab 50 mg with 850 mg metformin hydrochloride	35.00	60	✓	Galvumet

GLP-1 Agonists

DULAGLIPTIN – Special Authority see [SA2509 below](#) – Retail pharmacy

Note: Not to be given in combination with another funded GLP-1 agonist or empagliflozin / empagliflozin with metformin hydrochloride unless receiving empagliflozin / empagliflozin with metformin hydrochloride for the treatment of heart failure.

Inj 1.5mg per 0.5 ml pre-filled pen 115.23 4 ✓ **Trulicity**

➔SA2509 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has type 2 diabetes; and
- 2 Target HbA1c (of 53 mmol/mol or less) has not been achieved despite the regular use of all of the following funded blood glucose lowering agents for a period of least 6 months, where clinically appropriate: empagliflozin, metformin, and vildagliptin; and
- 3 Any of the following:
 - 3.1 Patient is Māori or any Pacific ethnicity*; or
 - 3.2 Patient has pre-existing cardiovascular disease or risk equivalent (see note a)*; or
 - 3.3 Patient has an absolute 5-year cardiovascular disease risk of 15% or greater according to a validated cardiovascular risk assessment calculator*; or
 - 3.4 Patient has a high lifetime cardiovascular risk due to being diagnosed with type 2 diabetes during childhood or as a young adult*; or
 - 3.5 Patient has diabetic kidney disease (see note b)*.

Notes: * Criteria intended to describe patients at high risk of cardiovascular or renal complications of diabetes.

- a) Pre-existing cardiovascular disease or risk equivalent defined as: prior cardiovascular disease event (i.e. angina, myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, transient ischaemic attack, ischaemic stroke, peripheral vascular disease), congestive heart failure or familial hypercholesterolaemia.

continued...

ALIMENTARY TRACT AND METABOLISM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

3 Either:

- 3.1 Patient has a documented left ventricular ejection fraction (LVEF) of less than or equal to 40%; or
- 3.2 An ECHO is not reasonably practicable, and in the opinion of the treating practitioner the patient would benefit from treatment; and

4 Patient is receiving concomitant optimal standard funded chronic heart failure treatment.

Initial application — (Type 2 Diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has previously received an initial approval for a GLP-1 agonist; or
- 2 All of the following:
 - 2.1 Patient has type 2 diabetes; and
 - 2.2 Any of the following:
 - 2.2.1 Patient is Māori or any Pacific ethnicity*; or
 - 2.2.2 Patient has pre-existing cardiovascular disease or risk equivalent (see note a)*; or
 - 2.2.3 Patient has an absolute 5-year cardiovascular disease risk of 15% or greater according to a validated cardiovascular risk assessment calculator*; or
 - 2.2.4 Patient has a high lifetime cardiovascular risk due to being diagnosed with type 2 diabetes during childhood or as a young adult*; or
 - 2.2.5 Patient has diabetic kidney disease (see note b)*; and
 - 2.3 Target HbA1c (of 53 mmol/mol or less) has not been achieved despite the regular use of at least one blood-glucose lowering agent (e.g. metformin, vildagliptin, or insulin) for at least 3 months.

Notes: * Criteria intended to describe patients at high risk of cardiovascular or renal complications of diabetes.

- a) Pre-existing cardiovascular disease or risk equivalent defined as: prior cardiovascular disease event (i.e. angina, myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, transient ischaemic attack, ischaemic stroke, peripheral vascular disease), congestive heart failure or familial hypercholesterolaemia.
- b) Diabetic kidney disease defined as: persistent albuminuria (albumin:creatinine ratio greater than or equal to 3 mg/mmol, in at least two out of three samples over a 3-6 month period) and/or eGFR less than 60 mL/min/1.73m² in the presence of diabetes, without alternative cause.
- c) Funded [empagliflozin / empagliflozin with metformin hydrochloride] treatment is not to be given in combination with a funded GLP-1 unless receiving (empagliflozin / empagliflozin with metformin hydrochloride) for the treatment of heart failure.

EMPAGLIFLOZIN – Special Authority see [SA2408 on the previous page](#) – Retail pharmacy

* Tab 10 mg	58.56	30	✓ Jardiance
* Tab 25 mg	58.56	30	✓ Jardiance

EMPAGLIFLOZIN WITH METFORMIN HYDROCHLORIDE – Special Authority see [SA2408 on the previous page](#) – Retail pharmacy

* Tab 5 mg with 1,000 mg metformin hydrochloride	58.56	60	✓ Jardiamet
* Tab 5 mg with 500 mg metformin hydrochloride	58.56	60	✓ Jardiamet
* Tab 12.5 mg with 1,000 mg metformin hydrochloride	58.56	60	✓ Jardiamet
* Tab 12.5 mg with 500 mg metformin hydrochloride	58.56	60	✓ Jardiamet

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST STRIP – Subsidy by endorsement

- a) Not on a BSO
 - b) Maximum of 20 strip per prescription
 - c) Up to 10 strip available on a PSO
 - d) Patient has any of the following:
 - 1) type 1 diabetes; or
 - 2) permanent neonatal diabetes; or
 - 3) undergone a pancreatectomy; or
 - 4) cystic fibrosis-related diabetes; or
 - 5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.
- The prescription must be endorsed accordingly.

Test strips 15.50 10 strip OP ✓ **KetoSens**

Dual Blood Glucose and Blood Ketone Testing

DUAL BLOOD GLUCOSE AND BLOOD KETONE DIAGNOSTIC TEST METER – Subsidy by endorsement

- a) Maximum of 1 pack per prescription
 - b) Up to 1 pack available on a PSO
 - c) A dual blood glucose and blood ketone diagnostic test meter is subsidised for a patient who has:
 - 1) type 1 diabetes; or
 - 2) permanent neonatal diabetes; or
 - 3) undergone a pancreatectomy; or
 - 4) cystic fibrosis-related diabetes; or
 - 5) metabolic disease or epilepsy under the care of a paediatrician, neurologist or metabolic specialist.
- The prescription must be endorsed accordingly. Only 1 meter per patient will be subsidised (no repeat prescriptions). For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

Meter with 50 lancets, a lancing device and 10 blood glucose
diagnostic test strips 20.00 1 OP ✓ **CareSens Dual**

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per ✓	

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
 - 1) is receiving insulin or sulphonylurea therapy; or
 - 2) is pregnant with diabetes; or
 - 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
 - 4) has a genetic or an acquired disorder of glucose homeostasis, excluding type 1 or type 2 diabetes and metabolic syndrome.

The prescription must be endorsed accordingly. Only one CareSens meter per patient will be subsidised (no repeat prescriptions). Patients already using the CareSens N POP meter and CareSens N meter are not eligible for a new meter, unless they have:

- 1) type 1 diabetes; or
- 2) permanent neonatal diabetes; or
- 3) undergone a pancreatectomy; or
- 4) cystic fibrosis-related diabetes.

For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a funded CareSens meter.

Meter with 50 lancets, a lancing device and 10 diagnostic test strips.....	10.00	1 OP	✓ CareSens N ✓ CareSens N POP ✓ CareSens N Premier
	20.00		

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP – Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Test strips.....	10.56	50 test OP	✓ CareSens N ✓ CareSens PRO
------------------	-------	------------	--------------------------------

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips.....	33.69	50 test OP	✓ SensoCard
--------------------------------	-------	------------	-------------

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per ✓	

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or liraglutide or when prescribed for a patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or liraglutide.

INSULIN PEN NEEDLES

Maximum of 200 dev per three months

* 29 g x 12.7 mm	10.95	100	✓ B-D Micro-Fine
* 31 g x 5 mm	12.26	100	✓ B-D Micro-Fine
* 31 g x 6 mm	9.50	100	✓ Berpu
* 31 g x 8 mm	10.95	100	✓ B-D Micro-Fine
* 32 g x 4 mm	10.95	100	✓ B-D Micro-Fine

INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE

Maximum of 200 dev per three months

* Syringe 0.3 ml with 29 g x 12.7 mm needle	13.56	100	✓ B-D Ultra Fine
	1.36	10	
	(1.99)		B-D Ultra Fine
* Syringe 0.3 ml with 31 g x 8 mm needle	13.56	100	✓ B-D Ultra Fine II
	1.30	10	
	(1.99)		B-D Ultra Fine II
* Syringe 0.5 ml with 29 g x 12.7 mm needle	13.56	100	✓ B-D Ultra Fine
	1.36	10	
	(1.99)		B-D Ultra Fine
* Syringe 0.5 ml with 31 g x 8 mm needle	13.56	100	✓ B-D Ultra Fine II
	1.36	10	
	(1.99)		B-D Ultra Fine II
* Syringe 1 ml with 29 g x 12.7 mm needle	13.56	100	✓ B-D Ultra Fine
	1.36	10	
	(1.99)		B-D Ultra Fine
* Syringe 1 ml with 31 g x 8 mm needle	13.56	100	✓ B-D Ultra Fine II
	1.36	10	
	(1.99)		B-D Ultra Fine II

Insulin Pumps

INSULIN PUMP WITH ALGORITHM – Special Authority see [SA2367 on the next page](#) – Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription
- c) Maximum of 1 insulin pump per patient each four year period.

Min basal rate 0.02 U/h	8,970.00	1	✓ mylife YpsoPump with CamAPS FX
Min basal rate 0.1 U/h	7,653.00	1	✓ Tandem t:slim X2 with Basal-IQ
			✓ Tandem t:slim X2 with Control-IQ+

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
		✓

►► **SA2367** Special Authority for Subsidy

Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has type 1 diabetes; or
 - 1.2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist as likely to benefit; or
 - 1.3 The patient has Type 3c diabetes considered by the treating endocrinologist as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
 - 1.4 The patient has atypical inherited forms of diabetes; and
- 2 Patient has been evaluated by a diabetes multidisciplinary team for their suitability for insulin pump therapy; and
- 3 In the opinion of the treating relevant practitioner the patient would benefit from an Automated Insulin Delivery (AID) system.

Renewal — (type 1 diabetes) from any relevant practitioner. Approvals valid for 6 months where the patient is continuing to derive benefit according to the treatment plan agreed at induction.

Insulin Pump Consumables

►► **SA2536** Special Authority for Subsidy

Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has type 1 diabetes; or
 - 1.2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist as likely to benefit; or
 - 1.3 The patient has Type 3c diabetes considered by the treating endocrinologist as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
 - 1.4 The patient has atypical inherited forms of diabetes; and
- 2 Patient has been evaluated by a diabetes multidisciplinary team for their suitability for insulin pump therapy; and
- 3 In the opinion of the treating relevant practitioner the patient would benefit from an Automated Insulin Delivery (AID) system.

INSULIN PUMP CARTRIDGE – Special Authority see [SA2536 above](#) – Retail pharmacy

- a) Only on a prescription
- b) Maximum of 190 cartridges will be funded per year.
- c) Maximum of 50 cart per three months

* Cartridge 300 u, t:lock x 10 86.00 10 OP ✓ **Tandem Cartridge**

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (STEEL CANNULA) – Special Authority see SA2536 on the previous page – Retail pharmacy			
a) Only on a prescription			
b) Maximum of 19 infusion sets will be funded per year.			
c) Maximum of 5 set per three months			
* 6 mm steel needle; 60 cm tubing x 10	219.00	1 OP	✓ MiniMed Sure-T MMT-864A
* 6 mm steel needle; 80 cm tubing x 10	219.00	1 OP	✓ MiniMed Sure-T MMT-866A
* 8 mm steel needle; 60 cm tubing x 10	219.00	1 OP	✓ MiniMed Sure-T MMT-874A
* 8 mm steel needle; 80 cm tubing x 10	219.00	1 OP	✓ MiniMed Sure-T MMT-876A

(MiniMed Sure-T MMT-864A 6 mm steel needle; 60 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Sure-T MMT-866A 6 mm steel needle; 80 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Sure-T MMT-874A 8 mm steel needle; 60 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Sure-T MMT-876A 8 mm steel needle; 80 cm tubing x 10 to be delisted 1 October 2026)

INSULIN PUMP INFUSION SET (STEEL CANNULA, STRAIGHT INSERTION) – Special Authority see SA2536 on the previous page – Retail pharmacy

a) Only on a prescription			
b) Maximum of 19 infusion sets will be funded per year.			
c) Maximum of 5 sets per three months			
* 5.5 mm steel cannula; straight insertion; 45 cm line x 10 with 10 needles	136.00	1 OP	✓ mylife Orbit micro
* 5.5 mm steel needle; straight insertion; 60 cm line x 10 with 10 needles	136.00	1 OP	✓ mylife Orbit micro
* 5.5 mm steel needle; straight insertion; 80 cm line x 10 with 10 needles	136.00	1 OP	✓ mylife Orbit micro
* 8.5 mm steel needle; straight insertion; 60 cm line x 10 with 10 needles	136.00	1 OP	✓ mylife Orbit micro
* 8.5 mm steel needle; straight insertion; 80 cm line x 10 with 10 needles	136.00	1 OP	✓ mylife Orbit micro
* 6 mm steel cannula; straight insertion; 80 cm line x 10 with 10 needles	182.00	1 OP	✓ TruSteel
* 8 mm steel cannula; straight insertion; 80 cm line x 10 with 10 needles	182.00	1 OP	✓ TruSteel
* 6 mm steel cannula; straight insertion; 60 cm line x 10 with 10 needles	182.00	1 OP	✓ TruSteel
* 8 mm steel cannula; straight insertion; 60 cm line x 10 with 10 needles	182.00	1 OP	✓ TruSteel

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA) – Special Authority see SA2536 on page 18 – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 19 infusion sets will be funded per year.				
c) Maximum of 5 set per three months				
* 13 mm teflon needle, 60 cm tubing x 10	219.00	1 OP	✓	MiniMed Silhouette MMT-381A
* 17 mm teflon needle, 110 cm tubing x 10	219.00	1 OP	✓	MiniMed Silhouette MMT-377A
* 17 mm teflon needle, 60 cm tubing x 10	219.00	1 OP	✓	MiniMed Silhouette MMT-378A
* 6 mm teflon needle, 110 cm tubing x 10	219.00	1 OP	✓	MiniMed Quick-Set MMT-398A
* 6 mm teflon needle, 60 cm tubing x 10	219.00	1 OP	✓	MiniMed Quick-Set MMT-399A
* 9 mm teflon needle, 110 cm tubing x 10	219.00	1 OP	✓	MiniMed Quick-Set MMT-396A
* 9 mm teflon needle, 60 cm tubing x 10	219.00	1 OP	✓	MiniMed Quick-Set MMT-397A

(MiniMed Silhouette MMT-381A 13 mm teflon needle, 60 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Silhouette MMT-377A 17 mm teflon needle, 110 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Silhouette MMT-378A 17 mm teflon needle, 60 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Quick-Set MMT-398A 6 mm teflon needle, 110 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Quick-Set MMT-399A 6 mm teflon needle, 60 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Quick-Set MMT-396A 9 mm teflon needle, 110 cm tubing x 10 to be delisted 1 October 2026)

(MiniMed Quick-Set MMT-397A 9 mm teflon needle, 60 cm tubing x 10 to be delisted 1 October 2026)

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) – Special Authority see SA2536 on page 18 – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 19 infusion sets will be funded per year.				
c) Maximum of 5 sets per three months				
* 6 mm teflon cannula; angle insertion; insertion device; 60 cm line x 4 with 4 needles.....	210.00	1 OP	✓	Med Adv Ext Infusion Set MDT-MMT-431AK
* 6 mm teflon cannula; angle insertion; insertion device; 80 cm line x 4 with 4 needles.....	210.00	1 OP	✓	Med Adv Ext Infusion Set MDT-MMT-432AK
* 9 mm teflon cannula; angle insertion; insertion device; 60 cm line x 4 with 4 needles.....	210.00	1 OP	✓	Med Adv Ext Infusion Set MDT-MMT-441AK
* 9 mm teflon cannula; angle insertion; insertion device; 80 cm line x 4 with 4 needles.....	210.00	1 OP	✓	Med Adv Ext Infusion Set MDT-MMT-442AK
* 13 mm teflon cannula; angle insertion; insertion device; 110 cm line x 10 with 10 needles.....	182.00	1 OP	✓	AutoSoft 30
* 13 mm teflon cannula; angle insertion; insertion device; 60 cm line x 10 with 10 needles.....	182.00	1 OP	✓	AutoSoft 30
<i>(Med Adv Ext Infusion Set MDT-MMT-431AK 6 mm teflon cannula; angle insertion; insertion device; 60 cm line x 4 with 4 needles to be delisted 1 October 2026)</i>				
<i>(Med Adv Ext Infusion Set MDT-MMT-432AK 6 mm teflon cannula; angle insertion; insertion device; 80 cm line x 4 with 4 needles to be delisted 1 October 2026)</i>				
<i>(Med Adv Ext Infusion Set MDT-MMT-441AK 9 mm teflon cannula; angle insertion; insertion device; 60 cm line x 4 with 4 needles to be delisted 1 October 2026)</i>				
<i>(Med Adv Ext Infusion Set MDT-MMT-442AK 9 mm teflon cannula; angle insertion; insertion device; 80 cm line x 4 with 4 needles to be delisted 1 October 2026)</i>				
INSULIN PUMP INFUSION SET (TEFLON CANNULA, FLEXIBLE INSERTION WITH INSERTION DEVICE) – Special Authority see SA2536 on page 18 – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 19 infusion sets will be funded per year.				
c) Maximum of 5 set per three months				
* 6 mm teflon cannula; flexible insertion; insertion device; 46 cm line x 10 with 10 needles.....	157.00	1 OP	✓	mylife Inset soft
* 6 mm teflon cannula; flexible insertion; insertion device; 60 cm line with integrated inserter x 10 with 10 needles.....	157.00	1 OP	✓	mylife Inset soft
* 6 mm teflon cannula; flexible insertion; insertion device; 80 cm line x 10 with 10 needles.....	157.00	1 OP	✓	mylife Inset soft
* 9 mm teflon cannula; flexible insertion; insertion device; 60 cm line x 10 with 10 needles.....	157.00	1 OP	✓	mylife Inset soft
* 9 mm teflon cannula; flexible insertion; insertion device; 80 cm line x 10 with 10 needles.....	157.00	1 OP	✓	mylife Inset soft

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) – Special Authority see SA2536 on page 18 – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 19 infusion sets will be funded per year.				
c) Maximum of 5 sets per three months				
* 6 mm teflon cannula; straight insertion; insertion device; 110 cm line x 10 with 10 needles	182.00	1 OP	✓	AutoSoft 90
* 6 mm teflon cannula; straight insertion; insertion device; 60 cm line x 10 with 10 needles	182.00	1 OP	✓	AutoSoft 90
* 9 mm teflon cannula; straight insertion; insertion device; 110 cm line x 10 with 10 needles	182.00	1 OP	✓	AutoSoft 90
* 9 mm teflon cannula; straight insertion; insertion device; 60 cm line x 10 with 10 needles	182.00	1 OP	✓	AutoSoft 90
INSULIN PUMP INFUSION SET (TEFLON CANNULA, VARIABLE INSERTION) – Special Authority see SA2536 on page 18 – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 19 infusion sets will be funded per year.				
c) Maximum of 5 set per three months				
* 13 mm teflon cannula; variable insertion; 60 cm line x 10 with 10 needles	182.00	1 OP	✓	VariSoft
INSULIN PUMP RESERVOIR – Special Authority see SA2536 on page 18 – Retail pharmacy				
a) Only on a prescription				
b) Maximum of 360 reservoirs will be funded per year.				
c) Maximum of 90 cart per three months				
* 10 x 1.6 ml glass reservoir for YpsoPump	50.00	10 OP	✓	mylife YpsoPump Reservoir
* 10 x luer lock conversion cartridges 1.8 ml for paradigm pumps	50.00	10 OP	✓	ADR Cartridge 1.8
* Cartridge for 7 series pump; 3.0 ml x 10	98.00	10 OP	✓	MiniMed 3.0 Reservoir MMT-332A
* Cartridge for 7 series pump; 3.0 ml x 5	102.00	5 OP	✓	MiniMed 3.0 Ext Reservoir MDT-MMT-342G
<i>(ADR Cartridge 1.8 10 x luer lock conversion cartridges 1.8 ml for paradigm pumps to be delisted 1 October 2026)</i>				
<i>(MiniMed 3.0 Reservoir MMT-332A Cartridge for 7 series pump; 3.0 ml x 10 to be delisted 1 October 2026)</i>				
<i>(MiniMed 3.0 Ext Reservoir MDT-MMT-342G Cartridge for 7 series pump; 3.0 ml x 5 to be delisted 1 October 2026)</i>				

Continuous Glucose Monitor

CONTINUOUS GLUCOSE MONITOR (INTEROPERABLE) – Special Authority see SA2537 on the next page – Retail pharmacy				
Only on a prescription				
* Sensor (9) and transmitter (Dexcom G6)	990.00	1 OP	✓	Dexcom G6
a) Maximum of 5 dev will be funded per year.				
b) Maximum of 1 dev per three months				
* Sensor (Dexcom G7)	110.00	1	✓	Dexcom G7
a) Maximum of 40 dev will be funded per year.				
b) Maximum of 9 dev per three months				
* Sensor (Freestyle Libre 3 Plus)	99.46	1	✓	Freestyle Libre 3 Plus
a) Maximum of 28 dev will be funded per year.				
b) Maximum of 6 dev per three months				

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2537 Special Authority for Subsidy

Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
- 1 Any of the following:
 - 1.1 The patient has type 1 diabetes; or
 - 1.2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit; or
 - 1.3 The patient has Type 3c diabetes considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
 - 1.4 The patient has atypical inherited forms of diabetes; and
 - 2 In the opinion of the treating relevant practitioner the patient would benefit from an Automated Insulin Delivery (AID) system.

CONTINUOUS GLUCOSE MONITOR (STANDALONE) – Special Authority see SA2538 below – Retail pharmacy

Only on a prescription		
* Sensor (Dexcom ONE+).....	81.00	1 ✓ Dexcom ONE+
a) Maximum of 40 dev will be funded per year.		
b) Maximum of 9 dev per three months		
* Sensor (Freestyle Libre 2 Plus).....	99.46	1 ✓ Freestyle Libre 2 Plus
a) Maximum of 28 dev will be funded per year.		
b) Maximum of 6 dev per three months		
* Sensor (Freestyle Libre 2).....	92.83	1 ✓ Freestyle Libre 2
a) Maximum of 29 dev will be funded per year.		
b) Maximum of 7 dev per three months		

(Freestyle Libre 2 Sensor (Freestyle Libre 2) to be delisted 1 May 2026)

►SA2538 Special Authority for Subsidy

Initial application — (type 1 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Any of the following:
- 1 The patient has type 1 diabetes; or
 - 2 The patient has permanent neonatal diabetes or specific monogenic diabetes subtypes with insulin deficiency, considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit; or
 - 3 The patient has Type 3c diabetes considered by the treating endocrinologist or relevant secondary health care professional as practicable, as likely to benefit (Type 3c diabetes includes insulin deficiency due to pancreatectomy, insulin deficiency secondary to cystic fibrosis or pancreatitis); or
 - 4 The patient has atypical inherited forms of diabetes.

Digestives Including Enzymes

PANCREATIC ENZYME

Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase 10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ Creon 10000
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase 25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✓ Creon 25000
Modified release granules pancreatin 60.12 mg (amylase 3,600 Ph Eur U, lipase 5,000 Ph Eur U, protease 200 Ph Eur U)	34.93	20 g OP	✓ Creon Micro

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
URSODEOXYCHOLIC ACID – Special Authority see SA2448 below – Retail pharmacy			
Cap 250 mg.....	33.95	100	✓ Ursosan

►SA2448 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner.

Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Primary biliary cholangitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cholangitis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Primary biliary cholangitis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Initial application — (prevention of sinusoidal obstruction syndrome) from any relevant practitioner. Approvals valid without further renewal unless notified where the individual has leukaemia/lymphoma and requires prophylaxis for medications/therapies with a high risk of sinusoidal obstruction syndrome.

Laxatives

Bulk-forming Agents

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription

* Powder for oral soln.....22.10 500 g OP ✓ **Konsyl-D**

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Faecal Softeners				
DOCUSATE SODIUM – Only on a prescription				
* Tab 50 mg	3.20	100	✓	<u>Coloxyl</u>
* Tab 120 mg	4.98	100	✓	<u>Coloxyl</u>
DOCUSATE SODIUM WITH SENNOSIDES				
Tab 50 mg with sennosides 8 mg	1.50	100	✓	<u>Solax</u>
	3.50	200	✓	<u>Laxsol</u>
Solax to be Principal Supply on 1 May 2026 (Laxsol Tab 50 mg with sennosides 8 mg to be delisted 1 May 2026)				
POLOXAMER – Only on a prescription				
Not funded for use in the ear.				
* Oral drops 10%.....	4.17	30 ml OP	✓	<u>Coloxyl</u>
Opioid Receptor Antagonists - Peripheral				
METHYLNALTREXONE BROMIDE – Special Authority see SA1691 below – Retail pharmacy				
Inj 12 mg per 0.6 ml vial	36.00	1	✓	<u>Relistor</u>
	246.00	7	✓	<u>Relistor</u>
►SA1691 Special Authority for Subsidy				
Initial application — (Opioid induced constipation) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:				
Both:				
1 The patient is receiving palliative care; and				
2 Either:				
2.1 Oral and rectal treatments for opioid induced constipation are ineffective; or				
2.2 Oral and rectal treatments for opioid induced constipation are unable to be tolerated.				
Osmotic Laxatives				
GLYCEROL				
* Suppos 2.8/4.0 g – Only on a prescription	12.39	20	✓	<u>Lax-suppositories</u> <u>Glycerol</u>
LACTULOSE – Only on a prescription				
* Oral liq 10 g per 15 ml	6.16	500 ml	✓	<u>Laevolac</u>
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE AND SODIUM CHLORIDE				
Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chloride 350.7 mg.....				
	10.15	30	✓	<u>Molaxole</u>
	12.19		✓	<u>Movicol</u>
SODIUM ACID PHOSPHATE – Only on a prescription				
Enema 16% with sodium phosphate 8%	3.70	1	✓	<u>Fleet Phosphate</u> <u>Enema</u>
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE – Only on a prescription				
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml, 5 ml.....	36.89	50	✓	<u>Micolette</u>

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Stimulant Laxatives				
BISACODYL – Only on a prescription				
* Tab 5 mg	6.28	200	✓	Bisacodyl-AFT
	10.00		✓	Bisacodyl Viatris
* Suppos 10 mg	4.14	10	✓	Lax-Suppositories
<i>(Bisacodyl Viatris Tab 5 mg to be delisted 1 July 2026)</i>				
SENNA – Only on a prescription				
* Tab, standardised	2.17	100		
	(9.38)			Senokot
	0.43	20		
	(2.06)			Senokot
SODIUM PICOSULFATE – Special Authority see SA2053 below – Retail pharmacy				
Oral soln 7.5 mg per ml	7.40	30 ml OP	✓	Dulcolax SP Drop

►SA2053 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
Both:

- 1 The patient is a child with problematic constipation despite an adequate trial of other oral pharmacotherapies including macrogol where practicable; and
- 2 The patient would otherwise require a high-volume bowel cleansing preparation or hospital admission.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Metabolic Disorder Agents

ALGLUCOSIDASE ALFA – Special Authority see [SA1986 below](#) – Retail pharmacy

Inj 50 mg vial	1,142.60	1	✓	Myozyme
----------------------	----------	---	---	----------------

►SA1986 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
- 2 Any of the following:
 - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
 - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
 - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
 - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT); and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
- 5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
All of the following:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

ARGININE – Special Authority see [SA2042 below](#) – Retail pharmacy

Tab 1,000 mg	CBS	90	✓ Clinicians
Cap 500 mg	CBS	50	✓ Solgar
Powder	CBS	400 g	✓ Biomed

►► **SA2042** Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to arginine supplementation.

Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to arginine supplementation; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

BETAINE – Special Authority see [SA1987 below](#) – Retail pharmacy

Powder for oral soln.....	575.00	180 g OP	✓ Cystadane
---------------------------	--------	----------	-------------

►► **SA1987** Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a confirmed diagnosis of homocystinuria; and
- 2 Any of the following:
 - 2.1 A cystathionine beta-synthase (CBS) deficiency; or
 - 2.2 A 5,10-methylene-tetrahydrofolate reductase (MTHFR) deficiency; or
 - 2.3 A disorder of intracellular cobalamin metabolism; and
- 3 An appropriate homocysteine level has not been achieved despite a sufficient trial of appropriate vitamin supplementation.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

COENZYME Q10 – Special Authority see [SA2039 below](#) – Retail pharmacy

Cap 120 mg	CBS	30	✓ Solgar
Cap 160 mg	CBS	60	✓ Go Healthy

►► **SA2039** Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to coenzyme Q10 supplementation.

Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to coenzyme Q10 supplementation; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

GALSULFASE – Special Authority see [SA1988 on the next page](#) – Retail pharmacy

Inj 1 mg per ml, 5 ml vial.....	2,234.00	1	✓ Naglazyme
---------------------------------	----------	---	-------------

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA1988 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE – Special Authority see SA1623 below – Retail pharmacy

Inj 2 mg per ml, 3 ml vial.....	4,608.30	1	✓ Elaprase
---------------------------------	----------	---	------------

►SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and
- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

LARONIDASE – Special Authority see SA1695 below – Retail pharmacy

Inj 100 U per ml, 5 ml vial.....	1,335.16	1	✓ Aldurazyme
----------------------------------	----------	---	--------------

►SA1695 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with Hurler Syndrome (mucopolysaccharidosis I-H); and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of alpha-L-iduronidase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations in the alpha-L-iduronidase gene and patient has a sibling who is known to have Hurler syndrome; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with laronidase would be bridging treatment to transplant; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Laronidase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 post-HSCT) at doses no greater than 100 units/kg every week.

LEVOCARNITINE – Special Authority see [SA2040 below](#) – Retail pharmacy

Tab 500 mg	CBS	30	✓ Solgar
Cap 250 mg	CBS	30	✓ Solgar
Cap 500 mg	CBS	60	✓ Balance
		300	✓ Metabolics
Oral liq 1 g per 10 ml	CBS	118 ml	✓ Lacuna ^{S29}
Oral liq 500 mg per 10 ml	CBS	300 ml	✓ Balance

► **SA2040** Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to carnitine supplementation.

Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
- 1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to carnitine supplementation; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

NITISINONE – Special Authority see [SA2561 below](#) – Retail pharmacy

Cap 2 mg	676.00	60	✓ Nitisinone LogixX Pharma
Cap 5 mg	1,302.00	60	✓ Nitisinone LogixX Pharma
Cap 10 mg	1,704.00	60	✓ Nitisinone LogixX Pharma

► **SA2561** Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient requires nitisinone for the management of inherited metabolic disorders.

RIBOFLAVIN – Special Authority see [SA2041 below](#) – Retail pharmacy

Tab 100 mg	CBS	100	✓ Country Life ✓ Puritan's Pride Vitamin B-2 100 mg ^{S29}
Cap 100 mg	CBS	100	✓ Solgar

► **SA2041** Special Authority for Subsidy

Initial application only from a metabolic physician or neurologist. Approvals valid for 6 months where patient has a suspected inborn error of metabolism that may respond to riboflavin supplementation.

Renewal only from a metabolic physician or neurologist. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
- 1 The patient has a confirmed diagnosis of an inborn error of metabolism that responds to riboflavin supplementation; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

SAPROPTERIN DIHYDROCHLORIDE – Special Authority see [SA1989 on the next page](#) – Retail pharmacy

Tab soluble 100 mg	1,452.70	30 OP	✓ Kuvan
--------------------------	----------	-------	---------

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per ✓	

►SA1989 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 1 month for applications meeting the following criteria:
All of the following:

- 1 Patient has phenylketonuria (PKU) and is pregnant or actively planning to become pregnant; and
- 2 Treatment with sapropterin is required to support management of PKU during pregnancy; and
- 3 Sapropterin to be administered at doses no greater than a total daily dose of 20 mg/kg; and
- 4 Sapropterin to be used alone or in combination with PKU dietary management; and
- 5 Total treatment duration with sapropterin will not exceed 22 months for each pregnancy (includes time for planning and becoming pregnant) and treatment will be stopped after delivery.

Renewal only from a metabolic physician or any relevant practitioner on the recommendation of a metabolic physician.

Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Following the initial one-month approval, the patient has demonstrated an adequate response to a 2 to 4 week trial of sapropterin with a clinically appropriate reduction in phenylalanine levels to support management of PKU during pregnancy; or
 - 1.2 On subsequent renewal applications, the patient has previously demonstrated response to treatment with sapropterin and maintained adequate phenylalanine levels to support management of PKU during pregnancy; and
- 2 Any of the following:
 - 2.1 Patient continues to be pregnant and treatment with sapropterin will not continue after delivery; or
 - 2.2 Patient is actively planning a pregnancy and this is the first renewal for treatment with sapropterin; or
 - 2.3 Treatment with sapropterin is required for a second or subsequent pregnancy to support management of their PKU during pregnancy; and
- 3 Sapropterin to be administered at doses no greater than a total daily dose of 20 mg/kg; and
- 4 Sapropterin to be used alone or in combination with PKU dietary management; and
- 5 Total treatment duration with sapropterin will not exceed 22 months for each pregnancy (includes time for planning and becoming pregnant) and treatment will be stopped after delivery.

SODIUM BENZOATE – Special Authority see [SA1599 below](#) – Retail pharmacy

Soln 100 mg per ml	CBS	100 ml	✓ Amzoate ^{S29}
--------------------------	-----	--------	--------------------------

►SA1599 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE – Special Authority see [SA1990 below](#) – Retail pharmacy

Grans 483 mg per g	2,016.00	174 g OP	✓ Pheburane
--------------------------	----------	----------	-------------

►SA1990 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

TAURINE – Special Authority see [SA2043 on the next page](#) – Retail pharmacy

Cap 500 mg	CBS	50	✓ Solgar
Cap 1,000 mg	CBS	90	✓ Life Extension
Powder	CBS	300 g	✓ Life Extension

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2043 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 6 months where patient has a suspected specific mitochondrial disorder that may respond taurine supplementation.

Renewal only from a metabolic physician. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The patient has confirmed diagnosis of a specific mitochondrial disorder which responds to taurine supplementation; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

TRIENTINE – Special Authority see SA2324 below – Retail pharmacy

Cap 250 mg.....2,022.00 100 ✓ Trientine Waymade

►SA2324 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Wilson disease; and
- 2 Treatment with D-penicillamine has been trialled and discontinued because the person has experienced intolerable side effects or has not received sufficient benefit; and
- 3 Treatment with zinc has been trialled and discontinued because the person has experienced intolerable side effects or has not received sufficient benefit, or zinc is considered clinically inappropriate as the person has symptomatic liver disease and requires copper chelation.

Gaucher's Disease

TALIGLUCERASE ALFA – Special Authority see SA2137 below – Retail pharmacy

Inj 200 unit vial.....1,072.00 1 ✓ Eleyso

►SA2137 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of symptomatic type 1 or type 3* Gaucher disease confirmed by the demonstration of specific deficiency of glucocerebrosidase in leukocytes or cultured skin fibroblasts, and genotypic analysis; and
- 2 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by enzyme replacement therapy (ERT) or the disease might be reasonably expected to compromise a response to ERT; and
- 3 Any of the following:
 - 3.1 Patient has haematological complications of Gaucher disease; or
 - 3.2 Patient has skeletal complications of Gaucher disease; or
 - 3.3 Patient has significant liver dysfunction or hepatomegaly attributable to Gaucher disease; or
 - 3.4 Patient has reduced vital capacity from clinically significant or progressive pulmonary disease due to Gaucher disease; or
 - 3.5 Patient is a child and has experienced growth failure with significant decrease in percentile linear growth over a 6-12 month period; and
- 4 Taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units).

Note: Indication marked with * is an unapproved indication

Renewal only from a metabolic physician or any relevant practitioner on the recommendation of a metabolic physician.

Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Patient has demonstrated a symptomatic improvement and has maintained improvements in the main symptom or symptoms for which therapy was started; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 2 Patient has demonstrated a clinically objective improvement or no deterioration in haemoglobin levels, platelet counts and liver and spleen size; and
- 3 Radiological (MRI) signs of bone activity performed at two years since initiation of treatment, and five yearly thereafter, demonstrate no deterioration shown by the MRI, compared with MRI taken immediately prior to commencement of therapy or adjusted dose; and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 5 Patient is adherent with regular treatment and taliglucerase alfa is to be administered at a dose no greater than 30 unit/kg every other week rounded to the nearest whole vial (200 units).

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE

Soln 0.15% – Higher subsidy of \$22.60 per 500 ml with

Endorsement	9.00	500 ml	
	(22.60)		Diffiam

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

CARMELLOSE SODIUM WITH GELATIN AND PECTIN

Paste	17.20	56.7 g OP	✓ Stomahesive
	4.55	15 g OP	
	(7.90)		Orabase
	1.52	5 g OP	
	(3.60)		Orabase
Powder	8.48	28 g OP	
	(10.95)		Stomahesive

TRIAMCINOLONE ACETONIDE

Paste 0.1%	5.49	5 g OP	✓ Kenalog in Orabase
------------------	------	--------	-----------------------------

Oropharyngeal Anti-infectives

AMPHOTERICIN B

Lozenges 10 mg	5.86	20	✓ Fungilin
----------------------	------	----	-------------------

MICONAZOLE

Oral gel 20 mg per g	5.19	40 g OP	✓ Decozol
----------------------------	------	---------	------------------

NYSTATIN

Oral liq 100,000 u per ml	2.22	24 ml OP	✓ Niostat
---------------------------------	------	----------	------------------

Vitamins

Vitamin B

HYDROXOCOBALAMIN

* Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a PSO	3.95	3	✓ Hydroxocobalamin Panpharma
--	------	---	---

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PYRIDOXINE HYDROCHLORIDE				
a) No more than 100 mg per dose				
b) Only on a prescription				
* Tab 25 mg – No patient co-payment payable.....	3.43	90	✓	Vitamin B6 25
* Tab 50 mg	23.45	500	✓	Pyridoxine multichem
THIAMINE HYDROCHLORIDE – Only on a prescription				
* Tab 50 mg	4.65	100	✓	Thiamine multichem
VITAMIN B COMPLEX				
* Tab, strong, BPC.....	11.25	500	✓	Bplex

Vitamin C

ASCORBIC ACID

a) No more than 100 mg per dose				
b) Only on a prescription				
* Tab 100 mg	16.00	500	✓	Cvite

Vitamin D

ALFACALCIDOL

* Cap 0.25 mcg	26.32	100	✓	One-Alpha
* Cap 1 mcg	87.98	100	✓	One-Alpha
* Oral drops 2 mcg per ml.....	60.68	20 ml OP	✓	One-Alpha

CALCITRIOL

* Cap 0.25 mcg	7.89	100	✓	Calcitriol XL ^{S29}
			✓	Calcitriol-AFT
* Cap 0.5 mcg	13.68	100	✓	Calcitriol XL ^{S29}
			✓	Calcitriol-AFT

COLECALCIFEROL

* Cap 1.25 mg (50,000 iu).....	3.65	12	✓	Vit.D3
Maximum of 12 cap per three months				
* Oral liq 188 mcg per ml (7,500 iu per ml)	9.00	5 ml OP	✓	Clinicians

Multivitamin Preparations

MULTIVITAMIN RENAL – Special Authority see [SA1546 below](#) – Retail pharmacy

* Cap.....	7.28	30	✓	Clinicians Renal Vit
------------	------	----	---	-----------------------------

► [SA1546](#) Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis; or
- 2 The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m² body surface area (BSA).

MULTIVITAMINS – Special Authority see [SA1036 on the next page](#) – Retail pharmacy

* Powder	74.88	200 g OP	✓	Paediatric Seravit
----------------	-------	----------	---	---------------------------

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

►SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

* Tab (BPC cap strength).....	24.00	1,000	✓	Mvite
* Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1720 below – Retail pharmacy	23.40	60	✓	Vitabdeck

►SA1720 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome; or
- 3 Patient has severe malabsorption syndrome.

Minerals

Calcium

CALCIUM CARBONATE

* Tab 1.25 g (500 mg elemental)	7.28	250	✓	Calci-Tab 500
* Tab eff 1.25 g (500 mg elemental) – Subsidy by endorsement.....	260.00	100	✓	Calcium 500 mg Hexal ^{S29}

Subsidy by endorsement – Only when prescribed for paediatric patients (< 5 years) where calcium carbonate oral liquid is considered unsuitable.

CALCIUM GLUCONATE

* Inj 10%, 10 ml ampoule	32.00	10	✓	Max Health - Hameln ^{S29}
--------------------------------	-------	----	---	---

Iodine

POTASSIUM IODATE

* Tab 253 mcg (150 mcg elemental iodine)	5.99	90	✓	NeuroTabs
--	------	----	---	------------------

Iron

FERROUS FUMARATE

* Tab 200 mg (65.7 mg elemental)	3.49	100	✓	Ferro-tab
--	------	-----	---	------------------

FERROUS FUMARATE WITH FOLIC ACID

* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	5.98	100	✓	Ferro-F-Tabs
---	------	-----	---	---------------------

FERROUS SULFATE

* Oral liq 30 mg (6 mg elemental) per 1 ml	10.25	250 ml	✓	Ferro-Liquid
--	-------	--------	---	---------------------

IRON (AS FERRIC CARBOXYMALTOSE) – Special Authority see SA2394 on the next page – Retail pharmacy

Inj 50 mg per ml, 10 ml vial.....	150.00	1	✓	Ferinject
-----------------------------------	--------	---	---	------------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

►SA2394 **Special Authority for Subsidy**

Initial application — (Anaemia) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with anaemia; and
- 2 Any of the following:
 - 2.1 Serum ferritin level is 20 mcg/L or less; or
 - 2.2 Both:
 - 2.2.1 Serum ferritin is between 20 and 50 mcg/L; and
 - 2.2.2 C-Reactive Protein (CRP) is at least 5 mg/L; or
 - 2.3 Patient has chronic inflammatory disease with symptoms of anaemia despite normal iron levels; and
- 3 Any of the following:
 - 3.1 Oral iron treatment has proven ineffective; or
 - 3.2 Oral iron treatment has resulted in dose-limiting intolerance; or
 - 3.3 Rapid correction of anaemia is required.

Renewal — (Anaemia) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient continues to have anaemia with a serum ferritin level of 20 mcg/L, or less or between 20 and 50 mcg/L with CRP of at least 5 mg/L, or has chronic inflammatory disease with symptoms of anaemia despite normal iron levels; and
- 2 A trial (or re-trial) with oral iron is clinically inappropriate.

Initial application — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of an internal medicine physician, obstetrician, gynaecologist or anaesthetist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has been diagnosed with iron-deficiency anaemia; and
- 2 Any of the following:
 - 2.1 Patient has been compliant with oral iron treatment and treatment has proven ineffective; or
 - 2.2 Treatment with oral iron has resulted in dose-limiting intolerance; or
 - 2.3 Patient has symptomatic heart failure, chronic kidney disease stage 3 or more or active inflammatory bowel disease and a trial of oral iron is unlikely to be effective; or
 - 2.4 Rapid correction of anaemia is required.

Renewal — (iron deficiency anaemia) only from an internal medicine physician, obstetrician, gynaecologist, anaesthetist or medical practitioner on the recommendation of an internal medicine physician, obstetrician, gynaecologist or anaesthetist.

Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient continues to have iron-deficiency anaemia; and
- 2 A re-trial with oral iron is clinically inappropriate.

IRON POLYMALTOSE

* Inj 50 mg per ml, 2 ml ampoule	41.75	5	✓ Ferrosig
--	-------	---	-------------------

Magnesium

MAGNESIUM HYDROXIDE

Suspension 8%.....	33.60	355 ml	✓ Phillips Milk of Magnesia ^{S29}
--------------------	-------	--------	---

MAGNESIUM SULPHATE

* Inj 2 mmol per ml, 5 ml ampoule	37.53	10	✓ Martindale
* Inj 2 mmol per ml, 10 ml ampoule	75.06	10	✓ Inresa ^{S29}

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Zinc

ZINC SULPHATE

* Cap 220 mg (50 mg elemental).....	29.14	100	✓	Rugby ^{S29}
* Cap 137.4 mg (50 mg elemental).....	11.00	100	✓	Zincaps
			✓	Zincaps S29 ^{S29}

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Antianaemics

Hypoplastic and Haemolytic

► **SA2539** Special Authority for Subsidy

Initial application — (chronic renal failure) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure; and
- 2 Haemoglobin is less than or equal to 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus; and
 - 3.1.2 Glomerular filtration rate is less than or equal to 30ml/min; or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus; and
 - 3.2.2 Glomerular filtration rate is less than or equal to 45ml/min; or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*; and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum epoetin level of < 500 IU/L; and
- 6 The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an unapproved indication

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of epoetin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an unapproved indication

EPOETIN ALFA – Special Authority see **SA2539 above** – Retail pharmacy

Wastage claimable

Inj 1,000 iu in 0.5 ml, syringe.....	250.00	6	✓ Binocrit
Inj 2,000 iu in 1 ml, syringe.....	100.00	6	✓ Binocrit
Inj 3,000 iu in 0.3 ml, syringe.....	150.00	6	✓ Binocrit
Inj 4,000 iu in 0.4 ml, syringe.....	96.50	6	✓ Binocrit
Inj 5,000 iu in 0.5 ml, syringe.....	125.00	6	✓ Binocrit
Inj 6,000 iu in 0.6 ml, syringe.....	145.00	6	✓ Binocrit
Inj 8,000 iu in 0.8 ml, syringe.....	175.00	6	✓ Binocrit
Inj 10,000 iu in 1 ml, syringe.....	197.50	6	✓ Binocrit
Inj 40,000 iu in 1 ml, syringe.....	250.00	1	✓ Binocrit

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Megaloblastic				
FOLIC ACID				
* Tab 0.8 mg	26.60	1,000	✓	Folic Acid multichem
* Tab 5 mg	5.82	100	✓	Folic Acid Viatrix
Oral liq 50 mcg per ml	31.77	25 ml OP	✓	Biomed

Antifibrinolytics, Haemostatics and Local Sclerosants

EFTRENONACOG ALFA [RECOMBINANT FACTOR IX] – [Xpharm]

For patients with haemophilia B receiving prophylaxis treatment. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management group.

Inj 250 iu vial.....	612.50	1	✓	Alprolix
Inj 500 iu vial.....	1,225.00	1	✓	Alprolix
Inj 1,000 iu vial.....	2,450.00	1	✓	Alprolix
Inj 2,000 iu vial.....	4,900.00	1	✓	Alprolix
Inj 3,000 iu vial.....	7,350.00	1	✓	Alprolix
Inj 4,000 iu vial.....	9,800.00	1	✓	Alprolix

ELTROMBOPAG – Special Authority see SA1743 below – Retail pharmacy

Wastage claimable

Tab 25 mg	1,550.00	28	✓	Revolade
Tab 50 mg	3,100.00	28	✓	Revolade

➔SA1743 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of less than or equal to 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of less than or equal to 10,000 platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist.

Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Initial application — (idiopathic thrombocytopenic purpura contraindicated to splenectomy) only from a haematologist.

Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a significant and well-documented contraindication to splenectomy for clinical reasons; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Either:
 - 3.1 Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microliter; or
 - 3.2 Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

and significant mucocutaneous bleeding.

Initial application — (severe aplastic anaemia) only from a haematologist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
- Two immunosuppressive therapies have been trialled and failed after therapy of at least 3 months duration; and
 - Either:
 - Patient has severe aplastic anaemia with a platelet count of less than or equal to 20,000 platelets per microliter; or
 - Patient has severe aplastic anaemia with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

Renewal — (idiopathic thrombocytopenic purpura contraindicated to splenectomy) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
- The patient's significant contraindication to splenectomy remains; and
 - The patient has obtained a response from treatment during the initial approval period; and
 - Patient has maintained a platelet count of at least 50,000 platelets per microlitre on treatment; and
 - Further treatment with eltrombopag is required to maintain response.

Renewal — (severe aplastic anaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
- The patient has obtained a response from treatment of at least 20,000 platelets per microlitre above baseline during the initial approval period; and
 - Platelet transfusion independence for a minimum of 8 weeks during the initial approval period.

EMICIZUMAB – [Xpharm] – Special Authority see [SA2272 below](#)

Inj 30 mg in 1 ml vial.....	3,570.00	1	✓ Hemlibra
Inj 60 mg in 0.4 ml vial.....	7,138.00	1	✓ Hemlibra
Inj 105 mg in 0.7 ml vial.....	12,492.00	1	✓ Hemlibra
Inj 150 mg in 1 ml vial.....	17,846.00	1	✓ Hemlibra

► **SA2272** Special Authority for Subsidy

Initial application — (Severe Haemophilia A with or without FVIII inhibitors) only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
- Patient has severe congenital haemophilia A with a severe bleeding phenotype (endogenous factor VIII activity less than or equal to 2%); and
 - Emicizumab is to be administered at a dose of no greater than 3 mg/kg weekly for 4 weeks followed by the equivalent of 1.5 mg/kg weekly.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] – [Xpharm]

For patients with haemophilia. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group. Rare Clinical Circumstances Brand of bypassing agent for > 14 days predicted use. Access to funded treatment for > 14 days predicted use is by named patient application to the Haemophilia Treaters Group, subject to access criteria.

Inj 1 mg syringe	1,178.30	1	✓ NovoSeven RT
Inj 2 mg syringe	2,356.60	1	✓ NovoSeven RT
Inj 5 mg syringe	5,891.50	1	✓ NovoSeven RT
Inj 8 mg syringe	9,426.40	1	✓ NovoSeven RT

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

BLOOD AND BLOOD FORMING ORGANS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
FACTOR EIGHT INHIBITOR BYPASSING FRACTION – [Xpharm]			
For patients with haemophilia. Preferred Brand of bypassing agent for > 14 days predicted use. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.			
Inj 500 U	1,315.00	1	✓ FEIBA NF
Inj 1,000 U	2,630.00	1	✓ FEIBA NF
Inj 2,500 U	6,575.00	1	✓ FEIBA NF
MOROTOCOG ALFA [RECOMBINANT FACTOR VIII] – [Xpharm]			
For patients with haemophilia. Rare Clinical Circumstances Brand of short half-life recombinant factor VIII. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group, subject to criteria.			
Inj 250 iu prefilled syringe.....	287.50	1	✓ Xyntha
Inj 500 iu prefilled syringe.....	575.00	1	✓ Xyntha
Inj 1,000 iu prefilled syringe.....	1,150.00	1	✓ Xyntha
Inj 2,000 iu prefilled syringe.....	2,300.00	1	✓ Xyntha
Inj 3,000 iu prefilled syringe.....	3,450.00	1	✓ Xyntha
NONACOG GAMMA, [RECOMBINANT FACTOR IX] – [Xpharm]			
For patients with haemophilia. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.			
Inj 1,000 iu vial.....	870.00	1	✓ RIXUBIS
Inj 2,000 iu vial.....	1,740.00	1	✓ RIXUBIS
Inj 3,000 iu vial.....	2,610.00	1	✓ RIXUBIS
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) – [Xpharm]			
For patients with haemophilia. Preferred Brand of short half-life recombinant factor VIII. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.			
Inj 500 iu vial.....	420.00	1	✓ Advate
Inj 1,000 iu vial.....	840.00	1	✓ Advate
Inj 2,000 iu vial.....	1,680.00	1	✓ Advate
Inj 3,000 iu vial.....	2,520.00	1	✓ Advate
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGENATE FS) – [Xpharm]			
For patients with haemophilia. Rare Clinical Circumstances Brand of short half-life recombinant factor VIII. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group, subject to criteria.			
Inj 250 iu vial.....	237.50	1	✓ Kogenate FS
Inj 500 iu vial.....	475.00	1	✓ Kogenate FS
Inj 1,000 iu vial.....	950.00	1	✓ Kogenate FS
Inj 2,000 iu vial.....	1,900.00	1	✓ Kogenate FS
Inj 3,000 iu vial.....	2,850.00	1	✓ Kogenate FS
RURIOCTOCOG ALFA PEGOL [RECOMBINANT FACTOR VIII] – [Xpharm]			
For patients with haemophilia A receiving prophylaxis treatment. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management group.			
Inj 1,000 iu vial.....	1,200.00	1	✓ Adynovate
Inj 2,000 iu vial.....	2,400.00	1	✓ Adynovate
SODIUM TETRADECYL SULPHATE			
* Inj 3% 2 ml.....	28.50 (140.00)	5	Fibro-vein

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
TRANEXAMIC ACID				
Tab 500 mg	9.93	60	✓	Mercury Pharma
Mercury Pharma to be Principal Supply on 1 May 2026				
Inj 100 mg per ml, 10 ml ampoule – Subsidy by endorsement.....	7.99	5	✓	Tranexamic-AFT
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
c) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service or for the treatment of post-partum haemorrhage (PPH) and the PSO is endorsed accordingly.				

Vitamin K

PHYTOMENADIONE				
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO.....	8.00	5	✓	Konaktion MM Paediatric
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO.....	9.21	5	✓	Konaktion MM

Antithrombotic Agents

Antiplatelet Agents

ASPIRIN				
* Tab 100 mg	12.65	990	✓	Ethics Aspirin EC
CLOPIDOGREL				
* Tab 75 mg	5.07	84	✓	Arrow - Clopid
DIPYRIDAMOLE				
Note: No new patients to be initiated on dipyridamole.				
Cap modified-release 200 mg	55.13	60	✓	Dipyridamole - Strides ^{S29}
TICAGRELOR – Special Authority see SA2530 below – Retail pharmacy				
* Tab 90 mg	20.35	56	✓	Ticagrelor Sandoz
			✓	Ticagrelor Sandoz S29 ^{S29}
	23.85		✓	Ticagrelor Mylan ^{S29}

▶SA2530| Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Initial application — (thrombosis prevention neurological stenting) from any relevant practitioner. Approvals valid for 12

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

months for applications meeting the following criteria:

Both:

1 Either:

- 1.1 Patient has had a neurological stenting procedure* in the last 60 days; or
- 1.2 Patient is about to have a neurological stenting procedure performed*; and

2 Either:

- 2.1 Patient has demonstrated clopidogrel resistance using the P2Y12 (VerifyNow) assay or another appropriate platelet function assay and requires antiplatelet treatment with ticagrelor; or

2.2 Either:

- 2.2.1 Clopidogrel resistance has been demonstrated by the occurrence of a new cerebral ischemic event; or
- 2.2.2 Clopidogrel resistance has been demonstrated by the occurrence of transient ischemic attack symptoms referable to the stent.

Renewal — (thrombosis prevention neurological stenting) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is continuing to benefit from treatment; and
- 2 Treatment continues to be clinically appropriate.

Initial application — (Percutaneous coronary intervention with stent deployment) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has undergone percutaneous coronary intervention; and
- 2 Patient has had a stent deployed in the previous 4 weeks; and
- 3 Patient is clopidogrel-allergic**.

Renewal — (Percutaneous coronary intervention with stent deployment) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has undergone percutaneous coronary intervention; and
- 2 Patient has had a stent deployed in the previous 4 weeks; and
- 3 Patient is clopidogrel-allergic**.

Initial application — (Stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Initial application — (acute minor stroke or high-risk transient ischemic attack (TIA)*) from any relevant practitioner.

Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with a minor stroke (NIHSS† score 3 or less), high-risk TIA (ABCD2 score 4 or more) or Crescendo TIA; and
- 2 Either:
 - 2.1 Patient is expected to be a poor metaboliser of clopidogrel, with documented clinical rationale; or
 - 2.2 Patient is allergic to clopidogrel**; and
- 3 Ticagrelor to be prescribed for a maximum of 21 days following minor stroke or TIA.

Renewal — (subsequent minor stroke or TIA, or Crescendo TIA) from any relevant practitioner. Approvals valid for 1 month where patient has been diagnosed with a minor stroke (NIHSS score 3 or less) or high-risk transient ischemic attack (ABCD2 score 4 or more) or Crescendo TIA.

Notes: indications marked with * are unapproved indications.

Note:** Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

Note:NIHSS† National Institutes of Health Stroke Scale.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Heparin and Antagonist Preparations

ENOXAPARIN SODIUM – Subsidy by endorsement; can be waived by Special Authority see [SA2628](#) below

Subsidy by Endorsement - Available on PSO for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.

Inj 20 mg in 0.2 ml syringe.....	21.90	10	✓ <u>Clexane</u>
Inj 40 mg in 0.4 ml syringe.....	29.74	10	✓ <u>Clexane</u>
Inj 60 mg in 0.6 ml syringe.....	42.47	10	✓ <u>Clexane</u>
Inj 80 mg in 0.8 ml syringe.....	56.62	10	✓ <u>Clexane</u>
Inj 100 mg in 1 ml syringe – Up to 2 inj available on a PSO.....	70.91	10	✓ <u>Clexane</u>
Inj 120 mg in 0.8 ml syringe.....	88.11	10	✓ <u>Clexane Forte</u>
Inj 150 mg in 1 ml syringe.....	100.70	10	✓ <u>Clexane Forte</u>

➔SA2628 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner.

Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Initial application — (Short-term use during treatment of COVID-19 with nirmatrelvir with ritonavir) from any relevant practitioner. Approvals valid for 2 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient is receiving an anticoagulation treatment that has drug/drug interactions with ritonavir that increases risk of bleeding; and
- 2 Patient meets the Access Criteria for COVID-19 antivirals published on the Pharmac website*; and
- 3 Other antiviral treatments for COVID-19 have been considered and are not clinically suitable options.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

BLOOD AND BLOOD FORMING ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
HEPARIN SODIUM				
Inj 1,000 iu per ml, 5 ml ampoule	164.40	50	✓	Pfizer
Inj 10 iu per ml, 5 ml ampoule (flushing solution)	19.38	10	✓	Wockhardt ^{S29}
Inj 5,000 iu per ml, 5 ml vial	83.00	10	✓	Heparin Sodium Panpharma
Inj 5,000 iu per ml, 1 ml	70.33	5	✓	Hospira
Inj 5,000 iu per ml, 5 ml ampoule	406.15	50	✓	Pfizer
Pfizer to be Principal Supply on 1 May 2026				
Inj 25,000 iu per ml, 0.2 ml	25.78	5	✓	Hospira
<i>(Heparin Sodium Panpharma Inj 5,000 iu per ml, 5 ml vial to be delisted 1 May 2026)</i>				
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	96.91	50	✓	Pfizer

Oral Anticoagulants

DABIGATRAN				
Cap 75 mg – No more than 2 cap per day	27.99	60	✓	Pradaxa
Cap 110 mg	27.99	60	✓	Pradaxa
Cap 150 mg	27.99	60	✓	Pradaxa
RIVAROXABAN				
Tab 10 mg – No more than 1 tab per day	15.60	30	✓	Xarelto
Tab 15 mg – Up to 14 tab available on a PSO	14.56	28	✓	Xarelto
Tab 20 mg	14.56	28	✓	Xarelto
WARFARIN SODIUM				
Note: Marevan and Coumadin are not interchangeable.				
* Tab 1 mg	3.46	50	✓	Coumadin
	7.50	100	✓	Marevan
* Tab 2 mg	4.31	50	✓	Coumadin
* Tab 3 mg	12.00	100	✓	Marevan
* Tab 5 mg	5.93	50	✓	Coumadin
	13.50	100	✓	Marevan

Blood Colony-stimulating Factors

FILGRASTIM – Special Authority see SA2613 below – Retail pharmacy				
Inj 300 mcg per 0.5 ml prefilled syringe	86.60	10	✓	Nivestim
Inj 480 mcg per 0.5 ml prefilled syringe	133.72	10	✓	Nivestim

► [SA2613](#) Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 20%*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5 × 10⁹/L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5 × 10⁹/L).

Note: *Febrile neutropenia risk greater than or equal to 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM – Special Authority see SA2614 on the next page – Retail pharmacy				
Inj 6 mg per 0.6 ml syringe	69.50	1	✓	Ziextenzo

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

►SA2614 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk greater than or equal to 5%*).

Note: *Febrile neutropenia risk greater than or equal to 5% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

GLUCOSE [DEXTROSE]

* Inj 5%, 100 ml bag – Subsidy by endorsement	97.00	50	✓ Fresenius Kabi
a) Up to 50 inj available on a PSO			
b) Only on a PSO			
c) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.			
* Inj 10%, 500 ml bag – Subsidy by endorsement	126.00	18	✓ Baxter Glucose 10%
a) Up to 18 inj available on a PSO			
b) Only on a PSO			
c) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.			
* Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO	34.75	5	✓ Biomed
* Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO	17.50	1	✓ Biomed

POTASSIUM CHLORIDE

* Inj 75 mg per ml, 10 ml	65.00	50	✓ Juno ✓ LumaCina ✓ Pfizer ^{S29}
---------------------------------	-------	----	--

SODIUM BICARBONATE

Inj 8.4%, 50 ml	24.70	1	✓ Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			
Inj 8.4%, 100 ml	25.31	1	✓ Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			

SODIUM CHLORIDE

Not funded for use as a nasal drop. Not funded for nebuliser use except when used in conjunction with an antibiotic intended for nebuliser use.

Inj 23.4% (4 mmol/ml), 20 ml ampoule	40.15	5	✓ Biomed
--	-------	---	-----------------

For Sodium chloride oral liquid formulation refer Standard Formulae, [page 280](#)

Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO	4.12	20	✓ Fresenius Kabi
Inj 0.9%, 10 ml ampoule – Up to 5 inj available on a PSO	7.50	50	✓ Fresenius Kabi
Inj 0.9%, 20 ml ampoule	5.20	20	✓ Fresenius Kabi
Inj 0.9%, 1,000 ml bag – Up to 2 bag available on a PSO	1.58	1	✓ Baxter

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs)

Inj 0.9%, 500 ml bag – Up to 4 bag available on a PSO	1.53	1	✓ Baxter
---	------	---	-----------------

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs)

TOTAL PARENTERAL NUTRITION (TPN)

Infusion	CBS	1 OP	✓ TPN
----------------	-----	------	--------------

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

BLOOD AND BLOOD FORMING ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
WATER				
1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or				
2) On a bulk supply order; or				
3) When used in the extemporaneous compounding of eye drops; or				
4) When used for the dilution of sodium chloride soln 7% for cystic fibrosis patients only.				
Inj 10 ml ampoule – Up to 5 inj available on a PSO	7.60	50	✓	Fresenius Kabi
Inj 20 ml ampoule – Up to 5 inj available on a PSO	5.00	20	✓	Multichem Fresenius Kabi

Oral Administration

CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	✓	Calcium Resonium Roma ^{S29}
COMPOUND ELECTROLYTES				
Powder for oral soln – Up to 5 sach available on a PSO.....	9.50	50	✓	Electral
COMPOUND ELECTROLYTES WITH GLUCOSE [DEXTROSE]				
Soln with electrolytes.....	6.53	1 OP	✓	Hydralyte - Lemonade
Soln with electrolytes (2 × 500 ml)	8.45	1 OP	✓	Pedialyte
<i>(Hydralyte - Lemonade Soln with electrolytes to be delisted 1 July 2026)</i>				
PHOSPHORUS				
Tab eff 500 mg (16 mmol)	82.50	100	✓	Phosphate Phebra
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq).....	5.26 (17.10)	60		Chlorvescent
* Tab long-acting 600 mg (8 mmol).....	16.15	200	✓	Span-K
SODIUM BICARBONATE				
Cap 840 mg.....	8.52	100	✓	Sodibic Sodibic
SODIUM POLYSTYRENE SULPHONATE				
Powder	84.65	454 g OP	✓	Resonium-A

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per ✓ Manufacturer

Alpha-Adrenoceptor Blockers

Alpha Adrenoceptor Blockers

DOXAZOSIN			
* Tab 2 mg	17.35	500	✓ Doxazosin Clinect
* Tab 4 mg	20.94	500	✓ Doxazosin Clinect
PHENOXYBENZAMINE HYDROCHLORIDE			
* Cap 10 mg	65.00	30	✓ BNM <small>S29</small>
PRAZOSIN			
* Tab 1 mg	5.53	100	✓ Arrotex-Prazosin S29 <small>S29</small>
	9.98		✓ Minipress <small>S29</small>
* Tab 2 mg	7.00	100	✓ Arrotex-Prazosin S29 <small>S29</small>
	13.29		✓ Minipress <small>S29</small>
* Tab 5 mg	11.70	100	✓ Arrotex-Prazosin S29 <small>S29</small>
	22.00		✓ Minipress <small>S29</small>
* Cap 1 mg	15.40	100	✓ Prazosin Mylan <small>S29</small>
* Cap 2 mg	15.58	100	✓ Prazosin Mylan <small>S29</small>
* Cap 5 mg	23.32	100	✓ Prazosin Mylan <small>S29</small>

Agents Affecting the Renin-Angiotensin System

ACE Inhibitors

CAPTOPRIL			
* Oral liq 5 mg per ml	86.00	100 ml OP	✓ DP-Captopril
Oral liquid restricted to children under 12 years of age.			
ENALAPRIL MALEATE			
* Tab 5 mg	1.40	90	✓ Ipca-Enalapril
	4.25		✓ Acetec
* Tab 10 mg	1.58	90	✓ Ipca-Enalapril
	5.50		✓ Acetec
* Tab 20 mg	2.00	90	✓ Ipca-Enalapril
	6.50		✓ Acetec
<i>(Acetec Tab 5 mg to be delisted 1 July 2026)</i>			
<i>(Acetec Tab 10 mg to be delisted 1 July 2026)</i>			
<i>(Acetec Tab 20 mg to be delisted 1 July 2026)</i>			
LISINOPRIL			
* Tab 5 mg	12.00	90	✓ Teva Lisinopril
* Tab 10 mg	12.00	90	✓ Teva Lisinopril
* Tab 20 mg	16.00	90	✓ Teva Lisinopril
PERINDOPRIL			
* Tab 2 mg	1.79	30	✓ Coversyl
* Tab 4 mg	2.44	30	✓ Coversyl
* Tab 8 mg	3.94	30	✓ Coversyl

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
QUINAPRIL				
* Tab 5 mg	10.24	90	✓	Arrow-Quinapril 5
* Tab 10 mg	12.51	90	✓	Arrow-Quinapril 10
* Tab 20 mg	14.83	90	✓	Arrow-Quinapril 20
RAMIPRIL				
* Cap 1.25 mg	17.25	90	✓	Tryzan
* Cap 2.5 mg	16.50	90	✓	Tryzan
* Cap 5 mg	16.88	90	✓	Tryzan
* Cap 10 mg	17.63	90	✓	Tryzan

Angiotensin II Antagonists

CANDESARTAN CILEXETIL				
* Tab 4 mg	2.68	90	✓	Candestar
* Tab 8 mg	2.67	90	✓	Candestar
* Tab 16 mg	4.22	90	✓	Candestar
* Tab 32 mg	5.24	90	✓	Candestar
LOSARTAN POTASSIUM				
* Tab 12.5 mg	2.00	84	✓	Losartan Actavis
* Tab 25 mg	2.29	84	✓	Losartan Actavis
* Tab 50 mg	2.86	84	✓	Losartan Actavis
* Tab 100 mg	4.57	84	✓	Losartan Actavis

Angiotensin II Antagonists with Diuretics

CANDESARTAN CILEXETIL WITH HYDROCHLOROTHIAZIDE				
* Tab 16 mg with hydrochlorothiazide 12.5 mg	4.10	30	✓	APO-Candesartan HCTZ 16/12.5
* Tab 32 mg with hydrochlorothiazide 12.5 mg	5.25	30	✓	APO-Candesartan HCTZ 32/12.5
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE				
* Tab 50 mg with hydrochlorothiazide 12.5 mg	4.31	30	✓	Arrow-Losartan & Hydrochlorothiazide
	7.25	90	✓	Losartan & Hydrochlorothiazide (Ipc)

(Arrow-Losartan & Hydrochlorothiazide Tab 50 mg with hydrochlorothiazide 12.5 mg to be delisted 1 July 2026)

Angiotensin II Antagonists with Nephilysin Inhibitors

SACUBITRIL WITH VALSARTAN – Special Authority see SA2302 below – Retail pharmacy				
Tab 24.3 mg with valsartan 25.7 mg	190.00	56	✓	Entresto 24/26
Tab 48.6 mg with valsartan 51.4 mg	190.00	56	✓	Entresto 49/51
Tab 97.2 mg with valsartan 102.8 mg	190.00	56	✓	Entresto 97/103

►SA2302 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 1 Patient has heart failure; and
- 2 Any of the following:
 - 2.1 Patient is in NYHA/WHO functional class II; or
 - 2.2 Patient is in NYHA/WHO functional class III; or
 - 2.3 Patient is in NYHA/WHO functional class IV; and
- 3 Either:
 - 3.1 Patient has a documented left ventricular ejection fraction (LVEF) of less than or equal to 35%; or
 - 3.2 An ECHO is not reasonably practical, and in the opinion of the treating practitioner the patient would benefit from treatment; and
- 4 Patient is receiving concomitant optimal standard chronic heart failure treatments.

Antiarrhythmics

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, [page 123](#)

AMIODARONE HYDROCHLORIDE

▲ Tab 100 mg	4.95	30	✓ Aratac
▲ Tab 200 mg	5.86	30	✓ Aratac
Inj 50 mg per ml, 3 ml ampoule – Up to 10 inj available on a PSO	17.96	10	✓ Max Health

ATROPINE SULPHATE

* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	16.10	10	✓ Hikma ^{S29} ✓ Martindale
--	-------	----	--

DIGOXIN

* Tab 62.5 mcg – Up to 30 tab available on a PSO	8.58	240	✓ Lanoxin PG
* Tab 250 mcg – Up to 30 tab available on a PSO	18.75	240	✓ Lanoxin
* Oral liq 50 mcg per ml	16.60	60 ml	✓ Lanoxin ✓ Lanoxin S29 ^{S29}

DISOPYRAMIDE PHOSPHATE

▲ Cap 100 mg	55.90	84	✓ Rythmodan - Cheplafarm ^{S29} ✓ Rythmodan Neon ^{S29}
--------------------	-------	----	--

FLECAINIDE ACETATE

▲ Tab 50 mg	19.95	60	✓ Flecainide BNM
▲ Cap long-acting 100 mg	35.78	90	✓ Flecainide Controlled Release Teva
▲ Cap long-acting 200 mg	54.28	90	✓ Flecainide Controlled Release Teva
Inj 10 mg per ml, 15 ml ampoule	102.79 108.16	5	✓ Almarytm ^{S29} ✓ Tambocor ✓ Tambocor German ^{S29}

MEXILETINE HYDROCHLORIDE

▲ Cap 150 mg	162.00	100	✓ Teva ^{S29}
▲ Cap 250 mg	202.00	100	✓ Teva ^{S29}

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PROPAFENONE HYDROCHLORIDE				
▲ Tab 150 mg	40.90	50	✓	Rytmonorm

Antihypertensives

MIDDORINE – Special Authority see [SA1474 below](#) – Retail pharmacy

Tab 2.5 mg	36.68	100	✓	Midodrine Medsurge
Tab 5 mg	58.88	100	✓	Midodrine Medsurge

►SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta-Adrenoceptor Blockers

Beta Adrenoceptor Blockers

ATENOLOL

* Tab 50 mg	11.00	500	✓	Viartis
* Tab 100 mg	18.50	500	✓	Atenolol Viartis
* Oral liq 25 mg per 5 ml	49.85	300 ml OP	✓	Atenolol AFT

Restricted to children under 12 years of age.

BISOPROLOL FUMARATE

* Tab 2.5 mg	1.36	90	✓	Ipca-Bisoprolol
* Tab 5 mg	1.91	90	✓	Ipca-Bisoprolol
* Tab 10 mg	2.71	90	✓	Ipca-Bisoprolol

CARVEDILOL

* Tab 6.25 mg	1.97	60	✓	Carvedilol Sandoz
* Tab 12.5 mg	2.03	60	✓	Carvedilol Sandoz
* Tab 25 mg	2.46	60	✓	Carvedilol Sandoz

LABETALOL

* Tab 100 mg	14.50	100	✓	Trandate
	49.54		✓	Biocon ^{S29}
* Tab 200 mg	27.00	100	✓	Trandate
	42.07		✓	Presolol ^{S29}
* Inj 5 mg per ml, 20 ml ampoule	59.06	5		Trandate
	(88.60)			

METOPROLOL SUCCINATE

* Tab long-acting 23.75 mg	4.20	90	✓	Myloc CR
* Tab long-acting 47.5 mg	3.65	90	✓	Myloc CR
* Tab long-acting 95 mg	5.24	90	✓	Myloc CR
* Tab long-acting 190 mg	9.76	90	✓	Myloc CR

METOPROLOL TARTRATE

* Tab 50 mg	5.66	100	✓	IPCA-Metoprolol
* Tab 100 mg	7.55	60	✓	IPCA-Metoprolol
* Tab long-acting 200 mg	23.40	28	✓	Slow-Lopresor
* Inj 1 mg per ml, 5 ml vial	26.50	5	✓	Metoprolol IV Mylan
			✓	Metoprolol IV Viartis

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
NADOLOL				
* Tab 40 mg	19.19	100	✓	Nadolol BNM
* Tab 80 mg	30.39	100	✓	Nadolol BNM
PROPRANOLOL				
* Tab 10 mg	7.04	100	✓	Drofate
* Tab 40 mg	8.75	100	✓	IPCA-Propranolol
* Cap long-acting 160 mg	18.17	100	✓	Cardinol LA
* Oral liq 4 mg per ml – Special Authority see SA1327 below – Retail pharmacy.....	CBS	500 ml	✓	Hikma- Propranolol <small>S29</small>
			✓	Roxane- Propranolol <small>S29</small>

►SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrhythmias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrhythmias or congenital cardiac abnormalities.

SOTALOL

* Tab 80 mg	40.00	500	✓	Mylan
* Tab 160 mg	20.00	100	✓	Mylan

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

AMLODIPINE

* Tab 2.5 mg	1.45	90	✓	Vasorex
* Tab 5 mg	1.21	90	✓	Vasorex
* Tab 10 mg	1.31	90	✓	Vasorex

FELODIPINE

* Tab long-acting 2.5 mg.....	2.18	30	✓	Plendil ER
* Tab long-acting 5 mg.....	6.57	90	✓	Felo 5 ER
* Tab long-acting 10 mg.....	6.95	90	✓	Felo 10 ER

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
NIFEDIPINE				
* Tab long-acting 10 mg – Subsidy by endorsement	19.42	56	✓	Tensipine MR10 ^{§29}
Subsidised for patients who were taking nifedipine tab long-acting 10 mg prior to 1 July 2023 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of nifedipine tab long-acting 10 mg.				
* Tab long-acting 20 mg.....	9.92	56	✓	Valni Retard ^{§29}
	17.72	100	✓	Nyefax Retard
* Tab long-acting 30 mg.....	4.78	14	✓	Mylan Italy (24 hr release) ^{§29}
	34.10	100	✓	Mylan (24 hr release) ^{§29}
* Tab long-acting 60 mg.....	52.81	100	✓	Mylan (24 hr release) ^{§29}

Other Calcium Channel Blockers

DILTIAZEM HYDROCHLORIDE				
* Cap long-acting 120 mg	65.35	500	✓	Diltiazem CD Clinect
* Cap long-acting 180 mg	7.00	30	✓	Cardizem CD
* Cap long-acting 240 mg	9.30	30	✓	Cardizem CD
PERHEXILINE MALEATE				
* Tab 100 mg	62.90	100	✓	Pexsig
VERAPAMIL HYDROCHLORIDE				
* Tab 40 mg	7.01	100	✓	Isoptin
* Tab 80 mg	11.74	100	✓	Isoptin
* Tab long-acting 120 mg.....	36.02	100	✓	Isoptin Retard ^{§29}
			✓	Isoptin SR
* Tab long-acting 240 mg.....	15.12	30	✓	Isoptin SR
* Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	25.00	5	✓	Isoptin

Centrally-Acting Agents

CLONIDINE				
* Patch 2.5 mg, 100 mcg per day – Only on a prescription.....	11.70	4	✓	Mylan
* Patch 5 mg, 200 mcg per day – Only on a prescription.....	12.80	4	✓	Mylan
* Patch 7.5 mg, 300 mcg per day – Only on a prescription.....	17.90	4	✓	Mylan
CLONIDINE HYDROCHLORIDE				
* Tab 25 mcg.....	29.74	112	✓	Clonidine Teva
* Tab 150 mcg.....	40.41	100	✓	Catapres
* Inj 150 mcg per ml, 1 ml ampoule	14.10	5	✓	Catapres
METHYLDOPA				
* Tab 250 mg	15.10	100	✓	Methyldopa Viatrix

Diuretics

Loop Diuretics

BUMETANIDE				
* Tab 1 mg	16.36	100	✓	Burinex
* Inj 500 mcg per ml, 4 ml vial.....	7.95	5	✓	Burinex

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
FUROSEMIDE [FRUSEMIDE]				
Tab 40 mg – Up to 30 tab available on a PSO	12.80	1,000	✓	IPCA-Frusemide
* Tab 500 mg	25.00	50	✓	Urex Forte
* Oral liq 10 mg per ml	11.20	30 ml OP	✓	Lasix
* Inj 10 mg per ml, 25 ml ampoule	60.65	6	✓	Lasix
* Inj 10 mg per ml, 2 ml ampoule – Up to 10 inj available on a PSO	2.40	5	✓	Furosemide-Baxter
	3.97	10	✓	Furosemide-AFT

(Furosemide-Baxter Inj 10 mg per ml, 2 ml ampoule to be delisted 1 August 2026)

Potassium Sparing Diuretics

AMILORIDE HYDROCHLORIDE				
Tab 5 mg	81.07	100	✓	Padagis ^{S29}
	171.41	28	✓	Wockhardt ^{S29}
Oral liq 1 mg per ml	35.40	25 ml OP	✓	Biomed
EPLERENONE – Special Authority see SA1728 below – Retail pharmacy				
Tab 25 mg	15.84	30	✓	Inspira
Tab 50 mg	25.00	30	✓	Inspira

►SA1728 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has heart failure with ejection fraction less than 40%; and
- 2 Either:
 - 2.1 Patient is intolerant to optimal dosing of spironolactone; or
 - 2.2 Patient has experienced a clinically significant adverse effect while on optimal dosing of spironolactone.

SPIRONOLACTONE				
* Tab 25 mg	4.20	100	✓	Spiractin
* Tab 100 mg	11.40	100	✓	Spiractin
Oral liq 5 mg per ml	35.70	25 ml OP	✓	Biomed

Potassium Sparing Combination Diuretics

AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE				
* Tab 5 mg with furosemide 40 mg	8.63	28	✓	Frumil
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓	Moduretic

Thiazide and Related Diuretics

BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]				
* Tab 2.5 mg – Up to 150 tab available on a PSO	51.50	500	✓	Arrow-Bendrofluazide
May be supplied on a PSO for reasons other than emergency.				
* Tab 5 mg	61.00	500	✓	Arrow-Bendrofluazide
CHLOROTHIAZIDE				
Oral liq 50 mg per ml	30.67	25 ml OP	✓	Biomed

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CHLORTALIDONE [CHLORTHALIDONE]				
* Tab 25 mg	6.95	50	✓	Hygroton
INDAPAMIDE				
* Tab 2.5 mg	16.00	90	✓	Dapa-Tabs
METOLAZONE				
Tab 5 mg	CBS	50	✓	Zaroxolyn ^{S29}

Vasopressin receptor antagonists

TOLVAPTAN – Special Authority see [SA2166](#) below – Retail pharmacy

Tab 15 mg	873.50	28 OP	✓	Jinarc
Tab 30 mg	873.50	28 OP	✓	Jinarc
Tab 45 mg + 15 mg	1,747.00	56 OP	✓	Jinarc
Tab 60 mg + 30 mg	1,747.00	56 OP	✓	Jinarc
Tab 90 mg + 30 mg	1,747.00	56 OP	✓	Jinarc

► [SA2166](#) Special Authority for Subsidy

Initial application — (autosomal dominant polycystic kidney disease) only from a renal physician or any relevant practitioner on the recommendation of a renal physician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of autosomal dominant polycystic kidney disease; and
- 2 Patient has an estimated glomerular filtration rate (eGFR) of greater than or equal to 25 mL/min/1.73 m² at treatment initiation; and
- 3 Either:
 - 3.1 Patient's disease is rapidly progressing, with a decline in eGFR of greater than or equal to 5 mL/min/1.73 m² within one-year; or
 - 3.2 Patient's disease is rapidly progressing, with an average decline in eGFR of greater than or equal to 2.5 mL/min/1.73 m² per year over a five-year period.

Renewal — (autosomal dominant polycystic kidney disease) only from a renal physician or any relevant practitioner on the recommendation of a renal physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has not developed end-stage renal disease, defined as an eGFR of less than 15 mL/min/1.73 m²; and
- 2 Patient has not undergone a kidney transplant.

Lipid-Modifying Agents

Fibrates

BEZAFIBRATE				
* Tab 200 mg	22.65	90	✓	Bezalip
* Tab long-acting 400 mg	21.54	30	✓	Bezalip Retard

Other Lipid-Modifying Agents

ACIPIMOX				
* Cap 250 mg	38.19	30	✓	Olbetam

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Resins

COLESTYRAMINE

Powder for oral suspension 4 g sachet	61.50	50	✓	Colestyramine - Mylan ^{S29}
			✓	Quantalan sugar free ^{S29}

HMG CoA Reductase Inhibitors (Statins)

ATORVASTATIN

* Tab 10 mg	0.31	30	✓	Lorstat
	5.16	500	✓	Lorstat
* Tab 20 mg	8.12	500	✓	Lorstat
* Tab 40 mg	13.79	500	✓	Lorstat
* Tab 80 mg	1.52	30	✓	Lorstat
	25.39	500	✓	Lorstat

PRAVASTATIN

* Tab 20 mg	7.16	100	✓	Clinect
* Tab 40 mg	12.25	100	✓	Clinect

ROSUVASTATIN – Special Authority see SA2093 below – Retail pharmacy

* Tab 5 mg	1.29	30	✓	Rosuvastatin Viatrix
	4.21		✓	Rosuvastatin - Sandoz
* Tab 10 mg	1.69	30	✓	Rosuvastatin Viatrix
* Tab 20 mg	2.71	30	✓	Rosuvastatin Viatrix
	4.21		✓	Rosuvastatin-Sandoz
* Tab 40 mg	4.55	30	✓	Rosuvastatin Viatrix

SA2093 Special Authority for Subsidy

Initial application — (cardiovascular disease risk) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Both:

- 1.1 Patient is considered to be at risk of cardiovascular disease; and
- 1.2 Patient is Māori or any Pacific ethnicity; or

2 Both:

- 2.1 Patient has a calculated risk of cardiovascular disease of at least 15% over 5 years; and
- 2.2 LDL cholesterol has not reduced to less than 1.8 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

Initial application — (familial hypercholesterolemia) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has familial hypercholesterolemia (defined as a Dutch Lipid Criteria score greater than or equal to 6); and
- 2 LDL cholesterol has not reduced to less than 1.8 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

Initial application — (established cardiovascular disease) from any relevant practitioner. Approvals valid without further

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

renewal unless notified for applications meeting the following criteria:

Both:

1 Any of the following:

- 1.1 Patient has proven coronary artery disease (CAD); or
- 1.2 Patient has proven peripheral artery disease (PAD); or
- 1.3 Patient has experienced an ischaemic stroke; and

2 LDL cholesterol has not reduced to less than 1.4 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

Initial application — (recurrent major cardiovascular events) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Patient has experienced a recurrent major cardiovascular event (defined as myocardial infarction, ischaemic stroke, coronary revascularisation, hospitalisation for unstable angina) in the last 2 years; and

2 LDL cholesterol has not reduced to less than 1.0 mmol/litre with treatment with the maximum tolerated dose of atorvastatin and/or simvastatin.

SIMVASTATIN

* Tab 10 mg	1.68	90	✓ Simvastatin Mylan ✓ Simvastatin Viatris
* Tab 20 mg	2.54	90	✓ Simvastatin Viatris
* Tab 40 mg	4.11	90	✓ Simvastatin Viatris
* Tab 80 mg	8.81	90	✓ Simvastatin Viatris

Selective Cholesterol Absorption Inhibitors

EZETIMIBE

* Tab 10 mg	1.76	30	✓ Ezetimibe Sandoz
-------------	------	----	---------------------------

EZETIMIBE WITH SIMVASTATIN

Tab 10 mg with simvastatin 10 mg	11.86	30	✓ Zimybe
Tab 10 mg with simvastatin 20 mg	12.55	30	✓ Zimybe
Tab 10 mg with simvastatin 40 mg	11.55	30	✓ Zimybe
Tab 10 mg with simvastatin 80 mg	14.27	30	✓ Zimybe

Nitrates

GLYCERYL TRINITRATE

* Oral pump spray, 400 mcg per dose – Up to 250 dose available on a PSO	7.48	250 dose OP	✓ Nitrolingual Pump Spray
* Patch 25 mg, 5 mg per day	15.73	30	✓ Nitroderm TTS
* Patch 50 mg, 10 mg per day	18.62	30	✓ Nitroderm TTS

ISOSORBIDE MONONITRATE

* Tab 20 mg	22.49	100	✓ Ismo 20
* Tab long-acting 40 mg	9.80	30	✓ Ismo 40 Retard
* Tab long-acting 60 mg	13.50	90	✓ Duride

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Sympathomimetics

ADRENALINE

Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO4.98	5	✓ Aspen Adrenaline ✓ DBL Adrenaline
17.78		

- 1) Note: adrenaline inj 1 in 1,000, 1 ml ampoule can be supplied on BSO to a Vaccinator (other than a Pharmacist) under the provisions in Part I of Section A
- 2) Note: Direct Provision by a pharmacist of Inj 1 in 1,000, 1 ml ampoule permitted under the provisions in Part I of Section A.

Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO36.18	5	✓ Hospira ✓ Aspen Adrenaline
49.00	10	

Vasodilators

HYDRALAZINE HYDROCHLORIDE

* Tab 25 mg – Special Authority see SA1321 below – Retail pharmacy.....CBS	1	✓ Hydralazine ✓ Onelink <small>S29</small> ✓ AMDIPHARM <small>S29</small> ✓ Camber <small>S29</small> ✓ Apresoline
	56	
	84	
	100	
* Inj 20 mg ampoule.....25.90	5	

► **SA1321 Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 For the treatment of refractory hypertension; or
- 2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

MINOXIDIL

▲ Tab 10 mg47.04	60	✓ Minoxidil Roma <small>S29</small> ✓ Loniten
78.40	100	

NICORANDIL

▲ Tab 10 mg27.81	60	✓ Max Health
▲ Tab 20 mg35.12	60	✓ Max Health

PAPAVERINE HYDROCHLORIDE

* Inj 12 mg per ml, 10 ml ampoule.....257.12	5	✓ Hospira
--	---	------------------

PENTOXIFYLLINE [OXPENTIFYLLINE]

Tab 400 mg44.37	50	✓ Trental 400
-----------------------	----	----------------------

Endothelin Receptor Antagonists

AMBRISENTAN – Special Authority see [SA2556 on the next page](#) – Retail pharmacy

Tab 5 mg200.00	30	✓ Ambrisentan Viatrix ✓ Ambrisentan Viatrix
Tab 10 mg200.00	30	

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2556 Special Authority for Subsidy

Initial application — (PAH monotherapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
- 5 Both:
 - 5.1 Ambrisentan is to be used as PAH monotherapy; and
 - 5.2 Any of the following:
 - 5.2.1 Patient has experienced intolerable side effects with both sildenafil and bosentan; or
 - 5.2.2 Patient has an absolute contraindication to sildenafil and an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease); or
 - 5.2.3 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease.

Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
- 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
- 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
- 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
- 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
- 5 Both:
 - 5.1 Ambrisentan is to be used as PAH dual therapy; and
 - 5.2 Any of the following:
 - 5.2.1 Patient has tried bosentan (either as PAH monotherapy, or PAH dual therapy with sildenafil) for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**; or
 - 5.2.2 Patient has experienced intolerable side effects on bosentan; or
 - 5.2.3 Patient has an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease); or
 - 5.2.4 Patient is presenting in NYHA/WHO functional class III or IV, and would benefit from initial dual therapy in the opinion of the treating clinician and has an absolute or relative contraindication to bosentan (eg. due to current liver disease or use of a combined oral contraceptive).

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
- 5 Both:
 - 5.1 Ambrisentan is to be used as PAH triple therapy; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

5.2 Any of the following:

5.2.1 Patient is on the lung transplant list; or

5.2.2 Both:

5.2.2.1 Patient is presenting in NYHA/WHO functional class IV; and

5.2.2.2 Patient has an absolute or relative contraindication to bosentan (e.g. due to current use of a combined oral contraceptive or liver disease); or

5.2.3 Both:

5.2.3.1 Patient has tried PAH dual therapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool**; and

5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where the patient is continuing to derive benefit from ambrisentan treatment according to a validated PAH risk stratification tool**.

Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults.

Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

BOSENTAN – Special Authority see [SA2557 below](#) – Retail pharmacy

Tab 62.5 mg	100.00	60	✓ Bosentan Dr Reddy's
Tab 125 mg	100.00	60	✓ Bosentan Dr Reddy's

➔ **SA2557** | **Special Authority for Subsidy**

Initial application — (PAH monotherapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

5 Both:

- 5.1 Bosentan is to be used as PAH monotherapy; and
- 5.2 Any of the following:
 - 5.2.1 Patient has experienced intolerable side effects on sildenafil; or
 - 5.2.2 Patient has an absolute contraindication to sildenafil; or
 - 5.2.3 Patient is a child with idiopathic PAH or PAH secondary to congenital heart disease.

Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
- 5 Bosentan is to be used as part of PAH dual therapy; and
- 6 Either:
 - 6.1 Patient has tried a PAH monotherapy (sildenafil) for at least three months and has experienced an inadequate therapeutic response to treatment according to a validated risk stratification tool**; or
 - 6.2 Patient is presenting in NYHA/WHO functional class III or IV, and in the opinion of the treating clinician would likely benefit from initial dual therapy.

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
- 4.1.4 Pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
- 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
- 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
- 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures; and
- 5 Both:
 - 5.1 Bosentan is to be used as part of PAH triple therapy; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is on the lung transplant list; or
 - 5.2.2 Patient is presenting in NYHA/WHO functional class IV; or
 - 5.2.3 Both:
 - 5.2.3.1 Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**; and
 - 5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where patient is continuing to derive benefit from bosentan treatment according to a validated PAH risk stratification tool**.

Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults.

Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

Phosphodiesterase Type 5 Inhibitors

SILDENAFIL – Special Authority see [SA2558 below](#) – Retail pharmacy

Tab 25 mg	0.72	4	✓ Vedafil
Tab 50 mg	1.45	4	✓ Vedafil
Tab 100 mg	11.22	12	✓ Vedafil

➔ **SA2558** Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Initial application — (Pulmonary arterial hypertension*) only from a respiratory specialist, cardiologist, rheumatologist or any

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH)*; and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH is confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) of greater than 20 mmHg; and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) that is less than or equal to 15 mmHg; and
 - 4.1.4 Pulmonary vascular resistance (PVR) of at least 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH is non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including severe chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures.

Initial application — (erectile dysfunction due to spinal cord injury) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has a documented history of traumatic or non-traumatic spinal cord injury; and
- 2 Patient has erectile dysfunction secondary to spinal cord injury requiring pharmacological treatment.

Renewal — (erectile dysfunction due to spinal cord injury) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Indications marked with * are Unapproved Indications.

** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

Prostacyclin Analogues

EPOPROSTENOL – Special Authority see SA2559 below – Retail pharmacy

Inj 500 mcg vial.....	36.61	1	✓ Veletri
Inj 1.5 mg vial	73.21	1	✓ Veletri

►SA2559 Special Authority for Subsidy

Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and
- 5 All of the following:
 - 5.1 Epoprostenol is to be used as part of PAH dual therapy with either sildenafil or an endothelin receptor antagonist; and
 - 5.2 Patient is presenting in NYHA/WHO functional class IV; and
 - 5.3 Patient has tried a PAH monotherapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool.

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and

5 Both:

- 5.1 Epoprostenol is to be used as PAH triple therapy; and
- 5.2 Any of the following:
 - 5.2.1 Patient is on the lung transplant list; or
 - 5.2.2 Patient is presenting in NYHA/WHO functional class IV; or
 - 5.2.3 Both:
 - 5.2.3.1 Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool; and
 - 5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where patient is continuing to derive benefit from epoprostenol treatment according to a validated PAH risk stratification tool**.

Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults.

Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

ILOPROST – Special Authority see [SA2560 below](#) – Retail pharmacy

Nebuliser soln 10 mcg per ml, 2 ml	166.53	30	✓ Veblis ✓ Veblis S29 <small>S29</small>
--	--------	----	---

▶SA2560 Special Authority for Subsidy

Initial application — (PAH monotherapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and

5 Both:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 5.1 Iloprost is to be used as PAH monotherapy; and
- 5.2 Either:
 - 5.2.1 Patient has experienced intolerable side effects on sildenafil and both the funded endothelin receptor antagonists (i.e. both bosentan and ambrisentan); or
 - 5.2.2 Patient has an absolute contraindication to sildenafil and an absolute or relative contraindication to endothelin receptor antagonists.

Initial application — (PAH dual therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and
- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn cm^{-5}); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and
- 5 All of the following:
 - 5.1 Iloprost is to be used as PAH dual therapy with either sildenafil or an endothelin receptor antagonist; and
 - 5.2 Either:
 - 5.2.1 Patient has an absolute contraindication to or has experienced intolerable side effects on sildenafil; or
 - 5.2.2 Patient has an absolute or relative contraindication to or experienced intolerable side effects with a funded endothelin receptor antagonist; and
 - 5.3 Either:
 - 5.3.1 Patient has tried a PAH monotherapy for at least three months and remains in an unacceptable risk category according to a validated risk stratification tool**; or
 - 5.3.2 Patient is presenting in NYHA/WHO functional class III or IV, and in the opinion of the treating clinician would benefit from initial dual therapy.

Initial application — (PAH triple therapy) only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pulmonary arterial hypertension (PAH); and
- 2 PAH is in Group 1, 4 or 5 of the WHO (Venice 2003) clinical classifications; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 3 PAH is in New York Heart Association/World Health Organization (NYHA/WHO) functional class II, III or IV; and
- 4 Any of the following:
 - 4.1 All of the following:
 - 4.1.1 PAH has been confirmed by right heart catheterisation; and
 - 4.1.2 A mean pulmonary artery pressure (PAPm) greater than 20 mmHg (unless peri Fontan repair); and
 - 4.1.3 A pulmonary capillary wedge pressure (PCWP) less than or equal to 15 mmHg; and
 - 4.1.4 A pulmonary vascular resistance greater than 2 Wood Units or greater than 160 International Units (dyn s cm⁻⁵); and
 - 4.1.5 Any of the following:
 - 4.1.5.1 PAH has been demonstrated to be non-responsive in vasoreactivity assessment using iloprost or nitric oxide, as defined in the 2022 ECS/ERS Guidelines for PAH; or
 - 4.1.5.2 Patient has not experienced an acceptable response to calcium antagonist treatment, according to a validated risk stratification tool**; or
 - 4.1.5.3 Patient has PAH other than idiopathic / heritable or drug-associated type; or
 - 4.2 Patient is a child with PAH secondary to congenital heart disease or PAH due to idiopathic, congenital or developmental lung disorders including chronic neonatal lung disease; or
 - 4.3 Patient has palliated single ventricle congenital heart disease and elevated pulmonary pressures or a major complication of the Fontan circulation requiring the minimising of pulmonary/venous filling pressures ; and
- 5 Both:
 - 5.1 Iloprost is to be used as PAH triple therapy; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is on the lung transplant list; or
 - 5.2.2 Patient is presenting in NYHA/WHO functional class IV; or
 - 5.2.3 Both:
 - 5.2.3.1 Patient has tried PAH dual therapy for at least three months and has not experienced an acceptable response to treatment according to a validated risk stratification tool**; and
 - 5.2.3.2 Patient does not have major life-threatening comorbidities and triple therapy is not being used in a palliative scenario.

Renewal only from a respiratory specialist, cardiologist, rheumatologist or any relevant practitioner on the recommendation of a respiratory specialist, cardiologist or rheumatologist. Approvals valid for 2 years where patient is continuing to derive benefit from iloprost treatment according to a validated PAH risk stratification tool**.

Note: ** the requirement to use a validated risk stratification tool to determine insufficient response applies to adults. Determining insufficient response in children does not require use of a validated PAH risk stratification tool, where currently no such validated tools exist for PAH risk stratification in children.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, [page 54](#)

ADAPALENE – Only on a prescription

Maximum of 30 g per three months

Gel 0.1%.....	22.89	30 g OP	✓ Differin
---------------	-------	---------	------------

ISOTRETINOIN – Special Authority see [SA2584 below](#) – Retail pharmacy

Cap 5 mg.....	11.26	60	✓ Oratane
---------------	-------	----	-----------

Cap 10 mg.....	18.75	120	✓ Oratane
----------------	-------	-----	-----------

Cap 20 mg.....	26.73	120	✓ Oratane
----------------	-------	-----	-----------

►SA2584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, paediatrician, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Any of the following:
 - 3.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
 - 3.2 Patient is not of child bearing potential; or
 - 3.3 Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
- 2 Patient is not of child bearing potential; or
- 3 Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

Initial application — (Neuroblastoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The patient has neuroblastoma; and
- 2 Any of the following:
 - 2.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
 - 2.2 Patient is not of child bearing potential; or
 - 2.3 Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

Renewal — (Neuroblastoma) from any relevant practitioner. Approvals valid for 12 months for applications meeting the

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

following criteria:

Both:

- 1 The patient has neuroblastoma; and
- 2 Any of the following:
 - 2.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and that they must not become pregnant during treatment and for a period of one month after the completion of treatment; or
 - 2.2 Patient is not of child bearing potential; or
 - 2.3 Patient is a child and it is considered not appropriate to exclude pregnancy or start contraceptives or undertake pregnancy-related isotretinoin counselling.

TRETINOIN

Crm 0.5 mg per g.....	16.82	50 g OP	✓ <u>ReTrieve</u>
Maximum of 50 g per three months			

Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, [page 94](#)

HYDROGEN PEROXIDE

* Crm 1%.....	4.89	15 g OP	✓ <u>Crystaderm</u>
---------------	------	---------	---------------------

MUPIROCIN

Oint 2%.....	6.60 (13.00)	15 g OP	Bactroban
--------------	-----------------	---------	-----------

- a) Only on a prescription
- b) Not in combination

SODIUM FUSIDATE [FUSIDIC ACID]

Crm 2%.....	1.69	5 g OP	✓ <u>Foban</u>
-------------	------	--------	----------------

- a) Maximum of 5 g per prescription
- b) Only on a prescription
- c) Not in combination

Oint 2%.....	1.69	5 g OP	✓ <u>Foban</u>
--------------	------	--------	----------------

- a) Maximum of 5 g per prescription
- b) Only on a prescription
- c) Not in combination

SULFADIAZINE SILVER

Crm 1%.....	10.80	50 g OP	✓ <u>Flamazine</u>
-------------	-------	---------	--------------------

- a) Up to 250 g available on a PSO
- b) Not in combination

Antifungals Topical

For systemic antifungals, refer to INFECTIONS, Antifungals, [page 101](#)

AMOROLFINE

- a) Only on a prescription
- b) Not in combination

Nail soln 5%.....	21.87	5 ml OP	✓ <u>MycosNail</u>
-------------------	-------	---------	--------------------

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CLOTRIMAZOLE				
* Crm 1%.....	1.15	20 g OP	✓	Clomazol
a) Only on a prescription				
b) Not in combination				
* Soln 1%.....	4.36 (11.58)	20 ml OP		Canesten
a) Only on a prescription				
b) Not in combination				
ECONAZOLE NITRATE				
Crm 1%.....	8.04	20 g OP	✓	<u>Pevaryl</u>
a) Only on a prescription				
b) Not in combination				
Foaming soln 1%, 10 ml sachets.....	9.89 (18.64)	3		Pevaryl
a) Only on a prescription				
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%.....	0.90	15 g OP	✓	<u>Multichem</u>
a) Only on a prescription				
b) Not in combination				
* Lotn 2%.....	4.36 (10.03)	30 ml OP		Daktarin
a) Only on a prescription				
b) Not in combination				
* Tinct 2%.....	4.36 (12.10)	30 ml OP		Daktarin
a) Only on a prescription				
b) Not in combination				

Antipruritic Preparations

CALAMINE

- a) Only on a prescription
b) Not in combination

Crm, aqueous, BP.....3.45 100 g ✓ **healthE Calamine Aqueous**

CROTAMITON

- a) Only on a prescription
b) Not in combination

Crm 10%.....3.49 20 g OP ✓ **Itch-Soothe**

MENTHOL – Only in combination

- 1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain
2) With or without other dermatological galenicals.

Crystals.....12.60 25 g ✓ **MidWest**
36.80 100 g ✓ **MidWest**

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per ✓ Brand or Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 85

Corticosteroids - Plain

BETAMETHASONE DIPROPIONATE

Crm 0.05%.....	2.96	15 g OP	✓ Diprosone
	36.00	50 g OP	✓ Diprosone
Oint 0.05%.....	2.96	15 g OP	✓ Diprosone
	36.00	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV

BETAMETHASONE VALERATE

* Crm 0.1%.....	5.85	50 g OP	✓ Beta Cream
* Oint 0.1%.....	7.90	50 g OP	✓ Beta Ointment
* Lotn 0.1%	30.00	50 ml OP	✓ Betnovate

CLOBETASOL PROPIONATE

* Crm 0.05%.....	3.75	30 g OP	✓ Dermol
* Oint 0.05%.....	3.68	30 g OP	✓ Dermol

CLOBETASONE BUTYRATE

Crm 0.05%.....	5.38	30 g OP	
	(10.00)		Eumovate

HYDROCORTISONE

* Crm 1% – Only on a prescription.....	1.75	30 g OP	✓ Ethics
	20.40	500 g	✓ Noumed
* Powder – Only in combination.....	49.95	25 g	✓ ABM
Up to 5% in a dermatological base (not proprietary Topical Corticosteroid – Plain) with or without other dermatological galenicals			

HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN

Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% – Only on a prescription.....	12.83	250 ml	✓ DP Lotn HC
---	-------	--------	---------------------

HYDROCORTISONE BUTYRATE

Lipocream 0.1%.....	4.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%.....	10.28	100 g OP	✓ Locoid
Milky emul 0.1%	12.33	100 ml OP	✓ Locoid Crelo

METHYLPREDNISOLONE ACEPONATE

Crm 0.1%.....	4.95	15 g OP	✓ Advantan
Oint 0.1%.....	4.95	15 g OP	✓ Advantan

MOMETASONE FUROATE

Crm 0.1%.....	2.25	15 g OP	✓ Elocon Alcohol Free
	3.50	50 g OP	✓ Elocon Alcohol Free
Oint 0.1%.....	2.25	15 g OP	✓ Elocon
	3.50	50 g OP	✓ Elocon
Lotn 0.1%	4.99	30 ml OP	✓ Elocon

TRIAMCINOLONE ACETONIDE

Crm 0.02%.....	6.49	100 g OP	✓ Aristocort
Oint 0.02%.....	6.54	100 g OP	✓ Aristocort

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Corticosteroids - Combination

BETAMETHASONE VALERATE WITH SODIUM FUSIDATE [FUSIDIC ACID] Crm 0.1% with sodium fusidate (fusidic acid) 2%.....	3.49	15 g OP		
	(10.45)			Fucicort
a) Maximum of 15 g per prescription b) Only on a prescription				
HYDROCORTISONE WITH MICONAZOLE – Only on a prescription * Crm 1% with miconazole nitrate 2%.....	2.85	15 g OP	✓	<u>Micreme H</u>
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription Oint 1% with natamycin 1% and neomycin sulphate 0.5%.....	4.34	15 g OP	✓	<u>Pimafucort</u>
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g – Only on a prescription	3.49	15 g OP		
	(9.28)			Viaderm KC

Barrier Creams and Emollients

Barrier Creams

DIMETHICONE * Crm 5% pump bottle.....	4.14	460 g OP	✓	<u>Hydralock</u>
	4.30		✓	<u>healthE</u> Dimethicone 5%
Hydralock to be Principal Supply on 1 June 2026				
* Crm 10% pump bottle.....	4.52	460 g OP	✓	<u>healthE</u> Dimethicone 10%
<i>(healthE Dimethicone 5% Crm 5% pump bottle to be delisted 1 June 2026)</i>				
ZINC AND CASTOR OIL * Oint.....	4.25	500 g	✓	<u>Evara</u>

Emollients

AQUEOUS CREAM * Crm.....	1.65	500 g	✓	<u>Evara</u>
CETOMACROGOL * Crm BP	2.29	500 g	✓	<u>Cetomacrogol-AFT</u>
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%.....	1.92	460 g OP	✓	<u>Evara</u>
	3.25	920 g OP	✓	<u>Evara</u>
EMULSIFYING OINTMENT * Oint BP	3.13	500 g	✓	<u>Evara Emulsifying</u> <u>Ointment</u>
OIL IN WATER EMULSION * Crm.....	2.10	500 g	✓	<u>Fatty Emulsion</u> <u>Cream (Evara)</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PARAFFIN				
Oint liquid paraffin 50% with white soft paraffin 50%.....	4.45	500 g OP	✓	EVARA Paraffin Ointment 50/50
	4.94		✓	White Soft Liquid Paraffin AFT
EVARA Paraffin Ointment 50/50 to be Principal Supply on 1 June 2026 (White Soft Liquid Paraffin AFT Oint liquid paraffin 50% with white soft paraffin 50% to be delisted 1 June 2026)				
UREA				
* Crm 10%.....	1.37	100 g OP	✓	healthE Urea Cream
WOOL FAT WITH MINERAL OIL – Only on a prescription				
* Lotn hydrous 3% with mineral oil.....	5.60 (14.96) (20.53)	1,000 ml		DP Lotion Alpha-Keri Lotion
	1.40 (5.87)	250 ml OP		DP Lotion
	5.60 (23.91)	1,000 ml		BK Lotion
	1.40 (7.73)	250 ml OP		BK Lotion

Other Dermatological Bases

PARAFFIN				
White soft – Only in combination.....	4.74	450 g	✓	EVARA White Soft Paraffin
	19.00	2,500 g	✓	EVARA White Soft Paraffin
Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.				

Minor Skin Infections

POVIDONE IODINE				
Oint 10%.....	7.40	65 g OP	✓	Betadine
a) Maximum of 130 g per prescription				
b) Only on a prescription				
Antiseptic Solution 10%.....	4.99	100 ml	✓	Riodine
Antiseptic soln 10%.....	3.83	15 ml	✓	Riodine
	6.99	500 ml	✓	Riodine
Skin preparation, povidone iodine 10% with 30% alcohol.....	1.63 (3.48)	100 ml		Betadine Skin Prep

Parasiticial Preparations

DIMETHICONE				
* Lotn 4%.....	4.60	200 ml OP	✓	healthE Dimethicone 4% Lotion
healthE Dimethicone 4% Lotion to be Principal Supply on 1 June 2026				

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
IVERMECTIN – Special Authority see SA2511 below – Retail pharmacy				
Tab 3 mg – Up to 100 tab available on a PSO	17.20	4	✓	Stromectol
1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.				
2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.				
3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or prisons.				

➔ **SA2511** **Special Authority for Subsidy**

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Either:

- 1 The person has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
- 2 Both:
 - 2.1 The person has a confirmed diagnosis of scabies or is a close contact of a scabies case; and
 - 2.2 Either:
 - 2.2.1 The person is unable to complete topical therapy; or
 - 2.2.2 Previous treatment with topical therapy has been tried and not cleared the infestation.

Initial application — (Other parasitic infections) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 filariasis; or
- 2 cutaneous larva migrans (creeping eruption); or
- 3 strongyloidiasis; or
- 4 The individual has a travel or residence history that requires presumptive parasite treatment.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Either:

- 1 The person has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
- 2 Both:
 - 2.1 The person has a confirmed diagnosis of scabies or is a close contact of a scabies case; and
 - 2.2 Either:
 - 2.2.1 The person is unable to complete topical therapy; or
 - 2.2.2 Previous treatment with topical therapy has been tried and not cleared the infestation.

Renewal — (Other parasitic infections) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 filariasis; or
- 2 cutaneous larva migrans (creeping eruption); or
- 3 strongyloidiasis.

PERMETHRIN

Lotn 5%	4.28	30 ml OP	✓	A-Scabies
---------------	------	----------	---	------------------

Psoriasis and Eczema Preparations

ACITRETIN – Special Authority see [SA2024 on the next page](#) – Retail pharmacy

Cap 10 mg	26.20	60	✓	Novatretin
Cap 25 mg	57.37	60	✓	Novatretin

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2024 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and that they must not become pregnant during treatment and for a period of three years after the completion of treatment; or
 - 3.2 Patient is not of child bearing potential.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Either:

- 1 Patient is of child bearing potential and the possibility of pregnancy has been excluded prior to commencement of treatment and patient has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and that they must not become pregnant during treatment and for a period of three years after the completion of treatment; or
- 2 Patient is not of child bearing potential.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Foam spray 500 mcg with calcipotriol 50 mcg per g	59.95	60 g OP	✓ Enstilar
Gel 500 mcg with calcipotriol 50 mcg per g	40.92	60 g OP	✓ Daivobet
Oint 500 mcg with calcipotriol 50 mcg per g	14.31	30 g OP	✓ Daivobet

CALCIPOTRIOL

Oint 50 mcg per g	40.00	120 g OP	✓ Daivonex
-------------------------	-------	----------	-------------------

COAL TAR

Soln BP – Only in combination	46.00	200 ml	✓ Midwest
-------------------------------------	-------	--------	------------------

- 1) Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain
- 2) With or without other dermatological galenicals.

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and allantoin crm 2.5%	6.59 (8.00) 3.43 (4.35)	75 g OP 30 g OP	 Egopsoryl TA Egopsoryl TA
---	----------------------------------	------------------------	--------------------------------------

COAL TAR WITH SALICYLIC ACID AND SULPHUR

Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
---	------	---------	---------------------

PIMECROLIMUS – Special Authority see SA1970 below – Retail pharmacy

- a) Maximum of 15 g per prescription
 - b) Note: a maximum of 15 g per prescription and no more than one prescription per 12 weeks.
- | | | | |
|----------------|-------|---------|-----------------|
| Cream 1% | 33.00 | 15 g OP | ✓ Elidel |
|----------------|-------|---------|-----------------|

►SA1970 Special Authority for Subsidy

Initial application only from a dermatologist, paediatrician, ophthalmologist or any relevant practitioner on the recommendation of a dermatologist, paediatrician or ophthalmologist. Approvals valid without further renewal unless notified for applications

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

DERMATOLOGICALS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

meeting the following criteria:

Both:

- 1 Patient has atopic dermatitis on the eyelid; and
- 2 Patient has at least one of the following contraindications to topical corticosteroids: periorificial dermatitis, rosacea, documented epidermal atrophy, documented allergy to topical corticosteroids, cataracts, glaucoma, or raised intraocular pressure.

PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORESCIN – Only on a prescription

* Soln 2.3% with trolamine laurilsulfate and fluorescein sodium.....5.41 500 ml ✓ **Pinetarsol**

SALICYLIC ACID

Powder – Only in combination.....29.00 250 g ✓ **Midwest**

- 1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain or collodion flexible
- 2) With or without other dermatological galenicals.

SULPHUR

Precipitated – Only in combination.....6.35 100 g ✓ **Midwest**

- 1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain
- 2) With or without other dermatological galenicals.

(Midwest Precipitated to be delisted 1 October 2028)

TACROLIMUS

Oint 0.1% – Special Authority see [SA2074 below](#) – Retail

pharmacy.....33.00 30 g OP ✓ **Zematop**

a) Maximum of 30 g per prescription

b) Note: a maximum of 30 g per prescription and no more than one prescription per 12 weeks.

➔ [SA2074](#) **Special Authority for Subsidy**

Initial application only from a dermatologist, paediatrician or any relevant practitioner on the recommendation of a dermatologist, paediatrician, . Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has atopic dermatitis on the face; and
- 2 Patient has at least one of the following contraindications to topical corticosteroids: periorificial dermatitis, rosacea, documented epidermal atrophy or documented allergy to topical corticosteroids.

Scalp Preparations

BETAMETHASONE VALERATE

* Scalp app 0.1%12.95 100 ml OP ✓ **Beta Scalp**

CLOBETASOL PROPIONATE

* Scalp app 0.05%6.90 30 ml OP ✓ **Dermol**

HYDROCORTISONE BUTYRATE

Scalp lotn 0.1%.....6.57 100 ml OP ✓ **Locoid**

KETOCONAZOLE

Shampoo 2%.....4.09 100 ml OP ✓ **Sebizole**

a) Maximum of 100 ml per prescription

b) Only on a prescription

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Sunscreens

SUNSCREENS, PROPRIETARY – Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

Lotn,.....	6.50	200 g OP	✓ Marine Blue Lotion SPF 50+
------------	------	----------	---------------------------------

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, [page 74](#)

PODOPHYLLOTOXIN

Soln 0.5%	33.60	3.5 ml OP	✓ Condylina ✓ Condylina S29 ^{S29}
-----------------	-------	-----------	---

- Maximum of 3.5 ml per prescription
- Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

Crm 5%.....	5.56	20 g OP	✓ <u>Efudix</u>
-------------	------	---------	-----------------

IMIQUIMOD

Crm 5%, 250 mg sachet.....	21.72	24	✓ Padagis ✓ Perrigo
----------------------------	-------	----	------------------------

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised ✓ Brand or Generic Manufacturer

Contraceptives - Non-hormonal

Condoms

CONDOMS

* 49 mm – Up to 144 dev available on a PSO	14.25	144	✓ Moments
* 53 mm.....	1.15	10	✓ Moments
	14.25	144	✓ Moments
a) Maximum of 60 dev per prescription			
b) Up to 60 dev available on a PSO			
* 53 mm, 0.05 mm thickness.....	1.15	10	✓ Moments
	14.25	144	✓ Moments
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 53 mm, chocolate, brown	1.15	10	✓ Moments
	14.25	144	✓ Moments
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 53 mm, strawberry, red.....	1.15	10	✓ Moments
	14.25	144	✓ Moments
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 56 mm.....	1.15	10	✓ Moments
	14.50	144	✓ Moments
a) Maximum of 60 dev per prescription			
b) Up to 60 dev available on a PSO			
* 56 mm, 0.05 mm thickness.....	2.00	12	✓ Gold Knight
	24.10	144	✓ Gold Knight
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 56 mm, 0.05mm thickness (bulk pack)	20.17	144	✓ Gold Knight
a) Maximum of 60 dev per prescription			
b) Up to 60 dev available on a PSO			
* 56 mm, 0.08 mm thickness.....	1.15	10	✓ Moments
	14.25	144	✓ Moments
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 56 mm, 0.08 mm thickness, red	1.15	10	✓ Moments
	14.25	144	✓ Moments
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 56 mm, chocolate	1.79	12	✓ Gold Knight
	21.45	144	✓ Gold Knight
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 56 mm, strawberry.....	1.79	12	✓ Gold Knight
	21.45	144	✓ Gold Knight
a) Up to 60 dev available on a PSO			
b) Maximum of 60 dev per prescription			
* 60 mm.....	1.82	12	✓ Gold Knight XL
	21.89	144	✓ Gold Knight XL
a) Maximum of 60 dev per prescription			

▲ Three months to 60 dev available on a PSO if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months to six months, as applicable, dispensed at one time..... 17.78 144 ✓ Gold Knight XL

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
a) Maximum of 60 dev per prescription				
b) Up to 60 dev available on a PSO				

Contraceptive Devices

INTRA-UTERINE DEVICE

a) Up to 40 dev available on a PSO				
b) Only on a PSO				
* IUD 29.1 mm length x 23.2 mm width.....	29.80	1	✓	Choice 380 7med Nsha Silver/ copper Short
* IUD 33.6 mm length x 29.9 mm width.....	26.80	1	✓	TCu 380 Plus Normal
* IUD 35.5 mm length x 19.6 mm width.....	33.00	1	✓	Cu 375 Standard

Contraceptives - Hormonal

Combined Oral Contraceptives

ETHINYLOESTRADIOL WITH DESOGESTREL

* Tab 20 mcg with desogestrel 150 mcg and 7 inert tab – Up to 84 tab available on a PSO.....	10.00	84	✓	Mercilon 28
---	-------	----	---	-------------

ETHINYLOESTRADIOL WITH LEVONORGESTREL

* Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tablets – Up to 84 tab available on a PSO.....	2.00	84	✓	Lo-Oralcon 20 ED Lo-Oralcon 20 ED to be Principal Supply on 1 April 2026
* Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tablets – Up to 84 tab available on a PSO.....	2.30	84	✓	Oralcon 30 ED Oralcon 30 ED to be Principal Supply on 1 April 2026

ETHINYLOESTRADIOL WITH NORETHISTERONE

Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO.....	14.09	84	✓	Brevinor 1/28
Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – Up to 112 tab available on a PSO.....	23.75	84	✓	Norimin
	29.32	112	✓	Norimin

Progestogen-only Contraceptives

DESOGESTREL

* Tab 75 mcg – Up to 84 tab available on a PSO.....	24.50	84	✓	Cerazette
---	-------	----	---	-----------

LEVONORGESTREL

* Tab 30 mcg – Up to 112 tab available on a PSO.....	22.00	112	✓	Microlut
* Intra-uterine device 52 mg – Up to 25 dev available on a PSO.....	269.50	1	✓	Mirena
* Intra-uterine device 13.5 mg – Up to 10 dev available on a PSO.....	215.60	1	✓	Jaydess
* Subdermal implant (2 x 75 mg rods) – Up to 40 impl available on a PSO.....	106.92	2 OP	✓	Jadelle

MEDROXYPROGESTERONE ACETATE

Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO	10.56	1	✓	Depo-Provera
---	-------	---	---	--------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
NORETHISTERONE				
Tab 350 mcg – Up to 84 tab available on a PSO	12.25	84	✓	Noriday
	13.23			✓ Noriday 28

Emergency Contraceptives

LEVONORGESTREL				
* Tab 1.5 mg	1.31	1	✓	Levonorgestrel -1 (Lupin)
	1.75			✓ Levonorgestrel BNM

- a) Maximum of 2 tab per prescription
- b) Up to 5 tab available on a PSO
- c) Note: Direct Provision by a pharmacist permitted under the provisions in Part I of Section A.
- d) Levonorgestrel -1 (Lupin) to be Principal Supply on 1 June 2026

(Levonorgestrel BNM Tab 1.5 mg to be delisted 1 June 2026)

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions “contraceptive” (code “O”) when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- A maximum \$5.00 prescription charge (patient co-payment) may apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to any non contraceptive prescription charges that apply, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 168 tab available on a PSO.....	5.08	168	✓	Ginet
---	------	-----	---	--------------

Gynaecological Anti-infectives

ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID

Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator....	8.43 (24.87)	100 g OP		Aci-Jel
---	-----------------	----------	--	---------

CLOTRIMAZOLE

* Vaginal crm 1% with applicators.....	4.20	35 g OP	✓	Clomazol
* Vaginal crm 2% with applicators.....	4.60	20 g OP	✓	Clomazol

MICONAZOLE NITRATE

* Vaginal crm 2% with applicator	6.89	40 g OP	✓	Micreme
--	------	---------	---	----------------

NYSTATIN

Vaginal crm 100,000 u per 5 g with applicator(s)	5.70	75 g OP	✓	Nilstat
--	------	---------	---	----------------

Myometrial and Vaginal Hormone Preparations

ERGOMETRINE MALEATE

Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	160.00	5	✓	DBL Ergometrine
---	--------	---	---	------------------------

OESTRIOL

* Crm 1 mg per g with applicator.....	6.95	15 g OP	✓	Ovestin
* Pessaries 500 mcg	7.55	15	✓	Ovestin

▲Three months supply may be dispensed at one time if endorsed “certified exemption” by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OXYTOCIN – Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml ampoule	5.98	5	✓	Oxytocin BNM
Inj 10 iu per ml, 1 ml ampoule	7.18	5	✓	Oxytocin BNM
OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj available on a PSO				
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml ampoule	41.47	5	✓	Syntometrine

Pregnancy Tests - hCG Urine

BETA-HCG LOW SENSITIVITY URINE TEST KIT – Up to 15 test available on a PSO

Note: For use in abortion services only.

Midstream..... 16.28 1 test OP ✓ **CheckTop**

PREGNANCY TESTS - HCG URINE

a) Up to 200 test available on a PSO

b) Only on a PSO

Cassette 16.00 40 test OP ✓ **David One Step
Cassette
Pregnancy Test**

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, [page 113](#)

5-Alpha Reductase Inhibitors

FINASTERIDE – Special Authority see [SA0928 below](#) – Retail pharmacy

* Tab 5 mg 4.79 100 ✓ **Ricit**

➔ [SA0928](#) **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE – Special Authority see [SA1032 below](#) – Retail pharmacy

* Cap 400 mcg 28.56 100 ✓ **Tamsulosin-Rex**

➔ [SA1032](#) **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN

* Tab 5 mg 5.42 100 ✓ **Alchemy
Oxybutynin**

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

POTASSIUM CITRATE

Oral liq 3 mmol per ml – Special Authority see SA1083 below –
 Retail pharmacy..... 37.49 200 ml OP ✓ Biomed

►SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets 3.50 28 ✓ Ural

SOLIFENACIN SUCCINATE

Tab 5 mg 1.95 30 ✓ Solifenacin succinate Max Health

Tab 10 mg 3.53 30 ✓ Solifenacin succinate Max Health

Detection of Substances in Urine

ORTHO-TOLIDINE

* Compound diagnostic sticks 7.50 50 test OP
 (8.25) Hemastix

TETRABROMOPHENOL

* Blue diagnostic strips 13.92 100 test OP ✓ Albustix

Obstetric Preparations

Antiprogesterones

MIFEPRISTONE

Tab 200 mg – Up to 15 tab available on a PSO 83.90 1 ✓ Mifegyne
 180.00 3 ✓ Mifegyne

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Calcium Homeostasis

CALCITONIN

* Inj 100 iu per ml, 1 ml ampoule	121.00	5	✓	Miacalcic ✓ Miacalcic S29 ^{S29}
---	--------	---	---	---

CINACALCET – Special Authority see SA2170 below – Retail pharmacy

Tab 30 mg – Wastage claimable	25.24	28	✓	Cinacalcet Devatis
Tab 60 mg – Wastage claimable	50.47	28	✓	Cinacalcet Devatis

►SA2170 Special Authority for Subsidy

Initial application — (parathyroid carcinoma or calciphylaxis) only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
 - 1.2 The patient has persistent hypercalcaemia (serum calcium greater than or equal to 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
 - 1.3 The patient is symptomatic; or
- 2 All of the following:
 - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriopathy); and
 - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium greater than or equal to 3 mmol/L); and
 - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal — (parathyroid carcinoma or calciphylaxis) only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

Initial application — (primary hyperparathyroidism) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has primary hyperparathyroidism; and
- 2 Either:
 - 2.1 Patient has hypercalcaemia of more than 3 mmol/L with or without symptoms; or
 - 2.2 Patient has hypercalcaemia of more than 2.85 mmol/L with symptoms; and
- 3 Surgery is not feasible or has failed; and
- 4 Patient has other comorbidities, severe bone pain, or calciphylaxis.

Initial application — (secondary or tertiary hyperparathyroidism) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has tertiary hyperparathyroidism and markedly elevated parathyroid hormone (PTH) with hypercalcaemia; or
 - 1.2 Patient has symptomatic secondary hyperparathyroidism and elevated PTH; and
- 2 Patient is on renal replacement therapy; and
- 3 Any of the following:

continued...

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 3.1 Residual parathyroid tissue has not been localised despite repeat unsuccessful parathyroid explorations; or
- 3.2 Parathyroid tissue is surgically inaccessible; or
- 3.3 Parathyroid surgery is not feasible.

Renewal — (**secondary or tertiary hyperparathyroidism**) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has had a kidney transplant, and following a treatment free interval of at least 12 weeks a clinically acceptable parathyroid hormone (PTH) level to support ongoing cessation of treatment has not been reached; or
- 2 The patient has not received a kidney transplant and trial of withdrawal of cinacalcet is clinically inappropriate.

ZOLEDRONIC ACID

Inj 4 mg per 5 ml, vial	15.65	1	✓	Zoledronic acid Injection Mylan ^{§29}
			✓	Zoledronic acid Viatris

Corticosteroids and Related Agents for Systemic Use

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE

* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml	19.20 (36.96)	5		Celestone Chronodose
---	------------------	---	--	-------------------------

DEXAMETHASONE

* Tab 0.5 mg – Up to 60 tab available on a PSO	1.80	30	✓	Dexamethasone
* Tab 4 mg – Up to 30 tab available on a PSO	3.18	30	✓	Dexamethasone
Oral liq 1 mg per ml	53.86	25 ml OP	✓	Biomed

DEXAMETHASONE PHOSPHATE

Dexamethasone phosphate injection will not be funded for oral use.

* Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	6.88	10	✓	Dexamethasone Medsurge
* Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	10.98	10	✓	Dexamethasone Medsurge

FLUDROCORTISONE ACETATE

* Tab 100 mcg	8.05	100	✓	Florinef
---------------------	------	-----	---	-----------------

HYDROCORTISONE

* Tab 5 mg	8.10	100	✓	Douglas
* Tab 20 mg	20.32	100	✓	Douglas
* Inj 100 mg vial	3.96	1	✓	Solu-Cortef
a) Not on a BSO				
b) Up to 5 inj available on a PSO				

METHYLPREDNISOLONE

* Tab 4 mg	112.00	100	✓	Medrol
* Tab 100 mg	223.10	20	✓	Medrol

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METHYLPREDNISOLONE (AS SODIUM SUCCINATE)				
Inj 40 mg vial	22.30	1	✓	Solu-Medrol-Act-O-Vial
Inj 125 mg vial	34.10	1	✓	Solu-Medrol-Act-O-Vial
Inj 500 mg vial	43.01	1	✓	Solu-Medrol-Act-O-Vial
Inj 1 g vial	52.54	1	✓	Solu-Medrol
METHYLPREDNISOLONE ACETATE				
Inj 40 mg per ml, 1 ml vial.....	47.06	5	✓	Depo-Medrol
PREDNISOLONE				
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO.....	6.00	30 ml OP	✓	Redipred
Restricted to children under 12 years of age.				
PREDNISONE				
* Tab 1 mg	18.58	500	✓	Prednisone Clinect
* Tab 2.5 mg	21.04	500	✓	Prednisone Clinect
* Tab 5 mg – Up to 30 tab available on a PSO.....	19.30	500	✓	Prednisone Clinect
* Tab 20 mg – Up to 30 tab available on a PSO.....	50.51	500	✓	Prednisone Clinect
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	86.25	1	✓	Synacthen
			✓	UK Synacthen
* Inj 1 mg per ml, 1 ml ampoule	690.00	1	✓	Synacthen Depot
			✓	Synacthene Retard ^{S29}
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	21.42	5	✓	Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule	52.63	5	✓	Kenacort-A 40

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE				
Tab 50 mg	17.05	50	✓	Siterone
Tab 100 mg	31.00	50	✓	Siterone
TESTOSTERONE				
Gel (transdermal) 16.2 mg per g, 88 g	52.00	60 OP	✓	Testogel
TESTOSTERONE CIPIONATE				
Inj 100 mg per ml, 10 ml vial.....	97.75	1	✓	Depo-Testosterone
TESTOSTERONE ESTERS				
Inj 250 mg per ml, 1 ml.....	12.98	1	✓	Sustanon Ampoules
TESTOSTERONE UNDECANOATE				
Cap 40 mg – Subsidy by endorsement	36.00	100	✓	Steril-Gene ^{S29}
Subsidy by endorsement – subsidised for patients who were taking testosterone undecanoate cap 40mg prior to 1 November 2021 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of testosterone undecanoate cap 40 mg in the preceding 12 months.				
Inj 250 mg per ml, 4 ml vial.....	86.00	1	✓	Reandron 1000

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Hormone Replacement Therapy - Systemic				
Oestrogens				
OESTRADIOL				
* Tab 1 mg	4.12	28 OP		
	(11.10)			Estrofem
* Tab 2 mg	4.12	28 OP		
	(11.10)			Estrofem
* Gel (transdermal) 0.06% (750 mcg/actuation).....	14.25	80 g OP	✓	Estrogel
Patch 25 mcg per day.....	8.89	8	✓	Estradiol TDP Mylan
	16.23		✓	Estradot
a) No more than 2 patch per week				
b) Only on a prescription				
Patch 50 mcg per day.....	9.26	8	✓	Estradiol TDP Mylan
	15.79		✓	Estradot
a) No more than 2 patch per week				
b) Only on a prescription				
Patch 75 mcg per day.....	10.33	8	✓	Estradiol TDP Mylan
	16.53		✓	Estradot
a) No more than 2 patch per week				
b) Only on a prescription				
Patch 100 mcg per day.....	10.59	8	✓	Estradiol TDP Mylan
	16.18		✓	Estradot
a) No more than 2 patch per week				
b) Only on a prescription				
OESTRADIOL VALERATE				
* Tab 1 mg	12.36	84	✓	Progynova
* Tab 2 mg	12.36	84	✓	Progynova
OESTROGENS				
* Conjugated, equine tab 300 mcg.....	3.01	28		
	(19.25)			Premarin
* Conjugated, equine tab 625 mcg.....	4.12	28		
	(19.25)			Premarin
Progestogens				
MEDROXYPROGESTERONE ACETATE				
* Tab 2.5 mg	7.54	30	✓	Provera
	8.75	56	✓	Provera
* Tab 5 mg	9.80	56	✓	Provera
	23.15	100	✓	Provera
* Tab 10 mg	11.10	30	✓	Provera

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Progesterone and Oestrogen Combined Preparations				
OESTRADIOL WITH NORETHISTERONE				
* Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP		
	(18.10)			Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40	28 OP		
	(18.10)			Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6).....	5.40	28 OP		
	(18.10)			Trisequens

Other Oestrogen Preparations

OESTRIOL				
* Tab 2 mg	7.70	30	✓	Ovestin

Other Progesterone Preparations

MEDROXYPROGESTERONE ACETATE				
Tab 100 mg	153.60	100	✓	Provera HD
NORETHISTERONE				
* Tab 5 mg – Up to 30 tab available on a PSO	5.49	30	✓	Primolut N
PROGESTERONE				
* Cap 100 mg.....	14.85	30	✓	Utrogestan

Thyroid and Antithyroid Agents

CARBIMAZOLE				
* Tab 5 mg	7.56	100	✓	Neo-Mercazole
LEVOTHYROXINE				
* Tab 25 mcg.....	5.55	90	✓	Synthroid
* Tab 50 mcg.....	1.71	28	✓	Mercury Pharma
	5.79	90	✓	Synthroid
	64.28	1,000	✓	Eltroxin
* Tablet 50 mcg.....	12.86	200	✓	Eltroxin
* Tab 100 mcg.....	1.78	28	✓	Mercury Pharma
	6.01	90	✓	Synthroid
	66.78	1,000	✓	Eltroxin
* Tablet 100 mcg.....	13.36	200	✓	Eltroxin
PROPYLTHIOURACIL – Special Authority see SA1199 below – Retail pharmacy				
Tab 50 mg	35.00	100	✓	PTU ^{S29}

►SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Trophic Hormones

Growth Hormones

SOMATROPIN (OMNITROPE) – Special Authority see [SA2032](#) below – Retail pharmacy

* Inj 5 mg cartridge.....	80.21	1	✓ Omnitrope ✓ Omnitrope AU <small>§29</small> ✓ Omnitrope ✓ Omnitrope
* Inj 10 mg cartridge.....	80.21	1	
* Inj 15 mg cartridge.....	139.50	1	

➔SA2032 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist.

Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 2 Height velocity is greater than or equal to 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is greater than or equal to 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2 Height velocity is greater than or equal to 2 cm per year, calculated over six months; and
- 3 A current bone age is 14 years or under ; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years or under (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist.

Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is to 14 years or under (female patients) or to 16 years or under (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR less than or equal to 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l)) × 40 = corrected GFR (ml/min/1.73m²) in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and

continued...

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 The patient is aged two years or older; and
 - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months; or
 - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is greater than or equal to 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is greater than or equal to 2 cm per year as calculated over six months; and
- 3 A current bone age is 14 years or under (female patients) or 16 years or under (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by greater than or equal to 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ± 1 SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ± 1 SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients; or
- 3 All of the following:
 - 3.1 The patient has had a Special Authority approval for somatropin for childhood deficiency in children and no longer meets the renewal criteria under this indication; and
 - 3.2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
 - 3.3 The patient has severe growth hormone deficiency (see notes); and
 - 3.4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
 - 3.5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of less than or equal to 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of less than or equal to 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement

continued...

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

doses of corticosteroid and levothyroxine.

GnRH Analogues

GOSERELIN

Implant 3.6 mg, syringe	66.48	1	✓ Zoladex
Implant 10.8 mg, syringe	138.23	1	✓ Zoladex

LEUPRORELIN

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly.

Inj 3.75 mg prefilled dual chamber syringe – Higher subsidy of \$221.60 per 1 inj with Endorsement	66.48 (221.60)	1	Lucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syringe – Higher subsidy of \$591.68 per 1 inj with Endorsement	177.50 (591.68)	1	Lucrin Depot 3-month

Vasopressin Agonists

DESMOPRESSIN

Wafer 120 mcg	47.00	30	✓ Minirin Melt
---------------------	-------	----	-----------------------

DESMOPRESSIN ACETATE

Tab 100 mcg	25.00	30	✓ Minirin
Tab 200 mcg	54.45	30	✓ Minirin
Inj 4 mcg per ml, 1 ml	67.18	10	✓ Minirin
▲ Nasal spray 10 mcg per dose, 6 ml	34.95	60 OP	✓ Desmopressin- PH&T

Other Endocrine Agents

CABERGOLINE

Tab 0.5 mg – Maximum of 2 tab per prescription; can be waived by Special Authority see SA2070 below	4.43 17.94	2 8	✓ Dostinex ✓ Dostinex
--	---------------	--------	--

►SA2070 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Hyperprolactinemia; or
- 2 Acromegaly*; or
- 3 Inhibition of lactation.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an unapproved indication.

CLOMIFENE CITRATE

Tab 50 mg	29.84	10	✓ Mylan Clomiphen ^{S29}
-----------------	-------	----	---

METYRAPONE

Cap 250 mg	558.00	50	✓ Metopirone
------------------	--------	----	---------------------

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Anthelmintics

ALBENDAZOLE – Special Authority see [SA2512 below](#) – Retail pharmacy

Tab 400 mg	469.20	60	✓ Eskazole ^{S29}
------------------	--------	----	----------------------------------

➔ [SA2512](#) Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:
Either:

- 1 The individual has hydatids; or
- 2 The individual has a travel or residence history that requires presumptive parasite treatment.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE – Only on a prescription

Tab 100 mg	5.18	6	✓ Vermox
Oral liq 100 mg per 5 ml	2.18	15 ml	
	(7.83)		Vermox

PRAZIQUANTEL

Tab 600 mg	68.00	8	✓ Biltricide
	87.68		✓ Distoside ^{S29}

(Biltricide Tab 600 mg to be delisted 1 April 2026)

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, [page 69](#)
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, [page 273](#)

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE

Cap 250 mg	29.73	100	✓ Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml – Wastage claimable.....	5.83	100 ml	✓ Ranbaxy-Cefaclor

CEFALEXIN

Cap 250 mg	3.85	20	✓ Cephalexin ABM
	3.90		✓ Cefalexin Lupin
Cap 500 mg	3.33	20	✓ Cefalexin Sandoz
	5.85		✓ Cephalexin ABM
Grans for oral liq 25 mg per ml – Wastage claimable.....	7.88	100 ml	✓ Flynn
Grans for oral liq 50 mg per ml – Wastage claimable.....	10.38	100 ml	✓ Flynn
	11.75		✓ Cefalexin Sandoz

(Cephalexin ABM Cap 250 mg to be delisted 1 July 2026)

(Cephalexin ABM Cap 500 mg to be delisted 1 July 2026)

CEFAZOLIN – Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a Health NZ Hospital approved protocol and the prescription is endorsed accordingly.

Inj 500 mg vial	3.39	5	✓ Cefazolin-AFT
Inj 1 g vial	3.59	5	✓ Cefazolin-AFT
Inj 2 g vial	7.09	5	✓ Cefazolin-AFT

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CEFTRIAXONE – Subsidy by endorsement				
a) Up to 10 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningococcal disease, and the prescription or PSO is endorsed accordingly.				
Inj 500 mg vial	0.94	1	✓	Ceftriaxone-AFT
Inj 1 g vial	3.49	5	✓	Ceftriaxone-AFT
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.				
Tab 250 mg	CBS	20	✓	Ascend- Cefuroxime ^{S29}

Macrolides

AZITHROMYCIN – Maximum of 5 days treatment per prescription; can be waived by Special Authority see SA1683 below				
A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised on Special Authority.				
Tab 250 mg	8.19	30	✓	Apo-Azithromycin
Tab 500 mg – Up to 8 tab available on a PSO	2.80	2	✓	Zithromax
Grans for oral liq 200 mg per 5 ml (40 mg per ml) – Wastage claimable	16.97	15 ml	✓	Zithromax

►SA1683 **Special Authority for Waiver of Rule**

Initial application — (bronchiolitis obliterans syndrome, cystic fibrosis and atypical Mycobacterium infections) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has received a lung transplant, stem cell transplant, or bone marrow transplant and requires treatment for bronchiolitis obliterans syndrome*; or
- 2 Patient has received a lung transplant and requires prophylaxis for bronchiolitis obliterans syndrome*; or
- 3 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms*; or
- 4 Patient has an atypical Mycobacterium infection.

Note: Indications marked with * are unapproved indications.

Initial application — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
 - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
 - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with * are unapproved indications.

Renewal — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with * are unapproved indications

CLARITHROMYCIN – Maximum of 500 mg per prescription; can be waived by Special Authority see [SA1857 below](#)

Tab 250 mg	7.31	12	✓ Klaricid ^{S29}
	8.53	14	✓ Klacid
Grans for oral liq 250 mg per 5 ml – Wastage claimable.....	192.00	50 ml	✓ Klacid

►SA1857 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician.

Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Initial application — (Helicobacter pylori eradication) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 For the eradication of helicobacter pylori in a patient unable to swallow tablets; and
- 2 For use only in combination with omeprazole and amoxicillin as part of a triple therapy regimen.

Initial application — (Prophylaxis of infective endocarditis) from any relevant practitioner. Approvals valid for 3 months where prophylaxis of infective endocarditis associated with surgical or dental procedures if amoxicillin is contra-indicated.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician.

Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN (AS LACTOBIONATE)

Inj 1 g vial	10.00	1	✓ <u>Erythrocin IV</u>
--------------------	-------	---	------------------------

ERYTHROMYCIN ETHYL SUCCINATE

Tab 400 mg	35.82	100	✓ <u>E-Mycin</u>
------------------	-------	-----	------------------

- a) Up to 20 tab available on a PSO
- b) Up to 2 x the maximum PSO quantity for RFPP

Grans for oral liq 200 mg per 5 ml	6.53	100 ml	✓ <u>E-Mycin</u>
--	------	--------	------------------

- a) Up to 300 ml available on a PSO
- b) Up to 2 x the maximum PSO quantity for RFPP
- c) Wastage claimable

Grans for oral liq 400 mg per 5 ml	9.41	100 ml	✓ <u>E-Mycin</u>
--	------	--------	------------------

- a) Up to 200 ml available on a PSO
- b) Wastage claimable

ROXITHROMYCIN

Tab 150 mg	13.19	50	✓ <u>Arrow-Roxithromycin</u>
------------------	-------	----	------------------------------

Tab 300 mg	25.00	50	✓ <u>Arrow-Roxithromycin</u>
------------------	-------	----	------------------------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Penicillins				
AMOXICILLIN				
Cap 250 mg	54.00	500	✓	Miro-Amoxicillin
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP				
Cap 500 mg	41.00	500	✓	Miro-Amoxicillin
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP				
Grans for oral liq 125 mg per 5 ml	2.22	100 ml	✓	Alphamox 125
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Grans for oral liq 250 mg per 5 ml	2.81	100 ml	✓	Alphamox 250
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP				
c) Wastage claimable				
Inj 250 mg vial	15.97	10	✓	Ibiamox
Inj 500 mg vial	17.43	10	✓	Ibiamox
Inj 1 g vial – Up to 5 inj available on a PSO	21.64	10	✓	Ibiamox
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab available on a PSO	1.59	10	✓	Curam Duo 500/125
Grans for oral liq amoxicillin 25 mg with clavulanic acid 6.25 mg per ml	8.50	100 ml	✓	Augmentin
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Grans for oral liq amoxicillin 50 mg with clavulanic acid 12.5 mg per ml – Up to 200 ml available on a PSO	5.61	100 ml OP	✓	Amoxiclav Devatis Forte
BENZATHINE BENZYL PENICILLIN				
Inj 900 mg (1.2 million units) vial	43.24	1	✓	Benzetacil <small>\$29</small>
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj available on a PSO	432.37	10	✓	Bicillin LA
BENZYL PENICILLIN SODIUM [PENICILLIN G]				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a PSO	16.50	10	✓	Sandoz
FLUCLOXACILLIN				
Cap 250 mg – Up to 30 cap available on a PSO	22.58	250	✓	Staphlex
Cap 500 mg – Up to 30 cap available on a PSO	72.71	500	✓	Staphlex
Grans for oral liq 25 mg per ml	4.89	100 ml	✓	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Grans for oral liq 50 mg per ml	5.89	100 ml	✓	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Inj 250 mg vial	42.60	10	✓	Flucloxin
Inj 500 mg vial	45.63	10	✓	Flucloxin
Inj 1 g vial – Up to 5 inj available on a PSO	6.00	5	✓	Flucil

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg – Up to 30 cap available on a PSO.....	7.68	50	✓	Cilicaine VK
Cap 500 mg.....	13.72	50	✓	Cilicaine VK
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP				
Grans for oral liq 125 mg per 5 ml.....	5.75	100 ml	✓	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable				
Grans for oral liq 250 mg per 5 ml.....	5.89	100 ml	✓	AFT
a) Up to 300 ml available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP				
c) Wastage claimable				

Tetracyclines

DOXYCYCLINE				
* Tab 100 mg – Up to 30 tab available on a PSO.....	64.43	500	✓	Doxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy	5.79 (12.05)	60		Mino-tabs
* Cap 100 mg.....	19.32 (52.04)	100		Minomycin

►SA1355 Special Authority for Manufacturers Price

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has rosacea.

TETRACYCLINE – Special Authority see SA2513 below – Retail pharmacy

Tab 250 mg	68.44	28	✓	Accord ^{S29}
------------------	-------	----	---	------------------------------

►SA2513 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:
Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with, or noncompletion of second line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Other Antibiotics

For topical antibiotics, refer to DERMATOLOGICALS, page 69

CIPROFLOXACIN

Recommended for patients with any of the following:

- i) microbiologically confirmed and clinically significant pseudomonas infection; or
- ii) prostatitis; or
- iii) pyelonephritis; or
- iv) gonorrhoea.

Tab 250 mg – Up to 5 tab available on a PSO	1.95	28	✓ Ipca-Ciprofloxacin
Tab 500 mg – Up to 5 tab available on a PSO	3.10	28	✓ Ipca-Ciprofloxacin
Tab 750 mg	4.80	28	✓ Ipca-Ciprofloxacin

CLINDAMYCIN

Cap hydrochloride 150 mg	4.94	24	✓ Dalacin C
Inj 150 mg per ml, 4 ml ampoule	48.78	10	✓ Dalacin C

COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Inj 2 million iu, 10 ml vial.....	216.67	10	✓ Colomycin <small>S29</small>
-----------------------------------	--------	----	---------------------------------------

GENTAMICIN SULPHATE

Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement	36.70	5	✓ Cidomycin P/Free <small>S29</small>
--	-------	---	--

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

Inj 10 mg per ml, 1 ml ampoule – Subsidy by endorsement.....	102.60	5	✓ DBL Gentamicin
--	--------	---	-------------------------

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement.....	18.38	10	✓ Pfizer
--	-------	----	-----------------

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

MOXIFLOXACIN – Special Authority see SA1740 below – Retail pharmacy

No patient co-payment payable

Tab 400 mg	42.00	5	✓ Avelox
------------------	-------	---	-----------------

►SA1740 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Active tuberculosis*; and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications;
- or

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*; or
- 3 Patient is under five years of age and has had close contact with a confirmed multi-drug resistant tuberculosis case.

Note: Indications marked with * are unapproved indications.

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) only from a sexual health specialist or Practitioner on the recommendation of a sexual health specialist. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium* and is symptomatic; and
- 2 Either:
 - 2.1 Has tried and failed to clear infection using azithromycin; or
 - 2.2 Has laboratory confirmed azithromycin resistance; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are unapproved indications.

PAROMOMYCIN – Special Authority see [SA1689 below](#) – Retail pharmacy

Cap 250 mg.....	126.00	16	✓ Humatin ^{S29}
-----------------	--------	----	--------------------------

➔SA1689 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month for applications meeting the following criteria:

Either:

- 1 Patient has confirmed cryptosporidium infection; or
- 2 For the eradication of Entamoeba histolytica carriage.

Renewal only from an infectious disease specialist, clinical microbiologist or gastroenterologist. Approvals valid for 1 month for applications meeting the following criteria:

Either:

- 1 Patient has confirmed cryptosporidium infection; or
- 2 For the eradication of Entamoeba histolytica carriage.

SODIUM FUSIDATE [FUSIDIC ACID]

Tab 250 mg.....	135.70	36	✓ Fucidin
-----------------	--------	----	-----------

SULFADIAZINE SODIUM – Special Authority see [SA1331 below](#) – Retail pharmacy

Tab 500 mg.....	150.70	100	✓ Sulfadiazin-Heyl ^{S29}
-----------------	--------	-----	-----------------------------------

➔SA1331 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

TOBRAMYCIN

Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement.....	15.50	5	✓ Tobramycin (Viatris)
---	-------	---	------------------------

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Solution for inhalation 60 mg per ml, 5 ml – Subsidy by endorsement.....	395.00	56 dose	✓ Tobramycin BNM
--	--------	---------	------------------

a) Wastage claimable

b) Only if prescribed for a cystic fibrosis patient and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
TRIMETHOPRIM				
* Tab 300 mg – Up to 30 tab available on a PSO.....	27.83	50	✓	TMP
TRIMETHOPRIM WITH SULPHAMETHOXAZOLE [CO-TRIMOXAZOLE]				
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO.....	115.74	500	✓	Trisul
* Oral liq 8 mg sulphamethoxazole 40 mg per ml – Up to 200 ml available on a PSO.....	4.95	100 ml	✓	Deprim
VANCOMYCIN – Subsidy by endorsement				
Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis or for treatment of Clostridium difficile following metronidazole failure and the prescription is endorsed accordingly.				
Inj 500 mg vial	3.38	1	✓	Vancomycin Viatrix

Antifungals

- a) For topical antifungals refer to DERMATOLOGICALS, [page 69](#)
 b) For topical antifungals refer to GENITO URINARY, [page 81](#)

FLUCONAZOLE				
Cap 50 mg.....	4.10	28	✓	Mylan
Cap 150 mg.....	0.45	1	✓	Mylan
Cap 200 mg.....	8.90	28	✓	Mylan
Powder for oral suspension 10 mg per ml – Special Authority see SA1359 below – Retail pharmacy.....	129.02	35 ml	✓	Diffucan
Wastage claimable				

►SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ITRACONAZOLE				
Cap 100 mg.....	6.83	15	✓	Itraconazole Crescent ^{§29}
Oral liq 10 mg per ml – Special Authority see SA1322 below –				
Retail pharmacy.....	141.80	150 ml OP	✓	Itraconazole Kent ^{§29}

➔[SA1322](#) Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE

Tab 200 mg – PCT	CBS	30	✓	Burel ^{§29}
		100	✓	Strides Shasun ^{§29}
			✓	Taro ^{§29}
			✓	Teva- Ketoconazole ^{§29}

NYSTATIN

Tab 500,000 u	14.16	50		Nilstat
	(17.09)			
Cap 500,000 u	12.81	50		Nilstat
	(15.47)			

POSACONAZOLE – Special Authority see [SA2383 below](#) – Retail pharmacy

Tab modified-release 100 mg.....	123.60	24	✓	Posaconazole Juno
Oral liq 40 mg per ml	308.26	105 ml OP	✓	Devatis

➔[SA2383](#) Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (1 mg or greater per kilogram of body weight per day for patients with acute GVHD or 0.8 mg or greater per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more

continued...

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
- 3.3 Patient has fluconazole resistant candidiasis; or
- 3.4 Patient has mould strain such as *Fusarium* spp. and *Scedosporium* spp.

Initial application — (Invasive fungal infection prophylaxis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The patient is at risk of invasive fungal infection; and
- 2 Either:
 - 2.1 Voriconazole is prescribed by, or recommended by a haematologist, transplant physician, infectious disease specialist, paediatric haematologist or paediatric oncologist; or
 - 2.2 Prescribing voriconazole is in accordance with a protocol or guideline that has been endorsed by the Health New Zealand - Te Whatu Ora Hospital in the specific settings where there is a greater than 10% risk of invasive fungal infection (IFI).

Renewal — (Invasive fungal infection prophylaxis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The patient is at risk of invasive fungal infection; and
- 2 Either:
 - 2.1 Voriconazole is prescribed by, or recommended by a haematologist, transplant physician, infectious disease specialist, paediatric haematologist or paediatric oncologist; or
 - 2.2 Prescribing voriconazole is in accordance with a protocol or guideline that has been endorsed by the Health New Zealand - Te Whatu Ora Hospital in the specific settings where there is a greater than 10% risk of invasive fungal infection (IFI).

Antimalarials

PRIMAQUINE – Special Authority see [SA1684 below](#) – Retail pharmacy

Tab 15 mg	395.00	100	✓ Bayshore ^{S29}
	400.00		✓ Sanofi
			Primaquine ^{S29}

►SA1684 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has relapsed vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

Antitrichomonal Agents

METRONIDAZOLE

Tab 200 mg – Up to 30 tab available on a PSO	25.86	250	✓ Metronidamed
Tab 400 mg – Up to 15 tab available on a PSO	4.29	21	✓ Metronidamed
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ORNIDAZOLE				
Tab 500 mg	36.52	10	✓	Arrow-Ornidazole

Antituberculotics and Antileptotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileptotics group regardless of immigration status.

BEDAQUILINE – Special Authority see [SA2244 below](#) – Retail pharmacy

No patient co-payment payable

Tab 100mg3,084.51 24 OP ✓ **Sirturo**

►SA2244 Special Authority for Subsidy

Initial application — (multi-drug resistant tuberculosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The person has multi-drug resistant tuberculosis (MDR-TB); and
- 2 Ministry of Health's Tuberculosis Clinical Network has reviewed the individual case and recommends bedaquiline as part of the treatment regimen.

CLOFAZIMINE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

* Cap 50 mg442.00 100 ✓ **Lamprene** ^{S29}

CYCLOSERINE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

Cap 250 mg344.00 60 ✓ **Cyclorin** ^{S29}

DAPSONE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

Tab 25 mg268.50 100 ✓ **Dapsone**

Tab 100 mg329.50 100 ✓ **Dapsone**

ETHAMBUTOL HYDROCHLORIDE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician

Tab 100 mg85.73 100 ✓ **EMB Fatol** ^{S29}

Tab 400 mg49.34 56 ✓ **Myambutol** ^{S29}

ISONIAZID – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician

* Tab 100 mg94.50 100 ✓ **Isoniazid Teva** ^{S29}

327.41 ✓ **Noumed Isoniazid**

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
ISONIAZID WITH RIFAMPICIN – Retail pharmacy-Specialist			
a) No patient co-payment payable			
b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician			
* Tab 100 mg with rifampicin 150 mg.....	89.82	100	✓ Rifinah
* Tab 150 mg with rifampicin 300 mg.....	179.13	100	✓ Rifinah
* Cap 100 mg with rifampicin 150 mg.....	199.00	100	✓ Rifamazid ^{S29}
LINEZOLID – Special Authority see SA2234 below – Retail pharmacy			
No patient co-payment payable			
Tab 600 mg	194.60	10	✓ Zyvox
Oral liq 20 mg per ml	1,879.00	150 ml	✓ Zyvox
►SA2234 Special Authority for Subsidy Initial application — (multi-drug resistant tuberculosis) from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: Both: <ol style="list-style-type: none"> 1 The person has multi-drug resistant tuberculosis (MDR-TB); and 2 Ministry of Health's Tuberculosis Clinical Network has reviewed the individual case and recommends linezolid as part of the treatment regimen. 			
PARA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist			
a) No patient co-payment payable			
b) Prescriptions must be written by, or on the recommendation of, an infectious disease specialist, clinical microbiologist or respiratory physician			
Grans for oral liq 4 g sachet	280.00	30	✓ Paser ^{S29}
PROTIONAMIDE – Retail pharmacy-Specialist			
a) No patient co-payment payable			
b) Prescriptions must be written by, or on the recommendation of, an infectious disease specialist, clinical microbiologist or respiratory physician			
Tab 250 mg	305.00	100	✓ Peteha ^{S29}
PYRAZINAMIDE – Retail pharmacy-Specialist			
a) No patient co-payment payable			
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician			
* Tab 500 mg	64.95	100	✓ AFT-Pyrazinamide
RIFABUTIN – Retail pharmacy-Specialist			
a) No patient co-payment payable			
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist			
* Cap 150 mg.....	353.71	30	✓ Mycobutin
RIFAMPICIN – Subsidy by endorsement			
a) No patient co-payment payable			
b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.			
* Cap 150 mg.....	58.54	100	✓ Rifadin
* Cap 300 mg.....	122.06	100	✓ Rifadin
			✓ Rifadin Sanofi
* Oral liq 100 mg per 5 ml	12.60	60 ml	✓ Rifadin

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, [page 273](#)

Hepatitis B Treatment

ENTECAVIR

* Tab 0.5 mg	12.04	30	✓ Entecavir (Rex)
--------------------	-------	----	--------------------------

LAMIVUDINE – Special Authority see [SA1685 below](#) – Retail pharmacy

* Tab 100 mg	12.06	28	✓ Zetlam
* Oral liq 5 mg per ml	270.00	240 ml OP	✓ Zeffix

►SA1685 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year where used for the treatment or prevention of hepatitis B.

Renewal from any relevant practitioner. Approvals valid for 2 years where used for the treatment or prevention of hepatitis B.

TENOFOVIR DISOPROXIL

Tenofovir disoproxil prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA2139., [page 111](#)

* Tab 245 mg (300 mg as a maleate)	13.80	30	✓ Tenofovir Disoproxil Viatris
* Tab 245 mg (300 mg as a fumarate)	13.80	30	✓ Ricovir ^{S29}

Herpesvirus Treatments

ACICLOVIR

* Tab dispersible 200 mg	2.05	25	✓ Lovir
* Tab dispersible 400 mg	7.55	56	✓ Lovir
* Tab dispersible 800 mg	7.43	35	✓ Lovir

VALACICLOVIR

Tab 500 mg	9.64	30	✓ Vaclovir
Tab 1,000 mg	17.78	30	✓ Vaclovir

VALGANCICLOVIR – Special Authority see [SA2514 below](#) – Retail pharmacy

Tab 450 mg	140.89	60	✓ Valganciclovir Viatris
------------------	--------	----	---------------------------------

►SA2514 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 1.2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin; or

2 Both:

- 2.1 Patient has received pulse methylprednisolone for acute rejection and requires further valganciclovir therapy for CMV prophylaxis; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

2.2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following pulse methylprednisolone.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive; and
- 3 Patient has a high risk of CMV disease.

Renewal — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has undergone a lung re-transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive; and
- 3 Patient has a high risk of CMV disease.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

Hepatitis C Treatment

GLECAPREVIR WITH PIBRENTASVIR – [Xpharm]

Note the supply of treatment is via Pharmac's approved direct distribution supply. Further details can be found on Pharmac's website <https://pharmac.govt.nz/maviret>

Tab 100 mg with pibrentasvir 40 mg	24,750.00	84 OP	✓ Maviret
--	-----------	-------	------------------

LEDIPASVIR WITH SOFOSBUVIR – [Xpharm] – Special Authority see [SA1605 below](#)

No patient co-payment payable

Tab 90 mg with sofosbuvir 400 mg.....	24,363.46	28	✓ Harvoni
---------------------------------------	-----------	----	------------------

►SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from Pharmac's website <http://www.pharmac.govt.nz/harvoni> or:

The Coordinator, Hepatitis C Treatment Panel

Pharmac, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

HIV Prophylaxis and Treatment

EMTRICITABINE WITH TENOFOVIR DISOPROXIL – Subsidy by endorsement; can be waived by Special Authority see [SA2520 below](#)

- a) Funding for emtricitabine with tenofovir disoproxil for use as PrEP or PEP, should be applied using Special Authority SA2520.
- b) Endorsement for treatment of conditions approved via Special Authority SA2139 (antiretrovirals for confirmed HIV, prevention of maternal transmission, post-exposure prophylaxis following exposure to HIV (when co-prescribed with other antiretrovirals) and percutaneous exposure): Prescription is deemed to be endorsed if emtricitabine with tenofovir disoproxil is co-prescribed with another antiretroviral subsidised under Special Authority SA2139 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Emtricitabine with tenofovir disoproxil prescribed under endorsement, for treatment of conditions approved via Special Authority SA2139 (antiretrovirals for confirmed HIV, prevention of maternal transmission, post-exposure prophylaxis following exposure to HIV and percutaneous exposure), is included in the count of up to 4 subsidised antiretrovirals, and counts as two antiretroviral medications, for the purposes of Special Authority SA2139, [page 111](#)

There is an approval process to become a named specialist to prescribe antiretroviral therapy in New Zealand. Further information is available on the Pharmac website.

- | | | | | |
|---|---|-------|----|--|
| * | Tab 200 mg with tenofovir disoproxil 245 mg (300 mg as a fumarate)..... | 13.45 | 30 | ✓ Tenofovir Disoproxil
Emtricitabine
Mylan <small>S29</small> |
| * | Tab 200 mg with tenofovir disoproxil 245 mg (300 mg as a maleate)..... | 13.45 | 30 | ✓ Tenofovir Disoproxil
Emtricitabine Viatr |

►SA2520 Special Authority for Subsidy

Initial application — (Pre-exposure prophylaxis) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
- 1 Patient has tested HIV negative, does not have signs or symptoms of acute HIV infection and has been assessed for HIV seroconversion; and
 - 2 The Practitioner considers the patient is at elevated risk of HIV exposure and use of PrEP is clinically appropriate.

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Notes: Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines:

<https://ashm.org.au/HIV/PrEP/>

Renewal — (Pre-exposure prophylaxis) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 Patient has tested HIV negative, does not have signs or symptoms of acute HIV infection and has been assessed for HIV seroconversion; and
- 2 The Practitioner considers the patient is at elevated risk of HIV exposure and use of PrEP is clinically appropriate.

Notes: Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines:

<https://ashm.org.au/HIV/PrEP/>

Initial application — (post-exposure prophylaxis following exposure to HIV) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is appropriate; or
 - 2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines for PEP (<https://www.ashm.org.au/hiv/hiv-management/pep/>).

Renewal — (second or subsequent post-exposure prophylaxis) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is appropriate; or
 - 2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

COVID-19 Treatments

NIRMATRELVIR WITH RITONAVIR – PCT – Subsidy by endorsement

Subsidised for patients meeting access criteria for oral COVID-19 antiviral treatments (as on [Pharmac's website](#)) and where the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed when supplying by Direct Provision under the provisions in Part I of Section A of the Pharmaceutical Schedule.

Tab 150 mg with ritonavir 100 mg 1,274.00 30 OP ✓ Paxlovid

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

REMDESIVIR – PCT only

Note: Subsidised for patients meeting access criteria for oral antiviral treatments (as on [Pharmac's website](#)).

Inj 100 mg vial 615.23 1 ✓ Veklury

Antiretrovirals

►SA2139 **Special Authority for Subsidy**

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following exposure to HIV) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required; or
 - 2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Refer to local health pathways or the Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine clinical guidelines for PEP (<https://www.ashm.org.au/hiv/hiv-management/pep/>).

Renewal — (second or subsequent post-exposure prophylaxis) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had condomless anal intercourse or receptive vaginal intercourse with a known HIV positive person with an unknown or detectable viral load greater than 200 copies per ml; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required; or
 - 2.4 Patient has had condomless anal intercourse with a person from a high HIV prevalence country or risk group whose HIV status is unknown.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals. Subsidies apply for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see [SA2139 on the previous page](#) – Retail pharmacy

Note: No new patients to be initiated on efavirenz.

* Tab 600 mg	65.38	30	✓ Efavirenz Milpharm ^{S29}
--------------	-------	----	--

(Efavirenz Milpharm ^{S29} Tab 600 mg to be delisted 1 November 2026)

ETRAVIRINE – Special Authority see [SA2139 on the previous page](#) – Retail pharmacy

* Tab 200 mg	770.00	60	✓ Intence
--------------	--------	----	-----------

NEVIRAPINE – Special Authority see [SA2139 on the previous page](#) – Retail pharmacy

* Tab 200 mg	198.25	60	✓ Nevirapine Viatris
* Oral suspension 10 mg per ml	203.55	240 ml OP	✓ Viramune Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAIR SULPHATE – Special Authority see [SA2139 on the previous page](#) – Retail pharmacy

* Tab 300 mg	180.00	60	✓ Ziagen
--------------	--------	----	----------

ABACAIR SULPHATE WITH LAMIVUDINE – Special Authority see [SA2139 on the previous page](#) – Retail pharmacy

Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.

* Tab 600 mg with lamivudine 300 mg	35.00	30	✓ Abacavir/ Lamivudine Viatris
-------------------------------------	-------	----	--------------------------------------

EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL – Special Authority see [SA2139 on the previous page](#) – Retail pharmacy

Note: Efavirenz with emtricitabine and tenofovir disoproxil counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority

* Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil 245 mg (300 mg as a fumarate)	106.88	30	✓ TEEVIR ^{S29}
* Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil 245 mg (300 mg as a maleate)	106.88	30	✓ Viatris

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
EMTRICITABINE – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Cap 200 mg	307.20	30	✓	Emtriva
LAMIVUDINE – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Tab 150 mg	98.00	60	✓	Lamivudine Viatris
* Oral liq 10 mg per ml	102.50	240 ml OP	✓	3TC
ZIDOVUDINE – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Cap 100 mg	152.25	100	✓	Retrovir
* Oral liq 10 mg per ml	30.45	200 ml OP	✓	Retrovir
ZIDOVUDINE WITH LAMIVUDINE – Special Authority see SA2139 on page 111 – Retail pharmacy				
Note: zidovudine [AZT] with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.				
* Tab 300 mg with lamivudine 150 mg	92.40	60	✓	Lamivudine/ Zidovudine Viatris

Protease Inhibitors

ATAZANAVIR SULPHATE – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Cap 150 mg	102.50	60	✓	Atazanavir Viatris
* Cap 200 mg	152.30	60	✓	Atazanavir Viatris
DARUNAVIR – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Tab 400 mg	150.00	60	✓	Darunavir Viatris
* Tab 600 mg	225.00	60	✓	Darunavir Viatris
LOPINAVIR WITH RITONAVIR – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Tab 200 mg with ritonavir 50 mg	875.00	120	✓	Lopinavir/Ritonavir Mylan
RITONAVIR – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Tab 100 mg	43.31	30	✓	Norvir

Strand Transfer Inhibitors

DOLUTEGRAVIR – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Tab 50 mg	1,090.00	30	✓	Tivicay
DOLUTEGRAVIR WITH LAMIVUDINE – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Tab 50 mg with lamivudine 300 mg	1,090.00	30	✓	Dovato
RALTEGRAVIR POTASSIUM – Special Authority see SA2139 on page 111 – Retail pharmacy				
* Tab 400 mg	1,090.00	60	✓	Isentress
* Tab 600 mg	1,090.00	60	✓	Isentress HD

Immune Modulators

PEGYLATED INTERFERON ALFA-2A – Special Authority see SA2034 on the next page – Retail pharmacy				
Note: Pharmac will consider funding ribavirin for the small group of patients who have a clinical need for ribavirin and meet Special Authority criteria. Please contact the Hepatitis C Coordinator at Pharmac on 0800-023-588 option 4.				
Inj 135 mcg prefilled syringe	887.35	1	✓	Pegasys (S29) ^{S29}
Inj 180 mcg prefilled syringe	1,074.79	4	✓	Pegasys
	1,355.71		✓	Pegasys S29 ^{S29}

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2034 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist.

Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log₁₀ IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA greater than or equal to 2,000 units/ml and significant fibrosis (Metavir Stage F2 or greater or moderate fibrosis); and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Initial application — (myeloproliferative disorder or cutaneous T cell lymphoma) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Patient has a cutaneous T cell lymphoma*; or
- 2 All of the following:
 - 2.1 Patient has a myeloproliferative disorder*; and
 - 2.2 Patient is intolerant of hydroxyurea; and
 - 2.3 Treatment with anagrelide and busulfan is not clinically appropriate; or
- 3 Both:
 - 3.1 Patient has a myeloproliferative disorder; and
 - 3.2 Patient is pregnant, planning pregnancy or lactating.

Renewal — (myeloproliferative disorder or cutaneous T cell lymphoma) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment; and
- 3 Either:
 - 3.1 Patient has a cutaneous T cell lymphoma*; or
 - 3.2 Both:
 - 3.2.1 Patient has a myeloproliferative disorder*; and
 - 3.2.2 Either:
 - 3.2.2.1 Remains intolerant of hydroxyurea and treatment with anagrelide and busulfan remains clinically inappropriate; or
 - 3.2.2.2 Patient is pregnant, planning pregnancy or lactating.

Note: Indications marked with * are unapproved indications.

Initial application — (post-allogenic bone marrow transplant) from any relevant practitioner. Approvals valid for 3 months where patient has received an allogeneic bone marrow transplant* and has evidence of disease relapse.

Renewal — (post-allogenic bone marrow transplant) from any relevant practitioner. Approvals valid for 3 months where patient is responding and ongoing treatment remains appropriate.

Note: Indications marked with * are unapproved indications.

Urinary Tract Infections

FOSFOMYCIN – Special Authority see SA2406 below – Retail pharmacy

Powder for oral solution, 3 g sachet 18.70 1 ✓ **UroFos**

➔SA2406 **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

Both:

- 1 Patient has an acute, symptomatic, bacteriologically-proven uncomplicated urinary tract infection (UTI)/cystitis with Escherichia Coli; and
- 2 Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 2.1 Microbiological testing confirms the pathogen is resistant to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin; or
- 2.2 The patient has a contraindication or intolerance to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin that the pathogen is susceptible to.

Renewal from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

Both:

- 1 Patient has an acute, symptomatic, bacteriologically-proven uncomplicated urinary tract infection (UTI)/cystitis with Escherichia Coli; and
- 2 Either:
 - 2.1 Microbiological testing confirms the pathogen is resistant to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin; or
 - 2.2 The patient has a contraindication or intolerance to all of: trimethoprim, nitrofurantoin, amoxicillin, cefaclor, cefalexin, amoxicillin with clavulanic acid, and norfloxacin that the pathogen is susceptible to.

METHENAMINE (HEXAMINE) HIPPURATE

* Tab 1 g	19.95	100	✓ Hiprex
-----------------	-------	-----	----------

NITROFURANTOIN

* Tab 50 mg – Up to 30 tab available on a PSO	22.20	100	✓ Nifuran
---	-------	-----	-----------

* Tab 100 mg	37.50	100	✓ Nifuran
--------------------	-------	-----	-----------

* Cap modified-release 100 mg – Up to 15 cap available on a PSO	81.20	100	✓ Macrobid
---	-------	-----	------------

NORFLOXACIN

Tab 400 mg – Subsidy by endorsement.....	245.00	100	✓ Arrow-Norfloxacin
--	--------	-----	---------------------

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Anticholinesterases

NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	48.25	10	✓	Max Health
PYRIDOSTIGMINE BROMIDE				
▲ Tab 60 mg	50.28	100	✓	Mestinon

Non-Steroidal Anti-Inflammatory Drugs

DICLOFENAC SODIUM				
* Tab EC 25 mg	2.19	50	✓	Diclofenac Sandoz
* Tab 50 mg dispersible	1.50	20	✓	Voltaren D
* Tab EC 50 mg	2.19	50	✓	Diclofenac Sandoz
* Tab long-acting 75 mg	10.00	100	✓	Voltaren SR
* Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a PSO	13.20	5	✓	Voltaren
* Suppos 12.5 mg	2.04	10	✓	Voltaren
* Suppos 25 mg	2.44	10	✓	Voltaren
* Suppos 50 mg – Up to 10 supp available on a PSO	4.22	10	✓	Voltaren
* Suppos 100 mg	7.00	10	✓	Voltaren

IBUPROFEN				
* Tab 200 mg	21.40	1,000	✓	Relieve
* Tab long-acting 800 mg	3.65	30	✓	Ibuprofen SR BNM
* Oral liq 20 mg per ml	2.85	200 ml	✓	Ethics

KETOPROFEN				
* Cap long-acting 200 mg	12.07	28	✓	Oruvail SR
<i>(Oruvail SR Cap long-acting 200 mg to be delisted 1 October 2026)</i>				

MEFENAMIC ACID				
* Cap 250 mg	1.25	50		
	(10.82)			Ponstan
	0.50	20		
	(7.50)			Ponstan

NAPROXEN				
* Tab 250 mg	39.23	500	✓	Noflam 250
* Tab 500 mg	34.45	250	✓	Noflam 500
* Tab long-acting 750 mg	10.40	28	✓	Naprosyn SR 750
* Tab long-acting 1 g	11.50	28	✓	Naprosyn SR 1000

TENOXCAM				
* Tab 20 mg	23.50	100	✓	Tiicolit
* Inj 20 mg vial	9.95	1	✓	AFT

NSAIDs Other

CELECOXIB				
Cap 100 mg	3.60	60	✓	Celebrex
Cap 200 mg	2.55	30	✓	Celostea
	3.20		✓	Celebrex
			✓	Celecoxib Pfizer

(Celebrex Cap 200 mg to be delisted 1 July 2026)
(Celecoxib Pfizer Cap 200 mg to be delisted 1 July 2026)

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

MUSCULOSKELETAL SYSTEM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% – Special Authority see SA1289 below – Retail pharmacy.....	9.75	45 g OP	✓ Zo-Rub Osteo ✓ Zostrix
--	------	---------	---

►SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

HYDROXYCHLOROQUINE SULPHATE

* Tab 200 mg	7.80	100	✓ Ipca-Hydroxychloroquine
--------------------	------	-----	----------------------------------

LEFLUNOMIDE

* Tab 10 mg	6.00	30	✓ Arava
* Tab 20 mg	6.00	30	✓ Arava

PENICILLAMINE

Tab 125 mg	67.23	100	✓ D-Penamine
Tab 250 mg	110.12	100	✓ D-Penamine

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

ALENDRONATE SODIUM

* Tab 70 mg	3.10	4	✓ Fosamax
-------------------	------	---	------------------

ALENDRONATE SODIUM WITH COLECALCIFEROL

* Tab 70 mg with colecalciferol 5,600 iu	1.99	4	✓ Fosamax Plus
--	------	---	-----------------------

Other Treatments

DENOSUMAB – Special Authority see [SA2441 below](#) – Retail pharmacy

Note: Denosumab inj 60 mg per 1 ml pre-filled syringe is Medsafe approved for use in osteoporosis. Denosumab inj 120 mg per 1.7 ml vial is Medsafe approved for use in hypercalcaemia of malignancy.

Inj 120 mg per 1.7 ml vial	375.00	1	✓ Xgeva
Inj 60 mg per 1 ml prefilled syringe.....	187.50	1	✓ Prolia

►SA2441 Special Authority for Subsidy

Initial application — (Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has established osteoporosis; and
- 2 Any of the following:
 - 2.1 History of one significant osteoporotic fracture demonstrated radiologically, with a documented T-Score less than or equal to -2.5, that incorporates BMD measured using dual-energy x-ray absorptiometry (DEXA); or
 - 2.2 History of one significant osteoporotic fracture, demonstrated radiologically, and either the patient is elderly, or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- densitometry scanning cannot be performed because of logistical, technical or pathophysiological reasons; or
- 2.3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 2.4 Documented T-Score less than or equal to -3.0; or
- 2.5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm that incorporates BMD measured using DEXA; and

3 Any of the following:

- 3.1 Bisphosphonates are contraindicated because the patient's creatinine clearance or eGFR is less than 35 mL/min; or
- 3.2 The patient has experienced at least two symptomatic new fractures or a BMD loss greater than 2% per year, after at least 12 months' continuous therapy with a funded antiresorptive agent; or
- 3.3 Bisphosphonates result in intolerable side effects; or
- 3.4 Intravenous bisphosphonates cannot be administered due to logistical or technical reasons.

Initial application — (Hypercalcaemia) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has hypercalcaemia of malignancy; and
- 2 Patient has severe renal impairment.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial.....	32.49	1	✓ Pamisol
Inj 6 mg per ml, 10 ml vial.....	88.11	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial.....	94.34	1	✓ Pamisol

RALOXIFENE HYDROCHLORIDE – Special Authority see [SA1779 below](#) – Retail pharmacy

* Tab 60 mg	53.76	28	✓ Evista
-------------------	-------	----	-----------------

(Evista Tab 60 mg to be delisted 1 April 2026)

➔**SA1779** **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) greater than or equal to 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score less than or equal to -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score less than or equal to -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture greater than or equal to 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause – Osteoporosis) or has had a Special Authority approval for alendronate (Underlying cause - Osteoporosis) prior to 1 February 2019.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score less than or equal to -2.5 and, therefore, do not require BMD measurement for raloxifene funding.

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

MUSCULOSKELETAL SYSTEM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

Tab 35 mg	3.00	4	✓ Risedronate Sandoz
-----------------	------	---	-----------------------------

TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy

Inj 250 mcg per ml, 2.4 ml	200.27	1	✓ Teriparatide - Teva
	490.00		✓ Forteo ^{S29}

►SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, bag.....	19.45	1	✓ Zoledronic Acid Viatris
--------------------------------------	-------	---	--

Hyperuricaemia and Antigout

ALLOPURINOL

* Tab 100 mg	17.99	1,000	✓ Ipca-Allopurinol
* Tab 300 mg	22.50	500	✓ Ipca-Allopurinol

BENZBROMARONE – Special Authority see SA1963 on the next page – Retail pharmacy

Tab 50 mg	32.00	100	✓ Narcaricin mite ^{S29}
-----------------	-------	-----	---

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

►SA1963 Special Authority for Subsidy

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

COLCHICINE

* Tab 500 mcg6.30 100 ✓ Colgout

FEBUXOSTAT – Special Authority see SA2555 below – Retail pharmacy

Tab 80 mg4.73 28 ✓ Febuxostat (Teva)

Tab 120 mg11.78 28 ✓ Febuxostat (Teva)

►SA2555 Special Authority for Subsidy

Initial application — (Gout) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol ; or
 - 2.4 The patient has previously had an initial Special Authority approval for benzbromarone for treatment of gout..

Initial application — (Tumour lysis syndrome) only from a haematologist or oncologist. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient is scheduled to receive cancer therapy carrying an intermediate or high risk of tumour lysis syndrome; and
- 2 Patient has a documented history of allopurinol intolerance.

Renewal — (Tumour lysis syndrome) only from a haematologist or oncologist. Approvals valid for 6 weeks where the treatment remains appropriate and the patient is benefitting from treatment.

PROBENECID

* Tab 500 mg66.95 100 ✓ Probenecid-AFT

Muscle Relaxants

BACLOFEN

* Tab 10 mg3.70 100 ✓ Pacifen

Inj 0.05 mg per ml, 1 ml ampoule – Subsidy by endorsement..... 11.55 1 ✓ Lioresal Intrathecal

Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement.....490.91 10 ✓ Sintetica Baclofen Intrathecal

Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

DANTROLENE

Cap 25 mg145.77 100 ✓ Dantrium S29 S29

Cap 50 mg77.00 100 ✓ Dantrium

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ORPHENADRINE CITRATE Tab 100 mg	23.25	100	✓	Norflex

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents

AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	38.24	60	✓ Symmetrel
	63.73	100	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	59.50	5	✓ Movapo
▲ Inj 10 mg per ml, 5 ml ampoule	121.84	5	✓ Movapo
ENTACAPONE			
▲ Tab 200 mg	13.73	100	✓ Entacapone Viatris
LEVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	13.25	100	✓ Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg	13.75	100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg	15.80	100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg	22.85	100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	26.25	100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg	26.49	100	✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg	44.99	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	39.49	100	✓ Sinemet
LEVODOPA WITH CARBIDOPA AND ENTACAPONE			
* Tab 50 mg with carbidopa 12.5 mg and entacapone 200 mg	27.01	100	✓ Stalevo
* Tab 100 mg with carbidopa 25 mg and entacapone 200 mg	34.18	100	✓ Stalevo
* Tab 150 mg with carbidopa 37.5 mg and entacapone 200 mg	44.96	100	✓ Stalevo
* Tab 200 mg with carbidopa 50 mg and entacapone 200 mg	51.23	100	✓ Stalevo
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	5.23	100	✓ Ramipex
▲ Tab 1 mg	17.73	100	✓ Ramipex
RASAGILINE			
* Tab 1 mg	53.50	30	✓ Azilect ^{S29}
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	8.83	84	✓ Ropin
▲ Tab 1 mg	10.09	84	✓ Ropin
▲ Tab 2 mg	12.29	84	✓ Ropin
▲ Tab 5 mg	25.94	84	✓ Ropin
TOLCAPONE			
▲ Tab 100 mg	152.38	100	✓ Tasmar

Anticholinergics

BENZATROPINE MESYLATE			
Tab 2 mg	10.99	60	✓ Bentrop
Inj 1 mg per ml, 2 ml	95.00	5	✓ Phebra
a) Up to 10 inj available on a PSO			
b) Only on a PSO			
PROCYCLIDINE HYDROCHLORIDE			
Tab 5 mg	15.00	100	✓ Kemadrin

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Agents for Essential Tremor, Chorea and Related Disorders

RILUZOLE – Special Authority see [SA1403 below](#) – Retail pharmacy

Wastage claimable

Tab 50 mg	117.00	56	✓ Rilutek
-----------------	--------	----	------------------

►SA1403 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs; or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or
 - 3.3 The patient is able to swallow.

TETRABENAZINE

Tab 25 mg	126.02	112	✓ Motetis
-----------------	--------	-----	------------------

Anaesthetics

Local

LIDOCAINE [LIGNOCAINE]

Gel 2%, tube – Subsidy by endorsement	14.50	30 ml	✓ Xylocaine 2% Jelly
---	-------	-------	-----------------------------

a) Up to 150 ml available on a PSO

b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

Gel 2%, 11 ml urethral syringe – Subsidy by endorsement.....	65.45	10	✓ Instillagel Lido
--	-------	----	---------------------------

a) Up to 5 each available on a PSO

b) Subsidised only if prescribed for urethral, cervical or rectal administration and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (gel) soln 2%.....	30.80	200 ml	✓	Mucosoothe ✓ Xylocaine Viscous
Xylocaine Viscous to be Principal Supply on 1 April 2026				
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO.....	15.00	25	✓	Lidocaine-Baxter
	17.50 (35.00)	50		Xylocaine
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO.....	27.50	25	✓	Lidocaine-Baxter
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO.....	12.00 (20.00)	5		Xylocaine
Inj 1%, 20 ml vial – Up to 5 inj available on a PSO.....	19.50	5	✓	Lidocaine-Baxter
Inj 2%, 20 ml vial – Up to 5 inj available on a PSO.....	14.00	5	✓	Lidocaine-Baxter
Inj 10%, 5 ml ampoule – Subsidy by endorsement.....	CBS	10	✓	Xylocard 500 ^{S29}
Subsidised only for people receiving palliative care services where other analgesic agents haven't been effective. (Mucosoothe Oral (gel) soln 2% to be delisted 1 April 2026)				

Topical Local Anaesthetics

► **SA0906** Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] – Special Authority see [SA0906 above](#) – Retail pharmacy

Crn 4%.....	7.60	5 g OP	✓	LMX4
	30.00	30 g OP	✓	LMX4

LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see [SA0906 above](#) – Retail pharmacy

Crn 2.5% with prilocaine 2.5%.....	45.00	30 g OP	✓	EMLA
Crn 2.5% with prilocaine 2.5% (5 g tubes).....	45.00	5	✓	EMLA

General Anaesthetics

KETAMINE – Subsidy by endorsement

- a) Up to 5 inj available on a PSO
- b) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service or to treat intractable pain in palliative care* and the prescription or PSO is endorsed accordingly. Note: Indication marked with * is an unapproved indication.

Inj 100 mg per ml, 2 ml vial.....	91.98	5	✓	Ketalar
-----------------------------------	-------	---	---	----------------

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, [page 117](#)

Non-opioid Analgesics

ASPIRIN

* Tab dispersible 300 mg – Up to 30 tab available on a PSO.....5.65 100 ✓ **Ethics Aspirin**

CAPSAICIN – Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

Crn 0.075%.....	11.95	45 g OP	✓	Zo-Rub HP ✓ Zostrix HP
-----------------	-------	---------	---	---

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METHOXYFLURANE – Subsidy by endorsement				
a) Only on a PSO				
b) Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.				
Soln for inhalation 999.9 mg per g, 3 ml bottle – Up to 10 btl available on a PSO.....	276.00	10	✓	Pentrox
Soln for inhalation 999.9 mg per g, 3 ml bottle with inhaler device and activated carbon chamber – Up to 2 pack available on a PSO.....	54.00	1 OP	✓	Pentrox
NEFOPAM HYDROCHLORIDE				
Tab 30 mg	23.40	90	✓	Acupan

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
PARACETAMOL			
Tab 500 mg - blister pack	19.75	1,000	✓ Pacimol
<ul style="list-style-type: none"> a) Maximum of 300 tab per prescription; can be waived by endorsement b) Up to 30 tab available on a PSO c) <ul style="list-style-type: none"> 1) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater, and the prescription is annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition. 2) Maximum of 100 tab per dispensing for non-endorsed patients. If quantities prescribed for more than 100 tabs (for non-endorsed patients), then dispense in repeat dispensings not exceeding 100 tab per dispensing. 			
Tab 500 mg - bottle pack – Maximum of 300 tab per prescription; can be waived by endorsement	17.92	1,000	✓ Noumed Paracetamol
<ul style="list-style-type: none"> 1) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater, and the prescription is annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition. 2) Maximum of 100 tab per dispensing for non-endorsed patients. If quantities prescribed for more than 100 tabs (for non-endorsed patients), then dispense in repeat dispensings not exceeding 100 tab per dispensing. 			
Oral liq 120 mg per 5 ml	3.98	200 ml	✓ Paracetamol (Ethics)
<ul style="list-style-type: none"> a) Maximum of 600 ml per prescription; can be waived by endorsement b) Up to 200 ml available on a PSO c) Not in combination d) <ul style="list-style-type: none"> 1) Maximum of 200 ml per dispensing for non-endorsed patients. If quantities prescribed exceed 200 ml (for non-endorsed patients), then dispense in repeat dispensing not exceeding 200 ml per dispensing. 2) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater and the prescription is endorsed or annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition. 3) Note: 200 ml presentations of paracetamol oral liquid may be supplied on BSO to a Vaccinator (other than a Pharmacist) under the provisions in Part I of Section A 4) Note: Direct Provision by a pharmacist of up to 200 ml permitted under the provisions in Part I of Section A in conjunction with immunisation of a child under 2 years of age with meningococcal B multicomponent vaccine. 			
Oral liq 250 mg per 5 ml	3.18	200 ml	✓ Pamol
<ul style="list-style-type: none"> a) Maximum of 600 ml per prescription; can be waived by endorsement b) Up to 200 ml available on a PSO c) Not in combination d) <ul style="list-style-type: none"> 1) Maximum of 200 ml per dispensing for non-endorsed patients. If quantities prescribed exceed 200 ml (for non-endorsed patients), then dispense in repeat dispensing not exceeding 200 ml per dispensing. 2) Subsidy by endorsement for higher quantities is available for patients with long term conditions who require regular daily dosing for one month or greater and the prescription is endorsed or annotated accordingly. Pharmacists may annotate the prescription as endorsed where dispensing history supports a long-term condition. 3) Note: 200 ml presentations of paracetamol oral liquid may be supplied on BSO to a Vaccinator (other than a Pharmacist) under the provisions in Part I of Section A 4) Note: Direct Provision by a pharmacist of up to 200 ml permitted under the provisions in Part I of Section A in conjunction with immunisation of a child under 2 years of age with meningococcal B multicomponent vaccine. 			
* Suppos 125 mg	4.29	10	✓ Gacet

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
* Suppos 250 mg	5.39	10	✓	Gacet
* Suppos 500 mg	16.55	50	✓	Gacet

Opioid Analgesics

CODEINE PHOSPHATE – Safety medicine; prescriber may determine dispensing frequency

Tab 15 mg	5.82	100	✓	Noumed
Tab 30 mg	6.88	100	✓	Noumed
Tab 60 mg	13.89	100	✓	Noumed

DIHYDROCODEINE TARTRATE

Tab long-acting 60 mg	9.20	60	✓	DHC Continus
-----------------------------	------	----	---	---------------------

FENTANYL

a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Inj 50 mcg per ml, 2 ml ampoule	4.25	10	✓	Boucher and Muir
Inj 50 mcg per ml, 10 ml ampoule	9.41	10	✓	Boucher and Muir
Patch 12 mcg per hour	6.02	5	✓	Fentanyl Sandoz
Patch 25 mcg per hour	6.91	5	✓	Fentanyl Sandoz
Patch 50 mcg per hour	9.28	5	✓	Fentanyl Sandoz
Patch 75 mcg per hour	15.50	5	✓	Fentanyl Sandoz
Patch 100 mcg per hour	16.37	5	✓	Fentanyl Sandoz

METHADONE HYDROCHLORIDE

a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab 5 mg	1.45	10	✓	Methadone BNM
Oral liq 2 mg per ml	7.80	200 ml	✓	Biodone
Oral liq 5 mg per ml	7.80	200 ml	✓	Biodone Forte
Oral liq 10 mg per ml	9.65	200 ml	✓	Biodone Extra Forte
Inj 10 mg per ml, 1 ml	72.99	10	✓	AFT

MORPHINE HYDROCHLORIDE

a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Oral liq 1 mg per ml	19.00	200 ml	✓	RA-Morph
Oral liq 2 mg per ml	23.55	200 ml	✓	RA-Morph
Oral liq 5 mg per ml	28.20	200 ml	✓	RA-Morph
Oral liq 10 mg per ml	40.25	200 ml	✓	RA-Morph

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab immediate-release 10 mg.....	2.80	10	✓	Sevredol
Tab immediate-release 20 mg.....	5.52	10	✓	Sevredol
Cap long-acting 10 mg.....	4.10	10	✓	m-Eslon
Cap long-acting 30 mg.....	6.05	10	✓	m-Eslon
Cap long-acting 60 mg.....	12.10	10	✓	m-Eslon
Cap long-acting 100 mg.....	14.50	10	✓	m-Eslon
Oral liq 2 mg per ml.....	16.31	100 ml	✓	Wockhardt ^{S29}
	29.80		✓	Oramorph
			✓	Oramorph CDC
				S29 ^{S29}
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO.....	5.96	5	✓	Medsurge
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO.....	4.99	5	✓	Medsurge
Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO.....	6.93	5	✓	Medsurge
Inj 30 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO.....	7.28	5	✓	Medsurge
OXYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab controlled-release 5 mg.....	2.49	20	✓	Oxycodone Sandoz
Tab immediate-release 5 mg.....	13.77	100	✓	Oxycodone Amneal
Tab controlled-release 10 mg.....	2.49	20	✓	Oxycodone Sandoz
Tab immediate-release 10 mg.....	18.77	100	✓	Oxycodone Amneal
Tab controlled-release 20 mg.....	3.41	20	✓	Oxycodone Sandoz
Tab immediate-release 20 mg.....	26.77	100	✓	Oxycodone Amneal
Tab controlled-release 40 mg.....	6.67	20	✓	Oxycodone Sandoz
Tab controlled-release 80 mg.....	12.99	20	✓	Oxycodone Sandoz
Oral liq 1 mg per ml.....	37.08	250 ml	✓	Oxycodone Lucis
			✓	Rosemont
			✓	Hameln
Inj 10 mg per ml, 1 ml ampoule.....	4.37	5	✓	Hameln
Inj 10 mg per ml, 2 ml ampoule.....	8.62	5	✓	Hameln
Inj 50 mg per ml, 1 ml ampoule.....	14.90	5	✓	Hameln
<i>(Oxycodone Lucis Oral liq 1 mg per ml to be delisted 1 June 2026)</i>				
PARACETAMOL WITH CODEINE – Safety medicine; prescriber may determine dispensing frequency				
* Tab paracetamol 500 mg with codeine phosphate 8 mg.....	31.95	1,000	✓	Paracetamol + Codeine (Relieve)
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab 50 mg.....	8.68	10	✓	Noumed Pethidine
Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO.....	29.88	5	✓	DBL Pethidine Hydrochloride
			✓	DBL Pethidine Hydrochloride
Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO.....	30.72	5	✓	DBL Pethidine Hydrochloride

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg.....	1.95	20	✓	Tramal SR 100
Tab sustained-release 150 mg.....	2.95	20	✓	Tramal SR 150
Tab sustained-release 200 mg.....	3.80	20	✓	Tramal SR 200
Cap 50 mg.....	3.33	100	✓	Arrow-Tramadol

Antidepressants

Cyclic and Related Agents

AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg.....	2.99	100	✓	Arrow-Amitriptyline
Tab 25 mg.....	1.99	100	✓	Arrow-Amitriptyline
Tab 50 mg.....	3.14	100	✓	Arrow-Amitriptyline

CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency

Tab 25 mg.....	16.99	50	✓	APO Clomipramine
Cap 10 mg.....	35.50	28	✓	Clomipramine Teva

(Clomipramine Teva Cap 10 mg to be delisted 1 April 2026)

DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Subsidy by endorsement

- Safety medicine; prescriber may determine dispensing frequency
- Subsidy by endorsement – Subsidised for patients who were taking dosulepin [dothiepin] hydrochloride prior to 1 June 2019 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of dosulepin [dothiepin] hydrochloride.

Tab 75 mg.....	3.85	30	✓	Dosulepin Viatris
Cap 25 mg.....	7.83	50	✓	Dosulepin Viatris ^{S29}

IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg.....	5.48	50	✓	Tofranil
	10.96	100	✓	Tofranil
Tab 25 mg.....	4.93	28	✓	Imipramine Crescent ^{S29}
	8.80	50	✓	Tofranil

NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg.....	2.24	50	✓	Allegron
Tab 25 mg.....	2.95	50	✓	Allegron

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

TRANYLCYPROMINE SULPHATE

* Tab 10 mg.....	22.94	50	✓	Parnate
------------------	-------	----	---	----------------

Monoamine-Oxidase Type A Inhibitors

MOCLOBEMIDE

* Tab 150 mg.....	23.60	60	✓	Aurorix
* Tab 300 mg.....	38.50	60	✓	Aurorix

Selective Serotonin Reuptake Inhibitors

CITALOPRAM HYDROBROMIDE

* Tab 20 mg.....	3.55	84	✓	Celapram
------------------	------	----	---	-----------------

Celapram to be Principal Supply on 1 May 2026

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ESCITALOPRAM				
* Tab 10 mg	0.79	28	✓	Ipca-Escitalopram
	1.07		✓	Escitalopram (Ethics)
* Tab 20 mg	1.49	28	✓	Ipca-Escitalopram
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement.....	2.37	28	✓	Fluox
Subsidised by endorsement				
1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or				
2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.				
* Cap 20 mg	3.50	90	✓	Arrow-Fluoxetine
PAROXETINE				
* Tab 20 mg	4.98	90	✓	Loxamine
SERTRALINE				
* Tab 50 mg	1.24	30	✓	Setrona
Setrona to be Principal Supply on 1 April 2026				
* Tab 100 mg	2.00	30	✓	Setrona
Setrona to be Principal Supply on 1 April 2026				

Other Antidepressants

MIRTAZAPINE				
Tab 30 mg	2.34	30	✓	Noumed
Tab 45 mg	3.10	30	✓	Noumed
VENLAFAXINE				
* Cap 37.5 mg	8.29	84	✓	Enlifax XR
* Cap 75 mg	10.32	84	✓	Enlifax XR
* Cap 150 mg	13.95	84	✓	Enlifax XR

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement.....	27.92	5	✓	Hospira
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
c) PSO must be endorsed “not for anaesthetic procedures”.				
Rectal tubes 5 mg – Up to 5 tube available on a PSO	54.58	5	✓	Stesolid
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO	154.01	5	✓	Hospira

▲Three months supply may be dispensed at one time if endorsed “certified exemption” by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓	Tegretol
* Tab long-acting 200 mg	16.98	100	✓	Tegretol CR
	33.96	200	✓	Tegretol CR
* Tab 400 mg	34.58	100	✓	Tegretol
* Tab long-acting 400 mg	39.17	100	✓	Tegretol CR
* Oral liq 20 mg per ml	26.37	250 ml	✓	Tegretol
CLOBAZAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	9.12	50	✓	Frisium
CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Oral drops 2.5 mg per ml	7.38	10 ml OP	✓	Rivotril
ETHOSUXIMIDE				
Cap 250 mg	140.88	100	✓	Zarontin
Oral liq 250 mg per 5 ml	56.35	200 ml	✓	Zarontin
GABAPENTIN				
Note: Not subsidised in combination with subsidised pregabalin				
* Cap 100 mg	6.45	100	✓	Nupentin
* Cap 300 mg	8.45	100	✓	Nupentin
* Cap 400 mg	10.26	100	✓	Nupentin
LACOSAMIDE – Special Authority see SA2267 below – Retail pharmacy				
▲ Tab 50 mg	25.04	14	✓	Vimpat
▲ Tab 100 mg	50.06	14	✓	Vimpat
	200.24	56	✓	Vimpat
▲ Tab 150 mg	75.10	14	✓	Vimpat
	300.40	56	✓	Vimpat
▲ Tab 200 mg	400.55	56	✓	Vimpat
➔SA2267 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:				
1 Patient has focal epilepsy; and				
2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).				
Note: Those of childbearing potential are not required to trial phenytoin sodium, sodium valproate, or topiramate. Those who can father children are not required to trial sodium valproate.				
Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment.				
LAMOTRIGINE				
▲ Tab dispersible 2 mg	55.00	30	✓	Lamictal
▲ Tab dispersible 5 mg	50.00	30	✓	Lamictal
* Tab dispersible 25 mg	4.20	56	✓	Logem
* Tab dispersible 50 mg	5.11	56	✓	Logem
* Tab dispersible 100 mg	6.75	56	✓	Logem

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LEVETIRACETAM				
Tab 250 mg	5.84	60	✓	Everet
Tab 500 mg	10.51	60	✓	Everet
Tab 750 mg	16.71	60	✓	Everet
Tab 1,000 mg	21.82	60	✓	Everet
Oral liq 100 mg per ml	44.78	300 ml OP	✓	Levetiracetam-AFT
Inj 100 mg per ml, 5 ml vial	38.95	10	✓	Levetiracetam-AFT
PHENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, page 280				
Tab 15 mg	248.50	500	✓	Noumed Phenobarbitone
Tab 30 mg	398.50	500	✓	Noumed Phenobarbitone
PHENYTOIN SODIUM				
* Tab 50 mg	75.00	200	✓	Dilantin Infatab
Cap 30 mg	74.00	200	✓	Dilantin
Cap 100 mg	37.00	200	✓	Dilantin
* Oral liq 30 mg per 5 ml	22.03	500 ml	✓	Dilantin Paediatric
PREGABALIN – Brand switch fee payable (Pharmacode 2723727) - see page 278 for details				
Note: Not subsidised in combination with subsidised gabapentin				
* Cap 25 mg	2.25	56	✓	Lyrica
* Cap 75 mg	2.65	56	✓	Pregabalin Pfizer
* Cap 150 mg	4.01	56	✓	Lyrica
* Cap 300 mg	7.38	56	✓	Pregabalin Pfizer
PRIMIDONE				
* Tab 250 mg	37.35	100	✓	Primidone Clinect
SODIUM VALPROATE				
Tab 100 mg	13.65	100	✓	Epilim Crushable
Tab 200 mg EC	27.44	100	✓	Epilim
Tab 500 mg EC	52.24	100	✓	Epilim
* Oral liq 200 mg per 5 ml	20.48	300 ml	✓	Epilim S/F Liquid
* Inj 100 mg per ml, 4 ml	41.50	1	✓	Epilim Syrup
STIRIPENTOL – Special Authority see SA2268 below – Retail pharmacy				
Cap 250 mg	509.29	60	✓	Diacomit
Powder for oral liq 250 mg sachet	509.29	60	✓	Diacomit

➔ **SA2268** **Special Authority for Subsidy**

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist.

Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

Note: Those of childbearing potential are not required to trial sodium valproate or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ Tab 25 mg	11.07	60	✓ Arrow-Topiramate ✓ Topiramate Actavis ✓ Topamax
	26.04		
▲ Tab 50 mg	18.81	60	✓ Arrow-Topiramate ✓ Topiramate Actavis ✓ Topamax
	44.26		
▲ Tab 100 mg	31.99	60	✓ Arrow-Topiramate ✓ Topiramate Actavis ✓ Topamax
	75.25		
▲ Tab 200 mg	55.19	60	✓ Arrow-Topiramate ✓ Topiramate Actavis ✓ Topamax
	129.85		
▲ Sprinkle cap 15 mg	20.84	60	✓ Topamax
▲ Sprinkle cap 25 mg	26.04	60	✓ Topamax

VIGABATRIN – Special Authority see [SA2088 below](#) – Retail pharmacy

▲ Tab 500 mg	119.30	100	✓ Sabril
▲ Powder for oral soln 500 mg per sachet	71.58	60	✓ Sabril ^{s29}

(Sabril ^{s29} Powder for oral soln 500 mg per sachet to be delisted 1 May 2026)

►SA2088 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; or
 - 1.3 Patient has tuberous sclerosis complex; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields..

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, [page 117](#)

Acute Migraine Treatment

RIZATRIPTAN			
Tab orodispersible 10 mg	4.84	30	✓ Rizamelt
SUMATRIPTAN			
Tab 50 mg	14.41	90	✓ Sumagran
Tab 100 mg	22.68	90	✓ Sumagran
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per prescription	29.80	2 OP	✓ Clustran

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, [page 50](#)

PIZOTIFEN			
* Tab 500 mcg	23.21	100	✓ Sandomigran

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, [page 8](#)

APREPITANT – Special Authority see SA0987 below – Retail pharmacy			
Cap 2 x 80 mg and 1 x 125 mg	21.90	3 OP	✓ Emend Tri-Pack

►SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE			
* Tab 16 mg	3.70	100	✓ Serc
CYCLIZINE HYDROCHLORIDE			
Tab 50 mg	0.66	10	✓ Nausicalm
CYCLIZINE LACTATE			
Inj 50 mg per ml, 1 ml ampoule – Up to 10 inj available on a PSO	16.36	10	✓ Hameln
DOMPERIDONE			
* Tab 10 mg	3.80	100	✓ Domperidone Viatris

DROPERIDOL – Subsidy by endorsement

- Up to 10 inj available on a PSO
- Only on a PSO
- Subsidised only for use within a Primary Response in Medical Emergencies (PRIME) service and the PSO is endorsed accordingly.

Inj 2.5 mg per ml, 1 ml ampoule	28.68	10	✓ Droperidol Medsurge
---------------------------------------	-------	----	------------------------------

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml ampoule	93.00	10	✓	Martindale ^{S29}
Patch 1 mg per 72 hours – Special Authority see SA1998 below – Retail pharmacy	88.50	10	✓	Scopolamine Transdermal System Viatrix
►SA1998 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:				
1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or				
2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.				
Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.				
METOCLOPRAMIDE HYDROCHLORIDE				
* Tab 10 mg – Up to 30 tab available on a PSO	1.57	100	✓	Metoclopramide Actavis 10
* Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	5.48 7.00	10	✓	Medsurge Baxter
Medsurge to be Principal Supply on 1 April 2026 (Baxter Inj 5 mg per ml, 2 ml ampoule to be delisted 1 April 2026)				
ONDANSETRON				
* Tab 4 mg	1.95	50	✓	Periset
Tab disp 4 mg – Up to 10 tab available on a PSO	0.56	10	✓	Periset ODT
* Tab 8 mg	3.50	50	✓	Periset
Tab disp 8 mg – Up to 10 tab available on a PSO	0.90	10	✓	Periset ODT
PROCHLORPERAZINE				
* Tab 3 mg buccal	5.97 (30.00)	50		Prochlorperazine maleate (Brown & Burk)
* Tab 5 mg – Up to 30 tab available on a PSO	25.00	250	✓	Nausafix
* Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO	25.81	10	✓	Stemetil

Antipsychotics

General

AMISULPRIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 100 mg	5.84	30	✓	Sulprix
Tab 200 mg	14.47	60	✓	Sulprix
Tab 400 mg	35.06	60	✓	Sulprix
ARIPRAZOLE – Safety medicine; prescriber may determine dispensing frequency				
Tab 5 mg	10.50	30	✓	Aripiprazole Sandoz
Tab 10 mg	10.50	30	✓	Aripiprazole Sandoz
Tab 15 mg	10.50	30	✓	Aripiprazole Sandoz
Tab 20 mg	10.50	30	✓	Aripiprazole Sandoz
Tab 30 mg	10.50	30	✓	Aripiprazole Sandoz

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CHLORPROMAZINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg – Up to 30 tab available on a PSO	15.62	100	✓	Largactil
Tab 100 mg – Up to 30 tab available on a PSO	36.73	100	✓	Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	30.79	10	✓	Largactil
CLOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	6.69	50	✓	Clopine
	13.37	100	✓	Clozaril
			✓	Clopine
			✓	Clozaril
Tab 50 mg	8.67	50	✓	Clopine
	17.33	100	✓	Clopine
Tab 100 mg	17.33	50	✓	Clopine
			✓	Clozaril
	34.65	100	✓	Clopine
			✓	Clozaril
Tab 200 mg	34.65	50	✓	Clopine
	69.30	100	✓	Clopine
Suspension 50 mg per ml	173.30	100 ml	✓	Versacloz
HALOPERIDOL – Safety medicine; prescriber may determine dispensing frequency				
Tab 500 mcg – Up to 30 tab available on a PSO	6.23	100	✓	Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO	9.43	100	✓	Serenace
Tab 5 mg – Up to 30 tab available on a PSO	14.86	50	✓	Serenace
	29.72	100	✓	Serenace
Oral liq 2 mg per ml – Up to 200 ml available on a PSO	23.84	100 ml	✓	Serenace
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	12.93	10	✓	Serenace
LEVOMEPRMAZINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg (33.8 mg as a maleate)	16.10	100	✓	Nozinan (Swiss)
Tab 25 mg as a maleate	16.10	100	✓	Nozinan
Tab 100 mg (135 mg as a maleate)	41.75	100	✓	Nozinan (Swiss)
Tab 100 mg as a maleate	41.75	100	✓	Nozinan
LEVOMEPRMAZINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Inj 25 mg per ml, 1 ml ampoule	23.26	10	✓	Wockhardt
LITHIUM CARBONATE – Safety medicine; prescriber may determine dispensing frequency				
Tab long-acting 400 mg	82.80	100	✓	Priadel
Cap 250 mg	35.78	100	✓	Douglas
OLANZAPINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 2.5 mg	1.40	30	✓	Zypine
Tab 5 mg	1.93	30	✓	Zypine
Tab orodispersible 5 mg	2.42	28	✓	Zypine ODT
Tab 10 mg	1.80	28	✓	Zypine
	1.93	30	✓	Zypine
Tab orodispersible 10 mg	2.89	28	✓	Olanzapina
				Mylan S29
			✓	Olanzapina Mylan
				Pharma S29
			✓	Zypine ODT
PERICYAZINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 2.5 mg	13.61	100	✓	Neulactil
Tab 10 mg	48.45	100	✓	Neulactil

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
QUETIAPINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	0.79	30	✓	Quetiapine Viartis ^{S29}
	2.36	90	✓	Quetapel
	13.11	500	✓	Quetiapine Viartis ^{S29}
Tab 100 mg	6.40	90	✓	Quetapel
Tab 200 mg	10.97	90	✓	Quetapel
Tab 300 mg	15.83	90	✓	Quetapel
RISPERIDONE – Safety medicine; prescriber may determine dispensing frequency				
Tab 0.5 mg	2.17	60	✓	Risperidone (Teva)
Tab 1 mg	2.44	60	✓	Risperidone (Teva)
Tab 2 mg	2.72	60	✓	Risperidone (Teva)
Tab 3 mg	4.50	60	✓	Risperidone (Teva)
Tab 4 mg	6.25	60	✓	Risperdal
			✓	Risperidone (Teva)
Oral liq 1 mg per ml	10.29	30 ml	✓	Risperon
	34.30	100 ml	✓	Risperon
ZIPRASIDONE – Safety medicine; prescriber may determine dispensing frequency				
Cap 20 mg	17.90	60	✓	Zusdone
Cap 40 mg	27.41	60	✓	Zusdone
Cap 60 mg	38.39	60	✓	Zusdone
Cap 80 mg	46.55	60	✓	Zusdone
ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	31.45	100	✓	Clopixol

Depot Injections

ARIPIRAZOLE – Special Authority see SA2395 below – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 300 mg vial	273.56	1	✓	Abilify Maintena
Inj 400 mg vial	341.96	1	✓	Abilify Maintena

► **SA2395** **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Either:

1.1 The patient has had an initial Special Authority approval for risperidone depot injection, paliperidone depot injection or olanzapine depot injection; or

1.2 All of the following:

1.2.1 The patient has schizophrenia or other psychotic disorder; and

1.2.2 The patient has received treatment with oral atypical antipsychotic agents but has been unable to adhere; and

1.2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months; or

2 Patient has been unable to access olanzapine depot injection due to supply issues with olanzapine depot injection, or otherwise would have been started on olanzapine depot injection but has been unable to due to supply issues with olanzapine depot injection.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

Notes: The Olanzapine depot injection Special Authority criteria that apply to criterion 2 in this Aripiprazole Special Authority application are as follows:

- The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- All of the following:
 - The patient has schizophrenia; and
 - The patient has not been able to adhere with treatment using oral atypical antipsychotic agents; and
 - The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

FLUPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	13.14	5	✓ Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO	20.90	5	✓ Fluanxol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	40.87	5	✓ Fluanxol

HALOPERIDOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5	✓ Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	✓ Haldol Concentrate ✓ Haldol

Decanoate ^{S29}

OLANZAPINE – Special Authority see [SA2586 below](#) – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 210 mg vial	252.00	1	✓ Zyprexa Relprevv
Inj 300 mg vial	414.00	1	✓ Zyprexa Relprevv
Inj 405 mg vial	504.00	1	✓ Zyprexa Relprevv

SA2586 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
 - 1.2 All of the following:
 - 1.2.1 The patient has schizophrenia or other psychotic disorder; and
 - 1.2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 1.2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months; and
- 2 The patient has trialled other funded depot antipsychotics (aripiprazole, risperidone, and paliperidone) unless it is considered clinically inappropriate to use these; and
- 3 The patient continues to have difficulties with adherence on oral antipsychotic treatments; and
- 4 Prescribing clinician has relevant Clinical Director (Mental Health and Addiction services) approval.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

PALIPERIDONE – Special Authority see [SA2396 on the next page](#) – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg syringe	194.25	1	✓ Invega Sustenna
Inj 50 mg syringe	271.95	1	✓ Invega Sustenna
Inj 75 mg syringe	357.42	1	✓ Invega Sustenna
Inj 100 mg syringe	435.12	1	✓ Invega Sustenna
Inj 150 mg syringe	435.12	1	✓ Invega Sustenna

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

►SA2396 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection or aripiprazole depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has been unable to adhere to treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

PALIPERIDONE PALMITATE – Special Authority see SA2167 below – Retail pharmacy

Inj 175 mg syringe	815.85	1	✓ Invega Trinza
Inj 263 mg syringe	1,072.26	1	✓ Invega Trinza
Inj 350 mg syringe	1,305.36	1	✓ Invega Trinza
Inj 525 mg syringe	1,305.36	1	✓ Invega Trinza

►SA2167 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 The patient has schizophrenia; and
- 2 The patient has had an initial Special Authority approval for paliperidone once-monthly depot injection.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

RISPERIDONE – Special Authority see SA2397 below – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg vial	135.98	1	✓ Risperdal Consta
Inj 37.5 mg vial	178.71	1	✓ Risperdal Consta
Inj 50 mg vial	217.56	1	✓ Risperdal Consta

►SA2397 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection or aripiprazole depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has not been able to adhere with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

ZUCLOPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	19.80	5	✓ Clopixol
--	-------	---	------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Anxiolytics

BUSPIRONE HYDROCHLORIDE				
* Tab 5 mg	13.95	100	✓	Buspirone Viatrix
* Tab 10 mg	12.50	100	✓	Buspirone Viatrix
CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 500 mcg.....	5.64	100	✓	Paxam
Tab 2 mg	10.78	100	✓	Paxam
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 2 mg	95.00	500	✓	Arrow-Diazepam
Tab 5 mg	115.00	500	✓	Arrow-Diazepam
LORAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 1 mg	10.20	250	✓	Ativan
Tab 2.5 mg	13.13	100	✓	Ativan

Multiple Sclerosis Treatments

➔SA2274 Special Authority for Subsidy

Initial application — (Multiple Sclerosis - dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab and teriflunomide) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Diagnosis of multiple sclerosis (MS) meets the McDonald 2017 diagnostic criteria for MS and has been confirmed by a neurologist; and
 - 1.2 Patient has an EDSS score between 0 – 6.0; and
 - 1.3 Patient has had at least one significant attack of MS in the previous 12 months or two significant attacks in the past 24 months; and
 - 1.4 All of the following:
 - 1.4.1 Each significant attack must be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the attack, but the neurologist/physician must be satisfied that the clinical features were characteristic); and
 - 1.4.2 Each significant attack is associated with characteristic new symptom(s)/sign(s) or substantially worsening of previously experienced symptoms(s)/sign(s); and
 - 1.4.3 Each significant attack has lasted at least one week and has started at least one month after the onset of a previous attack (where relevant); and
 - 1.4.4 Each significant attack can be distinguished from the effects of general fatigue; and is not associated with a fever (T> 37.5°C); and
 - 1.4.5 Either:
 - 1.4.5.1 Each significant attack is severe enough to change either the EDSS or at least one of the Kurtzle Functional System scores by at least 1 point; or
 - 1.4.5.2 Each significant attack is a recurrent paroxysmal symptom of multiple sclerosis (tonic seizures/spasms, trigeminal neuralgia, Lhermitte’s symptom); and
 - 1.5 Evidence of new inflammatory activity on an MRI scan within the past 24 months; and
 - 1.6 Any of the following:
 - 1.6.1 A sign of that new inflammatory activity on MRI scanning (in criterion 5 immediately above) is a gadolinium enhancing lesion; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1.6.2 A sign of that new inflammatory activity is a lesion showing diffusion restriction; or
- 1.6.3 A sign of that new inflammatory activity is a T2 lesion with associated local swelling; or
- 1.6.4 A sign of that new inflammatory activity is a prominent T2 lesion that clearly is responsible for the clinical features of a recent attack that occurred within the last 2 years; or
- 1.6.5 A sign of that new inflammatory activity is new T2 lesions compared with a previous MRI scan; or

2 Patient has an active approval for ocrelizumab and does not have primary progressive MS.

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Renewal — (Multiple Sclerosis - dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab and teriflunomide) from any relevant practitioner. Approvals valid for 12 months where patient has had an EDSS score of 0 to 6.0 (inclusive) with or without the use of unilateral or bilateral aids at any time in the last six months (ie the patient has walked 100 metres or more with or without aids in the last six months).

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

DIMETHYL FUMARATE – Special Authority see [SA2274 on the previous page](#) – Retail pharmacy

- a) Wastage claimable
 - b) Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|-----------------|----------|----|-------------|
| Cap 120 mg..... | 520.00 | 14 | ✓ Tecfidera |
| Cap 240 mg..... | 2,000.00 | 56 | ✓ Tecfidera |

FINGOLIMOD – Special Authority see [SA2274 on the previous page](#) – Retail pharmacy

- a) Wastage claimable
 - b) Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|-----------------|----------|----|-----------|
| Cap 0.5 mg..... | 2,200.00 | 28 | ✓ Gilenya |
|-----------------|----------|----|-----------|

GLATIRAMER ACETATE – Special Authority see [SA2274 on the previous page](#) – Retail pharmacy

- Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|----------------------------------|----------|----|------------|
| Inj 40 mg prefilled syringe..... | 1,500.00 | 12 | ✓ Copaxone |
|----------------------------------|----------|----|------------|

INTERFERON BETA-1-ALPHA – Special Authority see [SA2274 on the previous page](#) – Retail pharmacy

- Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|---|----------|---|----------|
| Inj 6 million iu prefilled syringe..... | 1,170.00 | 4 | ✓ Avonex |
|---|----------|---|----------|

INTERFERON BETA-1-BETA – Special Authority see [SA2274 on the previous page](#) – Retail pharmacy

- Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|--------------------------------|----------|----|-------------|
| Inj 8 million iu per 1 ml..... | 1,322.89 | 15 | ✓ Betaferon |
|--------------------------------|----------|----|-------------|

NATALIZUMAB – Special Authority see [SA2274 on the previous page](#) – Retail pharmacy

- Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|-----------------------------------|----------|---|-----------|
| Inj 20 mg per ml, 15 ml vial..... | 1,750.00 | 1 | ✓ Tysabri |
|-----------------------------------|----------|---|-----------|

TERIFLUNOMIDE – Special Authority see [SA2274 on the previous page](#) – Retail pharmacy

- a) Wastage claimable
 - b) Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|----------------|--------|----|---------------------------|
| Tab 14 mg..... | 263.96 | 28 | ✓ Teriflunomide
Sandoz |
|----------------|--------|----|---------------------------|

Multiple Sclerosis Treatments - Other

OCRELIZUMAB – Special Authority see [SA2273 on the next page](#) – Retail pharmacy

- Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.
- | | | | |
|-----------------------------------|-----------|---|--------------|
| Inj 30 mg per ml, 10 ml vial..... | 8,450.00 | 1 | ✓ Ocrevus |
| Inj 40 mg per ml, 23 ml vial..... | 16,900.00 | 1 | ✓ Ocrevus SC |

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

►SA2273 Special Authority for Subsidy

Initial application — (Multiple Sclerosis - ocrelizumab) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Diagnosis of multiple sclerosis (MS) meets the McDonald 2017 diagnostic criteria for MS and has been confirmed by a neurologist; and
 - 1.2 Patient has an EDSS score between 0 – 6.0; and
 - 1.3 Patient has had at least one significant attack of MS in the previous 12 months or two significant attacks in the past 24 months; and
 - 1.4 All of the following:
 - 1.4.1 Each significant attack must be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the attack, but the neurologist/physician must be satisfied that the clinical features were characteristic); and
 - 1.4.2 Each significant attack is associated with characteristic new symptom(s)/sign(s) or substantially worsening of previously experienced symptoms(s)/sign(s); and
 - 1.4.3 Each significant attack has lasted at least one week and has started at least one month after the onset of a previous attack (where relevant); and
 - 1.4.4 Each significant attack can be distinguished from the effects of general fatigue; and is not associated with a fever (T> 37.5°C); and
 - 1.4.5 Either:
 - 1.4.5.1 Each significant attack is severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point; or
 - 1.4.5.2 Each significant attack is a recurrent paroxysmal symptom of multiple sclerosis (tonic seizures/spasms, trigeminal neuralgia, Lhermitte's symptom); and
 - 1.5 Evidence of new inflammatory activity on an MRI scan within the past 24 months; and
 - 1.6 Any of the following:
 - 1.6.1 A sign of that new inflammatory activity on MRI scanning (in criterion 5 immediately above) is a gadolinium enhancing lesion; or
 - 1.6.2 A sign of that new inflammatory activity is a lesion showing diffusion restriction; or
 - 1.6.3 A sign of that new inflammatory activity is a T2 lesion with associated local swelling; or
 - 1.6.4 A sign of that new inflammatory activity is a prominent T2 lesion that clearly is responsible for the clinical features of a recent attack that occurred within the last 2 years; or
 - 1.6.5 A sign of that new inflammatory activity is new T2 lesions compared with a previous MRI scan; or
- 2 Patient has an active Special Authority approval for either dimethyl fumarate, fingolimod, glatiramer acetate, interferon beta-1-alpha, interferon beta-1-beta, natalizumab or teriflunomide.

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Renewal — (Multiple Sclerosis - ocrelizumab) from any relevant practitioner. Approvals valid for 12 months where patient has had an EDSS score of 0 to 6.0 (inclusive) with or without the use of unilateral or bilateral aids at any time in the last six months (ie the patient has walked 100 metres or more with or without aids in the last six months).

Note: Treatment on two or more funded multiple sclerosis treatments simultaneously is not permitted.

Initial application — (Primary Progressive Multiple Sclerosis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Diagnosis of primary progressive multiple sclerosis (PPMS) meets the 2017 McDonald criteria and has been confirmed by a neurologist; and
- 2 Patient has an EDSS 2.0 (score equal to or greater than 2 on pyramidal functions) to EDSS 6.5; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

3 Patient has no history of relapsing remitting multiple sclerosis.

Renewal — (Primary Progressive Multiple Sclerosis) from any relevant practitioner. Approvals valid for 12 months where patient has had an EDSS score of less than or equal to 6.5 at any time in the last six months (ie patient has walked 20 metres with bilateral assistance/aids, without rest in the last six months).

Sedatives and Hypnotics

MELATONIN – Special Authority see [SA2523 below](#) – Retail pharmacy

Tab modified-release 2 mg – No more than 5 tab per day	5.80	30	✓ Vigisom
Restricted to patients aged 18 years or under.			

►SA2523 Special Authority for Subsidy

Initial application only from a psychiatrist, paediatrician, neurologist, respiratory specialist or any relevant practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged 18 years or under*.

Renewal only from a psychiatrist, paediatrician, neurologist, respiratory specialist or any relevant practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is aged 18 years or under*; and
- 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
- 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
- 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with * are unapproved indications.

MIDAZOLAM – Safety medicine; prescriber may determine dispensing frequency

Inj 1 mg per ml, 5 ml ampoule	7.80	10	✓ Midazolam-Baxter
Inj 1 mg per ml, 5 ml plastic ampoule – Up to 10 inj available on a PSO	46.65	10	✓ Midazolam-Pfizer
On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only.			
Inj 5 mg per ml, 1 ml plastic ampoule – Up to 10 inj available on a PSO	22.50	10	✓ Midazolam-Pfizer
On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only.			
Inj 5 mg per ml, 3 ml ampoule	4.75	5	✓ Midazolam-Baxter
Inj 5 mg per ml, 3 ml plastic ampoule – Up to 5 inj available on a PSO	35.10	5	✓ Midazolam-Pfizer
On a PSO for status epilepticus use only. PSO must be endorsed for status epilepticus use only.			

PHENOBARBITONE SODIUM – Special Authority see [SA1386 on the next page](#) – Retail pharmacy

Inj 200 mg per ml, 1 ml ampoule	113.37	10	✓ Max Health ^{S29}
---------------------------------------	--------	----	------------------------------------

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA1386 **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency			
Tab 10 mg	1.40	25	✓ <u>Normison</u>
ZOPICLONE – Safety medicine; prescriber may determine dispensing frequency			
Tab 7.5 mg	21.85	500	✓ <u>Zopiclone Actavis</u>

Spinal Muscular Atrophy

NUSINERSEN – PCT only – Special Authority see SA2174 below

Inj 12 mg per 5 ml vial	120,000.00	1	✓ <u>Spinraza</u>
-------------------------------	------------	---	-------------------

►SA2174 **Special Authority for Subsidy**

Initial application — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has genetic documentation of homozygous SMN1 gene deletion, homozygous SMN1 point mutation, or compound heterozygous mutation; and
- 2 Patient is 18 years of age or under; and
- 3 Either:
 - 3.1 Patient has experienced the defined signs and symptoms of SMA type I, II or IIIa prior to three years of age; or
 - 3.2 Both:
 - 3.2.1 Patient is pre-symptomatic; and
 - 3.2.2 Patient has three or less copies of SMN2.

Renewal — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 There has been demonstrated maintenance of motor milestone function since treatment initiation; and
- 2 Patient does not require invasive permanent ventilation (at least 16 hours per day) in the absence of a potentially reversible cause while being treated with nusinersen; and
- 3 Nusinersen not to be administered in combination other SMA disease modifying treatments or gene therapy.

RISDIPLAM – [Xpharm] – Special Authority see SA2203 below

Note: the supply of risdiplam is via Pharmac's approved direct distribution supply. Further details can be found on Pharmac's website <https://pharmac.govt.nz/risdiplam>

Powder for oral soln 750 mcg per ml, 60 mg per bottle.....	14,100.00	80 ml OP	✓ <u>Evrysdi</u>
--	-----------	----------	------------------

►SA2203 **Special Authority for Subsidy**

Initial application — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has genetic documentation of homozygous SMN1 gene deletion, homozygous SMN1 point mutation, or compound heterozygous mutation; and
- 2 Patient is 18 years of age or under; and
- 3 Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

continued...

- 3.1 Patient has experienced the defined signs and symptoms of SMA type I, II or IIIa prior to three years of age; or
- 3.2 Both:
 - 3.2.1 Patient is pre-symptomatic; and
 - 3.2.2 Patient has three or less copies of SMN2.

Renewal — (spinal muscular atrophy (SMA)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 There has been demonstrated maintenance of motor milestone function since treatment initiation; and
- 2 Patient does not require invasive permanent ventilation (at least 16 hours per day) in the absence of a potentially reversible cause while being treated with risdiplam; and
- 3 Risdiplam not to be administered in combination other SMA disease modifying treatments or gene therapy.

Stimulants/ADHD Treatments

ATOMOXETINE

Cap 10 mg	43.02	28	✓ APO-Atomoxetine
Cap 18 mg	45.57	28	✓ APO-Atomoxetine
Cap 25 mg	44.30	28	✓ APO-Atomoxetine
Cap 40 mg	46.21	28	✓ APO-Atomoxetine
Cap 60 mg	51.31	28	✓ APO-Atomoxetine
Cap 80 mg	65.20	28	✓ APO-Atomoxetine
Cap 100 mg	65.71	28	✓ APO-Atomoxetine

DEXAMFETAMINE SULFATE – Special Authority see [SA2587 below](#) – Retail pharmacy

- a) Only on a controlled drug form
 - b) Safety medicine; prescriber may determine dispensing frequency
- | | | | |
|----------------|-------|-----|-----------------------------------|
| Tab 5 mg | 29.80 | 100 | ✓ Noumed
Dexamfetamine |
|----------------|-------|-----|-----------------------------------|

➔SA2587 Special Authority for Subsidy

Initial application — (ADHD in patients aged 5 years or over) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for dexamfetamine (see note).

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (<https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22> as of April 2025).

Initial application — (ADHD in patients aged under 5 years) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for dexamfetamine (see note).

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (<https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22> as of April 2025).

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified where the patient suffers from narcolepsy.

LISDEXAMFETAMINE DIMESILATE – Special Authority see [SA2588 below](#) – Retail pharmacy

a) Only on a controlled drug form			
b) Safety medicine; prescriber may determine dispensing frequency			
Cap 30 mg – No more than 1 cap per day	60.00	30	✓ Vyvance
Cap 50 mg	60.00	30	✓ Vyvance
Cap 70 mg	60.00	30	✓ Vyvance

► [SA2588](#) **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with lisdexamfetamine dimesilate and met all the following criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 ADHD (Attention Deficit and Hyperactivity Disorder); and
 - 2.2 Diagnosed according to DSM-5 or ICD 11 criteria; and
 - 2.3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for lisdexamfetamine (see note); and
 - 2.4 Any of the following:
 - 2.4.1 Patient is taking a currently subsidised formulation of atomoxetine or methylphenidate hydrochloride (extended-release) for ADHD and has not received sufficient clinical benefit or has experienced intolerable side effects; or
 - 2.4.2 Patient is taking a currently subsidised formulation of dexamfetamine sulfate (immediate-release) which has not been effective due to significant administration and/or treatment adherence difficulties; or
 - 2.4.3 There is significant concern regarding the risk of diversion or abuse of immediate release dexamfetamine sulfate; or
 - 2.4.4 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained release) which has not been effective due to significant administration and/or treatment adherence difficulties; or
 - 2.4.5 There is significant concern regarding the risk of diversion or abuse of immediate release methylphenidate hydrochloride; or
 - 2.4.6 Both:
 - 2.4.6.1 Patient would have been prescribed a subsidised formulation of methylphenidate hydrochloride (extended-release) but has been unable to access due to supply issues with methylphenidate hydrochloride (extended-release); and
 - 2.4.6.2 Other alternative stimulant presentations (methylphenidate or dexamfetamine) are not appropriate; and
 - 2.5 Lisdexamfetamine dimesilate is not to be used in combination with another funded methylphenidate presentation.

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (<https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22> as of April 2025).

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE – Special Authority see SA2590 below – Retail pharmacy			
a) Only on a controlled drug form			
b) Safety medicine; prescriber may determine dispensing frequency			
Tab modified-release 18 mg.....	15.25	30	✓ Methylphenidate Sandoz XR
Tab modified-release 27 mg.....	16.25	30	✓ Methylphenidate Sandoz XR
Tab modified-release 36 mg.....	21.25	30	✓ Methylphenidate Sandoz XR
Tab modified-release 54 mg.....	24.25	30	✓ Methylphenidate Sandoz XR
Tab immediate-release 5 mg.....	3.20	30	✓ Rubifen
Tab immediate-release 10 mg.....	3.00	30	✓ Rubifen
	4.00		✓ Ritalin
Tab extended-release 18 mg.....	15.25	30	✓ Methylphenidate ER - Teva
Tab immediate-release 20 mg.....	7.85	30	✓ Rubifen
Tab sustained-release 20 mg.....	10.95	30	✓ Rubifen SR
Tab extended-release 27 mg.....	16.25	30	✓ Methylphenidate ER - Teva
Tab extended-release 36 mg.....	21.25	30	✓ Methylphenidate ER - Teva
Tab extended-release 54 mg.....	24.25	30	✓ Methylphenidate ER - Teva

➔SA2590 Special Authority for Subsidy

Initial application — (ADHD in patients aged 5 years or over) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for methylphenidate (see note).

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (<https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22> as of April 2025).

Initial application — (ADHD in patients aged under 5 years) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) in patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for methylphenidate (see note).

Note: Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (<https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22> as

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...
of April 2025).

Initial application — (Narcolepsy*) only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified where the patient suffers from narcolepsy.

Note: *narcolepsy is not a registered indication for Methylphenidate ER – Teva or Methylphenidate Sandoz XR.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE – Special Authority see [SA2591 below](#) – Retail pharmacy

a) Only on a controlled drug form			
b) Safety medicine; prescriber may determine dispensing frequency			
Tab extended-release 18 mg.....	58.96	30	✓ Concerta
Tab extended-release 27 mg.....	65.44	30	✓ Concerta
Tab extended-release 36 mg.....	71.93	30	✓ Concerta
Tab extended-release 54 mg.....	86.24	30	✓ Concerta
Cap modified-release 10 mg.....	19.41	30	✓ Ritalin LA
Cap modified-release 20 mg.....	27.72	30	✓ Ritalin LA
Cap modified-release 30 mg.....	34.39	30	✓ Ritalin LA
Cap modified-release 40 mg.....	38.67	30	✓ Ritalin LA

➔**SA2591** **Special Authority for Subsidy**

Initial application — (ADHD) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 ADHD (Attention Deficit and Hyperactivity Disorder); and
 - 1.2 Diagnosed according to DSM-IV or ICD 10 criteria; and
 - 1.3 Applicant is a health practitioner authorised to prescribe treatment consistent with the approval notice gazetted for methylphenidate (see note); and
 - 1.4 Either:
 - 1.4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or difficulties with adherence; or
 - 1.4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride; or
- 2 Both:
 - 2.1 Patient meets the Special Authority criteria for SA2590 methylphenidate hydrochloride; and
 - 2.2 Patient is unable to access other methylphenidate hydrochloride presentations under Special Authority criteria SA2590 due to an out of stock (see note).

Notes: Criterion 2 is to permit short-term funding to cover an out-of-stock on tab extended-release Methylphenidate ER – Teva and tab sustained-release 20 mg Rubifen SR subsidised under SA2590 (<https://schedule.pharmac.govt.nz/latest/SA2590.pdf>). Prescribing practitioner detail is in the relevant approval notice published in the New Zealand Gazette. Approval notices are located through the 'Medicines (controlled drugs) with restrictions under regulation 22 of the Misuse of Drugs Regulations 1977' section of the Medsafe 'Restrictions on the Supply, Prescribing or Administration of Medicines under the Medicines Act 1981 and Misuse of Drugs Regulations 1977' webpage (<https://www.medsafe.govt.nz/profs/riss/restrict.asp#MedicinesReg22> as of April 2025).

Initial application — (Narcolepsy*) only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified where the patient suffers from narcolepsy.

Note: *narcolepsy is not a registered indication for Concerta or Ritalin LA.

MODAFINIL – Special Authority see [SA2451 on the next page](#) – Retail pharmacy

Tab 100 mg.....	14.27	30	✓ Modafinil Max Health
-----------------	-------	----	-------------------------------

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2451 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
 - 1.2 Either:
 - 1.2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 1.2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
 - 1.3 Either:
 - 1.3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialed and discontinued because of intolerable side effects; or
 - 1.3.2 Methylphenidate and dexamfetamine are contraindicated; or
- 2 Both:
 - 2.1 Patient meets the Special Authority criteria for methylphenidate hydrochloride or methylphenidate hydrochloride extended-release for narcolepsy; and
 - 2.2 Patient is unable to access methylphenidate hydrochloride presentations due to an out of stock (see note).

Note: Criterion 2 is to permit short-term funding to cover an out-of-stock of methylphenidate hydrochloride or methylphenidate hydrochloride extended release.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE

* Tab 5 mg	3.70	84	✓ <u>Ipca-Donepezil</u>
* Tab 10 mg	5.50	84	✓ <u>Ipca-Donepezil</u>
RIVASTIGMINE – Special Authority see SA2524 below – Retail pharmacy			
Patch 4.6 mg per 24 hour	49.40	30	✓ <u>Rivastigmine Patch</u> <u>BNM 5</u>
Patch 9.5 mg per 24 hour	49.40	30	✓ <u>Rivastigmine Patch</u> <u>BNM 10</u>

►SA2524 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient is contraindicated to or has experienced intolerable side effects from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE – Special Authority see SA2592 below – Retail pharmacy

a) No patient co-payment payable			
b) Safety medicine; prescriber may determine dispensing frequency			
Tab sublingual 2 mg with naloxone 0.5 mg	11.76	28	✓ Buprenorphine Naloxone BNM
Buprenorphine Naloxone BNM to be Principal Supply on 1 May 2026			
Tab sublingual 8 mg with naloxone 2 mg	26.86	28	✓ Buprenorphine Naloxone BNM
Buprenorphine Naloxone BNM to be Principal Supply on 1 May 2026			

»SA2592 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health..

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialed but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
BUPROPION HYDROCHLORIDE				
Tab modified-release 150 mg.....	15.00	30	✓	Zyban
DISULFIRAM				
Tab 200 mg	236.40	100	✓	Antabuse
NALTREXONE HYDROCHLORIDE – Special Authority see SA1408 below – Retail pharmacy				
Tab 50 mg	83.33	30	✓	Naltracord

►SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to Health NZ or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

a) Nicotine will not be funded in amounts less than 4 weeks of treatment.

b) Note: Direct Provision by a pharmacist permitted under the provisions in Part I of Section A.

Patch 7 mg – Up to 28 patch available on a PSO	19.62	28	✓	Habitrol
Patch 14 mg – Up to 28 patch available on a PSO	21.57	28	✓	Habitrol
Patch 14 mg for direct distribution only – [Xpharm].....	12.49	7	✓	Habitrol
Patch 21 mg – Up to 28 patch available on a PSO	24.72	28	✓	Habitrol
Patch 21 mg for direct distribution only – [Xpharm].....	13.19	7	✓	Habitrol
Lozenge 1 mg – Up to 216 loz available on a PSO	22.53	216	✓	Habitrol
Lozenge 1 mg for direct distribution only – [Xpharm].....	12.89	36	✓	Habitrol
Lozenge 2 mg – Up to 216 loz available on a PSO	24.68	216	✓	Habitrol
Lozenge 2 mg for direct distribution only – [Xpharm].....	13.25	36	✓	Habitrol
Gum 2 mg (Fruit) – Up to 204 piece available on a PSO	23.02	204	✓	Habitrol
Gum 2 mg (Fruit) for direct distribution only – [Xpharm].....	17.57	96	✓	Habitrol
Gum 2 mg (Mint) – Up to 204 piece available on a PSO.....	23.02	204	✓	Habitrol
Gum 2 mg (Mint) for direct distribution only – [Xpharm].....	17.57	96	✓	Habitrol
Gum 4 mg (Fruit) – Up to 204 piece available on a PSO	25.98	204	✓	Habitrol
Gum 4 mg (Fruit) for direct distribution only – [Xpharm].....	23.87	96	✓	Habitrol
Gum 4 mg (Mint) – Up to 204 piece available on a PSO.....	25.98	204	✓	Habitrol
Gum 4 mg (Mint) for direct distribution only – [Xpharm].....	23.87	96	✓	Habitrol

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

VARENICLINE TARTRATE – Special Authority see SA1845 below – Retail pharmacy

- a) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack
- b) Varenicline will not be funded in amounts less than 4 weeks of treatment.
- c) The 6-month time period in which a patient can receive a funded 12-week course of varenicline tartrate starts from the date the Special Authority is approved.

Tab 0.5 mg x 11 and 1 mg x 42	15.99	53 OP	✓ Pharmacor Varenicline
	16.67		✓ Champix
Tab 1 mg	10.99	56	✓ Pharmacor Varenicline
	17.62		✓ Champix

(Champix Tab 0.5 mg x 11 and 1 mg x 42 to be delisted 1 September 2026)

(Champix Tab 1 mg to be delisted 1 September 2026)

➔SA1845 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not had a Special Authority for varenicline approved in the last 6 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 It has been 6 months since the patient's previous Special Authority was approved; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 6 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 4-week 'starter' pack.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

Chemotherapeutic Agents

Alkylating Agents

BENDAMUSTINE HYDROCHLORIDE – PCT only – Specialist – Special Authority see SA2398 below			
Inj 25 mg vial	50.05	1	✓ Bendamustine Sandoz
	77.00		✓ Ribomustin
Inj 100 mg vial	200.20	1	✓ Bendamustine Sandoz
	308.00		✓ Ribomustin
Inj 1 mg for ECP	2.11	1 mg	✓ Baxter

► [SA2398](#) Special Authority for Subsidy

Initial application — (CLL*) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has chronic lymphocytic leukaemia requiring treatment; and
- 2 Patient has ECOG performance status of 0-2; and
- 3 Bendamustine is to be administered at a maximum dose of 100 mg/m² on days 1 and 2 every 4 weeks for a maximum of 6 cycles.

Note: Indication marked with a * includes indications that are unapproved. 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL).

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has indolent low grade NHL requiring treatment; and
- 2 The patient has ECOG performance status of 0-2; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient is treatment naive; and
 - 3.1.2 Bendamustine is to be administered for a maximum of 6 cycles (in combination with rituximab when CD20+); or
 - 3.2 Both:
 - 3.2.1 Patient is refractory to or has relapsed within 12 months of a rituximab containing combined chemo-immunotherapy regimen; and
 - 3.2.2 Bendamustine is to be administered in combination with obinutuzumab for a maximum of 6 cycles; or
 - 3.3 All of the following:
 - 3.3.1 The patient has not received prior bendamustine therapy; and
 - 3.3.2 Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and
 - 3.3.3 Patient has had a rituximab treatment-free interval of 12 months or more; or
 - 3.4 Bendamustine is to be administered as monotherapy for a maximum of 6 cycles in rituximab refractory patients.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient is refractory to or has relapsed within 12 months of rituximab in combination with bendamustine; and

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
continued...				
1.2	Bendamustine is to be administered in combination with obinutuzumab for a maximum of 6 cycles; or			
2	Both:			
2.1	Patients have not received a bendamustine regimen within the last 12 months; and			
2.2	Either:			
2.2.1	Both:			
2.2.1.1	Bendamustine is to be administered for a maximum of 6 cycles in relapsed patients (in combination with rituximab when CD20+); and			
2.2.1.2	Patient has had a rituximab treatment-free interval of 12 months or more; or			
2.2.2	Bendamustine is to be administered as a monotherapy for a maximum of 6 cycles in rituximab refractory patients.			
Note: 'indolent, low-grade lymphomas' includes follicular, mantle cell, marginal zone and lymphoplasmacytic/ Waldenstrom's macroglobulinaemia.				
Initial application — (Hodgkin's lymphoma*) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:				
1	Patient has Hodgkin's lymphoma requiring treatment; and			
2	Patient has a ECOG performance status of 0-2; and			
3	Patient has received one prior line of chemotherapy; and			
4	Patient's disease relapsed or was refractory following prior chemotherapy; and			
5	Bendamustine is to be administered in combination with gemcitabine and vinorelbine (BeGeV) at a maximum dose of no greater than 90 mg/m ² twice per cycle, for a maximum of four cycles.			
Note: Indications marked with * are unapproved indications.				
BUSULFAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	89.25	100	✓	Myleran
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 45 ml vial.....	25.73	1	✓	Carboplatin Accord
	32.59		✓	DBL Carboplatin
	48.50		✓	Carbaccord
Inj 1 mg for ECP	0.06	1 mg	✓	Baxter
CARMUSTINE – PCT only – Specialist				
Inj 100 mg vial	710.00	1	✓	BICNU
Inj 100 mg for ECP	710.00	100 mg OP	✓	Baxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	29.06	25	✓	Leukeran FC
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml vial.....	9.45	1	✓	Cisplatin Accord
	15.00		✓	Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial.....	18.90	1	✓	Cisplatin Accord
	21.00		✓	Cisplatin Ebewe
	29.66		✓	DBL Cisplatin
Inj 1 mg for ECP	0.19	1 mg	✓	Baxter
CYCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist.....	145.00	50	✓	Cyclonex
Inj 1 g vial – PCT – Retail pharmacy-Specialist.....	47.46	1	✓	Endoxan
	127.80	6	✓	Cytoxan
Inj 2 g vial – PCT only – Specialist	95.06	1	✓	Endoxan
Inj 1 mg for ECP – PCT only – Specialist.....	0.05	1 mg	✓	Baxter

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
IFOSFAMIDE – PCT only – Specialist				
Inj 1 g.....	96.00	1	✓	Holoxan
Inj 2 g.....	180.00	1	✓	Holoxan
Inj 1 mg for ECP.....	0.10	1 mg	✓	Baxter
LOMUSTINE – PCT – Retail pharmacy-Specialist				
Cap 40 mg.....	880.00	20	✓	Medac ^{S29}
MELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist.....	40.70	25	✓	Alkeran
Inj 50 mg – PCT only – Specialist.....	48.25	1	✓	Melpha
	67.80		✓	Alkeran
OXALIPLATIN – PCT only – Specialist				
Inj 100 mg vial.....	25.01	1	✓	Oxaliplatin Actavis 100
	110.00		✓	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial.....	33.35	1	✓	Alchemy Oxaliplatin
	46.32		✓	Oxaliplatin Accord
Inj 1 mg for ECP.....	0.35	1 mg	✓	Baxter
THIOTEPA – PCT only – Specialist				
Inj 15 mg vial.....	CBS	1	✓	Bedford ^{S29}
			✓	Max Health ^{S29}
			✓	THIO-TEPA ^{S29}
	398.00		✓	Tepadina
Inj 100 mg vial.....	CBS	1	✓	Max Health ^{S29}
	1,800.00		✓	Tepadina

Antimetabolites

AZACITIDINE – PCT only – Specialist – Special Authority see SA2479 below

Inj 100 mg vial.....	50.00	1	✓	Azacitidine Dr Reddy's
Inj 1 mg for ECP.....	0.54	1 mg	✓	Baxter

►SA2479 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 Any of the following:
 - 1.1 The individual has intermediate or high risk MDS based on an internationally recognised scoring system; or
 - 1.2 The individual has chronic myelomonocytic leukaemia (based on an intermediate or high risk score from an internationally recognised scoring system or 10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The individual has acute myeloid leukaemia according to World Health Organisation Classification (WHO); and
- 2 The individual has an estimated life expectancy of at least 3 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
CALCIUM FOLINATE			
Tab 15 mg – PCT – Retail pharmacy-Specialist.....	135.33	10	✓ DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist.....	17.10	5	✓ Hospira
Inj 10 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist.....	112.20	5	✓ Eurofolic
Inj 50 mg – PCT – Retail pharmacy-Specialist.....	72.80	10	✓ Leucovorin Pharmacia ^{S29}
Inj 10 mg per ml, 10 ml vial – PCT only – Specialist.....	163.35	5	✓ Eurofolic
Inj 100 mg – PCT only – Specialist.....	94.90	10	✓ Leucovorin Pharmacia ^{S29}
Inj 300 mg – PCT only – Specialist.....	21.55	1	✓ Leucovorin DBL ^{S29}
Inj 10 mg per ml, 100 ml vial – PCT only – Specialist.....	139.48	1	✓ Eurofolic
Inj 1 mg for ECP – PCT only – Specialist.....	0.14	1 mg	✓ Baxter
CAPECITABINE – Retail pharmacy-Specialist			
Tab 150 mg.....	10.92	60	✓ Capecitabine Viatris
Tab 500 mg.....	50.96	120	✓ Capecitabine Viatris
CLADRIBINE – PCT only – Specialist			
Inj 1 mg per ml, 10 ml.....	749.96	1	✓ Leustatin
Inj 10 mg for ECP.....	749.96	10 mg OP	✓ Baxter
CYTARABINE			
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist.....	472.00	5	✓ Pfizer
Inj 100 mg per ml, 20 ml vial – PCT – Retail pharmacy-Specialist.....	48.80	1	✓ Cytarabine DBL
Inj 1 mg for ECP – PCT only – Specialist.....	0.29	10 mg	✓ Pfizer
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist.....	94.40	100 mg OP	✓ Baxter
FLUDARABINE PHOSPHATE			
Tab 10 mg – PCT – Retail pharmacy-Specialist.....	412.00	20	✓ Fludara Oral
Inj 50 mg vial – PCT only – Specialist.....	634.00	5	✓ Fludarabine Ebewe
Inj 50 mg for ECP – PCT only – Specialist.....	126.80	50 mg OP	✓ Baxter
FLUOROURACIL			
Inj 50 mg per ml, 20 ml vial – PCT only – Specialist.....	10.51	1	✓ Fluorouracil Accord
Inj 50 mg per ml, 50 ml vial – PCT only – Specialist.....	14.72	1	✓ Fluorouracil Accord
Inj 50 mg per ml, 100 ml vial – PCT only – Specialist.....	19.36	1	✓ Fluorouracil Accord
Inj 1 mg for ECP – PCT only – Specialist.....	0.41	100 mg	✓ Baxter
GEMCITABINE HYDROCHLORIDE – PCT only – Specialist			
Inj 43.3 mg per ml (equivalent to 38 mg per ml gemcitabine), 26.3 ml vial.....	18.94	1	✓ DBL Gemcitabine
Inj 1 g.....	15.89	1	✓ Gemcitabine Ebewe
Inj 1 mg for ECP.....	0.02	1 mg	✓ Baxter
IRINOTECAN HYDROCHLORIDE – PCT only – Specialist			
Inj 20 mg per ml, 5 ml vial.....	52.57	1	✓ Accord
	71.44		✓ Irinotecan Actavis 100
	100.00		✓ Irinotecan-Rex
Inj 20 mg per ml, 25 ml vial.....	262.85	1	✓ Accord ^{S29}
Inj 1 mg for ECP.....	0.54	1 mg	✓ Baxter

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
MERCAPTOPYRINE				
Tab 50 mg – PCT – Retail pharmacy-Specialist.....	19.50	25	✓	Puri-nethol
Oral suspension 20 mg per ml – Retail pharmacy-Specialist – Special Authority see SA1725 below.....	428.00	100 ml OP	✓	Allmercap Xaluprine ^{S29}
►SA1725 Special Authority for Subsidy				
Initial application only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months where the patient requires a total dose of less than one full 50 mg tablet per day.				
Renewal only from a paediatric haematologist or paediatric oncologist. Approvals valid for 12 months where patient still requires a total dose of less than one full 50 mg tablet per day.				
METHOTREXATE				
* Tab 2.5 mg – PCT.....	7.80	90	✓	Trexate
* Tab 10 mg – PCT.....	26.40	90	✓	Trexate
* Inj 2.5 mg per ml, 2 ml – PCT.....	95.29	5	✓	Methotrexate DBL
* Inj 7.5 mg prefilled syringe.....	29.17	1	✓	Methotrexate Sandoz
* Inj 10 mg prefilled syringe.....	19.09	1	✓	Methotrexate Sandoz
* Inj 15 mg prefilled syringe.....	24.53	1	✓	Methotrexate Sandoz
* Inj 20 mg prefilled syringe.....	16.64	1	✓	Methotrexate Sandoz
* Inj 25 mg prefilled syringe.....	20.72	1	✓	Methotrexate Sandoz
* Inj 30 mg prefilled syringe.....	55.00	1	✓	Methotrexate Sandoz
* Inj 25 mg per ml, 2 ml vial – PCT.....	30.00	5	✓	Methotrexate DBL Onco-Vial
* Inj 25 mg per ml, 20 ml vial – PCT.....	45.00	1	✓	DBL Methotrexate Onco-Vial
* Inj 100 mg per ml, 10 ml – PCT.....	25.00	1	✓	Methotrexate Ebewe
* Inj 100 mg per ml, 50 ml vial – PCT.....	67.99	1	✓	Methotrexate Ebewe
* Inj 1 mg for ECP – PCT only – Specialist.....	0.06	1 mg	✓	Baxter
* Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist.....	19.06	5 mg OP	✓	Baxter
PEMETREXED – PCT only – Specialist				
Inj 100 mg vial.....	8.99	1	✓	Pemetrexed-AFT
	60.89		✓	Juno Pemetrexed
Inj 500 mg vial.....	29.99	1	✓	Pemetrexed-AFT
	217.77		✓	Juno Pemetrexed
Inj 1 mg for ECP.....	0.11	1 mg	✓	Baxter
THIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg.....	126.31	25	✓	Lanvis
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist				
Inj 50 mg per ml, 1.5 ml ampoule.....	4,736.00	6	✓	Amsidine ^{S29}
Inj 75 mg.....	6,218.00	5	✓	AmsaLyo ^{S29}
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Specialist				
Cap 0.5 mg.....	1,175.87	100	✓	Agrylin

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 1 mg per ml, 10 ml vial.....	4,817.00	10	✓	Phenasen
Inj 10 mg for ECP.....	481.70	10 mg OP	✓	Baxter
BLEOMYCIN SULPHATE – PCT only – Specialist				
Inj 15,000 iu, vial.....	185.16	1	✓	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP.....	14.32	1,000 iu	✓	Baxter
BORTEZOMIB – PCT only – Specialist – Special Authority see SA2593 below				
Inj 3.5 mg vial.....	74.93	1	✓	DBL Bortezomib
Inj 1 mg for ECP.....	22.26	1 mg	✓	Baxter
▶SA2593 Special Authority for Subsidy				
Initial application — (plasma cell dyscrasia) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment.				
Initial application — (Waldenström Macroglobulinaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:				
Both:				
1 The patient has Waldenström Macroglobulinaemia/Lymphoplasmacytic Lymphoma requiring treatment; and				
2 The patient has not received prior bortezomib treatment.				
Renewal — (Waldenström Macroglobulinaemia) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of clinical disease progression during bortezomib use.				
DACARBAZINE – PCT only – Specialist				
Inj 200 mg vial.....	72.11	1	✓	DBL Dacarbazine
Inj 200 mg for ECP.....	72.11	200 mg OP	✓	Baxter
DACTINOMYCIN [ACTINOMYCIN D] – PCT only – Specialist				
Inj 0.5 mg vial.....	255.00	1	✓	Cosmegen
Inj 0.5 mg for ECP.....	255.00	0.5 mg OP	✓	Baxter
DAUNORUBICIN – PCT only – Specialist				
Inj 20 mg vial.....	171.93	1	✓	Cerubidine
Inj 18.7 mg for ECP.....	160.75	18.7 mg OP	✓	Baxter
Inj 20 mg for ECP.....	171.93	20 mg OP	✓	Baxter
Inj 18.7 mg vial.....	160.75	1	✓	Pfizer
DOCETAXEL – PCT only – Specialist				
Inj 20 mg.....	48.75	1	✓	Docetaxel Sandoz
Inj 10 mg per ml, 8 ml vial.....	24.91	1	✓	DBL Docetaxel
Inj 20 mg per ml, 4 ml vial.....	26.95	1	✓	Docetaxel Accord S29
Inj 80 mg.....	195.00	1	✓	Docetaxel Sandoz
Inj 1 mg for ECP.....	0.35	1 mg	✓	Baxter
DOXORUBICIN HYDROCHLORIDE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml vial.....	10.00	1	✓	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial.....	11.50	1	✓	Doxorubicin Ebewe
	17.00		✓	Arrow-Doxorubicin
Inj 2 mg per ml, 50 ml vial.....	23.00	1	✓	Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial.....	65.00	1	✓	Arrow-Doxorubicin
	69.99		✓	Doxorubicin Ebewe
Inj 1 mg for ECP.....	0.35	1 mg	✓	Baxter

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
EPIRUBICIN HYDROCHLORIDE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml vial.....	25.00	1	✓	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial.....	30.00	1	✓	Epirubicin Ebewe
Inj 2 mg per ml, 100 ml vial.....	99.99	1	✓	Epirubicin Ebewe
Inj 1 mg for ECP.....	0.50	1 mg	✓	Baxter
ETOPOSIDE				
Cap 50 mg – PCT – Retail pharmacy-Specialist	340.73	20	✓	Vepesid
Wastage claimable				
Cap 100 mg – PCT – Retail pharmacy-Specialist	340.73	10	✓	Vepesid
Wastage claimable				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist.....	7.90	1	✓	Rex Medical
Inj 1 mg for ECP – PCT only – Specialist.....	0.09	1 mg	✓	Baxter
ETOPOSIDE PHOSPHATE – PCT only – Specialist				
Inj 100 mg (of etoposide base).....	40.00	1	✓	Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✓	Baxter
HYDROXYUREA [HYDROXYCARBAMIDE] – PCT – Retail pharmacy-Specialist				
Cap 500 mg.....	20.72	100	✓	Devatis
IBRUTINIB – Special Authority see SA2480 below – Retail pharmacy				
Tab 140 mg	3,217.00	30	✓	Imbruvica
Tab 420 mg	9,652.00	30	✓	Imbruvica
►SA2480 Special Authority for Subsidy				
Initial application — (chronic lymphocytic leukaemia (CLL)) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:				
All of the following:				
1 Individual has chronic lymphocytic leukaemia (CLL) requiring therapy; and				
2 Individual has not previously received funded ibrutinib; and				
3 Ibrutinib is to be used as monotherapy; and				
4 Any of the following:				
4.1 Both:				
4.1.1 There is documentation confirming that the individual has 17p deletion or TP53 mutation; and				
4.1.2 Individual has experienced intolerable side effects with venetoclax monotherapy; or				
4.2 All of the following:				
4.2.1 Individual has received at least one prior immunochemotherapy for CLL; and				
4.2.2 Individual's CLL has relapsed; and				
4.2.3 Individual has experienced intolerable side effects with venetoclax in combination with rituximab regimen; or				
4.3 Individual's CLL is refractory to or has relapsed following a venetoclax regimen.				
Renewal — (chronic lymphocytic leukaemia (CLL)) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.				
Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL) and B-cell prolymphocytic leukaemia (B-PLL)*. Indications marked with * are Unapproved indications.				
IDARUBICIN HYDROCHLORIDE				
Inj 5 mg vial – PCT only – Specialist	109.74	1	✓	Zavedos
Inj 10 mg vial – PCT only – Specialist	233.64	1	✓	Zavedos
Inj 1 mg for ECP – PCT only – Specialist.....	25.77	1 mg	✓	Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LENALIDOMIDE (VIATRIS) – Special Authority see SA2353 below – Retail pharmacy				
Cap 5 mg.....	76.92	21	✓	Lenalidomide Viatris
Cap 10 mg.....	50.30	21	✓	Lenalidomide Viatris
Cap 15 mg.....	62.13	21	✓	Lenalidomide Viatris
Cap 25 mg.....	65.09	21	✓	Lenalidomide Viatris
►SA2353 Special Authority for Subsidy				
Initial application — (Plasma cell dyscrasia) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:				
Both:				
1 Patient has plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment; and				
2 Patient is not refractory to prior lenalidomide use.				
Initial application — (Myelodysplastic syndrome) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:				
Both:				
1 Patient has low or intermediate-1 risk myelodysplastic syndrome (based on IPSS or an IPSS-R score of less than 3.5) associated with a deletion 5q cytogenetic abnormality; and				
2 Patient has transfusion-dependent anaemia.				
Renewal — (Myelodysplastic syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:				
Both:				
1 Patient has not needed a transfusion in the last 4 months; and				
2 No evidence of disease progression.				
MESNA				
Tab 400 mg – PCT – Retail pharmacy-Specialist.....	314.00	50	✓	Uromitexan
Tab 600 mg – PCT – Retail pharmacy-Specialist.....	448.50	50	✓	Uromitexan
Inj 100 mg per ml, 4 ml ampoule – PCT only – Specialist.....	177.45	15	✓	Uromitexan
Inj 100 mg per ml, 10 ml ampoule – PCT only – Specialist.....	407.40	15	✓	Uromitexan
Inj 1 mg for ECP – PCT only – Specialist.....	2.96	100 mg	✓	Baxter
MITOMYCIN C – PCT only – Specialist				
Inj 5 mg vial.....	517.65	1	✓	Accord §29
			✓	Mitomycin (Fresenius Kabi) §29
	526.00		✓	Mitomycin (Sagent) §29
Inj 20 mg vial.....	1,129.94	1	✓	Teva
Inj 1 mg for ECP.....	119.67	1 mg	✓	Baxter
MITOZANTRONE – PCT only – Specialist				
Inj 2 mg per ml, 10 ml vial.....	97.50	1	✓	Mitozantrone Ebewe
Inj 1 mg for ECP.....	5.51	1 mg	✓	Baxter
NIRAPARIB – Special Authority see SA2325 on the next page – Retail pharmacy				
Wastage claimable				
Tab 100 mg.....	8,929.84	56	✓	Zejula
	13,393.50	84	✓	Zejula
Cap 100 mg.....	8,929.84	56	✓	Zejula

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA2325 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has advanced high-grade serous* epithelial ovarian, fallopian tube, or primary peritoneal cancer; and
- 2 Patient has received at least one line** of treatment with platinum-based chemotherapy; and
- 3 Patient has experienced a partial or complete response to the preceding treatment with platinum-based chemotherapy; and
- 4 Patient has not previously received funded treatment with a PARP inhibitor; and
- 5 Either:
 - 5.1 Treatment will be commenced within 12 weeks of the patient's last dose of the preceding platinum-based regimen; or
 - 5.2 Patient commenced treatment with niraparib prior to 1 May 2024; and
- 6 Treatment to be administered as maintenance treatment; and
- 7 Treatment not to be administered in combination with other chemotherapy.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 No evidence of progressive disease; and
- 2 Treatment to be administered as maintenance treatment; and
- 3 Treatment not to be administered in combination with other chemotherapy; and
- 4 Either:
 - 4.1 Treatment with niraparib to cease after a total duration of 36 months from commencement; or
 - 4.2 Treatment with niraparib is being used in the second-line or later maintenance setting.

Notes: * "high-grade serous" includes tumours with high-grade serous features or a high-grade serous component.

**A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments

OLAPARIB – Retail pharmacy-Specialist – Special Authority see [SA2163 below](#)

Tab 100 mg	3,701.00	56	✓ Lynparza
Tab 150 mg	3,701.00	56	✓ Lynparza

►SA2163 Special Authority for Subsidy

Initial application — (Ovarian cancer) only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a high-grade serous* epithelial ovarian, fallopian tube, or primary peritoneal cancer; and
- 2 There is documentation confirming pathogenic germline BRCA1 or BRCA2 gene mutation; and
- 3 Either:
 - 3.1 All of the following:
 - 3.1.1 Patient has newly diagnosed, advanced disease; and
 - 3.1.2 Patient has received one line** of previous treatment with platinum-based chemotherapy; and
 - 3.1.3 Patient's disease must have experienced a partial or complete response to the first-line platinum-based regimen; or
 - 3.2 All of the following:
 - 3.2.1 Patient has received at least two lines** of previous treatment with platinum-based chemotherapy; and
 - 3.2.2 Patient has platinum sensitive disease defined as disease progression occurring at least 6 months after the last dose of the penultimate line** of platinum-based chemotherapy; and
 - 3.2.3 Patient's disease must have experienced a partial or complete response to treatment with the immediately preceding platinum-based regimen; and
 - 3.2.4 Patient has not previously received funded olaparib treatment; and

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 4 Treatment will be commenced within 12 weeks of the patient's last dose of the immediately preceding platinum-based regimen; and
- 5 Treatment to be administered as maintenance treatment; and
- 6 Treatment not to be administered in combination with other chemotherapy.

Renewal — (Ovarian cancer) only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Treatment remains clinically appropriate and patient is benefitting from treatment; and
- 2 Either:
 - 2.1 No evidence of progressive disease; or
 - 2.2 Evidence of residual (not progressive) disease and the patient would continue to benefit from treatment in the clinician's opinion; and
- 3 Treatment to be administered as maintenance treatment; and
- 4 Treatment not to be administered in combination with other chemotherapy; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient has received one line** of previous treatment with platinum-based chemotherapy; and
 - 5.1.2 Documentation confirming that the patient has been informed and acknowledges that the funded treatment period of olaparib will not be continued beyond 2 years if the patient experiences a complete response to treatment and there is no radiological evidence of disease at 2 years; or
 - 5.2 Patient has received at least two lines** of previous treatment with platinum-based chemotherapy.

Notes: *Note "high-grade serous" includes tumours with high-grade serous features or a high-grade serous component.

**A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

PACLITAXEL – PCT only – Specialist

Inj 30 mg.....	47.30	5	✓ Paclitaxel Ebewe
Inj 6 mg per ml, 16.7 ml vial.....	19.59	1	✓ Anzatax
	24.00		✓ Paclitaxel Ebewe
	91.67		✓ Paclitaxel Actavis
Inj 150 mg.....	26.69	1	✓ Paclitaxel Ebewe
	137.50		✓ Anzatax
			✓ Paclitaxel Actavis
Inj 6 mg per ml, 50 ml vial.....	37.89	1	✓ Anzatax
	44.00		✓ Paclitaxel Ebewe
	275.00		✓ Paclitaxel Actavis
Inj 1 mg for ECP	0.17	1 mg	✓ Baxter

PEGASPARGASE – PCT only – Special Authority see SA2618 below

Inj 750 iu per ml, 5 ml vial.....	3,973.25	1	✓ Oncaspar LYO
-----------------------------------	----------	---	----------------

► **SA2618** **Special Authority for Subsidy**

Initial application — (Acute lymphoblastic leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol.

Initial application — (Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has lymphoma requiring L-asparaginase containing protocols (e.g.

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

continued...

SMILE).

Renewal — (Acute lymphoblastic leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol.

PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist

Inj 10 mg.....	CBS	1	✓ Nipent ^{S29}
POMALIDOMIDE – Special Authority see SA2354 below – Retail pharmacy			
Cap 1 mg.....	47.45	14	✓ Pomalide
	71.18	21	✓ Pomalide
Cap 2 mg.....	94.90	14	✓ Pomalide
	142.35	21	✓ Pomalide
Cap 3 mg.....	142.35	14	✓ Pomalide
	213.53	21	✓ Pomalide
Cap 4 mg.....	189.81	14	✓ Pomalide
	284.71	21	✓ Pomalide

➔ **SA2354** Special Authority for Subsidy

Initial application — (Relapsed/refractory plasma cell dyscrasia) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has relapsed or refractory plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment; and
- 2 Patient has not received prior funded pomalidomide.

Renewal — (Relapsed/refractory plasma cell dyscrasia) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.

PROCARBAZINE HYDROCHLORIDE – PCT – Retail pharmacy-Specialist

Cap 50 mg.....	980.00	50	✓ Natulan ^{S29}
TEMOZOLOMIDE – Special Authority see SA2594 below – Retail pharmacy			
Cap 5 mg.....	9.13	5	✓ Temaccord
			✓ Temozolomide- Taro ^{S29}

Cap 20 mg.....	16.38	5	✓ Temaccord
	18.30		✓ Apo-Temozolomide
Cap 100 mg.....	35.98	5	✓ Temaccord
	40.20		✓ Apo-Temozolomide
Cap 140 mg.....	50.12	5	✓ Temaccord
Cap 250 mg.....	86.34	5	✓ Temaccord

➔ **SA2594** Special Authority for Subsidy

Initial application — (gliomas) only from a relevant specialist. Approvals valid for 12 months where the patient has a glioma.

Renewal — (gliomas) only from a relevant specialist. Approvals valid for 12 months where treatment remains appropriate and patient is benefitting from treatment.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Initial application — (ewing's sarcoma) only from a relevant specialist. Approvals valid for 9 months where the patient has relapsed/refractory Ewing's sarcoma.

Renewal — (ewing's sarcoma) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Initial application — (Neuroblastoma) from any relevant practitioner. Approvals valid for 12 months where the patient has neuroblastoma.

Renewal — (Neuroblastoma) from any relevant practitioner. Approvals valid for 12 months where there is no evidence of disease progression.

Note: Indication marked with a * is an unapproved indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE – Retail pharmacy-Specialist – Special Authority see [SA2356 below](#)

Cap 50 mg	378.00	28	✓ Thalomid
Cap 100 mg	756.00	28	✓ Thalomid

► **SA2356** Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient has plasma cell dyscrasia, not including Waldenström macroglobulinaemia, requiring treatment.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN

Cap 10 mg – PCT – Retail pharmacy-Specialist	479.50	100	✓ Vesanoïd
Wastage claimable			

VENETOCLAX – Retail pharmacy-Specialist – Special Authority see [SA2595 below](#)

Tab 14 × 10 mg, 7 × 50 mg, 21 × 100 mg	1,771.86	42 OP	✓ Venclexta
Tab 10 mg	13.68	2 OP	✓ Venclexta
Tab 50 mg	239.44	7 OP	✓ Venclexta
Tab 100 mg – Wastage claimable	8,209.41	120	✓ Venclexta

► **SA2595** Special Authority for Subsidy

Initial application — (relapsed/refractory chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 1 Individual has chronic lymphocytic leukaemia requiring treatment; and
- 2 Individual has received at least one prior therapy for chronic lymphocytic leukaemia; and
- 3 Individual has not previously received funded venetoclax; and
- 4 The individual's disease has relapsed; and
- 5 Venetoclax to be used in combination with six 28-day cycles of rituximab commencing after the 5-week dose titration schedule with venetoclax; and
- 6 Individual has an ECOG performance status of 0-2.

Renewal — (relapsed/refractory chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Treatment remains clinically appropriate and the individual is benefitting from and tolerating treatment; and
- 2 Venetoclax is to be discontinued after a maximum of 24 months of treatment following the titration schedule unless earlier discontinuation is required due to disease progression or unacceptable toxicity.

Initial application — (previously untreated chronic lymphocytic leukaemia with 17p deletion or TP53 mutation*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Individual has previously untreated chronic lymphocytic leukaemia; and
- 2 There is documentation confirming that individual has 17p deletion by FISH testing or TP53 mutation by sequencing; and
- 3 Individual has an ECOG performance status of 0-2.

Renewal — (previously untreated chronic lymphocytic leukaemia with 17p deletion or TP53 mutation*) from any relevant practitioner. Approvals valid for 6 months where the treatment remains clinically appropriate and the patient is benefitting from and tolerating treatment.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma (SLL)* and B-cell prolymphocytic leukaemia (B-PLL)*. Indications marked with * are Unapproved indications

Initial application — (previously untreated acute myeloid leukaemia) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 The individual is currently on treatment with venetoclax and met all remaining special authority criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Individual has previously untreated acute myeloid leukaemia (see note a), according to World Health Organization (WHO) Classification; and
 - 2.2 Venetoclax not to be used in combination with standard intensive remission induction chemotherapy; and
 - 2.3 Venetoclax to be used in combination with azacitidine or low dose cytarabine.

Renewal — (previously untreated acute myeloid leukaemia) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

Notes:

- a) 'Acute myeloid leukaemia' includes myeloid sarcoma*
- b) Indications marked with * are Unapproved indications

VINBLASTINE SULPHATE

Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist.....	270.37	5	✓ Hospira
Inj 1 mg for ECP – PCT only – Specialist.....	6.00	1 mg	✓ Baxter

VINCRISTINE SULPHATE

Inj 1 mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist.....	74.52	5	✓ DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial – PCT – Retail pharmacy-Specialist.....	102.73	5	✓ DBL Vincristine Sulfate
Inj 1 mg for ECP – PCT only – Specialist.....	12.60	1 mg	✓ Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
VINORELBINE				
Cap 20 mg	32.10	1	✓	Vinorelbine Te Arai
Cap 30 mg	42.80	1	✓	Vinorelbine Te Arai
Cap 80 mg	80.00	1	✓	Vinorelbine Te Arai
Inj 10 mg per ml, 1 ml vial – PCT only – Specialist	42.00	1	✓	Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial – PCT only – Specialist	155.00	1	✓	Vinorelbine Ebewe
	168.00		✓	Navelbine S29 <small>S29</small>
Inj 1 mg for ECP – PCT only – Specialist	3.51	1 mg	✓	Baxter

Protein-tyrosine Kinase Inhibitors

ALECTINIB – Retail pharmacy-Specialist – Special Authority see [SA1870 below](#)

Wastage claimable

Cap 150 mg	7,935.00	224	✓	Alecensa
------------------	----------	-----	---	-----------------

➔**SA1870** **Special Authority for Subsidy**

Initial application only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-small cell lung cancer; and
- 2 There is documentation confirming that the patient has an ALK tyrosine kinase gene rearrangement using an appropriate ALK test; and
- 3 Patient has an ECOG performance score of 0-2.

Renewal only from a medical oncologist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of progressive disease according to RECIST criteria; and
- 2 The patient is benefitting from and tolerating treatment.

AXITINIB – Special Authority see [SA2458 below](#) – Retail pharmacy

Wastage claimable

Tab 1 mg	536.40	28	✓	Inlyta
Tab 5 mg	2,682.00	28	✓	Inlyta

➔**SA2458** **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 The disease is of predominant clear cell histology; and
- 3 The patient has documented disease progression following one previous line of treatment; and
- 4 The patient has ECOG performance status of 0-2.

Renewal from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression..

CRIZOTINIB – Special Authority see [SA2547 below](#) – Retail pharmacy

Cap 200 mg	7,250.00	60	✓	Xalkori
Cap 250 mg	7,250.00	60	✓	Xalkori

➔**SA2547** **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Individual has locally advanced or metastatic, unresectable, non-squamous non-small cell lung cancer; and
- 2 Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 2.1 The individual has not received entrectinib; or
- 2.2 Both:
 - 2.2.1 The individual has received an initial Special Authority approval for entrectinib and has discontinued entrectinib due to intolerance; and
 - 2.2.2 The cancer did not progress while the individual was on entrectinib; and
- 3 There is documentation confirming that the patient has a ROS1 rearrangement using an appropriate ROS1 test; and
- 4 Individual has ECOG performance score of 0-3; and
- 5 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Response to treatment has been determined by comparable radiological assessment following the most recent treatment period; and
- 2 No evidence of disease progression.

DABRAFENIB – Special Authority see [SA2548 below](#) – Retail pharmacy

Cap 50 mg	6,320.86	120	✓ Tafinlar
Cap 75 mg	9,481.29	120	✓ Tafinlar

►SA2548 Special Authority for Subsidy

Initial application — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The individual has resected stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note a); or
 - 1.2 Both:
 - 1.2.1 The individual has received neoadjuvant treatment with a PD-1/PD-L1 inhibitor; and
 - 1.2.2 Adjuvant treatment with dabrafenib is required; and
- 2 The individual has not received prior funded systemic treatment in the adjuvant setting for stage IIIB, IIIC, IIID or IV melanoma; and
- 3 Treatment must be adjuvant to complete surgical resection; and
- 4 Treatment must be initiated within 13 weeks of surgical resection, unless delay is necessary due to post-surgery recovery (see note b); and
- 5 The individual has a confirmed BRAF mutation; and
- 6 Dabrafenib must be administered in combination with trametinib; and
- 7 The individual has ECOG performance score 0-2.

Notes:

- a) Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
- b) Initiating treatment within 13 weeks of complete surgical resection means 13 weeks after resection (primary or lymphadenectomy)

Renewal — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
 - 1.1 No evidence of disease recurrence; and
 - 1.2 Dabrafenib must be administered in combination with trametinib; and
 - 1.3 Treatment to be discontinued at signs of disease recurrence or at completion of 12 months' total treatment course, including any systemic neoadjuvant treatment; or
- 2 All of the following:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
- 2.2 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
- 2.3 The individual meets initial application criteria for dabrafenib for unresectable or metastatic melanoma; or
- 3 All of the following:
 - 3.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
 - 3.2 The individual has received a BRAF/MEK inhibitor for unresectable or metastatic melanoma; and
 - 3.3 The individual meets renewal criteria for dabrafenib for unresectable or metastatic melanoma.

Initial application — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
- 2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
- 3 The individual has ECOG performance score 0-2; and
- 4 The individual has confirmed BRAF mutation; and
- 5 Dabrafenib must be administered in combination with trametinib; and
- 6 Any of the following:
 - 6.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
 - 6.2 The individual did not receive treatment in the adjuvant setting with a BRAF/MEK inhibitor; or
 - 6.3 All of the following:
 - 6.3.1 The individual received treatment in the adjuvant setting with a BRAF/MEK inhibitor; and
 - 6.3.2 The individual did not experience disease recurrence while on treatment with that BRAF/MEK inhibitor; and
 - 6.3.3 The individual did not experience disease recurrence within six months of completing adjuvant treatment with a BRAF/MEK inhibitor.

Renewal — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The individual's disease has had a complete response to treatment; or
 - 1.2 The individual's disease has had a partial response to treatment; or
 - 1.3 The individual has stable disease with treatment; and
- 2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

DASATINIB – Special Authority see [SA2385 below](#) – Retail pharmacy

Wastage claimable			
Tab 20 mg	132.88	60	✓ Dasatinib-Teva
Tab 50 mg	304.13	60	✓ Dasatinib-Teva
Tab 70 mg	415.75	60	✓ Dasatinib-Teva

▶SA2385 Special Authority for Subsidy

Initial application only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis or accelerated phase; or
- 2 The patient has a diagnosis of Philadelphia chromosome-positive acute lymphoid leukaemia (Ph+ ALL); or
- 3 Both:
 - 3.1 The patient has a diagnosis of CML in chronic phase; and
 - 3.2 Any of the following:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 3.2.1 Patient has documented treatment failure* with imatinib; or
- 3.2.2 Patient has experienced treatment-limiting toxicity with imatinib precluding further treatment with imatinib; or
- 3.2.3 Patient has high-risk chronic-phase CML defined by the Sokal or EURO scoring system.

Renewal only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Lack of treatment failure while on dasatinib*; and
- 2 Dasatinib treatment remains appropriate and the patient is benefiting from treatment.

Note: *treatment failure for CML as defined by Leukaemia Net Guidelines.

ENTRECTINIB – Special Authority see [SA2532 below](#) – Retail pharmacy

Cap 200 mg.....	9,610.00	90	✓ Rozlytrek
-----------------	----------	----	--------------------

➔SA2532 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Individual has locally advanced or metastatic, unresectable, non-squamous non-small cell lung cancer; and
- 2 Either:
 - 2.1 The individual has not received crizotinib; or
 - 2.2 Both:
 - 2.2.1 The individual has received an initial Special Authority approval for crizotinib and has discontinued crizotinib due to intolerance; and
 - 2.2.2 The cancer did not progress while the individual was on crizotinib; and
- 3 There is documentation confirming that the patient has a ROS1 rearrangement using an appropriate ROS1 test; and
- 4 Individual has ECOG performance score of 0-3; and
- 5 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Response to treatment has been determined by comparable radiological assessment following the most recent treatment period; and
- 2 No evidence of disease progression.

ERLOTINIB – Retail pharmacy-Specialist – Special Authority see [SA2422 below](#)

Tab 100 mg	280.84	30	✓ Alchemy
Tab 150 mg	484.24	30	✓ Alchemy

➔SA2422 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR; and
- 3 Any of the following:
 - 3.1 Patient is treatment naive; or
 - 3.2 Patient has received prior treatment in the adjuvant setting and/or while awaiting EGFR results; or
 - 3.3 Both:
 - 3.3.1 The patient has discontinued osimertinib or gefitinib due to intolerance; and
 - 3.3.2 The cancer did not progress while on osimertinib or gefitinib.

Renewal from any relevant practitioner. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB – Retail pharmacy-Specialist – Special Authority see [SA2423 on the next page](#)

Tab 250 mg	918.00	30	✓ Iressa
------------------	--------	----	-----------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

►SA2423 **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:
All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Any of the following:
 - 2.1 Patient is treatment naive; or
 - 2.2 Patient has received prior treatment in the adjuvant setting and/or while awaiting EGFR results; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued osimertinib or erlotinib due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on osimertinib or erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR.

Renewal from any relevant practitioner. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

* Cap 100 mg.....	44.93	60	✓ Imatinib-Rex
* Cap 400 mg.....	69.76	30	✓ Imatinib-Rex

LENVATINIB – Special Authority see SA2442 below – Retail pharmacy

Wastage claimable

Cap 4 mg.....	3,407.40	30	✓ Lenvima
Cap 10 mg.....	3,407.40	30	✓ Lenvima

►SA2442 **Special Authority for Subsidy**

Initial application — (thyroid cancer) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with lenvatinib and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 The patient has locally advanced or metastatic differentiated thyroid cancer; and
 - 2.2 Either:
 - 2.2.1 Patient must have symptomatic progressive disease prior to treatment; or
 - 2.2.2 Patient must progressive disease at critical anatomical sites with a high risk of morbidity or mortality where local control cannot be achieved by other measures; and
 - 2.3 Any of the following:
 - 2.3.1 A lesion without iodine uptake in a RAI scan; or
 - 2.3.2 Receiving cumulative RAI greater than or equal to 600 mCi; or
 - 2.3.3 Experiencing disease progression after a RAI treatment within 12 months; or
 - 2.3.4 Experiencing disease progression after two RAI treatments administered within 12 months of each other; and
 - 2.4 Patient has thyroid stimulating hormone (TSH) adequately suppressed; and
 - 2.5 Patient is not a candidate for radiotherapy with curative intent; and
 - 2.6 Surgery is clinically inappropriate; and
 - 2.7 Patient has an ECOG performance status of 0-2.

Renewal — (thyroid cancer) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

Initial application — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 1 Patient has unresectable hepatocellular carcinoma; and
- 2 Patient has preserved liver function (Childs-Pugh A); and
- 3 Transarterial chemoembolisation (TACE) is unsuitable; and
- 4 Patient has an ECOG performance status of 0-2; and
- 5 Either:
 - 5.1 Patient has not received prior systemic therapy for their disease in the palliative setting; or
 - 5.2 Both:
 - 5.2.1 Patient has experienced treatment-limiting toxicity from treatment with atezolizumab with bevacizumab; and
 - 5.2.2 No disease progression since initiation of atezolizumab with bevacizumab.

Renewal — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

Initial application — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic renal cell carcinoma; and
 - 1.2 The disease is of predominant clear-cell histology; and
 - 1.3 The patient has documented disease progression following one previous line of treatment; and
 - 1.4 The patient has an ECOG performance status of 0-2; and
 - 1.5 Lenvatinib is to be used in combination with everolimus; or
- 2 All of the following:
 - 2.1 Patient has received funded treatment with nivolumab for the second line treatment of metastatic renal cell carcinoma; and
 - 2.2 Patient has experienced treatment limiting toxicity from treatment with nivolumab; and
 - 2.3 Lenvatinib is to be used in combination with everolimus; and
 - 2.4 There is no evidence of disease progression.

Renewal — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression.

MIDOSTAURIN – PCT only – Special Authority see [SA2342 below](#)

Cap 25 mg	10,981.00	56	✓ Rydapt
-----------------	-----------	----	----------

➔ **SA2342** Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a diagnosis of acute myeloid leukaemia; and
- 2 Condition must be FMS tyrosine kinase 3 (FLT3) mutation positive; and
- 3 Patient must not have received a prior line of intensive chemotherapy for acute myeloid leukaemia; and
- 4 Patient is to receive standard intensive chemotherapy in combination with midostaurin only; and
- 5 Midostaurin to be funded for a maximum of 4 cycles.

NILOTINIB – Special Authority see [SA2301 below](#) – Retail pharmacy

Wastage claimable

Cap 150 mg	4,680.00	120	✓ Tasigna
Cap 200 mg	6,532.00	120	✓ Tasigna

➔ **SA2301** Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, high risk chronic phase, or in chronic phase; and
- 2 Either:
 - 2.1 Patient has documented CML treatment failure* with a tyrosine kinase inhibitor (TKI); or
 - 2.2 Patient has experienced treatment limiting toxicity with a tyrosine kinase inhibitor (TKI) precluding further treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

OSIMERTINIB – Special Authority see [SA2418 below](#) – Retail pharmacy

Tab 40 mg	9,310.00	30	✓ Tagrisso
Tab 80 mg	9,310.00	30	✓ Tagrisso

► **SA2418** **Special Authority for Subsidy**

Initial application — (NSCLC – first line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with osimertinib and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Patient has locally advanced or metastatic, incurable, non-squamous non-small cell lung cancer (NSCLC); and
 - 2.2 Any of the following:
 - 2.2.1 Patient is treatment naïve; or
 - 2.2.2 Patient has received prior chemotherapy in the adjuvant setting and/or while awaiting EGFR results; or
 - 2.2.3 Both:
 - 2.2.3.1 The patient has discontinued gefitinib or erlotinib due to intolerance; and
 - 2.2.3.2 The cancer did not progress while on gefitinib or erlotinib; and
 - 2.3 There is documentation confirming that the cancer expresses activating mutations of EGFR; and
 - 2.4 Patient has an ECOG performance status 0-3; and
 - 2.5 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (NSCLC – first line) from any relevant practitioner. Approvals valid for 6 months where response to or stable disease with treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

Initial application — (NSCLC – second line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with osimertinib and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Patient has locally advanced or metastatic, incurable, non-squamous non-small cell lung cancer (NSCLC); and
 - 2.2 Patient has an ECOG performance status 0-3; and
 - 2.3 The patient must have received previous treatment with erlotinib or gefitinib; and
 - 2.4 There is documentation confirming that the cancer expresses T790M mutation of EGFR following progression on or

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

after erlotinib or gefitinib; and

2.5 The treatment must be given as monotherapy; and

2.6 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (NSCLC – second line) from any relevant practitioner. Approvals valid for 6 months where response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

PALBOCICLIB – Special Authority see [SA2345 below](#) – Retail pharmacy

Wastage claimable

Tab 75 mg	1,200.00	21	✓ Palbociclib Pfizer
Tab 100 mg	1,200.00	21	✓ Palbociclib Pfizer
Tab 125 mg	1,200.00	21	✓ Palbociclib Pfizer

➔ **SA2345 Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 All of the following:

1.1 Patient has unresectable locally advanced or metastatic breast cancer; and

1.2 There is documentation confirming disease is hormone-receptor positive and HER2-negative; and

1.3 Patient has an ECOG performance score of 0-2; and

1.4 Either:

1.4.1 Disease has relapsed or progressed during prior endocrine therapy; or

1.4.2 Both:

1.4.2.1 Patient is amenorrhoeic, either naturally or induced, with endocrine levels consistent with a postmenopausal or without menstrual-potential state; and

1.4.2.2 Patient has not received prior systemic treatment for metastatic disease; and

1.5 Treatment must be used in combination with an endocrine partner; and

1.6 Patient has not received prior funded treatment with a CDK4/6 inhibitor; or

2 All of the following:

2.1 Patient has an active Special Authority approval for ribociclib; and

2.2 Patient has experienced a grade 3 or 4 adverse reaction to ribociclib that cannot be managed by dose reductions and requires treatment discontinuation; and

2.3 Treatment must be used in combination with an endocrine partner; and

2.4 There is no evidence of progressive disease since initiation of ribociclib.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 Treatment must be used in combination with an endocrine partner; and

2 There is no evidence of progressive disease since initiation of palbociclib.

PAZOPANIB – Special Authority see [SA2596 below](#) – Retail pharmacy

Tab 200 mg	172.88	30	✓ Pazopanib Teva
Tab 400 mg	464.00	30	✓ Pazopanib Teva

➔ **SA2596 Special Authority for Subsidy**

Initial application only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist.

Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 All of the following:

1.1 The patient has metastatic renal cell carcinoma of predominantly clear cell histology; and

1.2 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1.2.1 The patient is treatment naive; or
- 1.2.2 The patient has only received prior cytokine treatment; and
- 1.3 The patient has an ECOG performance score of 0-2; and
The patient has intermediate or poor prognosis defined as:
- 1.4 Any of the following:
 - 1.4.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 1.4.2 Haemoglobin level < lower limit of normal; or
 - 1.4.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 1.4.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 1.4.5 Karnofsky performance score of less than or equal to 70; or
 - 1.4.6 2 or more sites of organ metastasis; and

1.5 Pazopanib to be used for a maximum of 3 months; or

2 All of the following:

- 2.1 The patient has metastatic renal cell carcinoma; and
- 2.2 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
- 2.3 The cancer did not progress whilst on sunitinib; and
- 2.4 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months where there is no evidence of disease progression.

RIBOCICLIB – Special Authority see [SA2495 below](#) – Retail pharmacy

Wastage claimable

Tab 200 mg	1,883.00	21	✓ Kisqali
	3,767.00	42	✓ Kisqali
	5,650.00	63	✓ Kisqali

► **SA2495 Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 All of the following:

- 1.1 Patient has unresectable locally advanced or metastatic breast cancer; and
- 1.2 There is documentation confirming disease is hormone-receptor positive and HER2-negative; and
- 1.3 Patient has an ECOG performance score of 0-2; and
- 1.4 Either:
 - 1.4.1 Disease has relapsed or progressed during prior endocrine therapy; or
 - 1.4.2 Both:
 - 1.4.2.1 Patient is amenorrhoeic, either naturally or induced, with endocrine levels consistent with a postmenopausal or without menstrual-potential state; and
 - 1.4.2.2 Patient has not received prior systemic endocrine treatment for metastatic disease; and
- 1.5 Treatment to be used in combination with an endocrine partner; and
- 1.6 Patient has not received prior funded treatment with a CDK4/6 inhibitor; or

2 All of the following:

- 2.1 Patient has an active Special Authority approval for palbociclib; and
- 2.2 Patient has experienced a grade 3 or 4 adverse reaction to palbociclib that cannot be managed by dose reductions and requires treatment discontinuation; and
- 2.3 Treatment must be used in combination with an endocrine partner; and
- 2.4 There is no evidence of progressive disease since initiation of palbociclib.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Treatment must be used in combination with an endocrine partner; and
- 2 There is no evidence of progressive disease since initiation of ribociclib.

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
RUXOLITINIB – Special Authority see SA1890 below – Retail pharmacy				
Wastage claimable				
Tab 5 mg	2,500.00	56	✓	Jakavi
Tab 10mg	5,000.00	56	✓	Jakavi
Tab 15 mg	5,000.00	56	✓	Jakavi
Tab 20 mg	5,000.00	56	✓	Jakavi

►SA1890 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary myelofibrosis or post-polycythemia vera myelofibrosis or post-essential thrombocythemia myelofibrosis; and
- 2 Either:
 - 2.1 A classification of risk of intermediate-2 or high-risk myelofibrosis according to either the International Prognostic Scoring System (IPSS), Dynamic International Prognostic Scoring System (DIPSS), or the Age-Adjusted DIPSS; or
 - 2.2 Both:
 - 2.2.1 A classification of risk of intermediate-1 myelofibrosis according to either the International Prognostic Scoring System (IPSS), Dynamic International Prognostic Scoring System (DIPSS), or the Age-Adjusted DIPSS; and
 - 2.2.2 Patient has severe disease-related symptoms that are resistant, refractory or intolerant to available therapy; and
- 3 A maximum dose of 20 mg twice daily is to be given.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 A maximum dose of 20 mg twice daily is to be given.

SUNITINIB – Special Authority see [SA2452 below](#) – Retail pharmacy

Cap 12.5 mg	103.11	28	✓	Sunitinib Rex
Cap 25 mg	203.15	28	✓	Sunitinib Rex
Cap 50 mg	343.19	28	✓	Sunitinib Rex
	694.62		✓	Sunitinib Pfizer

Sunitinib Rex to be Principal Supply on 1 May 2026

(Sunitinib Pfizer Cap 50 mg to be delisted 1 May 2026)

►SA2452 Special Authority for Subsidy

Initial application — (RCC) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 The patient has not previously received funded sunitinib.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...
progression.

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
- The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:
 - 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of 10% or more or decrease in tumour density in Hounsfield Units (HU) of 15% or more on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of 10% or more and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Renewal — (GIST pandemic circumstances) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal (GIST); and
 - 2 The patient is clinically benefiting from treatment and continued treatment remains appropriate; and
 - 3 Sunitinib is to be discontinued at progression; and
 - 4 The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector.

TRAMETINIB – Special Authority see SA2549 below – Retail pharmacy

Tab 0.5 mg	2,370.32	30	✓ Mekinist
Tab 2 mg	9,481.29	30	✓ Mekinist

►SA2549 Special Authority for Subsidy

Initial application — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

- All of the following:
- 1 Either:
 - 1.1 The individual has resected stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note a); or
 - 1.2 Both:
 - 1.2.1 The individual has received neoadjuvant treatment with a PD-1/PD-L1 inhibitor; and
 - 1.2.2 Adjuvant treatment with trametinib is required; and
 - 2 The individual has not received prior funded systemic treatment in the adjuvant setting for stage IIIB, IIIC, IIID or IV melanoma; and
 - 3 Treatment must be adjuvant to complete surgical resection; and
 - 4 Treatment must be initiated within 13 weeks of surgical resection, unless delay is necessary due to post-surgery recovery (see note b); and
 - 5 The individual has a confirmed BRAF mutation; and
 - 6 Trametinib must be administered in combination with dabrafenib; and
 - 7 The individual has ECOG performance score 0-2.

Notes:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- a) Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
- b) Initiating treatment within 13 weeks of complete surgical resection means 13 weeks after resection (primary or lymphadenectomy)

Renewal — (stage III or IV resected melanoma - adjuvant) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
 - 1.1 No evidence of disease recurrence; and
 - 1.2 Trametinib must be administered in combination with dabrafenib; and
 - 1.3 Treatment to be discontinued at signs of disease recurrence or at completion of 12 months' total treatment course, including any systemic neoadjuvant treatment; or
- 2 All of the following:
 - 2.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
 - 2.2 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
 - 2.3 The individual meets initial application criteria for trametinib for unresectable or metastatic melanoma; or
- 3 All of the following:
 - 3.1 The individual has received adjuvant treatment with a BRAF/MEK inhibitor; and
 - 3.2 The individual has received a BRAF/MEK inhibitor for unresectable or metastatic melanoma; and
 - 3.3 The individual meets renewal criteria for trametinib for unresectable or metastatic melanoma.

Initial application — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The individual has metastatic or unresectable melanoma (excluding uveal melanoma) stage III or IV; and
- 2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
- 3 The individual has ECOG performance score 0-2; and
- 4 The individual has confirmed BRAF mutation; and
- 5 Trametinib must be administered in combination with dabrafenib; and
- 6 Any of the following:
 - 6.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
 - 6.2 The individual did not receive treatment in the adjuvant setting with a BRAF/MEK inhibitor; or
 - 6.3 All of the following:
 - 6.3.1 The individual received treatment in the adjuvant setting with a BRAF/MEK inhibitor; and
 - 6.3.2 The individual did not experience disease recurrence while on treatment with that BRAF/MEK inhibitor; and
 - 6.3.3 The individual did not experience disease recurrence within six months of completing adjuvant treatment with a BRAF/MEK inhibitor.

Renewal — (unresectable or metastatic melanoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The individual's disease has had a complete response to treatment; or
 - 1.2 The individual's disease has had a partial response to treatment; or
 - 1.3 The individual has stable disease with treatment; and
- 2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Endocrine Therapy

For GnRH ANALOGUES – refer to HORMONE PREPARATIONS, Tropic Hormones, [page 89](#)

ABIRATERONE ACETATE – Retail pharmacy-Specialist – Special Authority see [SA2118 below](#)

Wastage claimable

Tab 250 mg	4,276.19	120	✓ Zytiga
------------------	----------	-----	----------

► **SA2118** Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (pandemic circumstances) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient is clinically benefiting from treatment and continued treatment remains appropriate; and
- 2 Abiraterone acetate to be discontinued at progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The regular Special Authority renewal requirements cannot be met due to COVID-19 constraints on the health sector.

BICALUTAMIDE

Tab 50 mg	4.18	28	✓ Binarex
-----------------	------	----	------------------

FLUTAMIDE

Tab 250 mg	107.55	90	✓ Prostacur ^{S29}
	119.50	100	✓ Flutamin

FULVESTRANT – Retail pharmacy-Specialist – Special Authority see [SA1895 on the next page](#)

Inj 50 mg per ml, 5 ml prefilled syringe.....	181.00	2	✓ Fulvestrant EVER Pharma
	1,068.00		✓ Faslodex

Fulvestrant EVER Pharma to be Principal Supply on 1 May 2026

(Faslodex Inj 50 mg per ml, 5 ml prefilled syringe to be delisted 1 May 2026)

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

►SA1895 Special Authority for Subsidy

Initial application only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has oestrogen-receptor positive locally advanced or metastatic breast cancer; and
- 2 Patient has disease progression following prior treatment with an aromatase inhibitor or tamoxifen for their locally advanced or metastatic disease; and
- 3 Treatment to be given at a dose of 500 mg monthly following loading doses; and
- 4 Treatment to be discontinued at disease progression.

Renewal only from a medical oncologist or medical practitioner on the recommendation of a medical oncologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Treatment remains appropriate and patient is benefitting from treatment; and
- 2 Treatment to be given at a dose of 500 mg monthly; and
- 3 There is no evidence of disease progression.

OCTREOTIDE

Inj 100 mcg per ml, 1 ml ampoule	32.71	5	✓ Max Health ✓ Octreotide GH ^{S29} ✓ Sun Pharma ^{S29}
Inj 100 mcg per ml, 1 ml vial.....	48.50	5	✓ Omega ^{S29}
Inj 50 mcg per ml, 1 ml vial.....	27.58	5	✓ Omega ^{S29}
Inj 500 mcg per ml, 1 ml vial.....	113.10	5	✓ Omega ^{S29}
Inj 50 mcg per ml, 1 ml ampoule	27.58	5	✓ Max Health ✓ Octreotide GH ^{S29}
Inj 500 mcg per ml, 1 ml ampoule	113.10	5	✓ Max Health ✓ Octreotide GH ^{S29} ✓ Sun Pharma ^{S29}

TAMOXIFEN CITRATE

* Tab 10 mg	15.00	60	✓ Tamoxifen Sandoz
* Tab 20 mg	5.32	60	✓ Tamoxifen Sandoz

Long-acting Somatostatin Analogues

►SA2445 Special Authority for Subsidy

Initial application — (**Malignant Bowel Obstruction**) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has not been successful; and
- 3 Treatment to be given for up to 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (**Malignant Bowel Obstruction**) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefitting from treatment.

Initial application — (**Acromegaly**) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

All of the following:

- 1 The patient has acromegaly; and
- 2 Either:
 - 2.1 Treatment with surgery and radiotherapy is not suitable or was unsuccessful; or
 - 2.2 Treatment is for an interim period while awaiting the beneficial effects of radiotherapy; and
- 3 Treatment with a dopamine agonist has been unsuccessful.

Renewal — (Acromegaly) from any relevant practitioner. Approvals valid for 2 years where IGF1 levels have decreased since starting treatment.

Note: In patients with acromegaly, treatment should be discontinued if IGF1 levels have not decreased 3 months after treatment. In patients treated with radiotherapy treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following treatment withdrawal for at least 4 weeks

Initial application — (pre-operative acromegaly) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has acromegaly; and
- 2 Patient has a large pituitary tumour, greater than 10 mm at its widest; and
- 3 Patient is scheduled to undergo pituitary surgery in the next six months.

Initial application — (Other Indications) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas - for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:
 - 2.2.1 Surgery has been unsuccessful; or
 - 2.2.2 Patient has metastatic disease after treatment with H2 antagonist or proton pump inhibitors has been unsuccessful; or
- 3 Both:
 - 3.1 Insulinomas; and
 - 3.2 Surgery is contraindicated or has not been successful; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of a long-acting somatostatin analogue in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded under Special Authority

Renewal — (Other Indications) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LANREOTIDE – Special Authority see [SA2445 on the previous page](#) – Retail pharmacy

Inj 60 mg per 0.5 ml, 0.5 ml syringe	382.77	1	✓ Mytolac
	1,543.79		✓ Mytolac S29 <small>S29</small>
Inj 90 mg per 0.5 ml, 0.5 ml syringe	562.92	1	✓ Somatuline Autogel
	2,054.40		✓ Mytolac
Inj 120 mg per 0.5 ml, 0.5 ml syringe	646.70	1	✓ Somatuline Autogel
	2,570.44		✓ Mytolac
			✓ Somatuline Autogel

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OCTREOTIDE LONG-ACTING – Special Authority see SA2445 on page 180 – Retail pharmacy				
Inj depot 10 mg prefilled syringe.....	438.40	1	✓	Sandostatin LAR
Inj depot 20 mg prefilled syringe.....	583.70	1	✓	Sandostatin LAR
Inj depot 30 mg prefilled syringe.....	670.80	1	✓	Sandostatin LAR

Aromatase Inhibitors

ANASTROZOLE				
* Tab 1 mg	4.39	30	✓	Anatrole
EXEMESTANE				
* Tab 25 mg	9.86	30	✓	Pfizer Exemestane
LETROZOLE				
* Tab 2.5 mg	4.36	28	✓	Accord ^{S29}
	4.67	30	✓	Letrole

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE				
* Tab 25 mg	10.15	60	✓	Azamun
* Tab 50 mg	10.34	100	✓	Azamun
MYCOPHENOLATE MOFETIL				
Tab 500 mg	35.90	50	✓	Cellcept
Cap 250 mg	35.90	100	✓	Cellcept
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement	187.25	165 ml OP	✓	Cellcept
Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.				

Fusion Proteins

ETANERCEPT – Special Authority see SA2619 below – Retail pharmacy				
Inj 25 mg.....	690.00	4	✓	Enbrel
Inj 25 mg autoinjector	690.00	4	✓	Enbrel
Inj 50 mg autoinjector	1,050.00	4	✓	Enbrel
Inj 50 mg prefilled syringe.....	1,050.00	4	✓	Enbrel

➔ [SA2619](#) Special Authority for Subsidy

Initial application — (Stills disease - adult-onset (AOSD)) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Both:

1.1 Patient has had a Special Authority approval for adalimumab or tocilizumab for AOSD; and

1.2 Either:

1.2.1 Patient has experienced intolerable side effects; or

1.2.2 Patient has received insufficient benefit to meet the renewal criteria from at least a 3-month trial of adalimumab or tocilizumab; or

2 All of the following:

2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2.2 Patient has tried and received insufficient benefit from at least 6 months of corticosteroids at a dose of at least 0.5 mg/kg prednisone-equivalents, NSAIDs and methotrexate, unless contraindicated; and
- 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Initial application — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 Patient has had a Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:

- 1.2.1 Patient has experienced intolerable side effects; or
- 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by radiologic imaging; and
- 2.4 Disease has not responded adequately to treatment with two or more NSAIDs (unless contraindicated), while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following BASMI measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender; and
- 2.6 BASDAI of at least 6 on a 10-point scale completed after 3-month exercise trial before ceasing any previous pharmacological treatment and not more than 1 month before the application.

Renewal — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 BASDAI has improved from pre-treatment baseline either by at least 4 points on a 10-point scale, or by at least 50%; and
- 2 Maximum dose 50 mg every 7 days.

Initial application — (arthritis - polyarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

1 Both:

- 1.1 Patient has had a Special Authority approval for adalimumab for polyarticular course juvenile idiopathic arthritis (JIA); and
- 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for polyarticular course JIA; or

- 2 At least 5 active joints and at least 3 joints with pain, tenderness or a limited range of motion, after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated; or
- 3 Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated; or
- 4 Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate.

Renewal — (arthritis - polyarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
- 2 On subsequent reapplications, at least a continuing 30% improvement in active joint count from baseline.

Initial application — (arthritis - oligoarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Patient has had a Special Authority approval for adalimumab for oligoarticular course juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for oligoarticular course JIA; or
- 2 At least 2 active joints with pain, tenderness or a limited range of motion, after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated; or
- 3 Moderate or high disease activity (cJADAS10 score greater than 1.5) with poor prognostic features after a 3-month trial of methotrexate at the maximum tolerated dose, unless contraindicated.

Renewal — (arthritis - oligoarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
- 2 On subsequent reapplications, at least a continuing 30% improvement in active joint count from baseline.

Initial application — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had a Special Authority approval for adalimumab or secukinumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has received insufficient benefit from at least 3 months of methotrexate at maximum tolerated dose unless contraindicated; and
 - 2.2 Patient received insufficient benefit from at least 3 months of sulfasalazine or leflunomide at maximum tolerated dose unless contraindicated; and
 - 2.3 Either:
 - 2.3.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 joints; or
 - 2.3.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.4 Any of the following:
 - 2.4.1 Patient has a CRP greater than 15 mg/L measured within one month before the application; or
 - 2.4.2 Patient has an ESR greater than 25 mm per hour measured within one month before the application; or
 - 2.4.3 ESR and CRP not measured as patient is receiving prednisone therapy greater than 5 mg per day received for more than 3 months.

Renewal — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 1.2 At least a continuing 30% improvement in active joint count from baseline; and
- 2 Maximum dose 50 mg every 7 days.

Initial application — (pyoderma gangrenosum*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has received insufficient benefit from 3 months of conventional therapy including a minimum of 3 pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate). Where conventional pharmaceuticals are contraindicated, a 3 month trial has occurred of those that are not contraindicated; and
- 2 Maximum of 8 doses every 4 months.

Note: Indications marked with * are unapproved indications.

Initial application — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had a Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had rheumatoid arthritis (either confirmed by radiologic imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive); and
 - 2.2 Patient has received insufficient benefit from at least 3 months of methotrexate at a maximum tolerated dose (unless contraindicated); and
 - 2.3 Patient has received insufficient benefit from at least 3 months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses unless contraindicated); and
 - 2.4 Either:
 - 2.4.1 Patient has received insufficient benefit from at least 3 months of methotrexate in combination with the maximum tolerated dose of ciclosporin, unless contraindicated; or
 - 2.4.2 Patient has received insufficient benefit from at least 3 months of therapy at the maximum tolerated dose of leflunomide alone or in combination with methotrexate, unless contraindicated; and
 - 2.5 Either:
 - 2.5.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 joints; or
 - 2.5.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip.

Renewal — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
 - 1.2 On subsequent reapplications, at least a continuing 30% improvement in active joint count from baseline; and
- 2 Maximum dose 50 mg every 7 days.

Initial application — (Plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had a Special Authority approval for adalimumab for plaque psoriasis; and
 - 1.2 Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.2.1 Patient has experienced intolerable side effects; or
- 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for plaque psoriasis; or
- 2 All of the following:
 - 2.1 Any of the following:
 - 2.1.1 Patient has "whole body" plaque psoriasis with a PASI score of greater than 10; or
 - 2.1.2 Patient has plaque psoriasis of the face, or palm of a hand or sole of a foot; or
 - 2.1.3 Patient has localised genital or flexural plaque psoriasis with a DLQI score greater than 10; and
 - 2.2 Patient has received insufficient benefit from (see Note), or has experienced intolerable side effects from, at least 3 of the following at maximum tolerated doses (unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment or DLQI assessment has been completed for the most recent prior treatment course within 1 month of stopping that treatment; and
 - 2.4 The most recent PASI or DLQI assessment is within 1 month before the application.

Note: "Insufficient benefit" is defined as: for whole body plaque psoriasis, a PASI score of greater than 10, for plaque psoriasis of the face, hand, foot, genital or flexural areas at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and for the face, palm of a hand or sole of a foot the skin area affected is 30% or more of the face, palm of a hand or sole of a foot. As assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Renewal — (Plaque psoriasis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Both:
 - 1.1.1 Patient had "whole body" plaque psoriasis at the start of treatment; and
 - 1.1.2 Either:
 - 1.1.2.1 Patient has a PASI score which is reduced by 75% or more, or is sustained at this level, compared with the pre-treatment baseline; or
 - 1.1.2.2 Patient has a DLQI improvement of 5 or more, compared with the pre-treatment baseline; or
 - 1.2 Both:
 - 1.2.1 Patient had plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 1.2.2 Either:
 - 1.2.2.1 Patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, compared to the pre-treatment baseline; or
 - 1.2.2.2 Patient has a reduction of 75% or more in the skin area affected, or sustained at this level, compared to the pre-treatment baseline; or
 - 1.3 Both:
 - 1.3.1 Patient has localised genital or flexural plaque psoriasis at the start of treatment; and
 - 1.3.2 Either:
 - 1.3.2.1 Patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, compared to the pre-treatment baseline; or
 - 1.3.2.2 Patient has a DLQI improvement of 5 or more, compared to the pre-treatment baseline; and
- 2 Maximum dose 50 mg every 7 days.

Initial application — (undifferentiated spondyloarthritis*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has undifferentiated peripheral spondyloarthritis with active peripheral joint arthritis in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2 Patient has received insufficient benefit from least 3 months of each of methotrexate, sulfasalazine, and leflunomide at maximum tolerated doses, unless contraindicated; and
- 3 Any of the following:
 - 3.1 Patient has a CRP level greater than 15 mg/L measured within one month before the application; or
 - 3.2 Patient has an ESR greater than 25 mm per hour measured within one month before the application; or
 - 3.3 ESR and CRP not measured as patient is currently receiving prednisone therapy greater than 5 mg per day received for more than 3 months.

Note: Indications marked with * are unapproved indications.

Renewal — (undifferentiated spondyloarthritis*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Both:
- 1 Either:
 - 1.1 Following initial treatment, the patient has experienced at least a 50% decrease in active joint count from baseline; or
 - 1.2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline; and
 - 2 Maximum dose 50 mg every 7 days.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist

Inj 50 mg per ml, 5 ml	4,439.17	5	✓ ATGAM
------------------------------	----------	---	---------

BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist

Subsidised only for bladder cancer.

Inj 2-8 x 100 million CFU	149.37	1	✓ OncoTICE
---------------------------------	--------	---	------------

Inj 40 mg per ml, vial	182.45	3	✓ Sil-Onco-BCG ^{S29}
------------------------------	--------	---	-------------------------------

Monoclonal Antibodies

ADALIMUMAB (AMGEVITA) – Special Authority see SA2525 below – Retail pharmacy

Inj 20 mg per 0.4 ml prefilled syringe.....	190.00	1	✓ Amgevita
---	--------	---	------------

Inj 40 mg per 0.8 ml prefilled pen	375.00	2	✓ Amgevita
--	--------	---	------------

Inj 40 mg per 0.8 ml prefilled syringe.....	375.00	2	✓ Amgevita
---	--------	---	------------

►SA2525 Special Authority for Subsidy

Initial application — (Behcet's disease - severe) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
- 1 The patient has severe Behcet's disease* that is significantly impacting the patient's quality of life; and
 - 2 Either:
 - 2.1 The patient has severe ocular, neurological, and/or vasculitic symptoms and has not responded adequately to one or more treatment(s) appropriate for the particular symptom(s); or
 - 2.2 The patient has severe gastrointestinal, rheumatological, and/or mucocutaneous symptoms and has not responded adequately to two or more treatments appropriate for the particular symptom(s).

Note: Indications marked with * are unapproved indications.

Initial application — (Hidradenitis suppurativa) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

- All of the following:
- 1 Patient has hidradenitis suppurativa Hurley Stage II or Hurley Stage III lesions in distinct anatomic areas; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2 Patient has tried, but had an inadequate response to at least a 90 day trial of systemic antibiotics or has demonstrated intolerance to or has contraindications for systemic antibiotics; and
- 3 Patient has 3 or more active lesions; and
- 4 The patient has a DLQI of 10 or more and the assessment is no more than 1 month old at time of application.

Renewal — (Hidradenitis suppurativa) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has a reduction in active lesions (e.g. inflammatory nodules, abscesses, draining fistulae) of 25% or more from baseline; and
- 2 The patient has a DLQI improvement of 4 or more from baseline.

Initial application — (Plaque psoriasis - severe chronic) only from a dermatologist or any relevant practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Any of the following:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a PASI score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.3 Patient has severe chronic localised genital or flexural plaque psoriasis where the plaques or lesions have been present for at least 6 months from the time of initial diagnosis, and with a Dermatology Life Quality Index (DLQI) score greater than 10; and
 - 2.2 Patient has tried, but had an inadequate response to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment or DLQI assessment has been completed for at least the most recent prior treatment course but no longer than 1 month following cessation of each prior treatment course and is no more than 1 month old at the time of application.

Renewal — (Plaque psoriasis - severe chronic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced a 75% or more reduction in PASI score, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 1.2.2 The patient has a DLQI improvement of 5 or more, when compared with the pre-treatment baseline value; or
- 2 Both:
 - 2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.2.1 The patient has experienced reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
- 2.2.2 The patient has experienced reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre treatment baseline value; or

3 Both:

- 3.1 Patient had severe chronic localised genital or flexural plaque psoriasis at the start of treatment; and
- 3.2 Either:
 - 3.2.1 The patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; or
 - 3.2.2 Patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, as compared to baseline DLQI prior to commencing adalimumab.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and has not received an adequate response.

Note: Indications marked with * are unapproved indications.

Initial application — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

Renewal — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 CDAI score has reduced by 100 points from the CDAI score, or HBI score has reduced by 3 points, from when the patient was initiated on adalimumab; or
- 2 CDAI score is 150 or less, or HBI is 4 or less; or
- 3 The patient has demonstrated an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed.

Initial application — (Crohn's disease - children) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Paediatric patient has active Crohn's disease; and
- 2 Either:
 - 2.1 Patient has a PCDAI score of greater than or equal to 30; or
 - 2.2 Patient has extensive small intestine disease; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Renewal — (Crohn's disease - children) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on adalimumab; or
- 2 PCDAI score is 15 or less; or
- 3 The patient has demonstrated an adequate response to treatment but PCDAI score cannot be assessed.

Initial application — (Crohn's disease - fistulising) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); or
 - 2.3 Patient has complex peri-anal fistula; and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application.

Renewal — (Crohn's disease - fistulising) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The number of open draining fistulae have decreased from baseline by at least 50%; or
- 2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Initial application — (Ocular inflammation - chronic) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 The patient has had an initial Special Authority approval for infliximab for chronic ocular inflammation; or
- 2 Both:
 - 2.1 Patient has severe uveitis uncontrolled with treatment of steroids and other immunosuppressants with a severe risk of vision loss; and
 - 2.2 Any of the following:
 - 2.2.1 Patient is 18 years or older and treatment with at least two other immunomodulatory agents has proven ineffective; or
 - 2.2.2 Patient is under 18 years and treatment with methotrexate has proven ineffective or is not tolerated at a therapeutic dose; or
 - 2.2.3 Patient is under 8 years and treatment with steroids or methotrexate has proven ineffective or is not tolerated at a therapeutic dose; or disease requires control to prevent irreversible vision loss prior to achieving a therapeutic dose of methotrexate.

Renewal — (Ocular inflammation - chronic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 The patient has had a good clinical response following 12 weeks' initial treatment; or
- 2 Following each 2 year treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
- 3 Following each 2 year treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old.

Initial application — (Ocular inflammation - severe) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Either:

- 1 Patient has had an initial Special Authority approval for infliximab for severe ocular inflammation; or
- 2 Both:
 - 2.1 Patient has severe, vision-threatening ocular inflammation requiring rapid control; and
 - 2.2 Any of the following:
 - 2.2.1 Treatment with high-dose steroids (intravenous methylprednisolone) followed by high dose oral steroids has proven ineffective at controlling symptoms; or
 - 2.2.2 Patient developed new inflammatory symptoms while receiving high dose steroids; or
 - 2.2.3 Patient is aged under 8 years and treatment with high dose oral steroids and other immunosuppressants has proven ineffective at controlling symptoms.

Renewal — (Ocular inflammation - severe) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 The patient has had a good clinical response following 3 initial doses; or
- 2 Following each 2 year treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
- 3 Following each 2 year treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects; or
 - 1.2.2 The patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by radiology imaging; and
 - 2.4 Patient has not responded adequately to treatment with two or more NSAIDs, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following BASMI measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender; and
 - 2.6 A BASDAI of at least 6 on a 0-10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment and is no more than 1 month old at the time of application.

Renewal — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 2 years where treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less.

Initial application — (Arthritis - oligoarticular course juvenile idiopathic) only from a named specialist or rheumatologist.

Approvals valid for 6 months for applications meeting the following criteria:

Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for oligoarticular course juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for oligoarticular course JIA; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient has had oligoarticular course JIA for 6 months duration or longer; and
 - 2.3 Either:
 - 2.3.1 At least 2 active joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose); or
 - 2.3.2 Moderate or high disease activity (cJADAS10 score greater than 1.5) with poor prognostic features after a 3-month trial of methotrexate (at the maximum tolerated dose).

Renewal — (Arthritis - oligoarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Either:
- 1 Following initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - polyarticular course juvenile idiopathic) only from a named specialist or rheumatologist.

Approvals valid for 6 months for applications meeting the following criteria:

- Either:
- 1 Both:
 - 1.1 Patient has had an initial Special Authority approval for etanercept for polyarticular course juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for polyarticular course JIA; or
 - 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient has had polyarticular course JIA for 6 months duration or longer; and
 - 2.3 Any of the following:
 - 2.3.1 At least 5 active joints and at least 3 joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose); or
 - 2.3.2 Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate (at the maximum tolerated dose); or
 - 2.3.3 Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate.

Renewal — (Arthritis - polyarticular course juvenile idiopathic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Either:
- 1 Following initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - psoriatic) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had an initial Special Authority approval for etanercept or secukinumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects; or
 - 1.2.2 The patient has received insufficient benefit from to meet the renewal criteria for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of methotrexate at a maximum tolerated dose (unless contraindicated); and
 - 2.3 Patient has tried and not responded to at least three months of sulfasalazine or leflunomide at maximum tolerated doses (unless contraindicated); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an ESR greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (Arthritis - psoriatic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Following initial treatment, the patient has at least a 50% decrease in swollen joint count from baseline and a clinically significant response in the opinion of the physician; or
- 2 Patient demonstrates at least a continuing 30% improvement in swollen joint count from baseline and a clinically significant response in the opinion of the treating physician.

Initial application — (Arthritis - rheumatoid) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had rheumatoid arthritis (either confirmed by radiology imaging, or the patient is CCP antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 2.3 Patient has tried and not responded to at least three months of methotrexate at a maximum tolerated dose (unless contraindicated); and
- 2.4 Patient has tried and not responded to at least three months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate at maximum tolerated doses (unless contraindicated); and
- 2.5 Either:
 - 2.5.1 Patient has tried and not responded to at least three months of methotrexate in combination with the maximum tolerated dose of ciclosporin (unless contraindicated); or
 - 2.5.2 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide (unless contraindicated) alone or in combination with methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip.

Renewal — (Arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Following initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

Initial application — (Still's disease - adult-onset (AOSD)) only from a rheumatologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept and/or tocilizumab for AOSD; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 Patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria; and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, NSAIDs and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has active ulcerative colitis; and
- 2 Either:
 - 2.1 Patient's SCCAI score is greater than or equal to 4; or
 - 2.2 Patient's PUCAI score is greater than or equal to 20; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from prior therapy with immunomodulators and systemic corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1 The SCCAI score has reduced by 2 points or more from the SCCAI score when the patient was initiated on biologic therapy; or
- 2 The PUCAI score has reduced by 10 points or more from the PUCAI score when the patient was initiation on biologic therapy.

Initial application — (undifferentiated spondyloarthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has undifferentiated peripheral spondyloarthritis* with active peripheral joint arthritis in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2 Patient has tried and not responded to at least three months of each of methotrexate, sulfasalazine and leflunomide, at maximum tolerated doses (unless contraindicated); and
- 3 Any of the following:
 - 3.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 3.2 Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application; or
 - 3.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Note: Indications marked with * are unapproved indications

Renewal — (undifferentiated spondyloarthritis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Following initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response in the opinion of the treating physician.

Initial application — (inflammatory bowel arthritis – axial) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
- 2 Patient has axial inflammatory pain for six months or more; and
- 3 Patient is unable to take NSAIDs; and
- 4 Patient has unequivocal sacroiliitis demonstrated by radiological imaging or MRI; and
- 5 Patient has not responded adequately to prior treatment consisting of at least 3 months of an exercise regime supervised by a physiotherapist; and
- 6 A BASDAI of at least 6 on a 0-10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment.

Renewal — (inflammatory bowel arthritis – axial) from any relevant practitioner. Approvals valid for 2 years where treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less.

Initial application — (inflammatory bowel arthritis – peripheral) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
- 2 Patient has active arthritis in at least four joints from the following: hip, knee, ankle, subtalar, tarsus, forefoot, wrist, elbow, shoulder, sternoclavicular; and
- 3 Patient has tried and not experienced a response to at least three months of methotrexate, or azathioprine at a maximum tolerated dose (unless contraindicated); and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 4 Patient has tried and not experienced a response to at least three months of sulfasalazine at a maximum tolerated dose (unless contraindicated); and
- 5 Any of the following:
 - 5.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 5.2 Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application; or
 - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (inflammatory bowel arthritis – peripheral) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Following initial treatment, patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline in the opinion of the treating physician.

ADALIMUMAB (HUMIRA - ALTERNATIVE BRAND) – Special Authority see [SA2157 below](#) – Retail pharmacy

Inj 20 mg per 0.2 ml prefilled syringe.....	595.50	2	✓ Humira
Inj 40 mg per 0.4 ml prefilled pen	595.50	2	✓ HumiraPen
Inj 40 mg per 0.4 ml prefilled syringe.....	595.50	2	✓ Humira

➔ [SA2157](#) **Special Authority for Subsidy**

Initial application — (Behcet's disease – severe) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and
- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Behcet's disease – severe) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The patient has had a good clinical response to treatment with measurably improved quality of life; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Hidradenitis suppurativa) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 7 days. Fortnightly dosing has been considered.

Renewal — (Hidradenitis suppurativa) only from a dermatologist or Practitioner on the recommendation of a dermatologist.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a reduction in active lesions (e.g. inflammatory nodules, abscesses, draining fistulae) of 25% or more from baseline; and
- 2 The patient has a Dermatology Quality of Life Index improvement of 4 or more from baseline; and
- 3 Adalimumab is to be administered at doses no greater than 40mg every 7 days. Fortnightly dosing has been considered.

Initial application — (Psoriasis - severe chronic plaque) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and
- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Psoriasis - severe chronic plaque) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Both:
 - 1.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 1.1.2 Either:
 - 1.1.2.1 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 1.1.2.2 Following each prior adalimumab treatment course the patient has a Dermatology Quality of Life Index (DLQI) improvement of 5 or more, when compared with the pre-treatment baseline value; or
 - 1.2 Both:
 - 1.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 1.2.2 Either:
 - 1.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 1.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Pyoderma gangrenosum) only from a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
- 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and
- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 4 A maximum of 8 doses.

Renewal — (Pyoderma gangrenosum) only from a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated clinical improvement and continues to require treatment; and
- 2 A maximum of 8 doses.

Initial application — (Crohn's disease - adult) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
 - 1.3 Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment; and
- 2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Crohn's disease - adult) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 1.2 CDAI score is 150 or less; or
 - 1.3 The patient has demonstrated an adequate response to treatment, but CDAI score cannot be assessed; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Crohn's disease - children) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
 - 1.3 Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment; and
- 2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Renewal — (Crohn's disease - children) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on adalimumab; or
 - 1.2 PCDAI score is 15 or less; or
 - 1.3 The patient has demonstrated an adequate response to treatment, but PCDAI score cannot be assessed; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Crohn's disease - fistulising) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
 - 1.3 Patient has Crohn's and is considered to be at risk of disease destabilisation if there were to be a change to current treatment; and
- 2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Crohn's disease - fistulising) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 1.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Ocular inflammation – chronic) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with Amgevita, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
 - 1.3 Patient has uveitis and is considered to be at risk of vision loss if they were to change treatment; and
- 2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Ocular inflammation – chronic) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has had a good clinical response following 12 weeks' initial treatment; or

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1.2 Following each 12-month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
 - 1.3 Following each 12-month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (Ocular inflammation – severe) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment, and a maximum of 6 months treatment with Amgevita; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with Amgevita, and a maximum of 6 months treatment with Amgevita and clinician attributes this loss of disease response to a change in treatment regimen; or
 - 1.3 Patient has uveitis and is considered to be at risk of vision loss if they were to change treatment; and
- 2 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Ocular inflammation – severe) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has had a good clinical response following 3 initial doses; or
 - 1.2 Following each 12-month treatment period, the patient has had a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
 - 1.3 Following each 12-month treatment period, the patient has a sustained steroid sparing effect, allowing reduction in prednisone to < 10mg daily, or steroid drops less than twice daily if under 18 years old; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Initial application — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita); and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and
- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Initial application — (Arthritis – oligoarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and
- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication.

Renewal — (Arthritis – oligoarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months where the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - polyarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and
- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication.

Renewal — (Arthritis - polyarticular course juvenile idiopathic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months where the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Initial application — (Arthritis - psoriatic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
 - 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and
- 2 Patient has received a maximum of 6 months treatment with Amgevita; and
- 3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (Arthritis - psoriatic) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 2 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

Initial application — (Arthritis – rheumatoid) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

- 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
- 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and

2 Patient has received a maximum of 6 months treatment with Amgevita; and

3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication; and

4 Either:

- 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
- 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Arthritis – rheumatoid) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist.

Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and

2 Either:

- 2.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
- 2.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Initial application — (Still's disease – adult-onset (AOSD)) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

- 1.1 The patient has experienced intolerable side effects from adalimumab (Amgevita) following a minimum of 4 weeks treatment; or
- 1.2 Patient has developed symptoms of loss of disease control following a minimum of 4 weeks treatment with adalimumab (Amgevita) and clinician attributes this loss of disease response to a change in treatment regimen; and

2 Patient has received a maximum of 6 months treatment with Amgevita; and

3 Patient has previously had a Special Authority approval for the Humira brand of adalimumab for this indication.

Renewal — (Still's disease – adult-onset (AOSD)) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months where the patient has demonstrated a sustained improvement in inflammatory markers and functional status.

AFLIBERCEPT – Special Authority see [SA2550 below](#) – Retail pharmacy

Inj 40 mg per ml, 0.1 ml vial..... 1,250.00 1 ✓ Eylea

➔ **SA2550** Special Authority for Subsidy

Initial application — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has centre involving diabetic macular oedema (DMO); and
- 2 Patient's disease is non responsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly; and
- 3 Patient has reduced visual acuity between 6/9 – 6/36 with functional awareness of reduction in vision; and
- 4 Patient has DMO within central OCT (ocular coherence tomography) subfield > 350 micrometers; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 5 There is no centre-involving sub-retinal fibrosis or foveal atrophy; and
- 6 Patient has not previously been treated with faricimab for longer than 3 months.

Renewal — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 There is stability or two lines of Snellen visual acuity gain; and
- 2 There is structural improvement on OCT scan (with reduction in intra-retinal cysts, central retinal thickness, and sub-retinal fluid); and
- 3 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 4 There is no centre-involving sub-retinal fibrosis or foveal atrophy.

Initial application — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Any of the following:
 - 1.1.1 Wet age-related macular degeneration (wet AMD); or
 - 1.1.2 Polypoidal choroidal vasculopathy; or
 - 1.1.3 Choroidal neovascular membrane from causes other than wet AMD; and
 - 1.2 Either:
 - 1.2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab; or
 - 1.2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart; and
 - 1.3 There is no structural damage to the central fovea of the treated eye; and
 - 1.4 Patient has not previously been treated with ranibizumab or faricimab for longer than 3 months; or
- 2 Either:
 - 2.1 Patient has current approval to use ranibizumab or faricimab for treatment of wAMD and was found to be intolerant within 3 months; or
 - 2.2 Patient has previously* (*before June 2018) received treatment with ranibizumab for wAMD and disease was stable while on treatment.

Renewal — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Documented benefit must be demonstrated to continue; and
- 2 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 3 There is no structural damage to the central fovea of the treated eye.

BENRALIZUMAB – Special Authority see SA2151 below – Retail pharmacy
 Inj 30 mg per ml, 1 ml pre-filled pen3,539.00 1 ✓ Faserna

SA2151 Special Authority for Subsidy

Initial application — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient must be aged 12 years or older; and
- 2 Patient must have a diagnosis of severe eosinophilic asthma documented by a respiratory physician or clinical immunologist; and
- 3 Conditions that mimic asthma eg. vocal cord dysfunction, central airway obstruction, bronchiolitis etc. have been

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- excluded; and
- 4 Patient has a blood eosinophil count of greater than 0.5×10^9 cells/L in the last 12 months; and
- 5 Patient must be adherent to optimised asthma therapy including inhaled corticosteroids (equivalent to at least 1000 mcg per day of fluticasone propionate) plus long-acting beta-2 agonist, or budesonide/formoterol as part of the anti-inflammatory reliever therapy plus maintenance regimen, unless contraindicated or not tolerated; and
- 6 Either:
 - 6.1 Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral corticosteroids; or
 - 6.2 Patient has received continuous oral corticosteroids of at least the equivalent of 10 mg per day over the previous 3 months; and
- 7 Treatment is not to be used in combination with subsidised mepolizumab; and
- 8 Patient has an Asthma Control Test (ACT) score of 10 or less. Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 52 weeks after the first dose to assess response to treatment; and
- 9 Either:
 - 9.1 Patient has not previously received an anti-IL5 biological therapy for their severe eosinophilic asthma; or
 - 9.2 Both:
 - 9.2.1 Patient was refractory or intolerant to previous anti-IL5 biological therapy; and
 - 9.2.2 Patient was not eligible to continue treatment with previous anti-IL5 biological therapy and discontinued within 12 months of commencing treatment.

Renewal — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 An increase in the Asthma Control Test (ACT) score of at least 5 from baseline; and
- 2 Either:
 - 2.1 Exacerbations have been reduced from baseline by 50% as a result of treatment with benralizumab; or
 - 2.2 Reduction in continuous oral corticosteroid use by 50% or by 10 mg/day while maintaining or improving asthma control.

BEVACIZUMAB – PCT only – Special Authority see [SA2453 below](#)

Inj 25 mg per ml, 4 ml vial.....	69.00	1	✓ Vegzelma
Inj 25 mg per ml, 16 ml vial.....	276.00	1	✓ Vegzelma
Inj 1 mg for ECP	0.71	1 mg	✓ Baxter

➔ **SA2453** Special Authority for Subsidy

Initial application — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with bevacizumab, and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Patient has locally advanced or metastatic, unresectable hepatocellular carcinoma; and
 - 2.2 Patient has preserved liver function (Child-Pugh A); and
 - 2.3 Transarterial chemoembolisation (TACE) is unsuitable; and
 - 2.4 Any of the following:
 - 2.4.1 Patient has not received prior systemic therapy for the treatment of hepatocellular carcinoma; or
 - 2.4.2 Patient received funded lenvatinib before 1 March 2025; or
 - 2.4.3 Both:
 - 2.4.3.1 Patient has experienced treatment-limiting toxicity from treatment with lenvatinib; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.4.3.2 No disease progression since initiation of lenvatinib; and
- 2.5 Patient has an ECOG performance status of 0-2; and
- 2.6 To be given in combination with atezolizumab.

Renewal — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

Initial application — (advanced or metastatic ovarian cancer) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has FIGO Stage IV epithelial ovarian, fallopian tube, or primary peritoneal cancer; or
 - 1.2 Both:
 - 1.2.1 The patient has previously untreated advanced (FIGO Stage IIIB or IIIC) epithelial ovarian, fallopian tube, or primary peritoneal cancer; and
 - 1.2.2 Either:
 - 1.2.2.1 Debulking surgery is inappropriate; or
 - 1.2.2.2 The cancer is sub-optimally debulked (maximum diameter of any gross residual disease greater than 1cm); and
- 2 Bevacizumab to be administered at a maximum dose of 15 mg/kg every three weeks; and
- 3 18 weeks concurrent treatment with chemotherapy is planned.

Renewal — (advanced or metastatic ovarian cancer) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression.

Initial application — (Recurrent Respiratory Papillomatosis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Maximum of 6 doses; and
- 2 The patient has recurrent respiratory papillomatosis; and
- 3 The treatment is for intra-lesional administration.

Renewal — (Recurrent Respiratory Papillomatosis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Maximum of 6 doses; and
- 2 The treatment is for intra-lesional administration; and
- 3 There has been a reduction in surgical treatments or disease regrowth as a result of treatment.

Initial application — (Ocular Conditions) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Ocular neovascularisation; or
- 2 Exudative ocular angiopathy.

BRENTUXIMAB VEDOTIN – PCT only – Special Authority see SA2289 below

Inj 50 mg vial	5,275.18	1	✓ Adcetris
----------------------	----------	---	------------

►SA2289 Special Authority for Subsidy

Initial application — (relapsed/refractory Hodgkin lymphoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Both:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 1.1.1 Patient has relapsed/refractory CD30-positive Hodgkin lymphoma after two or more lines of chemotherapy; and
- 1.1.2 Patient is ineligible for autologous stem cell transplant; or
- 1.2 Both:
 - 1.2.1 Patient has relapsed/refractory CD30-positive Hodgkin lymphoma; and
 - 1.2.2 Patient has previously undergone autologous stem cell transplant; and
- 2 Patient has not previously received funded brentuximab vedotin; and
- 3 Response to brentuximab vedotin treatment is to be reviewed after a maximum of 6 treatment cycles; and
- 4 Brentuximab vedotin to be administered at doses no greater than 1.8 mg/kg every 3 weeks.

Renewal — (relapsed/refractory Hodgkin lymphoma) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has achieved a partial or complete response to brentuximab vedotin after 6 treatment cycles; and
- 2 Treatment remains clinically appropriate and the patient is benefitting from treatment and treatment is being tolerated; and
- 3 Patient is to receive a maximum of 16 total cycles of brentuximab vedotin treatment.

Initial application — (anaplastic large cell lymphoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed/refractory CD30-positive systemic anaplastic large cell lymphoma; and
- 2 Patient has an ECOG performance status of 0-1; and
- 3 Patient has not previously received brentuximab vedotin; and
- 4 Response to brentuximab vedotin treatment is to be reviewed after a maximum of 6 treatment cycles; and
- 5 Brentuximab vedotin to be administered at doses no greater than 1.8 mg/kg every 3 weeks.

Renewal — (anaplastic large cell lymphoma) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has achieved a partial or complete response to brentuximab vedotin after 6 treatment cycles; and
- 2 Treatment remains clinically appropriate and the patient is benefitting from treatment and treatment is being tolerated; and
- 3 Patient is to receive a maximum of 16 total cycles of brentuximab vedotin treatment.

CETUXIMAB – PCT only – Specialist – Special Authority see [SA2401 below](#)

Inj 5 mg per ml, 20 ml vial.....	364.00	1	✓ Erbitux
Inj 5 mg per ml, 100 ml vial.....	1,820.00	1	✓ Erbitux
Inj 1 mg for ECP.....	3.82	1 mg	✓ Baxter

► [SA2401](#) **Special Authority for Subsidy**

Initial application — (head and neck cancer, locally advanced) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, non-metastatic, squamous cell cancer of the head and neck; and
- 2 Cisplatin is contraindicated or has resulted in intolerable side effects; and
- 3 Patient has an ECOG performance score of 0-2; and
- 4 To be administered in combination with radiation therapy.

Initial application — (colorectal cancer, metastatic) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic colorectal cancer located on the left side of the colon (see Note); and
- 2 There is documentation confirming disease is RAS and BRAF wild-type; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 3 Patient has an ECOG performance score of 0-2; and
- 4 Patient has not received prior funded treatment with cetuximab; and
- 5 Either:
 - 5.1 Cetuximab is to be used in combination with chemotherapy; or
 - 5.2 Chemotherapy is determined to not be in the best interest of the patient based on clinician assessment.

Renewal — (colorectal cancer, metastatic) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where there is no evidence of disease progression.

Note: Left-sided colorectal cancer comprises of the distal one-third of the transverse colon, the splenic flexure, the descending colon, the sigmoid colon, or the rectum.

FARICIMAB – Special Authority see SA2533 below – Retail pharmacy

Inj 120 mg per ml, 0.24 ml vial.....	1,565.00	1	✓ Vabysmo
--------------------------------------	----------	---	-----------

➔SA2533 **Special Authority for Subsidy**

Initial application — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has centre involving diabetic macular oedema (DMO); and
- 2 Patient's disease is nonresponsive to 4 doses of intravitreal bevacizumab when administered 4-6 weekly; and
- 3 Patient has reduced visual acuity between 6/9 – 6/36 with functional awareness of reduction in vision; and
- 4 Patient has DMO within central OCT (ocular coherence tomography) subfield > 350 micrometers; and
- 5 There is no centre-involving sub-retinal fibrosis or foveal atrophy; and
- 6 Patient has not previously been treated with aflibercept for longer than 3 months.

Renewal — (diabetic macular oedema) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 There is stability or two lines of Snellen visual acuity gain; and
- 2 There is structural improvement on OCT scan (with reduction in intra-retinal cysts, central retinal thickness, and sub-retinal fluid); and
- 3 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 4 There is no centre-involving sub-retinal fibrosis or foveal atrophy.

Initial application — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Wet age-related macular degeneration (wet AMD); or
 - 1.2 Polypoidal choroidal vasculopathy; or
 - 1.3 Choroidal neovascular membrane from causes other than wet AMD; and
- 2 Either:
 - 2.1 The patient has developed severe endophthalmitis or severe posterior uveitis following treatment with bevacizumab; or
 - 2.2 There is worsening of vision or failure of retina to dry despite three intraocular injections of bevacizumab four weeks apart; and
- 3 There is no structural damage to the central fovea of the treated eye; and
- 4 Patient has not previously been treated with ranibizumab or aflibercept for longer than 3 months.

Renewal — (wet age related macular degeneration) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient's vision is 6/36 or better on the Snellen visual acuity score; and
- 2 There is no structural damage to the central fovea of the treated eye.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
GEMTUZUMAB OZOGAMICIN – PCT only – Specialist – Special Authority see SA2269 below			
Inj 5 mg vial	12,973.00	1	✓ Mylotarg

➔SA2269 Special Authority for Subsidy

Initial application only from a haematologist, paediatric haematologist or paediatric oncologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has not received prior chemotherapy for this condition; and
- 2 Patient has de novo CD33-positive acute myeloid leukaemia; and
- 3 Patient does not have acute promyelocytic leukaemia; and
- 4 Gemtuzumab ozogamicin will be used in combination with standard anthracycline and cytarabine (AraC); and
- 5 Patient is being treated with curative intent; and
- 6 Patient's disease risk has been assessed by cytogenetic testing to be good or intermediate; and
- 7 Patient must be considered eligible for standard intensive remission induction chemotherapy with standard anthracycline and cytarabine (AraC); and
- 8 Gemtuzumab ozogamicin to be funded for one course only (one dose at 3 mg per m² body surface area or up to 2 vials of 5 mg as separate doses).

Note: Acute myeloid leukaemia excludes acute promyelocytic leukaemia and acute myeloid leukaemia that is secondary to another haematological disorder (eg myelodysplasia or myeloproliferative disorder).

INFLIXIMAB – PCT only – Special Authority see [SA2620 below](#)

Inj 100 mg	428.00	1	✓ Remicade
Inj 1 mg for ECP	4.40	1 mg	✓ Baxter

➔SA2620 Special Authority for Subsidy

Initial application — (Crohn's disease (adults)) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a CDAI score of greater than or equal to 300 or HBI score of greater than or equal to 10; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but has experienced an inadequate response to, or intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

Renewal — (Crohn's disease (adults)) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 CDAI score has reduced by 100 points from the CDAI score, or HBI score has reduced by 3 points, from when the patient was initiated on infliximab; or
 - 1.2 CDAI score is 150 or less, or HBI is 4 or less; or
 - 1.3 The patient has demonstrated an adequate response to treatment but CDAI score and/or HBI score cannot be assessed; and
- 2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (Crohn's disease (children)) from any relevant practitioner. Approvals valid for 6 months for applications

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

meeting the following criteria:

All of the following:

- 1 Paediatric patient has active Crohn's disease; and
- 2 Either:
 - 2.1 Patient has a PCDAI score of greater than or equal to 30; or
 - 2.2 Patient has extensive small intestine disease; and
- 3 Patient has tried but experienced an inadequate response to, or intolerable side effects from, prior therapy with immunomodulators and corticosteroids.

Renewal — (Crohn's disease (children)) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 PCDAI score has reduced by 10 points from the PCDAI score when the patient was initiated on infliximab; or
 - 1.2 PCDAI score is 15 or less; or
 - 1.3 The patient has demonstrated an adequate response to treatment but PCDAI score cannot be assessed; and
- 2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (Graft vs host disease) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has steroid-refractory acute graft vs. host disease of the gut.

Initial application — (Pulmonary sarcoidosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has life-threatening pulmonary sarcoidosis diagnosed by a multidisciplinary team that is refractory to other treatments.

Initial application — (acute fulminant ulcerative colitis) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient has acute, fulminant ulcerative colitis; and
- 2 Treatment with intravenous or high dose oral corticosteroids has not been successful.

Initial application — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had a Special Authority approval for adalimumab or etanercept for ankylosing spondylitis; and
- 2 Either:
 - 2.1 Patient has experienced intolerable side effects; or
 - 2.2 Patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis; and
- 3 Following initial induction doses, maximum dose 5mg/kg every 6-8 weeks.

Renewal — (ankylosing spondylitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 BASDAI has improved from pre-treatment baseline either by at least 4 points on a 10-point scale, or by at least 50%; and
- 2 Maximum dose 5 mg/kg every 6-8 weeks.

Initial application — (ocular inflammation - chronic*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had a Special Authority approval for adalimumab for chronic ocular inflammation; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.2 Either:
- 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for chronic ocular inflammation; or

2 Both:

- 2.1 Patient has severe uveitis with a severe risk of vision loss uncontrolled by treatment with corticosteroids and other immunosuppressants; and
- 2.2 Any of the following:
 - 2.2.1 Patient is 18 years or older and treatment with at least two other immunomodulatory agents has been ineffective or are contraindicated; or
 - 2.2.2 Patient is under 18 years and treatment with methotrexate has been ineffective, is contraindicated or is not tolerated at a therapeutic dose; or
 - 2.2.3 Patient is under 8 years and treatment with corticosteroids or methotrexate has been ineffective, is contraindicated or is not tolerated at a therapeutic dose; or disease requires control to prevent irreversible vision loss prior to achieving a therapeutic dose of methotrexate.

Note: Indications marked with * are unapproved indications

Renewal — (ocular inflammation - chronic*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Patient has received a good clinical response following 3 initial doses; or
- 2 Following each 2 year treatment period, the patient has experienced a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
- 3 Following each 2 year treatment period, the patient has a sustained corticosteroid sparing effect, allowing reduction in prednisone to < 10mg daily, or corticosteroid drops less than twice daily if under 18 years old.

Note: A trial withdrawal should be considered after every 24 months of stability, unless the patient is deemed to have extremely high risk of irreversible vision loss if infliximab is withdrawn. Indications marked with * are unapproved indications

Initial application — (fistulising Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has confirmed Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); or
 - 2.3 Patient has complex peri-anal fistula.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 1.2 There has been a marked reduction in drainage of all fistula(e) from baseline (in the case of adult patients, as demonstrated by a reduction in the Fistula Assessment score), together with less induration and patient reported pain; and
- 2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (neurosarcoidosis) only from a neurologist or Practitioner on the recommendation of a neurologist.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with neurosarcoidosis by a multidisciplinary team; and
- 2 Patient has CNS involvement; and
- 3 Patient has steroid-refractory disease; and
- 4 Either:
 - 4.1 IV cyclophosphamide has been tried; or
 - 4.2 Treatment with IV cyclophosphamide is clinically inappropriate.

Renewal — (neurosarcoidosis) only from a neurologist or Practitioner on the recommendation of a neurologist. Approvals valid for 18 months for applications meeting the following criteria:

Either:

- 1 A withdrawal period has been tried and the patient has relapsed; or
- 2 All of the following:
 - 2.1 A withdrawal period has been considered but would not be clinically appropriate; and
 - 2.2 There has been a marked reduction in prednisone dose; and
 - 2.3 Either:
 - 2.3.1 There has been an improvement in MRI appearances; or
 - 2.3.2 Marked improvement in other symptomology.

Initial application — (plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient had a Special Authority approval for adalimumab, etanercept or secukinumab for plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for plaque psoriasis; or
- 2 All of the following:
 - 2.1 Any of the following:
 - 2.1.1 Patient has "whole body" plaque psoriasis with a PASI score of greater than 10; or
 - 2.1.2 Patient has plaque psoriasis of the face, or palm of a hand or sole of a foot; or
 - 2.1.3 Patient has localised genital or flexural plaque psoriasis with a DLQI score greater than 10; and
 - 2.2 Patient has received insufficient benefit (see Note) or has experienced intolerable side effects from at least 3 of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for the most recent prior treatment course within 1 month of stopping that treatment; and
 - 2.4 The most recent PASI assessment is within 1 month before the application.

Note: "Insufficient benefit" is defined as: for whole body plaque psoriasis, a PASI score of greater than 10; for plaque psoriasis of the face, hand, foot, genital or flexural areas at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and for the face, palm of a hand or sole of a foot the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Renewal — (plaque psoriasis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Both:

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.1.1 Patient had "whole body" plaque psoriasis at the start of treatment; and
 - 1.1.2 Patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-infliximab baseline; or
 - 1.2 Both:
 - 1.2.1 Patient had plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 1.2.2 Either:
 - 1.2.2.1 Patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the pre-infliximab baseline; or
 - 1.2.2.2 Patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-infliximab baseline; or
 - 1.3 Both:
 - 1.3.1 Patient had localised genital or flexural plaque psoriasis at the start of treatment; and
 - 1.3.2 Either:
 - 1.3.2.1 Patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline; or
 - 1.3.2.2 Patient has a DLQI improvement of 5 or more, as compared to the pre-infliximab baseline; and
- 2 Maximum dose 5 mg/kg every 8 weeks.

Initial application — (previous use) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient was being treated with infliximab prior to 1 February 2019; and
- 2 Any of the following:
 - 2.1 Rheumatoid arthritis; or
 - 2.2 Ankylosing spondylitis; or
 - 2.3 Psoriatic arthritis; or
 - 2.4 Severe ocular inflammation; or
 - 2.5 Chronic ocular inflammation; or
 - 2.6 Crohn's disease (adults); or
 - 2.7 Crohn's disease (children); or
 - 2.8 Fistulising Crohn's disease; or
 - 2.9 Severe fulminant ulcerative colitis; or
 - 2.10 Severe ulcerative colitis; or
 - 2.11 Plaque psoriasis; or
 - 2.12 Neurosarcoidosis; or
 - 2.13 Severe Behcet's disease.

Initial application — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had a Special Authority approval for adalimumab or etanercept or secukinumab for psoriatic arthritis; and
- 2 Either:
 - 2.1 Patient has experienced intolerable side effects; or
 - 2.2 Patient has received insufficient benefit to meet the renewal criteria for psoriatic arthritis; and
- 3 Following initial induction doses, maximum dose 5mg/kg every 8 weeks.

Renewal — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
- 1.2 At least a continuing 30% improvement in active joint count from baseline; and

2 Maximum dose 5 mg/kg every 8 weeks.

Initial application — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had a Special Authority approval for adalimumab or etanercept for rheumatoid arthritis; and
- 2 Either:
 - 2.1 Patient has experienced intolerable side effects; or
 - 2.2 Patient has received insufficient benefit to meet the renewal criteria for rheumatoid arthritis; and
- 3 Following initial induction doses, maximum dose 3mg/kg every 8 weeks.

Renewal — (arthritis - rheumatoid) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Following initial treatment, the patient has experienced at least a 50% decrease in active joint count from baseline; or
 - 1.2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline; and
- 2 Maximum dose 3 mg/kg every 8 weeks.

Initial application — (Behcet disease) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has severe Behcet disease which is significantly impacting their quality of life; and
- 2 Either:
 - 2.1 Patient has severe ocular, neurological and/or vasculitic symptoms and has received insufficient benefit from 1 or more treatment(s) appropriate for the particular symptom(s); or
 - 2.2 Patient has severe gastrointestinal, rheumatologic and/or mucocutaneous symptoms and has received insufficient benefit from 2 or more treatments appropriate for the particular symptom(s); and
- 3 Following initial loading doses, maximum dose 5mg/kg every 8 weeks.

Renewal — (fulminant ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Where maintenance treatment is considered appropriate, infliximab should be used in combination with immunomodulators and reassessed every 6 months; and
- 2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (ocular inflammation - severe*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had an initial Special Authority approval for adalimumab for severe ocular inflammation; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for severe ocular inflammation; or

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

2 Both:

- 2.1 Patient has severe, vision-threatening ocular inflammation requiring rapid control; and
- 2.2 Any of the following:
 - 2.2.1 Treatment with high-dose IV corticosteroids followed by high dose oral corticosteroids has been ineffective at controlling symptoms; or
 - 2.2.2 Patient developed new inflammatory symptoms while receiving high dose corticosteroids; or
 - 2.2.3 Patient is aged under 8 years and treatment with high dose oral corticosteroids and other immunosuppressants has been ineffective at controlling symptoms; or
 - 2.2.4 High dose corticosteroids are contraindicated.

Note: Indications marked with * are unapproved indications.

Renewal — (ocular inflammation - severe*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Patient has received a good clinical response following 3 initial doses; or
- 2 Following each 2 year treatment period, the patient has experienced a sustained reduction in inflammation (Standardisation of Uveitis Nomenclature (SUN) criteria < ½+ anterior chamber or vitreous cells, absence of active vitreous or retinal lesions, or resolution of uveitic cystoid macular oedema); or
- 3 Following each 2 year treatment period, patient has a sustained corticosteroid sparing effect, allowing reduction in prednisone to < 10mg daily, or corticosteroid drops less than twice daily if under 18 years old.

Note: A trial withdrawal should be considered after every 24 months of stability, unless the patient is deemed to have extremely high risk of irreversible vision loss if infliximab is withdrawn. Indications marked with * are unapproved indications

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has active ulcerative colitis; and
- 2 Either:
 - 2.1 Patients SCCAI is greater than or equal to 4; or
 - 2.2 Patients PUCAI score is greater than or equal to 20; and
- 3 Patient has tried but has experienced an inadequate response to, or has experienced intolerable side effects from, prior therapy with immunomodulators and systemic corticosteroids.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The SCCAI score has reduced by 2 points or more from the SCCAI score when the patient was initiated on infliximab; or
 - 1.2 The PUCAI score has reduced by 10 points or more from the PUCAI score when the patient was initiated on infliximab; and
- 2 Infliximab to be administered at doses up to 5 mg/kg every 8 weeks. Up to 10 mg/kg every 8 weeks (or equivalent) can be used for up to 3 doses if required for secondary non-response to treatment for re-induction. Another re-induction may be considered sixteen weeks after completing the last re-induction cycle. Up to 10 mg/kg every 8 weeks (or equivalent) may be used for patients treated with this dose prior to 1 February 2019.

Initial application — (pyoderma gangrenosum*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has received insufficient benefit from 3 months of conventional therapy including a minimum of 3 pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate). Where conventional pharmaceuticals are contraindicated,

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- a 3-month trial has occurred of those that are not contraindicated; and
- 2 Maximum of 8 doses every 4 months.

Note: Note: Indications marked with * are unapproved indications.

Initial application — (inflammatory bowel arthritis – axial) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
- 2 Patient has had axial inflammatory pain for six months or more; and
- 3 Patient is unable to take NSAIDs; and
- 4 Patient has unequivocal sacroiliitis demonstrated by radiological imaging or MRI; and
- 5 Patient's disease has not responded adequately to prior treatment consisting of at least 3 months of an exercise regime supervised by a physiotherapist; and
- 6 Patient has a BASDAI of at least 6 on a 0 - 10 scale completed after the 3 month exercise trial, but prior to ceasing any previous pharmacological treatment .

Renewal — (inflammatory bowel arthritis – axial) from any relevant practitioner. Approvals valid for 2 years where treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10-point scale, or an improvement in BASDAI of 50%, whichever is less.

Initial application — (inflammatory bowel arthritis – peripheral) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a diagnosis of active ulcerative colitis or active Crohn's disease; and
- 2 Patient has active arthritis in at least four joints from the following: hip, knee, ankle, subtalar, tarsus, forefoot, wrist, elbow, shoulder, sternoclavicular; and
- 3 Patient has tried and not experienced a response to at least three months of methotrexate or azathioprine at a maximum tolerated dose (unless contraindicated); and
- 4 Patient has tried and not experienced a response to at least three months of sulfasalazine at a maximum tolerated dose (unless contraindicated); and
- 5 Any of the following:
 - 5.1 Patient has a CRP level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 5.2 Patient has an ESR greater than 25 mm per hour measured no more than one month prior to the date of this application; or
 - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (inflammatory bowel arthritis – peripheral) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Following initial treatment, patient has experienced at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2 Patient has experienced at least a continuing 30% improvement in active joint count from baseline in the opinion of the treating physician.

Initial application — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The individual requires treatment for moderate to severe autoimmune toxicity following immune checkpoint inhibitor treatment for malignancy; and
- 2 The individual has received insufficient benefit from use of corticosteroids; and
- 3 Infliximab is to be administered at up to 5mg/kg for up to four doses.

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

Renewal — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 The individual has shown clinical improvement and ongoing treatment is required; and
- 2 Infliximab is to be administered at up to 5mg/kg for up to a total of 8 doses.

Note: Indications marked with * are unapproved indications.

INOTUZUMAB OZOGAMICIN – PCT only – Specialist – Special Authority see [SA2460 below](#)

Inj 1 mg vial	14,457.00	1	✓ Besponsa
Inj 1 mg for ECP	14,457.00	1 mg	✓ Baxter

► [SA2460](#) **Special Authority for Subsidy**

Initial application only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist.

Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory CD22-positive B-cell acute lymphoblastic leukaemia/lymphoma, including minimal residual disease; and
- 2 Patient has ECOG performance status of 0-2; and
- 3 Either:
 - 3.1 Both:
 - 3.1.1 Patient has Philadelphia chromosome positive B-Cell ALL; and
 - 3.1.2 Patient has previously received a tyrosine kinase inhibitor; or
 - 3.2 Patient has received one prior line of treatment involving intensive chemotherapy; and
- 4 Treatment is to be administered for a maximum of 3 cycles.

Renewal only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient is not proceeding to a stem cell transplant; and
- 2 Either:
 - 2.1 Patient has experienced complete disease response; or
 - 2.2 Patient has experienced complete remission with incomplete haematological recovery; and
- 3 Treatment with inotuzumab ozogamicin is to cease after a total duration of 6 cycles.

MEPOLIZUMAB – Special Authority see [SA2331 below](#) – Retail pharmacy

Inj 100 mg prefilled pen	1,638.00	1	✓ Nucala
--------------------------------	----------	---	-----------------

► [SA2331](#) **Special Authority for Subsidy**

Initial application — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient must be aged 12 years or older; and
- 2 Patient must have a diagnosis of severe eosinophilic asthma documented by a respiratory physician or clinical immunologist; and
- 3 Conditions that mimic asthma eg. vocal cord dysfunction, central airway obstruction, bronchiolitis etc. have been excluded; and
- 4 Patient has a blood eosinophil count of greater than 0.5×10^9 cells/L in the last 12 months; and
- 5 Patient must be adherent to optimised asthma therapy including inhaled corticosteroids (equivalent to at least 1000 mcg per day of fluticasone propionate) plus long acting beta-2 agonist, or budesonide/formoterol as part of the single maintenance and reliever therapy regimen, unless contraindicated or not tolerated; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

6 Either:

- 6.1 Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral corticosteroids; or
- 6.2 Patient has received continuous oral corticosteroids of at least the equivalent of 10 mg per day over the previous 3 months; and

7 Treatment is not to be used in combination with subsidised benralizumab; and

8 Patient has an Asthma Control Test (ACT) score of 10 or less. Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 52 weeks after the first dose to assess response to treatment; and

9 Either:

- 9.1 Patient has not previously received an anti-IL5 biological therapy for their severe eosinophilic asthma; or
- 9.2 Both:
 - 9.2.1 Patient was refractory or intolerant to previous anti-IL5 biological therapy; and
 - 9.2.2 Patient was not eligible to continue treatment with previous anti-IL5 biological therapy and discontinued within 12 months of commencing treatment.

Renewal — (Severe eosinophilic asthma) only from a respiratory physician or clinical immunologist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 An increase in the Asthma Control Test (ACT) score of at least 5 from baseline; and
- 2 Either:
 - 2.1 Exacerbations have been reduced from baseline by 50% as a result of treatment with mepolizumab; or
 - 2.2 Reduction in continuous oral corticosteroid use by 50% or by 10 mg/day while maintaining or improving asthma control.

Initial application — (eosinophilic granulomatosis with polyangiitis) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has eosinophilic granulomatosis with polyangiitis; and
- 2 The patient has trialed and not received adequate benefit from at least one of the following for at least three months (unless contraindicated to all): azathioprine, cyclophosphamide, leflunomide, methotrexate, mycophenolate, or rituximab; and
- 3 Either:
 - 3.1 The patient has trialed prednisone for a minimum of three months and is unable to maintain disease control at doses below 7.5 mg per day; or
 - 3.2 Corticosteroids are contraindicated.

Renewal — (eosinophilic granulomatosis with polyangiitis) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where patient has no evidence of clinical disease progression.

OBINUTUZUMAB – PCT only – Specialist – Special Authority see [SA2551 below](#)

Inj 25 mg per ml, 40 ml vial.....	5,910.00	1	✓ Gazyva
Inj 1 mg for ECP	6.21	1 mg	✓ Baxter

► [SA2551](#) Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and
- 4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

* Neutrophil greater than or equal to $1.5 \times 10^9/L$ and platelets greater than or equal to $75 \times 10^9/L$.

Initial application — (follicular / marginal zone lymphoma) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has follicular lymphoma; or
 - 1.2 Patient has marginal zone lymphoma; and
- 2 Patient is refractory to or has relapsed within 12 months of a rituximab containing combined chemo-immunotherapy regimen*; and
- 3 Patient has an ECOG performance status of 0-2; and
- 4 Patient has been previously treated with no more than four chemotherapy regimens; and
- 5 Obinutuzumab to be administered at a maximum dose of 1000 mg for a maximum of 6 cycles in combination with chemotherapy*.

Note: * includes unapproved indications

Renewal — (follicular / marginal zone lymphoma) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 Patient has no evidence of disease progression following obinutuzumab induction therapy; and
- 2 Obinutuzumab to be administered at a maximum of 1000 mg every 2 months for a maximum of 2 years; and
- 3 Obinutuzumab to be discontinued at disease progression.

OMALIZUMAB – Special Authority see [SA2597 below](#) – Retail pharmacy

Inj 150 mg prefilled syringe.....	450.00	1	✓ Xolair
Inj 150 mg vial	450.00	1	✓ Xolair AU ✓ Xolair

➔ [SA2597](#) **Special Authority for Subsidy**

Initial application — (severe asthma) only from a respiratory specialist or clinical immunologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient must be aged 6 years or older; and
- 2 Patient has a diagnosis of severe asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven adherence with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1,600 mcg per day or fluticasone propionate 1,000 mcg per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

50 mcg bd or eformoterol 12 mcg bd) for at least 12 months, unless contraindicated or not tolerated; and

6 Either:

- 6.1 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; or
- 6.2 Patient has had at least 4 exacerbations needing systemic corticosteroids in the previous 12 months, where an exacerbation is defined as either documented use of oral corticosteroids for at least 3 days or parenteral steroids; and

7 Patient has an Asthma Control Test (ACT) score of 10 or less; and

8 Baseline measurements of the patient's asthma control using the ACT and oral corticosteroid dose must be made at the time of application, and again at around 26 weeks after the first dose to assess response to treatment.

Initial application — (severe chronic spontaneous urticaria) only from a clinical immunologist or dermatologist. Approvals valid for 7 months for applications meeting the following criteria:

All of the following:

1 Patient must be aged 12 years or older; and

2 Either:

2.1 Both:

2.1.1 Patient is symptomatic with Urticaria Activity Score 7 (UAS7) of 20 or above; and

2.1.2 Patient has a Dermatology life quality index (DLQI) of 10 or greater; or

2.2 Patient has a Urticaria Control Test (UCT) of 8 or less; and

3 Any of the following:

3.1 Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and ciclosporin (> 3 mg/kg day) for at least 6 weeks; or

3.2 Patient has been taking high dose antihistamines (e.g. 4 times standard dose) and at least 3 courses of systemic corticosteroids (> 20 mg prednisone per day for at least 5 days) in the previous 6 months; or

3.3 Patient has developed significant adverse effects whilst on corticosteroids or ciclosporin; and

4 Either:

4.1 Treatment to be stopped if inadequate response* following 4 doses; or

4.2 Complete response* to 6 doses of omalizumab.

Renewal — (severe asthma) only from a clinical immunologist or respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 An increase in the Asthma Control Test (ACT) score of at least 5 from baseline; and

2 A reduction in the maintenance oral corticosteroid dose or number of exacerbations of at least 50% from baseline.

Renewal — (severe chronic spontaneous urticaria) only from a clinical immunologist or dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Patient has previously adequately responded* to 6 doses of omalizumab; or

2 Both:

2.1 Patient has previously had a complete response* to 6 doses of omalizumab; and

2.2 Patient has relapsed after cessation of omalizumab therapy.

Note: *Inadequate response defined as less than 50% reduction in baseline UAS7 and DLQI score, or an increase in Urticaria Control Test (UCT) score of less than 4 from baseline. Patient is to be reassessed for response after 4 doses of omalizumab.

Complete response is defined as UAS7 less than or equal to 6 and DLQI less than or equal to 5; or UCT of 16. Relapse of chronic urticaria on stopping prednisone/ciclosporin does not justify the funding of omalizumab.

PALIVIZUMAB – PCT only – Special Authority see [SA2621 on the next page](#)

Inj 100 mg per ml, 1 ml vial.....	1,700.00	1	✓ Synagis
-----------------------------------	----------	---	-----------

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2621 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 Palivizumab to be administered during the annual RSV season; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Infant was born in the last 12 months; and
 - 2.1.2 Infant was born at less than 32 weeks zero days' gestation; or
 - 2.2 Both:
 - 2.2.1 Child was born in the last 24 months; and
 - 2.2.2 Any of the following:
 - 2.2.2.1 Child has severe lung, airway, neurological or neuromuscular disease that requires ongoing ventilatory/respiratory support (see Note A) in the community; or
 - 2.2.2.2 Both:
 - 2.2.2.2.1 Child has haemodynamically significant heart disease; and
 - 2.2.2.2.2 Any of the following:
 - 2.2.2.2.2.1 Child has unoperated simple congenital heart disease with significant left to right shunt (see Note B); or
 - 2.2.2.2.2.2 Child has unoperated or surgically palliated complex congenital heart disease; or
 - 2.2.2.2.2.3 Child has severe pulmonary hypertension (see Note C); or
 - 2.2.2.2.2.4 Child has moderate or severe left ventricular (LV) failure (see Note D); or
 - 2.2.2.2.3 Child has severe combined immune deficiency, confirmed by an immunologist, but has not received a stem cell transplant; or
 - 2.2.2.2.4 Child has inborn errors of immunity (see Note E) that increase susceptibility to life-threatening viral respiratory infections, confirmed by an immunologist.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:
All of the following:

- 1 Palivizumab to be administered during the annual RSV season; and
- 2 Child was born in the last 24 months; and
- 3 Any of the following:
 - 3.1 Child has severe lung, airway, neurological or neuromuscular disease that requires ongoing ventilatory/respiratory support (see Note A) in the community; or
 - 3.2 Both:
 - 3.2.1 Child has haemodynamically significant heart disease; and
 - 3.2.2 Any of the following:
 - 3.2.2.1 Child has unoperated simple congenital heart disease with significant left to right shunt (see Note B); or
 - 3.2.2.2 Child has unoperated or surgically palliated complex congenital heart disease; or
 - 3.2.2.3 Child has severe pulmonary hypertension (see Note C); or
 - 3.2.2.4 Child has moderate or severe left ventricular (LV) failure (see Note D); or
 - 3.3 Child has severe combined immune deficiency, confirmed by an immunologist, but has not received a stem cell transplant; or
 - 3.4 Child has inborn errors of immunity (see Note E) that increase susceptibility to life-threatening viral respiratory infections, confirmed by an immunologist.

Notes:

- a) Ventilatory/respiratory support includes those on home oxygen, CPAP/VPAP and those with tracheostomies in situ managed at home

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

continued...

- b) Child requires/will require heart failure medication, and/or child has significant pulmonary hypertension, and/or infant will require surgical palliation/definitive repair within the next 3 months
- c) Mean pulmonary artery pressure more than 25 mmHg
- d) LV Ejection Fraction less than 40%
- e) Inborn errors of immunity include, but are not limited to, IFNAR deficiencies

PERTUZUMAB – PCT only – Specialist – Special Authority see SA2276 below

Inj 30 mg per ml, 14 ml vial.....	3,927.00	1	✓ Perjeta
Inj 420 mg for ECP	3,927.00	420 mg OP	✓ Baxter

► **SA2276 Special Authority for Subsidy**

Initial application — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 Patient is chemotherapy treatment naïve; or
 - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab; or
- 2 All of the following:
 - 2.1 Patient has previously discontinued treatment with pertuzumab and trastuzumab for reasons other than severe toxicity or disease progression; and
 - 2.2 Patient has signs of disease progression; and
 - 2.3 Disease has not progressed during previous treatment with pertuzumab and trastuzumab.

PERTUZUMAB WITH TRASTUZUMAB – PCT only – Special Authority see SA2534 below

Inj 600 mg with trastuzumab 600 mg, 10 ml vial	7,707.00	1	✓ Phesgo
Inj 1,200 mg with trastuzumab 600 mg, 15 ml vial	12,894.00	1	✓ Phesgo

► **SA2534 Special Authority for Subsidy**

Initial application — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The individual has received an initial Special Authority approval for intravenous pertuzumab and trastuzumab for metastatic breast cancer; and

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 1.2 Pertuzumab with trastuzumab to be administered subcutaneously at a maximum dose of 600 mg pertuzumab with 600 mg trastuzumab every three weeks (or equivalent); or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 Either:
 - 2.2.1 Patient is chemotherapy treatment naïve; or
 - 2.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 2.3 The patient has good performance status (ECOG grade 0-1); and
 - 2.4 Loading dose of pertuzumab with trastuzumab to be administered subcutaneously at a maximum dose of 1200 mg pertuzumab with 600 mg trastuzumab, respectively; and
 - 2.5 Maintenance doses of pertuzumab with trastuzumab to be administered subcutaneously at a maximum dose of 600 mg pertuzumab with 600 mg trastuzumab every three weeks (or equivalent); and
 - 2.6 Pertuzumab with trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The individual has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab; or
- 2 All of the following:
 - 2.1 Individual has previously discontinued treatment with pertuzumab with trastuzumab for reasons other than severe toxicity or disease progression; and
 - 2.2 Individual has signs of disease progression; and
 - 2.3 Disease has not progressed during previous treatment with pertuzumab with trastuzumab.

RITUXIMAB (MABTHERA) – PCT only – Specialist – Special Authority see [SA2622](#) below

Inj 100 mg per 10 ml vial	1,075.50	2	✓ Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	✓ Mabthera
Inj 1 mg for ECP	5.64	1 mg	✓ Baxter (Mabthera)

► [SA2622](#) **Special Authority for Subsidy**

Initial application — (arthritis - rheumatoid - TNF inhibitors contraindicated) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Treatment with a Tumour Necrosis Factor alpha inhibitor is contraindicated; and
- 2 Patient has had rheumatoid arthritis (either confirmed by radiologic imaging, or the patient is CCP antibody positive); and
- 3 Disease has not responded to at least 3 months of methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose, unless contraindicated; and
- 4 Disease has not responded to at least 3 months of methotrexate in combination with sulfasalazine and hydroxychloroquine sulphate (at maximum tolerated doses), unless contraindicated; and
- 5 Either:
 - 5.1 Disease has not responded to at least 3 months of methotrexate in combination with the maximum tolerated dose of ciclosporin, unless contraindicated; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

5.2 Disease has not responded to at least 3 months of therapy at the maximum tolerated dose of leflunomide alone or in combination with methotrexate, unless contraindicated; and

6 Either:

- 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 joints; or
- 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, shoulder, or hip; and

7 Either:

- 7.1 Patient has CRP greater than 15 mg/L measured within one month before the application; or
- 7.2 CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day received for more than 3 months; and

8 Maximum of two 1000 mg infusions given two weeks apart.

Initial application — (arthritis - rheumatoid - prior TNF inhibitor use) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had a Special Authority approval for etanercept or adalimumab for rheumatoid arthritis; and
- 2 Either:
 - 2.1 Patient has experienced intolerable side effects; or
 - 2.2 Following at least a 4 month trial of adalimumab or etanercept, the renewal criteria for rheumatoid arthritis were not met; and
- 3 Maximum of two 1000 mg infusions given two weeks apart.

Renewal — (arthritis - rheumatoid - re-treatment for people who have experienced a partial response to rituximab) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Following the initial course of rituximab the patient experienced between a 30% and 50% decrease in active joint count from baseline; or
 - 1.2 Following the second course of rituximab the patient experienced at least a 50% decrease in active joint count from baseline; or
 - 1.3 Following the third and subsequent courses of rituximab, the patient experienced at least a continuing 30% improvement in active joint count from baseline; and
- 2 Rituximab re-treatment not to be given within 6 months of the previous course of treatment; and
- 3 Maximum of two 1000 mg infusions given two weeks apart.

Renewal — (arthritis - rheumatoid - re-treatment for people who experience a response to rituximab) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Following the initial course of rituximab infusions the patient experienced at least a 50% decrease in active joint count from baseline; or
 - 1.2 Following the second and subsequent courses of rituximab, the patient experienced at least a continuing 30% improvement in active joint count from baseline; and
- 2 Rituximab re-treatment not to be given within 6 months of the previous course of treatment; and
- 3 Maximum of two 1000 mg infusions per course given two weeks apart.

RITUXIMAB (RIXIMYO) – PCT only – Specialist – Special Authority see [SA2623 on the next page](#)

Inj 100 mg per 10 ml vial	275.33	2	✓ Riximyo
Inj 500 mg per 50 ml vial	688.20	1	✓ Riximyo
Inj 1 mg for ECP	1.38	1 mg	✓ Baxter (Riximyo)

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2623 Special Authority for Subsidy

Initial application — (ABO-incompatible organ transplant) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is to undergo an ABO-incompatible solid organ transplant*.

Note: Indications marked with * are unapproved indications.

Initial application — (ANCA associated vasculitis) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with ANCA associated vasculitis*; and
- 2 The total rituximab dose would not exceed the equivalent of 375 mg/m² of body-surface area per week for a total of 4 weeks; and
- 3 Any of the following:
 - 3.1 Induction therapy with daily oral or pulse intravenous cyclophosphamide has failed to achieve significant improvement of disease after at least 3 months; or
 - 3.2 Patient has previously had a cumulative dose of cyclophosphamide > 15 g or a further repeat 3 month induction course of cyclophosphamide would result in a cumulative dose > 15 g; or
 - 3.3 Cyclophosphamide and methotrexate are contraindicated; or
 - 3.4 Patient is a female of child-bearing potential; or
 - 3.5 Patient has a previous history of haemorrhagic cystitis, urological malignancy or haematological malignancy.

Note: Indications marked with * are unapproved indications.

Renewal — (ANCA associated vasculitis) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with ANCA associated vasculitis*; and
- 2 Patient has previously responded to treatment with rituximab but is now experiencing an acute flare of vasculitis; and
- 3 The total rituximab dose would not exceed the equivalent of 375 mg/m² of body-surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Initial application — (Antibody-mediated organ transplant rejection) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has been diagnosed with antibody-mediated organ transplant rejection*.

Note: Indications marked with * are unapproved indications.

Initial application — (Chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 Any of the following:
 - 2.1 The patient is rituximab treatment naive; or
 - 2.2 Either:
 - 2.2.1 The patient is chemotherapy treatment naive; or
 - 2.2.2 Both:
 - 2.2.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 2.2.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; or
 - 2.3 The patient's disease has relapsed and rituximab treatment is to be used in combination with funded venetoclax; and
- 3 The patient has good performance status; and
- 4 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 4.1 The patient does not have chromosome 17p deletion CLL; or
- 4.2 Rituximab treatment is to be used in combination with funded venetoclax for relapsed/refractory chronic lymphocytic leukaemia; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide, bendamustine or venetoclax for a maximum of 6 treatment cycles; and
- 6 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration), bendamustine or venetoclax.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2.

Renewal — (Chronic lymphocytic leukaemia) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient's disease has relapsed and rituximab treatment is to be used in combination with funded venetoclax; or
 - 1.2 All of the following:
 - 1.2.1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
 - 1.2.2 The patient has had an interval of 36 months or more since commencement of initial rituximab treatment; and
 - 1.2.3 The patient does not have chromosome 17p deletion CLL; and
 - 1.2.4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 2 Rituximab to be administered in combination with fludarabine and cyclophosphamide, bendamustine or venetoclax for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

Initial application — (neuromyelitis optica spectrum disorder (NMOSD)*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Cumulative dose up to 1,500 mg/m² body surface area up to 2,000 mg total per cycle; and
- 2 Either:
 - 2.1 Patient has experienced a severe episode or attack of NMOSD (rapidly progressing symptoms with supporting clinical investigations); or
 - 2.2 All of the following:
 - 2.2.1 Patient has experienced a breakthrough attack of NMOSD; and
 - 2.2.2 Patient is receiving treatment with mycophenolate unless contraindicated or not tolerated; and
 - 2.2.3 Patient is receiving treatment with corticosteroids unless contraindicated or not tolerated; and
- 3 Each treatment cycle at least 6 months apart.

Note: Indications marked with * are unapproved indications.

Initial application — (Post-transplant) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are unapproved indications.

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

Renewal — (Post-transplant) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are unapproved indications.

Initial application — (refractory myasthenia gravis*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Cumulative dose up to 1,500 mg/m² body surface area up to 2,000 mg total per cycle; and
- 2 Either:
 - 2.1 Treatment with corticosteroids and at least one other immunosuppressant for a minimum period of 12 months has been ineffective; or
 - 2.2 Both:
 - 2.2.1 Treatment with at least one other immunosuppressant for a period of at least 12 months; and
 - 2.2.2 Corticosteroids have been trialed for at least 12 months and have been discontinued due to unacceptable side effects.

Note: Indications marked with * are unapproved indications.

Renewal — (refractory myasthenia gravis*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Cumulative dose up to 1,500 mg/m² body surface area up to 2,000 mg total per cycle; and
- 2 An initial response lasting at least 12 months was demonstrated; and
- 3 Either:
 - 3.1 Patient has relapsed despite treatment with corticosteroids and at least one other immunosuppressant for a period of at least 12 months; or
 - 3.2 Both:
 - 3.2.1 Patient's myasthenia gravis has relapsed despite treatment with at least one immunosuppressant for a period of at least 12 months; and
 - 3.2.2 Corticosteroids have been trialed for at least 12 months and have been discontinued due to unacceptable side effects.

Note: Indications marked with * are unapproved indications.

Initial application — (Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS)) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient is a child with SDNS* or FRNS*; and
- 2 Treatment with corticosteroids, ciclosporin, and mycophenolate for at least 3 months for each agent has been ineffective, not tolerated, or is contraindicated; and
- 3 The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (Steroid dependent nephrotic syndrome (SDNS) or frequently relapsing nephrotic syndrome (FRNS)) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient who was previously treated with rituximab for nephrotic syndrome*; and
- 2 Treatment with rituximab was previously successful and has demonstrated sustained response for greater than 6 months,

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

but the condition has relapsed and the patient now requires repeat treatment; and

- The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Initial application — (Steroid resistant nephrotic syndrome (SRNS)) from any relevant practitioner. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- Patient is a child with SRNS* and treatment with corticosteroids, ciclosporin and tacrolimus for at least 3 months for each agent has been ineffective, not tolerated, or is contraindicated; and
- Genetic causes of nephrotic syndrome have been excluded; and
- The total rituximab dose per cycle would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (Steroid resistant nephrotic syndrome (SRNS)) only from a nephrologist or Practitioner on the recommendation of a nephrologist. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- Patient who was previously treated with rituximab for nephrotic syndrome*; and
- Treatment with rituximab was previously successful and has demonstrated sustained response for greater than 6 months, but the condition has relapsed and the patient now requires repeat treatment; and
- The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Initial application — (aggressive CD20 positive NHL) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- All of the following:
 - The patient has treatment naive aggressive CD20 positive NHL; and
 - To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - To be used for a maximum of 8 treatment cycles; or

2 Both:

- The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
- To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (aggressive CD20 positive NHL) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- The patient has had a rituximab treatment-free interval of 12 months or more; and
- The patient has relapsed refractory/aggressive CD20 positive NHL; and
- To be used with a multi-agent chemotherapy regimen given with curative intent; and
- To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (haemophilia with inhibitors) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- Patient has mild congenital haemophilia complicated by inhibitors; or
- Patient has severe congenital haemophilia complicated by inhibitors and has failed immune tolerance therapy; or
- Patient has acquired haemophilia.

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

Renewal — (haemophilia with inhibitors) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient was previously treated with rituximab for haemophilia with inhibitors; and
- 2 An initial response lasting at least 12 months was demonstrated; and
- 3 Patient now requires repeat treatment.

Initial application — (immune thrombocytopenic purpura (ITP)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has immune thrombocytopenic purpura* with a platelet count of less than or equal to 20,000 platelets per microlitre; or
 - 1.2 Patient has immune thrombocytopenic purpura* with a platelet count of 20,000 to 30,000 platelets per microlitre and significant mucocutaneous bleeding; and
- 2 Any of the following:
 - 2.1 Treatment with steroids and splenectomy have been ineffective; or
 - 2.2 Treatment with steroids has been ineffective and splenectomy is an absolute contraindication; or
 - 2.3 Other treatments including steroids have been ineffective and patient is being prepared for elective surgery (e.g. splenectomy); and
- 3 The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (immune thrombocytopenic purpura (ITP)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

Either:

- 1 Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m² weekly for 4 weeks) is now planned; or
- 2 All of the following:
 - 2.1 Patient was previously treated with rituximab for immune thrombocytopenic purpura*; and
 - 2.2 An initial response lasting at least 12 months was demonstrated; and
 - 2.3 Patient now requires repeat treatment.

Note: Indications marked with * are unapproved indications.

Initial application — (indolent, low-grade lymphomas or hairy cell leukaemia*) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenström macroglobulinaemia. *Unapproved indication. 'Hairy cell leukaemia' also includes hairy cell leukaemia variant.

Renewal — (indolent, low-grade lymphomas or hairy cell leukaemia*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenström macroglobulinaemia. *Unapproved indication. 'Hairy cell leukaemia' also includes hairy cell leukaemia variant.

Initial application — (pure red cell aplasia (PRCA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 weeks where patient has autoimmune pure red cell aplasia* associated with a demonstrable B-cell lymphoproliferative disorder.

Note: Indications marked with * are unapproved indications.

Renewal — (pure red cell aplasia (PRCA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 6 weeks where patient was previously treated with rituximab for pure red cell aplasia* associated with a demonstrable B-cell lymphoproliferative disorder and demonstrated an initial response lasting at least 12 months.

Note: Indications marked with * are unapproved indications.

Initial application — (severe cold haemagglutinin disease (CHAD)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has cold haemagglutinin disease*;
- 2 Patient has severe disease which is characterized by symptomatic anaemia, transfusion dependence or disabling circulatory symptoms; and
- 3 The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (severe cold haemagglutinin disease (CHAD)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

Either:

- 1 Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m² weekly for 4 weeks) is now planned; or
- 2 All of the following:
 - 2.1 Patient was previously treated with rituximab for severe cold haemagglutinin disease*;
 - 2.2 An initial response lasting at least 12 months was demonstrated; and
 - 2.3 Patient now requires repeat treatment.

Note: Indications marked with * are unapproved indications.

Initial application — (thrombotic thrombocytopenic purpura (TTP)*) only from a haematologist or any relevant practitioner on the recommendation of a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The total rituximab dose per cycle would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks; and
- 2 Each treatment cycle at least 6 months apart; and
- 3 Either:
 - 3.1 Patient has experienced progression of clinical symptoms or persistent thrombocytopenia despite plasma exchange; or
 - 3.2 Patient has acute idiopathic TTP* with neurological or cardiovascular pathology.

Note: Indications marked with * are unapproved indications.

Initial application — (treatment refractory systemic lupus erythematosus (SLE)*) only from a rheumatologist, nephrologist or any relevant practitioner on the recommendation of a rheumatologist or nephrologist. Approvals valid without further renewal

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has severe, immediately life- or organ-threatening SLE*; and
- 2 The condition has been refractory to treatment with corticosteroids at a dose of at least 1 mg/kg unless contraindicated; and
- 3 The condition has relapsed following prior treatment for at least 6 months with maximal tolerated doses of azathioprine, mycophenolate mofetil and high dose cyclophosphamide, or cyclophosphamide is contraindicated; and
- 4 Initial treatment maximum of four 1000 mg infusions; and
- 5 Treatment for relapse following initial partial response to rituximab up to a maximum of two 1000 mg infusions every 6 months.

Note: Indications marked with * are unapproved indications.

Initial application — (warm autoimmune haemolytic anaemia (warm AIHA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has warm autoimmune haemolytic anaemia*; and
- 2 One of the following treatments has been ineffective: steroids (including if patient requires ongoing steroids at doses equivalent to > 5 mg prednisone daily), cytotoxic agents (e.g. cyclophosphamide monotherapy or in combination), intravenous immunoglobulin; and
- 3 The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

Note: Indications marked with * are unapproved indications.

Renewal — (warm autoimmune haemolytic anaemia (warm AIHA)) only from a haematologist or Practitioner on the recommendation of a haematologist. Approvals valid for 8 weeks for applications meeting the following criteria:

Either:

- 1 Previous treatment with lower doses of rituximab (100 mg weekly for 4 weeks) have proven ineffective and treatment with higher doses (375 mg/m² weekly for 4 weeks) is now planned; or
- 2 All of the following:
 - 2.1 Patient was previously treated with rituximab for warm autoimmune haemolytic anaemia*; and
 - 2.2 An initial response lasting at least 12 months was demonstrated; and
 - 2.3 Patient now requires repeat treatment.

Note: Indications marked with * are unapproved indications.

Initial application — (antisyntetase syndrome) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has severe, immediately life- or organ-threatening disease, including interstitial lung disease; and
- 2 Either:
 - 2.1 Treatment with at least 3 immunosuppressants (oral corticosteroids, cyclophosphamide, methotrexate, mycophenolate, ciclosporin, azathioprine) has been ineffective controlling active disease; or
 - 2.2 Rapid treatment is required for life threatening complications; and
- 3 Maximum of two 1000mg infusions every 6 months.

Initial application — (graft versus host disease) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has refractory graft versus host disease following transplant; and
- 2 Treatment with at least 3 immunosuppressants (oral steroids, ciclosporin, tacrolimus, mycophenolate, sirolimus) has not be effective at controlling active disease; and
- 3 The total rituximab dose used would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Initial application — (chronic inflammatory demyelinating polyneuropathy (CIPD)*) only from a neurologist or any relevant practitioner on the recommendation of a neurologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Both:
 - 1.1.1 Treatment with corticosteroids and intravenous immunoglobulin and/or plasma exchange has been ineffective controlling active disease, is not tolerated, or is contraindicated; and
 - 1.1.2 At least one other immunosuppressant (cyclophosphamide, ciclosporin, tacrolimus, mycophenolate) is not tolerated or has been ineffective controlling active disease. If an immunosuppressant is contraindicated, a trial has occurred of one of those which is not contraindicated (unless all are contraindicated); or
 - 1.2 Rapid treatment is required for life threatening complications; and
- 2 Cumulative dose up to 1500 mg/m² body surface area up to 2000 mg total per cycle; and
- 3 Each treatment cycle at least 6 months apart.

Note: Indications marked with * are unapproved indications.

Initial application — (anti-NMDA receptor autoimmune encephalitis*) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Both:
 - 1.1.1 Treatment with corticosteroids and intravenous immunoglobulin and/or plasma exchange has been ineffective controlling active disease, is not tolerated or is contraindicated; and
 - 1.1.2 At least one other immunosuppressant (cyclophosphamide, ciclosporin, tacrolimus, mycophenolate) has been ineffective controlling active disease, is not tolerated or is contraindicated; or
 - 1.2 Rapid treatment is required for life threatening complications; and
- 2 Cumulative dose up to 1500 mg/m² body surface area up to 2000 mg total per cycle; and
- 3 Each treatment cycle at least 6 months apart.

Note: Indications marked with * are unapproved indications.

Initial application — (CD20+ low grade or follicular B-cell NHL) from any relevant practitioner. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has CD20+ low grade or follicular B-cell NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has CD20+ low grade or follicular B-cell NHL requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Renewal — (CD20+ low grade or follicular B-cell NHL) from any relevant practitioner. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 Rituximab is to be used for maintenance in CD20+ low grade or follicular B-cell NHL following induction with first-line systemic chemotherapy; and
- 2 Patient is intended to receive rituximab maintenance therapy for 2 years at a dose of 375 mg/m² every 8 weeks (maximum of 12 cycles).

Initial application — (Membranous nephropathy) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

1 Either:

- 1.1 Patient has biopsy-proven primary/idiopathic membranous nephropathy*; or
- 1.2 Patient has PLA2 antibodies with no evidence of secondary cause, and an eGFR of > 60ml/min/1.73m²; and

- 2 Patient remains at high risk of progression to end-stage kidney disease despite more than 3 months of treatment with conservative measures that include (unless contraindicated or the patient has experienced intolerable side effects) renin-angiotensin system blockade, blood-pressure management, dietary sodium and protein restriction, treatment of dyslipidaemia, and anticoagulation agents; and
- 3 The total rituximab dose per cycle would not exceed the equivalent of 375 mg/m² of body surface area per week for a total of 4 weeks; and
- 4 Subsequent retreatment only for disease relapse or after partial response.

Note: Indications marked with * are unapproved indications.

Initial application — (B-cell acute lymphoblastic leukaemia/lymphoma*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has newly diagnosed B-cell acute lymphoblastic leukaemia/lymphoma*; and
- 2 Treatment must be in combination with an intensive chemotherapy protocol with curative intent; and
- 3 The total rituximab dose would not exceed the equivalent of 375 mg/m² per dose for a maximum of 18 doses.

Note: Indications marked with * are unapproved indications.

Initial application — (desensitisation prior to transplant) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires desensitisation prior to mismatched allogenic stem cell transplant*; and
- 2 Patient would receive no more than two doses at 375 mg/m² of body-surface area.

Note: Indications marked with * are unapproved indications.

Initial application — (pemphigus*) only from a dermatologist or relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has severe rapidly progressive pemphigus; and
 - 1.2 Is used in combination with systemic corticosteroids (20 mg/day); and
 - 1.3 Any of the following:
 - 1.3.1 Skin involvement is at least 5% body surface area; or
 - 1.3.2 Significant mucosal involvement (10 or more mucosal erosions) or diffuse gingivitis or confluent large erosions; or
 - 1.3.3 Involvement of two or more mucosal sites; or

2 Both:

- 2.1 Patient has pemphigus; and
- 2.2 Patient has not experienced adequate clinical benefit from systemic corticosteroids (20 mg/day) in combination with a steroid sparing agent, unless contraindicated.

Note: Indications marked with * are unapproved indications.

Renewal — (pemphigus*) only from a dermatologist or relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has experienced adequate clinical benefit from rituximab treatment, with improvement in symptoms and healing of skin ulceration and reduction in corticosteroid requirement; and
- 2 Patient has not received rituximab in the previous 6 months.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Note: Indications marked with * are unapproved indications.

Initial application — (immunoglobulin G4-related disease (IgG4-RD*)) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed diagnosis of IgG4-RD*; and
- 2 Either:
 - 2.1 Treatment with corticosteroids and/or disease modifying anti-rheumatic drugs for at least 3 months has been ineffective in lowering corticosteroid dose below 5 mg per day (prednisone equivalent) without relapse; or
 - 2.2 Treatment with corticosteroids and/or disease modifying anti-rheumatic drugs is contraindicated or associated with evidence of toxicity or intolerance; and
- 3 Total rituximab dose used should not exceed a maximum of two 1000 mg infusions of rituximab given two weeks apart.

Note: Indications marked with * are unapproved indications.

Renewal — (immunoglobulin G4-related disease (IgG4-RD*)) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Treatment with rituximab for IgG4-RD* was previously successful and patient's disease has demonstrated sustained response, but the condition has relapsed; or
 - 1.2 Patient is receiving maintenance treatment for IgG4-RD*; and
- 2 Rituximab re-treatment not to be given within 6 months of previous course of treatment; and
- 3 Maximum of two 1000 mg infusions of rituximab given two weeks apart.

Note: Indications marked with * are unapproved indications.

SECUKINUMAB – Special Authority see [SA2624 below](#) – Retail pharmacy

Inj 150 mg per ml, 1 ml prefilled syringe.....	799.50	1	✓ Cosentyx
	1,599.00	2	✓ Cosentyx

▶SA2624 Special Authority for Subsidy

Initial application — (plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Any of the following:
 - 1.1.1 Patient has "whole body" plaque psoriasis with a PASI score of greater than 10, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 1.1.2 Patient has plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; or
 - 1.1.3 Patient has localised genital or flexural plaque psoriasis where the plaques or lesions have been present for at least 6 months from the time of initial diagnosis, and with a DLQI score greater than 10; and
 - 1.2 Patient has received insufficient benefit (see Note) or has experienced intolerable side effects from at least 3 of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 1.3 A PASI assessment or DLQI assessment has been completed for the most recent prior treatment course, within 1 month of stopping that treatment; and
 - 1.4 The most recent PASI or DQLI assessment is within 1 month before the application; or
- 2 All of the following:
 - 2.1 Patient has had a Special Authority approval for adalimumab, etanercept, or infliximab, for plaque psoriasis; and
 - 2.2 Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2.2.1 Patient has experienced intolerable side effects; or
- 2.2.2 Patient has received insufficient benefit to meet the renewal criteria for plaque psoriasis; and
- 2.3 A PASI assessment or DLQI assessment has been completed for the most recent prior treatment within 1 month of stopping that treatment; and
- 2.4 The most recent PASI or DQLI assessment is within 1 month before the application.

Note: A treatment course is defined as a minimum of 12 weeks of treatment. "Insufficient benefit" is defined as: for whole body plaque psoriasis, a PASI score of greater than 10; for plaque psoriasis of the face, hand, foot, genital or flexural areas, at least 2 of the 3 PASI symptom sub scores for erythema, thickness and scaling are rated as severe or very severe, and for the face, palm of a hand or sole of a foot the skin area affected is 30% or more of the face, palm of a hand or sole of a foot. As assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment

Renewal — (plaque psoriasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient's PASI score has reduced by 75% or more compared to pre-secukinumab baseline; or
 - 1.2 Patient has a DLQI improvement of 5 or more, compared to pre-secukinumab baseline; or
 - 1.3 Both:
 - 1.3.1 Patient had localised genital or flexural plaque psoriasis at the start of treatment; and
 - 1.3.2 Either:
 - 1.3.2.1 Patient has experienced a reduction of 75% or more in the skin area affected, or sustained at this level, compared to the pre-secukinumab baseline; or
 - 1.3.2.2 Patient has a DLQI improvement of 5 or more, compared to pre-secukinumab baseline; and
- 2 Maximum dose 300 mg monthly.

Initial application — (ankylosing spondylitis – second-line biologic) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has had a Special Authority approval for adalimumab or etanercept for ankylosing spondylitis; and
- 2 Either:
 - 2.1 Patient has experienced intolerable side effects; or
 - 2.2 Patient has received insufficient benefit to meet the renewal criteria for ankylosing spondylitis.

Renewal — (ankylosing spondylitis – second-line biologic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 BASDAI has improved from the pre-secukinumab baseline either by at least 4 points on a 10-point scale, or by at least 50%, whichever is less; and
- 2 Maximum dose 300 mg monthly.

Initial application — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has had a Special Authority approval for adalimumab, etanercept or infliximab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced intolerable side effects; or
 - 1.2.2 Patient has received insufficient benefit to meet the renewal criteria for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has received insufficient benefit from at least 3 months of methotrexate at a maximum tolerated dose unless contraindicated; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.2 Patient has received insufficient benefit from at least 3 months of sulfasalazine or leflunomide at maximum tolerated doses unless contraindicated; and
- 2.3 Either:
 - 2.3.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 joints; or
 - 2.3.2 Patient has persistent symptoms of poorly controlled and active disease in at least 4 joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.4 Any of the following:
 - 2.4.1 CRP greater than 15 mg/L measured within one month before the application; or
 - 2.4.2 ESR greater than 25 mm per hour measured within one month before the application; or
 - 2.4.3 ESR and CRP not measured as patient is receiving prednisone therapy greater than 5 mg per day received for more than 3 months.

Renewal — (arthritis - psoriatic) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Following initial treatment, at least a 50% decrease in active joint count from baseline; or
 - 1.2 At least a continuing 30% improvement in active joint count from baseline; and
- 2 Maximum dose 300 mg monthly.

SILTUXIMAB – Special Authority see [SA1596 below](#) – Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial	770.57	1	✓ Sylvant
Inj 400 mg vial	3,082.33	1	✓ Sylvant

► **SA1596** **Special Authority for Subsidy**

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TOCILIZUMAB – PCT only – Special Authority see [SA2489 below](#)

Inj 20 mg per ml, 4 ml vial.....	220.00	1	✓ Actemra
Inj 20 mg per ml, 10 ml vial.....	550.00	1	✓ Actemra
Inj 20 mg per ml, 20 ml vial.....	1,100.00	1	✓ Actemra
Inj 1 mg for ECP	2.85	1 mg	✓ Baxter

► **SA2489** **Special Authority for Subsidy**

Initial application — (cytokine release syndrome) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has developed grade 3 or 4 cytokine release syndrome associated with the administration of blinatumomab for the treatment of acute lymphoblastic leukaemia; and
 - 1.2 Tocilizumab is to be administered at doses no greater than 8 mg/kg IV for a maximum of 3 doses (if less than 30kg, maximum of 12 mg/kg); or

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

2 All of the following:

- 2.1 The patient is enrolled in the Malaghan Institute of Medical Research ENABLE trial programme; and
- 2.2 The patient has developed CRS or Immune Effector Cell-Associated Neurotoxicity Syndrome (ICANS) following CAR T-cell therapy for the treatment of relapsed or refractory B-cell non-Hodgkin lymphoma; and
- 2.3 Tocilizumab is to be administered according to the consensus guidelines for CRS or ICANS for CAR T-cell therapy at doses no greater than 8 mg/kg IV for a maximum of 3 doses.

Initial application — (previous use) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient was being treated with tocilizumab prior to 1 February 2019; and
- 2 Any of the following:
 - 2.1 rheumatoid arthritis; or
 - 2.2 systemic juvenile idiopathic arthritis; or
 - 2.3 adult-onset Still's disease; or
 - 2.4 polyarticular juvenile idiopathic arthritis; or
 - 2.5 idiopathic multicentric Castleman's disease.

Initial application — (Rheumatoid Arthritis (patients previously treated with adalimumab or etanercept)) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had an initial Special Authority approval for adalimumab and/or etanercept for rheumatoid arthritis; and
- 2 Either:
 - 2.1 The patient has experienced intolerable side effects from adalimumab and/or etanercept; or
 - 2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for rheumatoid arthritis; and
- 3 Either:
 - 3.1 The patient is seronegative for both anti-cyclic citrullinated peptide (CCP) antibodies and rheumatoid factor; or
 - 3.2 Both:
 - 3.2.1 The patient has been started on rituximab for rheumatoid arthritis in a Health NZ Hospital; and
 - 3.2.2 Either:
 - 3.2.2.1 The patient has experienced intolerable side effects from rituximab; or
 - 3.2.2.2 At four months following the initial course of rituximab the patient has received insufficient benefit such that they do not meet the renewal criteria for rheumatoid arthritis.

Initial application — (Rheumatoid Arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2 Tocilizumab is to be used as monotherapy; and
- 3 Either:
 - 3.1 Treatment with methotrexate is contraindicated; or
 - 3.2 Patient has tried and did not tolerate oral and/or parenteral methotrexate; and
- 4 Either:
 - 4.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of ciclosporin alone or in combination with another agent; or
 - 4.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

5 Either:

- 5.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
- 5.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

6 Either:

- 6.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 6.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (systemic juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient diagnosed with systemic juvenile idiopathic arthritis; and
- 2 Patient has tried and not responded to a reasonable trial of all of the following, either alone or in combination: oral or parenteral methotrexate; non-steroidal anti-inflammatory drugs (NSAIDs); and systemic corticosteroids.

Initial application — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 Either:

- 1.1.1 The patient has had an initial Special Authority approval for adalimumab and/or etanercept for adult-onset Still's disease (AOSD); or
- 1.1.2 The patient has been started on tocilizumab for AOSD in a Health NZ Hospital; and

1.2 Either:

- 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or etanercept; or
- 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for AOSD; or

2 All of the following:

- 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
- 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal antiinflammatory drugs (NSAIDs) and methotrexate; and
- 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Initial application — (polyarticular juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for both etanercept and adalimumab for polyarticular course juvenile idiopathic arthritis (JIA); and
- 1.2 The patient has experienced intolerable side effects, or has received insufficient benefit from, both etanercept and adalimumab; or

2 All of the following:

- 2.1 Treatment with a tumour necrosis factor alpha inhibitor is contraindicated; and
- 2.2 Patient has had polyarticular course JIA for 6 months duration or longer; and
- 2.3 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.4 Any of the following:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2.4.1 At least 5 active joints and at least 3 joints with limited range of motion, pain or tenderness after a 3-month trial of methotrexate (at the maximum tolerated dose); or
- 2.4.2 Moderate or high disease activity (cJADAS10 score of at least 2.5) after a 3-month trial of methotrexate (at the maximum tolerated dose); or
- 2.4.3 Low disease activity (cJADAS10 score between 1.1 and 2.5) after a 6-month trial of methotrexate.

Initial application — (idiopathic multicentric Castleman's disease) only from a haematologist, rheumatologist or Practitioner on the recommendation of a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Tocilizumab to be administered at doses no greater than 8 mg/kg IV every 3-4 weeks.

Initial application — (moderate to severe COVID-19) from any relevant practitioner. Approvals valid for 4 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed (or probable) COVID-19; and
- 2 Oxygen saturation of < 92% on room air, or requiring supplemental oxygen; and
- 3 Patient is receiving adjunct systemic corticosteroids, or systemic corticosteroids are contraindicated; and
- 4 Tocilizumab is to be administered at doses no greater than 8mg/kg IV for a maximum of one dose; and
- 5 Tocilizumab is not to be administered in combination with baricitinib.

Renewal — (Rheumatoid Arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Following 6 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

Renewal — (systemic juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Following up to 6 months' initial treatment, the patient has achieved at least an American College of Rheumatology paediatric 30% improvement criteria (ACR Pedi 30) response from baseline; or
- 2 On subsequent reapplications, the patient demonstrates at least a continuing ACR Pedi 30 response from baseline.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months where the patient has a sustained improvement in inflammatory markers and functional status.

Renewal — (polyarticular juvenile idiopathic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (idiopathic multicentric Castleman's disease) only from a haematologist, rheumatologist or Practitioner on the recommendation of a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

continued...

and the patient has a sustained improvement in inflammatory markers and functional status.

Initial application — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The individual requires treatment for moderate to severe autoimmune toxicity following immune checkpoint inhibitor treatment for malignancy; and
- 2 The individual has received insufficient benefit from use of corticosteroids; and
- 3 Tocilizumab is to be administered at a maximum dose of 8 mg/kg fortnightly.

Renewal — (immune checkpoint inhibitor toxicity in malignancy*) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 The individual has shown clinical improvement and ongoing treatment is required; and
- 2 Tocilizumab is to be administered at a maximum dose of 8 mg/kg fortnightly.

Note: Indications marked with * are unapproved indications.

TRASTUZUMAB (HERZUMA) – PCT only – Special Authority see [SA2293 below](#)

Inj 150 mg vial	100.00	1	✓ Herzuma
Inj 440 mg vial	293.35	1	✓ Herzuma
Inj 1 mg for ECP	0.70	1 mg	✓ Baxter

► **SA2293 Special Authority for Subsidy**

Initial application — (early breast cancer) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 The patient has early breast cancer expressing HER-2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment).

Renewal — (early breast cancer*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
 - 1.3 Any of the following:
 - 1.3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 1.3.2 The patient discontinued lapatinib within 3 months due to intolerable side effects and the cancer did not progress whilst on lapatinib; or
 - 1.3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 1.4 Either:
 - 1.4.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 1.4.2 All of the following:
 - 1.4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 1.4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 1.4.2.3 The patient has good performance status (ECOG grade 0-1); and
 - 1.5 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2.1 Patient has previously discontinued treatment with trastuzumab in the metastatic setting for reasons other than severe toxicity or disease progression; and
- 2.2 Patient has signs of disease progression; and
- 2.3 Disease has not progressed during previous treatment with trastuzumab.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer

Initial application — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 2.2 The patient discontinued lapatinib within 3 months due to intolerable side effects and the cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:
 - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 1.3 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 Patient has previously discontinued treatment with trastuzumab for reasons other than severe toxicity or disease progression; and
 - 2.2 Patient has signs of disease progression; and
 - 2.3 Disease has not progressed during previous treatment with trastuzumab.

Initial application — (gastric, gastro-oesophageal junction and oesophageal cancer) from any relevant practitioner.

Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has locally advanced or metastatic gastric, gastro-oesophageal junction or oesophageal cancer expressing HER-2 IHC 2+ FISH+ or IHC3+ (or other current technology); and
- 2 Patient has an ECOG score of 0-2.

Renewal — (gastric, gastro-oesophageal junction and oesophageal cancer) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

2 Trastuzumab to be discontinued at disease progression.

TRASTUZUMAB DERUXTECAN – PCT only – Special Authority see [SA2420 below](#)

Inj 100 mg per ml, 1 ml vial.....	2,550.00	1	✓ Enhertu
Inj 1 mg for ECP	27.05	1 mg	✓ Baxter

► **SA2420** **Special Authority for Subsidy**

Initial application only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist.

Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with trastuzumab deruxtecan and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Patient has metastatic breast cancer expressing HER-2 IHC3+ or ISH+ (including FISH or other current technology); and
 - 2.2 Patient has previously received trastuzumab and chemotherapy, separately or in combination; and
 - 2.3 Either:
 - 2.3.1 The patient has received prior therapy for metastatic disease; or
 - 2.3.2 The patient developed disease recurrence during, or within six months of completing adjuvant therapy; and
 - 2.4 Patient has a good performance status (ECOG 0-1); and
 - 2.5 Patient has not received prior funded trastuzumab deruxtecan treatment; and
 - 2.6 Treatment to be discontinued at disease progression.

Renewal only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The cancer has not progressed at any time point during the previous approval period whilst on trastuzumab deruxtecan; and
- 2 Treatment to be discontinued at disease progression.

Note: Prior or adjuvant therapy includes anthracycline, other chemotherapy, biological drugs, or endocrine therapy.

TRASTUZUMAB EMTANSINE – PCT only – Specialist – Special Authority see [SA2424 below](#)

Inj 100 mg vial	2,320.00	1	✓ Kadcyla
Inj 160 mg vial	3,712.00	1	✓ Kadcyla
Inj 1 mg for ECP	24.52	1 mg	✓ Baxter

► **SA2424** **Special Authority for Subsidy**

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has early breast cancer expressing HER2 IHC3+ or ISH+; and
- 2 Documentation of pathological invasive residual disease in the breast and/or axillary lymph nodes following completion of surgery; and
- 3 Patient has completed systemic neoadjuvant therapy with trastuzumab and chemotherapy prior to surgery; and
- 4 Disease has not progressed during neoadjuvant therapy; and
- 5 Patient has left ventricular ejection fraction of 45% or greater; and
- 6 Adjuvant treatment with trastuzumab emtansine to be commenced within 12 weeks of surgery; and
- 7 Trastuzumab emtansine to be discontinued at disease progression; and
- 8 Total adjuvant treatment duration must not exceed 42 weeks (14 cycles).

Initial application — (metastatic breast cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1.3 The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed; and
- 2 Ustekinumab to be administered at a dose no greater than 90 mg every 8 weeks.

Initial application — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Either:
- 1 Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment; or
 - 2 Both:
 - 2.1 Patient has active Crohn's disease; and
 - 2.2 Either:
 - 2.2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or
 - 2.2.2 Both:
 - 2.2.2.1 Patient meets the initiation criteria for prior biologic therapies for Crohn's disease; and
 - 2.2.2.2 Other biologics for Crohn's disease are contraindicated.

Note: Indication marked with * is an unapproved indication.

Renewal — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
- 1 Any of the following:
 - 1.1 PCDAI score has reduced by 10 points from when the patient was initiated on biologic therapy; or
 - 1.2 PCDAI score is 15 or less; or
 - 1.3 The patient has experienced an adequate response to treatment, but CDAI score cannot be assessed; and
 - 2 Ustekinumab to administered at a dose no greater than 90 mg every 8 weeks.

Note: Indication marked with * is an unapproved indication.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Either:
- 1 Patient is currently on treatment with ustekinumab commenced prior to 1 February 2023 and met all remaining criteria (criterion 2) below at the time of commencing treatment; or
 - 2 Both:
 - 2.1 Patient has active ulcerative colitis; and
 - 2.2 Either:
 - 2.2.1 Patient has had an initial approval for prior biologic therapy for ulcerative colitis and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or
 - 2.2.2 Both:
 - 2.2.2.1 Patient meets the initiation criteria for prior biologic therapies for ulcerative colitis; and
 - 2.2.2.2 Other biologics for ulcerative colitis are contraindicated.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
- 1 Either:
 - 1.1 The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy; or
 - 1.2 PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy*; and
 - 2 Ustekinumab will be used at a dose no greater than 90 mg intravenously every 8 weeks.

Note: Criterion marked with * is for an unapproved indication.

VEDOLIZUMAB – PCT only – Special Authority see [SA2183 on the next page](#)

Inj 300 mg vial	3,313.00	1	✓ Entyvio
-----------------------	----------	---	-----------

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2183 Special Authority for Subsidy

Initial application — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated); or
 - 2.2 Patient has a CDAI score of greater than or equal to 300, or HBI score of greater than or equal to 10; or
 - 2.3 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.4 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.5 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Any of the following:
 - 3.1 Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids; or
 - 3.2 Patient has experienced intolerable side effects from immunomodulators and corticosteroids; or
 - 3.3 Immunomodulators and corticosteroids are contraindicated.

Renewal — (Crohn's disease - adults) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 CDAI score has reduced by 100 points, or HBI score has reduced by 3 points, from when the patient was initiated on biologic therapy; or
 - 1.2 CDAI score is 150 or less, or HBI is 4 or less; or
 - 1.3 The patient has experienced an adequate response to treatment, but CDAI score and/or HBI score cannot be assessed; and
- 2 Vedolizumab to administered at a dose no greater than 300 mg every 8 weeks.

Initial application — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Paediatric patient has active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated); or
 - 2.2 Patient has a Paediatric Crohn's Disease Activity Index (PCDAI) score of greater than or equal to 30; or
 - 2.3 Patient has extensive small intestine disease; and
- 3 Any of the following:
 - 3.1 Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids; or
 - 3.2 Patient has experienced intolerable side effects from immunomodulators and corticosteroids; or
 - 3.3 Immunomodulators and corticosteroids are contraindicated.

Note: Indication marked with * is an unapproved indication.

Renewal — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 PCDAI score has reduced by 10 points from when the patient was initiated on biologic therapy; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1.2 PCDAI score is 15 or less; or
- 1.3 The patient has experienced an adequate response to treatment, but CDAI score cannot be assessed; and
- 2 Vedolizumab to administered at a dose no greater than 300mg every 8 weeks.

Note: Indication marked with * is an unapproved indication.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has active ulcerative colitis; and
- 2 Any of the following:
 - 2.1 Patient has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria (unless contraindicated); or
 - 2.2 Patient has a SCCAI score is greater than or equal to 4; or
 - 2.3 Patient's PUCAI score is greater than or equal to 20*; and
- 3 Any of the following:
 - 3.1 Patient has tried but experienced an inadequate response to (including lack of initial response and/or loss of initial response) from prior therapy with immunomodulators and corticosteroids; or
 - 3.2 Patient has experienced intolerable side effects from immunomodulators and corticosteroids; or
 - 3.3 Immunomodulators and corticosteroids are contraindicated.

Note: Indication marked with * is an unapproved indication.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The SCCAI score has reduced by 2 points or more from the SCCAI score since initiation on biologic therapy; or
 - 1.2 The PUCAI score has reduced by 10 points or more from the PUCAI score since initiation on biologic therapy *; and
- 2 Vedolizumab will be used at a dose no greater than 300 mg intravenously every 8 weeks.

Note: Indication marked with * is an unapproved indication.

Programmed Cell Death-1 (PD-1) Inhibitors

ATEZOLIZUMAB – PCT only – Specialist – Special Authority see SA2443 below

Inj 60 mg per ml, 20 ml vial.....	9,503.00	1	✓ Tecentriq
Inj 1 mg for ECP	8.08	1 mg	✓ Baxter

►SA2443 Special Authority for Subsidy

Initial application — (non-small cell lung cancer second line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic non-small cell lung cancer; and
- 2 Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC; and
- 3 For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain; and
- 4 Patient has an ECOG 0-2; and
- 5 Patient has documented disease progression following treatment with at least two cycles of platinum-based chemotherapy; and
- 6 Atezolizumab is to be used as monotherapy at a dose of 1200 mg every three weeks (or equivalent) for a maximum of 16 weeks; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

7 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (non-small cell lung cancer second line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment; or
 - 1.2 Patient's disease has had a partial response to treatment; or
 - 1.3 Patient has stable disease; and
- 2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; and
- 3 No evidence of disease progression; and
- 4 The treatment remains clinically appropriate and patient is benefitting from treatment; and
- 5 Atezolizumab to be used at a maximum dose of 1200 mg every three weeks (or equivalent); and
- 6 Treatment with atezolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with atezolizumab and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Patient has locally advanced or metastatic, unresectable hepatocellular carcinoma; and
 - 2.2 Patient has preserved liver function (Child-Pugh A); and
 - 2.3 Transarterial chemoembolisation (TACE) is unsuitable; and
 - 2.4 Any of the following:
 - 2.4.1 Patient has not received prior systemic therapy for the treatment of hepatocellular carcinoma; or
 - 2.4.2 Patient received funded lenvatinib before 1 March 2025; or
 - 2.4.3 Both:
 - 2.4.3.1 Patient has experienced treatment-limiting toxicity from treatment with lenvatinib; and
 - 2.4.3.2 No disease progression since initiation of lenvatinib; and
 - 2.5 Patient has an ECOG performance status of 0-2; and
 - 2.6 To be given in combination with bevacizumab.

Renewal — (unresectable hepatocellular carcinoma) from any relevant practitioner. Approvals valid for 6 months where there is no evidence of disease progression.

DURVALUMAB – PCT only – Specialist – Special Authority see [SA2425 below](#)

Inj 50 mg per ml, 10 ml vial.....	4,700.00	1	✓ Imfinzi
Inj 50 mg per ml, 2.4 ml vial.....	1,128.00	1	✓ Imfinzi
Inj 1 mg for ECP.....	9.59	1 mg	✓ Baxter

► [SA2425](#) Special Authority for Subsidy

Initial application — (Non-small cell lung cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has histologically or cytologically documented stage III, locally advanced, unresectable non-small cell lung cancer (NSCLC); or
 - 1.2 Patient has histologically or cytologically documented stage IIb (T1N2a only), locally advanced, unresectable non-small cell lung cancer (NSCLC); and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2 Patient has received two or more cycles of platinum-based chemotherapy concurrently with definitive radiation therapy; and
- 3 Patient has no disease progression following the second or subsequent cycle of platinum-based chemotherapy with definitive radiation therapy treatment; and
- 4 Patient has a ECOG performance status of 0 or 1; and
- 5 Patient has completed last radiation dose within 8 weeks of starting treatment with durvalumab; and
- 6 Patient must not have received prior PD-1 or PD-L1 inhibitor therapy for this condition; and
- 7 Either:
 - 7.1 Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks; or
 - 7.2 Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks; and
- 8 Treatment with durvalumab to cease upon signs of disease progression.

Renewal — (Non-small cell lung cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The treatment remains clinically appropriate and the patient is benefitting from treatment; and
- 2 Either:
 - 2.1 Durvalumab is to be used at a maximum dose of no greater than 10 mg/kg every 2 weeks; or
 - 2.2 Durvalumab is to be used at a flat dose of 1500 mg every 4 weeks; and
- 3 Treatment with durvalumab to cease upon signs of disease progression; and
- 4 Total continuous treatment duration must not exceed 12 months.

IPILIMUMAB – PCT only – Specialist – Special Authority see SA2461 below

Inj 5 mg per ml, 10 ml vial.....	5,000.00	1	✓ Yervoy
Inj 5 mg per ml, 40 ml vial.....	20,000.00	1	✓ Yervoy
Inj 1 mg for ECP	106.00	1 mg	✓ Baxter

►SA2461] Special Authority for Subsidy

Initial application — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 The patient is currently on treatment with ipilimumab and met all remaining criteria prior to commencing treatment; and
- 2 All of the following:
 - 2.1 The patient has metastatic renal cell carcinoma; and
 - 2.2 The patient is treatment naive; and
 - 2.3 The patient has ECOG performance status 0-2; and
 - 2.4 The disease is predominantly of clear cell histology; and
 - 2.5 Any of the following:
 - 2.5.1 The patient has sarcomatoid histology; or
 - 2.5.2 Haemoglobin levels less than the lower limit of normal; or
 - 2.5.3 Corrected serum calcium level greater than 10 mg/dL (2.5 mmol/L); or
 - 2.5.4 Neutrophils greater than the upper limit of normal; or
 - 2.5.5 Platelets greater than the upper limit of normal; or
 - 2.5.6 Interval of less than 1 year from original diagnosis to the start of systemic therapy; or
 - 2.5.7 Karnofsky performance score of less than or equal to 70; and
 - 2.6 Ipilimumab is to be used at a maximum dose of 1 mg/kg for up to four cycles in combination with nivolumab..

NIVOLUMAB – PCT only – Specialist – Special Authority see SA2490 on the next page

Inj 10 mg per ml, 4 ml vial.....	1,051.98	1	✓ Opdivo
Inj 10 mg per ml, 10 ml vial.....	2,629.96	1	✓ Opdivo
Inj 1 mg for ECP	27.22	1 mg	✓ Baxter

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA2490 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
- 2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
- 3 The individual has ECOG performance 0-2; and
- 4 Either:
 - 4.1 The individual has not received funded pembrolizumab; or
 - 4.2 Both:
 - 4.2.1 The individual has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the individual was on pembrolizumab; and
- 5 Any of the following:
 - 5.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
 - 5.2 The individual did not receive treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; or
 - 5.3 All of the following:
 - 5.3.1 The individual received treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; and
 - 5.3.2 The individual did not experience disease recurrence while on treatment with that PD-1/PD-L1 inhibitor; and
 - 5.3.3 The individual did not experience disease recurrence within six months of completing perioperative treatment with a PD-1/PD-L1 inhibitor.

Renewal — (unresectable or metastatic melanoma, less than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Any of the following:
 - 1.1.1 The individual's disease has had a complete response to treatment; or
 - 1.1.2 The individual's disease has had a partial response to treatment; or
 - 1.1.3 The individual has stable disease; and
 - 1.2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; or
- 2 All of the following:
 - 2.1 The individual has previously discontinued treatment with nivolumab for reasons other than severe toxicity or disease progression; and
 - 2.2 The individual has signs of disease progression; and
 - 2.3 Disease has not progressed during previous treatment with nivolumab.

Renewal — (unresectable or metastatic melanoma, more than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 The individual has been on treatment for more than 24 months; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Any of the following:
 - 2.1.1.1 The individual's disease has had a complete response to treatment; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.1.1.2 The individual's disease has had a partial response to treatment; or
- 2.1.1.3 The individual has stable disease; and
- 2.1.2 Response to treatment in target lesions has been determined by comparable radiologic or clinical assessment following the most recent treatment period; or
- 2.2 All of the following:
 - 2.2.1 The individual has previously discontinued treatment with nivolumab for reasons other than severe toxicity or disease progression; and
 - 2.2.2 The individual has signs of disease progression; and
 - 2.2.3 Disease has not progressed during previous treatment with nivolumab.

Initial application — (renal cell carcinoma, first line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with nivolumab and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 The patient has metastatic renal cell carcinoma; and
 - 2.2 The patient is treatment naive; and
 - 2.3 The patient has ECOG performance status 0-2; and
 - 2.4 The disease is predominantly of clear cell histology; and
 - 2.5 Any of the following:
 - 2.5.1 The patient has sarcomatoid histology; or
 - 2.5.2 Haemoglobin levels less than the lower limit of normal; or
 - 2.5.3 Corrected serum calcium level greater than 10 mg/dL (2.5 mmol/L); or
 - 2.5.4 Neutrophils greater than the upper limit of normal; or
 - 2.5.5 Platelets greater than the upper limit of normal; or
 - 2.5.6 Interval of less than 1 year from original diagnosis to the start of systemic therapy; or
 - 2.5.7 Karnofsky performance score of less than or equal to 70; and
 - 2.6 Nivolumab is to be used in combination with ipilimumab for the first four treatment cycles at a maximum dose of 3 mg/kg; and
 - 2.7 Nivolumab is to be used as monotherapy at a maximum maintenance dose of 240 mg every 2 weeks (or equivalent).

Initial application — (Renal cell carcinoma, second line) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic renal-cell carcinoma; and
- 2 The disease is of predominant clear-cell histology; and
- 3 Patient has ECOG performance status 0-2; and
- 4 Patient has documented disease progression following one or two previous regimens of antiangiogenic therapy; and
- 5 Patient has not previously received a funded immune checkpoint inhibitor; and
- 6 Nivolumab is to be used as monotherapy at a maximum dose of 240 mg every 2 weeks (or equivalent) and discontinued at disease progression.

Renewal — (Renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment; or
 - 1.2 Patient's disease has had a partial response to treatment; or
 - 1.3 Patient has stable disease; and

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- No evidence of disease progression; and
- Nivolumab is to be used as monotherapy at a maximum dose of 240 mg every 2 weeks (or equivalent) and discontinued at disease progression.

PEMBROLIZUMAB – PCT only – Specialist – Special Authority see [SA2553](#) below

Inj 25 mg per ml, 4 ml vial.....	4,680.00	1	✓ Keytruda
Inj 1 mg for ECP	47.74	1 mg	✓ Baxter

►SA2553 Special Authority for Subsidy

Initial application — (stage III or IV resectable melanoma - neoadjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- The individual has resectable stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note); and
- The individual has not received prior funded systemic treatment in the perioperative setting for their stage IIIB, IIIC, IIID or IV melanoma; and
- Treatment must be prior to complete surgical resection; and
- Pembrolizumab must be administered as monotherapy; and
- The individual has ECOG performance score 0-2; and
- Pembrolizumab to be administered at a fixed dose of 200 mg every 3 weeks (or equivalent).

Renewal — (stage III or IV resectable melanoma - neoadjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- Both:
 - The individual has received neoadjuvant treatment with an immune checkpoint inhibitor; and
 - The individual meets initial application criteria for pembrolizumab for stage III or IV resected melanoma – adjuvant; or
- Both:
 - The individual has received neoadjuvant and adjuvant treatment with an immune checkpoint inhibitor; and
 - The individual meets renewal criteria for pembrolizumab for stage III or IV resected melanoma – adjuvant; or
- All of the following:
 - The individual has received neoadjuvant and adjuvant treatment with an immune checkpoint inhibitor; and
 - The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
 - The individual meets initial application criteria for pembrolizumab for unresectable or metastatic melanoma; or
- All of the following:
 - The individual has received neoadjuvant and adjuvant treatment with an immune checkpoint inhibitor; and
 - The individual has received treatment with an immune checkpoint inhibitor for unresectable or metastatic melanoma; and
 - The individual meets renewal criteria for pembrolizumab for unresectable or metastatic melanoma.

Notes:

- Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
- Initiating treatment within 13 weeks of complete surgical resection means either 13 weeks after resection (primary or lymphadenectomy) or 13 weeks prior to the scheduled date of the resection (primary or lymphadenectomy)

Initial application — (stage III or IV resected melanoma - adjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- The individual has resected stage IIIB, IIIC, IIID or IV melanoma (excluding uveal) (see note a); and
- Adjuvant treatment with pembrolizumab is required; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

continued...

- 3 The individual has not received prior funded systemic treatment in the adjuvant setting for stage IIIB, IIIC, IIID or IV melanoma; and
- 4 Treatment must be in addition to complete surgical resection; and
- 5 Treatment must be initiated within 13 weeks of complete surgical resection, unless delay is necessary due to post-surgery recovery (see note b); and
- 6 Pembrolizumab must be administered as monotherapy; and
- 7 The individual has ECOG performance score 0-2; and
- 8 Pembrolizumab to be administered at a fixed dose of 200 mg every 3 weeks (or equivalent).

Notes:

- a) Stage IIIB, IIIC, IIID or IV melanoma defined as per American Joint Committee on Cancer (AJCC) 8th Edition
- b) Initiating treatment within 13 weeks of complete surgical resection means 13 weeks after resection (primary or lymphadenectomy)

Renewal — (stage III or IV resected melanoma - adjuvant) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
 - 1.1 No evidence of disease recurrence; and
 - 1.2 Pembrolizumab must be administered as monotherapy; and
 - 1.3 Pembrolizumab to be administered at a fixed dose of 200 mg every three weeks (or equivalent) for a maximum of 12 months total treatment course, including any systemic neoadjuvant treatment; and
 - 1.4 Treatment to be discontinued at signs of disease recurrence or at completion of 12 months total treatment course (equivalent to 18 cycles at a dose of 200 mg every 3 weeks), including any systemic neoadjuvant treatment; or
- 2 All of the following:
 - 2.1 The individual has received adjuvant treatment with an immune checkpoint inhibitor; and
 - 2.2 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
 - 2.3 The individual meets initial application criteria for pembrolizumab for unresectable or metastatic melanoma; or
- 3 All of the following:
 - 3.1 The individual has received adjuvant treatment with an immune checkpoint inhibitor; and
 - 3.2 The individual has received treatment with an immune checkpoint inhibitor for unresectable or metastatic melanoma; and
 - 3.3 The individual meets renewal criteria for pembrolizumab for unresectable or metastatic melanoma.

Initial application — (unresectable or metastatic melanoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 The individual has metastatic or unresectable melanoma (excluding uveal) stage III or IV; and
- 2 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
- 3 The individual has ECOG performance score of 0-2; and
- 4 Either:
 - 4.1 The individual has not received funded nivolumab; or
 - 4.2 Both:
 - 4.2.1 The individual has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the individual was on nivolumab; and
- 5 Any of the following:
 - 5.1 The individual has been diagnosed in the metastatic or unresectable stage III or IV setting; or
 - 5.2 The individual did not receive treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; or
 - 5.3 All of the following:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 5.3.1 The individual received treatment in the perioperative setting with a PD-1/PD-L1 inhibitor; and
- 5.3.2 The individual did not experience disease recurrence while on treatment with that PD-1/PD-L1 inhibitor; and
- 5.3.3 The individual did not experience disease recurrence within six months of completing perioperative treatment with a PD-1/PD-L1 inhibitor.

Renewal — (unresectable or metastatic melanoma, less than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Any of the following:
 - 1.1.1 The individual's disease has had a complete response to treatment; or
 - 1.1.2 The individual's disease has had a partial response to treatment; or
 - 1.1.3 The individual has stable disease; and
 - 1.2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; or
- 2 All of the following:
 - 2.1 The individual has previously discontinued treatment with pembrolizumab for reasons other than severe toxicity or disease progression; and
 - 2.2 The individual has signs of disease progression; and
 - 2.3 Disease has not progressed during previous treatment with pembrolizumab.

Renewal — (unresectable or metastatic melanoma, more than 24 months on treatment) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 The individual has been on treatment for more than 24 months; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Any of the following:
 - 2.1.1.1 The individual's disease has had a complete response to treatment; or
 - 2.1.1.2 The individual's disease has had a partial response to treatment; or
 - 2.1.1.3 The individual has stable disease; and
 - 2.1.2 Response to treatment in target lesions has been determined by comparable radiologic or clinical assessment following the most recent treatment period; or
 - 2.2 All of the following:
 - 2.2.1 The individual has previously discontinued treatment with pembrolizumab for reasons other than severe toxicity or disease progression; and
 - 2.2.2 The individual has signs of disease progression; and
 - 2.2.3 Disease has not progressed during previous treatment with pembrolizumab.

Initial application — (non-small cell lung cancer first-line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-small cell lung cancer; and
- 2 Patient has not had chemotherapy for their disease in the palliative setting; and
- 3 Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC; and
- 4 For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain; and

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

5 Pembrolizumab to be used as monotherapy; and

6 Either:

6.1 There is documentation confirming the disease expresses PD-L1 at a level greater than or equal to 50% as determined by a validated test unless not possible to ascertain; or

6.2 Both:

6.2.1 There is documentation confirming the disease expresses PD-L1 at a level greater than or equal to 1% as determined by a validated test unless not possible to ascertain; and

6.2.2 Chemotherapy is determined to be not in the best interest of the patient based on clinician assessment; and

7 Patient has an ECOG 0-2; and

8 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks; and

9 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (non-small cell lung cancer first line monotherapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

1.1 Patient's disease has had a complete response to treatment; or

1.2 Patient's disease has had a partial response to treatment; or

1.3 Patient has stable disease; and

2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; and

3 No evidence of disease progression; and

4 The treatment remains clinically appropriate and patient is benefitting from treatment; and

5 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and

6 Treatment with pembrolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (non-small cell lung cancer first-line combination therapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has locally advanced or metastatic, unresectable, non-small cell lung cancer; and

2 The patient has not had chemotherapy for their disease in the palliative setting; and

3 Patient has not received prior funded treatment with an immune checkpoint inhibitor for NSCLC; and

4 For patients with non-squamous histology there is documentation confirming that the disease does not express activating mutations of EGFR or ALK tyrosine kinase unless not possible to ascertain; and

5 Pembrolizumab to be used in combination with platinum-based chemotherapy; and

6 Patient has an ECOG 0-2; and

7 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks; and

8 Baseline measurement of overall tumour burden is documented clinically and radiologically.

Renewal — (non-small cell lung cancer first line combination therapy) only from a medical oncologist or any relevant practitioner on the recommendation of a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

1.1 Patient's disease has had a complete response to treatment; or

1.2 Patient's disease has had a partial response to treatment; or

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.3 Patient has stable disease; and
- 2 Response to treatment in target lesions has been determined by comparable radiologic assessment following the most recent treatment period; and
- 3 No evidence of disease progression; and
- 4 The treatment remains clinically appropriate and patient is benefitting from treatment; and
- 5 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
- 6 Treatment with pembrolizumab to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (breast cancer, advanced) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has recurrent or de novo unresectable, inoperable locally advanced triple-negative breast cancer (that does not express ER, PR or HER2 IHC3+ or ISH+ [including FISH or other technology]); or
 - 2.1.2 Patient has recurrent or de novo metastatic triple-negative breast cancer (that does not express ER, PR or HER2 IHC3+ or ISH+ [including FISH or other technology]); and
 - 2.2 Patient is treated with palliative intent; and
 - 2.3 Patient's cancer has confirmed PD-L1 Combined Positive Score (CPS) is greater than or equal to 10; and
 - 2.4 Patient has received no prior systemic therapy in the palliative setting; and
 - 2.5 Patient has an ECOG score of 0–2; and
 - 2.6 Pembrolizumab is to be used in combination with chemotherapy; and
 - 2.7 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
 - 2.8 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (breast cancer, advanced) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment; or
 - 1.2 Patient's disease has had a partial response to treatment; or
 - 1.3 Patient has stable disease; and
- 2 No evidence of disease progression; and
- 3 Response to treatment in target lesions has been determined by a comparable radiologic assessment following the most recent treatment period; and
- 4 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
- 5 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (head and neck squamous cell carcinoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Patient has recurrent or metastatic head and neck squamous cell carcinoma of mucosal origin (excluding nasopharyngeal carcinoma) that is incurable by local therapies; and
 - 2.2 Patient has not received prior systemic therapy in the recurrent or metastatic setting; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.3 Patient has a positive PD-L1 combined positive score (CPS) of greater than or equal to 1; and
- 2.4 Patient has an ECOG performance score of 0-2; and
- 2.5 Either:
 - 2.5.1 Pembrolizumab to be used in combination with platinum-based chemotherapy; or
 - 2.5.2 Pembrolizumab to be used as monotherapy; and
- 2.6 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (head and neck squamous cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment; or
 - 1.2 Patient's disease has had a partial response to treatment; or
 - 1.3 Patient has stable disease; and
- 2 No evidence of disease progression; and
- 3 Pembrolizumab is to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
- 4 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (MSI-H/dMMR advanced colorectal cancer) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Individual is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Individual has deficient mismatch repair (dMMR) or microsatellite instability-high (MSI-H) metastatic colorectal cancer; or
 - 2.1.2 Individual has deficient mismatch repair (dMMR) or microsatellite instability-high (MSI-H) unresectable colorectal cancer; and
 - 2.2 Individual is treated with palliative intent; and
 - 2.3 Individual has not previously received funded treatment with pembrolizumab for MSI-H/dMMR advanced colorectal cancer; and
 - 2.4 Individual has an ECOG performance score of 0-2; and
 - 2.5 Baseline measurement of overall tumour burden is documented clinically and radiologically; and
 - 2.6 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (MSI-H/dMMR advanced colorectal cancer) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 No evidence of disease progression; and
- 2 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
- 3 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (Urothelial carcinoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Patient is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 2.1 Patient has inoperable locally advanced (T4) or metastatic urothelial carcinoma; and
- 2.2 Patient has an ECOG performance score of 0-2; and
- 2.3 Patient has documented disease progression following treatment with chemotherapy; and
- 2.4 Pembrolizumab to be used as monotherapy at a maximum dose of 200 mg every three weeks (or equivalent) for a maximum of 16 weeks.

Renewal — (Urothelial carcinoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment; or
 - 1.2 Patient's disease has had a partial response to treatment; or
 - 1.3 Patient has stable disease; and
- 2 No evidence of disease progression; and
- 3 Pembrolizumab to be used at a maximum dose of 200 mg every three weeks (or equivalent); and
- 4 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Initial application — (relapsed/refractory Hodgkin lymphoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Individual is currently on treatment with pembrolizumab and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Both:
 - 2.1.1.1 Individual has relapsed/refractory Hodgkin lymphoma after two or more lines of chemotherapy; and
 - 2.1.1.2 Individual is ineligible for autologous stem cell transplant; or
 - 2.1.2 Individual has relapsed/refractory Hodgkin lymphoma and has previously undergone an autologous stem cell transplant; and
 - 2.2 Individual has not previously received funded pembrolizumab for relapsed/refractory Hodgkin lymphoma; and
 - 2.3 Pembrolizumab to be administered at doses no greater than 200 mg once every 3 weeks.

Renewal — (relapsed/refractory Hodgkin lymphoma) only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has received a partial or complete response to pembrolizumab; and
- 2 Treatment with pembrolizumab is to cease after a total duration of 24 months from commencement (or equivalent of 35 cycles dosed every 3 weeks).

Other Immunosuppressants

CICLOSPORIN

Cap 25 mg	44.63	50	✓ Neoral
Cap 50 mg	88.91	50	✓ Neoral
Cap 100 mg	177.81	50	✓ Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ Neoral

EVEROLIMUS – Special Authority see [SA2598 on the next page](#) – Retail pharmacy

Wastage claimable

Tab 10 mg	6,512.29	30	✓ Afinitor
Tab 5 mg	4,555.76	30	✓ Afinitor

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

►SA2598 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis; and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Initial application — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic renal cell carcinoma; and
 - 1.2 The disease is of predominant clear-cell histology; and
 - 1.3 The patient has documented disease progression following one previous line of treatment; and
 - 1.4 The patient has an ECOG performance status of 0-2; and
 - 1.5 Everolimus is to be used in combination with lenvatinib; or
- 2 All of the following:
 - 2.1 Patient has received funded treatment with nivolumab for the second line treatment of metastatic renal cell carcinoma; and
 - 2.2 Patient has experienced treatment limiting toxicity from treatment with nivolumab; and
 - 2.3 Everolimus is to be used in combination with lenvatinib; and
 - 2.4 There is no evidence of disease progression.

Renewal — (renal cell carcinoma) from any relevant practitioner. Approvals valid for 4 months where there is no evidence of disease progression.

SIROLIMUS – Special Authority see [SA2270 below](#) – Retail pharmacy

Tab 1 mg	749.99	100	✓ Rapamune
Tab 2 mg	1,499.99	100	✓ Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	✓ Rapamune

►SA2270 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR < 30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencephalopathy; or
- Significant malignant disease

Initial application — (severe non-malignant lymphovascular malformations*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1 Patient has severe non-malignant lymphovascular malformation*; and
- 2 Any of the following:
 - 2.1 Malformations are not adequately controlled by sclerotherapy and surgery; or
 - 2.2 Malformations are widespread/extensive and sclerotherapy and surgery are not considered clinically appropriate; or
 - 2.3 Sirolimus is to be used to reduce malformation prior to consideration of surgery; and
- 3 Patient is being treated by a specialist lymphovascular malformation multi-disciplinary team; and
- 4 Patient has measurable disease as defined by RECIST version 1.1 (see Note).

Renewal — (severe non-malignant lymphovascular malformations*) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient's disease has had either a complete response or a partial response to treatment, or patient has stable disease according to RECIST version 1.1 (see Note); or
 - 1.2 Patient's disease has stabilised or responded clinically and disease response to treatment has been clearly documents in patient notes; and
- 2 No evidence of progressive disease; and
- 3 The treatment remains clinically appropriate and the patient is benefitting from the treatment.

Notes: Baseline assessment and disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer et al. Eur J Cancer 2009;45:228-47)

Indications marked with * are unapproved indications

Initial application — (renal angiomyolipoma(s) associated with tuberous sclerosis complex*) only from a nephrologist or urologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis complex*; and
- 2 Evidence of renal angiomyolipoma(s) measuring 3 cm or greater and that have shown interval growth.

Renewal — (renal angiomyolipoma(s) associated with tuberous sclerosis complex*) from any relevant practitioner.

Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Documented evidence of renal angiomyolipoma reduction or stability by magnetic resonance imaging (MRI) or ultrasound; and
- 2 Demonstrated stabilisation or improvement in renal function; and
- 3 The patient has not experienced angiomyolipoma haemorrhage or significant adverse effects to sirolimus treatment; and
- 4 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indications marked with * are unapproved indications

Initial application — (refractory seizures associated with tuberous sclerosis complex*) only from a neurologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has epilepsy with a background of documented tuberous sclerosis complex; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Vigabatrin has been trialled and has not adequately controlled seizures; and
 - 2.1.2 Seizures are not adequately controlled by, or the patient has experienced unacceptable side effects from, optimal treatment with at least two of the following: sodium valproate, topiramate, levetiracetam, carbamazepine, lamotrigine, phenytoin sodium, and lacosamide (see Note); or
 - 2.2 Both:
 - 2.2.1 Vigabatrin is contraindicated; and

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

2.2.2 Seizures are not adequately controlled by, or the patient has experienced unacceptable side effects from, optimal treatment with at least three of the following: sodium valproate, topiramate, levetiracetam, carbamazepine, lamotrigine, phenytoin sodium, and lacosamide (see Note); and

- 3 Seizures have a significant impact on quality of life; and
- 4 Patient has been assessed and surgery is considered inappropriate for this patient, or the patient has been assessed and would benefit from mTOR inhibitor treatment prior to surgery.

Note: Those of childbearing age potential are not required to trial phenytoin sodium, sodium valproate, or topiramate. Those who can father children are not required to trial sodium valproate.

Renewal — (refractory seizures associated with tuberous sclerosis complex*) only from a neurologist. Approvals valid for 12 months where demonstrated significant and sustained improvement in seizure rate (e.g. 50% reduction in seizure frequency) or severity and/or patient quality of life compared with baseline prior to starting sirolimus treatment.

Note: Indications marked with * are unapproved indications

TACROLIMUS – Special Authority see SA2455 below – Retail pharmacy

Cap 0.5 mg.....	49.60	100	✓ Tacrolimus Sandoz
Cap 0.75 mg.....	99.30	100	✓ Tacrolimus Sandoz
Cap 1 mg.....	84.30	100	✓ Tacrolimus Sandoz
Cap 5 mg.....	248.20	50	✓ Tacrolimus Sandoz

►SA2455 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The individual is an organ transplant recipient; or
- 2 The individual is receiving induction therapy for an organ transplant.

Note: Subsidy applies for either primary or rescue therapy.

Initial application — (non-transplant indications*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient requires long-term systemic immunosuppression; and
- 2 Either:
 - 2.1 Ciclosporin has been trialed and discontinued treatment because of unacceptable side effects or inadequate clinical response; or
 - 2.2 Patient is a child with nephrotic syndrome*.

Note: Indications marked with * are unapproved indications

JAK inhibitors

UPADACITINIB – Special Authority see SA2599 below – Retail pharmacy

Tab modified-release 15 mg.....	1,271.00	28	✓ Rinvoq
Tab modified-release 30 mg.....	2,033.00	28	✓ Rinvoq
Tab modified-release 45 mg.....	3,049.00	28	✓ Rinvoq

►SA2599 Special Authority for Subsidy

Initial application — (Rheumatoid Arthritis (previously treated with adalimumab or etanercept)) from any relevant practitioner. Approvals valid for 7 months for applications meeting the following criteria:

All of the following:

- 1 The individual has had an initial Special Authority approval for adalimumab and/or etanercept for rheumatoid arthritis; and
- 2 Either:

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2.1 The individual has experienced intolerable side effects with adalimumab and/or etanercept; or
- 2.2 The individual has received insufficient benefit from at least a three-month trial of adalimumab and/or etanercept such that they do not meet the renewal criteria for rheumatoid arthritis; and
- 3 Any of the following:
 - 3.1 Rituximab is not clinically appropriate; or
 - 3.2 The individual is seronegative for both anti-cyclic citrullinated peptide (CCP) antibodies and rheumatoid factor; or
 - 3.3 Both:
 - 3.3.1 The individual has been started on rituximab for rheumatoid arthritis in a Health NZ Hospital; and
 - 3.3.2 Either:
 - 3.3.2.1 The individual has experienced intolerable side effects with rituximab; or
 - 3.3.2.2 At four months following the initial course of rituximab the individual has received insufficient benefit such that they do not meet the renewal criteria for rheumatoid arthritis.

Renewal — (Rheumatoid Arthritis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Following 6 months' initial treatment, the individual has experienced at least a 50% decrease in active joint count from baseline; or
- 2 On subsequent reapplications, the individual has experienced at least a continuing 30% improvement in active joint count from baseline.

Initial application — (atopic dermatitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Individual is currently on treatment with upadacitinib for atopic dermatitis and met all remaining criteria prior to commencing treatment; or
- 2 All of the following:
 - 2.1 Individual has moderate to severe atopic dermatitis, severity as defined by an Eczema Area and Severity Index (EASI) score of greater than or equal to 16 or a Dermatology Life Quality Index (DLQI) score of greater than or equal to 10; and
 - 2.2 Individual has received insufficient benefit from topical therapy (including topical corticosteroids or topical calcineurin inhibitors) for a 28-day trial within the last 6 months, unless contraindicated to all; and
 - 2.3 Individual has trialled and received insufficient benefit from at least one systemic therapy for a minimum of three months (eg ciclosporin, azathioprine, methotrexate or mycophenolate mofetil), unless contraindicated to all; and
 - 2.4 An EASI assessment or DLQI assessment has been completed for at least the most recent prior treatment course, preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.5 The most recent EASI or DLQI assessment is no more than 1 month old at the time of application.

Renewal — (atopic dermatitis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Individual has received a 75% or greater reduction in EASI score (EASI 75) as compared to baseline EASI prior to commencing upadacitinib; or
- 2 Individual has received a DLQI improvement of 4 or more as compared to baseline DLQI prior to commencing upadacitinib.

Initial application — (Crohn's disease - adult) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Individual is currently on treatment with upadacitinib for Crohn's disease and met all remaining criteria prior to commencing

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

treatment; or

2 Both:

2.1 Individual has active Crohn's disease; and

2.2 Either:

2.2.1 Individual has had an initial approval for prior biologic therapy and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

2.2.2 Both:

2.2.2.1 Individual meets the initiation criteria for prior biologic therapies for Crohn's disease; and

2.2.2.2 Other biologic therapies for Crohn's disease are contraindicated.

Renewal — (Crohn's disease - adult) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 CDAI score has reduced by 100 points from the CDAI score when the individual was initiated on biologic therapy; or

2 HBI score has reduced by 3 points from when individual was initiated on biologic therapy; or

3 CDAI score is 150 or less; or

4 HBI score is 4 or less; or

5 The individual has experienced an adequate response to treatment, but CDAI score cannot be assessed.

Initial application — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Individual is currently on treatment with upadacitinib for Crohn's disease and met all remaining criteria prior to commencing treatment; or

2 Both:

2.1 Child has active Crohn's disease; and

2.2 Either:

2.2.1 Child has had an initial approval for prior biologic therapy for Crohn's disease and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

2.2.2 Both:

2.2.2.1 Child meets the initiation criteria for prior biologic therapies for Crohn's disease; and

2.2.2.2 Other biologic therapies for Crohn's disease are contraindicated.

Renewal — (Crohn's disease - children*) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 PCDAI score has reduced by 10 points from the child was initiated on treatment; or

2 PCDAI score is 15 or less; or

3 The child has experienced an adequate response to treatment, but PCDAI score cannot be assessed.

Note: Indications marked with * are unapproved indications.

Initial application — (ulcerative colitis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Individual is currently on treatment with upadacitinib for ulcerative colitis and met all remaining criteria prior to commencing treatment; or

2 Both:

2.1 Individual has active ulcerative colitis; and

2.2 Either:

2.2.1 Individual has had an initial approval for prior biologic therapy for ulcerative colitis and has experienced intolerable side effects or insufficient benefit to meet renewal criteria; or

continued...

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

2.2.2 Both:

2.2.2.1 Individual meets the initiation criteria for prior biologic therapies for ulcerative colitis; and

2.2.2.2 Other biologic therapies for ulcerative colitis are contraindicated.

Renewal — (ulcerative colitis) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The SCCAI score has reduced by 2 points or more from the SCCAI score when the individual was initiated on treatment; or
- 2 PUCAI score has reduced by 10 points or more from the PUCAI score when the individual was initiated on treatment.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Antiallergy Preparations

Allergic Emergencies

ADRENALINE – Special Authority see [SA2185 below](#) – Retail pharmacy

- a) Maximum of 2 inj per prescription
- b) Additional prescriptions limited to replacement of up to two devices prior to expiry, or replacement of used device for treatment of anaphylaxis.

Inj 0.15 mg per 0.3 ml auto-injector.....	85.50	1 OP	✓ Epipen Jr
Inj 0.3 mg per 0.3 ml auto-injector.....	85.50	1 OP	✓ Epipen

► **SA2185** Special Authority for Subsidy

Initial application — (anaphylaxis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
- 1 Either:
 - 1.1 Patient has experienced an anaphylactic reaction which has resulted in presentation to a hospital or emergency department; or
 - 1.2 Patient has been assessed to be at significant risk of anaphylaxis by a relevant practitioner; and
 - 2 Patient is not to be prescribed more than two devices in initial prescription.

ICATIBANT – Special Authority see [SA1558 below](#) – Retail pharmacy

Inj 10 mg per ml, 3 ml prefilled syringe.....	2,668.00	1	✓ Firazyr
---	----------	---	------------------

► **SA1558** Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
 - 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

► **SA1367** Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

- Both:
- 1 RAST or skin test positive; and
 - 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT – Special Authority see [SA1367 above](#) – Retail pharmacy

Initiation kit - 1 vial freeze dried venom with diluent	305.00	1 OP	✓ VENOX ^{S29}
Maintenance kit - 1 vial freeze dried venom with diluent.....	305.00	1 OP	✓ VENOX ^{S29}
Maintenance kit - 6 vials 120 mcg freeze dried venom, with diluent	285.00	1 OP	✓ Venomil ^{S29}
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	334.39	1 OP	✓ Albey
Treatment kit - 1 vial 550 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Hymenoptera ^{S29}

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
WASP VENOM ALLERGY TREATMENT – Special Authority see SA1367 on the previous page – Retail pharmacy				
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polistes venom, 1 diluent 9 ml, 3 diluent 1.8 ml.....	382.23	1 OP	✓	Albey
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried venom, with diluent.....	305.00	1 OP	✓	Hymenoptera ^{S29}
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent.....	305.00	1 OP	✓	Venomil ^{S29}
Treatment kit (Yellow Jacket venom) - 1 vial 550 mcg freeze dried venom, with diluent.....	305.00	1 OP	✓	Hymenoptera ^{S29}
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 3 diluent 1.8 ml.....	431.24	1 OP	✓	Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent.....	305.00	1 OP	✓	Venomil ^{S29}

Antihistamines

CETIRIZINE HYDROCHLORIDE				
* Tab 10 mg	1.71	100	✓	Zista
* Oral liq 1 mg per ml	3.99	200 ml	✓	Histaclear
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg	2.02 (8.40)	40		Polaramine
	1.01 (5.99)	20		Polaramine
* Oral liq 2 mg per 5 ml	1.77 (10.29)	100 ml		Polaramine
FEXOFENADINE HYDROCHLORIDE				
* Tab 60 mg	4.34 (8.23)	20		Telfast
* Tab 120 mg	3.49	30	✓	Fexaclear
* Tab 180 mg	4.10	30	✓	Fexaclear
LORATADINE				
* Tab 10 mg	1.59 6.02	100	✓	Loratadine Noumed
			✓	Lorafix
Loratadine Noumed to be Principal Supply on 1 June 2026				
* Oral liq 1 mg per ml	1.43	100 ml	✓	Haylor syrup
<i>(Lorafix Tab 10 mg to be delisted 1 June 2026)</i>				
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg	2.19	100	✓	Allersoothe
* Tab 25 mg	2.69	100	✓	Allersoothe
* Oral liq 1 mg per 1 ml	3.39	100 ml	✓	Allersoothe
* Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	21.09	5	✓	Hospira

Inhaled Corticosteroids

BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose.....	14.01	200 dose OP	✓	Qvar
Aerosol inhaler, 50 mcg per dose CFC-free.....	8.54	200 dose OP	✓	Beclazone 50
Aerosol inhaler, 100 mcg per dose.....	17.52	200 dose OP	✓	Qvar
Aerosol inhaler, 100 mcg per dose CFC-free.....	12.50	200 dose OP	✓	Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free.....	22.67	200 dose OP	✓	Beclazone 250

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
BUDESONIDE			
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓ Pulmicort Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ Pulmicort Turbuhaler
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	✓ Pulmicort Turbuhaler
FLUTICASON			
Aerosol inhaler, 50 mcg per dose	7.19	120 dose OP	✓ Flixotide
Powder for inhalation, 50 mcg per dose	8.61	60 dose OP	✓ Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose	7.81	60 dose OP	✓ Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose	13.60	120 dose OP	✓ Flixotide
Aerosol inhaler, 250 mcg per dose	24.62	120 dose OP	✓ Flixotide
Powder for inhalation, 250 mcg per dose	11.93	60 dose OP	✓ Flixotide Accuhaler

Inhaled Long-acting Beta-adrenoceptor Agonists

EFORMOTEROL FUMARATE DIHYDRATE			
Powder for inhalation 4.5 mcg per dose, breath activated (equivalent to eformoterol fumarate 6 mcg metered dose)	10.32 (16.90)	60 dose OP	Oxis Turbuhaler
INDACATEROL			
Powder for inhalation 150 mcg	61.00	30 dose OP	✓ Onbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 dose OP	✓ Onbrez Breezhaler
SALMETEROL			
Aerosol inhaler CFC-free, 25 mcg per dose	26.25	120 dose OP	✓ Serevent
Powder for inhalation, 50 mcg per dose, breath activated	26.25	60 dose OP	✓ Serevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

BUDESONIDE WITH EFORMOTEROL			
* Powder for inhalation 160 mcg with 4.5 mcg eformoterol fumarate per dose (equivalent to 200 mcg budesonide with 6 mcg eformoterol fumarate metered dose) – Up to 120 dose available on a PSO	41.50	120 dose OP	✓ DuoResp Spiromax
Powder for inhalation 320 mcg with 9 mcg eformoterol fumarate per dose (equivalent to 400 mcg budesonide with 12 mcg eformoterol fumarate metered dose) – No more than 2 dose per day	82.50	120 dose OP	✓ DuoResp Spiromax
* Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	18.23	120 dose OP	✓ Vannair
* Powder for inhalation 100 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	33.74	120 dose OP	✓ Symbicort Turbuhaler 100/6
* Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	21.40	120 dose OP	✓ Vannair
* Powder for inhalation 200 mcg with eformoterol fumarate 6 mcg – Up to 120 dose available on a PSO	33.74	120 dose OP	✓ Symbicort Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg – No more than 2 dose per day	33.74	60 dose OP	✓ Symbicort Turbuhaler 400/12

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
FLUTICASON FUROATE WITH VILANTEROL				
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✓	Breo Ellipta
FLUTICASON WITH SALMETEROL				
Aerosol inhaler 50 mcg with salmeterol 25 mcg	25.79	120 dose OP	✓	Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg	32.60	120 dose OP	✓	Seretide
Powder for inhalation 100 mcg with salmeterol 50 mcg – No more than 2 dose per day	33.74	60 dose OP	✓	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg – No more than 2 dose per day	44.08	60 dose OP	✓	Seretide Accuhaler

Beta-Adrenoceptor Agonists

SALBUTAMOL				
Oral liq 400 mcg per ml	50.00	150 ml	✓	Ventolin
Infusion 1 mg per ml, 5 ml	130.00	10	✓	Ventolin
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO	130.00	5	✓	Ventolin

Inhaled Beta-Adrenoceptor Agonists

SALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO	4.18 (7.45)	200 dose OP	✓	SalAir Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO	8.96	20	✓	Asthalin
			✓	UK Cipla ^{\$29}
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO	9.43	20	✓	Asthalin
			✓	UK Cipla ^{\$29}
TERBUTALINE SULPHATE				
Powder for inhalation, 200 mcg per dose (equivalent to 250 mcg metered dose), breath activated	22.20	120 dose OP	✓	Bricanyl Turbuhaler

Anticholinergic Agents

IPRATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dose available on a PSO	16.20	200 dose OP	✓	Atrovent
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	11.73	20	✓	Accord ^{\$29}
			✓	Univent

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg per dose CFC-free	12.19	200 dose OP	✓	Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 3 ml vial	16.56	30	✓	Cipla ^{\$29}
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSO	11.04	20	✓	Duolin

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Long-Acting Muscarinic Antagonists

GLYCOPYRRONIUM – Subsidy by endorsement

- a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.
- b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry if spirometry is possible, and the prescription is endorsed accordingly.

Powder for inhalation 50 mcg per dose 61.00 30 dose OP ✓ **Seebri Breezhaler**

TIOTROPIUM BROMIDE – Subsidy by endorsement

- a) Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.
- b) Tiotropium bromide is subsidised only for patients who have been diagnosed as having COPD using spirometry if spirometry is possible, and the prescription is endorsed accordingly. Patients who had tiotropium dispensed before 1 October 2018 with a valid Special Authority are deemed endorsed.

Powder for inhalation, 18 mcg per dose 50.37 30 dose ✓ **Spiriva**
Soln for inhalation 2.5 mcg per dose 50.37 60 dose OP ✓ **Spiriva Respimat**

UMECLIDINIUM – Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry if spirometry is possible, and the prescription is endorsed accordingly.

Powder for inhalation 62.5 mcg per dose 61.50 30 dose OP ✓ **Incruse Ellipta**

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

➔ **SA2554** **Special Authority for Subsidy**

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
 - 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

GLYCOPYRRONIUM WITH INDACATEROL – Special Authority see [SA2554 above](#) – Retail pharmacy

Powder for Inhalation 50 mcg with indacaterol 110 mcg 81.00 30 dose OP ✓ **Ultibro Breezhaler**

TIOTROPIUM BROMIDE WITH OLODATEROL – Special Authority see [SA2554 above](#) – Retail pharmacy

Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg 81.00 60 dose OP ✓ **Spiolto Respimat**

UMECLIDINIUM WITH VILANTEROL – Special Authority see [SA2554 above](#) – Retail pharmacy

Powder for inhalation 62.5 mcg with vilanterol 25 mcg 77.00 30 dose OP ✓ **Anoro Ellipta**

Inhaled Corticosteroid with Long-Acting Muscarinic Antagonist and Beta Agonist

BUDESONIDE WITH GLYCOPYRRONIUM AND EFORMOTEROL – Special Authority see [SA2421 on the next page](#) – Retail pharmacy

Aerosol inhaler budesonide 160 mcg with glycopyrronium
7.2 mcg and formoterol 5 mcg per dose 79.15 120 dose OP ✓ **Breztri Aerosphere**

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

RESPIRATORY SYSTEM AND ALLERGIES

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

►SA2421 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has a diagnosis of COPD confirmed by spirometry or spirometry has been attempted and technically acceptable results are not possible; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient is currently receiving an inhaled corticosteroid with long acting beta-2 agonist (ICS/LABA) or a long acting muscarinic antagonist with long acting beta-2 agonist (LAMA/LABA); and
 - 2.1.2 Any of the following:

Clinical criteria:

 - 2.1.2.1 Patient has a COPD Assessment Test (CAT) score greater than 10; or
 - 2.1.2.2 Patient has had 2 or more exacerbations in the previous 12 months; or
 - 2.1.2.3 Patient has had one exacerbation requiring hospitalisation in the previous 12 months; or
 - 2.1.2.4 Patient has had an eosinophil count greater than or equal to 0.3×10^9 cells/L in the previous 12 months; or
 - 2.2 Patient is currently receiving multiple inhaler triple therapy (inhaled corticosteroid with long-acting muscarinic antagonist and long-acting beta-2 agonist – ICS/LAMA/LABA) and met at least one of the clinical criteria above prior to commencing multiple inhaler therapy.

FLUTICASONE FUROATE WITH UMECLIDINIUM AND VILANTEROL – Special Authority see [SA2326 below](#) – Retail pharmacy

Powder for inhalation fluticasone furoate 100 mcg with
umeclidinium 62.5 mcg and vilanterol 25 mcg.....104.24 30 dose OP ✓ **Trelegy Ellipta**

►SA2326 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has a diagnosis of COPD confirmed by spirometry or spirometry has been attempted and technically acceptable results are not possible; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient is currently receiving an inhaled corticosteroid with long acting beta-2 agonist (ICS/LABA) or a long acting muscarinic antagonist with long acting beta-2 agonist (LAMA/LABA); and
 - 2.1.2 Any of the following:

Clinical criteria:

 - 2.1.2.1 Patient has a COPD Assessment Test (CAT) score greater than 10; or
 - 2.1.2.2 Patient has had 2 or more exacerbations in the previous 12 months; or
 - 2.1.2.3 Patient has had one exacerbation requiring hospitalisation in the previous 12 months; or
 - 2.1.2.4 Patient has had an eosinophil count greater than or equal to 0.3×10^9 cells/L in the previous 12 months; or
 - 2.2 Patient is currently receiving multiple inhaler triple therapy (inhaled corticosteroid with long acting muscarinic antagonist and long acting beta-2 agonist – ICS/LAMA/LABA) and met at least one of the clinical criteria above prior to commencing multiple inhaler triple therapy.

Antifibrotics

NINTEDANIB – Special Authority see [SA2012 on the next page](#) – Retail pharmacy

Note: Nintedanib not subsidised in combination with subsidised pirfenidone.

Cap 100 mg.....	2,554.00	60 OP	✓ Ofev
Cap 150 mg.....	3,870.00	60 OP	✓ Ofev

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA2012 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist; and
- 2 Forced vital capacity is between 50% and 90% predicted; and
- 3 Nintedanib is to be discontinued at disease progression (See Note); and
- 4 Nintedanib is not to be used in combination with subsidised pirfenidone; and
- 5 Any of the following:
 - 5.1 The patient has not previously received treatment with pirfenidone; or
 - 5.2 Patient has previously received pirfenidone, but discontinued pirfenidone within 12 weeks due to intolerance; or
 - 5.3 Patient has previously received pirfenidone, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with pirfenidone).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Nintedanib is not to be used in combination with subsidised pirfenidone; and
- 3 Nintedanib is to be discontinued at disease progression (See Note).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

PIRFENIDONE – Retail pharmacy-Specialist – Special Authority see SA2013 below

Note: Pirfenidone is not subsidised in combination with subsidised nintedanib.

Tab 801 mg	3,645.00	90 OP	✓ Esbriet
Tab 267 mg	1,215.00	90	✓ Esbriet

►SA2013 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis by a multidisciplinary team including a radiologist; and
- 2 Forced vital capacity is between 50% and 90% predicted; and
- 3 Pirfenidone is to be discontinued at disease progression (See Note); and
- 4 Pirfenidone is not to be used in combination with subsidised nintedanib; and
- 5 Any of the following:
 - 5.1 The patient has not previously received treatment with nintedanib; or
 - 5.2 Patient has previously received nintedanib, but discontinued nintedanib within 12 weeks due to intolerance; or
 - 5.3 Patient has previously received nintedanib, but the patient's disease has not progressed (disease progression defined as 10% or more decline in predicted FVC within any 12 month period since starting treatment with nintedanib).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Pirfenidone is not to be used in combination with subsidised nintedanib; and
- 3 Pirfenidone is to be discontinued at disease progression (See Note).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Leukotriene Receptor Antagonists

MONTELUKAST

* Tab 4 mg	3.10	28	✓	Montelukast Viatris
* Tab 5 mg	3.10	28	✓	Montelukast Viatris
* Tab 10 mg	2.45	28	✓	Montelukast Viatris

Methylxanthines

AMINOPHYLLINE

* Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj available on a PSO	180.00	5	✓	DBL Aminophylline
---	--------	---	---	-------------------

THEOPHYLLINE

* Tab long-acting 250 mg	25.65	100	✓	Nuelin-SR
* Oral liq 80 mg per 15 ml	18.49	500 ml	✓	Nuelin

Mucolytics

DORNASE ALFA – Special Authority see SA1978 below – Retail pharmacy

Nebuliser soln, 2.5 mg per 2.5 ml ampoule	250.00	6	✓	Pulmozyme
---	--------	---	---	-----------

►SA1978 Special Authority for Subsidy

Initial application — (cystic fibrosis) only from a respiratory physician or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of cystic fibrosis; and
- 2 Patient has previously undergone a trial with, or is currently being treated with, hypertonic saline; and
- 3 Any of the following:
 - 3.1 Patient has required one or more hospital inpatient respiratory admissions in the previous 12 month period; or
 - 3.2 Patient has had 3 exacerbations due to CF, requiring oral or intravenous (IV) antibiotics in the previous 12 month period; or
 - 3.3 Patient has had 1 exacerbation due to CF, requiring oral or IV antibiotics in the previous 12 month period and a Brasfield score of < 22/25; or
 - 3.4 Patient has a diagnosis of allergic bronchopulmonary aspergillosis (ABPA).

Renewal — (cystic fibrosis) only from a respiratory physician or paediatrician. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient continues to benefit from treatment.

ELEXACAFTOR WITH TEZACAFTOR, IVACAFTOR AND IVACAFTOR – PCT only – Special Authority see SA2456 below

Tab elexacaftor 50 mg with tezacaftor 25 mg, ivacaftor 37.5 mg (56) and ivacaftor 75 mg (28)	27,647.39	84 OP	✓	Trikafta
Tab elexacaftor 100 mg with tezacaftor 50 mg, ivacaftor 75 mg (56) and ivacaftor 150 mg (28)	27,647.39	84 OP	✓	Trikafta

►SA2456 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with cystic fibrosis; and
- 2 Patient is 6 years of age or older; and
- 3 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 3.1 Patient has two cystic fibrosis-causing mutations in the cystic fibrosis transmembrane regulator (CFTR) gene (one from each parental allele); or
- 3.2 Patient has a sweat chloride value of at least 60 mmol/L by quantitative pilocarpine iontophoresis or by Macroduct sweat collection system; and
- 4 Either:
 - 4.1 Patient has a heterozygous or homozygous F508del mutation; or
 - 4.2 Patient has a G551D mutation or other mutation responsive in vitro to elxacaftor/tezacaftor/ivacaftor (see note a); and
- 5 The treatment must be the sole funded CFTR modulator therapy for this condition; and
- 6 Treatment with elxacaftor/tezacaftor/ivacaftor must be given concomitantly with standard therapy for this condition.

Notes:

- a) Eligible mutations are listed in the Food and Drug Administration (FDA) Trikafta prescribing information <https://nctr-crs.fda.gov/fdalabel/services/spl/set-ids/f354423a-85c2-41c3-a9db-0f3aee135d8d/spl-doc>

IVACAFTOR – PCT only – Specialist – Special Authority see SA2017 below

Tab 150 mg	29,386.00	56	✓ Kalydeco
Oral granules 50 mg, sachet	29,386.00	56	✓ Kalydeco
Oral granules 75 mg, sachet	29,386.00	56	✓ Kalydeco

►SA2017 Special Authority for Subsidy

Initial application only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with cystic fibrosis; and
- 2 Either:
 - 2.1 Patient must have G551D mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene on at least 1 allele; or
 - 2.2 Patient must have other gating (class III) mutation (G1244E, G1349D, G178R, G551S, S1251N, S1255P, S549N and S549R) in the CFTR gene on at least 1 allele; and
- 3 Patients must have a sweat chloride value of at least 60 mmol/L by quantitative pilocarpine iontophoresis or by Macroduct sweat collection system; and
- 4 Treatment with ivacaftor must be given concomitantly with standard therapy for this condition; and
- 5 Patient must not have an acute upper or lower respiratory infection, pulmonary exacerbation, or changes in therapy (including antibiotics) for pulmonary disease in the last 4 weeks prior to commencing treatment with ivacaftor; and
- 6 The dose of ivacaftor will not exceed one tablet or one sachet twice daily; and
- 7 Applicant has experience and expertise in the management of cystic fibrosis.

SODIUM CHLORIDE

Not funded for use as a nasal drop.

Soln 7%	25.73	90 ml OP	✓ Biomed
---------------	-------	----------	-----------------

Nasal Preparations

Allergy Prophylactics

BUDESONIDE

Metered aqueous nasal spray, 50 mcg per dose	2.59	200 dose OP	✓ SteroClear
Metered aqueous nasal spray, 100 mcg per dose	2.89	200 dose OP	✓ SteroClear

FLUTICASON PROPRIONATE

Metered aqueous nasal spray, 50 mcg per dose	2.57	120 dose OP	✓ Flixonase Hayfever & Allergy
--	------	-------------	---

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
IPRATROPIUM BROMIDE				
Aqueous nasal spray, 0.03%.....	5.23	15 ml OP	✓	Univent

Respiratory Devices

MASK FOR SPACER DEVICE

- a) Up to 50 dev available on a PSO
 - b) Only on a PSO
 - c) Only for children aged six years and under
- | | | | | |
|------------|------|---|---|----------------|
| Small..... | 2.70 | 1 | ✓ | e-chamber Mask |
|------------|------|---|---|----------------|

PEAK FLOW METER

- a) Up to 25 dev available on a PSO
 - b) Only on a PSO
- | | | | | |
|-------------------|------|---|---|------------------------------|
| Low range..... | 9.54 | 1 | ✓ | Mini-Wright AFS
Low Range |
| Normal range..... | 9.54 | 1 | ✓ | Mini-Wright
Standard |

SPACER DEVICE

- a) Up to 50 dev available on a PSO
 - b) Only on a PSO
- | | | | | |
|-------------------------------|------|---|---|------------------------|
| 220 ml (single patient) | 3.65 | 1 | ✓ | e-chamber Turbo |
| 510 ml (single patient) | 5.95 | 1 | ✓ | e-chamber La
Grande |
| 800 ml..... | 6.50 | 1 | ✓ | Volumatic |

Respiratory Stimulants

CAFFEINE CITRATE				
Oral liq 20 mg per ml (10 mg base per ml).....	16.91	25 ml OP	✓	Biomed

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Ear Preparations

FLUMETASONE PIVALATE

Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locacorten-Viaform ED's ✓ Locorten-Vioform
--	------	-----------	---

TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN

Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	✓ Kenacomb
---	------	-----------	-------------------

Ear/Eye Preparations

DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN

Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml	4.50 (9.27)	8 ml OP	Sofradex
--	----------------	---------	----------

FRAMYCETIN SULPHATE

Ear/Eye drops 0.5%.....	4.13 (8.65)	8 ml OP	Soframycin
-------------------------	----------------	---------	------------

Eye Preparations

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

Anti-Infective Preparations

ACICLOVIR

* Eye oint 3%	15.89	4.5 g OP	✓ VirusPOS
---------------------	-------	----------	-------------------

CHLORAMPHENICOL

Eye oint 1%	1.55	5 g OP	✓ Devatis
Eye drops 0.5%	1.84	10 ml OP	✓ Chlorafast

Funded for use in the ear*. Indications marked with * are unapproved indications.

CIPROFLOXACIN

Eye drops 0.3% – Subsidy by endorsement.....	10.85	5 ml OP	✓ Ciprofloxacin Teva
--	-------	---------	-----------------------------

When prescribed for the treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol; or for the second line treatment of chronic suppurative otitis media (CSOM)*; and the prescription is endorsed accordingly.
 Note: Indication marked with a * is an unapproved indication.

SODIUM FUSIDATE [FUSIDIC ACID]

Eye drops 1%	5.29	5 g OP	✓ Fucithalmic ✓ Fucithalmic Canada (ON) S29 ✓ Fucithalmic Spain S29
--------------------	------	--------	--

TOBRAMYCIN

Eye oint 0.3%	10.45	3.5 g OP	✓ Tobrex
Eye drops 0.3%.....	11.48	5 ml OP	✓ Tobrex

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory Preparations			
DEXAMETHASONE			
* Eye oint 0.1%	5.86	3.5 g OP	✓ Maxidex
* Eye drops 0.1%	4.50	5 ml OP	✓ Maxidex
Ocular implant 700 mcg – Special Authority see SA1680 below			
– Retail pharmacy.....	1,444.50	1	✓ Ozurdex
➔ SA1680 Special Authority for Subsidy			
Initial application — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:			
All of the following:			
1 Patient has diabetic macular oedema with pseudophakic lens; and			
2 Patient has reduced visual acuity of between 6/9 - 6/48 with functional awareness of reduction in vision; and			
3 Either:			
3.1 Patient's disease has progressed despite 3 injections with bevacizumab; or			
3.2 Patient is unsuitable or contraindicated to treatment with anti-VEGF agents; and			
4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.			
Renewal — (Diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:			
Both:			
1 Patient's vision is stable or has improved (prescriber determined); and			
2 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.			
Initial application — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:			
All of the following:			
1 Patient has diabetic macular oedema; and			
2 Patient has reduced visual acuity of between 6/9 - 6/48 with functional awareness of reduction in vision; and			
3 Patient is of child bearing potential and has not yet completed a family; and			
4 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.			
Renewal — (Women of child bearing age with diabetic macular oedema) only from an ophthalmologist. Approvals valid for 12 months for applications meeting the following criteria:			
All of the following:			
1 Patient's vision is stable or has improved (prescriber determined); and			
2 Patient is of child bearing potential and has not yet completed a family; and			
3 Dexamethasone implants are to be administered not more frequently than once every 4 months into each eye, and up to a maximum of 3 implants per eye per year.			
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMYXIN B SULPHATE			
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per g.....	5.39	3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per ml.....	4.50	5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM			
Eye drops 0.1%, single dose.....	1.85	10 dose	✓ Diclofenac Devatis
	5.54	30 dose	✓ Diclofenac Devatis
FLUOROMETHOLONE			
* Eye drops 0.1%	3.09	5 ml OP	✓ FML
	5.20		✓ Flucon

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP		Livostin
LODOXAMIDE				
Eye drops 0.1%	8.71	10 ml OP	✓	Lomide
PREDNISOLONE ACETATE				
Eye drops 1%	6.92 7.00	10 ml OP 5 ml OP	✓	Prednisolone-AFT Pred Forte
PREDNISOLONE SODIUM PHOSPHATE – Special Authority see SA1715 below – Retail pharmacy				
Eye drops 0.5%, single dose (preservative free)	43.26	20 dose	✓	Minimis Prednisolone

►SA1715 Special Authority for Subsidy

Initial application only from an ophthalmologist or optometrist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLICATE

Eye drops 2%	2.91	10 ml OP	✓	Allerfix
--------------------	------	----------	---	----------

Glaucoma Preparations - Beta Blockers

TIMOLOL

* Eye drops 0.25%	2.42	5 ml OP	✓	Arrow-Timolol
* Eye drops 0.5%	2.50	5 ml OP	✓	Arrow-Timolol

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

ACETAZOLAMIDE

* Tab 250 mg	13.96	100	✓	Medsurge
--------------------	-------	-----	---	----------

BRINZOLAMIDE

* Eye drops 1%	5.11	5 ml OP	✓	Azopt
----------------------	------	---------	---	-------

DORZOLAMIDE WITH TIMOLOL

* Eye drops 2% with timolol 0.5%	3.58	5 ml OP	✓	Dortimopt
--	------	---------	---	-----------

Glaucoma Preparations - Prostaglandin Analogues

BIMATOPROST

* Eye drops 0.03%	5.15	3 ml OP	✓	Lumigan
-------------------------	------	---------	---	---------

LATANOPROST

* Eye drops 0.005%	2.08	2.5 ml OP	✓	Teva
--------------------------	------	-----------	---	------

TRAVOPROST

* Eye drops 0.004%	6.80	2.5 ml OP	✓	Travatan
--------------------------	------	-----------	---	----------

Glaucoma Preparations - Other

BRIMONIDINE TARTRATE

* Eye drops 0.2%	5.16	5 ml OP	✓	Arrow-Brimonidine
------------------------	------	---------	---	-------------------

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

SENSORY ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE				
* Eye drops 0.2% with timolol maleate 0.5%	7.13	5 ml OP	✓	Combigan
LATANOPROST WITH TIMOLOL				
* Eye drops 0.005% with timolol 0.5%	4.95	2.5 ml OP	✓	Arrow - Lattim
PILOCARPINE HYDROCHLORIDE				
* Eye drops 1%	4.26	15 ml OP	✓	Isopto Carpine
* Eye drops 2%	5.35	15 ml OP	✓	Isopto Carpine
* Eye drops 4%	7.99	15 ml OP	✓	Isopto Carpine
Subsidised for oral use pursuant to the Standard Formulae.				
PILOCARPINE NITRATE				
* Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy	35.90	20 dose	✓	Minims Pilocarpine

►SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be “tools of trade” and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE				
* Eye drops 1%	18.27	15 ml OP	✓	Atropt
CYCLOPENTOLATE HYDROCHLORIDE				
* Eye drops 1%	25.16	15 ml OP	✓	Cyclogyl
TROPICAMIDE				
* Eye drops 0.5%	20.52	15 ml OP	✓	Mydriacyl
* Eye drops 1%	24.82	15 ml OP	✓	Mydriacyl

Preparations for Tear Deficiency

For acetylcysteine eye drops refer Standard Formulae, [page 280](#)

HYPROMELLOSE				
* Eye drops 0.5%	19.50	15 ml OP	✓	Methopt
HYPROMELLOSE WITH DEXTRAN				
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✓	Poly-Tears

Preservative Free Ocular Lubricants

►SA2431 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed diagnosis by slit lamp or Schirmer test of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
POLYETHYLENE GLYCOL 400 AND PROPYLENE GLYCOL – Special Authority see SA2431 on the previous page – Retail pharmacy			
Eye drops 0.4% and propylene glycol 0.3%, 0.8 ml	10.78	30	✓ Systane Unit Dose
SODIUM HYALURONATE [HYALURONIC ACID] – Special Authority see SA2431 on the previous page – Retail pharmacy			
Eye drops 1 mg per ml	13.58	10 ml OP	✓ Hylo-Fresh
Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.			

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE			
* Eye drops 0.1%	5.65	15 ml OP	✓ Albalon
OLOPATADINE			
Eye drops 0.1%	3.39	5 ml OP	✓ Olopatadine Teva
PARAFFIN LIQUID WITH WOOL FAT			
* Eye oint 3% with wool fat 3%	3.63	3.5 g OP	✓ Poly-Visc
RETINOL PALMITATE			
Eye oint 138 mcg per g	3.80	5 g OP	✓ VitA-POS

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Various				
PHARMACY SERVICES				
* Brand switch fee.....	4.50	1 fee	✓	BSF Lyrica
a) May only be claimed once per patient.				
b) The Pharmacode for BSF Lyrica is 2723727 - see also page 133				
* Immunisation administration fee - flu.....	0.00	1 fee	✓	Immunisation - Flu
* Immunisation administration fee - other.....	0.00	1 fee	✓	Immunisation Other
* Immunisation co-administration fee - flu and shingles.....	0.00	1 fee	✓	Immunisation Flu and Shingles
* Paxlovid fee (Pharmacist initiated).....	0.00	1 fee	✓	Paxlovid fee
<i>(BSF Lyrica Brand switch fee to be delisted 1 July 2026)</i>				

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE				
Inj 200 mg per ml, 10 ml ampoule.....	42.99	10	✓	DBL Acetylcysteine
Inj 200 mg per ml, 10 ml vial.....	42.99	10	✓	Hikma Acetylcysteine ^{S29}
NALOXONE HYDROCHLORIDE				
a) Up to 10 inj available on a PSO				
b) Only on a PSO				
* Inj 400 mcg per ml, 1 ml ampoule.....	13.29	5	✓	DBL Naloxone Hydrochloride

Removal and Elimination

CHARCOAL				
* Oral liq 50 g per 250 ml.....	59.85	250 ml OP	✓	Carbosorb-X
a) Up to 250 ml available on a PSO				
b) Only on a PSO				
DEFERASIROX – Special Authority see SA1492 below – Retail pharmacy				
Wastage claimable				
Tab 125 mg dispersible.....	276.00	28	✓	Exjade
Tab 250 mg dispersible.....	552.00	28	✓	Exjade
Tab 500 mg dispersible.....	1,105.00	28	✓	Exjade

➔SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 3.3 Treatment with deferiprone has resulted in arthritis; or
- 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μL).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE – Special Authority see SA1480 below – Retail pharmacy

Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

►SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DEFERRIOXAMINE MESILATE

* Inj 500 mg vial	332.88	10	✓ DBL Desferrioxamine Mesylate for Inj BP
-------------------------	--------	----	--

SODIUM CALCIUM EDETATE

* Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	Calcium Disodium Versenate
---------------------------------	-------------------	---	-------------------------------

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Standard Formulae

ACETYLCYSTEINE EYE DROPS			PHENOBARBITONE SODIUM PAEDIATRIC ORAL LIQUID (10 mg per ml)
Acetylcysteine inj 200 mg per ml, 10 ml	qs		Phenobarbitone Sodium 400 mg
Suitable eye drop base	qs		Glycerol BP 4 ml
			Water to 40 ml
CODEINE LINCTUS (3 mg per 5 ml)			PILOCARPINE ORAL LIQUID
Codeine phosphate	60 mg		Pilocarpine 4% eye drops qs
Glycerol	40 ml		Preservative qs
Preservative	qs		Water to 500 ml
Water	to 100 ml		(Preservative should be used if quantity supplied is for more than 5 days.)
CODEINE LINCTUS (15 mg per 5 ml)			SALIVA SUBSTITUTE FORMULA
Codeine phosphate	300 mg		Methylcellulose 5 g
Glycerol	40 ml		Preservative qs
Preservative	qs		Water to 500 ml
Water	to 100 ml		(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)
FOLINIC MOUTHWASH			SODIUM CHLORIDE ORAL LIQUID
Calcium folinate 15 mg tab	1 tab		Sodium chloride inj 23.4%, 20 ml qs
Preservative	qs		Water qs
Water	to 500 ml		(Only funded if prescribed for treatment of hyponatraemia)
(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)			VANCOMYCIN ORAL SOLUTION (25 mg per ml)
METHYL HYDROXYBENZOATE 10% SOLUTION			Vancomycin 500 mg injection 5 vials
Methyl hydroxybenzoate	10 g		Glycerin with sucrose suspension 37.5 ml
Propylene glycol	to 100 ml		Water to 100 ml
(Use 1 ml of the 10% solution per 100 ml of oral liquid mixture)			(Only funded if prescribed for treatment of Clostridium difficile following metronidazole failure)
OMEPRAZOLE SUSPENSION			
Omeprazole capsules or powder	qs		
Sodium bicarbonate powder BP	8.4 g		
Water	to 100 ml		
PHENOBARBITONE ORAL LIQUID			
Phenobarbitone Sodium	1 g		
Glycerol BP	70 ml		
Water	to 100 ml		

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Extemporaneously Compounded Preparations and Galenicals			
COLLODION FLEXIBLE			
Note: This product is no longer being manufactured by the supplier and will be delisted from the Schedule at a date to be determined.			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE – Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	36.00	100 ml	✓ Midwest
GLYCERIN WITH SODIUM SACCHARIN – Only in combination			
Suspension.....	38.00	473 ml	✓ Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination			
Suspension.....	38.00	473 ml	✓ Ora-Sweet
GLYCEROL			
* Liquid – Only in combination	3.23	500 ml	✓ healthE Glycerol BP
Only in extemporaneously compounded oral liquid preparations.			
METHYL HYDROXYBENZOATE			
Powder	11.00	25 g	✓ Midwest
METHYLCELLULOSE			
Powder	44.00	100 g	✓ MidWest
Suspension – Only in combination	38.00	473 ml	✓ Ora-Plus
<i>(MidWest Powder to be delisted 1 February 2028)</i>			
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHARIN – Only in combination			
Suspension.....	38.00	473 ml	✓ Ora-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE – Only in combination			
Suspension.....	38.00	473 ml	✓ Ora-Blend
PHENOBARBITONE SODIUM			
Powder – Only in combination.....	125.00	10 g	✓ MidWest
Only in children up to 12 years			
PROPYLENE GLYCOL			
Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.			
Liq.....	16.00	500 ml	✓ Midwest
SODIUM BICARBONATE			
Powder BP – Only in combination.....	13.50	500 g	✓ Midwest
Only in extemporaneously compounded omeprazole and lansoprazole suspension.			
SYRUP (PHARMACEUTICAL GRADE) – Only in combination			
Only in extemporaneously compounded oral liquid preparations.			
Liq.....	25.00	500 ml	✓ Midwest
WATER			
Tap – Only in combination.....	0.00	1 ml	✓ Tap water

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Nutrient Modules

Carbohydrate

► **SA1930** Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see [SA1930 above](#) – Hospital pharmacy [HP3]
 Powder6.72 400 g OP ✓ **Polycal**

Carbohydrate And Fat

► **SA1376** Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT – Special Authority see [SA1376 on the previous page](#) – Hospital pharmacy [HP3]

Powder (neutral)	71.77	400 g OP	✓ Duocal Super Soluble Powder
------------------------	-------	----------	-------------------------------

Fat

»SA2204 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified where the patient has an inborn error of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or

continued...

SPECIAL FOODS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

10 ascites; or

11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT – Special Authority see [SA2204 on the previous page](#) – Hospital pharmacy [HP3]

Emulsion (neutral)	15.38	200 ml OP	✓ Calogen
Emulsion (strawberry).....	15.38	200 ml OP	✓ Calogen
Oil	37.50	500 ml OP	✓ MCT oil (Nutricia)
MCT Emulsion, 250 ml	143.65	4 OP	✓ Liquigen

Protein

➔SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT – Special Authority see [SA1524 above](#) – Hospital pharmacy [HP3]

Powder	8.95	227 g OP	✓ Resource Beneprotein
	13.82	225 g OP	✓ Protifar

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Oral and Enteral Feeds

Diabetic Products

► **SA1095** Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see [SA1095 above](#) – Hospital pharmacy [HP3]

Liquid, 500 ml bottle	4.65	1 OP	✓ Glucerna Select
-----------------------------	------	------	--------------------------

DIABETIC ORAL FEED 1KCAL/ML – Special Authority see [SA1095 above](#) – Hospital pharmacy [HP3]

Liquid (strawberry), 200 ml bottle	2.25	1 OP	✓ Diasip
--	------	------	-----------------

Liquid (vanilla), 200 ml bottle.....	2.25	1 OP	✓ Diasip
--------------------------------------	------	------	-----------------

	8.40	4	✓ Nutren Diabetes
--	------	---	--------------------------

Fat Modified Products

► **SA2205** Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified where the patient has an inborn error of metabolism.

Initial application — (Indications other than errors of inborn metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient has a chyle leak; or
- 2 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED – Special Authority see [SA2205 above](#) – Hospital pharmacy [HP3]

Powder	62.90	400 g OP	✓ Monogen
--------------	-------	----------	------------------

Paediatric Products For Children Awaiting Liver Transplant

»SA1098 **Special Authority for Subsidy**

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1098 above – Hospital pharmacy [HP3]
 Powder (unflavoured)93.97 400 g OP ✓ **Heparon Junior**

Paediatric Products For Children With Chronic Renal Failure

»SA1099 **Special Authority for Subsidy**

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1099 above – Hospital pharmacy [HP3]
 Powder64.26 400 g OP ✓ **Kindergen**

Paediatric Products

»SA1379 **Special Authority for Subsidy**

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
- 1 Child is aged one to ten years; and
 - 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]			
Liquid, 500 ml bottle	7.46	1 OP	✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]			
Liquid, 500 ml bottle	3.32	1 OP	✓ Pediasure RTH
	4.69		✓ Nutrini RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]			
Liquid, 500 ml bottle	7.14	1 OP	✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]			
Liquid (strawberry), 200 ml bottle	1.90	1 OP	✓ Fortini
Liquid (vanilla), 200 ml bottle.....	1.90	1 OP	✓ Fortini
Liquid (vanilla), 500 ml bottle.....	8.67	1 OP	✓ Pediasure Plus
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]			
Liquid (chocolate), 200 ml bottle.....	1.33	1 OP	✓ Pediasure
Liquid (strawberry), 200 ml bottle.....	1.33	1 OP	✓ Pediasure
Liquid (vanilla), 200 ml bottle.....	1.33	1 OP	✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]			
Liquid (chocolate), 200 ml bottle.....	1.90	1 OP	✓ Fortini Multi Fibre
Liquid (strawberry), 200 ml bottle.....	1.90	1 OP	✓ Fortini Multi Fibre
Liquid (unflavoured), 200 ml bottle.....	1.90	1 OP	✓ Fortini Multi Fibre
Liquid (vanilla), 200 ml bottle.....	1.90	1 OP	✓ Fortini Multi Fibre
PEPTIDE-BASED ORAL FEED – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]			
Powder	43.60	400 g OP	✓ Peptamen Junior

Renal Products

»SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA1101 above – Hospital pharmacy [HP3]			
Liquid, 220 ml bottle	3.31	1 OP	✓ Nepro HP (strawberry)
			✓ Nepro HP (vanilla)

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
RENAL ORAL FEED 2 KCAL/ML – Special Authority see SA1101 on the previous page – Hospital pharmacy [HP3]			
Liquid, 200 ml bottle	13.24	4 OP	✓ NovaSource Renal
Liquid (apricot) 125 ml.....	13.72	4 OP	✓ Renilon 7.5
Liquid (caramel) 125 ml.....	13.72	4 OP	✓ Renilon 7.5

Specialised And Elemental Products

►SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Special Authority see [SA1377 above](#) – Hospital pharmacy [HP3]

Liquid, 1,000 ml bottle	22.39	1 OP	✓ Vital
-------------------------------	-------	------	---------

ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see [SA1377 above](#) – Hospital pharmacy [HP3]

Liquid (grapefruit), 250 ml carton.....	179.46	18 OP	✓ Elemental 028 Extra
Liquid (pineapple & orange), 250 ml carton.....	179.46	18 OP	✓ Elemental 028 Extra
Liquid (summer fruits), 250 ml carton.....	179.46	18 OP	✓ Elemental 028 Extra

ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see [SA1377 above](#) – Hospital pharmacy [HP3]

Powder (unflavoured), 80 g sachet.....	45.00	10	✓ Vivonex TEN
--	-------	----	---------------

SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Authority see [SA1377 above](#) – Hospital pharmacy [HP3]

Liquid, 500 ml bottle	7.47	1 OP	✓ Nutrison Advanced Peptisorb
-----------------------------	------	------	-------------------------------

Paediatric Products For Children With Low Energy Requirements

►SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML – Special Authority see [SA1196 on the previous page](#) – Hospital pharmacy [HP3]

Liquid, 500 ml bottle	6.27	1 OP	✓ Nutri Low Energy Multi Fibre
-----------------------------	------	------	---

Standard Supplements

▶SA1859 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) from any relevant practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Initial application — (Adults) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and

2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complian); and

3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 A nutrition goal has been set (eg reach a specific weight or BMI); and

2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:

5.1 Pregnant; and

5.2 Any of the following:

- 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
- 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
- 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

4 Tempomandibular surgery or glossectomy; or

5 Both:

5.1 Pregnant; and

5.2 Any of the following:

5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or

5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or

5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm³); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see [SA1859 on page 289](#) – Hospital pharmacy [HP3]

Liquid, 1,000 ml bottle	8.68	1 OP	✓ Ensure Plus HN RTH
	9.00		✓ Nutrison Energy

ENTERAL FEED 1KCAL/ML – Special Authority see [SA1859 on page 289](#) – Hospital pharmacy [HP3]

Liquid, 1,000 ml bottle	6.56	1 OP	✓ Osmolite RTH
	6.90		✓ Nutrison RTH

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1859 on page 289 – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	9.05	1 OP	✓	Nutrison 800 Complete Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1859 on page 289 – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	6.56	1 OP	✓	Jevity RTH
	7.21		✓	Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1859 on page 289 – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	8.68	1 OP	✓	Jevity HiCal RTH
			✓	Nutrison Energy Multi Fibre
ORAL FEED (POWDER) – Special Authority see SA1859 on page 289 – Hospital pharmacy [HP3]				
Powder (chocolate).....	15.90	840 g OP	✓	Sustagen Hospital Formula
	40.00	850 g OP	✓	Ensure
Powder (vanilla).....	15.90	840 g OP	✓	Sustagen Hospital Formula
	40.00	850 g OP	✓	Ensure
ORAL FEED 1.5KCAL/ML – Special Authority see SA1859 on page 289 – Hospital pharmacy [HP3]				
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition for the treatment of Crohn's disease, or for patients with COPD and hypercapnia, defined as CO2 value exceeding 55mmHg. The prescription must be endorsed accordingly.				
Liquid (banana), 200 ml bottle – Higher subsidy of up to \$1.76 per 1 btl with Endorsement.....	0.72 (1.56) (1.76)	1 OP		Ensure Plus Fortisip
Liquid (chocolate), 200 ml bottle – Higher subsidy of up to \$1.76 per 1 btl with Endorsement.....	0.72 (1.56) (1.76)	1 OP		Ensure Plus Fortisip
Liquid (fruit of the forest), 200 ml bottle – Higher subsidy of \$1.56 per 1 btl with Endorsement.....	0.72 (1.56)	1 OP		Ensure Plus
Liquid (strawberry), 200 ml bottle – Higher subsidy of \$1.76 per 1 btl with Endorsement.....	0.72 (1.76)	1 OP		Fortisip
Liquid (vanilla), 200 ml bottle – Higher subsidy of up to \$1.76 per 1 btl with Endorsement.....	0.72 (1.56) (1.76)	1 OP		Ensure Plus Fortisip
Liquid (vanilla), 237 ml can – Higher subsidy of \$1.65 per 1 can with Endorsement.....	0.85 (1.65)	1 OP		Ensure Plus

(Ensure Plus Liquid (vanilla), 237 ml can to be delisted 1 July 2026)

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see SA1859 on page 289 – Hospital pharmacy [HP3]			
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.			
Liquid (chocolate), 200 ml bottle – Higher subsidy of \$1.76 per 1 btl with Endorsement.....	0.72 (1.76)	1 OP	Fortisip Multi Fibre
Liquid (strawberry), 200 ml bottle – Higher subsidy of \$1.76 per 1 btl with Endorsement.....	0.72 (1.76)	1 OP	Fortisip Multi Fibre
Liquid (vanilla), 200 ml bottle – Higher subsidy of \$1.76 per 1 btl with Endorsement.....	0.72 (1.76)	1 OP	Fortisip Multi Fibre

High Calorie Products

►SA1195 **Special Authority for Subsidy**

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner.

Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 on the previous page – Hospital pharmacy [HP3]				
Liquid, 1,000 ml bottle	13.64	1 OP	✓	Ensure Two Cal HN RTH
Liquid, 500 ml bottle	6.82	1 OP	✓	Nutrison Concentrated
ORAL FEED 2 KCAL/ML – Special Authority see SA1195 on the previous page – Hospital pharmacy [HP3]				
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.				
Liquid (vanilla), 200 ml bottle – Higher subsidy of \$2.34 per 1 btl with Endorsement.....	0.96 (2.34)	1 OP		Two Cal HN

Food Thickeners

►SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER – Special Authority see SA1106 above – Hospital pharmacy [HP3]				
Powder	8.29	300 g OP	✓	Nutlis
	24.00	380 g OP	✓	Aptamil Feed Thickener

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by Pharmac from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

►SA1729 Special Authority for Subsidy

Initial application — (all patients) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
- 1 Gluten enteropathy has been diagnosed by biopsy; or
 - 2 Patient suffers from dermatitis herpetiformis.

Initial application — (paediatric patients diagnosed by ESPGHAN criteria) only from a paediatric gastroenterologist. Approvals valid without further renewal unless notified where the paediatric patient fulfils ESPGHAN criteria for biopsy free diagnosis of coeliac disease.

GLUTEN FREE BAKING MIX – Special Authority see SA1729 above – Hospital pharmacy [HP3]				
Powder	2.81	1,000 g OP		Healthies Simple Baking Mix
	(5.15)			

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
GLUTEN FREE BREAD MIX – Special Authority see SA1729 on the previous page – Hospital pharmacy [HP3]			
Powder	3.93 (7.32)	1,000 g OP	NZB Low Gluten Bread Mix
	3.51 (10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA1729 on the previous page – Hospital pharmacy [HP3]			
Powder	5.62 (18.10)	2,000 g OP	Horleys Flour

Foods And Supplements For Inherited Metabolic Disease

► **SA2357** Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient requires dietary management of inherited metabolic disorders.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE – Special Authority see [SA2357 above](#) – Hospital pharmacy [HP3]

Powder (neutral), 36 g sachets.....	750.30	30	✓ HCU Anamix Junior
Powder, 12.5 g sachets	349.65	30	✓ HCU Explore 5
Powder, 25 g sachets	1,048.95	30	✓ HCU Express 15
Powder (neutral), can	480.42	500 g OP	✓ XMET Maxamum
Powder (unflavoured), can	260.00	400 g OP	✓ HCU Anamix Infant
Liquid (juicy berries), 125 ml bottle.....	1,684.80	30	✓ HCU Lophlex LQ
Liquid (orange), 125 ml bottle.....	941.40	36	✓ HCU Anamix Junior LQ

Supplements For MSUD and short chain enoyl coA hydratase deficiency

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see [SA2357 above](#) – Hospital pharmacy [HP3]

Powder (neutral) 36 g sachets.....	750.00	30	✓ MSUD Anamix Junior
Powder, 12.5 g sachets	349.65	30	✓ MSUD Explore 5
Powder, 25 g sachets	1,048.95	30	✓ MSUD Express 15
Powder (neutral), can	454.71	500 g OP	✓ MSUD Maxamum
Powder (orange), can	454.71	500 g OP	✓ MSUD Maxamum
Powder (unflavoured), can	260.00	400 g OP	✓ MSUD Anamix Infant
Liquid (orange) 125 ml bottles	941.40	36	✓ MSUD Anamix Junior LQ
Liquid (juicy berries) 125 ml pouches.....	1,684.80	30	✓ MSUD Lophlex LQ 20

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Supplements For PKU			
AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA2357 on the previous page – Hospital pharmacy [HP3]			
Tabs.....	99.00	75 OP	✓ Phlexy 10
Powder (Lemon), 34 g sachets.....	883.50	30	✓ PKU Express 20
Powder (Neutral), 12.5 g sachets.....	220.88	30	✓ PKU Explore 5
Powder (Neutral), 34 g sachets.....	883.50	30	✓ PKU Express 20
Powder (Orange), 25 g sachets.....	441.75	30	✓ PKU Explore 10
Powder (Orange), 34 g sachets.....	883.50	30	✓ PKU Express 20
Powder (Raspberry), 25 g sachets.....	441.75	30	✓ PKU Explore 10
Powder (Tropical), 34 g sachets.....	883.50	30	✓ PKU Express 20
Powder (berry) 28 g sachets.....	936.00	30	✓ PKU Lophlex Powder
Powder (chocolate) 36 g sachet.....	393.00	30	✓ PKU Anamix Junior Chocolate
Powder (neutral) 28 g sachets.....	936.00	30	✓ PKU Lophlex Powder
Powder (neutral) 36 g sachets.....	393.00	30	✓ PKU Anamix Junior
Powder (orange) 28 g sachets.....	936.00	30	✓ PKU Lophlex Powder
Powder (orange) 36 g sachet.....	393.00	30	✓ PKU Anamix Junior Orange
Powder (unflavoured) 12.5 g sachets.....	234.00	30	✓ PKU First Spoon
Powder (vanilla) 36 g sachet.....	393.00	30	✓ PKU Anamix Junior Vanilla
Infant formula.....	174.72	400 g OP	✓ PKU Anamix Infant
Powder (neutral), 4 x 400 g can.....	715.16	1,600 g OP	✓ Pku Start
Powder (orange).....	320.00	500 g OP	✓ XP Maxamum
Powder (unflavoured).....	320.00	500 g OP	✓ XP Maxamum
Liquid (berry), 125 ml bottle.....	13.10	1 OP	✓ PKU Anamix Junior LQ
Liquid (orange), 125 ml bottle.....	13.10	1 OP	✓ PKU Anamix Junior LQ
Liquid (forest berries), 250 ml carton.....	540.00	18 OP	✓ Easiphen Liquid
Liquid (juicy tropical) 125 ml.....	936.00	30 OP	✓ PKU Lophlex LQ 20
Oral semi-solid (berries) 109 g.....	1,123.20	36 OP	✓ PKU Lophlex Sensation 20
Liquid (juicy berries) 62.5 ml.....	939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml.....	936.00	30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml.....	936.00	30 OP	✓ PKU Lophlex LQ 20

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
GLYCOMACROPEPTIDE AND AMINO ACID CONTAINS SOME PHENYLALANINE – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder (Banana) 35 g sachets	930.00	30	✓	PKU sphere20 Banana
Powder (Berry), 20 g sachets	449.28	60	✓	PKU Restore Powder
Powder (Chocolate) 32 g sachets	898.56	30	✓	PKU Build 20 Chocolate
Powder (Chocolate) 35 g sachets	930.00	30	✓	PKU sphere20 Chocolate
Powder (Lemon) 35 g sachets.....	930.00	30	✓	PKU sphere20 Lemon
Powder (Lemonade) 33.4 g sachets.....	936.00	30	✓	PKU GMPPro Ultra Lemonade
Powder (Neutral), 15 g sachets.....	449.28	30	✓	PKU Build 10
Powder (Orange), 20 g sachets.....	449.28	60	✓	PKU Restore Powder
Powder (Raspberry Lemonade) 31 g sachets.....	898.56	30	✓	PKU Build 20 Raspberry Lemonade
Powder (Smooth) 31 g sachets	898.56	30	✓	PKU Build 20 Smooth
Powder (Vanilla) 33 g sachets.....	898.56	30	✓	PKU Build 20 Vanilla
Powder (neutral), 40 g sachets.....	673.92	30	✓	Glytactin Bettermilk
Powder (unflavoured) 12.5 g sachets.....	468.00	30	✓	PKU GMPPro Mix-In
Powder (vanilla) 33.4 g sachets	936.00	30	✓	PKU GMPPro Ultra Vanilla
Powder (Red Berry) 35 g sachets	930.00	30	✓	PKU sphere20 Red Berry
Powder (Vanilla) 35 g sachets.....	930.00	30	✓	PKU sphere20 Vanilla
Liquid (neutral), 250 ml carton.....	280.80	18	✓	PKU GMPPro LQ
Liquid (original), 250 ml carton	684.45	30 OP	✓	PKU Glytactin RTD 15
Liquid (Coffee Mocha), 250 ml carton	684.45	30 OP	✓	PKU Glytactin RTD 15 Lite
Liquid (chocolate), 250 ml carton	684.45	30 OP	✓	PKU Glytactin RTD 15
Liquid (vanilla), 250 ml carton.....	684.45	30 OP	✓	PKU Glytactin RTD 15 Lite

Foods

LOW PROTEIN BAKING MIX – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder	8.55	500 g OP	✓	Loprofin Mix

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
LOW PROTEIN PASTA – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]			
Animal shapes.....	12.39	500 g OP	✓ Loprofin
Lasagne.....	6.19	250 g OP	✓ Loprofin
Low protein rice pasta.....	12.39	500 g OP	✓ Loprofin
Macaroni.....	6.19	250 g OP	✓ Loprofin
Penne.....	12.39	500 g OP	✓ Loprofin
Spaghetti.....	12.39	500 g OP	✓ Loprofin
Spirals.....	12.39	500 g OP	✓ Loprofin

Supplements for Tyrosinaemia

AMINOACID FORMULA WITHOUT PHENYLALANINE AND TYROSINE – Special Authority see [SA2357 on page 295](#) – Hospital pharmacy [HP3]

Powder (Neutral), 12.5 g sachets.....	349.65	30	✓ TYR Explore 5
Powder (neutral) 36 g sachets.....	471.00	30	✓ TYR Anamix Junior
Powder, can.....	260.00	400 g OP	✓ TYR Anamix Infant
Liquid (juicy berries) 125 ml pouches.....	1,684.80	30	✓ TYR Lophlex LQ 20
Liquid (orange) 125 ml bottle.....	941.40	36	✓ TYR Anamix Junior LQ

GLYCOMACROPEPTIDE AND AMINO ACID CONTAINS SOME TYROSINE AND PHENYLALANINE – Special Authority see [SA2357 on page 295](#) – Hospital pharmacy [HP3]

Powder (Red Berry), 35 g sachets.....	1,398.60	30	✓ TYR Sphere 20
Powder (Vanilla), 35 g sachets.....	1,398.60	30	✓ TYR Sphere 20

Supplements for Organic Acidaemias

AMINOACID FORMULA WITHOUT ISOLEUCINE, METHIONINE, THREONINE AND VALINE – Special Authority see [SA2357 on page 295](#) – Hospital pharmacy [HP3]

Powder, can.....	260.00	400 g OP	✓ MMA/PA Anamix Infant
------------------	--------	----------	-------------------------------

AMINOACID FORMULA WITHOUT METHIONINE, THREONINE AND VALINE – Special Authority see [SA2357 on page 295](#) – Hospital pharmacy [HP3]

Powder (neutral), 18 g sachets.....	750.30	30	✓ MMA/PA Anamix Junior
Powder, 12.5 g sachets.....	349.65	30	✓ MMA/PA Explore 5
Powder, 25 g sachets.....	1,048.95	30	✓ MMA/PA Express 15

Supplements for Glutaric Aciduria type 1

AMINOACID FORMULA WITHOUT LYSINE – Special Authority see [SA2357 on page 295](#) – Hospital pharmacy [HP3]

Powder (neutral), 18 g sachets.....	750.30	30	✓ GA1 Anamix Junior
Powder, 12.5 g sachets.....	349.65	30	✓ GA Explore 5
Powder, can.....	260.00	400 g OP	✓ GA1 Anamix Infant

Supplements for Glycogen Storage Disease

HIGH AMYLOPECTIN CORN-STARCH – Special Authority see [SA2357 on page 295](#) – Hospital pharmacy [HP3]

Powder, 60 g sachets.....	241.62	30	✓ Glycosade
---------------------------	--------	----	--------------------

Single dose amino acids

ARGININE – Special Authority see [SA2357 on page 295](#) – Hospital pharmacy [HP3]

Powder, 4 g sachets.....	211.45	30	✓ Arginine2000
--------------------------	--------	----	-----------------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CITRULLINE – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder, 4 g sachets.....	211.45	30	✓	Citrulline1000
ISOLEUCINE – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder, 4 g sachets.....	141.05	30	✓	Isoleucine50
LEUCINE – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder, 4 g sachets.....	141.05	30	✓	Leucine100
PHENYLALANINE – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder, 4 g sachets.....	141.05	30	✓	Phenylalanine50
TYROSINE – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder, 4 g sachets.....	211.45	30	✓	Tyrosine1000
VALINE – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder, 4 g sachets.....	141.05	30	✓	Valine50

Other Fat Modified Products

ELEMENTAL FEED WITH HIGH MEDIUM CHAIN TRIGLYCERIDES – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder (neutral), 100 g sachets.....	47.01	10	✓	Emsogen

Carbohydrate and Fat with added vitamins and minerals

PROTEIN FREE SUPPLEMENT CONTAINING CARBOHYDRATE, FAT WITH ADDED VITAMINS AND MINERALS – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder (neutral), can	49.29	400 g OP	✓	Energivit

Essential Amino Acids

ESSENTIAL AMINOACID FORMULA – Special Authority see SA2357 on page 295 – Hospital pharmacy [HP3]				
Powder (neutral), can	313.73	200 g OP	✓	Essential Amino Acid Mix

Infant Formulae

For Williams Syndrome

►SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]				
Powder	46.18	400 g OP	✓	Locasol

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Gastrointestinal and Other Malabsorptive Problems			
AMINO ACID FORMULA – Special Authority see SA2092 below – Hospital pharmacy [HP3]			
Powder	43.60	400 g OP	✓ Alfamino
			✓ Alfamino Junior
Powder (unflavoured)	55.61	400 g OP	✓ Neocate Gold
			✓ Neocate Junior
			Unflavoured
	65.72		✓ Neocate SYNEO
			✓ Elecare
Powder (vanilla).....	55.61	400 g OP	✓ Elecare LCP
			✓ Neocate Junior
			Vanilla
	65.72		✓ Elecare

SA2092 Special Authority for Subsidy

Initial application — (Infants under 12 months of age) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 History of anaphylaxis to cow's milk protein formula or dairy products; or
- 2 Eosinophilic oesophagitis; or
- 3 Ultra-short gut; or
- 4 Severe Immune deficiency; or
- 5 Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate; or
- 6 Both:
 - 6.1 Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption; and
 - 6.2 Either:
 - 6.2.1 The patient has a valid Special Authority approval for extensively hydrolysed formula: approval number; or
 - 6.2.2 Patient has IgE mediated allergy.

Initial application — (Children 12 months of age and over) only from a paediatrician, paediatric gastroenterologist, paediatric immunologist or dietitian on the recommendation of a paediatrician, paediatric gastroenterologist or paediatric immunologist.

Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a paediatrician, paediatric gastroenterologist or paediatric immunologist; or
 - 1.2 Applicant is a dietitian and confirms that a paediatrician, paediatric gastroenterologist or paediatric immunologist has been consulted within the last 12 months and has recommended treatment for the patient; and
- 2 Any of the following:
 - 2.1 History of anaphylaxis to cow's milk protein formula or dairy products; or
 - 2.2 Eosinophilic oesophagitis; or
 - 2.3 Ultra-short gut; or
 - 2.4 Severe Immune deficiency; or
 - 2.5 Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate; or
 - 2.6 Both:
 - 2.6.1 Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption; and
 - 2.6.2 Either:
 - 2.6.2.1 The patient has a valid Special Authority approval for extensively hydrolysed formula: approval

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

number; or

2.6.2.2 Patient has IgE mediated allergy.

Renewal — (Infants up to 12 months of age) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 Patient has IgE mediated allergy; and

1.2 All of the following:

1.2.1 Patient remains allergic to cow's milk; and

1.2.2 An assessment as to whether the infant can be transitioned to a cow's milk protein, soy or extensively hydrolysed infant formula has been undertaken; and

1.2.3 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and

1.2.4 Amino acid formula is required for a nutritional deficit; and

1.2.5 It has been more than three months from the previous approval; or

2 Both:

2.1 Patient has non IgE mediated severe gastrointestinal intolerance (including eosinophilic oesophagitis, ultra-short gut and severe immune deficiency); and

2.2 All of the following:

2.2.1 An assessment as to whether the infant can be transitioned to a cow's milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and

2.2.2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and

2.2.3 Amino acid formula is required for a nutritional deficit; and

2.2.4 It has been more than three months from the previous approval.

Renewal — (Children 12 months of age and over) only from a paediatrician, paediatric gastroenterologist, paediatric immunologist or dietitian on the recommendation of a paediatrician, paediatric gastroenterologist or paediatric immunologist.

Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Either:

1.1 Applicant is a paediatrician, paediatric gastroenterologist or paediatric immunologist; or

1.2 Applicant is a dietitian and confirms that a paediatrician, paediatric gastroenterologist or paediatric immunologist has been consulted within the last 12 months and has recommended treatment for the patient; and

2 Any of the following:

2.1 History of anaphylaxis to cow's milk protein formula or dairy products; or

2.2 Eosinophilic oesophagitis; or

2.3 Ultra-short gut; or

2.4 Severe Immune deficiency; or

2.5 Extensively hydrolysed formula has been trialled in an inpatient setting and is clinically inappropriate; or

2.6 Both:

2.6.1 Extensively hydrolysed formula has been reasonably trialled for 2-4 weeks and is inappropriate due to documented severe intolerance or allergy or malabsorption; and

2.6.2 Either:

2.6.2.1 The patient has a valid Special Authority approval for extensively hydrolysed formula: approval number; or

2.6.2.2 Patient has IgE mediated allergy.

Initial application — (for patients who have a current funding under Special Authority form SA1557) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

continued...

SPECIAL FOODS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

All of the following:

- 1 Patient has a valid Special Authority approval for extensively hydrolysed formula (SA1557); and
- 2 Extensively hydrolysed formula (Aptamil Gold+ Pepti Junior, AllerPro SYNEO 1 and 2) is unable to be supplied at this time; and
- 3 The approval only applies to funded dispensings of Neocate Gold and Neocate Syneo.

Note: This criteria is short term funding to cover an out-of-stock situation on some extensively hydrolysed formula powder funded under Special Authority form SA1557. There is no renewal criteria under this restriction.

ENTERAL LIQUID PEPTIDE FORMULA – Special Authority see [SA1953 below](#) – Hospital pharmacy [HP3]

Liquid 1 kcal/ml, 500 ml bottle	12.44	1 OP	✓ Nutrini Peptisorb
Liquid 1.5 kcal/ml, 500 ml bottle	18.66	1 OP	✓ Nutrini Peptisorb Energy

►SA1953 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has impaired gastrointestinal function and either cannot tolerate polymeric feeds, or polymeric feeds are unsuitable; and
- 2 Any of the following:
 - 2.1 Severe malabsorption; or
 - 2.2 Short bowel syndrome; or
 - 2.3 Intractable diarrhoea; or
 - 2.4 Biliary atresia; or
 - 2.5 Cholestatic liver diseases causing malabsorption; or
 - 2.6 Cystic fibrosis; or
 - 2.7 Proven fat malabsorption; or
 - 2.8 Severe intestinal motility disorders causing significant malabsorption; or
 - 2.9 Intestinal failure; or
 - 2.10 Both:
 - 2.10.1 The patient is currently receiving funded amino acid formula; and
 - 2.10.2 The patient is to be trialled on, or transitioned to, an enteral liquid peptide formula; and
- 3 Either:
 - 3.1 A semi-elemental or partially hydrolysed powdered feed has been reasonably trialled and considered unsuitable; or
 - 3.2 For step down from intravenous nutrition.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the patient can be transitioned to a cows milk protein or soy infant formula or extensively hydrolysed formula has been undertaken; and
- 2 The outcome of the assessment is that the patient continues to require an enteral liquid peptide formula; and
- 3 General practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

EXTENSIVELY HYDROLYSED FORMULA – Special Authority see [SA1557 on the next page](#) – Hospital pharmacy [HP3]

Powder	18.10	450 g OP	✓ Pepti-Junior
	36.20	900 g OP	✓ Allerpro Syneo 1
			✓ Allerpro Syneo 2

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

►SA1557 **Special Authority for Subsidy**

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malabsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula; and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Fluid Restricted

PAEDIATRIC ORAL/ENTERAL FEED 1 KCAL/ML – Special Authority see SA1698 below – Hospital pharmacy [HP3]

Liquid, 125 ml bottle2.80 1 OP ✓ **Infatrini**

►SA1698 **Special Authority for Subsidy**

Initial application only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is fluid restricted or volume intolerant and has been diagnosed with faltering growth; and
- 2 Patient is under the care of a paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
- 3 Patient is under 18 months of age or weighs less than 8 kg.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

Note: 'Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Renewal only from a paediatrician, dietitian or general practitioner on the recommendation of a paediatrician or dietitian.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient continues to be fluid restricted or volume intolerant and has faltering growth; and
- 2 Patient is under the care of a hospital paediatrician or dietitian who has recommended treatment with a high energy infant formula; and
- 3 Patient is under 18 months of age or weighs less than 8 kg.

Note: 'Volume intolerant' patients are those who are unable to tolerate an adequate volume of infant formula to achieve expected growth rate. These patients should have first trialled appropriate clinical alternative treatments, such as concentrating, fortifying and adjusting the frequency of feeding.

Ketogenic Diet

►SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA – Special Authority see [SA1197 above](#) – Hospital pharmacy [HP3]

Powder (unflavoured)	36.92	300 g OP	✓ KetoCal 4:1
			✓ Ketocal 3:1
Powder (vanilla).....	36.92	300 g OP	✓ KetoCal 4:1

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Vaccinations

BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

Danish strain 1331, live attenuated, vial with diluent.....	0.00	10	✓ BCG Vaccine AJV
---	------	----	--------------------------

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
COVID-19 VACCINE – [Xpharm]				
Inj 3 mcg SARS-CoV-2 spike protein (mRNA) LP.8.1 per 0.3 ml, 0.48 ml multi-dose vial; infant vaccine, yellow cap	0.00	10	✓	Comirnaty (LP.8.1)
Any of the following:				
1) Up to three doses for previously unvaccinated children aged 6 months - 4 years at high risk of severe illness or highly immunocompromised; or				
2) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 6 months to 4 years; or				
3) One additional dose with the most current variant-matched vaccine every 12 months for children aged 6 months to 4 years old at high risk of severe illness.				
Inj 3 mcg bretovameran per 0.3 ml, 0.48 ml vial; infant vaccine, yellow cap	0.00	10	✓	Comirnaty Omicron (JN.1)
Any of the following:				
1) Up to three doses for previously unvaccinated children aged 6 months - 4 years at high risk of severe illness or highly immunocompromised; or				
2) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 6 months to 4 years; or				
3) One additional dose with the most current variant-matched vaccine every 12 months for children aged 6 months to 4 years old at high risk of severe illness.				
Inj 10 mcg SARS-CoV-2 spike protein (mRNA) LP.8.1 per 0.3 ml, 0.48 ml single-dose vial; paediatric vaccine, light blue cap	0.00	10	✓	Comirnaty (LP.8.1)
Any of the following:				
1) One dose for previously unvaccinated children aged 5–11 years old; or				
2) Up to three doses for immunocompromised children aged 5-11 years old; or				
3) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 5 to 11 years; or				
4) One additional dose with the most current variant-matched vaccine up to every 12 months for children aged 5 to 11 years old at high risk of severe illness.				
Inj 10 mcg bretovameran per 0.3 ml, 0.48 ml vial; paediatric vaccine, light blue cap	0.00	10	✓	Comirnaty Omicron (JN.1)
Any of the following:				
1) One dose for previously unvaccinated children aged 5–11 years old; or				
2) Up to three doses for immunocompromised children aged 5-11 years old; or				
3) One additional dose with the most current variant-matched vaccine every 6 months for highly immunocompromised children aged 5 to 11 years; or				
4) One additional dose with the most current variant-matched vaccine up to every 12 months for children aged 5 to 11 years old at high risk of severe illness.				
Inj 30 mcg SARS-CoV-2 spike protein (mRNA) LP.8.1 per 0.3 ml, pre-filled syringe; adult dose	0.00	10	✓	Comirnaty (LP.8.1)

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

Any of the following:

- 1) One dose for previously unvaccinated people aged 12-15 years and over 30 years old; or
- 2) Two doses for previously unvaccinated people aged 16-29 years old; or
- 3) Up to three doses for previously unvaccinated immunocompromised people from 12 years old; or
- 4) Up to four doses for people at risk of severe illness aged from 12-29 years; or
- 5) One additional dose with the most current variant-matched vaccine every 6 months, any of the following criteria:
 - i) Previously vaccinated people aged 30 years and over; or
 - ii) Previously vaccinated immunocompromised people from 12 years; or
 - iii) Previously vaccinated people at high-risk from 12 years.

Inj 30 mcg bretovameran per 0.3 ml, 0.48 ml vial; adult vaccine, light grey cap	0.00	10	✓ Comirnaty Omicron (JN.1)
--	------	----	---------------------------------------

Any of the following:

- 1) One dose for previously unvaccinated people aged 12-15 years and over 30 years old; or
- 2) Two doses for previously unvaccinated people aged 16-29 years old; or
- 3) Up to three doses for previously unvaccinated immunocompromised people from 12 years old; or
- 4) Up to four doses for people at risk of severe illness aged from 12-29 years; or
- 5) One additional dose with the most current variant-matched vaccine every 6 months, any of the following criteria:
 - i) Previously vaccinated people aged 30 years and over; or
 - ii) Previously vaccinated immunocompromised people from 12 years; or
 - iii) Previously vaccinated people at high-risk from 12 years.

(Comirnaty Omicron (JN.1) Inj 3 mcg bretovameran per 0.3 ml, 0.48 ml vial; infant vaccine, yellow cap to be delisted 1 June 2026)

(Comirnaty Omicron (JN.1) Inj 10 mcg bretovameran per 0.3 ml, 0.48 ml vial; paediatric vaccine, light blue cap to be delisted 1 June 2026)

(Comirnaty Omicron (JN.1) Inj 30 mcg bretovameran per 0.3 ml, 0.48 ml vial; adult vaccine, light grey cap to be delisted 1 June 2026)

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
 - A) Funded for any of the following criteria:
 - 1) A single dose for pregnant women in the second or third trimester of each pregnancy; or
 - 2) A single dose for parents or primary caregivers of infants admitted to a Neonatal Intensive Care Unit or Specialist Care Baby Unit for more than 3 days, who had not been exposed to maternal vaccination at least 14 days prior to birth; or
 - 3) A course of up to four doses is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
 - 4) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens; or
 - 5) A single dose for vaccination of patients aged from 65 years old; or
 - 6) A single dose for vaccination of patients aged from 45 years old who have not had 4 previous tetanus doses; or
 - 7) For vaccination of previously unimmunised or partially immunised patients; or
 - 8) For revaccination following immunosuppression; or
 - 9) For boosting of patients with tetanus-prone wounds.

Notes: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

- B) Contractors will be entitled to claim payment from the Funder for the supply of diphtheria, tetanus and pertussis vaccine to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the diphtheria, tetanus and pertussis vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs 1 – 9 above.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagglutinin and 2.5 mcg pertactin in 0.5 ml prefilled syringe	0.00	10	✓ Boostrix
--	------	----	-------------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
 - A) Funded for any of the following:
 - 1) A single dose for children up to the age of 7 who have completed primary immunisation; or
 - 2) A course of four vaccines is funded for catch up programmes for children (to the age of 10 years) to complete full primary immunisation; or
 - 3) An additional four doses (as appropriate) are funded for (re-)immunisation for people post HSCT, or chemotherapy; pre- or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens; or
 - 4) Five doses will be funded for children requiring solid organ transplantation.
 - B) Contractors will be entitled to claim payment from the Funder for the supply of Diphtheria, tetanus, pertussis and polio vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Diphtheria, tetanus, pertussis and polio vaccine listed in the Pharmaceutical Schedule.
 - C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagglutinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe	0.00	10	✓ Infanrix IPV
--	------	----	-----------------------

DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AND HAEMOPHILUS INFLUENZAE TYPE B VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
 - A) Funded for children meeting any of the following criteria
 - 1) Up to four doses for children under the age of 10 years for primary immunisation; or
 - 2) An additional four doses (as appropriate) for (re-)immunisation of children under the age of 18 years post haematopoietic stem cell transplantation; or
 - 3) An additional four doses (as appropriate) for (re-)immunisation of children under the age of 10 years who are post chemotherapy; pre or post splenectomy; undergoing renal dialysis and other severely immunosuppressive regimens; or
 - 4) Up to five doses for children under the age of 10 years receiving solid organ transplantation.
 - B) Contractors will be entitled to claim payment from the Funder for the supply of Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type b vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type b vaccine listed in the Pharmaceutical Schedule.
 - C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Note: A course of up-to four vaccines is funded for catch up programmes for children (up to and under the age of 10 years) to complete full primary immunisation. Please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes.

Inj 30IU diphtheria with 40IU tetanus and 25mcg pertussis toxoids, 25mcg pertussis filamentous haemagglutinin, 8mcg pertactin, 80D-AgU polio virus, 10mcg hepatitis B antigen, 10mcg H. influenzae type b with tetanus toxoid 20-40mcg in 0.5ml syringe	0.00	10	✓ Infanrix-hexa
---	------	----	------------------------

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

HAEMOPHILUS INFLUENZAE TYPE B VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
 - A) One dose for people meeting any of the following:
 - 1) For primary vaccination in children; or
 - 2) An additional dose (as appropriate) is funded for (re-)immunisation for people post haematopoietic stem cell transplantation, or chemotherapy; functional asplenic; pre or post splenectomy; pre- or post solid organ transplant, pre or post cochlear implants, renal dialysis and other severely immunosuppressive regimens; or
 - 3) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.
 - B) Contractors will be entitled to claim payment from the Funder for the supply of Haemophilus influenzae type b vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Haemophilus influenzae type b vaccine listed in the Pharmaceutical Schedule.
 - C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Inj 10 mcg vial with diluent syringe	0.00	1	✓ Act-HIB
--	------	---	------------------

HEPATITIS A VACCINE – [Xpharm]

Funded for patients meeting any of the following criteria:

- 1) Two vaccinations for use in transplant patients; or
- 2) Two vaccinations for use in children with chronic liver disease; or
- 3) One dose of vaccine for close contacts of known hepatitis A cases.

Inj 1440 ELISA units in 1 ml syringe	0.00	1	✓ Havrix 1440
Inj 720 ELISA units in 0.5 ml syringe	0.00	1	✓ Havrix Junior

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE – [Xpharm]			
Inj 10 mcg per 0.5 ml prefilled syringe.....	0.00	1	✓ Engerix-B
Funded for patients meeting any of the following criteria:			
<ol style="list-style-type: none"> 1) for household or sexual contacts of known acute hepatitis B patients or hepatitis B carriers; or 2) for children born to mothers who are hepatitis B surface antigen (HBsAg) positive; or 3) for children up to and under the age of 18 years inclusive who are considered not to have achieved a positive serology and require additional vaccination or require a primary course of vaccination; or 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercourse; or 7) for patients prior to planned immunosuppression for greater than 28 days; or 8) for patients following immunosuppression; or 9) for solid organ transplant patients; or 10) for post-haematopoietic stem cell transplant (HSCT) patients; or 11) following needle stick injury. 			
Inj 20 mcg per 1 ml prefilled syringe.....	0.00	1	✓ Engerix-B
Funded for patients meeting any of the following criteria:			
<ol style="list-style-type: none"> 1) for household or sexual contacts of known acute hepatitis B patients or hepatitis B carriers; or 2) for children born to mothers who are hepatitis B surface antigen (HBsAg) positive; or 3) for children up to and under the age of 18 years inclusive who are considered not to have achieved a positive serology and require additional vaccination or require a primary course of vaccination; or 4) for HIV positive patients; or 5) for hepatitis C positive patients; or 6) for patients following non-consensual sexual intercourse; or 7) for patients prior to planned immunosuppression for greater than 28 days; or 8) for patients following immunosuppression; or 9) for solid organ transplant patients; or 10) for post-haematopoietic stem cell transplant (HSCT) patients; or 11) following needle stick injury; or 12) for chronic kidney disease (CKD) stage 4 or 5 patients; or 13) for liver or kidney transplant patients. 			

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 58) VACCINE [HPV]			
<ul style="list-style-type: none"> a) Maximum of 1 inj per prescription b) Only on a prescription c) No patient co-payment payable d) <ul style="list-style-type: none"> a) A) Any of the following: <ul style="list-style-type: none"> 1) Maximum of two doses for children aged 14 years and under; or 2) Maximum of three doses for people meeting any of the following criteria: <ul style="list-style-type: none"> 1) People aged 15 to 26 years inclusive; or 2) Either: <ul style="list-style-type: none"> People aged 9 to 26 years inclusive who have <ul style="list-style-type: none"> 1) Confirmed HIV infection; or 2) Received a transplant (including stem cell): or 3) Maximum of four doses for people aged 9 to 26 years inclusive post chemotherapy B) Contractors will be entitled to claim payment from the Funder for the supply of Human papillomavirus vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Human papillomavirus vaccine listed in the Pharmaceutical Schedule. C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A above. 			
Inj 270 mcg in 0.5 ml syringe.....	0.00	10	✓ Gardasil 9

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
INFLUENZA VACCINE			
Inj 60 mcg in 0.5 ml syringe (quadrivalent vaccine).....	120.00	10	✓ Influvac Tetra (2026 formulation)

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

- a) Maximum of 1 inj per prescription
- b) Only on a prescription
- c) No patient co-payment payable
- d)

A) INFLUENZA VACCINE

is available each year for patients who meet the following criteria, as set by Pharmac:

- a) all people 65 years of age and over; or
- b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) Down syndrome, or
 - vii) are pregnant; or
- c) children 4 years of age and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness; or
- d) people under 65 years of age who:
 - i) have any of the following serious mental health conditions:
 - a) schizophrenia, or
 - b) major depressive disorder, or
 - c) bipolar disorder, or
 - d) schizoaffective disorder, or
 - ii) are currently accessing secondary or tertiary mental health and addiction services; or

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
 - b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with Health NZ for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

MEASLES, MUMPS AND RUBELLA VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)

A) Measles, mumps and rubella vaccine

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes. Although a price is listed for the vaccine, doctors can still order measles mumps and rubella vaccine free of charge, as with other Schedule vaccines.

- B) Contractors will be entitled to claim payment for the supply of measles, mumps and rubella vaccine to patients eligible under the above criteria pursuant to their contract with Health NZ for subsidised immunisation, and they may only do so in respect of the measles, mumps and rubella vaccine listed in the Pharmaceutical Schedule.
- C) Contractors can only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Inj, measles virus 1,000 CCID50, mumps virus 5,012 CCID50,

Rubella virus 1,000 CCID50; prefilled syringe/ampoule of

diluent 0.5 ml 0.00

10

✓ **Priorix**

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

* Three months or six months, as applicable, dispensed at one time

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE			
Inj 10 mcg of each meningococcal polysaccharide conjugated to a total of approximately 55 mcg of tetanus toxoid carrier per 0.5 ml vial.....	0.00	1	✓ MenQuadfi
<p>a) Only on a prescription</p> <p>b) No patient co-payment payable</p> <p>c)</p> <p>A) Any of the following:</p> <ol style="list-style-type: none"> 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or 2) One dose for close contacts of meningococcal cases of any group; or 3) One dose for person who has previously had meningococcal disease of any group; or 4) A maximum of two doses for bone marrow transplant patients; or 5) A maximum of two doses for person pre- and post-immunosuppression*; <p>B) Both:</p> <ol style="list-style-type: none"> 1) Person is aged between 13 and 25 years, inclusive; and 2) Either: <ol style="list-style-type: none"> 1) One dose for individuals who are entering within the next three months, or in their first year of living in boarding school hostels, tertiary education halls of residence, military barracks, Youth Justice residences, or prisons; or 2) One dose for individuals who turn 13 years of age while living in boarding school hostels. <p>C) Contractors will be entitled to claim payment from the Funder for the supply of Meningococcal A, C, Y and W-135 vaccine to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Meningococcal A, C, Y and W-135 vaccine listed in the Pharmaceutical Schedule.</p> <p>D) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A-B above.</p> <p>Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.</p> <p>*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.</p>			
Inj 5 mcg of each meningococcal polysaccharide conjugated to a total of approximately 44 mcg of tetanus toxoid carrier per 0.5 ml vial – [Xpharm].....	0.00	1	✓ Nimenrix
<p>A) Both:</p> <ol style="list-style-type: none"> 1) The child is under 12 months of age; and 2) Any of the following: <ol style="list-style-type: none"> 1) A maximum of three doses (dependant on age at first dose) for patients pre- and post- splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre- or post- solid organ transplant; or 2) A maximum of three doses (dependant on age at first dose) for close contacts of meningococcal cases of any group; or 3) A maximum of three doses (dependant on age at first dose) for child who has previously had meningococcal disease of any group; or 4) A maximum of three doses (dependant on age at first dose) for bone marrow transplant patients; or 5) A maximum of three doses (dependant on age at first dose) for child pre- and post-immunosuppression*. <p>Note: infants from 6 weeks to less than 6 months of age require a 2+1 schedule, infants from 6 months to less than 12 months of age require a 1+1 schedule. Refer to the Immunisation Handbook for recommended booster schedules with meningococcal ACWY vaccine.</p> <p>*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.</p>			

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

MENINGOCOCCAL B MULTICOMPONENT VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c) Any of the following:
 - A) A primary course of up to three doses for children up to the age of 59 months inclusive; or
 - B) Both:
 - 1) Person is 5 years of age or over; and
 - 2) Any of the following:
 - i) up to two doses and a booster every five years for patients pre- and post-splenectomy; or
 - ii) up to two doses and a booster every five years for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited); or
 - iii) up to two doses and a booster every five years pre- or post-solid organ transplant; or
 - iv) up to two doses for close contacts of meningococcal cases of any group; or
 - v) up to two doses for person who has previously had meningococcal disease of any group; or
 - vi) up to two doses for bone marrow transplant patients; or
 - vii) up to two doses for person pre- and post-immunosuppression*; or
 - C) Both:
 - 1) Person is aged between 13 and 25 years (inclusive); and
 - 2) Either:
 - i) Two doses for individuals who are entering within the next three months, or in their first year of living in boarding school hostels, tertiary education halls of residence, military barracks, Youth Justice residences or prison; or
 - ii) Two doses for individuals who turn 13 years of age while living in boarding school hostels.
 - D) Contractors will be entitled to claim payment from the Funder for the supply of Meningococcal B multicomponent vaccine to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Meningococcal B multicomponent vaccine listed in the Pharmaceutical Schedule.
 - E) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A-C above.

*Immunosuppression due to corticosteroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 175 mcg per 0.5 ml prefilled syringe.....0.00	1	✓	Bexsero
	10	✓	Bexsero

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed at one time

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
 - A) Any of the following:
 - 1) A course of three doses for previously unvaccinated children up to the age of 59 months inclusive; or
 - 2) Two doses are funded for high risk individuals (over the age of 12 months and under 18 years) who have previously received two doses of the primary course of PCV10; or
 - 3) Up to an additional four doses (as appropriate) are funded for the (re)immunisation of high risk children aged under 5 years with any of the following:
 - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
 - b) primary immune deficiencies; or
 - c) HIV infection; or
 - d) renal failure, or nephrotic syndrome; or
 - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
 - f) cochlear implants or intracranial shunts; or
 - g) cerebrospinal fluid leaks; or
 - h) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
 - i) chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
 - j) pre term infants, born before 28 weeks gestation; or
 - k) cardiac disease, with cyanosis or failure; or
 - l) diabetes; or
 - m) Down syndrome; or
 - n) who are pre- or post-splenectomy, or with functional asplenia; or
 - 4) Up to an additional four doses (as appropriate) are funded for the (re-)immunisation of individuals 5 years and over with HIV, pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, intracranial shunts, cerebrospinal fluid leaks or primary immunodeficiency; or
 - 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.
 - B) Contractors will be entitled to claim payment from the Funder for the supply of Pneumococcal (PCV13) conjugate vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Pneumococcal (PCV13) conjugate vaccine listed in the Pharmaceutical Schedule.
 - C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes

Inj 30.8 mcg of pneumococcal polysaccharide serotypes 1, 3, 4,

5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml

syringe	0.00	10	✓ Prevenar 13
		1	✓ Prevenar 13

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	----------------------------	--------------------------	-------------------------------------

PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE – [Xpharm]

Any of the following:

- 1) Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy; pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- 2) All of the following:
 - a) Patient is a child under 18 years for (re-)immunisation; and
 - b) Treatment is for a maximum of two doses; and
 - c) Any of the following:
 - i) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
 - ii) with primary immune deficiencies; or
 - iii) with HIV infection; or
 - iv) with renal failure, or nephrotic syndrome; or
 - v) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
 - vi) with cochlear implants or intracranial shunts; or
 - vii) with cerebrospinal fluid leaks; or
 - viii) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
 - ix) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
 - x) pre term infants, born before 28 weeks gestation; or
 - xi) with cardiac disease, with cyanosis or failure; or
 - xii) with diabetes; or
 - xiii) with Down syndrome; or
 - xiv) who are pre-or post-splenectomy, or with functional asplenia; or
- 3) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician

Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)	0.00	1	✓ Pneumovax 23
---	------	---	-----------------------

POLIOMYELITIS VACCINE – [Xpharm]

Up to three doses for patients meeting either of the following:

- 1) For partially vaccinated or previously unvaccinated individuals; or
- 2) For revaccination following immunosuppression.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes.

Inj 80D antigen units in 0.5 ml syringe.....	0.00	1	✓ IPOL
--	------	---	---------------

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

ROTAVIRUS ORAL VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- c)
 - A) Maximum of two doses for people meeting the following:
 - 1) first dose to be administered in infants aged under 14 weeks of age; and
 - 2) no vaccination being administered to children aged 24 weeks or over.
 - B) Contractors will be entitled to claim payment from the Funder for the supply of Rotavirus oral vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Rotavirus oral vaccine listed in the Pharmaceutical Schedule.
 - C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.

Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, squeezable tube	0.00	10	✓	Rotarix
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, squeezable tube (PVC free)	0.00	10	✓	Rotarix
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, prefilled oral applicator.....	0.00	10	✓	Rotarix

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

VARICELLA VACCINE [CHICKENPOX VACCINE]

- a) Only on a prescription
- b) No patient co-payment payable
- c)
 - A) Either:
 - 1) Maximum of one dose for primary vaccination for either:
 - a) Any infant born on or after 1 April 2016; or
 - b) For previously unvaccinated children turning 11 years old on or after 1 July 2017, who have not previously had a varicella infection (chickenpox), or
 - 2) Maximum of two doses for any of the following:
 - a) Any of the following for non-immune individuals:
 - i) with chronic liver disease who may in future be candidates for transplantation; or
 - ii) with deteriorating renal function before transplantation; or
 - iii) prior to solid organ transplant; or
 - iv) prior to any elective immunosuppression*; or
 - v) for post exposure prophylaxis who are immune competent inpatients; or
 - b) For individuals at least 2 years after bone marrow transplantation, on advice of their specialist; or
 - c) For individuals at least 6 months after completion of chemotherapy, on advice of their specialist; or
 - d) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist; or
 - e) For individuals with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella; or
 - f) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella; or
 - g) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
 - B) Contractors will be entitled to claim payment from the Funder for the supply of Varicella vaccine [Chickenpox vaccine] vaccine to people eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Varicella vaccine [Chickenpox vaccine] listed in the Pharmaceutical Schedule.
 - C) Contractors may only claim for populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraphs A above.

* immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than 28 days

Inj 2000 PFU prefilled syringe plus vial	0.00	10	✓ Varilrix
--	------	----	-------------------

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
VARICELLA ZOSTER VACCINE [SHINGLES VACCINE]			
a) Only on a prescription			
b) No patient co-payment payable			
c)			
A) Funded for patients meeting the following criteria:			
1) Either:			
1) Two doses for all people aged 65 years, or			
2) Two doses for people 18 years of age or older with any of the following:			
a) pre- and post-haematopoietic stem cell transplant or cellular therapy; or			
b) pre- or post-solid organ transplant; or			
c) haematological malignancies; or			
d) people living with poorly controlled HIV infection; or			
e) planned or receiving disease modifying anti-rheumatic drugs (DMARDs – targeted synthetic, biologic, or conventional synthetic) for polymyalgia rheumatica, systemic lupus erythematosus or rheumatoid arthritis; or			
f) end stage kidney disease (CKD 4 or 5); or			
g) primary immunodeficiency			
B) Contractors will be entitled to claim payment from the Funder for the supply of Varicella zoster vaccine (Shingles vaccine) to patients eligible under the above criteria pursuant to their contract with Health New Zealand (Health NZ) for subsidised immunisation, and they may only do so in respect of the Varicella zoster vaccine [Shingles vaccine] listed in the Pharmaceutical Schedule.			
C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.			
Inj 50 mcg per 0.5 ml vial plus vial.....	0.00	1	✓ Shingrix
		10	✓ Shingrix

Diagnostic Agents

TUBERCULIN PPD [MANTOUX] TEST – [Xpharm]			
Inj 5 TU per 0.1 ml, 1 ml vial.....	0.00	1	✓ Tubersol

- Symbols -		
3TC.....		113
- A -		
A-Scabies.....		74
Abacavir sulphate.....		112
Abacavir sulphate with lamivudine.....		112
Abacavir/Lamivudine Viatris.....		112
Abilify Maintena.....		138
Abiraterone acetate.....		179
Acarbose.....		11
Accarb.....		11
Acetazolamide.....		275
Acetec.....		47
Acetic acid with hydroxyquinoline and ricinoleic acid.....		81
Acetylcysteine.....		278
Aci-Jel.....		81
Aciclovir Infection.....		107
Sensory.....		273
Acidex.....		6
Acipimox.....		54
Acitretin.....		74
Act-HIB.....		310
Actemra.....		235
Actinomycin D.....		159
Actrapid.....		10
Actrapid Penfill.....		10
Acupan.....		126
Adalimumab (Amgevita).....		187
Adalimumab (Humira - Alternative brand).....		196
Adapalene.....		68
Adcetris.....		205
ADR Cartridge 1.8.....		22
Adrenaline Cardiovascular.....		57
Respiratory.....		263
Advantan.....		71
Advate.....		40
Adynovate.....		40
Afinitor.....		256
Aflibercept.....		202
AFT-Pyrazinamide.....		106
Agents Affecting the Renin-Angiotensin System.....		47
Agents for Parkinsonism and Related Disorders.....		123
Agents Used in the Treatment of Poisonings.....		278
Agrylin.....		158
Albalon.....		277
Albendazole.....		94
Albey.....		263-264
Albustix.....		83
Alchemy Oxaliplatin.....		156
Alchemy Oxybutynin.....		82
Aldurazyme.....		28
Alecensa.....		167
Alectinib.....		167
Alendronate sodium.....		118
Alendronate sodium with colecalciferol.....		118
Alfacalcidol.....		33
Alfamino.....		300
Alfamino Junior.....		300
Alginic acid.....		6
Alglucosidase alfa.....		26
Alkeran.....		156
Allegron.....		130
Allerfix.....		275
Allergoval.....		8
Allerpro Syneo 1.....		302
Allerpro Syneo 2.....		302
Allersoothe.....		264
Allmercap.....		158
Allopurinol.....		120
Almarytm.....		49
Alpha-Adrenoceptor Blockers.....		47
Alpha-Keri Lotion.....		73
Alphamox 125.....		97
Alphamox 250.....		97
Alprolix.....		38
Alu-Tab.....		6
Aluminium hydroxide.....		6
Amantadine hydrochloride.....		123
Ambrisentan.....		57
Ambrisentan Viatris.....		57
Amgevita.....		187
Amiloride hydrochloride.....		53
Amiloride hydrochloride with furosemide.....		53
Amiloride hydrochloride with hydrochlorothiazide.....		53
Aminophylline.....		270
Amiodarone hydrochloride.....		49
Amisulpride.....		136
Amitriptyline.....		130
Amiodipine.....		51
Amorolfine.....		69
Amoxicillin.....		97
Amoxicillin with clavulanic acid.....		97
Amoxiclav Devatis Forte.....		97
Amphotericin B.....		32
Amsacrine.....		158
AmsaLyo.....		158
Amsidine.....		158
Amzoate.....		30
Anaesthetics.....		124
Anagrelide hydrochloride.....		158
Analgescics.....		125
Anastrozole.....		182
Anatrole.....		182
Anoro Ellipta.....		267
Antabuse.....		152
Antacids and Antiflatulents.....		6
Anthelmintics.....		94
Antiacne Preparations.....		68
Antiallergy Preparations.....		263
Antianaemics.....		37
Antiandrogen Oral Contraceptives.....		81
Antiarrhythmics.....		49
Antibacterials.....		94
Antibacterials Topical.....		69
Anticholinergic Agents.....		266
Anticholinesterases.....		117
Antidepressants.....		130
Antidiarrhoeals.....		6
Antiepilepsy Drugs.....		131
Antifibrinolytics, Haemostatics and Local Sclerosants.....		38
Antifibrotics.....		268
Antifungals.....		101
Antifungals Topical.....		69
Antihistamines.....		264
Antihypotensives.....		50
Antimalarials.....		104
Antimigraine Preparations.....		135
Antinausea and Vertigo Agents.....		135
Antipruritic Preparations.....		70
Antipsychotics.....		136
Antiretrovirals.....		111
Antirheumatoid Agents.....		118
Antispasmodics and Other Agents Altering Gut Motility.....		8
Antithrombotic Agents.....		41
Antihymocyte globulin (equine).....		187
Antitrichomonal Agents.....		104
Antituberculosics and Antileptotics.....		105
Antitulerants.....		9
Antivirals.....		107
Anxiolytics.....		141
Anzatax.....		163
Apidra.....		11
Apidra SoloStar.....		11
APO Clomipramine.....		130
APO-Atomoxetine.....		146
Apo-Azithromycin.....		95

APO-Candesartan HCTZ 16/12.5.....	48	Atomoxetine.....	146	Beta Cream	71
APO-Candesartan HCTZ 32/12.5.....	48	Atorvastatin.....	55	Beta Ointment.....	71
Apo-Temozolomide	164	Atropine sulphate		Beta Scalp	76
Apomorphine hydrochloride.....	123	Cardiovascular.....	49	Beta-Adrenoceptor Agonists.....	266
Appetitant.....	135	Sensory.....	276	Beta-Adrenoceptor Blockers.....	50
Apresoline.....	57	Atropt.....	276	Beta-hCG low sensitivity urine test kit.....	82
Aptamil Feed Thickener.....	294	Atrovent.....	266	Betadine	73
Aqueous cream	72	Augmentin	97	Betadine Skin Prep.....	73
Aratac	49	Aurorix	130	Betaferon	142
Arava	118	AutoSoft 30.....	21	Betahistine dihydrochloride	135
Arginine	27	AutoSoft 90.....	22	Betaine	27
Arginine2000	298	Avelox.....	99	Betamethasone dipropionate.....	71
Aripiprazole.....	136, 138	Avonex.....	142	Betamethasone dipropionate with calcipotriol.....	75
Aripiprazole Sandoz	136	Axitinib.....	167	Betamethasone sodium phosphate with betamethasone acetate.....	85
Aristocort	71	Azacitidine	156	Betamethasone valerate.....	71, 76
Artotex-Prazosin S29	47	Azaciditidine Dr Reddy's	156	Betamethasone valerate with sodium fusidate [fusidic acid].....	72
Arrow - Clopid.....	41	Azamun	182	Betnovate	71
Arrow - Lattim	276	Azathioprine.....	182	Bevacizumab	204
Arrow-Amitriptyline	130	Azilect.....	123	Bexsero	317
Arrow-Bendrofluazide	53	Azithromycin	95	Bezafibrate	54
Arrow-Brimonidine.....	275	Azopt	275	Bezalip.....	54
Arrow-Diazepam.....	141			Bezalip Retard.....	54
Arrow-Doxorubicin.....	159	- B -		Bicalutamide.....	179
Arrow-Fluoxetine	131	B-D Micro-Fine	17	Bicillin LA	97
Arrow-Losartan & Hydrochlorothiazide.....	48	B-D Ultra Fine	17	BiCNU.....	155
Arrow-Norfloxacin	116	B-D Ultra Fine II.....	17	Bile and Liver Therapy.....	10
Arrow-Ornidazole.....	105	Bacillus Calmette-Guerin (BCG) vaccine	187	Biltricide	94
Arrow-Quinapril 10.....	48	Bacillus Calmette-Guerin vaccine	305	Bimatoprost	275
Arrow-Quinapril 20.....	48	Baclofen.....	121	Binarex	179
Arrow-Quinapril 5.....	48	Bactroban	69	Binocrit	37
Arrow-Roxithromycin	96	Balance.....	29	Biocon.....	50
Arrow-Timolol	275	Barrier Creams and Emollients.....	72	Biodone	128
Arrow-Topiramate.....	134	Bayshore	104	Biodone Extra Forte.....	128
Arrow-Tramadol.....	130	BCG Vaccine AJV	305	Biodone Forte	128
Arsenic trioxide	159	Beclazone 100.....	264	Bisacodyl	26
Asacol.....	7	Beclazone 250.....	264	Bisacodyl Viatris	26
Asacol S29	7	Beclazone 50.....	264	Bisacodyl-AFT	26
Ascend-Cefuroxime	95	Beclomethasone dipropionate	264	Bisoprolol fumarate.....	50
Ascorbic acid	33	Bedaquiline.....	105	BK Lotion	73
Aspen Adrenaline	57	Bee venom allergy treatment.....	263	Bleomycin sulphate	159
Aspirin		Bendamustine hydrochloride.....	154	Blood Colony-stimulating Factors.....	44
Blood.....	41	Bendamustine Sandoz	154	Blood glucose diagnostic test meter	16
Nervous.....	125	Bendrofluazide.....	53	Blood glucose diagnostic test strip.....	16
Asthalin.....	266	Bendroflumethiazide [Bendrofluazide].....	53	Blood glucose test strips (visually impaired).....	16
Atazanavir sulphate	113	Benralizumab.....	203	Blood Ketone Diagnostic Test Strip	15
Atazanavir Viatris.....	113	Benzathine benzylpenicillin	97	Boostrix.....	308
Atenolol.....	50	Benzatropine mesylate	123	Bortezomib	159
Atenolol AFT.....	50	Benzbromarone	120		
Atenolol Viatris.....	50	Benzetacil	97		
Atezolizumab	245	Benztrop	123		
ATGAM.....	187	Benzydamine hydrochloride	32		
Ativan.....	141	Benzylpenicillin sodium [Penicillin G].....	97		
Atnabs Olsalazine.....	8	Besponsa.....	216		

Bosentan	60	Capecitabine.....	157	Chlorafast	273
Bosentan Dr Reddy's.....	60	Capecitabine Viatris.....	157	Chlorambucil.....	155
Bplex.....	33	Capsaicin		Chloramphenicol.....	273
Brentuximab Vedotin	205	Musculoskeletal	118	Chlorothiazide.....	53
Breo Ellipta	266	Nervous.....	125	Chlorpromazine hydrochloride.....	137
Brevinor 1/28	80	Captopril	47	Chlortalidone [Chlorthalidone]	54
Breztri Aerosphere.....	267	Carafate.....	10	Chlorthalidone	54
Bricanyl Turbuhaler	266	Carbaccord.....	155	Chlorvescent.....	46
Brimonidine tartrate	275	Carbamazepine	132	Choice 380 7med Nsha Silver/copper	
Brimonidine tartrate with timolol		Carbimazole	88	Short	80
maleate.....	276	Carboplatin	155	Ciclosporin.....	256
Brinzolamide	275	Carboplatin Accord.....	155	Cidomycin P/Free.....	99
BSF Lyrica	278	Carbosorb-X	278	Cilicaine VK	98
Budesonide		Cardinol LA	51	Cinacalcet.....	84
Alimentary	6	Cardizem CD	52	Cinacalet Devatis.....	84
Respiratory.....	265, 271	CareSens Dual	15	Cipla	266
Budesonide Te Arai.....	6	CareSens N.....	16	Ciprofloxacin	
Budesonide with eformoterol.....	265	CareSens N POP	16	Infection	99
Budesonide with glycopyrronium and		CareSens N Premier	16	Sensory.....	273
eformoterol	267	CareSens PRO.....	16	Ciprofloxacin Teva.....	273
Bumetanide	52	Carmellose sodium with gelatin and		Cisplatin.....	155
Buprenorphine Naloxone BNM.....	151	pectin.....	32	Cisplatin Accord.....	155
Buprenorphine with naloxone.....	151	Carmustine	155	Cisplatin Ebewe.....	155
Bupropion hydrochloride.....	152	Carvedilol.....	50	Citalopram hydrobromide	130
Burel	102	Carvedilol Sandoz	50	Citrulline1000.....	299
Burinex	52	Catapres	52	Cladribine	157
Buspiron hydrochloride.....	141	Cefaclor monohydrate	94	Clarithromycin	
Buspiron Viatris	141	Cefalexin.....	94	Alimentary.....	9
Busulfan.....	155	Cefalexin Lupin.....	94	Infection	96
		Cefalexin Sandoz	94	Clexane	43
		Cefazolin.....	94	Clexane Forte	43
		Cefazolin-AFT.....	94	Clindamycin.....	99
		Ceftriaxone	95	Clinicians	27, 33
		Ceftriaxone-AFT	95	Clinicians Renal Vit.....	33
		Cefuroxime axetil.....	95	Clobazam	132
		Celapram	130	Clobetasol propionate	71, 76
		Celebrex	117	Clobetasone butyrate	71
		Celecoxib.....	117	Clofazimine.....	105
		Celecoxib Pfizer.....	117	Clomazol	
		Celestone Chronodose.....	85	Dermatological.....	70
		Cellcept.....	182	Genito-Urinary.....	81
		Celosteia	117	Clomifene citrate.....	93
		Centrally-Acting Agents.....	52	Clomipramine hydrochloride.....	130
		Cephalexin ABM.....	94	Clomipramine Teva	130
		Cerazette	80	Clonazepam	132, 141
		Cerubidine	159	Clonidine.....	52
		Cetirizine hydrochloride.....	264	Clonidine hydrochloride.....	52
		Cetomacrogol	72	Clonidine Teva.....	52
		Cetomacrogol with glycerol	72	Clopidogrel	41
		Cetomacrogol-AFT	72	Clopine	137
		Cetuximab	206	Clopixol.....	138, 140
		Champix	153	Clotrimazole	
		Charcoal	278	Dermatological.....	70
		CheckTop	82	Genito-Urinary.....	81
		Chemotherapeutic Agents.....	154	Clozapine.....	137
		Chickenpox vaccine.....	321	Clozaril.....	137

- C -

Clustran	135	Cu 375 Standard	80	DBL Methotrexate Onco-Vial	158
Co-trimoxazole	101	Curam Duo 500/125	97	DBL Naloxone Hydrochloride	278
Coal tar	75	Cvite	33	DBL Pethidine Hydrochloride	129
Coal tar with allantoin, menthol, phenol and sulphur	75	Cyclizine hydrochloride.....	135	DBL Vincristine Sulfate.....	166
Coal tar with salicylic acid and sulphur.....	75	Cyclizine lactate.....	135	Decozol.....	32
Coco-Scalp	75	Cyclogyl.....	276	Deferasirox	278
Codeine phosphate	128	Cyclonex.....	155	Deferiprone	279
Coenzyme Q10.....	27	Cyclopentolate hydrochloride	276	Denosumab	118
Colchicine.....	121	Cyclophosphamide.....	155	Deolate	103
Colecalciferol	33	Cyclorin.....	105	Deoxycoformycin	164
Colestyramine.....	55	Cycloserine.....	105	Depo-Medrol.....	86
Colestyramine - Mylan.....	55	Cyproterone acetate	86	Depo-Provera	80
Colgout	121	Cyproterone acetate with ethinylloestradiol.....	81	Depo-Testosterone.....	86
Colifoam	7	Cystadane	27	Deprim	101
Colistin sulphomethate	99	Cytarabine	157	Dermol	71, 76
Collodion flexible	281	Cytotec	9	Desferrioxamine mesilate	279
Colloidal bismuth subcitrate.....	10	Cytoxan	155	Desmopressin.....	93
Colofac	9	- D -		Desmopressin acetate.....	93
Colomycin.....	99	D-Penamim.....	118	Desmopressin-PH&T.....	93
Coloxyl	25	Dabigatran	44	Desogestrel	80
Combigan	276	Dabrafenib	168	Detection of Substances in Urine.....	83
Comimaty (LP.8.1)	306	Dacarbazine	159	Dexamethasone Hormone.....	85
Comimaty Omicron (JN.1).....	306-307	Dactinomycin [Actinomycin D].....	159	Sensory.....	274
Compound electrolytes.....	46	Daivobet	75	Dexamethasone phosphate.....	85
Compound electrolytes with glucose [Dextrose]	46	Daivonex.....	75	Dexamethasone with framycetin and gramicidin	273
Compound hydroxybenzoate.....	281	Daktarin	70	Dexamethasone with neomycin sulphate and polymyxin B sulphate	274
Concerta	149	Dalacin C	99	Dexamfetamine sulfate.....	146
Condoms	79	Dantrium.....	121	Dexcom G6.....	22
Condyline.....	77	Dantrium S29.....	121	Dexcom G7.....	22
Condyline S29	77	Dantrolene.....	121	Dexcom ONE+	23
Continuous glucose monitor (interoperable)	22	Daonil	12	Dexmethsone	85
Continuous glucose monitor (standalone).....	23	Dapa-Tabs.....	54	Dextrochlorpheniramine maleate	264
Contraceptives - Hormonal.....	80	Dapsone	105	Dextrose	45-46
Contraceptives - Non-hormonal.....	78	Darunavir	113	DHC Continus.....	128
Copaxone	142	Darunavir Viatrix	113	Diabetes	10
Corticosteroids and Related Agents for Systemic Use	85	Dasatinib.....	169	Diabetes Management	15
Corticosteroids Topical	71	Dasatinib-Teva	169	Diacomit.....	133
Cosentyx.....	233	Daunorubicin	159	Diagnostic Agents.....	322
Cosmegen	159	David One Step Cassette Pregnancy Test.....	82	Diamide Relief	6
Coumadin	44	DBL Acetylcysteine.....	278	Diasip.....	285
Country Life	29	DBL Adrenaline	57	Diazepam	131, 141
Coversyl.....	47	DBL Aminophylline	270	Diazoxide.....	10
COVID-19 vaccine.....	306	DBL Bleomycin Sulfate.....	159	Diclofenac Devatis.....	274
Creon 10000	23	DBL Bortezomib	159	Diclofenac Sandoz.....	117
Creon 25000.....	23	DBL Carboplatin	155	Diclofenac sodium Musculoskeletal	117
Creon Micro	23	DBL Cisplatin.....	155	Sensory.....	274
Crizotinib.....	167	DBL Dacarbazine	159	Differin	68
Crotamiton	70	DBL Desferrioxamine Mesylate for Inj BP.....	279	Difflam	32
Crystaderm.....	69	DBL Docetaxel.....	159	Diffucan.....	101
		DBL Ergometrine	81		
		DBL Gemcitabine	157		
		DBL Gentamicin	99		
		DBL Leucovorin Calcium	157		

Digestives Including Enzymes.....	23	Drofate.....	51	disoproxil.....	109	
Digoxin.....	49	Properidol.....	135	Emtriva.....	113	
Dihydrocodeine tartrate.....	128	Drugs Affecting Bone Metabolism.....	118	Emulsifying ointment.....	72	
Dilantin.....	133	Dual blood glucose and blood ketone diagnostic test meter.....	15	Enalapril maleate.....	47	
Dilantin Infatab.....	133	Dulaglutide.....	12	Enbrel.....	182	
Dilantin Paediatric.....	133	Dulcolax SP Drop.....	26	Endocrine Therapy.....	179	
Diltiazem CD Clinect.....	52	Duocal Super Soluble Powder.....	283	Endoxan.....	155	
Diltiazem hydrochloride.....	52	Duolin.....	266	Energivit.....	299	
Dimethicone.....	72-73	Duolin HFA.....	266	Engerix-B.....	311	
Dimethyl fumarate.....	142	DuoResp Spiromax.....	265	Enhertu.....	241	
Dipentum.....	8	Duride.....	56	Enlafax XR.....	131	
Diphtheria, tetanus and pertussis vaccine.....	308	Durvalumab.....	246	Enoxaparin sodium.....	43	
Diphtheria, tetanus, pertussis and polio vaccine.....	309	- E -			Ensure.....	292
Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type B vaccine.....	309	e-chamber La Grande.....	272	Ensure Plus.....	292	
Diprosone.....	71	e-chamber Mask.....	272	Ensure Plus HN RTH.....	291	
Diprosone OV.....	71	e-chamber Turbo.....	272	Ensure Two Cal HN RTH.....	294	
Dipyridamole.....	41	E-Mycin.....	96	Entacapone.....	123	
Dipyridamole - Strides.....	41	e5 Pharma.....	10	Entacapone Viatrix.....	123	
Disopyramide phosphate.....	49	Ear Preparations.....	273	Entecavir.....	107	
Distoside.....	94	Ear/Eye Preparations.....	273	Entecavir (Rex).....	107	
Disulfiram.....	152	Easiphen Liquid.....	296	Entrectinib.....	170	
Diuretics.....	52	Econazole nitrate.....	70	Entresto 24/26.....	48	
Docetaxel.....	159	Efavirenz.....	112	Entresto 49/51.....	48	
Docetaxel Accord.....	159	Efavirenz Milpharm.....	112	Entresto 97/103.....	48	
Docetaxel Sandoz.....	159	Efavirenz with emtricitabine and tenofovir disoproxil.....	112	Entyvio.....	243	
Docusate sodium.....	25	Eformoterol fumarate dihydrate.....	265	Epilim.....	133	
Docusate sodium with sennosides.....	25	Eftrenonacog alfa [Recombinant factor IX].....	38	Epilim Crushable.....	133	
Dolutegravir.....	113	Efudix.....	77	Epilim IV.....	133	
Dolutegravir with lamivudine.....	113	Egopsoryl TA.....	75	Epilim S/F Liquid.....	133	
Domperidone.....	135	Elaprase.....	28	Epilim Syrup.....	133	
Domperidone Viatrix.....	135	Elecare.....	300	Epipen.....	263	
Donepezil hydrochloride.....	150	Elecare LCP.....	300	Epipen Jr.....	263	
Dornase alfa.....	270	Electral.....	46	Epirubicin Ebewe.....	160	
Dortimopt.....	275	Elelyso.....	31	Epirubicin hydrochloride.....	160	
Dorzolamide with timolol.....	275	Elemental 028 Extra.....	288	Eplerenone.....	53	
Dostinex.....	93	Elalexacftor with tezacaftor, ivacaftor and ivacaftor.....	270	Epoetin alfa.....	37	
Dosulepin [Dothiepin] hydrochloride.....	130	Elidel.....	75	Epoprostenol.....	63	
Dosulepin Viatrix.....	130	Elocon.....	71	Eptacog alfa [Recombinant factor VIIa].....	39	
Dothiepin.....	130	Elocon Alcohol Free.....	71	Erbix.....	206	
Dovato.....	113	Eltrombopag.....	38	Ergometrine maleate.....	81	
Doxazosin.....	47	Eltroxin.....	88	Erlotinib.....	170	
Doxazosin Clinect.....	47	EMB Fatol.....	105	Erythrocin IV.....	96	
Doxine.....	98	Emend Tri-Pack.....	135	Erythromycin (as lactobionate).....	96	
Doxorubicin Ebewe.....	159	Emicizumab.....	39	Erythromycin ethyl succinate.....	96	
Doxorubicin hydrochloride.....	159	EMLA.....	125	Esbriet.....	269	
Doxycycline.....	98	Empagliflozin.....	14	Escitalopram.....	131	
DP Lotion.....	73	Empagliflozin with metformin hydrochloride.....	14	Escitalopram (Ethics).....	131	
DP Lotn HC.....	71	Emsogen.....	299	Eskazole.....	94	
DP-Captopril.....	7	Emtricitabine.....	113	Essential Amino Acid Mix.....	299	
Dr Reddy's Omeprazole.....	9	Emtricitabine with tenofovir		Estradiol TDP Mylan.....	87	

INDEX: Generic Chemicals and Brands

Ethambutol hydrochloride.....	105	Ferro-tab.....	34	FML.....	274
Ethics Aspirin.....	125	Ferrosig.....	35	Foban.....	69
Ethics Aspirin EC.....	41	Ferrous fumarate.....	34	Folic acid.....	38
Ethinylloestradiol with desogestrel.....	80	Ferrous fumarate with folic acid.....	34	Folic Acid multichem.....	38
Ethinylloestradiol with levonorgestrel.....	80	Ferrous sulfate.....	34	Folic Acid Viatris.....	38
Ethinylloestradiol with norethisterone.....	80	Fexaclear.....	264	Food Thickeners.....	294
Ethosuximide.....	132	Fexofenadine hydrochloride.....	264	Inherited Metabolic Disease.....	295
Etopophos.....	160	Fibro-vein.....	40	Forteo.....	120
Etoposide.....	160	Filgrastim.....	44	Fortini.....	287
Etoposide phosphate.....	160	Finasteride.....	82	Fortini Multi Fibre.....	287
Etravirine.....	112	Fingolimod.....	142	Fortisip.....	292
Eumovate.....	71	Firazyr.....	263	Fortisip Multi Fibre.....	293
Eurofolic.....	157	Flagyl.....	104	Fosamax.....	118
Evara.....	72	Flagyl-S.....	104	Fosamax Plus.....	118
Evara Emulsifying Ointment.....	72	Flamazine.....	69	Fosfomycin.....	115
EVARA Paraffin Ointment 50/50.....	73	Flecainide acetate.....	49	Framycetin sulphate.....	273
EVARA White Soft Paraffin.....	73	Flecainide BNM.....	49	Freestyle Libre 2.....	23
Everet.....	133	Flecainide Controlled Release Teva.....	49	Freestyle Libre 2 Plus.....	23
Everolimus.....	256	Fleet Phosphate Enema.....	25	Freestyle Libre 3 Plus.....	22
Evista.....	119	Flixonase Hayfever & Allergy.....	271	Frisium.....	132
Evrysdi.....	145	Flixotide.....	265	Frumil.....	53
Exemestane.....	182	Flixotide Accuhaler.....	265	Frusamide.....	53
Exjade.....	278	Florinef.....	85	Fucicort.....	72
Extemporaneously Compounded Preparations and Galenicals.....	281	Fluanxol.....	139	Fucidin.....	100
Eye Preparations.....	273	Flucil.....	97	Fucithalamic.....	273
Eylea.....	202	Flucloraxacillin.....	97	Fucithalamic Canada (ON).....	273
Ezetimibe.....	56	Flucloxin.....	97	Fucithalamic Spain.....	273
Ezetimibe Sandoz.....	56	Flucon.....	274	Fulvestrant.....	179
Ezetimibe with simvastatin.....	56	Fluconazole.....	101	Fulvestrant EVER Pharma.....	179
- F -		Fludara Oral.....	157	Fungilin.....	32
Factor eight inhibitor bypassing fraction.....	40	Fludarabine Ebewe.....	157	Furosemide [Frusamide].....	53
Famotidine.....	9	Fludarabine phosphate.....	157	Furosemide-AFT.....	53
Famotidine Hovid.....	9	Fludrocortisone acetate.....	85	Furosemide-Baxter.....	53
Famotidine Hovid MY.....	9	Fluids and Electrolytes.....	45	fusidic acid	
Faricimab.....	207	Flumetasone pivalate.....	273	Dermatological.....	69, 72
Fasenra.....	203	Fluocortolone caproate with fluocortolone pivalate and cinchocaine.....	8	Infection.....	100
Faslodex.....	179	Fluorometholone.....	274	Sensory.....	273
Fatty Emulsion Cream (Evara).....	72	Fluorouracil.....	157	- G -	
Febuxostat.....	121	Fluorouracil Accord.....	157	GA Explore 5.....	298
Febuxostat (Teva).....	121	Fluorouracil sodium.....	77	GA1 Anamix Infant.....	298
FEIBA NF.....	40	Fluox.....	131	GA1 Anamix Junior.....	298
Felo 10 ER.....	51	Fluoxetine hydrochloride.....	131	Gabapentin.....	132
Felo 5 ER.....	51	Flupenthixol decanoate.....	139	Gacet.....	127-128
Felodipine.....	51	Flutamide.....	179	Galsulfase.....	27
Fentanyl.....	128	Flutamin.....	179	Galvumet.....	12
Fentanyl Sandoz.....	128	Fluticasone.....	265	Galvus.....	12
Ferinject.....	34	Fluticasone furoate with umeclidinium and vilanterol.....	268	Gardasil 9.....	312
Feriprox.....	279	Fluticasone furoate with vilanterol.....	266	Gastrodenol.....	10
Ferro-F-Tabs.....	34	Fluticasone propionate.....	271	Gaviscon Extra Strength.....	6
Ferro-Liquid.....	34	Fluticasone with salmeterol.....	266	Gaviscon Infant.....	6
		Flynn.....	94	Gazvyva.....	217
				Gefitinib.....	170
				Gemcitabine Ebewe.....	157
				Gemcitabine hydrochloride.....	157
				Gemtuzumab ozogamicin.....	208

Gentamicin sulphate.....	99	healthE Glycerol BP	281	Hydroxocobalamin Panpharma	32
Gilenya	142	healthE Urea Cream	73	hydroxycarbamide	160
Ginet.....	81	Healtheries Simple Baking Mix.....	294	Hydroxychloroquine sulphate	118
Glatiramer acetate.....	142	Hemastix.....	83	Hydroxyurea	
Glecaprevir with pibrentasvir.....	109	Hemibra	39	[hydroxycarbamide].....	160
Glibenclamide.....	12	Heparin sodium	44	Hygroton	54
Gliclazide.....	12	Heparin Sodium Panpharma	44	Hylo-Fresh	277
Glipizide	12	Heparinised saline	44	Hymenoptera	263-264
Glizide.....	12	Heparon Junior	286	Hyoscine butylbromide	8
Glucagen Hypokit.....	10	Hepatitis A vaccine	310	Hyoscine Butylbromide	
Glucagon hydrochloride.....	10	Hepatitis B recombinant		(Adiramedita)	8
Glucerna Select.....	285	vaccine	311	Hyoscine hydrobromide.....	136
Glucose [Dextrose].....	45	Herzuma	239	Hyperuricaemia and Antigout	120
Gluten Free Foods.....	294	Hikma	49	Hypromellose.....	276
Glycerin with sodium saccharin	281	Hikma Acetylcysteine	278	Hypromellose with dextran	276
Glycerin with sucrose	281	Hikma-Propranolol.....	51	- I -	
Glycerol		Hiprex	116	Ibiamox.....	97
Alimentary.....	25	Histaclear.....	264	Ibrutinib	160
Extemporaneous.....	281	Holoxan	156	Ibuprofen	117
Glyceryl trinitrate		Horleys Bread Mix	295	Ibuprofen SR BNM	117
Alimentary.....	8	Horleys Flour	295	Icatibant.....	263
Cardiovascular.....	56	Hormone Replacement Therapy -		Idarubicin hydrochloride	160
Glycopyrronium.....	267	Systemic.....	87	Idursulfase	28
Glycopyrronium bromide	8	HPV	312	Ifosfamide.....	156
Glycopyrronium with		Humalog	11	Iloprost.....	65
indacaterol.....	267	Humalog Mix 25.....	11	Imatinib mesilate.....	171
Glycopyrronium-AFT	8	Humalog Mix 50.....	11	Imatinib-Rex	171
Glycosade.....	298	Human papillomavirus (6, 11, 16, 18,		Imbruvica.....	160
Glytactin Betermilk.....	297	31, 33, 45, 52 and 58) vaccine		Imfinzi	246
Gold Knight.....	79	[HPV].....	312	Imipramine Crescent	130
Gold Knight XL	79	Humatin	100	Imipramine hydrochloride	130
Goserelin	93	Humira.....	196	Imiquimod	77
Gynaecological Anti-infectives.....	81	HumiraPen.....	196	Immune Modulators.....	113
- H -		Humulin 30/70.....	11	Immunisation - Flu	278
Habitrol.....	152	Humulin NPH.....	11	Immunisation Flu and Shingles	278
Haemophilus influenzae type B		Humulin R.....	10	Immunisation Other	278
vaccine	310	Hyaluronic acid	277	Immunosuppressants	182
Haldol	139	Hydralazine	57	Incruse Ellipta	267
Haldol Concentrate.....	139	Hydralazine hydrochloride.....	57	Indacaterol.....	265
Haldol Decanoas	139	Hydralock.....	72	Indapamide.....	54
Haloperidol	137	Hydralyte - Lemonade	46	Infanrix IPV	309
Haloperidol decanoate.....	139	Hydrocortisone		Infanrix-hexa.....	309
Harvoni	109	Dermatological.....	71	Infant Formulae	299
Havrix 1440	310	Hormone	85	Infatrini.....	303
Havrix Junior	310	Hydrocortisone acetate.....	7	Infliximab	208
Haylor syrup	264	Hydrocortisone acetate with		Influenza vaccine.....	313
HCU Anamix Infant.....	295	pramoxine hydrochloride.....	7	Influvac Tetra	
HCU Anamix Junior	295	Hydrocortisone and paraffin liquid		(2026 formulation)	313
HCU Anamix Junior LQ	295	and lanolin	71	Inhaled Corticosteroids.....	264
HCU Explore 5.....	295	Hydrocortisone butyrate	71, 76	Inhaled Long-acting	
HCU Express 15.....	295	Hydrocortisone with cinchocaine.....	8	Beta-adrenoceptor Agonists.....	265
HCU Lophlex LQ.....	295	Hydrocortisone with miconazole.....	72	Inlyta.....	167
healthE Calamine Aqueous.....	70	Hydrocortisone with natamycin and		Inotuzumab ozogamicin.....	216
healthE Dimethicone 10%.....	72	neomycin	72	Inresa.....	35
healthE Dimethicone 4% Lotion	73	Hydrogen peroxide	69	Inspra.....	53
healthE Dimethicone 5%.....	72	Hydroxocobalamin.....	32	Instillagel Lido.....	124

INDEX: Generic Chemicals and Brands

Insulin aspart.....	11	Iressa.....	170	Keytruda.....	250
Insulin aspart with insulin aspart protamine.....	11	Irinotecan Actavis 100.....	157	Kindergen.....	286
Insulin degludec with insulin aspart.....	11	Irinotecan hydrochloride.....	157	Kisqali.....	175
Insulin glargine.....	11	Irinotecan-Rex.....	157	Klacid	
Insulin glulisine.....	11	Iron (as ferric carboxymaltose).....	34	Alimentary.....	9
Insulin isophane.....	11	Iron polymaltose.....	35	Infection.....	96
Insulin isophane with insulin neutral.....	11	Isentress.....	113	Klaricid.....	96
Insulin lispro.....	11	Isentress HD.....	113	Kliogest.....	88
Insulin lispro with insulin lispro protamine.....	11	Ismo 20.....	56	Kliovance.....	88
Insulin neutral.....	10	Ismo 40 Retard.....	56	Kogenate FS.....	40
Insulin pen needles.....	17	Isoleucine50.....	299	Konakion MM.....	41
Insulin pump cartridge.....	18	Isoniazid.....	105	Konakion MM Paediatric.....	41
Insulin pump infusion set (steel cannula).....	19	Isoniazid Teva.....	105	Konsyl-D.....	24
Insulin pump infusion set (steel cannula, straight insertion).....	19	Isoniazid with rifampicin.....	106	Kuvan.....	29
Insulin pump infusion set (teflon cannula).....	20	Isoptin.....	52		
Insulin pump infusion set (teflon cannula, angle insertion with insertion device).....	21	Isoptin Retard.....	52	- L -	
Insulin pump infusion set (teflon cannula, flexible insertion with insertion device).....	21	Isoptin SR.....	52	Labetalol.....	50
Insulin pump infusion set (teflon cannula, straight insertion with insertion device).....	22	Isopto Carpine.....	276	Lacosamide.....	132
Insulin pump infusion set (teflon cannula, variable insertion).....	22	Isosorbide mononitrate.....	56	Lactulose.....	25
Insulin pump reservoir.....	22	Isotretinoin.....	68	Lacuna.....	29
Insulin pump with algorithm.....	17	Isotretinoin.....	68	Laevolac.....	25
Insulin syringes, disposable with attached needle.....	17	Ispaghula (psyllium) husk.....	24	Lamictal.....	132
Intelence.....	112	Itch-Soothe.....	70	Lamivudine.....	107, 113
Interferon beta-1-alpha.....	142	Itraconazole.....	102	Lamivudine Viatrix.....	113
Interferon beta-1-beta.....	142	Itraconazole Crescent.....	102	Lamivudine/Zidovudine Viatrix.....	113
Intra-uterine device.....	80	Itraconazole Kent.....	102	Lamotrigine.....	132
Invega Sustenna.....	139	Itrazole.....	102	Lamprene.....	105
Invega Trinza.....	140	Ivacaftor.....	271	Lanoxin.....	49
Ipca-Allopurinol.....	120	Ivermectin.....	74	Lanoxin PG.....	49
Ipca-Bisoprolol.....	50	- J -		Lanoxin S29.....	49
Ipca-Ciprofloxacin.....	99	Jadelle.....	80	Lanreotide.....	181
Ipca-Donepezil.....	150	Jakavi.....	176	Lansoprazole.....	9
Ipca-Enalapril.....	47	Jardiamet.....	14	Lantus.....	11
Ipca-Escitalopram.....	131	Jardiance.....	14	Lantus SoloStar.....	11
IPCA-Frusemide.....	53	Jaydess.....	80	Lanvis.....	158
Ipca-Hydroxychloroquine.....	118	Jevity HiCal RTH.....	292	Lanzol Relief.....	9
IPCA-Metoprolol.....	50	Jevity RTH.....	292	Largactil.....	137
IPCA-Propranolol.....	51	Jinarc.....	54	Laronidase.....	28
Ipilimumab.....	247	Juno Pemetrexed.....	158	Lasix.....	53
IPOL.....	319	- K -		Latanoprost.....	275
Ipratropium bromide.....	266, 272	Kadcyla.....	241	Latanoprost with timolol.....	276
		Kalydeco.....	271	Lax-Suppositories.....	26
		Kemadrin.....	123	Lax-suppositories Glycerol.....	25
		Kenacomb.....	273	Laxatives.....	24
		Kenacort-A 10.....	86	Laxsol.....	25
		Kenacort-A 40.....	86	Ledipasvir with sofosbuvir.....	109
		Kenalog in Orabase.....	32	Leflunomide.....	118
		Ketalar.....	125	Lenalidomide (Viatrix).....	161
		Ketamine.....	125	Lenalidomide Viatrix.....	161
		Ketocal 3:1.....	304	Lenvatinib.....	171
		KetoCal 4:1.....	304	Lenvima.....	171
		Ketoconazole		Letrole.....	182
		Dermatological.....	76	Letrozole.....	182
		Infection.....	102	Leucine100.....	299
		Ketogenic Diet.....	304	Leukeran FC.....	155
		Ketoprofen.....	117	Leukotriene Receptor Antagonists.....	270
		KetoSens.....	15		

Leuprorelin.....	93	Lorazepam.....	141	Mekinist.....	177
Leustatin.....	157	Lorstat.....	55	Melatonin.....	144
Levetiracetam.....	133	Losartan & Hydrochlorothiazide		Melpha.....	156
Levetiracetam-AFT.....	133	(Ipc)a.....	48	Melphalan.....	156
Levocabastine.....	275	Losartan Actavis.....	48	Meningococcal (groups A, C, Y and	
Levocamitine.....	29	Losartan potassium.....	48	W-135) conjugate vaccine.....	316
Levodopa with benserazide.....	123	Losartan potassium with		Meningococcal B multicomponent	
Levodopa with carbidopa.....	123	hydrochlorothiazide.....	48	vaccine.....	317
Levodopa with carbidopa and		Lovir.....	107	MenQuadfi.....	316
entacapone.....	123	Loxamine.....	131	Menthol.....	70
Levomepromazine.....	137	Lucrin Depot 1-month.....	93	Mepolizumab.....	216
Levomepromazine		Lucrin Depot 3-month.....	93	Mercaptopurine.....	158
hydrochloride.....	137	LumaCina.....	45	Mercilon 28.....	80
Levonorgestrel.....	80-81	Lumigan.....	275	Mesalazine.....	7
Levonorgestrel -1 (Lupin).....	81	Lynparza.....	162	Mesna.....	161
Levonorgestrel BNM.....	81	Lyrica.....	133	Mestinon.....	117
Levothyroxine.....	88	- M -			
Lidocaine [Lignocaine].....	124-125	m-Eslon.....	129	Metabolic Disorder Agents.....	26
Lidocaine [Lignocaine]		Mabthera.....	222	Metabolics.....	29
hydrochloride.....	125	Macrobid.....	116	Metformin hydrochloride.....	12
Lidocaine [Lignocaine] with		Macrogol 3350 with potassium		Metformin Viatrix.....	12
prilocaine.....	125	chloride, sodium bicarbonate and		Methadone BNM.....	128
Lidocaine-Baxter.....	125	sodium chloride.....	25	Methadone hydrochloride.....	128
Life Extension.....	30	Madopar 125.....	123	Methenamine (hexamine)	
Lignocaine.....	124-125	Madopar 250.....	123	hippurate.....	116
Linezolid.....	106	Madopar 62.5.....	123	Methopt.....	276
Lioresal Intrathecal.....	121	Madopar HBS.....	123	Methotrexate.....	158
Lipid-Modifying Agents.....	54	Madopar Rapid.....	123	Methotrexate DBL Onco-Vial.....	158
Liquigen.....	284	Magnesium hydroxide.....	35	Methotrexate Ebewe.....	158
Liraglutide.....	13	Magnesium sulphate.....	35	Methotrexate Sandoz.....	158
Lisdexamfetamine dimesilate.....	147	Mantoux.....	322	Methoxyflurane.....	126
Lisinopril.....	47	Marevan.....	44	Methyl hydroxybenzoate.....	281
Lithium carbonate.....	137	Marine Blue Lotion SPF 50+.....	77	Methylcellulose.....	281
Livostin.....	275	Mask for spacer device.....	272	Methylcellulose with glycerin and	
LMX4.....	125	Maviret.....	109	sodium saccharin.....	281
Lo-Oralcon 20 ED.....	80	Maxidex.....	274	Methylcellulose with glycerin and	
Locacorten-Viaform ED's.....	273	Maxitrol.....	274	sucrose.....	281
Local preparations for Anal and		MCT oil (Nutricia).....	284	Methyldopa.....	52
Rectal Disorders.....	8	Measles, mumps and rubella		Methyldopa Viatrix.....	52
Locasol.....	299	vaccine.....	315	Methylnaltrexone bromide.....	25
Locoid.....	71, 76	Mebeverine hydrochloride.....	9	Methylphenidate ER - Teva.....	148
Locoid Crelo.....	71	Med Adv Ext Infusion Set		Methylphenidate hydrochloride.....	148
Locoid Lipocream.....	71	MDT-MMT-431AK.....	21	Methylphenidate hydrochloride	
Locorten-Vioform.....	273	Med Adv Ext Infusion Set		extended-release.....	149
Lodoxamide.....	275	MDT-MMT-432AK.....	21	Methylphenidate Sandoz XR.....	148
Logem.....	132	Med Adv Ext Infusion Set		Methylprednisolone.....	85
Lomide.....	275	MDT-MMT-441AK.....	21	Methylprednisolone (as sodium	
Lomustine.....	156	Med Adv Ext Infusion Set		succinate).....	86
Loniten.....	57	MDT-MMT-442AK.....	21	Methylprednisolone aceponate.....	71
Loperamide hydrochloride.....	6	Med Adv Ext Infusion Set		Methylprednisolone acetate.....	86
Lopinavir with ritonavir.....	113	Medac.....	156	Methylxanthines.....	270
Lopinavir/Ritonavir Mylan.....	113	Medrol.....	85	Metoclopramide Actavis 10.....	136
Loprofin.....	298	Medroxyprogesterone acetate		Metoclopramide hydrochloride.....	136
Loprofin Mix.....	297	Genito-Urinary.....	80	Metolazone.....	54
Lorafix.....	264	Hormone.....	87-88	Metopirone.....	93
Loratadine.....	264	Mefenamic acid.....	117	Metoprolol IV Mylan.....	50
				Metoprolol IV Viatrix.....	50

Nitisinone.....	29	Nutrison Advanced Peptisorb.....	288	One-Alpha.....	33
Nitisinone LogixX Pharma.....	29	Nutrison Concentrated.....	294	Opdivo.....	247
Nitrates.....	56	Nutrison Energy.....	291	Ora-Blend.....	281
Nitroderm TTS.....	56	Nutrison Energy Multi Fibre.....	292	Ora-Blend SF.....	281
Nitrofurantoin.....	116	Nutrison Multi Fibre.....	292	Ora-Plus.....	281
Nitrolingual Pump Spray.....	56	Nutrison RTH.....	291	Ora-Sweet.....	281
Nivestim.....	44	Nyefax Retard.....	52	Ora-Sweet SF.....	281
Nivolumab.....	247	Nystatin		Orabase.....	32
Nodia.....	6	Alimentary.....	32	Oral and Enteral Feeds.....	285
Noflam 250.....	117	Genito-Urinary.....	81	Oralcon 30 ED.....	80
Noflam 500.....	117	Infection.....	102	Oramorph.....	129
Non-Steroidal Anti-Inflammatory		NZB Low Gluten Bread Mix.....	295	Oramorph CDC S29.....	129
Drugs.....	117			Oratane.....	68
Nonacog gamma, [Recombinant		- O -		Ornidazole.....	105
Factor IX].....	40	Obinutuzumab.....	217	Orphenadrine citrate.....	122
Norethisterone		Obstetric Preparations.....	83	Ortho-tolidine.....	83
Genito-Urinary.....	81	Ocicure.....	9	Oruvail SR.....	117
Hormone.....	88	Ocrelizumab.....	142	Osimertinib.....	173
Norflex.....	122	Ocrevus.....	142	Osmolite RTH.....	291
Norfloxacin.....	116	Ocrevus SC.....	142	Other Endocrine Agents.....	93
Noriday.....	81	Octasa.....	7	Other Oestrogen Preparations.....	88
Noriday 28.....	81	Octocog alfa [Recombinant factor		Other Progestogen	
Norimin.....	80	VIII] (Advate).....	40	Preparations.....	88
Normison.....	145	Octocog alfa [Recombinant factor		Other Skin Preparations.....	77
Nortriptyline hydrochloride.....	130	VIII] (Kogenate FS).....	40	Ovestin	
Norvir.....	113	Octeotide.....	180	Genito-Urinary.....	81
Noumed Dexamfetamine.....	146	Octeotide GH.....	180	Hormone.....	88
Noumed Isoniazid.....	105	Octeotide long-acting.....	182	Oxaliplatin.....	156
Noumed Paracetamol.....	127	Oestradiol.....	87	Oxaliplatin Accord.....	156
Noumed Pethidine.....	129	Oestradiol valerate.....	87	Oxaliplatin Actavis 100.....	156
Noumed Phenobarbitone.....	133	Oestradiol with norethisterone.....	88	Oxaliplatin Ebewe.....	156
NovaSource Renal.....	288	Oestriol		Oxis Turbuhaler.....	265
Novatretin.....	74	Genito-Urinary.....	81	Oxpentifylline.....	57
NovoMix 30 FlexPen.....	11	Hormone.....	88	Oxybutynin.....	82
NovoRapid.....	11	Oestrogens.....	87	Oxycodone Amneal.....	129
NovoRapid FlexPen.....	11	Ofev.....	268	Oxycodone hydrochloride.....	129
NovoRapid Penfill.....	11	Oil in water emulsion.....	72	Oxycodone Lucis.....	129
NovoSeven RT.....	39	Olanzapina Mylan.....	137	Oxycodone Sandoz.....	129
Nozinan.....	137	Olanzapina Mylan Pharma.....	137	Oxytocin.....	82
Nozinan (Swiss).....	137	Olanzapine.....	137, 139	Oxytocin BNM.....	82
Nucala.....	216	Olaparib.....	162	Oxytocin with ergometrine	
Nuelin.....	270	Olbetam.....	54	maleate.....	82
Nuelin-SR.....	270	Olopatadine.....	277	Ozurdex.....	274
Nupentin.....	132	Olopatadine Teva.....	277		
Nusinersen.....	145	Olsalazine.....	8	- P -	
Nutilis.....	294	Omalizumab.....	218	Pacifen.....	121
Nutren Diabetes.....	285	Omeprazole.....	9	Pacimol.....	127
Nutrient Modules.....	282	Omeprazole actavis 10.....	9	Paclitaxel.....	163
Nutrini Energy Multi Fibre.....	287	Omeprazole actavis 20.....	9	Paclitaxel Actavis.....	163
Nutrini Energy RTH.....	287	Omeprazole actavis 40.....	9	Paclitaxel Ebewe.....	163
Nutrini Low Energy Multi Fibre.....	289	Omeprazole Teva.....	9	Padagis	
Nutrini Peptisorb.....	302	Omnitrope.....	89	Cardiovascular.....	53
Nutrini Peptisorb Energy.....	302	Omnitrope AU.....	89	Dermatological.....	77
Nutrini RTH.....	287	Onbrez Breezhaler.....	265	Paediatric Seravit.....	33
Nutrison 800 Complete Multi		Oncaspar LYO.....	163	Palbociclib.....	174
Fibre.....	292	OncoTICE.....	187	Palbociclib Pfizer.....	174
		Onandsetron.....	136	Paliperidone.....	139

Paliperidone palmitate.....	140	Permethrin.....	74	PKU Glytactin RTD 15 Lite.....	297
Palivizumab.....	219	Perrigo.....	77	PKU GMPPro LQ.....	297
Pamidronate disodium.....	119	Pertuzumab.....	221	PKU GMPPro Mix-In.....	297
Pamisol.....	119	Pertuzumab with trastuzumab.....	221	PKU GMPPro Ultra Lemonade.....	297
Pamol.....	127	Peteha.....	106	PKU GMPPro Ultra Vanilla.....	297
Pancreatic enzyme.....	23	Pethidine hydrochloride.....	129	PKU Lophlex LQ 10.....	296
Pantoprazole.....	10	Pevaryl.....	70	PKU Lophlex LQ 20.....	296
Panzop Relief.....	10	Pexsig.....	52	PKU Lophlex Powder.....	296
Papaverine hydrochloride.....	57	Pfizer Exemestane.....	182	PKU Lophlex Sensation 20.....	296
Para-amino salicylic acid.....	106	Pharmacor Varenicline.....	153	PKU Restore Powder.....	297
Paracetamol.....	127	Pharmacy Services.....	278	PKU sphere20 Banana.....	297
Paracetamol (Ethics).....	127	Pheburane.....	30	PKU sphere20 Chocolate.....	297
Paracetamol + Codeine (Relieve).....	129	Phenasen.....	159	PKU sphere20 Lemon.....	297
Paracetamol with codeine.....	129	Phenobarbitone.....	133	PKU sphere20 Red Berry.....	297
Paraffin.....	73	Phenobarbitone sodium Extemporaneous.....	281	PKU sphere20 Vanilla.....	297
Paraffin liquid with wool fat.....	277	Nervous.....	144	Pku Start.....	296
Parasiticial Preparations.....	73	Phenoxybenzamine hydrochloride.....	47	Plendil ER.....	51
Parnate.....	130	Phenoxyethylpenicillin (Penicillin V).....	98	Pneumococcal (PCV13) conjugate vaccine.....	318
Paromomycin.....	100	Phenylalanine50.....	299	Pneumococcal (PPV23) polysaccharide vaccine.....	319
Paroxetine.....	131	Phenytoin sodium.....	131, 133	Pneumovax 23.....	319
Paser.....	106	Phesgo.....	221	Podophyllotoxin.....	77
Paxam.....	141	Phillips Milk of Magnesia.....	35	Polaramine.....	264
Paxlovid.....	110	Phlexy 10.....	296	Poliomyelitis vaccine.....	319
Paxlovid fee.....	278	Phosphate Phebra.....	46	Poloxamer.....	25
Pazopanib.....	174	Phosphorus.....	46	Poly-Tears.....	276
Pazopanib Teva.....	174	Phytomenadione.....	41	Poly-Visc.....	277
Peak flow meter.....	272	Pilocarpine hydrochloride.....	276	Polycal.....	282
Pedialyte.....	46	Pilocarpine nitrate.....	276	Polyethylene glycol 400 and propylene glycol.....	277
Pediasure.....	287	Pimafucort.....	72	Pomalidomide.....	164
Pediasure Plus.....	287	Pimecrolimus.....	75	Pomolide.....	164
Pediasure RTH.....	287	Pine tar with trolamine laurilsulfate and fluorescein.....	76	Ponstan.....	117
Pegaspargase.....	163	Pinetarsol.....	76	Posaconazole.....	102
Pegasys.....	113	Pioglitazone.....	12	Posaconazole Juno.....	102
Pegasys (S29).....	113	Pirfenidone.....	269	Potassium chloride.....	45-46
Pegasys S29.....	113	Pizotifen.....	135	Potassium citrate.....	83
Pegfilgrastim.....	44	PKU Anamix Infant.....	296	Potassium iodate.....	34
Pegylated interferon alfa-2a.....	113	PKU Anamix Junior.....	296	Povidone iodine.....	73
Pembrolizumab.....	250	PKU Anamix Junior Chocolate.....	296	Pradaxa.....	44
Pemetrexed.....	158	PKU Anamix Junior LQ.....	296	Pramipexole hydrochloride.....	123
Pemetrexed-AFT.....	158	PKU Anamix Junior Orange.....	296	Pravastatin.....	55
Penicillamine.....	118	PKU Anamix Junior Vanilla.....	296	Praziquantel.....	94
Penicillin G.....	97	PKU Build 10.....	297	Prazosin.....	47
PenMix 30.....	11	PKU Build 20 Chocolate.....	297	Prazosin Mylan.....	47
Pentasa.....	7	PKU Build 20 Raspberry Lemonade.....	297	Pred Forte.....	275
Penthrox.....	126	PKU Build 20 Smooth.....	297	Prednisolone.....	86
Pentostatin [Deoxycyformycin].....	164	PKU Build 20 Vanilla.....	297	Prednisolone acetate.....	275
Pentoxifylline [Oxpentifylline].....	57	PKU Explore 10.....	296	Prednisolone hexanoate with cinchocaine hydrochloride.....	8
Peptamen Junior.....	287	PKU Explore 5.....	296	Prednisolone sodium phosphate.....	275
Pepti-Junior.....	302	PKU Express 20.....	296	Prednisolone-AFT.....	275
Perhexiline maleate.....	52	PKU First Spoon.....	296	Prednisone.....	86
Pericyazine.....	137	PKU Glytactin RTD 15.....	297	Prednisone Clinect.....	86
Perindopril.....	47				
Periset.....	136				
Periset ODT.....	136				
Perjeta.....	221				

Pregabalin	133		
Pregabalin Pfizer	133		
Pregnancy Tests - hCG Urine	82		
Premarin	87		
Presolol	50		
Prevenar 13	318		
Priadel	137		
Primaquine	104		
Primidone	133		
Primidone Clinect	133		
Primolut N	88		
Priorix	315		
Probenecid	121		
Probenecid-AFT	121		
Procarbazine hydrochloride	164		
Prochlorperazine	136		
Prochlorperazine maleate (Brown & Burk)	136		
Proctofoam	7		
Proctosedyl	8		
Procyclidine hydrochloride	123		
Progesterone	88		
Proglicem	10		
Progynova	87		
Prolia	118		
Promethazine hydrochloride	264		
Propafenone hydrochloride	50		
Propranolol	51		
Propylene glycol	281		
Propylthiouracil	88		
Prostacur	179		
Protaphane	11		
Protaphane Penfill	11		
Protifar	284		
Protionamide	106		
Provera	87		
Provera HD	88		
Psoriasis and Eczema Preparations	74		
PTU	88		
Pulmicort Turbuhaler	265		
Pulmozyme	270		
Puri-nethol	158		
Puritan's Pride Vitamin B-2 100 mg	29		
Pyrazinamide	106		
Pyridostigmine bromide	117		
Pyridoxine hydrochloride	33		
Pyridoxine multichem	33		
- Q -			
Quantalan sugar free	55		
Quetapel	138		
Quetiapine	138		
Quetiapine Viatrix	138		
Quinapril	48		
Qvar	264		
- R -			
RA-Morph	128		
Rallicrom	8		
Raloxifene hydrochloride	119		
Raltegravir potassium	113		
Ramipex	123		
Ramipril	48		
Ranbaxy-Cefaclor	94		
Rapamune	257		
Rasagiline	123		
Reandron 1000	86		
Recombinant factor IX	38, 40		
Recombinant factor VIIa	39		
Recombinant factor VIII	40		
Rectogesic	8		
Redipred	86		
Relieve	117		
Relistor	25		
Remdesivir	111		
Remicade	208		
Renilon 7.5	288		
Resonium-A	46		
Resource Beneprotein	284		
Respiratory Devices	272		
Respiratory Stimulants	272		
Retinol palmitate	277		
ReTrieve	69		
Retrovir	113		
Revolade	38		
Ribociclib	175		
Riboflavin	29		
Ribomustin	154		
Ricit	82		
Ricovir	107		
Rifabutin	106		
Rifadin	106		
Rifadin Sanofi	106		
Rifamazid	106		
Rifampicin	106		
Rifaximin	10		
Rifinah	106		
Rilutek	124		
Riluzole	124		
Rinvoq	259		
Riodine	73		
Risdiplam	145		
Risedronate Sandoz	120		
Risedronate sodium	120		
Risperdal	138		
Risperdal Consta	140		
Risperidone	138, 140		
Risperidone (Teva)	138		
Risperon	138		
Ritalin	148		
Ritalin LA	149		
Ritonavir	113		
Rituximab (Mabthera)	222		
Rituximab (Riximyo)	223		
Rivaroxaban	44		
Rivastigmine	150		
Rivastigmine Patch BNM 10	150		
Rivastigmine Patch BNM 5	150		
Rivotril	132		
Riximyo	223		
RIXUBIS	40		
Rizamelt	135		
Rizatriptan	135		
Robinul	8		
Roma	46		
Ropin	123		
Ropinirole hydrochloride	123		
Rosemont	129		
Rosuvastatin	55		
Rosuvastatin - Sandoz	55		
Rosuvastatin Viatrix	55		
Rosuvastatin-Sandoz	55		
Rotarix	320		
Rotavirus oral vaccine	320		
Roxane-Propranolol	51		
Roxithromycin	96		
Rozlytrek	170		
Rubifen	148		
Rubifen SR	148		
Rugby	36		
Rurioctocog alfa pegol [Recombinant factor VIII]	40		
Ruxolitinib	176		
Rydapt	172		
Rythmodan - Cheplafarm	49		
Rythmodan Neon	49		
Rytmonorm	50		
Ryzodeg 70/30 Penfill	11		
- S -			
Sabril	134		
Sacubitril with valsartan	48		
SalAir	266		
Salazopyrin	8		
Salazopyrin EN	8		
Salbutamol	266		
Salbutamol with ipratropium bromide	266		
Salicylic acid	76		
Salmeterol	265		
Sandomigran	135		
Sandostatin LAR	182		
Sanofi Primaquine	104		
Sapropterin dihydrochloride	29		
Scalp Preparations	76		
Scheriproct	8		
Scopolamine Transdermal System Viatrix	136		
Sebizole	76		

Secukinumab.....	233	Sodium picosulfate.....	26	Sylvant.....	235
Sedatives and Hypnotics.....	144	Sodium polystyrene sulphonate.....	46	Symbicort Turbuhaler 100/6.....	265
Seebri Breezhaler.....	267	Sodium tetradecyl sulphate.....	40	Symbicort Turbuhaler 200/6.....	265
Senna.....	26	Sodium valproate.....	133	Symbicort Turbuhaler 400/12.....	265
Senokot.....	26	Sofradex.....	273	Symmetrel.....	123
SensoCard.....	16	Soframycin.....	273	Sympathomimetics.....	57
Serc.....	135	Solax.....	25	Synacthen.....	86
Serenace.....	137	Solgar.....	27, 29-30	Synacthen Depot.....	86
Seretide.....	266	Solifenacin succinate.....	83	Synacthene Retard.....	86
Seretide Accuhaler.....	266	Solifenacin succinate Max Health.....	83	Synagis.....	219
Serevent.....	265	Solu-Cortef.....	85	Synthroid.....	88
Serevent Accuhaler.....	265	Solu-Medrol.....	86	Syntometrine.....	82
Sertraline.....	131	Solu-Medrol-Act-O-Vial.....	86	Syrup (pharmaceutical grade).....	281
Setrona.....	131	Somatropin (Omnitrope).....	89	Systane Unit Dose.....	277
Sevredol.....	129	Somatuline Autogel.....	181		
Sex Hormones Non Contraceptive.....	86	Somex.....	8	Tacrolimus Dermatological.....	76
Shingles vaccine.....	322	Sotalol.....	51	Oncology.....	259
Shingrix.....	322	Spacer device.....	272	Tacrolimus Sandoz.....	259
SII-Onco-BCG.....	187	Span-K.....	46	Tafinlar.....	168
Sildenafil.....	62	Spazmol.....	8	Tagrisso.....	173
Siltuximab.....	235	Spinal Muscular Atrophy.....	145	Taliglucerase alfa.....	31
Simvastatin.....	56	Spinraza.....	145	Tambocor.....	49
Simvastatin Mylan.....	56	Spiolto Respimat.....	267	Tambocor German.....	49
Simvastatin Viatris.....	56	Spiractin.....	53	Tamoxifen citrate.....	180
Sinemet.....	123	Spiriva.....	267	Tamoxifen Sandoz.....	180
Sinemet CR.....	123	Spiriva Respimat.....	267	Tamsulosin hydrochloride.....	82
Sintetica Baclofen Intrathecal.....	121	Spiroinolactone.....	53	Tamsulosin-Rex.....	82
Sirolimus.....	257	Stalevo.....	123	Tandem Cartridge.....	18
Sirturo.....	105	Staphlex.....	97	Tandem t:slim X2 with Basal-IQ.....	17
Siterone.....	86	Stelara.....	242	Tandem t:slim X2 with Control-IQ+.....	17
Slow-Lopresor.....	50	Stemetil.....	136	Tap water.....	281
Sodibic.....	46	Steril-Gene.....	86	Taro.....	102
Sodium acid phosphate.....	25	SteroClear.....	271	Tasigna.....	172
Sodium alginate.....	6	Stesolid.....	131	Tasmar.....	123
Sodium benzoate.....	30	Stimulants/ADHD Treatments.....	146	Taurine.....	30
Sodium bicarbonate Blood.....	45-46	Stiripentol.....	133	TCu 380 Plus Normal.....	80
Extemporaneous.....	281	Stomahesive.....	32	Tecentriq.....	245
Sodium calcium edetate.....	279	Strides Shasun.....	102	Tecfidera.....	142
Sodium chloride Blood.....	45	Stromectol.....	74	TEEVIR.....	112
Respiratory.....	271	Sucralfate.....	10	Tegretol.....	132
Sodium citrate with sodium lauryl sulphoacetate.....	25	Sulfadiazin-Heyl.....	100	Tegretol CR.....	132
Sodium citro-tartrate.....	83	Sulfadiazine Silver.....	69	Telfast.....	264
Sodium cromoglicate Alimentary.....	8	Sulfadiazine sodium.....	100	Temaccord.....	164
Sensory.....	275	Sulfasalazine.....	8	Temazepam.....	145
Sodium Fusidate [fusidic acid] Dermatological.....	69	Sulphur.....	76	Temozolomide.....	164
Infection.....	100	Sulprix.....	136	Temozolomide-Taro.....	164
Sensory.....	273	Sumagran.....	135	Tenofovir disoproxil.....	107
Sodium hyaluronate [Hyaluronic acid].....	277	Sumatriptan.....	135	Tenofovir Disoproxil Emtricitabine Mylan.....	109
Sodium phenylbutyrate.....	30	Sunitinib.....	176	Tenofovir Disoproxil Emtricitabine Viatr.....	109
		Sunitinib Pfizer.....	176	Tenofovir Disoproxil Viatris.....	107
		Sunitinib Rex.....	176	Tenoxicam.....	117
		Sunscreens.....	77	Tensipine MR10.....	52
		Sunscreens, proprietary.....	77		
		Sustagen Hospital Formula.....	292		
		Sustanon Ampoules.....	86		

- T -

Tepadina.....	156	Tramal SR 100.....	130	UK Cipla.....	266
Terbinafine.....	103	Tramal SR 150.....	130	UK Synacthen.....	86
Terbutaline sulphate.....	266	Tramal SR 200.....	130	Ultibro Breezhaler.....	267
Teriflunomide.....	142	Trametinib.....	177	Ultraproct.....	8
Teriflunomide Sandoz.....	142	Trandate.....	50	Umecclidinium.....	267
Teriparatide.....	120	Tranexamic acid.....	41	Umecclidinium with vilanterol.....	267
Teriparatide - Teva.....	120	Tranexamic-AFT.....	41	Univent.....	266, 272
Testogel.....	86	Tranlycypromine sulphate.....	130	Upadacitinib.....	259
Testosterone.....	86	Trastuzumab (Herzuma).....	239	Ural.....	83
Testosterone cypionate.....	86	Trastuzumab deruxtecan.....	241	Urea.....	73
Testosterone esters.....	86	Trastuzumab emtansine.....	241	Urex Forte.....	53
Testosterone undecanoate.....	86	Travatan.....	275	Urinary Agents.....	82
Tetrabenazine.....	124	Travoprost.....	275	Urinary Tract Infections.....	115
Tetrabromophenol.....	83	Treatments for Dementia.....	150	UroFos.....	115
Tetracosactrin.....	86	Treatments for Substance Dependence.....	151	Uromitexan.....	161
Tetracycline.....	98	Trelegy Ellipta.....	268	Ursodeoxycholic acid.....	24
Teva Lisinopril.....	47	Trental 400.....	57	Ursosan.....	24
Teva-Ketoconazole.....	102	Tretinoin.....		Ustekinumab.....	242
Thalidomide.....	165	Dermatological.....	69	Utrogestan.....	88
Thalomid.....	165	Oncology.....	165		
Theophylline.....	270	Trexate.....	158		
Thiamine hydrochloride.....	33	Triamcinolone acetoneide.....			
Thiamine multichem.....	33	Alimentary.....	32		
THIO-TEPA.....	156	Dermatological.....	71		
Thioguanine.....	158	Hormone.....	86		
Thiotepa.....	156	Triamcinolone acetoneide with gramicidin, neomycin and nystatin.....			
Thyroid and Antithyroid Agents.....	88	Dermatological.....	72		
Ticagrelor.....	41	Sensory.....	273		
Ticagrelor Mylan.....	41	Trientine.....	31		
Ticagrelor Sandoz.....	41	Trientine Waymade.....	31		
Ticagrelor Sandoz S29.....	41	Trikafra.....	270		
Tilcotil.....	117	Trimethoprim.....	101		
Timolol.....	275	Trimethoprim with sulphamethoxazole.....			
Tiotropium bromide.....	267	[Co-trimoxazole].....	101		
Tiotropium bromide with olodaterol.....	267	Trisequens.....	88		
Tivicay.....	113	Trisul.....	101		
TMP.....	101	Trophic Hormones.....	89		
Tobramycin.....		Tropicamide.....	276		
Infection.....	100	Trulicity.....	12		
Sensory.....	273	TruSteel.....	19		
Tobramycin (Viatrix).....	100	Tryzan.....	48		
Tobramycin BNM.....	100	Tuberculin PPD [Mantoux] test.....	322		
Tobrex.....	273	Tubersol.....	322		
Tocilizumab.....	235	Two Cal HN.....	294		
Tofranil.....	130	TYR Anamix Infant.....	298		
Tolcapone.....	123	TYR Anamix Junior.....	298		
Tolvaptan.....	54	TYR Anamix Junior LQ.....	298		
Topamax.....	134	TYR Explore 5.....	298		
Topiramate Actavis.....	134	TYR Lophlex LQ 20.....	298		
Total parenteral nutrition (TPN).....	45	TYR Sphere 20.....	298		
TPN.....	45	Tyrosine1000.....	299		
Tramadol hydrochloride.....	130	Tysabri.....	142		

- U -

- V -

Vabysmo.....	207
Vaccinations.....	305
Vaclovir.....	107
Valaciclovir.....	107
Valganciclovir.....	107
Valganciclovir Viatrix.....	107
Valine50.....	299
Valni Retard.....	52
Vancomycin.....	101
Vancomycin Viatrix.....	101
Vannair.....	265
Varenicline tartrate.....	153
Varicella vaccine [Chickenpox vaccine].....	321
Varicella zoster vaccine [Shingles vaccine].....	322
Varilrix.....	321
Varioux.....	278
VariSoft.....	22
Vasodilators.....	57
Vasopressin Agonists.....	93
Vasorex.....	51
Veblis.....	65
Veblis S29.....	65
Vedafil.....	62
Vedolizumab.....	243
Vegzelma.....	204
Veklury.....	111
Veletri.....	63
Venclexta.....	165
Venetcloax.....	165
Venlafaxine.....	131
Venomil.....	263-264
VENOX.....	263
Ventolin.....	266
Vepesid.....	160

Verapamil hydrochloride.....	52	Xylocaine 2% Jelly.....	124
Vermox.....	94	Xylocaine Viscous.....	125
Versacloz.....	137	Xylocard 500.....	125
Vesanoid.....	165	Xyntha.....	40
Vexazone.....	12		
Vfend.....	103	- Y -	
Viaderm KC.....	72	Yervoy.....	247
Victoza.....	13	- Z -	
Vigabatrin.....	134	Zarontin.....	132
Vigisom.....	144	Zaroxolyn.....	54
Vildagliptin.....	12	Zavedos.....	160
Vildagliptin with metformin		Zeffix.....	107
hydrochloride.....	12	Zejula.....	161
Vimpat.....	132	Zematop.....	76
Vinblastine sulphate.....	166	Zetlam.....	107
Vincristine sulphate.....	166	Ziagen.....	112
Vinorelbine.....	167	Zidovudine.....	113
Vinorelbine Ebewe.....	167	Zidovudine with lamivudine.....	113
Vinorelbine Te Arai.....	167	Ziextenzo.....	44
Viramune Suspension.....	112	Zimybe.....	56
ViruPOS.....	273	Zinc and castor oil.....	72
Vit.D3.....	33	Zinc sulphate.....	36
VitA-POS.....	277	Zincaps.....	36
Vitabdeck.....	34	Zincaps S29.....	36
Vital.....	288	Ziprasidone.....	138
Vitamin B complex.....	33	Zista.....	264
Vitamin B6 25.....	33	Zithromax.....	95
Vitamins.....	32, 34	Zo-Rub HP.....	125
Vivonex TEN.....	288	Zo-Rub Osteo.....	118
Voltaren.....	117	Zoladex.....	93
Voltaren D.....	117	Zoledronic acid	
Voltaren SR.....	117	Hormone.....	85
Volumatic.....	272	Musculoskeletal.....	120
Voriconazole.....	103	Zoledronic acid Injection Mylan.....	85
Vttack.....	103	Zoledronic acid Viatriis	
Vyvanse.....	147	Hormone.....	85
- W -		Musculoskeletal.....	120
Warfarin sodium.....	44	Zopiclone.....	145
Wart Preparations.....	77	Zopiclone Actavis.....	145
Wasp venom allergy treatment.....	264	Zostrix.....	118
Water		Zostrix HP.....	125
Blood.....	46	Zuclopenthixol decanoate.....	140
Extemporaneous.....	281	Zuclopenthixol hydrochloride.....	138
White Soft Liquid Paraffin AFT.....	73	Zusdone.....	138
Wool fat with mineral oil.....	73	Zyban.....	152
- X -		Zypine.....	137
Xalkori.....	167	Zypine ODT.....	137
Xaluprine.....	158	Zyprexa Relprevv.....	139
Xarelto.....	44	Zytiga.....	179
Xgeva.....	118	Zyvox.....	106
Xifaxan.....	10		
XMET Maxamum.....	295		
Xolair.....	218		
Xolair AU.....	218		
XP Maxamum.....	296		
Xylocaine.....	125		

