HOSPITAL MEDICINES LIST RESTRICTIONS CHECKLIST

Use this checklist to determine if a patient meets the restrictions for funding in the **hospital setting**. For more details, refer to Section H of the Pharmaceutical Schedule. For community funding, see the Special Authority Criteria.

PRESCRIBER	PATIENT:
Name:	Name:
Ward:	NHI:

Febuxostat

(Ο	Patie	ent has been diagnosed with gout
and	_		
		Ο	The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose
	or	Ο	The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose
	or	0	The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note)
	or	Ο	The patient has previously had an initial Special Authority approval for benzbromarone for treatment of gout.

INITIATION – Tumour lysis syndrome Re-assessment required after 6 weeks

Prerequisites (tick boxes where appropriate)

O Prescribed by, or recommended by a haematologist or oncologist, or in accordance with a protocol or guideline that has been endorsed by the Health NZ Hospital.

O Patient is scheduled to receive cancer therapy carrying an intermediate or high risk of tumour lysis syndrome and

O Patient has a documented history of allopurinol intolerance

CONTINUATION – Tumour lysis syndrome

Re-assessment required after 6 weeks **Prerequisites** (tick box where appropriate)

()

and

Prescribed by, or recommended by a haematologist or oncologist, or in accordance with a protocol or guideline that has been endorsed by the Health NZ Hospital.

O The treatment remains appropriate and patient is benefitting from treatment